ACS Fall Meeting 1988 Division of Polymer Chemistry Fracture and Toughness ir Polymers

DISTRUCTION STATEMENT A

Approved for public release Distribution Gallardied

SUGSTICE

1000000

1.1.1.2.2.C.C.

530

AD-A196

DEFORMATION BEHAVIOR OF ISOTACTIC POLYSTYRENE Julie K. Anderson, Robert E. Cohen, Ali S. Argon, Dept. of Chemical Engineering, MIT, Cambridge, MA 02139

Children State Carles and the State State

ITTIC FILE COPY

ECTE 03 1988

88

5

178

TTTTTTT AND THE REPORT

STATES IN

KENNEN DANNAR BUNNER PROFESSION

SY23277

The deformation behavior of a model semi-crystalline polymer with a well known rhombohedral crystal structure has been examined. As a direct consequence of its slow crystallization rate, isotactic polystyrene, the stereoregular analog of atactic polystyrene, may be prepared as an amorphous glass or as a semi-crystalline polymer with a desired morphology. Study of the crystal structure prior to and following uniaxial compression is accomplished through the use of a nicrodiffractometer, with a beam size small enough to permit examination of different regions of the deformed Changes in both the mechanical deformation[®] behavior cylinder. and the crystalline scattering pattern have been examined to elucidate the effects of the crystalline component of isotactic polystyrene upon the overall properties of the polymer.

ليتمحم معاملتهم

and the second products and the second se

Section Section

12225

ADAUSP

	REPORT DOCU	MENTATION	PAGE		
		16 RESTRICTIVE	MARK NGS	- P	
		3 DSTR BUTION	AVAILAB LITY C	OF REPORT	
		Approved for public release.			
HE REAL AS THAT ON LOW AUGAD AU SCHEDULE		Distribution unlimited.			
The AVING DEGANZATION REPORT NEVE	BER(S)	5 MONITORING	ORGANIZATION	REPORT NUN	BER(S)
Technical Report No. 3					
A NAME OF PERFORMING ORGANIZATION	60 OFF CE ST MBOL	'S NAME OF MO	NITORING ORG	ANIZATION	
of Technology	(if applicable)	UNR			
ADDRESS City State, and ZIP Code)		76 ADDRESS (Cr	y, State, and ZIP	Code)	
77 Massachusetts Avenue		200 North	1 Quincy St	reet	
Campridge, MA 02139		Aringtor	1, VA 2221	/	
NAME CHELNOING SPONSOPING	BO OFF CE SY MBOL	9 PROCUREMENT	INSTRUMENT I	DENTIFICATIO	N NUMBER
DARPA	(ir applicable)	N00014-8	5-K-0768		
CADDEFS (Cry State and ZIP Code)		10 SOURCE OF F	UNDING NUMBE	RS	
1400 Wilson Boulevard		PROGRAM	PROJECT	TASK	WORK UNIT
Arlington, VA 22209		ELEMENT NO	NO	NO	ACCESSION N
T.T.C. Units de Car ser Classification		K & I Code	A400005	_ _	
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R TYPE OF REPORT Extended Abstract FROM 1	COVERED	rgon Ali S. 14 DATE OF REPO 1988 Apri	RT (Year, Month	n, Day) 15 (PAGE COUNT
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R TYPE OF REPORT Extended Abstract SUPPLEMENTARY NOTATION To be presented at ACS Sympo	Robert E., and An COVERED 987 TO 1988 USIUM in Los Ange	rgon Ali S. 14 DATE OF REPO 1988, Apri 21es, Sept. 2	RT (Year, Month 1 1 5-29, 1988,	, <i>Day</i>) 15 (PAGE COUNT 6 be published
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R • TYPE OF REPORT Extended Abstract SUPPLEMENTARY NOTATON To be presented at ACS Sympo in Polymer Preprints. CODAT CODES	Robert E., and An COVERED <u>987 ° 1988</u> Isium in Los Ange	rgon Ali S. 14 DATE OF REPO 1988, Apri eles, Sept. 29	RT (Year, Month 1 1 5-29, 1988,	, Day) 15 (, and to	PAGE COUNT 6 be published
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R TYPE OF REPORT Extended Abstract SUPPLEMENTARY NOTATON To be presented at ACS Sympo in Polymer Preprints. COSAT CODES FELD TROUP SUB GROUP	Robert E., and An COVERED 987 TO 1988 Issium in Los Ange 18 SUBJECT TERMS	rgon Ali S. 14 DATE OF REPO 1988, Apri eles, Sept. 2: (Continue on reverse colvet vrene	RT (Year, Month 1 1 5-29, 1988, e if necessary an	and to	PAGE COUNT 6 be published y block number)
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R TYPE OF REPORT Extended Abstract SUPPLEMENTARY NOTATON To be presented at ACS Sympo in Polymer Preprints. CODAT CODES FELD CROUP SUBGROUP	Robert E., and An COVERED 987 TO 1988 USIUM IN LOS Ange 18 SUBJECT TERMS Isotactic p	rgon Ali S. 14 DATE OF REPO 1988, Apri eles, Sept. 29 (Continue on reverse colystyrene, p	RT (Year, Month 1 1 5-29, 1988, e if necessary an plastic def	, Day) 15 , and to no moderatify by formation	PAGE COUNT 6 be published y block number)
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R TYPE OF REPORT Extended Abstract SUPPLEMENTARY NOTATON To be presented at ACS Sympo in Polymer Preprints. COSAT CODES FELD FROLP SUB GROUP ARSTRACT Continue on reverse of necessary The defense Added	Robert E., and An COVERED 987 TO 1988 USIUM IN LOS Ange 18 SUBJECT TERMS Isotactic p y and identify by block	rgon Ali S. 14 DATE OF REPO 1988, Apri eles, Sept. 29 (Continue on reverse colystyrene, p number)	RT (Year, Month 1 1 5-29, 1988, e if necessary an plastic def	, Day) 15 , and to no mentify by formation	PAGE COUNT 6 be published y block number)
2 PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R 3a TYPE OF REPORT Extended Abstract FROM I SSUPPLEMENTARY NOTATION To be presented at ACS Sympolin Polymer Preprints. COSAT CODES FELD POUP SUBGROUP ARSTRACT Continue on reverse if necessary The deformation behavio rhombohedral crystal structu crystallization rate, isotac styrene, may be prepared as desired morphology. Study operation is accomplished thr enough to permit examination both the mechanical deformat examined to elucidate the ef upon the overall properties	Robert E., and An COVERED <u>987</u> TO <u>1988</u> USIUM IN LOS Ange TS SUBJECT TERMS Isotactic p and identify by block or of a model sem re has been example tic polystyrene, an amorphous gla of the crystal st ough the use of of different re- tion behavior and fects of the cry of the polymer.	rgon Ali S. 14 DATE OF REPO 1988, Apri eles, Sept. 29 (Continue on reverse colystyrene, p number) mi-crystalling nined. As a (the stereory a microdiffra egions of the d the crystall rstalline comp	RT (Year, Month 1 1 5-29, 1988, e if necessary and plastic def e polymer w direct conse egular anal emi-crystal r to and for actometer, deformed co line scatter ponent of i	and to and to dentify by formation formation with a we sequence og of at line pol bilowing with a b sylinder. ring pat sotactic	PAGE COUNT 6 be published y block number) 11-known of its slow actic poly- ymer with a uniaxial com- eam size small Changes in tern have been polystyrene
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R ITYPE OF REPORT Extended Abstract SUPPLEMENTARY NOTATON To be presented at ACS Sympo in Polymer Preprints. COSAT CODES FELD ARSTRACT Continue on reverse if necessar The deformation behavio rhombohedral crystal structu crystallization rate, isotac styrene, may be prepared as desired morphology. Study o pression is accomplished thr enough to permit examination both the mechanical deformat examined to elucidate the ef upon the overall properties D DISTRACTION AVAILABULITY OF ABSTRACT	Robert E., and An COVERED <u>987</u> TO <u>1988</u> USIUM IN LOS Ange ISOLACT TERMS ISOLACTIC F V and identify by block or of a model sem the has been exam- tic polystyrene, an amorphous gla of the crystal st rough the use of of different re- tion behavior and fects of the cry of the polymer.	rgon Ali S. 14 DATE OF REPO 1988, Apri eles, Sept. 25 (Continue on reverse colystyrene, p number) mi-crystalline ined. As a co the stereore a microdiffra egions of the d the crystall rstalline comp 21 ABSTRACT SEC Unclassif	RT (Year, Month 1 1 5-29, 1988, e if necessary and plastic def e polymer we direct conse egular anal emi-crystal r to and for actometer, deformed co line scatter construct classifier ied	and to and to dentify by formation with a we sequence og of at line pol ollowing with a b sylinder. cation	PAGE COUNT 6 be published y block number) 11-known of its slow actic poly- ymer with a uniaxial com- eam size small Changes in tern have been polystyrene
PERSONAL AUTHOR(S) Anderson, Julie K.; Cohen, R TYPE OF REPORT Extended Abstract SUPPLEMENTARY NOTATION To be presented at ACS Sympo in Polymer Preprints. COSAT CODES FELD FROUP SUBGROUP ARSTRACT (Continue on reverse if necessary The deformation behavio rhombohedral crystal structu crystallization rate, isotac styrene, may be prepared as desired morphology. Study o pression is accomplished thr enough to permit examination both the mechanical deformat examined to elucidate the ef upon the overall properties DISTR BUTION AVAILABILITY OF ABSTRACT DISTR BUTION AVAILABILITY OF ABSTRACT DISTR BUTION AVAILABILITY OF ABSTRACT DISTR BUTION AVAILABILITY OF ABSTRACT DISTR BUTION AVAILABILITY OF ABSTRACT ASS FEDINE MIED SAME AS A SAME OF RESPONSELE NOIVIDUAL A.S. Argon	Robert E., and An COVERED <u>987</u> TO <u>1988</u> USIUM IN LOS Ange 18 SUBJECT TERMS Isotactic p v and identify by block or of a model sem re has been examplify the crystal strongh the use of of different re ion behavior and fects of the cry of the polymer.	rgon Ali S. 14 DATE OF REPO 1988, Apri eles, Sept. 29 (Continue on reverse colystyrene, p number) mi-crystalline nined. As a (the stereore a microdiffra egions of the d the crystal rstalline comp 21 ABSTRACT SEE Unclassif 225 TELEPHONE ((617) 253	RT (Year, Month 1 1 5-29, 1988, e if necessary and plastic def e polymer w direct conse egular anal emi-crystal r to and for actometer, deformed co line scatter conent of i conent of i conent of i	and to and to dentify by formation with a we sequence og of at line pol blowing with a b cylinder. cation cation	PAGE COUNT 6 be published y block number) 11-known of its slow actic poly- ymer with a uniaxial com- eam size small Changes in tern have been polystyrene

CULLUS CO.

そうちょうちょう () ないのの いろう

STATES I

2652

10.07 - 16 M. e. y. W

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

DEFORMATION BEHAVIOR OF ISOTACTIC POLYSTYRENE

<u>J.K. Anderson</u>, R.E. Cohen, and A.S. Argon Massachusetts Institute of Technology Cambridge, Massachusetts 02139

INTRODUCTION

The use of semi-crystalline polymers, which contain both amorphous and crystalline components, provides improved heat and chemical resistance and increased stiffness over wholly amorphous polymers. Semi-drystalline polymers such as nylon and polyethylene are produced in bulk quantities for a wide variety of uses. However, the rapid crystallization rates of these polymers, as well as the complex crystal structure of nylon, where two forms of crystallites occur simultaneously, present additional complications in the study of the effect of crystallinity upon polymer deformation behavior.

Isotactic polystyrene (iPS) was selected as a "model semi-crystalline polymer" for this study. Although its extreme brittleness under tensile loading and difficult synthesis preclude large commercial production of iPS, it is an extremely useful material for experimental study.

Even at the temperature of the maximum in the crystal growth rate curve, the growth rate for iPS is orders of magnitude less than that observed in many other semicrystalline polymers. This offers certain advantages in the present experimental study. The slow spherulitic growth rate of iPS permits formation of a togally amorphous glass by quenching the melt to room temperature (1) and the development of samples of controlled crystalling content by the imposition of certain thermal histories. Samples with large, isolated spherulites surrounded by a glassy amorphous matrix may be prepared.

The deformation behavior of amorphous atactic polystyrene has been well characterized, but little detailed information is available on the behavior of the wholly amorphous iPS glass. The preparation of samples with desired morphologies will, allow the determination of the effect of crystallinity upon deformation behavior of iPS.

In addition to the fortuitous slow growth rate of crystallites in iPS, the crystal structure itself presents several important advantages. The rhombohedral unit cell is well-characterized (1). In contrast to many polymors, iPS acts almost like a metal crystal, with several orders of reflection observable in a wide-angle x-ray diffraction pattern (2). This is an advantage in analyzing the effects of deformation upon the polymer structure, as changes in several peaks may be examined. The high glass transition temperature of iPS (100°C) is also advantageous because imposed deformations remain fixed and are available for convenient later analysis at room temperature.

EXPERIMENTAL PROCEDURE

The atactic and isotactic polystyrenes used in this work were obtained from Polysciences, Dow Chemical Company, and by synthesis in this laboratory. The iPS was first dissolved in refluxing toluene and then precipitated into methanol to remove any impurities. After filtration, the powder was dried for 24 hours in vacuo at 100°C. Analysis by high-temperature GPC, DSC, and C¹³ NMR was conducted to characterize the iPS both before and after the precipitation.

The cylindrical samples of nominal dimensions 3 mm diameter and 4 mm height were compression molded. A temperature controlled fluidized bath (Techne, Model SBL1) was used for crystallization of the amorphous glass to desired levels. The crystalline content was measured either by DSC, density (3), or by X-ray diffraction (2). An Instron Model 1122 tensile testing machine fitted with a custom compression testing cell and equipped with an environmental chamber was used to produce the deformation. X-ray measurements were conducted both prior to and following the compression to monitor deformation-induced changes.

A Rigaku high brilliance rotating anode X-ray generator with a microdiffractometer attachment, capable of producing a beam of 100 microns or as small as 30 microns, was used for the majority of the diffraction studies. The small beam provided the opportunity not only to study much smaller samples than a conventional 1 cm by 1 mm beam, but to study different areas of the same sample.

X-RAY DIFFRACTION

In the microdiffractometer, the ring-shaped slit of the detector moves parallel to the incident x-ray beam. The design of this detector permits the interception of the entire Debye cone, and results in greater recording of diffracted intensity than a more traditional scintillation counter and slit apparatus. The governing equation for this setup is:

$L = R \cot 2\theta$

where L is the distance from the sample to the detector, R is the radius of the ring-shaped receiving slit, and 2Θ is the diffraction angle.

Acces	sion For	
NTIS	GRAAI	
DTIC	TAB	
Unann	ormced	
Justi	fication_	
Distr	ibution/	
Avai	lability	Codes
	Avail no	1/or
Dist	Special	1
١		
0~		
n `		-
<u> </u>	1	·'

ELECTRIC PRESS DESTRICT MERSING

00000

PESULTS AND DISCUSSION

The spherulite growth rate of the precipitated iPS was studied to establish the desired thermal history of the samples. Figure 1 is a plot of log growth rate vs. crystallization temperature. The plot shows a maximum at .75°C. At the higher temperatures, nucleation is retarded, permitting the growth of fewer, more isolated spherulites, so the range of 175 to 185°C, where the linear rate of growth is still near the maximum of the curve, was selected as the crystallization region for our work.

Compression tests on both samples of atactic and isotactic polystyrenes have been conducted and representative curves are shown in Figure 2. Stress-strain analysis of these samples indicates qualitative agreement between the behavior of atactic polystyrene and amorphous isotactic polystyrene.

A typical wide-angle x-ray diffraction trace of Intensity vs. 20 angle is shown in Figure 3. The Miller indices that the individual manes are shown above the peaks. X-ray mattering patterns collegted using the microdiffractometer have been obtained on both the uncompressed and compressed samples of semi-crystalline iPS. Analysis of the observed changes in the diffraction patterns and the implications of this upon the structure of iPS is ongoing.

Further details of the experimental findings will be presented at the symposium.

ACKNOVLEDGEMENTS

We would like to acknowledge Luigi Cazzaniga for providing some samples of iPS. The research was supported by DARPA/ONR Contract N00014-86-K-0768, and a DuPont PhD Fellowship to JKA. For the latter we are grateful to Dr. Bennett Epstein.

ACKNOWLEDGEMENTS

We would like to acknowledge Luigi Cazzaniga for providing some samples of iPS. The research was supported by DARPA/ONR Contract N00014-86-K-0768, and a DuPont PhD Fellowship to JKA. For the latter we are grateful to Dr. Bennett Epstein.

REFERENCES

CARTER STATEMENT PROCESSION AND CONTRACT CONTRACTOR

SCELL BROADSOND SAMAN STREAM SAMAN

- 1. Natta, G., Corradini, P., and Bassi, I.W., <u>Supplemento</u> <u>del Nuovo Cimento</u>, 1 (1960).
- 2. Buchanan, D.R., and Miller, R.L., <u>J. App. Phys.</u>, **37** 4003 (1965).
- Kenyon, A.S., Gross, R.C., and Wurstner, A.L., <u>J. Poly.</u> <u>Sci.</u>, 40 159 (1959).
- 4. Challa, G., Hermans, P.H., Weidinger, A., <u>Makromol.</u> <u>Chem.</u>, 56 169 (1962).







TOTAL ANTERS TITLESS BEARING NOTICE LANCESS LANCESS PROVIDE LANCESS LANCESS

UNIAXIAL COMPRESSION OF POLYSTYRENE







•