

DTIC FILE COPY

1




HISTORY AFIELD

DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited

FINAL
POPULAR REPORT:
ORAL HISTORY OF THE
MISSISSIPPI LOCKS & DAMS NOS. 3-10
DACW 37-87-M-1503

DTIC
SELECTED
MAR 10 1989
S & D



AD-A205 556

88
300 00 3

Submitted to:
John Anfinson
Environmental Resources
U.S. Army Corps of Engineers
January 1989
by:
Jo Blatti
HISTORY AFIELD

REPORT DOCUMENTATION PAGE				Form Approved OMB No 0704 0188 Exp Date Jun 30 1986	
1a REPORT SECURITY CLASSIFICATION Unclassified		1b RESTRICTIVE MARKINGS			
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited			
2b DECLASSIFICATION/DOWNGRADING SCHEDULE					
4 PERFORMING ORGANIZATION REPORT NUMBER(S)		5 MONITORING ORGANIZATION REPORT NUMBER(S)			
6a. NAME OF PERFORMING ORGANIZATION History Afield		6b OFFICE SYMBOL (If applicable)	7a NAME OF MONITORING ORGANIZATION U.S. Army Engineer District, St Paul		
6c. ADDRESS (City, State, and ZIP Code) PO Box 75295 St Paul, MN 55175-0295		7b. ADDRESS (City, State, and ZIP Code) 1421 USPO & Custom House St Paul, MN 55101-1479			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DACW37-87-M-1503		
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS			
		PROGRAM ELEMENT NO.	PROJECT NO	TASK NO	WORK UNIT ACCESSION NO
11. TITLE (Include Security Classification) ORAL HISTORY OF THE MISSISSIPPI RIVER LOCKS & DAMS NOS. 3-10: Popular report					
12. PERSONAL AUTHOR(S) Jo Blatti					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day) 1989	15. PAGE COUNT 18
16. SUPPLEMENTARY NOTATION Series consists of popular report, literature review and phase II pilot interviews					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) History U.S. Army Corps of Engineers Mississippi River Locks and Dams		
FIELD	GROUP	SUB-GROUP			
19. ABSTRACT (Continue on reverse if necessary and identify by block number) 1988 is an anniversary year on the Upper Mississippi; the St. Paul District, Corps of Enginners section of the 9-foot channel turned 50. In recognition of the 9-foot channel's importance to the District office, and history of inland navigation in the area, the Corps of Engineers staff collected documents and commissioned oral history interviews with persons who worked on the project.					
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21 ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a NAME OF RESPONSIBLE INDIVIDUAL			22b TELEPHONE (Include Area Code)		22c OFFICE SYMBOL

FIGURE 3

construction photo (populated)

Navigation on the Upper Mississippi

The idea of a mechanically dammed slackwater canal on the Mississippi between Minneapolis-St. Paul and St. Louis began to be discussed in the 1920s. The Corps of Engineers had been present in the area since the 1860s, dredging the river and constructing wing dams with the aid of contractors and crews up and down the river.

FIGURE 4

long shot wing dams

However, the 4 1/2 foot and 6 foot channels maintained in the late 19th and early 20th centuries proved inadequate to commercial barge and recreational navigation. The Upper Mississippi remained bedeviled by low water and snags.

The 9-foot system was a controversial idea in some respects. Some local farmers and major railroad lines were concerned that their respective properties along the channel might be flooded by the locking pools formed behind the dams. Environmentalists, members of the Izaak Walton League most notably, voiced their worries that the proposed channel might harm breeding and living conditions in the newly established Upper Mississippi Wildlife Refuge along the river's banks. However, the 9-foot project enjoyed the support of prominent Upper Midwest businessmen and politicians, and following hearings and negotiations that addressed the concerns of critics, the system was authorized by the River and Harbors Act of 1930.

The project proved important source of Depression-era employment for residents of communities along the river, and initial lock and dam construction was funded through federal relief appropriations until 1935. Subsequent appropriations were made through the River and Harbor Acts that conventionally supported Corps of Engineers projects.

FIGURE 5

long shot of lock and dam complex

An estimated 5000 people worked on the St. Paul District section of the channel at its peak in the mid-1930s. Dozens of contractors throughout the Midwest and the Northeast bid and built sections of the project. Several lock and dam complexes were under construction at any given time. The cast of characters included Corps supervisory and inspection personnel; the contractors' "key men" — skilled foremen and field supervisors who moved from job to job; locally hired work crews who did everything from cutting brush to pouring concrete. Payrolls at individual sites averaged approximately 600 each.

Communities up and down the river made room for large-scale construction and large numbers of transient residents. Genoa, Wisconsin is the site of lock and dam no. 8. A 1983 community history notes:

Business boomed, particularly taverns. Anyone having a room in a home had no trouble renting it. A large commissary, built in the area of the old fire station, was used to feed dam workers.

In nearby Lynxville, Wisconsin the construction of lock and dam no. 9 lives in memory also. A community history there notes:

[T]he construction...started in January 1934. Many, many people were hired at that time as workers. The population of Lynxville grew to over 2,000 people.

FIGURE 6

either Genoa or Lynxville, WI ca. 1930s

The experience of building the channel

Research into recollections about the engineering, working conditions and community aspects of the 9-foot channel system is just beginning. However, memories of working life on the project abound in the pilot studies. For

instance, Joseph McDonald, who worked for Nolan Brothers contractors on lock no. 7, had this to say about the scale of the 9-foot project:

These kinds of jobs, regardless of size, are routine as far as the contractor is concerned. Concrete is concrete no matter what shape you put it in (p. 9). [T]he biggest problem is capacity to handle it financially and experience in handling crews above normal size and be able to direct the activities of a lot of men (p. 39).

As it happens, Nolan Brothers took on an associate contractor to strengthen its bid on the lock no. 7 job, and still faced some bonding difficulties before successfully completing its contract (p. 3).

As regards innovative techniques and specifications on the 9-foot project, Mr. McDonald noted that this "type of work had never been done in this part of the country before" (p. 15). Describing the mobile cranes and other equipment he needed to acquire for the job, McDonald noted: "I'd run into things I'd never used before (p. 8)." Corps engineer Elmer Christenson made the same sort of comment about his work on the locks and dams at complexes nos. 3 and 4:

It had never been done before in the St. Paul District, of course, either a Taintor gate or a roller gate (p. 20).

FIGURE 7

Taintor/roller

These were the two types of movable dam gates employed in the 9-foot channel design. Roller gates are complete cylinders; in the 9-foot channel design, the roller gates are lifted by large gears and motors housed in the roller gate piers. The Taintor gate is a section of a cylindrical drum, similar in appearance to a convex bulldozer blade. In the 9-foot channel dams, these gates are lifted by hoist cars at Dams 4 and 5, by individually motorized hoists at other sites. Both systems were adapted from European engineering structures and earlier channel building on the Ohio River in the U.S. In fact, Christenson had been sent out to the Corps offices in Ohio to work on the Mississippi adaptations. Both gate types combine the advantages of flexible

control of the pool levels in normal-to-low river conditions with complete lift out of the water in times of high or flood waters.

Other 9-foot veterans recall daily living and work conditions. For instance, Frank A. Daly remembers his rooming arrangements during a stint as concrete inspector for lock no. 4 in Alma, Wisconsin.

I'm not exaggerating when I state that it was just as cold in that upper front bedroom as it was outside. And during those first few weeks in March 1933, the temperature frequently dropped down to around ten above zero. Fortunately, the landlady furnished us with a number of heavy quilts. Carl Anderson, my roommate, and I used so many that we could hardly turn over in bed. (FAD ms. 624-625)

9-foot channel work went on around the clock and around the calendar. Elmer Christenson remembers the weather when he was working on lock and dam complex no. 3 upriver from Red Wing, Minnesota.

Winter of 1936 was one of the worst winters that I can recall. Most of us lived in Red Wing, of course. So we had to get out there by car in the wintertime [Boats were often used in other seasons.], and we had to fight 20-foot drifts. The contractor would sometimes provide a machine to clear the road for us. (p. 48)

Joseph McDonald described the procedures used to handle concrete construction in the wintertime.

[T]hey developed systems where they heated the materials before [the concrete] was mixed, even if you had steam rollers on the job. Build a platform and store your material in the sand and the gravel. And we put pipes along on the floor of that and then stacked it on there. Once the material is heated and then the internal process of cement generates heat in itself. And with a job like [lock no. 7], the bigger the bulk of concrete you had, the more heat that developed by itself.

Before the preheating system McDonald describes, was developed, construction crews commonly used "salamanders", tall metal cans with coke or charcoal fires inside them, for large and small jobs in cold weather.

These recollections are just a sample. The Corps of Engineers is still collecting information about working on the 9-foot channel project in the 1930s. If you know of possible oral history informants or documents relating

to the project, please contact John Anfinson at the St. Paul District Corps of Engineers, 1135 U.S. Post Office and Custom House, St. Paul, MN 55101 (612/220-0260).

FIGURE 8

Note: This report is based on research conducted by John Anfinson, St. Paul District Corps of Engineers, Jon Gjerde (Historic Resources Evaluation 1983), Patrick O'Brien of the National Park Service, Rocky Mountain Regional Office and Jo Blatti of HISTORY AFIELD (author).

For further information about the Upper Mississippi and the 9-foot channel, we suggest:

The River's in My Blood: Riverboat Pilots Tell Their Stories by Jane Curry

A Stretch on the River: A Novel of Adventure on a Mississippi River Towboat by

Richard Bissel

Creativity, Conflict and Controversy: A History of the St. Paul District U.S.

Army Corps of Engineers by Raymond H. Merritt

The collections of the Winona County Historical Society, the University of Wisconsin-LaCrosse Library, the Minnesota Historical Society and the Hennepin County Historical Society include memoirs, photographs and other materials about the Mississippi River and 9-foot channel.

FIGURE 8

Note: This report is based on research conducted by John Anfinson, St. Paul District Corps of Engineers, Jon Gjerde (Historic Resources Evaluation 1983), Patrick O'Brien of the National Park Service, Rocky Mountain Regional Office and Jo Blatti of HISTORY AFIELD (author).

For further information about the Upper Mississippi and the 9-foot channel, we suggest:

The River's in My Blood: Riverboat Pilots Tell Their Stories by Jane Curry

A Stretch on the River: A Novel of Adventure on a Mississippi River Towboat by

Richard Bissel

Creativity, Conflict and Controversy: A History of the St. Paul District U.S.

Army Corps of Engineers by Raymond H. Merritt

The collections of the Winona County Historical Society, the University of Wisconsin-LaCrosse Library, the Minnesota Historical Society and the Hennepin County Historical Society include memoirs, photographs and other materials about the Mississippi River and 9-foot channel.

List of Figures

Figure 1
St. Paul District section,
9-foot channel on the Mississippi. 1980

Figure 2
Dam & Earth Dike No. 5 Personnel, Minnesota City, MN. 1936

Figure 3
Construction Dam No. 5, Minnesota City, MN. 1934

Figure 4
Wing Dams on the Mississippi above Hastings, MN ca. 1930
MHS. MD2.1 r1


Figure 5
Lock & Dam No. 7 at LaCrescent, MN. 1985


Figure 6
Either Genoa WI or Lynxville WI circa 1930
(Note: the Alma/Trempeleau views used here are stand-ins for
Genoa/Lynxville shots yet to be located.)

Figure 7
Taintor Cross Section
Use with
Roller Gates 4 & 5, Dam No. 7, LaCrescent, MN 1936 to provide
images of both systems.

Figure 8
Rip Rap Upstream of Lock No.5, Minnesota City, MN 1935

Note: Source for all figures Corps of Engineers unless otherwise
noted.






MEMBERS OF THE EXPEDITION

1. A. H. Paulsen, 2. H. H. Cunningham, 3. C. H. Brice, 4. F. B. Swasey, 5. H. T. Smith, 6. V. G. Park, 7. H. H. Brown, 8. F. B. Tompkins, 9. H. F. Warner, 10. F. A. Daly, 11. D. M. Macmillan, 12. E. A. Collins, 13. Elmer Knapp, 14. T. V. Moody, 15. O. L. Owsen, 16. Martin Malone, 17. C. L. Warren, 18. W. B. Darling, 19. O. E. Lumm, 20. H. G. Mettberg, 21. O. W. Walte, 22. O. E. Spenser, 23. A. B. Modill, 24. F. T. Brown, 25. C. J. Murrell, 26. I. O. Grant, 27. A. D. Alarson, 28. O. E. Peterson, 29. J. J. Demond, 30. E. H. Dominick, 31. F. H. Haberkamp, 32. F. H. Matt, 33. H. H. Tomaru, 34. H. H. McCallen, 35. O. E. Miller, 36. O. G. B. Cook.


Figure 3



UPPER MISSISSIPPI RIVER DAM NO. 6
W. A. CONTINGENT 1893 ENG. 65
FOUNDATION FOR ROLLER CR
SECTION REFERRED NO. 3
ENGINEER OFFICE ST. PAUL, MINN.
SEPT. 4, 1934

- Figure 4







*Navigation on
the Upper
Mississippi River*



US Army Corps
of Engineers

St. Paul District

1135 U.S. Post Office & Custom House
St. Paul, Minnesota 55101-1479




GEMS OF WISCONSIN SCENERY,

From WHITNEY'S GALLERY, St. Paul, Minn.

View of Trempealeau, Wisconsin.

Note: the Alma/Trempeleau views used here are 'stand-ins' for Genoa/Lynxville shots yet to be located.

- Figure 7



UPPER MISS. RIVER -- DAM NO. 7
E.R.A. - CONT. No. E.R. - W923 ENG. 11
ROLLER GATE SHIELDS,
GATES NOS. 4 AND 5


U. S. Engineer Office, St. Paul, Minn.
October 8, 1936. No. 222.



US Army Corps
of Engineers
St. Paul District

MAJOR REHABILITATION Figure 7

MISSISSIPPI RIVER LOCKS AND DAMS 3 - 10
IN THE ST. PAUL DISTRICT




SECTION THRU DAM AT TAITER GATE

OVERVIEW AND CULTURAL RESOURCES COMPLIANCE REPORT
WITH A PROGRAMMATIC MEMORANDUM OF AGREEMENT

JANUARY 1987

Figure 8



UPPER MISS. RIVER - DAM NO.
P. V. A. - COFT. NO. 7523 KGO.
FRADING OF RAP RAP, UPSTREAM FROM
BY C. M. & ST. P. R. R.
U. S. Engineer Office, St. Paul, Minn.
January 2, 1935. No. 149.