

AD-A250 498



IMPLEMENTATION PAGE

Form Approved
OMB No. 0704-0188

It is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and reviewing the collection of information, sending comments regarding this burden estimate or any other aspect of this collection of information, including this burden estimate, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. REPORT DATE

3. REPORT TYPE AND DATES COVERED
FINAL 1 Nov 89 - 31 Dec 91

4. TITLE AND SUBTITLE

NEW TECHNIQUES IN COMPUTATIONAL FLUID DYNAMICS-ALGORITHMS, ANALYSIS, APPLICATIONS" (U)

5. FUNDING NUMBERS

61102F

2304/A3

6. AUTHOR(S)

Dr. R. A. Nicolaides

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Carnegie-Mellon University
Department of Mathematics
Pittsburgh, PA 152138. PERFORMING ORGANIZATION
REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

AFOSR/NM
Bldg 410
Bolling AFB DC 20332-644810. SPONSORING/MONITORING
AGENCY REPORT NUMBER

AFOSR-89-0359

11. SUPPLEMENTARY NOTES

DTIC
S ELECTE D
MAY 18 1992
A

12a. DISTRIBUTION/AVAILABILITY STATEMENT

Approved for Public Release;
Distribution Unlimited

12b. DISTRIBUTION CODE

UL

13. ABSTRACT (Maximum 200 words)

The overall goal of this research was the development and application of covolume methodology in CFD and related areas. The main framework of the covolume approach is now in place and its major characteristics are reasonably well understood. The research shows the algorithm to be a stable and accurate approach to computing viscous fluids on unstructured meshes. The covolume approach has several unique features, including an associated discrete vector field theory, which in turn permits covolume discretizations to exhibit important physical characteristics, for example being free of artificial vorticity creation. There is still need for work in compressible and three dimensional flows.

14. SUBJECT TERMS

15. NUMBER OF PAGES

4

16. PRICE CODE

17. SECURITY CLASSIFICATION
OF REPORT

UNCLASSIFIED

18. SECURITY CLASSIFICATION
OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION
OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

SAR

FINAL TECHNICAL REPORT

AFOSR-89-0359: New Techniques in CFD; Algorithms, Analysis, Applications

Principle Investigator: R. A. Nicolaides, Carnegie Mellon University

Reporting Period: 6/1/89 to 12/31/91

Accession For	
NIS	CRA&I
DTIC	LIB
Unannounced	
Justification	
By	
Distribution	
Availability Codes	
Dist	Avail, and, or Special
A-1	

SUMMARY

The overall goal of the research was the development and application of covolume methodology in CFD and related areas. The main framework of the covolume approach is now in place and its major characteristics are reasonably well understood. The research shows the algorithm to be a stable and accurate approach to computing viscous fluids on unstructured meshes. The covolume approach has several unique features, including an associated discrete vector field theory, which in turn permits covolume discretizations to exhibit important physical characteristics, for example being free of artificial vorticity creation. There is still need for work in compressible and three dimensional flows.

REPORT

The major topic of the grant was to complete the development of a new methodology (the covolume approach) for the numerical solution of fluid dynamics problems on unstructured meshes. The same approach can be used to solve other problems and there is particular relevance to electromagnetics governed by Maxwell's equations. The major scientific achievements are as follows:

1. The covolume methodology was introduced for planar div-curl systems and rigorously analyzed for isotropic problems [1] and anisotropic problems [2]. The anisotropic case is particularly relevant in electromagnetics.

92-12974



The isotropic problem is relevant to both incompressible fluid mechanics (for example in vorticity formulations) and electromagnetics.

2. The basic covolume algorithm for incompressible viscous flows governed by the Navier–Stokes equations was introduced, initially for the Stokes equations [3] and later for the nonlinear case, [4], [5].

3. It turned out that when specialized to uniform rectangular meshes in two dimensions, the covolume scheme reduces to the famous MAC discretization. This rather unexpected result has several consequences. First, it lends immediate credibility to the entire covolume approach, since the MAC technique is well established and is supported by an enormous body of empirical evidence about its convergence and accuracy. Second, it provides a whole new way of looking at the MAC scheme, a way which is based purely on physics and not on artifacts of coordinate systems, as in the usual approach. This new way of looking at the MAC scheme enabled us to provide the first rigorous analysis of its convergence. This work is reported in [6] for the linear case and in [7] for the full Navier–Stokes equations. These proofs settle long standing conjectures about the MAC scheme and are a major result from our research.

4. Another outcome of the covolume methodology for fluid mechanics is that it establishes an unusual equivalence between primitive variable and vorticity–velocity formulations at the discrete level. Hitherto, discretizing these formulations has been regarded as independent activities. This is clearly undesirable, bearing in mind that they are equivalent at the continuous level. In the covolume framework, parallel transformations can be made at the discrete

level which transform between the discrete systems. The covolume approach appears to be unique in having this property. It is elaborated in a survey article [8], scheduled to appear in mid 1992.

5. Underlying the existence of the discrete transformations mentioned in the previous paragraph is a discrete vector field theory which is reported in [9]. This theory contains natural analogs of results such as $\text{curl grad } \mathbf{u} = 0$ and $\text{div curl } \mathbf{u} = 0$. These results play an important part in obtaining good computational results to physical problems.

6. Towards the end of the grant period, some work was done on several additional topics. This includes

- (i) Extensions to compressible flows
- (ii) Further work on three dimensional extensions
- (iii) Construction of Voronoi–Delaunay mesh systems.

Reference [10] contains some work on (i) – (ii) which was partly carried out during the grant period. Topic (iii) refers to a new algorithm, which is optimally efficient and particularly suited to the requirements of partial differential equations. For example, it is easy to add or remove points from the mesh system and it is relatively easy to incorporate non convex boundaries. This work has not yet been published, and is continuing.

REFERENCES

- [1] Direct discretization of planar div-curl systems. *SIAM Journal of Numerical Analysis*, V29, 1, 1992. p. 32.
- [2] Covolume techniques for anisotropic media. (To appear in *Numerische Mathematik*, 1992) [with Xiaohua Hu]
- [3] Flow discretization by complementary volume techniques Proc. 9th AIAA CFD Meeting, Buffalo, NY, 1989. AIAA paper, 89-1978.
- [4] Numerical solution of the Hamel problem by a covolume method. (To appear in *Advances in CFD* ed. W. G. Habashi, 1992) [with Xiaonan Wu].
- [5] Covolume algorithms. Proc. 4th Intl. Symp. on CFD. Davis, California, 1991.
- [6] Analysis and convergence of the MAC scheme. I. The linear problem. (To appear in *SIAM Journal of Numerical Analysis*)
- [7] Analysis and convergence of the MAC scheme II. The Navier-Stokes equations (submitted to *Mathematics of Computation*) [with Xiaonan Wu].
- [8] The covolume approach to computing incompressible flows. In *Incompressible CFD - Trends and Advances*, ed. M. D. Gunzburger and R. A. Nicolaides. Cambridge University Press. (To appear 1992).
- [9] A discrete vector field theory and some applications Proc. IMACS 13th World Congress on Computation and Applied Math., 1991.
- [10] Covolume techniques in the three dimensions. (To appear in *CFD Algorithms for the '90's* ed. M. Y. Hussaini, Springer-Verlag).

STUDENTS SUPPORTED

William D. Rieder (Ph.D Carnegie Mellon, expected 1993)

M. Erik Reid (Dept. of Mathematics, Carnegie Mellon)

Xianon Wu (Ph.D Carnegie Mellon, 1991)