Marine Physical Laboratory

AD-A253 926

Coherence of Transients

Final Report to the Office of Naval Research Grant N00014-89-J-1036 for the Period April 1, 1989 to September 30, 1991 William S. Hodgkiss (Principal Investigator)



MPL-U-63/92 June 1092

Approved for public release; Distribution unlimited.



University of California, San Diego Scripps Institution of Oceanography

92

8

6 040



 $\left(\mathcal{A}\right)$

nerv	RT DOCUMENT	TATION PAG	λE	Form Approved OMB No. 0704-0188
Public reporting burden for this collection gethering and impleteining the data no	n of information is estimated to av ad ad, and completing and review	arage 1 hour par response ing the collection of inform	, including the time for reviewing	
this collection of information, including Devis History, Bate 1204, Adinator,	expensions for reducing this burd VA 22202-4302, and to the Office of	en, to Washington Headqu Management and Budge	erters Services, Directorale to 4. Peperwork Reduction Project	ng instructions, searching adaing data sources. Ng tilis burden estimate or any char expect of Information Operations and Reports, 1215 Julierson 2 (0704-0188), Washington, DC 20503.
Agency Use Only (Leave I	Nank). 2. Report I June 1	D ale. I	3. Report Type and Final Report	Dates Covered.
Title and Subtitle.				5. Funding Numbers.
Coherence of Trans	lents			N00014-89-J-1036
Author(s).				
W. S. Hodgkiss	Project No. Task No.			
Performing Monitoring Ag	ency Names(s) and Add	tress(es).		8. Performing Organization
University of California	San Diego			Report Number.
Marine Physical Laboratory Scripos Institution of Oceanography San Diego, California 92152				MPL-U-63/92
Sponsoring/Monitoring Ap	ency Name(s) and Add	ress(cs).		10. Sponsoring/Monitoring Agency Report Number.
Office of Naval Resear Department of the Nav 800 North Quincy Stre Arlington, VA 22217-50 Code 11250A	ly et			nepon number.
L. Supplementary Notes.			····	
12a. Distribution/Availability Statement. Approved for public release; distribution is unlimited.				
3. Abstract (Maximum 20 In this program, new	approaches to the e	stimation of th th a focus on e	e coherence func stimating the col	tion and its statistical
characteristics have b				
characteristics have b signals.				
characteristics have b	rence function			15. Number of Pages. 2
characteristics have b signals. I. Subject Terms.	rence function			
characteristics have b signals. I. Subject Terms.	rence function	ion 19. Secur	ty Classification	15. Number of Pages. 2

•

- **B**all State and a second second

Coherence of Transients

Final Report to the Office of Naval Research Grant N00014-89-J-1036 for the Period 04-01-89 - 09-30-91 W.S. Hodgkiss (Principal Investigator)

Accesk	on For		
DTIC	ounced		
By Dist.ib	oution		
F	vailability	x	
Dist	Avail an Speci		
A-1			



Objective

In this program, new approaches to the estimation of the coherence function and its statistical characteristics have been investigated with a focus on estimating the coherence between transient signals.

Background

The coherence function is an important measure of relatedness between signals. The calculation of the coherence function, its statistical characteristics, and its use for signal detection has received substantial discussion for extended observations of stationary random processes. By their very nature, transients do not provide extended observation intervals. However, they are an important class of signals which have not yet been fully exploited for the purpose of signal detection and classification. Relatively recent advances in model-based time series analysis techniques have enabled the calculation of high resolution power spectra and their confidence intervals from short observation intervals. These techniques show promise for supplying the auto-spectra and cross-spectra required in the calculation of the coherence function.

1

Research Results

. . .

Research Results

Three methods of squared magnitude coherence (SMC) estimation were examined. First, the FFT (frequency domain) approach was investigated as a baseline due to its historical significance. Second, a time domain approach was examined which involved fitting an autoregressive (AR) model to the time series and estimating the SMC from the coefficients. Lastly, direct coherence estimation via a least-squares linear prediction approach suggested by Nuttall was investigated.

For short-duration time series, the time-domain SMC estimation approach (AR model) showed the smallest bias and variance, Nuttall's approach showed similar (though noticeably worse) performance, and the FFT method showed the largest bias and variance. Most previous work calculating SMC confidence intervals assumed that SMC estimates are Gaussian distributed. Simulation results show that this assumption holds only for SMC values between 0.3 and 0.8 for both long-duration and short-duration time series. A complete discussion of these results is contained in [1].

Publications

[1] A. Dotan and W. S. Hodgkiss, "Coherence of Transients," TM-422, Marine Physical Laboratory, Scripps Institution of Oceanography, San Diego, CA (1990).

ONR/MPL Report Distribution

Scientific Officer Office of Navai Research Code 1125AO Department of the Navy 800 North Quincy Street Arlington, VA 22217-5000

(3)

Administrative Grants Officer (1) Office of Naval Research Resident Representative N66018 University of California, San Diego (Mail Code 0234) 8603 La Jolia Shores Drive San Diego, CA 92093-0234

Director Navai Research Laboratory Atten: Code 2627 Washington, D.C. 20375

Defense Technical Information Center (4) Building 5, Cameron Station Alexandria, VA 22314