I. Report Number: DOD POP HMTR/AYD 93-019

II. Title: Performance Oriented Packaging (POP) testing of Charge, Propelling, 155 MM, M4A2, Packed One per M13A2 Round Rim Metal Ammunition

Container

Drawing Number: 7548187

Author: Raymond J. Siroy

Performing Activity: U.S. Army Armament Research, Development

and Engineering Center (ARDEC)

Address: Department of the Army

Commander, U.S. Army ARDEC

Attn: SMCAR-AEP

Picatinny Arsenal, N.J. 07806-5000

Date: September 1993

Distribution Statement A.

Approved for public release; distribution is unlimited.

93-24540

OCT. 1

REPORT DOCUMENTATION PAGE					OMB No. 0704-0188 Exp. Date: run 30-1986
The second of th		TO PESTA CTUE MARK MIS			
Unclassified		None 3 DISTRIBUTION FAVA (ABIG TY OF REPORT			
N/Λ					
THE FLAT HEAT ON INGWINGRADING SCHEDUCE.		Distribution A: Unlimited			
WITH THE ORGANIZATION REPORT NUMBER(S)		5 MONITORING ORGANIZATION REPORT NUMBER(S)			
מכען מוצון מיצון מוצון מיצון מוצון מיצון מוצון מיצון מוצון		None			
DOD POP HMTR/AYD 93-019 NAME OF PERFORMING ORGANIZATION	6b OFFICE SYMBOL	7a NAME OF MONITORING ORGANIZATION			
Packaging Division, AED	(If applicable)				
ADDRESS (City, Seven and Placeda)	SMCAR-AEP	None The ADDRESS (City, State and TIR Code)			
US Army Armament Research, Devel	7b ADDRESS (City, State, and ZIP Code)				
Engineering Center Picatinny Arsenal, NJ 07806-5000		None			
8a NAME OF FUNDING, SPONSORING 8b OFFICE SYMBOL		9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
ORGANIZATION	(If applicable) SMCAR-AEP				
passag=1.9					
8c ADDRESS (City, State, and ZIP Code) US Army Armament REsearch, Development and		10. SOURCE OF F	OF FUNDING NUMBERS PROJECT TASK WORK UNIT		
Engineering Center		ELEMENT NO.	NO	NO.	ACCESSION NO
Picatinny Arsenal, NJ 07806-5000			<u> </u>		
Performance Oriented Packaging (POP) Testing of Charge, Propelling, 155MM, M4A2, Packed one					
per M13A2 Round Rim Metal Ammunition Container					
12 PERSONAL AUTHOR(S)					
Raymond J. Siroy 13a TYPE OF REPORT 13b TIME COVERED 14 DATE OF REPORT (Year, Month, Day) 15. PAG. COUNT					
Final FROM		93-09-28			
16 SUPPLEMENTARY NOTATION					
17 COSATI CODES	Continue on revers	e if necessary and	identify	by block number)	
F'ELD GROUP SUB-GROUP	Oriented Pa Packaging	ichayiiy			
		1 Ammunition Container			
19 ABSTRACT (Continue on reverse if necessary and identify by block number)					
This Performance Oriented Packaging (POP) report is for the Propelling Charge, 155MM, M4A2,					
packed one per M13A2 Round Rim Metal Ammunition Container in accordance with drawing 7548187. This report describes the results of testing conducted on a similar packaging which is used					
as an analogy for this item.					
1					
24 STRI. FION/AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION				
INC: SIFIED/UNLIMITED 🛣 SAME AS	Unclassified 22b TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL				
2. AM: FRESPONSIBLE INDIVIDUAL 1 S JE RUFFINI A JULY LIVE	226 TELEPHONE (201-724-251	(include Area Code) L5	SMCA	R-AEP	

1. DATA SHEET:

a. CONTAINER

Type: Removable head steel drum

UN Code: 1A2

Part Number: 8880527 Spec Number: MIL-C-2440

Material: Steel

Capacity: 11.4 liters

Dimensions:

Inside Diameter = 6 9/64 in. min.

Outside Diameter = 7 25/32 in. max.

Inside length = 23 1/2 in. min.

Outside Length = 27 1/2 in. max.

Closure (Method/Type): Central plug which torques three spider arms into their

respective bayonet slots

Tare Weight: 6.9 kg (15.3 lbs)

b. PRODUCT

Name: Charge, Propelling, 155 MM, M4A2, for HOW M1, M1A1, M45, M126

United Nations Proper Shipping Name: Charges, Propelling, for Cannon

United Nations Number: 0242

NSN: 1320-00-9351923 Drawing Number: 9207624

Physical State: Solid

United Nations Packing Group: II

Amount Per Container: 1

2. BACKGROUND, TESTS, AND RESULTS:

The Department of Transportation (DOT) per Code of Federal Regulations (CFR), Title 49, Parts 100-180, dated 1 Oct 92, requires that Hazardous Materials should be packed in a container that passes the Performance Oriented Packaging (POP) tests.

The M13A2 Round Rim Metal Container reference 1a, is used as the shipping container for the Propelling Charge, 155 MM, M4A2 packed in accordance with drawing 7548187.

Reference the following documents:

- a. Code of Federal Regulations, Title 49, Dated Oct. 1 1992.
- b. POP Report DOD POP HMTR/AYD 92-017

Instead of testing the specific container used for the Propelling Charge, 155 MM, M4A2 in accordance with drawing 7548187, the metal container is certified to meet the requirements of the Code of Federal Regulations (CFR), Title 49, based on a previously tested metal container which has the following weight and dimensions:

Gross Weight: 42 lbs (19 kg)

Dimensions:

Inside Diameter = 6 13/16 in. min. Outside Diameter = 8 13/32 in. max. Inside length = 28 3/4 in. min. Outside Length = 32 3/4 in. max.


Stacking Test, Loose Cargo Test and Four Foot Drops were conducted in accordance with Reference 2b. The results indicated no leakage or spillage of contents from the metal container following any of the tests, thus satisfying the requirements of the 49 CFR. This falls within the guidelines for analogy IAW Variation III of Para. 178.601(g)(3) of Reference 2a.

3. CONCLUSION:

Based upon the above POP testing, the following POP symbol has been applied to the metal container in accordance with drawing 7548187.



** Last two digits of year packed.



DTIC QUALITY INSPECTED 2