## **MENTATION PAGE**

Form Approved OMB No. 0704-0188



AD-A278 597

restimated to average 1 hour per resoonse, including the time for reviewing instructions, searthing existing data sources, gland reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this glins burden to Washington releadquarters Services. Overcorate for information Operations and Reports, 1215 Jefferson to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Vigishington, DC 20503

REPORT DATE

3. REPORT TYPE AND DATES COVERED FINAL/01 AUG 90 TO 30 SEP 93

4. TITLE AND SUBTITLE

COMPUTATIONAL MATHEMATICS LABORATORY FOR MULTISCALE ANALYSIS (U)

6. AUTHOR(S)

Professor Raymond Wells, Jr.

9806/DARPA AFOSR-90-0334

S. FUNDING NUMBERS

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Rice University Computational Mathematics Laboratory Houston TX 77251

8. PERFORMING ORGANIZATION REPORT NUMBER

FOSR-TR-94 0249

AFOSR/NM 110 DUNCAN AVE, SUITE B115 BOLLING AFB DC 20332-0001

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESSIES

10. SPONSORING / MONITORING AGENCY REPORT NUMBER

AFOSR-90-0334

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

126. DISTRIBUTION CODE

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED

UL

13. ABSTRACT (Maximum 200 words)

The research done by the Computational Mathematics Laboratory (CML) at Rice University with the support of ARPA and AFOSR Grant. The principal research activity was; (1) Fundamental Wavelet Research, (2) Applications of Wavelets to Partial Differential Equations, (3) Applications of Wavelets to Digital Signal Processing.

DIIC QUALITY INSPECTED &

14. SUBJECT TERMS

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED

19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED

20. LIMITATION OF ABSTRACT

SAR(SAME AS REPORT)

Approved for public release; distribution unlimited.

## Research Activities of the Computational Mathematics Laboratory, Rice University, 1990-1993

Final Technical Report February 11, 1994

#### 1 Introduction

This report represents the final report to ARPA and AFOSR concerning the research done by the Computational Mathematics Laboratory (CML) at Rice University with the support of ARPA by means of a grant administered by AFOSR (Grant No. 90-0334).

The principal research activity concerned the following three areas:

- Fundamental wavelet research
- Applications of wavelets to partial differential equations
- Applications of wavelets to digital signal processing

The details of the research are contained in 69 technical reports which are listed at the end of this report and which are available from the laboratory. The vast majority of these reports have been or are in the process of being published as indicated in the listing.

This report will summarize the main results from the point of view of the differential equations group and the digital signal processing group, both of which have made significant contributions to the area of fundamental wavelet research, and specifically to these application areas, respectively.

The principal results in basic wavelet analysis concern the extension of wavelets from multiplier 2 to higher rank (or larger M for M-band wavelets to use the signal processing language). This includes primarilty the parametrization of such wavelet systems, and the special theory of cosine-modulated wavelets, as well as many other special families. Basic phenomena of sampling, interpolation, optimization, and modeling have all been considered in the wavelet context.

In the context of the study of differential and integral equations a number of results have been established concerned with the representation of differential and pseudodifferential operators

1

94-12429

DTIC QUALITY INSFECTED 3

and with the solutions of boundary value problems. The basic principle of fictitious domains has been used as a tool to translate a boundary value problem to an integral equation on a larger rectangular region in which the boundary data and the geometry of the boundary become encoded in the inhomogeneous term of the resulting discretized linear and nonlinear algebraic equations (using the wavelet-Galerkin discretization principle).

The basic problems which were solved by this methodology include:

- Solving Dirichlet and Neumann problems at a single scale for linear and nonlinear elliptic boundary value problems with very general boundary where the basic coding is independent of the geometry of the boundary
- Solving Dirichlet problems using a wavelet-based multilevel preconditioner for a conjugategradient iteration method which is far superior to a normal conjugate-gradient method
- Formulating and solving a highly singular anisotropic model differential equation with periodic boundary conditions with a wavelet multigrid algorithm which yields an iteration matrix with a spectral radius smaller than 1 and which is independent of the mesh size and the anisotropy parameter

The main results of the research on signal processing using wavelets include:

- Methods for optimizing the family of wavelet basis functions were developed to allow tailoring the wavelets to the particular signals being analyzed.
- A theory and set of tools for using time-varying wavelets has been developed. This allows changing the nature of the basis functions during an analysis while maintaining all of the properties of the wavelets.

## 2 Summary of Partial Differential Equations Research: R. O. Wells, Jr., Andreas Rieder and Xiaodong Zhou

During the year 1993 the CML investigated the fast and efficient resolution of a class of linear systems arising by a wavelet-Galerkin discretization of the following elliptic model problem

$$-\alpha u_{xx} - \beta u_{yy} + u = f \quad \text{in} \quad \omega \in \mathbf{R}, \tag{1}$$

$$u = g \quad \text{on} \quad \partial \omega,$$
 (2)

Availability Godes

Avail and/er

Special

2

via a penalty/fictitious domain formulation introduced e.g. in [8], [38] and [39]. The constants  $\alpha$  and  $\beta$  in (1) are positive and  $\omega$  is an open domain in  $\mathbb{R}^2$  (however, there is no principal restriction to two dimensions).

The penalty/fictitious domain formulation of the boundary-value problem (1), (2) becomes: let  $\Omega = [0, R]^2$ ,  $\omega \in \Omega$ , be the fictitious domain and  $\epsilon > 0$  the penalty parameter. Then, we seek a  $u^{\epsilon} \in H_n^1(\Omega)$ , the Sobolev space of order 1 with periodic boundary conditions on  $\Omega$ , such that

$$\int_{\Omega} (\alpha u_x^{\epsilon} v_x + \beta u_y^{\epsilon} v_y + u^{\epsilon} v) dx dy + \frac{1}{\epsilon} \int_{\partial \omega} u^{\epsilon} v \, ds = \int_{\Omega} \tilde{f} v \, dx dy + \frac{1}{\epsilon} \int_{\partial \omega} g v \, ds, \tag{3}$$

for all  $v \in H^1_p(\Omega)$ , where, in (3),  $\tilde{f}$  is an arbitrary  $L^2$ -extension of f in  $\Omega$ . The solution  $u^{\epsilon}$  converges to  $\tilde{u}$  in  $H^1(\Omega)$  for  $\epsilon \to 0$ , where  $\tilde{u}$  is the  $H^1(\Omega)$ -extension of the solution of the following variational problem:  $\tilde{u} \in H^1_p$ ,  $\tilde{u} = g$  on  $\partial \omega$ ,

$$\int_{\Omega} (\alpha \tilde{u}_x v_x + \beta \tilde{u}_y v_y + \tilde{u} v) dx dy = \int_{\Omega} \tilde{f} v dx dy$$

for all  $v \in H_p^1$ , such that v = 0 on  $\partial \omega$ .

Using the Daubechies scaling functions  $\varphi$  of order  $N \geq 3$ , [2], we define the periodic wavelet-Galerkin space at level L by  $(R \in \mathbb{N})$ 

$$\begin{split} V_L^p &= V_L^p(0,R) := \{ v \in L^2(0,R) \ : \ v(x) = \sum_{k \in \mathbf{Z}} c_k \varphi_k^L(x), \, x \in [0,R], \\ & \text{with } c_k = c_{k+2} L_R \} \end{split}$$

with  $\varphi_k^L(x) = 2^{L/2}\varphi(2^Lx - k)$ , and we approximate  $H_p^1$  by the tensor product  $X_L = V_L^p \otimes V_L^p$ . The penalty problem (3) restricted to  $X_L$  is equivalent to the linear system,

$$A_{L,\epsilon}U_L^{\epsilon} = f_L + \epsilon^{-1}M_L g_L, \tag{4}$$

see [9], [39], with appropriate right hand sides  $f_L$ ,  $g_L \in \mathbb{R}^n$ ,  $n = n_L = \dim V_L^p = 2^L R$ . The stiffness matrix  $A_{L,\epsilon}$  is of the form  $A_{L,\epsilon} = A_L + \epsilon^{-1} M_L \in \mathbb{R}^{n \times n}$ , where  $A_L$  is symmetric and positive-definite. The diagonal matrix  $M_L$  corresponding to the boundary integrals in (3) has the diagonal entries either 1 or 0.

The presence of the penalty term  $\epsilon^{-1}M_L$  in (4) requires special attention in order to achieve an efficient solver. Therefore, we first reduce the influence of the penalty parameter  $\epsilon$ . The family of solutions  $\{U_L^{\epsilon}\}_{\epsilon>0}$  of (4) has the limit  $U_L$  which is given by

$$U_L = \xi^* + M_L g_L,$$

where  $\xi^*$  is the unique solution of

$$(I - M_L)A_L(I - M_L)\xi = (I - M_L)(f_L - A_L M_L g_L)$$
(5)

in the range  $R(I - M_L)$  of  $(I - M_L)$ , see [9]. Instead of the system (4) we choose to solve (5). Since  $(I - M_L)A_L(I - M_L)$  is symmetric and positive-definite on  $R(I - M_L)$  we can use the conjugate gradient method (cg-method) for the iterative solution of (5).

A natural choice for a preconditioner of the cg-method acting on (5) is any symmetric iteration for the fast solution of linear systems with matrix  $A_L$ . The latter matrix can be interpreted as the stiffness matrix of the following variational problem: find  $u \in X_L$ , such that

$$\int_{\Omega} (\alpha u_x v_x + \beta u_y v_y + u v) dx dy = \int_{\Omega} w v dx dy$$
 (6)

for all  $v \in X_L$ .

For the variational problem (6) we developed multilevel methods. In the isotropic case  $(\alpha \approx \beta)$  the step-size independent convergence rate of these methods can be proved by techniques closely related to those used for finite difference and finite elemente discretizations, see [9].

Things become more complicated in the anisotropic case ( $\alpha \ll \beta$  or  $\alpha \gg \beta$ ). Here, we developed a wavelet variation of the frequency decomposition multigrid method of Hackbusch [26], [27], see [35]. This iteration is robust, that is, the convergence speed is not only independent of the discretization step-size but also of the parameters  $\alpha$  and  $\beta$ , see [36].

Various numerical experiments presented in [9] show the efficiency of the multilevel methods for (6) used as preconditioners for the cg-method applied to (5). However, an analytic statement remains to be established and shall be considered in future research projects.

## 3 Summary of Research at the University of Houston: R. Glowinski and T. W. Pan

Our work supported by ARPA during these last three years has been oriented to the following two major directions:

- (i) Wavelet Approximation of Incompressible Viscous Flow
- (ii) Fictitious Domain Methods for Partial Differential Equations.

Concerning (i), we think that we have fully elucidated the always delicate issues about the compatibility conditions between the pressure and velocity approximations. From that point of

view, wavelets are ideally suited to address these issues since if  $\delta$  is the smallest length scale used for the velocity approximation, we should use similar scaling and wavelet functions to approximate the pressure space, but with  $2\delta$  as smallest scale. Indeed this wavelet motivated analysis has been also useful to better understand compatibility conditions between finite element spaces used to approximate viscous flow problems and also problems from Control Theory. Indeed, in [4] we have explored the analogy between these various problems and shown how these considerations apply to wavelet approximations.

Concerning (ii), we have combined fictitious domain methods to wavelet approximations to obtain robust wavelet solution methods for various classes of elliptic problems. Also, these fictitious domain methods in which one tries as much as possible to decouple the approximation of the actual geometry from the approximation of the imbedding space have proved very useful for finite element methods and have provided tools allowing the solution of problems in nonregular geometries via the use of regular means. Our first investigations and numerical tasks were initially concerned with simple elliptic problems such as Neumann ([5]) and Dirichlet ([6]). Since then, these methods have been applied to the solution of incompressible viscous flow problems ([7]) and very recently to the solution of scattering problems by obstacles of nonregular shape. ([10]). These methods initially developed and tested with finite element approximations are presently investigated in order to develop wavelet implementations, including implementations on parallel machines.

## 4 Summary of Research: W. W. Symes and G. Bao

Prof. Symes and postdoctoral associate Dr. Gang Bao worked on the representation of pseudodifferential operators. Various classes of these operators have been discussed in the wavelet literature, and indeed singular integrals on the line have been shown to be well-approximated with sparse matrices in wavelet bases, in work of Meyer, Beylkin, Coifman, Rohklin, Jaffard, and others. However multidimensional nonseparable pseudodifferential operators did not seem to have been investigated in this regard, but form the class most useful in wave propagation theory, Prof. Symes' long-term interest.

Our work reached two basic conclusions. First, at least tensor product wavelet bases do not produce particularly sparse representations of these operators. Second, we used the representation of the pseudodifferential operators as the algebra generated by differential operators and all powers of the Laplacian to derive an efficient Fourier transform based algorithm for evaluation of the operator action. We implemented this algorithm in MATLAB and in CM Fortran, and tested it

successfully. It evaluates the action of an operator in d diminsions on a function represented on a grid with  $N^d$  gridpoints in  $O(N^d \log N)$  operations. It is hard to see how another algorithm, whether based on wavelet or some other technology, could have a more favorable asymptotic complexity.

# 5 Summary of Signal Processing Research: R. A. Gopinath, J. E. Odegard, C. S. Burrus and H. Guo

#### 5.1 Introduction

This section contains a summary of the work done at the Computational Mathematics Laboratory (CML) at Rice University by the Digital Signal Processing (DSP) group during the period 1990-1993. The main thrust of the research has been toward developing a theory for wavelet analysis in signal processing and in particular the development of relations between wavelet theory and filter bank theory. A detailed presentation of the work can be found in the numerous papers and technical reports written by members of the DSP group (see the references to papers and technical reports by Burrus, Gopinath, and Odegard appended). Concurrent with the theoretical development we have also worked on developing a Matlab toolbox for wavelet design and analysis "rice-wlet-tools" which is available via anonymous ftp from "cml.rice.edu" in the directory "pub/dsp/software". In the following paragraphs we will give a brief outline of various projects which have contributed to the main thrust of our research.

#### 5.1.1 Time-Varying M band Multiscale Analysis

Recently it was discovered that time-varying design/analysis could be associated with the multiresolution concept. The time-varying concept generates a framework for performing "adaptive" signal dependent wavelet analysis and subband analysis. Research on time-varying filter banks and wavelet multiresolution in the DSP group [22,12,11] has been on the development of a complete factorization of all optimal (in terms of quick transition) time-varying FIR unitary filter bank tree topologies. This has potential applications in areas such as adaptive subband coding, adaptive tiling of the time-frequency plane, and the construction of orthonormal wavelet bases for the half-line and interval [30,29,33,3]. A simple efficient implementation algorithm also comes with the factorization ensuring that even the most complex tree topology can be adapted with minimal overhead. Explicit formulas for transition filters/functions are derived for arbitrary tree transitions. The results are independent of the number of channels and the length of the filters (as long as they are FIR), implying that some of the efficiency reasons for considering only binary time-varying trees is not

valid any more. Time-varying wavelet bases (different bases for different segments of the real line) are also constructed.

#### 5.1.2 Flexible M-band Multiscale Analysis

Wavelet analysis gives a flexible method for the analysis of non-stationary signals. One can simultaneously analyze short-duration wide-band signals and long-duration narrow-band signals. However, the traditional 2-band wavelets cannot be used to analyze signals like a long-duration RF pulse. To overcome this problem we have introduced M-band wavelet frames and wavelet tight frames. By specializing on a well-known parameterization of unitary filter banks we have obtained a complete parameterization of compactly supported M-band wavelet bases (see [18,37] and [28]).

#### 5.1.3 Modulated Filter Banks and Wavelets

We formulated and developed a complete theory of a special class of filter banks that are easy to design and implement. The M filters in this filter bank are obtained as cosine modulates of a prototype filter. A complete parameterization of such filter banks has been obtained. Wavelets associated with these filter banks have also been characterized. The advantage of these wavelet bases is that the scaling function uniquely determines the wavelets (i.e., there is no need to use a state-space technique to generate wavelets) [14,21,16]

#### 5.1.4 Unitary FIR filter banks with symmetry

In image processing applications, the filters in a filter bank are required to be linear-phase. Moreover, one can impose various symmetry restrictions on the filters (like linear phase). For a number of symmetry classes, a complete parameterization of unitary filter banks and associated wavelet tight frames have been obtained. [20]

#### 5.1.5 Optimal and Robust Multiresolution and Sampling

This research focused on developing the theory and algorithms for obtaining an optimal wavelet multiresolution analysis for the representation of a given signal at a predetermines scale in a variety of error norms [25,34]. Moreover, for classes of signals, the theory and algorithms was extended to permit the designing of a robust wavelet multiresolution analysis. All results were derived for the most general case of a M-band multiresolution analysis for arbitrary  $L^p$  error norms. An efficient numerical scheme was derived for the design of the optimal wavelet multiresolution analysis when

the least-squared error criterion is used. An important corollary of the analysis is the wavelet sampling theorem, which says that the Nyquist rate samples of a bandlimited signal and the scaling expansion coefficients at a prescribed scale contain the same amount of information (despite the scaling function not being bandlimited). Another corollary is that bandlimited signals are essentially scale limited [34]. Explicit algorithms for the computation of the higher level wavelet coefficients in terms of scaling function coefficients is also obtained [24].

#### 5.1.6 Oversampling Invariance of Wavelet Frames

Given a wavelet frame, if one oversamples by considering not just integer translates, but fractional integer translates, one gets a new set of functions. We have characterized conditions on the oversampling factor that are necessary and sufficient for the new redundant set of functions to form a wavelet frame. Redundancy is desirable since it gives robustness to numerical errors [15].

#### 5.1.7 Completion Problem for Filter Banks

In the design of an M-channel filter bank, sometimes application requirements specify a subset, say L of the M filters. A natural question is what are the conditions on the L filters such that they can be complemented with M-L filters to give rise to a perfect reconstruction M-channel filter bank. Necessary and sufficient conditions for such completions, along with a parameterization of the M-L filters has been obtained for FIR and IIR filter banks

#### 5.1.8 Fundamental tools for Multirate Signal Analysis

Classically multidimensional filter banks have been constructed using a tensor product of one dimensional filter banks. A number of problem arise in the analysis of non-separable multidimensional filter banks, all of which can be traced to the fact that uniform sampling in multiple dimensions is on lattices that are governed by integer matrices. Overcoming this problem, a complete set of tools for the analysis of multidimensional multirate systems has been developed. Using these results, the multidimensional rational sampling rate filter bank problem has been reduced to a multidimensional uniform sampling rate filter bank problem. [19].

#### 5.1.9 State-space approach to wavelets

In the construction of M-band wavelets from filter banks, the scaling function is first constructed, and from it the wavelets. We introduced a novel state-space approach to the construction of

wavelets (from the scaling function). This is the most efficient way to construct wavelets for compactly supported wavelet tight frames [13].

#### 5.1.10 Wavelet-Galerkin Approximation of Differential Operators

Wavelets give a good discrete representation of differential operators (see [1,31,32,23]), and they also give good approximation of "smooth" analog filters. As is shown in the latter two papers in two different manners the degree of approximation is directly related to the length of the scaling vector of the wavelet system.

#### 5.1.11 Wavelet Based Lowpass/Bandpass Interpolation

Orthonormal wavelet bases can be used for efficient lowpass/bandpass interpolation, with the lowpass interpolation exact for polynomials of arbitrary large degree by suitable choice of the wavelet [17]. Moreover, the natural wavelet interpolation at a given level in terms of approximating scaling coefficients by sample values converges in the  $H^1$  norm to a given smooth function which is important for applications to numerical solutions of differential equations (see [40])

#### References

- [1] G. Beylkin. On the representation of operators in bases of compactly supported wavelets. SIAM J. Numer. Anal., 6:1716-1740, 1992.
- [2] I. Daubechies. Orthonormal bases of compactly supported wavelets. Comm. Pure Appl. Math., 41:906-966, 1988.
- [3] I. Daubechies. Ten Lectures on Wavelets. SIAM, Philadelphia, PA, 1992. Notes from the 1990 CBMS-NSF Conference on Wavelets and Applications at Lowell, MA.
- [4] R. Glowinski. Ensuring well-posedness by analogy; Stokes problem and boundary control for the wave equation. J. Comp. Phys., 103(2):189-221, 1992.
- [5] R. Glowinski and T. W. Pan. Error estimates for fictitious domain/penalty/finite element methods. Calcolo, 29:125-141, 1992.
- [6] R. Glowinski, T. W. Pan, and J. Periaux. A fictitious domain method for Dirichlet problem and applications. *Comp. Math. Appl. Mech. Eng.*, (92-15). To appear.

- [7] R. Glowinski, T. W. Pan, and J. Periaux. A fictitious domain method for external incompressible viscous flow modeled by Navier-Stokes equations. Comp. Math. Appl. Mech. Eng. To appear.
- [8] R. Glowinski, J. Periaux, M. Ravachol, T. W. Pan, R. O. Wells, Jr. and X. Zhou. Wavelet methods in computational fluid dynamics. In et al. M. Y. Hussaini, editor, Algorithmic Trends in Computational Fluid Dynamics, New York, pp. 259-276, 1993. Springer-Verlag.
- [9] R. Glowinski, A. Rieder, R. O. Wells, and X. Zhou. A wavelet multigrid preconditioner for Dirichlet boundary value problems in general domains. Computational Mathematics Laboratory TR93-06, Rice University, 1993.
- [10] R. Glowinski and Y. Xiang. Fictitious domain methods for scattering problems. In *Proceedings* of the Second Intl. Conference on Scattering Problems in Electromagnetics. Washington, D.C., October 1993.
- [11] R. A. Gopinath. Factorization approach to time-varying filter banks and wavelets. In Proc. Int. Conf. Acoust., Speech, Signal Processing, Adelaide, Australia, 1994. IEEE. Also Tech. Report CML TR93-13.
- [12] R. A. Gopinath. Introduction to time-varying filter banks and wavelets. In Proc. of the International Federation of Automatic Control Symposium on Modeling and Control in Biomedical Systems, Galveston, TX, March 1994.
- [13] R. A. Gopinath and C. S. Burrus. State-space approach to multiplicity *M* orthonormal wavelet bases. Technical Report CML TR91-22, Computational Mathematics Laboratory, Rice University, 1991. Submitted to IEEE Trans. on SP.
- [14] R. A. Gopinath and C. S. Burrus. On cosine-modulated orthonormal wavelet bases. In Paper Summaries for the IEEE Signal Processing Society's Fifth DSP Workshop, page 1.10.1, Starved Rock Lodge, Utica, IL, September 1992. IEEE.
- [15] R. A. Gopinath and C. S. Burrus. On oversampling invariance of wavelet frames. In Proceedings of IEEE-SP Intl. Symposium on Time-Frequency and Time-Scale Analysis, pages 375-378, Victoria, BC, Canada, October 1992. IEEE. Also Tech. Report CML TR92-08.
- [16] R. A. Gopinath and C. S. Burrus. Theory of modulated filter banks and modulated wavelet tight frames. Technical Report CML TR92-18, Computational Mathematics Laboratory,

- Rice University, August 1992. Submited to Applied and Computational Harmonic Analysis: Wavelets and Signal Processing.
- [17] R. A. Gopinath and C. S. Burrus. Wavelet-based lowpass/bandpass interpolation. In Proc. Int. Conf. Acoust., Speech, Signal Processing, volume 4, pages IV385-IV388, San Francisco, CA, March 1992. IEEE. Also Tech. Report CML TR91-06.
- [18] R. A. Gopinath and C. S. Burrus. Wavelets and filter banks. In Charles K. Chui, editor, Wavelets: A Tutorial in Theory and Applications, pages 603-654. Academic Press, San Diego, CA, 1992. Also Tech. Report CML TR91-20, September 1991.
- [19] R. A. Gopinath and C. S. Burrus. On upsampling, downsampling and rational sampling rate filter banks. IEEE Trans. SP, April 1994. Also Tech. Report No. CML TR91-25, 1991.
- [20] R. A. Gopinath and C. S. Burrus. Unitary FIR filter banks and symmetry. IEEE Trans. on CAS II, 1994 (accepted to appear). Also Tech. Report No. CML TR92-17, August 1992.
- [21] R. A. Gopinath and C. S. Burrus. On cosine-modulated wavelet orthonormal bases. IEEE Trans. on Image Processing, 43(2), February 1995. Also Tech. Report No. CML TR92-06, 1992.
- [22] R. A. Gopinath and C. S. Burrus. Factorization approach to unitary time-varying filter banks. *IEEE Trans. SP*, submitted May 1993. Also Tech Report No. CML TR92-23, November 1992.
- [23] R. A. Gopinath, W. M. Lawton, and C. S. Burrus. Wavelet-Galerkin approximation of linear translation invariant operators. In Proc. Int. Conf. Acoust., Speech, Signal Processing, volume 3, pages 2021-2024, Toronto, Canada, May 1991. IEEE. Also Tech. Report CML TR91-01.
- [24] R. A. Gopinath, J. E. Odegard, and C. S. Burrus. On the correlation structure of multiplicity M scaling functions and wavelets. In Proc. of the ISCAS, volume 2, pages 959-962, San Diego, CA, May 1992. IEEE. Also Tech. Report CML TR91-19.
- [25] R. A. Gopinath, J. E. Odegard, and C. S. Burrus. On the optimal and robust wavelet representation of signals and the wavelet sampling theorem. *IEEE Trans. on CAS II*, 41(4), April 1994. Also Tech. Report CML TR92-05.
- [26] W. Hackbusch. The frequency decomposition multi-grid method, part I: Application to anisotropic equations. *Numer. Math.*, 56:229-245, 1989.

- [27] W. Hackbusch. The frequency decomposition multi-grid method, part II: Convergence analysis based on the additive Schwarz method. *Numer. Math.*, 63:433-453, 1992.
- [28] P. Heller, H. L. Resnikoff, and R. O. Wells. Wavelet matrices and the representation of discrete functions. In Charles Chui, editor, Wavelets: A Tutorial. Academic Press, Cambridge, MA, 1992.
- [29] C. Herley, J. Kovacevic, K. Ramachandran, and M. Vetterli. Time-varying orthonormal tilings of the time-frequency plane. In *Proc. of IEEE-SP Intl. Symposium on Time-Frequency and Time-Scale Analysis, Victoria, British Columbia*. IEEE, October 1992.
- [30] C. Herley, J. Kovacevic, K. Ramachandran, and M. Vetterli. Time-varying orthonormal tilings of the time-frequency plane. *IEEE Trans. SP*, 41(12), December 1993.
- [31] A. Latto, H. L. Resnikoff, and E. Tenenbaum. The evaluation of connection coefficients of compactly supported wavelets. In Y. Maday, editor, Proceedings of the French-USA Workshop on Wavelets and Turbulence, June 1991, New York, 1994. Princeton University, Springer-Verlag. To appear.
- [32] K. McCormick and R. O. Wells. Wavelet calculus and finite-difference operators. *Math of Comp*, 1993. (to appear).
- [33] K. Nayebi, T. P. Barnwell III, and M. J. T.Smith. Analysis/synthesis systems with timevarying filter bank structures. In Proc. Int. Conf. Acoust., Speech, Signal Processing, pages 617-620, San Francisco, CA, March 1992.
- [34] J. E. Odegard, R. A. Gopinath, and C. S. Burrus. Optimal wavelets for signal decomposition and the existence of scale limited signals. In Proc. Int. Conf. Acoust., Speech, Signal Processing, volume 4, pages IV 597-600, San Francisco, CA, March 1992. IEEE. Also Tech. Report CML TR91-07.
- [35] A. Rieder, R. O. Wells Jr., and X. Zhou. A wavelet approach to robust multilevel solvers for anisotropic elliptic problems. Computational Mathematics Laboratory 93-07, Rice University, 1993.
- [36] A. Rieder and X. Zhou. On the robustness of the damped V-cycle of the wavelet frequency decomposition multigrid method. Technical Report CML TR93-10, Computational Mathematics Laboratory, Rice University, Houston, 1993.

- [37] P. Steffen, P. Heller, R. A. Gopinath, and C. S. Burrus. Theory of regular M-band wavelet bases. *IEEE Trans. SP*, 41(12), December 1993. Special Transaction issue on wavelets; Rice contribution also in Tech. Report No. CML TR-91-22, November 1991.
- [38] R. O. Wells and Xiaodong Zhou. Representing the geometry of domains by wavelets with applications to partial differential equations. In J. Warren, editor, Curves and Surfaces in Computer Graphics III, volume 1834, pages 23-33. SPIE, 1992.
- [39] R. O. Wells and Xiaodong Zhou. Wavelet solutions for the Dirichlet problem. Technical Report 92-02, Rice University, 1992. Computational Mathematics Laboratory.
- [40] R. O. Wells and Xiaodong Zhou. Wavelet interpolation and approximate solutions of elliptic partial differential equations. In R. Wilson and E. A. Tanner, editors, *Noncompact Lie Groups*. Kluwer, 1994. To appear. Proceedings of NATO Advanced Research Workshop.

#### Computational Mathematics Laboratory Technical Reports, 1990-1993

- CML TR90-01 Michael Lewis "Cardinal Interpolating Multiresolutions"
- CML TR90-02 Roland Glowinski, "Finite Element Methods for the Numerical Simulation of Incompressible Viscous Flow. Introduction to the Control of the Navier-Stokes Equations," in C. Anderson and C. Greengard (ed.), Lectures in Applied Mathematics, Volume 28, Vortex Dynamics and Vortex Methods, 219-302, 1991.
- CML TR90-03 Raymond O. Wells, Jr., "Parametrizing Smooth Compactly Supported Wavelets," Trans. AMS, 338 (2), 919-931, 1993.
- CML TR90-04 W. W. Symes, "The Reflection Inverse Problem for Acoustic Waves," in G. Cohen, L. Halpern, and P. Joly (ed.), Mathematical and Numerical Aspects of Wave Propagation Phenomena, SIAM, Philadephia, 1991, 423-433.
- CML TR91-01 R. A. Gopinath, W. M. Lawton, and C. S. Burrus, "Wavelet-Galerkin approximation of linear translation invariant operators," Proceedings of ICASSP, vol. 3, 2021-2024, Toronto, Canada, May 1991. IEEE.
- CML TR91-02 Kent McCormick and Raymond O. Wells, Jr., "Wavelet Calculus and Finite Difference Operators," to appear, Mathematics of Computation.
- CML TR91-03 Sam Qian, Howard L. Resnikoff, and Raymond O. Wells, Jr., "A Multiresolution of the Boundary Data in a Boundary Value Problem—A One-Dimensional Example"
- CML TR91-04 Howard L. Resnikoff and Raymond O. Wells, Jr., "Wavelet Analysis and the Geometry of Euclidean Domains," Journal of Geometry and Physics (Penrose Festschrift) (8)1-4, 273-282.
- CML TR91-05 R. A. Gopinath and C. S. Burrus, "On the moments of the scaling function  $\phi_0$ ,", in Proc. of the IEEE ISCAS, vol. 2, May 1992, 963-966.
- CML TR91-06 R. A. Gopinath and C. S. Burrus, "Wavelet-based lowpass/bandpass interpolation," in Proceedings of ICASSP, vol. 4, IV385-388, San Francisco, March 1992. IEEE.
- CML TR91-07 J. E. Odegard, R. A. Gopinath and C. S. Burrus, "Optimal wavelets for signal decomposition and the existence of scale limited signals," in Proceedings of ICASSP, vol. 4, IV597-600, San Francisco, March 1992. IEEE.

- CML TR91-08 Roland Glowinski, "Ensuring well-posedness by analogy; Stokes problem and boundary control for the wave equation," Journal of Computational Physics, (103)2, 189-221.
- CML TR91-09 H. Bray, K. McCormick, R. O. Wells, Jr., and X. Zhou, "Wavelet Variations on the Shannon Sampling Theorem," to appear, Biosystems, 1994.
- CML TR 91-10 Q. V. Dinh, R. Glowinski, J. He, V. Kwock, T. W. Pan, and J. Periaux, "Lagrange Multiplier Approach to Fictitious Domain Methods: Application to Fluid Dynamics and Electromagnetics," to appear in the Proceedings of the Fifth International Conference on Domain Decomposition Methods for Partial Differential Equations, Norfolk, 1991.
- CML TR91-11 E. J. Dean, Q. V. Dinh, R. Glowinski, J. He, T. W. Pan, and J. Periaux, "Least Squares/Domain Embedding Methods for Neumann Problems: Application to Fluid Dynamics," to appear in the Proceedings of the Fifth International Conference on Domain Decomposition Methods for Partial Differential Equations, Norfolk, 1991.
- CML TR91-12 Raymond O. Wells, Jr., and Xiaodong Zhou, "Three Kinds of Boundary Value Problems"
- CML TR91-13 William W. Symes, "Non-interactive Estimation of the Marmousi Velocity Model by Differential Semblance Optimization: Initial Trials," *The Marmousi Experience*: Proceedings of the EAEG Workshop on Practical Aspects of Inversion, Ed. G. Grau and R. Versteeg, IFP/Technip, 1991.
- CML TR91-14 H. L. Resnikoff and C. S. Burrus, "Relationships between the Fourier Transform and the Wavelet Transform," SPIE International Symposium on Optical and Optoelectronic Applied Science and Engineering, San Diego, 1990.
- CML TR91-15 Peter N. Heller, Howard L. Resnikoff, and Raymond O. Wells, Jr., "Wavelet Matrices and the Representation of Discrete Functions," in *Wavelets A Tutorial*, Charles Chui, editor, pp. 15-50, Academic Press, 1992.
- CML TR91-16 C. S. Burrus and H. L. Resnikoff, "Interpretations of the Wavelet Transform," Twenty-Fourth Annual Asilomar Conference on Signals, Systems and Computers, Pacific Grove, CA, 1990.
- CML TR91-19 R. A. Gopinath, J. E. Odegard, and C. S. Burrus, "On the correlation structure of multiplicity M scaling function and wavelets," in Proceedings of ISCAS, vol. 2, 959-962,

- San Diego, May 1992. IEEE.
- CML TR91-20 R. A. Gopinath and C. S. Burrus, "Wavelets and Filter Banks," in Wavelets-a tutorial in theory and applications, Charles Chui, ed., Academic Press, 1992, 603-654.
- CML TR91-21 J. E. Odegard, "The continuous wavelet transform for analysis of non-stationary signals"
- CML TR91-22 P. Steffen, P. Heller, R. A. Gopinath and C. S. Burrus, "State-space approach to multiplicity M orthonormal wavelet bases," IEEE Trans. in SP, 41(12), Dec. 1993.
- CML TR91-25 R. A. Gopinath and C. S. Burrus, "On upsampling, downsampling and rational sampling rate filter banks," IEEE Trans. in SP, Apr. 1994.
- CML TR91-26 R. A. Gopinath and C. S. Burrus, "On the rational sampling rate filter bank problem"
- CML TR91-27 R. Glowinski, T. W. Pan, J. Periaux, and M. Ravachol, "A fictitious domain method for the incompressible Navier-Stokes equations," in *The Finite Element Method in the 1990s*, E. Oñate, J. Periaux, A. Samuelson eds., Springer-Verlag, Berlin, 1991, pp. 440-447.
- CML TR91-28 R. Glowinski, J. Periaux, M. Ravachol, T. W. Pan, R. O. Wells, Jr., and X. Zhou, "Wavelet Methods in Computational Fluid Dynamics," in Hussainy et al. (ed.), Algorithmic Trends in Computational Fluid Dynamics, 259-276, Springer-Verlag, 1993.
- CML TR91-29 W. W. Symes and G. Bao, "Trace Regularity for a Second Order Hyperbolic Equation with Nonsmooth Coefficients," J. Math. Anal. Appl., 1994. To appear.
- CML TR91-30 W. W. Symes and G. Bao, "An Upper Bound for the Linearized Map of an Inverse Problem for the Wave Equation"
- CML TR91-31 W. W. Symes, "Segmented Data Files: an I/O Standard"
- CML TR92-01 R. Glowinski, T. W. Pan, R. O. Wells, Jr., and X. Zhou, "Wavelet Solutions for the Neumann Problem," submitted.
- CML TR92-02 R. O. Wells, Jr. and X. Zhou, "Wavelet Solutions for the Dirichlet Problem," submitted.

- CML TR92-03 R. O. Wells, Jr., and X. Zhou, "Wavelet Interpolation and Approximate Solutions of Elliptic Partial Differential Equations," in Proc. of NATO Advanced Research Workshop, Noncompact Lie Groups, Wilson and Tanner (ed.), Kluwer, 1994. To appear.
- CML TR92-04 R. Glowinski and T. W. Pan, "Error estimates for fictitious domain/penalty/finite element methods," Calcolo, (29)125-141, 1992.
- CML TR92-05 R. A. Gopinath, J. E. Odegard and C. S. Burrus, "On the optimal and robust wavelet representation of signals and the wavelet sampling theorem," IEEE Trans. on CAS II, 41(4), April 1994.
- CML TR92-06 R. A. Gopinath and C. S. Burrus, "On cosine-modulated wavelet orthonormal bases," IEEE Trans. on Image Processing, 43(2), Feb. 1995.
- CML TR92-07 R. A. Gopinath and C. S. Burrus, "On cosine-modulated orthonormal wavelet bases", in Paper Summaries for the IEEE Signal Processing Society's Fifth DSP Workshop, Utica, IL, September '92. IEEE.
- CML TR92-08 R. A. Gopinath and C. S. Burrus, "Oversampling invariance of wavelet frames," in Proceedings of IEEE-SP Symposium on Time-Frequency and Time-Scale Analysis, Victoria, BC, Canada, October 92, 375-378.
- CML TR92-09 M. Kern and W. W. Symes, "Inversion of Reflection Seismograms by Differential Semblance Analysis: Algorithm Structure and Synthetic Examples"
- CML TR92-10 W. W. Symes and M. Kern, "Velocity Inversion by Differential Semblance Optimization for 2D Common Source Data," in Proc. SEG 62nd Meeting, 1992, Tulsa, 1210-1213. SEG.
- CML TR92-11 W. W. Symes, "A Differential Semblance Criterion for Inversion of Multioffset Seismic Reflection Data," J. Geophys. Res. Ser. B48, 1993, 2061-2073.
- CML TR92-12 R. O. Wells, Jr., "The Role of Technology in Mathematical Research"
- CML TR92-13 E. J. Dean and R. Glowinski, "A domain decomposition method for the wave equation"

- CML TR92-14 Raymond O. Wells, Jr, and Xiaodong Zhou, "Representing the geometry of domains by wavelets with applications to partial differential equations," in SPIE Proceedings (1830)23-33, Curves and Surfaces in Computer Vision and Graphics III,
- CML TR92-15 R. Glowinski, T. W. Pan and J. Periaux, "A fictitious domain method for Dirichlet problem and applications," Comp. Math. Appl. Mech. and Eng., to appear.
- CML TR92-16 R. Glowinski, T. W. Pan and J. Periaux, "A fictitious domain method for unsteady incompressible viscous flow modeled by Navier-Stokes equations," Comp. Math. Appl. Mech. and Eng., to appear.
- CML TR92-17 R. A. Gopinath and C. S. Burrus, "Unitary FIR filter banks and symmetry", IEEE Trans. in CAS II, 1994, to appear.
- CML TR92-18 R. A. Gopinath and C. S. Burrus, "Theory of modulated filter banks and modulated wavelet tight frames" submitted.
- CML TR92-19 R. A. Gopinath and C. S. Burrus, "Theory of modulated filter banks and modulated wavelet tight frames" in Proceedings of ICASSP, Minneapolis, 1993. IEEE.
- CML TR92-20 R. A. Gopinath, J. E. Odegard and C. S. Burrus, "Efficient design of modulated filter banks and modulated wavelet tight frames"
- CML TR92-21 J. E. Odegard and C. S. Burrus, "The bi-frequency map and periodically time-varying systems"
- CML TR92-22 J. E. Odegard and C. S. Burrus, "Cascade of maximally flat low-pass filters for efficient multirate narrow-band filtering"
- CML TR92-23 R. A. Gopinath and C. S. Burrus, "Factorization approach to unitary time-varying FIR filter banks," submitted to IEEE Trans. in SP.
- CML TR92-24 W. W. Symes, "DSO Velocity Inversion: A 'Gas Cloud' Synthetic Example"
- CML TR92-25 W. W. Symes and G. Bao, "Computation of Pseudo-Differential Operators"
- CML TR93-01 R. A. Gopinath and C. S. Burrus, "A tutorial overview of wavelets, filter banks, and interrelations," in Proc. ISCAS, Chicago, IL, May 1993. IEEE.

- CML TR93-02 Peter Steffen and Peter Heller and R. A. Gopinath and C. S. Burrus, "Regular n-bond wavelet bases"
- CML TR93-03 Roland Glowinski and T. W. Pan and J. Periaux, "A least squares/fictitious domain method for mixed problems and Neumann problems"
- CML TR93-04 Andreas Rieder, "Semi-algebraic multi-level methods based on wavelet decompositions I: Application to two-point boundary value problems," submitted.
- CML TR93-05 R. O. Wells Jr. and Xiaodong Zhou, "Wavelet Solutions of the Least Gradient Flow"
- CML TR93-06 R. Glowinski, A. Rieder, R. O. Wells, Jr., and X. Zhou, "A wavelet multilevel method for Dirichlet boundary value problems in general domains," submitted.
- CML TR93-07 A. Rieder, R. O. Wells, Jr., and X. Zhou, "A wavelet approach to robust multilevel solvers for anisotropic elliptic problems," submitted.
- CML TR93-08 R. A. Gopinath, "Some Thoughts on Least-Squared Error Optimal Windows"
- CML TR93-09 Peter Heller and R. O. Wells, Jr., "The spectral theory of multiresolution operators and applications," to appear in Proceedings of the Intl. Conference on Wavelets, Taormina, Italy, 1993. Academic Press, 1994.
- CML TR93-10 Andreas Rieder and Xiaodong Zhou, "On the Robustness of the damped V-cycle of the Wavelet Frequency Decomposition Multigrid Method"
- CML TR93-11 J. E. Odegard and C. S. Burrus, "On the robustness of K-regular M-band wavelets"
- CML TR93-12 R. A. Gopinath, "Discrete-time local trigonometric bases with applications"
- CML TR93-13 R. A. Gopinath, "Factorization approach to time-varying filter banks and wavelets," in Proc. ICASSP, Adelaide, Australia, 1994. IEEE.