

DISCLAIMER NOTICE

UNCLASSIFIED DEFENSE TECHNICAL **INFORMATION** UNCLASSIFIED

THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.





ISST

29 January 1996

MEMORANDUM FOR DEFENSE TECHNICAL INFORMATION CENTER ATTENTION: OCD/Mr. Bill Bush

SUBJECT: Declassification of ITR-1345

The Defense Nuclear Agency Security Office (OPSSI) has declassified the following report:

ITR-1345 Preliminary Report Operation REDWING Pacific Proving Grounds May-July 1956 Gamma Rays From Plane and Volume Source Distributions.

Distribution statement "A" applies.

Since this report does not have a final issue, this office has enclosed a copy for NTIS' system. Please inform DNA of the assigned accession number.

Andith Jarrett JOSEPHINE B. WOOD

JOSEPHINE B. WOOD Chief, Technical Support Branch

Enclosure: A/S

DTIC QUALITY INSPECTED 4

HART ASSIRTED

This is a preliminary report based on all data available at the close of this project's participation in Operation REDWING. The contents of this report are subject to change upon completion of evaluation for the final report. This preliminary report will be superseded by the publication of the final (WT) report. Conclusions and recommendations drawn herein, if any, are therefore tentative. The work is reported at this early time to provide early test results to those concerned with the effects of nuclear weapons and to provide for an interchange of information between projects for the preparation of final reports.

When no longer required, this document may be destroyed in accordance with applicable security regulations. When destroyed, notification should be made to

AEC Technical Information Service Extension P. O. Box 401 Oak Ridge, Tenn.

DO NOT RETURN THIS DOCUMENT

PARASSINED

TTR-1345

This document consists of 38 pages No. 159 of 265 copies, Series A

and the second

OPERATION REDWING - PRELIMINARY REPORT

SEPTEMBER 1956

GAMMA RAYS FROM PLANE AND VOLUME SOURCE DISTRIBUTIONS

Victor A. J. van Lint

Approved:

1

Program 2 Staff Weapons Effects Tests Armed Forces Special Weapons Project L. Woodward Sandia Rase Field Command Sandia Base Albuquerque, New Mexico

L. L. Woodward, Col, USAF Technical Director

Hermeth D. Coleman

K. D. Coleman, Col, USAF Commander, Task Unit 3

- Martha usal

D. C. Campbell, CDR, USN Director, Program 2



а, > •

SUMMARY OF SHOT DATA, OPERATION REDWING

A8 หส 39 망역 87¥ Geographic 48 48 39 23 ឌា 11 33 29 162 21 18 11 29 48 165 22 09 ы 37 24 162 19 13 ដង 38 83 42 33 55 • 162 40 85 B 162 18 88 38 165 23 165 23 ы 33 162 21 11 37 162 19 11 32 162 21 11 37 162 18 11 32 នុង 165 19 19 मञ्च ដន្ទ ដន្ទ ដខ្ល H&N Coordinates (Actual Ground Zero) ыz ណ ឌ 96200 ± 100 E 185100 ± 500 N ନ୍ଦ୍ର ନ୍ଦ୍ର 102851 ± 69227 E 148063 N II 70909T 997776 E 164476 N ы 12 N 760791 105300 E 133540 N 109737 E 132165 N 102060 II 75:37 E ผฆ 110309 E щz មក 124,515 E 106885 N ыz 70015 126080 1 1322951 1 7979LL 112155 Air Drop (4320±150 ft) Over Weter Mir Drop (680:35 ft) Over Land 200-ft Tower Type 200-ft Tower 300-ft Tomer 300-ft Tower 300-ft Tower 200-ft Towar Surface Land Water Surface Iand^a Surface Land Barge Water Barge Water Barge Water Barge Mater Barge Mater Darge Vater Bikini Charlie-Dog Reef Location Bildni Off Charlie Entwetok Flore Endwetok Sally En**ive**tok Yvome Entwetok Flora Eniwetok Yvæme Entuetok Yvorme Eniwatok Pearl Eniwetok Ruby Enfwatok Irene Entwetok Sally Entwetok Yvome Bildni Off Dog Bikini Off Dog Bikini Off Dog Bildni Tarie Time (Approximate) 0616 9090 0556 9750 9560 9090 80% 7374 0626 9211 0615 1255 0626 0756 6290 05**5**1 0556 22 July 3 July 9 July עבוינ בב 22 June 26 June גם אילא 6 June 12 June 14 June 16 June 12 June 31 May 28 May 21 May 5 May 28 May Date (PPG) 11 1.4 ... Shot Name (Unclassified) Blackfoot K1 ckapoo Flatheed Seminole Navajo Cherokee Lacrosse Apache Dakota Mohavk Huron Osage Teua Lnoa Zum1 Yung Erte

2

CON



UM Constant of the



^aSee ITR-1344 for further details.



Bikini Atoll. Locations of test detonations during Operation REDWING are indicated by large lettering and arrows. Native island names with corresponding military identifiers are given in the tabulation.

÷ #1

Huron



Eniwetok Atoll. Locations of test detonations during Operation REDWING are indicated by large lettering and arrows. Native island names with corresponding military identifiers are given in the tabulation.



ABSTRACT

Calculations have been performed for the gamma-ray dose rate: (1) inside a uniformly contaminated volume, as in a radioactive cloud or in contaminated water; (2) as a function of altitude above the center of a uniformly contaminated circular island; and (3) as a function of altitude above uniformly contaminated water.

The calculations have been performed for monoenergetic sources of 0.15, 0.30, 0.60, 1.2, and 2.5 Mev and for some experimentally observed fallout spectra.

5

ł

FOREWORD

This report presents the results of a special study undertaken in connection with the fallout program of Operation REDWING to provide a theoretical basis for analysis of the experimental results of Projects 2.61 through 2.66. Since a field instrumentation effort was not involved, this report does not carry a project number, and will not be replaced by a WT-series final report.

For readers interested in other pertinent test information, reference is made to ITR-1344, Summary Report of the Commander, Task Unit 3. This summary report includes the following information of general interest: (1) an overall description of each detonation, including yield, height of burst, ground zero location, time of detonation, and ambient atmospheric conditions at detonation; (2) a discussion of all project results; (3) a summary of each project, including objectives and results; and (4) a complete listing of all reports covering the Military Effects Program.

CONTENTS

T. D.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	`5 6
1 :	INTR	ODUCI	NOI	•	•	•	•	•	•	•	•	•	٠	•	9
2 Inte Cale Dose	BASI erac cula e Bu	C THE tions tion ildug	CORY of of I	Gem)ose	na R Rat	ays 0.	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	10 10 10 11
3 H Dose Dose Dose	ORM e Ra e Ra e Ra	ULAS te in te Ab te in	an ove Air	Infi Cent	init ter ove	e Me of C Cont	dium ircu amin	l . lar ated	Dis) Wat	c . Cer	• • •	• • •	• • •	• • •	14 14 15 17
4 F	ESU	ITS C	F CA	LCUI	ATI	ons	•	•	•	•	٠	•	•	٠	20
5 I	DISCI	JSSIC	n	•	•	•	•	•	•	•	•	•	•	•	34
CES	•	•	•	•	•	•	•	•	•	•	•	•	•	•	35
Scat Assu Abso	tere med lute	ed En Spec Con	ergy tra vers	Flu	rx Fr Fact	ract: tors	ions	, ^s i	• •	•	•	• •	•	• •	17 20 21
Buil Heig Heig Heig Heig Heig Heig Conv	dup ht control ht control ht control ht control ht cont	fact conve conve conve conve conve conve conve conve conve conve conve	or c rsio rsio rsio rsio rsio rsio acto aner	oeff n fa n fa n fa n fa n fa n fa rs f	icio ctor ctor ctor ctor ctor ctor	ents rs or rs or rs or rs or rs or rs or fini	ver ver ver ver ver ver ite	land land land land land land land	E E E S S S to	o = o = o = pect pect inf	0.15 0.3 0.6 1.2 2.5 Trum Trum	Mev Mev Mev Mev I. II III III e	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	12 22 23 25 26 27 28 29
	r. D. 2 Internet for the second secon	I INTR 2 BASI Interac Calcula Dose Bu 3 FORM Dose Ra Dose Ra D	 INTRODUCT BASIC THE Interactions Calculation Dose Buildup FORMULAS Dose Rate in Dose Rate in Dose Rate in RESULTS C DISCUSSIC Scattered En Assumed Spec Absolute Com Buildup fact Height conver Height conver 	 INTRODUCTION BASIC THEORY Interactions of Calculation of I Dose Buildup. FORMULAS Dose Rate in an Dose Rate in Air RESULTS OF CA DISCUSSION DISCUSSION Ses Scattered Energy Assumed Spectra Absolute Conversion Height conversion 	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Gemm Calculation of Dose Dose Buildup. FORMULAS Dose Rate in an Inff Dose Rate in Air Above Cent Dose Rate in Air Above Cent Dose Rate in Air Above RESULTS OF CALCUN DISCUSSION DISCUSSION Scattered Energy Flux Assumed Spectra Absolute Conversion Buildup factor coeff Height conversion fa Height conversion fa 	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Gamma R Calculation of Dose Rat Dose Buildup. FORMULAS Dose Rate in an Infinit Dose Rate in Air Above 6 RESULTS OF CALCULATINE DISCUSSION DISCUSSION Scattered Energy Flux F: Assumed Spectra Absolute Conversion Factor Buildup factor coefficient Height conversion factor Height conversion factor 	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Gamma Rays Calculation of Dose Rate. Dose Buildup. FORMULAS Dose Rate in an Infinite Me Dose Rate in Air Above Center of C Dose Rate in Air Above Cont RESULTS OF CALCULATIONS DISCUSSION Scattered Energy Flux Fract Assumed Spectra Absolute Conversion Factors of Height conversion factors of Height conversion factors of Height	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Genma Rays Calculation of Dose Rate. Dose Buildup. FORMULAS Dose Rate in an Infinite Medium Dose Rate in Air Above Contamin RESULTS OF CALCULATIONS DISCUSSION Scattered Energy Flux Fractions Assumed Spectra Absolute Conversion Factors over Height conversion factors over 	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Genma Rays Calculation of Dose Rate. Dose Buildup. FORMULAS Dose Rate in an Infinite Medium Dose Rate in Air Above Contaminated RESULTS OF CALCULATIONS DISCUSSION Scattered Energy Flux Fractions, si Assumed Spectra Absolute Conversion Factors Buildup factor coefficients Height conversion factors over land Height conversion factors over land 	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Genma Rays Calculation of Dose Rate. Dose Buildup. FORMULAS Dose Rate in an Infinite Medium Dose Rate in Air Above Contaminated Wat RESULTS OF CALCULATIONS DISCUSSION Scattered Energy Flux Fractions, si Assumed Spectra Absolute Conversion Factors Buildup factor coefficients Height conversion factors over land. E Height conversion factors over land. S 	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Gamma Rays Calculation of Dose Rate. Dose Buildup. FORMULAS Dose Rate in an Infinite Medium Dose Rate in Air Above Contaminated Water RESULTS OF CALCULATIONS DISCUSSION Scattered Energy Flux Fractions, si Assumed Spectra Absolute Conversion Factors over land. E₀ = Height conversion factors over land. Spect 	T. 1 INTRODUCTION 2 BASIC THEORY . Interactions of Gemma Rays . . Calculation of Dose Rate. . . Dose Buildup. . . 3 FORMULAS . . Dose Rate in an Infinite Medium . . Dose Rate in Air Above Contaminated Water . . 4 RESULTS OF CALCULATIONS . . 5 DISCUSSION . . Scattered Energy Flux Fractions, s_1 . . Assumed Spectra . . . Absolute Conversion Factors over land. $E_0 = 0.15$. . Height conversion factors over land. $E_0 = 0.3$. . Height conversion factors over land. $E_0 = 0.3$. . Height conversion factors over land. $E_0 = 0.3$. . Height conversion factors over land. $E_0 = 0.3$. . Height conversion factors over land. $E_0 = 1.2$. . Height conversion factors over land. $E_0 = 2.5$. . Height conversion factors over land. Spec	 INTRODUCTION INTRODUCTION BASIC THEORY Interactions of Gemma Rays Calculation of Dose Rate. Dose Buildup. FORMULAS Dose Rate in an Infinite Medium Dose Rate in Air Above Contaminated Water A RESULTS OF CALCULATIONS 5 DISCUSSION Scattered Energy Flux Fractions, si Assumed Spectra Absolute Conversion factors over land. Eo = 0.15 Mev Height conversion factors over land. Eo = 1.2 Mev Height conversion factors over land. Eo = 1.2 Mev Height conversion factors over land. Eo = 2.5 Mev Height conversion factors over land. Eo = 2.5 Mev Height conversion factors over land. Spectrum I. Height conversion factors over land. Spectrum II. 	T. 1 INTRODUCTION 2 BASIC THEORY	T. D. 1 INTRODUCTION 2 BASIC THEORY Interactions of Gamma Rays Calculation of Dose Rate. Dose Buildup. 3 FORMULAS Dose Rate in an Infinite Medium Dose Rate in an Infinite Medium Dose Rate Above Center of Circular Disk Dose Rate in Air Above Contaminated Water 4 RESULTS OF CALCULATIONS 5 DISCUSSION EES Scattered Energy Flux Fractions, si Assumed Spectra Absolute Conversion Factors Buildup factor coefficients Height conversion factors over land. Eq = 0.15 Mev Height conversion factors over land. Eq = 0.6 Mev Height conversion factors over land. Eq = 1.2 Mev Height conversion factors over land. Eq = 1.2 Mev Height conversion factors over land. Eq = 1.2 Mev Height conversion factors over land. Eq = 1.2 Mev Height conversion factors over land. Spectrum I. Height conversion factors over land. Spectrum II. Height conver

4.10	Conversion factors from finite to	infin	ite					
	plane. Spectrum I, II, and III.	•	•	•	•	•	•	31
4.11	. Height conversion factors over wa	ter -						~ ~
	monoenergetic sources	•	•	•	•	•	•	32
4.12	2 Height conversion factors over we	ter.						
	Spectrum I, II, and III. • •	•	•	•	•	•	•	33

8

а,



CHAPTER 1

INTRODUCTION

There are two basic techniques for a field determination of the distribution of radioactive emitters in a medium: (1) securing samples of radioactive material from various portions of the medium and analyzing these samples with standard laboratory counting equipment and (2) making a radiation survey near the actual distribution of emitters. The first technique is the more accurate, but it involves long time delays associated with careful collection of samples, transportation to a laboratory, and subsequent standard geometry counting. The survey technique has been applied extensively during tests of nuclear "bapons to the problem of delineating fallout areas on land and determining contamination levels for Radiological Safety purposes. It has also been applied to determine the distribution of redioactive material in the ocean and in the radioactive cloud following a nuclear detonation.

The purpose of the calculations which follow is to establish the relation between the gamma dose rate measured by a survey reading at a specified location and the density of radioactive emitters in the assumed distribution. In this presentation the dose rate will be defined as the radiation field measured in r/hr - namely, the ionization per unit volume of STP air. The actual situations under which such measurements are performed can be approximated by three ideal cases in which the dose rate is taken: (1) within an infinite medium uniformly populated with radioactive sources; (2) above the center of a circular disk containing a uniform surface distribution of sources; or (3) in a semi-infinite medium at various distances from the interface with the complementary semi-infinite medium, having a different composition, which has radioactive sources uniformly distributed throughout its volume.

The first case corresponds to the measurement of the dose rate within a nuclear cloud or within water in which radioactive fallout has been mixed. The second applies approximately to the problem of determining the contamination of the surface of an island by a measurement of the dose rate above its center. The large land-source problem is that in which the radius of the disk is allowed to become infinite. The third case corresponds to the measurement of the dose rate in the air above contaminated ocean water.

The actual calculations are performed for the following monoenergetic sources: 150 kev, 300 kev, 600 kev, 1.2 Mev, and 2.5 Mev. The data which may then be used to compute the absorption relations for any spectrum, are applied to some experimentally observed fallout spectra.



CHAPTER 2

BASIC THEORY

2.1 INTERACTIONS OF GAMMA RAYS

Gamma rays of moderate energy interact with matter by the following three mechanisms:

1. Photoelectric Absorption. The gamma ray ejects an electron from an atom, imparting its total energy to the electron. The gamma ray disappears, and the energy is locally distributed by ionizing and exciting collisions of the electron.

2. Compton Scattering. The gamma ray imparts a portion of its energy to an electron and a scattered gamma ray of lower energy travels in a new direction. The energy of the electron is locally distributed, but the scattered gamma ray contributes to the resultant gamma dosage elsewhere.

3. Pair Production. A high-energy (>1.02 Mev) gamma ray can interact with an electric field to produce an electron-positron pair. The gamma ray disappears, and the kinetic energy of the electron and positron are locally distributed. The subsequent annihilation of the positron produces two gamma rays of 0.511-Mev energy which travel in opposite but arbitrary directions and contribute to the total gamma dosage elsewhere.

Each of the above interactions has a certain probability (μ_1, μ_2, μ_3) of occurring per unit path length of a gamma ray in a given medium. The probability that any of the interactions occurs per unit path length is then $\mu_0 = \mu_1 + \mu_2 + \mu_3$ and the probability that the gamma ray has not interacted in a distance $X = e^{-\mu_0 X}$.

2.2 CALCULATION OF DOSE RATE

The dose rate at a particular point in a radiation field is defined as the number of ion pairs produced per unit volume of air (STP) located at that point. The number of ion pairs produced is proportional to the energy lost per unit volume. Therefore, if the flux of particles of

Sept 1 Stand Parties

Defined as the number of gammas per unit time crossing a unit area perpendicular to their direction of motion.

10 - 10 - 10

energy E_0 at the point is F_0 and the average fraction of the energy lost per unit distance¹ is h_0 , then the dose rate (in r/hr) is:

$$D_0 = C E_0 h_0 F_0$$
 (2.1)

Where: C = 0.058; factor to convert from energy (Mev) deposited per unit volume (cm³) per second to roentgens per hour.

2.3 DOSE BUILDUP

th

ot

æd

ed

.e

The dose rate at a distance R due to the unscattered flux from a monoenergetic point source of radiation emitting A₀ photons per unit time can be calculated to be:

$$D_{ou} = C E_o h_o \frac{A_o}{4\pi R^2} e^{-\mu_o R}$$
 (2.2)

However, the dose rate is augmented by the contribution of the scattered photons. The magnitude of this dose-rate buildup has been computed for some special cases (Reference 1). The buildup factor in air has been graphed as a function of energy for various source energies (Reference 2). For the purposes of the mumerical calculations involved in this report, principally to avoid tedious numerical integrations, these curves have been approximated by cubic equations:

$$B_{o} = 1 + b_{o} (\mu_{o}R) + c_{o} (\mu_{o}R)^{2} + d_{o} (\mu_{o}R)^{3}$$
(2.3)

The coefficients have been graphed as a function of source energy E_0 (Figure 2.1).

It will be assumed that these same coefficients apply in the case of water, since the density effect is incorporated into μ_0 and the mean atomic number is not greatly different from that of air.

The foregoing buildup factors were calculated ones and include contributions from the entire gamma spectrum below E_0 . However, actual survey instruments usually do not detect radiation below a certain energy, usually 60 to 75 kev. Therefore, the fraction of the scattered dose contributed by such low-energy gammas was estimated using the curves in Reference 1, and this amount was subtracted from the calculated dose rate. Effectively, this procedure amounted to multiplying bo, c_0 , and d_0 by a factor less than one representing the fraction of the scattered dose contributed by detectable gammas.

During the solution of Case 3, it is necessary to evaluate the actual scattered flux penetrating the interface, rather than the dose rate. The curves presented in Reference 1 were again used to convert the scattered dose rate to flux as a function of energy. The method

 $h_0 = \mu_1 + f_2 \mu_2 + f_3 \mu_3$ where f_2 and f_3 are the average fractions of the initial energy deposited locally for Compton scattering and pair production, respectively.



used was to approximate the scattered spectrum by a sum of monoenergetic sources of energies 0.15, 0.30, 0.60, 1.2, and 2.5 Mev, where the relative strengths of these sources were determined by evaluating areas under the energy-flux curves of Reference 1. For this purpose the variation of h with energy was neglected, since it does, in fact, deviate from an average value, h, by less than 15 percent.

CHAPTER 3

FORMULAS

3.1 DOSE RATE IN AN INFINITE MEDIUM

The dose rate at P due to a monoenergetic volume density of activity, $A_{\rm VO}$, at $({\rm R},\theta,\phi)$ is:



Inserting the assumed cubic equation for the buildup factor and integrating over all space variables, the total dose rate is derived to be:

$$D_0 = C E_0 h_0 \frac{A_{vo}}{\mu_0} (1 + b_0 + 2c_0 + 6d_0)$$
 (3.2)

When the sources emit a spectrum of gamma rays, the above dose rate must be integrated over the energy spectrum.

3.2 DOSE RATE ABOVE CENTER OF CIRCULAR DISK

iv-

3.1)

The dose rate at point P due to a monoenergetic uniform surface density, A_{so} , of isotropic sources at $(R_{,\phi})$ is:

 $dD_{o} = B_{o}(\mu_{o}R) C E_{o} h_{o} A_{so} R dR d\phi e^{-\mu_{o}R} \frac{1}{4\pi R^{2}}$ (3.3)



If the sources of the radiation do not emit isotropically, the quantity $\frac{A_{so}}{4\pi}$ should be replaced by the number of photons emitted per unit time, per unit surface area, per unit solid angle in the particular direction.

15

For isotropic emitters, the dose rate integrated over ϕ and up to the edge of a disk of radius ρ is:

$$D_{o}(Z_{,\rho}) = C E_{o} h_{o} \frac{A_{so}}{2} \left[K(\mu_{o}Z) - K(\mu_{o}\sqrt{Z^{2} + \rho^{2}}) \right]$$
(3.4)

Where:
$$K(X) = \mathcal{E}_{i}(-X) + e^{-X} \left[(b_{o} + c_{o} + 2d_{o}) + X (c_{o} + 2d_{o}) + X^{2} d_{o} \right]$$

$$-\mathcal{E}_{i}(-X) = \int_{X}^{\infty} \frac{e^{-t}}{t} dt, \text{ is the usual exponential integral.}$$

For heights large compared to the radius of the source field $(Z >> \rho)$, this formula approaches the formula for a point source having the full strength of the disk at a distance Z, namely:

$$D_{o}(Z,\rho)_{\overline{Z} >> \rho} = C E_{o} h_{o} \frac{A_{BO} \rho^{2}}{4 Z^{2}} e^{-\mu_{o}Z} \left[1 + b_{o}(\mu_{o}Z) + c_{o}(\mu_{o}Z)^{2} + d_{o}(\mu_{o}Z)^{3} \right]$$
(3.5)

One interesting and useful result demonstrated by the above derivation is related to the fact that the two K factors are functions of the slant range to the near and far points of the contaminated circle and do not depend on any other distance. In particular, a calculation of the dose rate on the surface at the center of an uncontaminated circle of radius ρ amidst an infinite contaminated plane yields the same answer as the dose rate at a height ρ above an infinite contaminated plane, since both are proportional to K ($\mu_0 \rho$).

The foregoing solution actually corresponds to a contaminated plane in an infinite isotropic medium and thus differs slightly from the groundair problem in which the medium does differ on the two sides of the plane. This fact affects the dose rate in the air through two mechanisms: (1) the effective atomic number of the ground is somewhat different from that of the air; therefore, the absorption and scattering cross sections are different and (2) the scale of the scattered trajectories is foreshortened by the greater density of the soil and thus affects the dose rate for finite-size source fields. Actually the error caused by the isotropio-medium assumption is probably less than 15 percent.

The fact that the above formula becomes logarithmically infinite as the detector approaches the surface is associated with the mathematical assumption that the vertical dimension of the detector is small compared

to its distance from the plane; hence, a finite number of sources are at distance zero from the detector.

3.3 DOSE RATE IN AIR ABOVE CONTAMINATED WATER

The solution of the air-above-water problem is performed in two steps: (1) the method of Section 3.1 is utilized to calculate the flux crossing the water surface and (2) this flux is inserted into the differential formula of Section 3.2 to calculate the effect of the air absorption.

In both steps of this solution the same assumption as that discussed in Section 3.2 must be made, i.e., the dose-buildup characteristics in a semi-infinite medium bounded by another different semi-infinite medium are the same as in a homogeneous infinite medium. In this case the errors should be small, because the effective atomic number of air and water differ but slightly and there is almost always an essentially infinite boundary surface between.

Since the effective atomic numbers do not differ greatly, the further assumption will be made that the same dose-buildup coefficients can be applied to both media. Actually, the quantity desired from the water calculation is the flux as a function of energy - not the total dose rate. Therefore, the scattered dose rate must be allocated according to the energy spectrum of the scattered radiation. In the more-general problem, where the sources emit a spectrum of gamma rays, this calculation can be represented as a modification to the primary energy spectrum.

Escat (Mev)	0.15	0.3	0.6	1.2	2.5	<0.75
E _o (Mev)						ع
0.15 0.3 0.6 1.2 2.5	0.15 0.55 0.25 0.20 0.10	0.20 0.30 0.20 0.10	0.25 0.25 0.15	0.25 0.35	0.25	0.85 0.25 0.20 0.10 0.05

TABLE 3.1 SCATTERED ENERGY FLUX FRACTIONS. S.

ane oundlane. 1)

ons.

e

1 85

2]

red

3

50

:.4)

ng

) +

;.5)

.vahe

.0

The curves in Reference 1 have been used to allocate this dose rate among the various contributing energies. The energy-flux curves have been separated into intervals centered at a series of energies E_0 , $E_0/2$, $E_0/4$, $E_0/8$, etc., with the lowest interval bounded by 75 kev. For the purpose of these calculations, the average fractional energy loss, h, is assumed to have a constant value of $\bar{h} = 0.33 \times 10^{-4} \text{ cm}^{-1}$ over the entire range; therefore, the area under the energy-flux curves within each of the intervals measures their relative contributions to the scattered dose rate. The fraction of the total scattered flux contributed by each energy, s_i , computed in this manner is given in Table 3.1. Again, the part below 75 kev will be ignored, since instruments will not be sensitive to it.

17

In the ensuing calculations, the scattered flux has been reintroduced as an effective uniformly distributed additional source such that only the unscattered flux from the composite source need be calculated. In other words, the flux at the surface will be correctly evaluated by calculation of the unscattered radiation from the composite source distribution. From formulas derived before, the additional source strength at E_i due to a source of strength A_{vo} at E_o is:

$$\Delta A_{vi} = s_i \frac{E_o}{E_i} \frac{\mu_i}{\mu_o} \frac{h_o}{\bar{h}} A_{vo}' (b_o + 2c_o + 6d_o)$$
(3.6)

The effective source strength A_{vj}^* at energy E_j can then be calculated by adding the real source, A_j , to all terms ΔA_{vj} due to primary source of energy $E_0 \ge E_j$.

The angular distribution of the scattered radiation will be assumed to be the same as that of the unscattered radiation, since this corresponds to isotropy in the upper hemisphere.

Using the method of Section 3.1, the number of unscattered photons due to a source A_{VO}^* per unit time crossing a unit surface area at an angle θ is:

$$A_{o}(\theta) d\Omega = \int_{-\frac{\pi}{\sqrt{0}}}^{\infty} \frac{A_{vo}^{*}}{4\pi} e^{-\mu_{ov}R} \cos \theta dR d\Omega$$

$$R = 0$$

$$= \frac{A_{vo}^{*}}{4\pi\mu_{ov}} \cos \theta d\Omega \qquad (3.7)$$

Where: $\mu_{ow} =$ Interaction coefficient of water for gammas of energy E_{o} .

The factor $\cos \theta$ arises from the fact that a unit area of the surface projects onto an area $\cos \theta$ perpendicular to the direction of flight of the photons.

As indicated in Section 3.2, quantity $A_0(\theta)$ is to be inserted instead of $\frac{A_{SO}}{4\pi}$ in the differential form of the infinite plane formula.

^LThis expression must be inserted into the differential formula because the angular dependence of the radiation coming through the surface differs from the contaminated plane case by a factor $\cos \theta$.

$$D_{o}(Z) = \int_{0}^{\infty} \int_{0}^{2\pi} B_{o}(\mu_{o}R) C E_{o} h_{o} \frac{A_{vo}^{*}}{\mu_{ow}} \frac{Z_{o}}{R} \frac{e^{-\mu_{o}R}}{4\pi R^{2}} R d\phi dR$$

$$R = Z \phi = 0$$

$$= C E_{o} h_{o} \frac{A_{vo}^{*}}{2\mu_{ow}} K_{w} (\mu_{o}Z)$$
(3.8)

.t

;th

.6)

e

ned

3-

ງສ

.7)

∍ of

1

use

Where:
$$K_W(X) = X \mathcal{E}_1(-X)$$
 $(1-b_0) + e^{-X} \left[1 + X (c_0 + d_0) + X^2 d_0 \right]$

This dose-rate expression must subsequently be summed over the effective source-energy spectrum, A_{vi}^* , to obtain the total dose rate. The above expression does not approach infinity as the detector approaches the interface, since the volume distribution of sources places only an infinitesimal number of them at distance zero from the detector.

If a detector having a sensitive solid angle less than 2π is used, a finite circle becomes the effective source, and the above integral should be taken to the finite upper limit $L = \frac{Z}{\cos \alpha}$, where α is the acceptance angle of the detector. The finite field K_{wf} factor is then given by the following expression:

$$K_{wf} (\mu_0 Z_{,a} \alpha) = K_{w} (\mu_0 Z) - \cos \alpha K_{w} \left(\frac{\mu_0 Z}{\cos \alpha}\right)$$
(3.9)

CHAPTER 4

RESULTS OF CALCULATIONS

Calculations have been performed for monoenergetic sources of 0.15, 0.30, 0.60, 1.2, and 2.5 Mev. In addition, they have been performed for three particular gamma-ray-source spectra applicable to radioactive fallout fields resulting from nuclear detonations. The composition of these spectra in terms of the calculated energies is summarized in Table 4.1. They are applicable to: (1) fission-product activity from a fission weapon, (2) early (one-day) activity from a thermonuclear weapon, and (3) later (2-to-7-day) activity from a thermonuclear weapon.

E _o (Mev)	Relative Incton Flux Fercent						
	Spectrum I	Spectrum II	Spectrum III				
0.5 0.3 0.6 1.2 2.5	15 20 45 15 5	25 25 24 24 24 2	50 25 20 4 1				
Average Energy	0.66 Nov	0.59 Mev	0.34 Nev				

TABLE 4.1 ASSUMED SPECTRA

Table 4.2 summarizes the absolute conversion factors derived from these calculations. The surface or volume density of activity is chosen to be one curie per square meter or cubic meter, respectively.

Figures 4.1 through 4.8 present the factor to convert a reading at a height Z above a finite contaminated plane to a reading at a height of 3 feet. Figures 4.9 and 4.10 present the conversion of the 3-foot reading from a finite-plane source to an infinite-plane source having the same surface density of activity.

Figures 4.11 and 4.12 present the altitude conversion factors for the air-over-water case.



Eo	Infinite [®] Vol in Water of	ume Distribution 1 curie/meter ³	Infinite ^a Volume Distribution in Air of 1 curie/meter ³	Infinite Surface Distribution of 1 curie/meter ² Dose Rate at 3 ft Above Surface		
	Dose Rate in Water	Dose Rate at 3 ft Above Water	Dose Rate in Air			
Mev	r/hr	r/hr	r/hr	r/hr acru		
0.15 0.3 0.6 1.2 2.5	0.104 0.60 1.25 2.58 5.37	0.05 0.29 0.61 1.28 2.67	96 (UC 554 1160 19155 2360 1970 5040 200	1,95 .75 6.05 2.32 12,1 J.5 22.0 5.45 39.8 45.5		
I II III	1.36 1.19 0.60	0.67 0.59 0.29	1250	12.2 4.64 10.6 4.07 6.2		

TABLE 4.2 ABSOLUTE CONVERSION FACTORS

^aDistances large compared to $1/\mu_0$.

1.8B .51 .5

2.60×10 000 =

~ four a

Q.60 no the constant of the second states and the second states an

21-

at of₹d−

r

n 3en

15, for

£

1 a , xon



. .



•





Figure 4.3 Height conversion factors over land. $E_0 = 0.6$ Mev. (Numbers on curves refer to radius of source circle in feet)

24





Figure 4.5 Height conversion factors over land. $E_0 = 2.5$ Mev. (Numbers on curves refer to radius of source circle in feet)





Figure 4.6 Height conversion factors over land. Spectrum I. (Numbers on curves refer to radius of source circle in feet)



Figure 4.7 Height conversion factors over land. Spectrum II. (Numbers on curves refer to radius of source circle in feet)

28

CO

°⊇ + H •2 FH-Figure 4.8 Height conversion factors over land. Spectrum III. (Numbers on curves refer to radius of source circle in feet) õ Factor ;<u>8</u>] 20.2 ٩ ંગું .°, Ŀ? ·0` . آ °⊵ ⁰ °0 80 2 təət , tdpiəH ~ <u>0</u> . . ~







·





n" (





CHAPTER 5

DISCUSSION

The purpose of this report is to provide a calculational background for the gamma-attenuation problem. The calculations represent approximate solutions to certain idealized problems which may or may not apply to practical field conditions. For example, the distribution of radioactive material on land may appear somewhat as a plane distribution, but it is probably modified by irregularities in the surface and leaching into the soil. Only accurate experimental measurements can establish the importance of such effects and, hence, introduce modifications to the calculations.

The mumerical calculations have been performed with a desk calculator and were appropriately simplified. The gross division of the energy spectrum could easily be refined by the use of more-elaborate computational equipment. The use of cubic equations to approximate the buildup curves could also be eliminated by the use of high-speed computers. However, in view of the lack of sensitivity of the results to the energy spectrum and the uncertainty in the correlation to practical situations, the curves presented in this report are probably sufficiently accurate.



REFERENCES

 Gates, Jr., L.D., and Eisenhauer, C.; Spectral Distribution of Gamma Rays in Air; AFSWP Report No. 502A, January 1954; UNCLASSIFIED, 2. Borg, D.C., and Eisenhauer, C.; Spectrum and Attenuation of Initial Gamma Radiation from Nuclear Weapons; AFSWP Report No. 502B, January 1955; SECRET-RESTRICTED DATA.







DISTRIBUTION

Military Distribution Categories 5-40 and 5-70

ARMY ACTIVITIES

4-

- Asst. Dep. Chief of Staff for Military Operations, 1 D/A, Washington 25, D.C. ATTN: Asst. Executive (R&SW)
- 2 Chief of Research and Development, D/A, Washington 25, D.C. ATTN: Special Weapons and Air Defense Division Chief of Ordnance, D/A. Washington 25, D.C. ATTN: 3
- ORDIX-AR Chief Signal Officer, D/A, P&O Division, Washington 25, D.C. ATIN: SIGOP 6
- The Surgeon General, D/A, Washington 25, D.C. ATTN: 7 Chief, R&D Division
- Chief Chemical Officer, D/A, Washington 25, D.C. The Quartermaster General, D/A, Washington 25, D.C. 8-0 ıó
- ATTN: Research and Development Div. 11- 15 Chief of Engineers, D/A, Washington 25, D.C. ATTN: ENGNB
 - 16 Chief of Transportation, Military Planning and Intel-
- Ligence Div., Washington 25, D.C. Commanding General, Continental Army Command, Ft. Monroe, Va. 17- 19 20
 - President, Board #1, Headquarters, Continental Army Command, Ft. Sill, Okla. President, Board #2, Headquarters, Continental Army 21
 - Command, Ft. Knox, Ky. 22 President, Board #3, Headquarters, Continental Army
 - Command, Ft. Benning, Ga.
 - President, Board #4, Eeadquarters, Continental Army Command, Ft. Bliss, Tex. 23 24
 - Commanding General, First Army, Governor's Island, New York 4, N.Y. 25 Commanding General, Second Army, Ft. George G. Meade,
 - Mđ. 26 Commanding General, Third Army, Ft. McPherson, Ga.
 - ATTN: ACofS, G-3 27 Commanding General, Fourth Army, Ft. Sam Houston, Tex. ATTN: G-3 Section
 - 28 Commanding General, Fifth Army, 1660 E. Hyde Park
 - 29
 - Blvd., Chicago 15, Ill. Commanding General, Sixth Army, Presidio of San Fran-Cisco, Calif. ATTN: AMGCT-4 Commanding General, U.S. Army Caribbean, Ft. Amador, 30
 - C.Z. ATTN: Cml. Off. 31 Commanding General, USARFANT & MDFR, Ft. Brooke,
 - Puerto Rico 32 Commanding General, Southern European Task Force,
- APO 168, New York, N.Y. ATTN: ACofS, G-3 33- 34 Commander-in-Chief, Far East Command, APO 500, San
 - Francisco, Calif. ATTN: ACofS, J-3 35
 - Commanding General, U.S. Army Forces Far East (Main), APO 343, San Francisco, Calif. ATTN: ACOfS, G-3 36 Commanding General, U.S. Army Alaska, APO 942, Seattle, Wash.
- wash.
 Commanding General, U.S. Army Europe, APO 403, New York, N.Y. ATTN: OPOT Div., Combat Dev. Br.
 Commanding General, U.S. Army Pacific, APO 958, San Francisco, Calif. ATTN: Cml. Off. 37-38
- 39-40
- 41- 42 Commandant, Command and Ceneral Staff College, Ft. Leavenworth, Kan. ATTN: ALLLS(AS) 43
 - Commandant, Army War College, Carlisle Barracks, Pa. ATTN: Library 44
 - Commandant, The Artillery and Guided Missile School, Ft. Sill, Okla. 45
 - Secretary, The Antiaircraft Artillery and Guided Missile School, Ft. Bliss, Texas. ATTN: Maj. George D. Breitegan, Dept. of Tactics and Combined Arms 46
 - Commanding General, Army Medical Service School Brooke Army Medical Center, Ft. Sam Houston, Tex.

- Director, Special Weapons Development Office, 47 Eeadquarters, CONARC, Ft. Bliss, Tex. ATTN:
- Capt. T. E. Skinner Commandant, Walter Reed Army Institute of Research 148
- Walter Reed Army Medical Center, Washington (25, D.C. Superintendent, U.S. Military Academy, West Point, N.Y. ATTN: Prof. of Ordnance 49
- Commandant, Chemical Corps School, Chemical Corps Training Command, Ft. McClellan, Ala. Commanding General, Research and Engineering Command, 50
- 51- 52 Army Chemical Center, Md. ATTN: Deputy for RW and Non-Toxic Material
 - Commanding General, Aberdeen Proving Grounds, Md. (inner envelope) ATTN: RD Control Officer (for 53 Director, Ballistics Research Laboratory)
- Commanding General, The Engineer Center, Ft. Belvoir, 54- 56 Va. ATTN: Aset. Commandant, Engineer School Commanding Officer, Engineer Research and Development
 - 57 Laboratory, Ft. Belvoir, Va. ATTN: Chief, Technical Intelligence Branch
 - Commanding Officer, Picatinny Arsenal, Dover, N.J. 58 ATTN: ORDEB-TK
 - Commanding Officer, Frankford Arsenal, Fhiladelphia 59 37, Pa. ATTN: Col. Tewes Kundel
 - Commanding Officer, Army Medical Research Laboratory, 60 Ft. Knox, Ky.
- Commanding Officer, Chemical Corps Chemical and Radio-61- 62 logical Laboratory, Army Chemical Center, Md. ATTN: Tech. Library
 - Commanding Officer, Transportation R&D Station, Ft. Eustis, Va. 63
 - Commandant, The Transportation School, Ft. Eustis, Va. 64 ATTN: Security and Information Officer
 - Director, Technical Documents Center, Evans Signal 65 Laboratory, Belmar, N.J. Director, Waterways Experiment Station, PO Box 631,
 - 66
 - Vicksburg, Miss. ATTN: Library Director, Operations Research Office, Johns Hopkins University, 7100 Connecticut Ave., Chevy Chase, Md. Washington 15, D.C. 67
- Commanding General, Quartermaster Research and Develop 68- 69 ment, Command, Quartermaster Research and Development ment, Command, Quartermaster Kesearch and Development Center, Natick, Mass. ATTN: CBR Liaison Officer Commandant, The Army Aviation School, Ft. Rucker, Als. President, Board #6, CONARC, Ft. Rucker, Ala. Technical Information Service Extension, Osk Ridge,
 - 70
- 71 72- 78 Tenn.

NAVY ACTIVITIES

- Chief of Naval Operations, D/N, Washington 25, D.C. 79-80 ATTN: OP-36 Chief of Naval Operations, D/N, Washington 25, D.C.
 - 81 ATTN: OP-03EG
 - Director of Naval Intelligence, D/N, Washington 25, 82 D.C. ATTN: OP-922V
 - D.C. ATIN: 07-922V Chief, Bureau of Medicine and Surgery, D/N, Washington 25, D.C. ATIN: Special Weapons Defense Div. Chief, Bureau of Ordnance, D/N, Washington 25, D.C. Chief of Navel Personnel, D/N, Washington 25, D.C. 83
- 85 86- 87 Chief, Bureau of Ships, D/N, Washington 25, D.C. ATTN: Code 348
 - Chief, Eureau of Yards and Docks, D/N, Washington 25, D.C. ATTN: D-440 88
 - Chief, Bureau of Supplies and Accounts, D/N, Washing-89 ton 25, D.C.
- Chief, Bureau of Aeronautics, D/N, Washington 25, D.C. 90- 91 Chief of Naval Research, Department of the Navy Washington 25, D.C. ATTN: Code 811 92

4



- 93 Commander-in-Chief, U.S. Pacific Fleet, Fleet Post Office, San Francisco, Calif. Q4
- Commander-in-Chief, U.S. Atlantic Fleet, U.S. Naval Base, Norfolk 11, Va. Commandant, U.S. Marine Corps, Washington 25, D.C. 95- 98
 - ATTN: Code AO3H President, U.S. Naval War College, Newport, R.I. Superintendent, U.S. Naval Postgraduate School, Monterey, Calif. Commanding Officer, U.S. Naval Schools Command, U.S. 100
 - 101 Naval Station, Treasure Island, San Francisco, Calif.
 - Calif.
 Commanding Officer, U.S. Fleet Training Center, Naval Base, Norfolk 11, Va. ATTN: Special Weapons School
 Commanding Officer, U.S. Fleet Training Center, Naval Station, San Diego 36, Calif. ATTN: (SFWP School)
 Commanding Officer, Air Development Squadron 5, VX-5, U.S. Naval Air Station, Moffett Field, Calif.
 Commanding Officer, U.S. Naval Damage Control Training Control Naval Nava, Shara Damage Control Training 102 103
 - 104
 - 105 Center, Naval Base, Fhiladelphia 12, Pa. ATTN: ABC Defense Course
 - Commanding Officer, U.S. Naval Unit, Chemical Corps 106 School, Army Chemical Training Center, Ft. McClellan, Ala.
 - 107 Commander, U.S. Naval Ordnance Laboratory, Silver Spring 19, Md. ATTN: EH Commander, U.S. Naval Ordnance Laboratory, Silver
 - 108 Spring 19, Md. ATTN: R
 - 109 Commander, U.S. Naval Ordnance Test Station, Inyokern, China Lake, Calif. 110
 - China Lake, Calir. Officer-in-Charge, U.S. Naval Civil Engineering Res. and Evaluation Lab., U.S. Naval Construction Bat-talion Center, Port Hueneme, Calif. ATTN: Code 753 Commanding Officer, U.S. Naval Medical Research Inst., National Naval Medical Center, Bethesda lk, Md.
 - 111
 - Director, U.S. Naval Research Laboratory, Washington 25, D.C. ATTN: Mrs. Katherine H. Cass 112
 - 113 Director, The Material Laboratory, New York Naval Shipyard, Brooklyn, N. Y. 114
 - Commanding Officer and Director, U.S. Navy Electronics Laboratory, San Diego 52, Calif. Gommanding Officer, U.S. Naval Radiological Defense
- 115-118 Laboratory, San Francisco 24, Calif. ATTN: Technical Information Division
 - Commanding Officer and Director, David W. Taylor Model Basin, Washington 7, D.C. ATTN: Library Commander, U.S. Naval Air Development Center, Johns-119 120
 - villa. Pa. 121 Commanding Officer, Clothing Supply Office, Code 1D-0,
 - 3rd Avenue and 29th St., Brooklyn, N.Y. 122 Commandant, U.S. Coast Guard, 1300 E. St. N.W., Wash-
- ington 25, D.C. ATTN: Capt. J. R. Stewart 123-129 Technical Information Service Extension, Oak Ridge,
 - Tenn. (Surplus)

AIR FORCE ACTIVITIES

- Asst. for Atomic Energy, Headquarters, USAF, Washington 25, D.C. ATTN: DCS/0 130
- Director of Operations, Headquarters, USAF, Washington 131 132
- 25, D.C. ATTN: Operations Analysis Director of Plans, Headquarters, USAF, Washington 25, D.C. ATTN: War Plans Div.
- Director of Research and Development, Headquarters, USAF, Washington 25, D.C. ATTN: Combat Components 133 Div.
- 134-135 Director of Intelligence, Headquarters, USAF, Washington 25, D.C. ATTN: AFOIN-IB2 The Surgeon General, Headquarters, USAF, Washington 25. 136
 - D.C. ATTN: Bio. Def. Br., Fre. Med. Div. Deputy Chief of Staff, Intelligence, Headquarters, U.S. Air Forces Europe, APO 633, New York, N.Y. ATTN: Directorate of Air Targets 137
 - 138 Commander, 497th Reconnaissance Technical Squadron
 - (Augmented), APO 633, New York, N.Y. Commander, Far East Air Forces, APO 925, San Francisco, 139 Calif.
 - 140 Commander-in-Chief, Strategic Air Command, Offutt Air Force Base, Omaha, Nebraska. ATTN: Special Weapons Branch, Inspector Div., Inspector General Commander, Tactical Air Command, Langley AFB, Va.
 - 141 ATTN: Documents Security Branch
- 140 Commander, Air Defense Command, Ent AFB, Colo. Research Directorate, Hdgs. Air Force Special Weapons Center, Kirtland Air Force Base, New 143-144 Mexico. ATTN: Blast Effects Research

- 145 Assistant Chief of Staff, Installations, Headquarters, USAF, Washington 25, D.C. ATTN: AFCIE-E 146
- Commander, Air Research and Development Command, PO Box 1395, Baltimore, Md. ATTN: RDDN Commander, Air Proving Ground Command, Eglin AFB, Fla. ATTN: Adj./Tech. Report Branch 147
- 148-149 Director, Air University Library, Maxwell AFB, Ala
- 150-157 Commander, Flying Training Air Force, Waco, Tex. ATTN: Director of Observer Training
- Commander, Crew Training Air Force, Randolph Field, 158 Tex. ATTN: 2GTS, DCS/0 159-160 Commandant, Air Force School of Aviation Medicine,
- Randolph AFB, Tex. 161-163 Commander, Wright Air Development Center, Wright-
- Patterson AFB, Dayton, O. ATTN: WCOSI Commander, Air Force Cambridge Research Center, LG 164-165
- Hanscom Field, Bedford, Mass. ATTN: CRQST-2 Commander, Air Force Special Weapons Center, Kirtland 166-168 AFB, N. Mex. ATTN: Library
- Commander, Lowry AFB, Denver, Colo. ATTN: Department 169-170 of Armament Training
- 171 172-173
- Commander, 1009th Special Weapons Squadron, Head-quarters, USAF, Washington 25, D.C. The RAND Corporation, 1700 Main Street, Santa Monica, Calif. ATTN: Nuclear Energy Division 174
 - Commander, Second Air Force, Barksdale AFB, Louisiana. ATTN: Operations Analysis Office 175
 - Operations Analysis Office 176 Commander, Fifteenth Air Force, March AFB, Calif.
 - ATTN: Operations Analysis Office 177 Commander, Western Development Div. (ARDC), PO Box
- 262, Inglewood, Calif. ATTN: WDST, Mr. R. G. Weitz Technical Information Service Extension, Oak Ridge, 178-184
 - Tenn. (Surplus)

OTHER DEPARTMENT OF DEFENSE ACTIVITIES

- 185 Asst. Secretary of Defense, Research and Development,
- D/D, Washington 25, D.C. ATTN: Tech. Library U.S. Documents Officer, Office of the U.S. National 186 Military Representative, SHAPE, APO 55, New York, N.Y.
- Director, Weapone Systems Evaluation Group, OSD, Rm 2E1006, Pentagon, Washington 25, D.C. 187
- Commandant, Armed Forces Staff College, Norfolk 11, 188 Va. ATTN: Secretary
- 189-194 Commanding General, Field Command, Armed Forces Spe cial Weapons Project, PO Box 5100, Albuquerque, N. Mex.
- Commanding General, Field Command, Armed Forces, Special Weapons Project, PO Box 5100, Albuquerque, N. Mex. ATTN: Technical Training Group 195-196
- 197-201 Chief, Armed Forces Special Weapons Project, Washington 25, D.C. ATTN: Documents Library Branch
- 202-208 Technical Information Service Extension, Oak Ridge, Tenn. (Surplus)

ATOMIC ENERGY COMMISSION ACTIVITIES

- 209-211 U.S. Atomic Energy Commission, Classified Technical Library, 1901 Constitution Ave., Washington 25, D.C. ATTN: Mrs. J. M. O'Leary (For DMA)
- Los Alamos Scientific Laboratory, Report Library, PO Box 1663, Los Alamos, N. Mex. ATTN: Helen Redman Sandia Corporation, Classified Document Division, 212-213
- 214-218 Sandia Base, Albuquerque, N. Mex. ATTN: Martin Lucero
- University of California Radiation Laboratory, PO Box 808, Livermore, Calif. ATTN: Margaret Edlund 219-221
 - Weapon Data Section, Technical Information Service Extension, Oak Ridge, Tenn. Technical Information Service Extension, Oak Ridge, 222

223-264 Tenn. (Surplus)

ADDITIONAL DISTRIBUTION

265 Commander, 1352 Motion Picture Squadron, Lookout Mountain Laboratory, 8935 Wonderland Ave., Los Angeles 46. Calif.

15.2.21.5 . . States 1-24

AEC. Oak Ridge. Tenn.

Marin Assertion

38