REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. to Washington Headquarters Services, Directorate for Information Decrations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.					
1. AGENCY USE ONLY (Leave (olank)	2. REPORT DATE 11/1/96	3. REPORT TYPE A	92 to	5 COYERED 5/30/96
4. TITLE AND SUBTITLE Biomimetic Fabrication of Functional Ceramic Composites					SOR # 620-92-J-0282
Sukenik, C., Heuer, A., and DeGuire, M.					1102F 303/PS
l orr					FORMING ORGANIZATION
Department of Chemistry Case Western Reserve University 10900 Euclid Avenue Cleveland, OH 44106-7078					OSR-TR-96
9. SPONSORING/MONITORING A Dr. Frederick L AFSOR/NL	. Hed	NAME(S) AND ADDRESS(E lberg	5))51 1	10
110 Duncan Avenue, Suite B115 Bolling AFB, DC 20332-0001					
12a. DISTRIBUTION/AVAILABILIT Approved for m essertification of	(67.10	releass:		12 b . DI	STRIBUTION CODE
13. ABSTRACT (Maximum 200 wo	,	s of functional ceramic	s have a number of im	portant a	applications including
dielectrics, magnetic record functionalized self-assemble the deposition of thin films ambient pressures. The film micro-crystalline oxide part purposes included hydroxyl forms of the oxides that wer to rutile; and the tetragonal by patterning the underlying production of functional cer step towards the generalized composite organic/inorganic	ing meded mono of the cons were icles. It, carbox re differ form of g monol amics b	lia, piezoelectric transdolayers, attached to sing oxides of titanium, zinc uniform, adherent, and the monolayer functionary late, and sulfonate fur ent than those normally zirconia as opposed to ayer was also demonstry or creating templates for	ucers, and integrated of le-crystal silicon substantial pore-free and were, in ality found to be most actionality. In some case monoclinic version. Tated. This project dever their deposition from	optical decrates, we at low tender at low tender and consider a second constant of the patter and the patter an	revices. Variously are used to direct imperatures and asses, comprised of auseful for these alims contained desirable and of titania as opposed arining of the oxide films are technologies for the and as such is a first
14. SUBJECT TERMS					15. NUMBER OF PAGES 4
					16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT		CURITY CLASSIFICATION THIS PAGE	19. SECURITY CLASSIFI OF ABSTRACT	CATION	20. LIMITATION OF ABSTRACT
SN 7540-01-280-5500				Pre	andard Form 298 (Rev. 2-89) Bicribed by ANSI Std. 239-18 3-102

FINAL TECHNICAL REPORT FOR AIR FORCE OFFICE OF SCIENTIFIC RESEARCH

Biomimetic Fabrication of Functional Ceramic Composites Project Period: 6/1/92 - 5/30/96 AFOSR #49620-92-J-0282

Departments of Chemistry and Materials Science Engineering
Case Western Reserve University
Cleveland, OH 44106

Personnel

Principal Investigator Sukenik, Chaim N. (Prof., Chemistry)
Faculty Co-Investigator Heuer, Arthur H. (Prof., Materials Science)

Faculty Co-Investigator DeGuire, Mark R. (Assoc. Prof.., Materials Science)

Grad. Stud. Co-Investigator
Maiti, Mou (Materials Science)

Grad. Stud. Co-Investigator Sitthisuntorn Supothina (Materials Science)

Post Doc. Co-Investigator Wang, Yoo Hoo (Materials Science)
Undergrad. Co-Investigator Pfefferkorn, Jeffrey (Chemistry)

Abstract

Thin films and multilayers of functional ceramics have a number of important applications including dielectrics, magnetic recording media, piezoelectric transducers, and integrated optical devices. Variously functionalized self-assembled monolayers, attached to single-crystal silicon substrates, were used to direct the deposition of thin films of the oxides of titanium, zinc, iron, and zirconium, at low temperatures and ambient pressures. The films were uniform, adherent, and pore-free and were, in many cases, comprised of micro-crystalline oxide particles. The monolayer functionality found to be most generally useful for these purposes included hydroxyl, carboxylate, and sulfonate functionality. In some cases the films contained desirable forms of the oxides that were different than those normally obtained: i.e., the anatase form of titania as opposed to rutile; and the tetragonal form of zirconia as opposed to monoclinic version. The patterning of the oxide films by patterning the underlying monolayer was also demonstrated. This project developed new technologies for the production of functional ceramics by creating templates for their deposition from solution and as such is a first step towards the generalized control of microstructural and crystallographic order by interface design in composite organic/inorganic materials.

Patents

Mark R. DeGuire, Arthur H. Heuer, and Chaim N. Sukenik; Synthesis of Metal Oxide Thin Films U.S. Patent No. 5,352,48, issued 4 October 1994. Additional continuation in part issued in 1996.

Student theses submitted to CWRU

Ph.D. theses of Rochael J. Collins (Chemistry, 1997) and Hyunjung Shin (Material Science, 1996) and M. Sc. theses of Hyunjung Shin (Material Science, 1994), Mou Maiti (Material Science, 1995) and Sitthisuntorn Supothina (Material Science, 1995).

Published scientific papers in professional journals:

- 1) "Synthesis and Characterization of TiO₂ Thin Films on Organic Self-Assembled Monolayers: I. Film Formation from Aqueous Solutions", Shin, H.; Collins, R.J.; DeGuire, M.R.; A.H.; Sukenik, C.N. *Journal of Materials Research*, 10, 692-698 (1995).
- 2) "Synthesis and Characterization of TiO₂ Thin Films on Organic Self-Assembled Monolayers: II. Film Formation via an Organometallic Route", Shin, R.; Collins, R.J.; DeGuire, M.R.; Heuer, A.H.; Sukenik, C.N. *Journal of Materials Research*, **10**, 699-703 (1995).
- 3) "Sulfonate-Functionalized, Siloxane-Anchored, Self-Assembled Monolayers", Collins, R.J.; Sukenik, C.N. *Langmuir*, 11, 2322-2324 (1995).
- 4) "Deposition of Oxide Thin Films on Silicon using Organic Self-Assembled Monolayers", DeGuire, M.R.; Shin, H.; Collins, R.; Agarwal, M.; Sukenik, C.N.; Heuer, A.H. Integrated Optics and Microstructures III, M. Tabib-Azar Ed., Proc. SPIE, 2689, 88-99 (1966).
- 5) "Low Temperature Deposition of Patterned TiO₂ Thin Films Using Photopatterned Self-Assembled Monolayers", Collins, R.J.; Shin, H.; DeGuire, M.R.; Sukenik, C.N.; Heuer, A.H. *Applied Physics Letters*, **69**, 860-862 (1996).
- 6) "Photocontrolled Formation of Hydroxyl-Bearing Monolayers and Multilayers", Collins, R.J.; Bae, I.T.; Scherson, D.A.; Sukenik, C.N. *Langmuir*, 12, 0000 (November, 1996).
- 7) "Solid-State Diffusive Amorphization in TiO₂/ZrO₂ Bilayers", Shin, H.J.; Agarwal, M.; DeGuire, M.R.; Heuer, A.H. J. Amer. Cer. Soc., 79, 1975-1978 (1996).