RIA-78-U313



AD

TECOM PROJECT NO: 7 CO RD5 TT1 016

USATTC REPORT NO. 7511002



METHODOLOGY INVESTIGATION:

STEEL CORROSION IN TROPIC MANGROVE FORESTS



19971017 301

TECHNICAL NOTE By M. A. JOHNSON and G. F. DOWNS III

NOVEMBER 1975

DTIC QUALITY INSPECTED &

Approved for public release; distribution unlimited.



DISPOSITION INSTRUCTIONS*

Destroy this report when no longer needed. Do not return it to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents. The use of trade names in this report does not constitute an official endorsement or approval of the use of such commercial hardware or software. This report may not be cited for purposes of advertisement.

V

^{*}These disposition instructions do not apply to the record copy (AR 340-18).

UNCLASSIFIED		
SECURITY CLASSIFICATION OF THIS PAGE (When D	ata Entered)	
REPORT DOCUMENTATIO	IN PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER TECOM PROJECT NO. 7 CO RD5 TT1 016	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
	N 1.	TECHNICAL NOTE
METHODOLOGY INVESTIGATIC	//N :	SEPTEMBER 1973-MAY 1974
STEEL CORROSION IN TROPIC MANGRO	VE FORESTS	6. PERFORMING ORG. REPORT NUMBER
		USATTC REPORT NO. 7511002
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
M. A. JOHNSON		
G. F. DOWNS III		
9 PERFORMING ORGANIZATION NAME AND ADDRE	ESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
US ARMY TROPIC TEST CENTER		
ATTN: STETC-TD		
APO NEW YORK 09827		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
US ARMY TEST AND EVALUATI	ON COMMAND	NOVEMBER 1975
ATTN: DRSTE-ME		13. NUMBER OF PAGES
ABERDEEN PROVING GROUND,	MD 21005	15. SECURITY CLASS. (of this report)
TA MONTORING AGENCE MARE & ABDRESS(IT date		
		UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING
		SCHEDULE
Approved for pu	ıblic release; distributio	n unlimited.
17. DISTRIBUTION STATEMENT (of the abstract enter	red in Block 20, if different from	n Report)
 SIJPPLEMENTARY NOTES KEY WORDS (Continue on reverse side if necessary) 	• and identify by block number)	
Canal Zone	Mangrove	Tropic site severity
Corrosion	Materials deterioration	Tropic Test Center
Dry season, tropic	Steel Topsilo strongth	l ropic testing
Metais	Test methodology	
Mangrove exposure sites	Tropic exposure sites	
20. ABSTRACT (Continue on reverse side if necessary USATTC in September 1973 exposed 1440 steel throughout the Canal Zone. Objective was to deter steel. This study reports the degradation rates of st statistically compares results from each exposure site	and identify by block number) samples for 8 months at e mine the relative severity of so eel samples as measured by te	ight sites (seven mangrove and one coastal) elected mangrove swamps on the corrosion of nsile strength loss, ranks results by season, and
There were statistical differences between wet and was a high degree of correlation between tensile str given site. High conductivity was caused primarily by severely corrosive in both seasons than all others. So greater. It appears that the increased severity in deg than salt spray from the ocean.	dry season exposures and betw ength loss and conductivity of y water soluble salts washed of alt concentrations in the leaves gradation at this site was more	veen Pacific and Atlantic mangrove sites. There f water run-off collected from mangroves at a f the mangroves by rain. One site proved more at the most severe site were three to 16 times a function of exuded salt from the mangroves

SUMMARY

The US Army Tropic Test Center in September 1973 exposed a total of 1440 steel samples for an 8-month period at eight (seven mangrove and one coastal) sites throughout the Panama Canal Zone during the wet and dry seasons. The objective of this project was to determine the relative severity of selected mangrove swamps on the corrosion of steel. This study reports the degradation rates of steel samples as measured by tensile strength loss, ranks the results by season, and statistically compares the results from each exposure site.

Statistical differences were found between wet and dry season exposures and between mangrove exposure sites on the Pacific and Atlantic sides of the Canal Zone. A high degree of correlation existed between tensile strength loss and conductivity of water collected run-off from mangrove trees at a given site. The high conductivity was caused primarily by water soluble salts washed off the mangrove trees by rain. These salts are deposited on the trees by coastal winds as well as by exudation from the mangrove trees themselves. Mangrove forests are not universally severe to steel and must therefore be selected carefully in planning tropic exposure tests.

One site was found to be more severely corrosive than all other sites in both seasons. Analysis of leaves from all mangrove sites showed that salt concentrations in the leaves at the most severe site were three to 16 times greater than in other sites. Therefore, it appears that the increased severity in degradation at this site was more a function of the exuded salt from the mangrove trees than salt spray from the ocean.

This Center recommends that a Test Operations Procedure (TOP) not be developed based on the results of this investigation.

DTIC QUALITY INSPECTED S

PREFACE

. .

The authors are indebted to Dr. William A. Dement and Dr. James F. Sprouse of the US Army Tropic Test Center staff for classification of mangrove species, and chemical analysis of water run-off samples taken within the mangrove exposure sites. This study was conducted under the technical supervision of Dr. D. A. Dobbins, Chief, Technical Division, US Army Tropic Test Center.

Methods are also also be a set of a

(a) A set of the se

TABLE OF CONTENTS

								,										<u>P</u> A	١G	E	
SUMMARY				•		•						•	•	•					•	1	
PREFACE																				2	

SECTION 1. INTRODUCTION

BACKGROUND						•		•			•			•				•	5
OBJECTIVE .											•								5

SECTION 2. DETAILS OF INVESTIGATION

EXPOSURE SITES	7
DATA COLLECTION	9
Steel Tensile Strength	9
Water Run-Off Samples	9
DATA ANALYSES	9
Degradation Model	9
Degradation Rate	1
Expected Life	2
Analysis of Water Samples	3
VARIATIONS IN EXPOSURE SEASONS AND SITES	4
Wet versus Dry Season	4
Galeta Point Mangrove	5
Coco Solo Mangrove A	5
Pacific Sites	5
CONCLUSIONS	6
RECOMMENDATION	6

SECTION 3. APPENDICES

Α	DATA PLOTS AND PREDICTIONS CURVES
В	STATISTICAL FORMULAE
С	REFERENCES
D	DISTRIBUTION LIST

-

SECTION 1. INTRODUCTION

BACKGROUND

In a previous methodology investigation, Determination of Optimum Tropic Storage and Exposure Sites,^{1,2} several materials commonly used in Army materiel were exposed at selected sites within the Canal Zone. The purpose of the investigation was to determine the severity of storage and exposure sites for acceleration of tropic tests. Steel was one of the materials exposed during the project. A total of 16 sites were chosen for investigation, one of which was a mangrove swamp site located at Coco Solo on the Atlantic side of the Isthmus of Panama. According to the excerpt below,² this mangrove site was found to be the most severe of all locations for the degradation of the tensile strength of steel:

The mangrove swamp, an experimental site, was the most severe for deterioration of steel. The major deterioration causing factors were unknown. Humidity and salt content in the swamp were comparable to other sites, but the deterioration rate was much greater. The obviously corrosive and strong oxidizing ambient conditions in the mangrove swamp were unique and unparalleled by other subenvironments studied during this investigation. Figure ... shows the high rate of tensile strength loss measured in steel specimens at the mangrove site during the rainy season ... Complete loss of tensile strength occurred within 4 weeks of exposure.

The Atlantic and Pacific sides of the Isthmus provided exposure modes and sites equally severe on a representative cross section of types of materials, except for steel. (Steel attained its highest degradation at an Atlantic mangrove site, and could not be compared because no Pacific mangrove site was included in the investigation.)

One of the major findings of this study was that the most severe test site for steel was the mangrove swamp. Deterioration at the mangrove site was accelerated by at least a factor of two over the next most severe site at Galeta coastal.

Efforts should be made to continue to locate different types of sites which may be more severe than either the established or experimental sites used in this investigation.

OBJECTIVE

The objective of this study was to determine the relative severity of selected mangrove swamps on the corrosion of steel.

¹ Portig, W. H., J. C. Bryan, and D. A. Dobbins, Determination of Optimum Tropic Storage and Exposure Sites, Phase II: Patterns and Predictions of Tropic Materials Deterioration, USATTC Report No. 7405001, May 1974.

² Sprouse, J. F., M. D. Neptune, and J. C. Bryan, *Determination of Optimum Tropic Storage and Exposure Sites, Report II: Empirical Data*, USATTC Report No. 7403001, March 1974.

SECTION 2. DETAILS OF INVESTIGATION

EXPOSURE SITES

A total of seven mangrove sites were chosen for this study. Five of these were located on the Atlantic side of the Isthmus and two on the Pacific side. For comparison purposes, a non-mangrove breakwater site on the Atlantic Coast was included. This Atlantic coastal site, called the "comparison site," was selected because of its known severity toward corrosion of steel caused by high levels of salt spray deposited on samples. A Pacific site was not selected because there is none in the Canal Zone with salt spray as heavy as that which is produced on the Atlantic Coast, the reason being that the fetch of general offshore winds is not sufficiently long to increase the salt content of the air to Atlantic Coast levels.

Figure 1 shows the geographical location of the eight sites.

The term *mangrove* is a common name given to a group of trees usually found in saltwater and brackish-water intertidal areas in the tropics and subtropics. At the Rodman Pacific site, approximately 50 percent of the tree species are mature *Pelliciera Rhizophorae*. Species comprising the other vegetation are mature specimens of *Rhizophora mangle* (Red mangrove) (45 percent) and *Avicennia nitida* (Black mangrove) (5 percent). At the Kobbe Pacific site, 100 percent of the vegetation was *Laguncularia racemosa* (White mangrove) in early maturity. Both sites have an open understory with only a few mangrove seedlings. This widely open understory is indicative of the relative maturity of trees in the area.

Mangrove species represented at the Atlantic exposure sites were as follows:

Table	1.	Mangrove	Species-/	٩t	lantic	Site

Site	Mangrove Species
Coco Solo Mangrove A	<i>Avicennia nitida</i> (black mangrove) <i>Laguncularia racemosa</i> (white mangrove)
Coco Solo Mangrove B	Rhizophora mangle (red mangrove) Pelliciera Rhizophora and Avicennia nitida
Galeta Point Mangrove	Rhizophora mangle
Sherman Mangrove A	Avicennia nitida
Sherman Mangrove B	Rhizophora mangle

All Atlantic sites had an open understory occupied by only a few small seedlings of the predominant canopy species. Coco Solo Mangrove A had a few over-mature remnants from a previous mangrove forest. All major mangrove species were represented at one or more of the seven exposure sites.



DATA COLLECTION

• Steel Tensile Strength. The exposure samples used in this investigation were mild steel shimstock, 0.01 inch thick, conforming to AISI 1006 carbon steel. The samples were emplaced in the form of strips, 1 inch wide, on racks 30° to the horizontal, similar to the exposure mode used in the *Optimum Tropic Exposure Sites* project.^{1, 2} A total of 90 samples were exposed at each exposure site during each season. At weekly intervals, six samples were retrieved from each site and tested for tensile strength. This process continued until the last six samples were retrieved after 15 weeks of exposure. The periods of exposure were from 23 September 1973 to 9 January 1974 in the wet season, and from 31 January 1974 to 15 May 1974 in the dry season.

• Water Run-Off Samples. To explain site differences in corrosiveness toward metals, water samples were collected at each of the seven mangrove sites. The samples from each site were collected by attaching a funnel/bucket collection system to a mangrove tree, as shown in figure 2. Water samples were collected on a weekly basis during the rainy periods of both the wet and dry seasons, and returned to the chemistry laboratory for analyses. During periods of little or no rain, samples could not be collected because insufficient water accumulated in the samplers. The water samples were routinely analyzed for total ionic strength (conductivity in mho/cm), pH, and water soluble chloride concentration.

The conductivity measurement provided electrolytic strength of the water by electrochemical measure of total ionic concentration in the solution. This measurement is a good indicator of corrosiveness. Computations were made with a Barnstead model PM70-CB conductivity bridge using a model B-1 conductivity cell with a cell constant of 0.1. Hydrogen ion concentration measurements were performed with a Beckman 41263 glass electrode with a calomel reference electrode. Water soluble chloride measurements were completed by the manual mercuric nitrate titration method using diphenyl carbazone bromphenol blue indicator.

DATA ANALYSES

• Degradation Model. The measured tensile strength data were plotted against exposure time to determine the appropriate mathematical model to represent the degradation trend. Some of the plots suggested a curve of the form $y = a \exp(-b x^{C})$ (where y = tensile strength, x = exposure time, and a, b, and c are empirical positive constants), which has as its shape, a quasi-linear decline and then a leveling off portion which becomes asymptotic to zero. However, most of the data revealed a more linear trend in the declination of tensile strength versus exposure time. The straight line was chosen as the degradation model for those data which were non-linear, since the downward trend during the first 90 to 95 percent loss of tensile strength was linear, and the leveling-off portion represented only a 5 to 10 percent value of original tensile strength. For all practical purposes this represents a totaly degraded piece of steel.

¹ Ibid.

² Ibid.



a. One of Seven Mangrove Sites Chosen for Run-Off Sampling.



b. Close-Up of Funnel/Bucket Collection System.

Figure 2. Technique Used for Collection of Water Run-Off Samples.

The method of least-squares was used to determine the equations of the best fit lines for each set of data. These lines have been plotted with the raw data in figures A-1 through A-16 in appendix A. Also shown in these plots are the 95 percent upper and lower prediction limits about the best fit lines.*

• Degradation Rate. All regression lines shown in the figures of appendix A, have the form y = a + bx. Tables 2 and 3 list the eight sites in order of increasing degradation rates, and also give the two-sided 90-percent confidence intervals for the true rates of degradation. The right-hand columns in tables 2 and 3 indicate which degradation rates are not statistically different from one another. An overlapping of the upper limit of one site with the lower limit of another indicates that the differences shown could be chance occurrences. Conversely, if the interval of one site does not overlap with another, then the degradation rates are statistically different at the 0.1 level of significance, approximately, and are probably real differences.

Table 2. Degradation Rates-Wet Season

(kgs/week loss in tensile strength)

Site		Point Estimate (Average)	95% Lower Confidence Limit	95% Upper Confidence Limit	Remarks
Kobbe Mangrove	(P)	- 9.84	-12.6	- 7.06	
Sherman Mangrove A	(A)	-17.2	-20.8	-13.6)	
Rodman Mangrove	(P)	-21.1	-26.1	-16.0 【	No
Sherman Mangrove B	(A)	-20.9	-25.5	-16.3 🌔	Significant
Coco Solo Mangrove B	(A)	-22.5	-25.6	-19.4)	Difference
Breakwater (Comparison)	(A)	-47.1	-49.2	-44.9	$(\alpha \approx 0.1)$
Galeta Point Mangrove	(A)	-47.1	-49.8	-44.3 🖇	-
Coco Solo Mangrove A	(A)	-66.7	-72.9	-60.4	

LEGEND: (A) Indicates Atlantic site.

(P) Indicates Pacific site.

Table 3. Degradation Rates-Dry Season

(kgs/week loss in tensile strength)

Site		Point Estimate (Average)	95% Lower Confidence Limit	95% Upper Confidence Limit	Remarks
Kobbe Mangrove	(P)	- 2.60	- 4.26	- 0.94	
Galeta Point Mangrove	(A)	- 3.59	- 5.24	- 1.95 (
Rodman Mangrove	(P)	- 5.26	- 7.63	- 2.90 ()	No
Sherman Mangrove A	(A)	- 5.47	- 6.69	- 4.24)(Significant
Coco Solo Mangrove B	(A)	- 6.75	- 8.22	- 5.27 🤇	Difference
Sherman Mangrove B	(A)	- 7.68	- 8.90	- 6.46	$(\alpha \simeq 0.1)$
Coco Solo Mangrove A	(A)	-42.4	-46.1	-38.8	
Breakwater (Comparison)	(A)	-91.5	-96.5	-86.5	

LEGEND: (A) Indicates Atlantic site.

(P) Indicates Pacific site.

* All statistical formulae are given in appendix B.

• Expected Life. The point at which the exposed steel reached a tensile strength of 300 kilograms (approximately 50 percent of original strength) was arbitrarily chosen as the time to failure, or expected life. From the equation y = a + bx, given in figures A-1 through A-16, the expected life. Xo was computed by setting v = 300. For purposes, again, of statistically comparing sites, the two-sided 90-percent confidence interval for expected life were computed from respective upper and lower prediction line formulae. Tables 4 and 5 give the results of this analysis. (Care should be used in interpreting tables 4 and 5. As can be seen, some of the expected lives extend beyond the duration of a wet or dry season. Hence, these tables cannot be used as true predictors of life expectancy but rather as a comparative guide to site severity.)

Table 4. Expected Life* of Steel-Wet Season

(in weeks)

Site		Point Estimate (Average)	95% Lower Confidence Limit	95% Upper Confidence Limit	Remarks
Kobbe Mangrove	(P)	29.7	17.8	45.4	
Sherman Mangrove A	(A)	18.4	9.8	27.9	
Rodman Mangrove	(P)	15.9	6.0	26.7	No
Sherman Mangrove B	(A)	12.8	3.6	22.5	Significant
Coco Solo Mangrove B	(A)	12.2	6.5	18.1) >	Difference
Breakwater (Comparison)	(A)	6.7	5.2	8.2	$(\alpha \simeq 0.1)$
Galeta Point Mangrove	(A)	5.2	3.5	6.9)	
Coco Solo Mangrove A	(A)	3.4	1.9	4.9 }	

* Time required for tensile strength to degrade to 300 kilograms (approximately 50 percent of original strength).

LEGEND: (A) Indicates Atlantic site.

(P) Indicates Pacific site.

Table 5. Expected Life* of Steel-Dry Season

(in weeks)

Site		Point Estimate (Average)	95% Lower Confidence Limit	95% Upper Confidence Limit	Remarks
Kobbe Mangrove	(P)	97.0	56.4	260.1)	
Galeta Point Mangrove	(A)	76.3	49.6	139.1	
Rodman Mangrove	(P)	42.5	22.9	79.6	No
Sherman Mangrove A	(A)	51.0	39.5	67.2) ((Significant
Coco Solo Mangrove B	(A)	40.5	30.3	54.0) (Difference
Sherman Mangrove B	(A)	37.1	29.7	46.0	$(\alpha \simeq 0.1)$
Coco Solo Mangrove A	(A)	7.9	4.4	11.4	
Breakwater (Comparison)	(A)	2.9	2.4	3.5	

* Time required for tensile strength to degrade to 300 kilograms (approximately 50 percent of original strength).

LEGEND: (A) Indicates Atlantic site.

(P) Indicates Pacific site.

• Analysis of Water Samples. To explain the differences in degradation rates experienced at the exposure sites, the water samples collected were analyzed for conductivity, chloride concentration, and pH. Table 6 shows the results of this analysis for samples collected during the wet season. The sites are listed in the same order as in table 2. The pH values are not shown because essentially no differences were seen in the water samples from the different sites; all values ranged from 6.0 to 6.5.

Site		Conductivity (mho/cm)	Chloride (ppm)
Kobbe Mangrove	(P)	7.72 x 10 ⁻⁵	18.0
Sherman Mangrove A	(A)	8.91 x 10 ⁵	29.1
Rodman Mangrove	(P)	1.00 x 10 ⁻⁴	26.2
Sherman Mangrove B	(A)	1.00 × 10 ⁻⁴	17.2
Coco Solo Mangrove B	(A)	1.29 × 10 ⁻⁴	49.5
Galeta Point Mangrove	(A)	1.02 × 10 ⁻⁴	34.6
Coco Solo Mangrove A	(A)	3.80 x 10 ⁻⁴	221.2
LEGEND: (A) Indicates A (P) Indicates F	Atlantic site. Pacific site		

Table 6. Average Electrolyte Strength of Water Run-off-Wet Season

Examination of the chloride concentrations shown in table 6 reveals little or no correlation with the degradation rates shown in table 2. This is demonstrated by the fact that the salts in the water samples derive their origin not only from ambient saltfall (primarily sodium chloride) but also from exudations from the mangrove trees themselves (other types of salts). Most of the water samples collected at the mangrove sites were yellow in color and upon evaporation yielded a brownish-yellow deposit. Small quantities of this deposit were pressed into KBr pellets for infrared analyses. The analysis showed the presence of only inorganic salts—primarily ammonium sulfate. Wet chemical tests confirmed the presence of ammonium and sulfate ions.

An increase in the concentration of ionic species in solution causes an increase in the solution conductivity which enhances metal corrosion. Comparison of the conductivity values in table 6 with the degradation rates in table 2 gives nearly the same order of site ranks based on increasing conductivity—Galeta Point mangrove being the exception. Therefore, the presence of water soluble salts in differing concentrations explains most of the difference in corrosiveness between sites. A linear correlation was performed using the conductivity measurements as predictors of the degradation rates (see appendix B). The correlation coefficient was r = -.84, and $r^2 = .71$. Hence, about 71 percent of the variation in degradation rates between sites is associated with the conductivity measurements.

Galeta Point Mangrove site is the only exposure site which seems to fall out of place when comparing conductivity versus degradation rate. (The uniqueness of the Galeta site is discussed later.) Eliminating this site from the linear correlation routine, r = .99 and $r^2 = .98$, or 98 percent of the variation in degradation rates, are associated with the conductivity of the water run-off samples.

VARIATIONS IN EXPOSURE SEASONS AND SITES

• Wet versus Dry Season. The increased amount of degradation during the wet season is apparent in all but the Breakwater comparison site. Statistical analysis of the wet versus dry season degradation rates shows that a significant difference exists within each site.

This is easily explained in that the primary salt in the mangrove water run-off was sodium chloride with traces of ammonium sulfate. The majority of corrosion products formed on mild steel would therefore be water soluble compounds such as $FeCl_2$ and hydrated ferrous sulfate instead of non-soluble $Fe(OH)_2$ and $Fe(OH)_3$. The majority of the water soluble corrosion products formed would be washed away by heavy rainfall in the wet season because more run-off from the mangrove trees reach the samples. As the surface corrosion products were washed away, a new metal surface would be exposed and the rate of corrosion would increase.

Conversely, in the dry season, the water soluble corrosion products were washed off to a lesser degree because of less rainfall. The accumulated corrosion products then acted as a protective barrier, thus reducing further corrosion.

The rains of the wet season had a cleansing effect on the Breakwater comparison site samples; i.e., by washing away the salt-spray buildup with *fresh* water before corrosion could occur. A two-fold increase in the degradation rate at the Breakwater site in the dry season was brought about by increased salt spray from the Caribbean Sea caused by high northerly winds during that period.

Copson³, in a study of the mechanism of rusting, found that the corrosion rate of steel depended on the quality and quantity of water in contact with the steel. The quality was affected by pollution, solubility of corrosion products, and by the washing effect of rain; the quantity was affected by the amount of rain, dew, the degree of shelter, and the porosity of the rust. Rain played a dual role-accelerating corrosion by providing the necessary moisture for electrolyte formation or retarding corrosion by washing away corrosive contaminants.

Also during the Optimum Tropic Exposure Sites project¹, a higher wet season tensile strength loss was noted at the coastal, open, and, to a lesser degree, the forest sites. This accelerated degradation was not noted, however, in the sheltered sites where the steel samples were not exposed to falling rain.

A rank-difference coefficient of correlation was computed to compare the mangrove sites by degradation rates between wet and dry seasons. The correlation coefficient was .57, which indicates that the sites maintained only moderately similar order from wet to dry season. A closer observation of the order of ranking shows this order change was caused by the large difference in the rank of the Galeta Point Mangrove site between seasons. Galeta Point placed second from the bottom during the wet season, and second

³ Copson, H. R., A Theory on the Mechanism of Rusting of Low Alloy Steels in the Atmosphere, ASTM Proceedings, 45: 554-590, 1945.

¹ Op cit.

from the top during the dry season (see tables 2 and 3). Omitting this site, the rankdifference correlation coefficient for the remaining six sites was .89, i.e., high correlation between seasons.

• Galeta Point Mangrove. The Galeta site has been shown to be an anomaly in the ranking of sites by severity. The dry season ranking and the wet season conductivity and chloride measurements make the degradation rate during the wet season appear too high. However, looking at figure A-7, the degradation trend seems well established. The reasons for this are not known. It indicates that all factors affecting steel corrosion in the mangrove forests have not been defined.

• Coco Solo Mangrove A. The degradation rate of the Coco Solo Mangrove A site was more severe than the other mangrove sites in both seasons (see tables 2 and 3). A current hypothesis as to the severity of this site in the dry season is that it was very humid, to the point of causing water drippage from the mangrove leaves. This higher humidity was brought about through evaporation from the swamp since it was better protected against wind than the other sites. The drippage added to the corrosion process in the same manner as did the rains of the wet season.

Although this hypothesis might explain the dry season severity, it does not explain why the salt and conductivity measurements were much higher than the other sites. Some leaves from the predominate species at each mangrove site have been collected and laboratory-tested for salt content during the preliminary investigations for another USATTC project. Although incomplete at this time, the leaves of the Coco Solo Mangrove A site appear to contain a salt concentration from 3 to 16 times greater than those in the other sites. Therefore, it appears that the conductivity and salt concentration measurements at the Coco Solo Mangrove A site were more a function of the exuded salt from the mangroves than salt spray from the ocean.

• Pacific Sites. The degradation rate of the Kobbe Pacific Mangrove site was less severe than any other site during either season. The cause for Kobbe's relatively mild severity is shown by the low conductivity measurements presented in table 6. A current hypothesis is that the salt in the rainwater run-off from the mangrove trees is a function of the species of tree and the salt content of the water about the root structure. The hypothesis seems confirmed for this site because it is located where only the highest of Pacific high tides bring saltwater into it.

The Rodman Pacific site was wetter than Kobbe. The Rodman mangrove site was flooded twice daily with the incoming Pacific tides, which probably accounted for the statistical difference in degradation rates between Rodman and Kobbe during the wet season. The relatively mild severity of most sites during the dry season (see tables 3 and 5) should therefore account for the lack of differences between Kobbe and Rodman during the drier months.

The generally milder severity of the Pacific sites, as compared with the Atlantic sites, was attributed to the higher salt concentration of the air on the Atlantic side caused by higher winds and the greater tidal change on the Pacific side.

CONCLUSIONS

• The high degradation rate of the steel samples in the wet season is caused by a higher concentration of electrolytes in the rainwater run-off. The majority of the corrosion products are washed away by heavy rainfall, thereby exposing a new layer of steel that undergoes further corrosion. Conversely, a semipassivity on the surface of the samples in the dry season is developed because the water soluble corrosion products are not washed away. The wet season is therefore significantly more severe to mangrove exposed steel.

• The high conductivity of the water run-off is well correlated to the tensile strength loss. This high conductivity is caused primarily by water soluble salts found in the water run-off samples. These salts form on the leaves and branches of the mangrove trees by exudation and from saltfall onto the canopy. The amount of salt exuded by the mangrove tree appears to be a function of the species of tree, the salt content of the soil, and the amount of water about the root structure.

• The expected life of the steel samples exposed at mangrove sites ranged from 97 weeks at the Kobbe Mangrove (Pacific) site during the dry season, to only 3.4 weeks at the Coco Solo Mangrove A (Atlantic) site during the wet season.

• The degradation rates ranges from 2.6 kgs/week at the Kobbe Mangrove site during the dry season, to 66.7 kgs/week at the Coco Solo Mangrove A site during the wet season.

• Mangrove swamps are not universally severe to steel and must therefore be selected carefully in planning tropic exposure tests.

• The Coco Solo Mangrove A exposure site provides the most accelerated mangrove exposure test because of its uniquely high corrosiveness.

• The breakwater site has a two-fold increase in metal degradation during the dry season.

RECOMMENDATION. This Center recommends that:

• A Test Operations Procedure (TOP) not be developed based on the results of this investigation.

APPENDIX A. DATA PLOTS AND PREDICTION CURVES

Figures A-1 through A-16 of this appendix illustrate the raw data distribution for each exposure site in both wet and dry seasons in the Canal Zone.

The solid line through the measured data is the best fit *least-squares* straight line which is bounded by the 95-percent upper and lower prediction limits represented by dashed curves. Formulae for the lines are given on the respective plots and have the form y = a + bx, where y and a are kilograms of tensile strength, b is kilograms/week, and x is exposure time in weeks. Formulae used to derive the prediction limits are given in appendix B.



Figure A-1. Steel Strength-Kobbe Mangrove-Wet Season.



Figure A-2. Steel Strength-Sherman Mangrove A-Wet Season.



Figure A-3. Steel Strength-Rodman Mangrove-Wet Season.



Figure A-4. Steel Strength—Sherman Mangrove B—Wet Season.



Figure A-5. Steel Strength-Coco Solo Mangrove B-Wet Season.



Figure A-6. Steel Strength-Breakwater-Wet Season.



Figure A-7. Steel Strength-Galeta Point Mangrove-Wet Season.



Figure A-8. Steel Strength-Coco Solo Mangrove A-Wet Season.





۶



Figure A-10. Steel Strength-Galeta Point Mangrove-Dry Season.



Figure A-11. Steel Strength-Rodman Mangrove-Dry Season.



Figure A-12. Steel Strength-Sherman Mangrove A-Dry Season.



Figure A-13. Steel Strength-Coco Solo Mangrove B-Dry Season.



Figure A-14. Steel Strength—Sherman Mangrove B—Dry Season.



Figure A-15. Steel Strength-Coco Solo Mangrove A--Dry Season.





A-9

APPENDIX B. STATISTICAL FORMULAE⁴

Given a set of data (X_i, Y_i) , i = 1, 2, 3, ..., n, where X_i is exposure time in weeks and Y_i is the measured steel tensile strength in kilograms, the coefficients a and b of the formula

are computed through normal least-squares procedures by the formula

$$b = \frac{(\Sigma_i X_i) (\Sigma_i Y_i) - n\Sigma_i X_i Y_i}{(\Sigma_i X_i) (\Sigma_i X_i) - n\Sigma_i X_1^2}, \text{ and}$$
$$a = \frac{\Sigma_i Y_i - b\Sigma_i X_i}{n}$$

The 95-percent upper and lower confidence limits for the degradation rate, b, are given by the formula

$$\cdots \quad b \ \pm \ \frac{t(S_{Y,X})}{S_X\sqrt{n-2}}$$

where t is the Student's t-statistic at the $\alpha = 0.05$ level of significance for n-2 degrees of freedom,

$$\begin{split} \mathbf{S}_{\mathbf{Y},\mathbf{X}} &= \sqrt{\frac{\sum_{i}\mathbf{Y}^{2}_{i}-\mathbf{a}\sum_{i}\mathbf{Y}_{i}-\mathbf{b}\sum_{i}\mathbf{X}_{i}\mathbf{Y}_{i}}{\mathbf{n}}}, \text{ and} \\ \mathbf{S}_{\mathbf{X}} &= \sqrt{\frac{\sum_{i}(\mathbf{X}_{i}-\overline{\mathbf{X}})^{2}}{\mathbf{n}}}, \text{ where} \\ \overline{\mathbf{X}} &= \frac{1}{\mathbf{n}}\sum_{i}\mathbf{X}_{i}. \end{split}$$

The prediction interval (represented by dashed curves in figures A-1 through A-16) is represented by the 95-percent upper and lower prediction limits of true tensile strength versus exposure time by the formula

$$Y = a + bX \pm tS_{Y,X} \sqrt{\frac{n+1+\left(\frac{X-\overline{X}}{S_X}\right)^2}{n-2}}$$

Computation for Rank-Difference Coefficient of Correlation⁵

Given N corresponding pairs of measured items (degradation rates), where (U_i, V_i) , i=1, 2, 3, ..., N, are the corresponding rank numbers, then the rank-difference coefficient of correlation is given by the formula

$$r = 1 - \frac{6\Sigma_{i}(U_{i} - V_{i})^{2}}{N(N^{2} - 1)}, -1 \le r \le 1.$$

⁴ Spiegal, M. R., Theory and Problems of Statistics, McGraw-Hill Book Company, New York, October 1961.

⁵ Hodman, C. D., S. M. Selby, and R. C. Weast, *Standard Mathematical Tables, Twelfth Edition, Chemical Rubber* Publishing Company, Cleveland, Ohio, 1960.

APPENDIX C. REFERENCES

- 1. Portig, W. H., J. C. Bryan, and D. A. Dobbins, Determination of Optimum Tropic Storage and Exposure Sites, Phase II: Patterns and Predictions of Tropic Materials Deterioration, USATTC Report No. 7405001, TECOM Project No. 9 CO 009 000 005, US Army Tropic Test Center, Fort Clayton, CZ, May 1974, AD A005018.
- Sprouse, J. F., M. D. Neptune, and J. C. Bryan, Determination of Optimum Tropic Storage and Exposure Sites, Report II: Empirical Data, USATTC Report No. 7403001, TECOM Project No. 9 CO 009 000 006, US Army Tropic Test Center, Fort Clayton, CZ, March 1974, AD A005017.
- 3. Copson, H. R., A Theory on the Mechanism of Rusting of Low Alloy Steels in the Atmosphere, ASTM Proceedings, 45: 554–590, 1945.
- 4. Spiegal, M. R., *Theory and Problems of Statistics*, McGraw-Hill Book Company, New York, October 1961.
- 5. Hodman, C. D., S. M. Selby, and R. C. Weast, Standard Mathematical Tables, Twelfth Edition, Chemical Rubber Publishing Company, Cleveland, OH, 1960.

APPENDIX D. DISTRIBUTION LIST

Steel Corrosion in Tropic Mangrove Forests

Commander US ATTN: DEFEME Astricted Proving Ground, MD 21005Director Naul Weapons Center Naul Weapons Center Naul Weapons Center Commander1S Arry Materiel Development and Readines Command TTN: DECDMDST DECDE S001 Eisenhower Arsune Actanntia, V 2823301Gommander US Army Library The Fentgen, Rn 1A526 Washington, DC 20310001Director Washington, DC 203102Commander US Army Library ArTN: Act Director The Fentgen, Rn 1A526 Washington, DC 203102Commander Commander US Army Library ATTN: Act Director ArTN: Act Director ArTN: Act Director ArTN: Code 2627 Washington, DC 203102Commander Commander US Army Library ArTN: Act Director ArTN: Act Director ArtN: Act Director ArtN: N Code 2627 US Army Juriant Sector ArtN: N Code 2627 Washington, DC 203101Fort Benefician ArtN: Act Director ArtN: Act Director ArtN: N Code 2627 US Army Aircraft Development Activity US Army Micraft Development Activity ArtN: N Tech Director ArtN: N Tech Director ArtN: N Code 2627 US Army Aircraft Development Activity Washington, DC 20310Commander US Army Armament Materiel Readiness Command ArtN: N DRCPM ArtN: N Code 2627 US Army Missile Materiel Readiness Command ArtN: N DRCPM ArtN: N Tech Director Fort Lawaenworth, KS 660271Commander US Army Missile Materiel Readiness Command ArtN: N STEBPArt1 Step Art1 Step Army Missile Materiel Readiness Command Fort Lawaenworth, KS 660271Commander US Army Missile Materiel Readiness Command ArtN: N STEBPArt1 Step Army Missile RAD Commander US Army Missile RAD Commander US Army Missile RAD Commander US Army	Addressee	Final Report	Addressee	Final Report
US Army Test and Evaluation Command ATTN: DEFEMENaval Weapons Center1Aberdeen Proving Ground, MD 210051Commander Readinest Command1China Lake, CA 935551Monterey, CA 9394012Commander Naval Postgraduate School13Monterey, CA 9394025001 Eisenhower Avenue Alexandria, VA 223331Naval Postgraduate School41Naval Postgraduate School14Reading Monterey, CA 939401Naval Postgraduate School5001 Eisenhower Avenue Alexandria, VA 223331Preident 	Commander		Director	
ATTN: DescriptionDescriptionATTN: Code 43501Aberdeen Proving Ground, MD 21005China Lake, CA 935551Commander Readinets Command Readinets Commander1US Army Materiel Development and Readinets Commander1Readinets Command ATTN: DRCDECommander1Diffection Mashington, DC 203101Director Washington, DC 20310Commander2Director New J Castander Mashington, DC 203102Commander New J Tearining Equipment Center ATTN: Tech Director1Director New J Resarch Laboratory Washington, DC 20310Commander Marker Marker Mashington, DC 203102Director New J Resarch Laboratory ATTN: Cot 26271Fort Benning, CA 319051ArtTN: New J Resarch Laboratory AttN: Mashington, DC 20310Commander Marker AttN: SARRLL1ArtTN: Washington, DC 20310Commander Marker Att Forte Score Rock Island, IL 612011Commander Washington, DC 20310Commander Rock Island, IL 612011Commander Washington, DC 20310Commander Now J Reck Island, IL 612011Commander Washington, DC 203102Commander Rock Island, IL 612011Commander Washington, DC 20310 <t< td=""><td>US Army Test and Evaluation Command</td><td></td><td>Naval Weapons Center</td><td></td></t<>	US Army Test and Evaluation Command		Naval Weapons Center	
Aberdeen Proving Ground, MD 21005 China Lake, CA 93555 Commander Commander US Army Matriel Development and Readiness Command I Artin: D. Exclopers7 1 500 Eisenhower Avenue 1 Alexandria, VA 22333 Commander 2 HQDA (DAMA) 1 Orlando, FL 32813 Director 2 US Army Martiel Director 1 Drector 2 US Army Infantry Board 1 The Pentagon, Rn 1A526 President 1 Washington, DC 20310 Commander 1 Director US Army Infantry Board 1 ATTN: AFL6-MA-1 1 1 ATTN: Cale 2627 1 Fort Metherson, GA 30300 1 Washington, DC 20310 Commander 1 Rock Island Arsenal 1 Washington, DC 20375 Commander 1 Rock Island, Hateriel Readiness Command 1 ATTN: Artie Ads62 1 Rock Island, Stenal 1 1 Washington, DC 20375 Commander 1 1 1 Maxington, DC 20376 Commander 1 1	ATTN: DRSTE-ME	3	ATTN: Code 4530	1
CommanderCommander1BATHY, Marriel Development and Readiness CommandCommander1DRCDE3Montrery, CA 93940SOI Eisenbower Avenue Alexandria, VA 22333Commander2Naval Fougraduate SchoolNaval Fougraduate School2Naval Training Equipment Center2Naval Training Equipment Center1Ortando, FL 52813PresidentDirectorCommanderDirectorCommanderNaval Research LaboratoryATTN: Tech DirectorNaval Research LaboratoryCommanderNaval Research LaboratoryRock Island ArsenalArtTN: AFL6MA-11Naval Fore Score1Rock Island, IL 61201CommanderWashington, DC 20310CommanderWashington, DC 20310Port LaboraticeCommanderUS Army Armarament Materiel Readiness CommandArtTN: Troh Director1Port Rucka, AL 36562Commander <td>Aberdeen Proving Ground, MD 21005</td> <td></td> <td>China Lake, CA 93555</td> <td></td>	Aberdeen Proving Ground, MD 21005		China Lake, CA 93555	
US Army Materiel Development and Readness Command ATTN: DRCDMDST 1 Montercy, CA 93940 Montercy, CA 9340 Montercy, Ca 9340 Mont	Commander		Commander	1
Readiness Commander Naval Postgraduate School ATTN: DRCDE 300 Editation School 100 Editation School 300 Editation School 301 Editation School 302 Editation School 303 Commander 2 Naval Training Equipment Center 1 Director 2 US Army Infanty Board The Pentagon, Rm 1A526 Washington, DC 20310 Commander Director US Army Sperces Command ATTN: ArtTN: Drector Commander 1 Naval Research Laboratory 1 Rock Island Arenal 1 ArtTN: Drector 1 Rock Island, IL 61201 1 Commander 1 Rock Island, IL 61201 1 1 Washington, DC 20310 Commander 1 1 1 Va Army Aricraft Development Activity 1 Rock Island, IL 61201 1 1 <t< td=""><td>US Army Materiel Development and</td><td></td><td>Environmental Prediction Research Facility</td><td></td></t<>	US Army Materiel Development and		Environmental Prediction Research Facility	
ATIN: DRCMBURST 1 SOIL ElseVorte Vernue Alexandria, VA 22333 HQDA (DAMA) Washington, DC 20310 Director The Army Library The Pentagon, Rm 1A526 Washington, DC 20310 Director Naval Tarining Equipment Center President US Army Infantry Board ATTN: Tech Director ATTN: Code 2627 Massington, DC 20310 Director Naval Research Laboratory Assistant Secretary of Army (R&D) Assistant Secretary of Army (R&D) Assistant Secretary of Army (R&D) Commander US Army Aircraft Development Activity ATTN: Tech Director Commander US Army Aircraft Development Activity ATTN: Tech Director Perident US Army Aircraft Development Activity ATTN: Tech Director Fort Ruckr, Al 56562 Environmental Information Division End 794 Maxwell Air Force Base, AL 36112 Commander US Army Missile Materiel Readiness Command Redston Arsenal, AL 35809 Commander US Army Missile Rateriel Readiness Command Redston Arsenal, AL 35809 Commander US Army Missile Research Laboratories ATTN: Tech Director Commander US Army Missile Materiel Readiness Command Redston Arsenal, AL 35809 Commander US Army Missile Research Laboratories ATTN: Tech Director Commander US Army Missile Research Laboratories ATTN: Tech Director Commander US Army Missile Research Laboratories ATTN: Tech Programs Br (XOP) 1 Hanscon Air Force Base, AL 01731 US Army Materials and Mechanics Research Center ATTN: DRXBRXM 1 Materials and Mechanics Research Center ATTN: DRXBRXM 1 Natick, MA 01762 Director US Army Materials and Mechanics Research Center ATTN: DRXBRXM 1 Marmy Materials and Mechanics Research Center ATTN: DRXBRXM 1 Marmy Materials and Mechanics Research Center ATTN: DRXBRXM 1 Marmy Marenia and Mechanics Research Center ATTN: DRXBRXM 1 Materials and Mechanics Research Center ATTN: DRXBRXM 1 Marmy Arabitics Research Laboratory ATTN: DRXBRXM 1 Marmy Arabitics Research Laboratory ATTN: DRXBRXM 1 Marmy Arabitics Research Laboratory ATTN: DRXBRXM 1 Mareferen Proving Ground ATTN: DRXBRXM 1 Marmy Arabitics Resear	Readiness Command	1	Naval Postgraduate School	
5001 Escentover Avenue Alexandria, VA 22333Commander Naval Training Equipment Center2 Naval Training Equipment CenterHQDA (DAMA)1Orlando, FL 32813Washington, DC 20310President US Army Infantry Board ATTN: Tech Director1 Fort Benning, GA 31905Director2US Army Forces Command ATTN: AFL6-MA-11Naval Research Laboratory1Fort Benning, GA 303301Naval Research Laboratory1Fort Metherson, GA 303301Naval Research Laboratory1ATTN: AFL6-MA-11Naval Research Laboratory1Rock Island Arsenal ATTN: AFL6-MA-11Naval Research Laboratory1Rock Island, IL 612011Washington, DC 203101ATTN: SARR1L1Commander1Rock Island, IL 612011Washington, DC 203101ATTN: DRCPM Rock Island, IL 612011Commander1SArmy Armament Materiel Readiness Command ATTN: DRCPM Rock Island, IL 612021Commander1President US Army Armachant and General Staff College For Leavework, KS 660271Commander1President US Army Misile Materiel Readiness Command Redatone Arsenal, AL 358091Commander1Commander US Army Misile Research Assenal ATTN: STEBP-Tech Director1INSafey1Commander US Army Misile RAD Command Redatone Arsenal, AL 358091Commander1Commander US Army Misile RAD Command Fort Huachuca, AZ 856131Commander US	DRCDE	3	Monterey, CA 93940	
Alexandria, VA 2233Commander2Alexandria, VA 2233Naval Training Equipment CenterNaval Training Equipment CenterNaval Training Equipment CenterUSAmy Vashington, DC 20310PresidentUSAmy Infanty Board ATTN: Tech Director1Director2USAmy Infanty Board ATTN: Tech Director1Naval Research Laboratory1Fort Benning, GA 319051ArtTN:Code 26271Fort Benning, GA 303301ATTN:Detector1ATTN: SARU-L1ArtTN:Drector1ATTN: SARU-L1ArtTN:Drector1Rock Island, The 612011CommanderUS Army Amment Materiel Readiness Command ATTN: Tech Director1ATTN: DRCFM1Port Rucker, AL 563621Commander11US Army Aircraft Development Activity Maxwell Ar Force Base, AL 361121Rock Island, IL 612011Commander1SArmy Command and General Staff College Fort Lexenworth, KS 6602711Commander1Sarmy Contrand, KS 6602711Commander1Sarmy Contrand and General Staff College Fort Kacan, AL 3580911Commander1Sarmy Contrand, KS 6602711Commander1Sarmy Contrand, KS 6602711Commander1Sarmy Contrand, KS 6602711Commander1Sarmy Contrand, KS 6602711Commander1Sarmy Contrand and General Staff	5001 Eisenhower Avenue	Ū.	· · · ·	
HQDA (DAMA)1Ortando, FL 32813Washington, DC 20310PresidentDirector2US Army Infantry Board ATIN: Tech Director1The Pentagon, Rm 1A526GommanderWashington, DC 20310US Army Forces Command ATIN: Tech DirectorNaval Research Laboratory ATIN: Code 26271Fort McPherson, DC 20375Commander Rock Island, LL 61201Assistant Secretary of Army (R&D) Arshington, DC 20310Commander Rock Island, LL 61201Commander US Army Aircraft Development Activity Washington, DC 20310Commander Rock Island, LL 61201Commander US Army Aircraft Development Activity Bidg 754Commander US Army Armament Materiel Readiness Command ATTN: Tech DirectorCommander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091President US Army Missile R&D Command Redstone Arsenal, AL 358091President US Army Missile R&D Command Redstone Arsenal, AL 358091Port Huachuca, AZ 856131Commander US Army Missile R&D Command Redstone Arsenal, AL 358091Commander US Army Missile R&D Command Fort Huachuca, AZ 856131Commander US Army Missile R&D Command Fort Huachuca, AZ 856131Commander US Army Vanne Proving Ground ArTN: STEEP-MT11Commander US Army Mane Proving Ground ArTN: DRXMR-CT1ArtTN: DRXMR-CT Installation Agency Fort Huachuca, AZ 856131Commander US Army Mane Proving Ground ArtTN: DRXMR-CT1Martine Az 85864Di<	Alexandria, VA 22333		Commander	2
HQDA Washington, DC 20310Ortanco, FL 22813Director The Army Library The Pentagon, Ru 1A526President US Army Infantry Board ATTN: Tech DirectorDirector Naval Research Laboratory Astistant Sceretary of Army (R&D)Commander Rock Island Artenal ATTN: SARN-LDirector Nashington, DC 20310Commander Rock Island Artenal ATTN: Dr. Emerson Rock Island, RL 61201Commander US Army Micraft Development Activity ATTN: Arton Enderson If Fort Rucker, AL 36362Commander Rock Island, RL 61201Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809Commanden Rock Island, RL 61202Commander US Army Missile R&D Command Redstone Arsenal, AL 358091Commander US Army Missile R&D Command Redstone Arsenal, AL 358091Commander US Army Missile R&D Command Redstone Arsenal, AL 358091Commander US Army Command Regioner Stroking Ground ArTN: STEBB-Tech Director Redstone Arsenal, AL 358091Commander US Army Command Research Laboratories ArTN: STEBB-Tech Director Redstone Arsenal, AL 358091Commander US Army Command Redstone Arsenal, AL 358091Commander US Army Communications Command Fort Huachuca, AZ 856131Commander US Army Communications Electronics Installation Agency Fort Huachuca, AZ 856131Commander US Army Mana Proving Ground ArTN: STEXPMIN1Marker US Army Mana Proving Ground ArTN: STEXPMIN1Marker Director1US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613			Naval Training Equipment Center	
Washington, DC 20310PresidentDirector2US Army Infantry Board ATTN: Tech Director1DirectorCommander1Naval Research LaboratoryATTN: ALL6MA-11ArtTN: Code 26271Fort Benning, GA 30330Washington, DC 20310Commander1Washington, DC 203751Fort MePherson, GA 30330Asistant Secretary of Army (R&D)1Rock Island ArsenalATTN: DE Commander1Rock Island ArsenalWashington, DC 203101Rock Island, IL 61201Commander1Sarny Armanent Materiel Readiness Command ATTN: DRCPM1Washington, DC 203102CommanderUS Army Aircraft Development Activity ATTN: Tech Director1Rock Island, IL 61201Provinomental Information Division Bidg 7542Commandant US Army Armanent Materiel Readiness Command ATTN: DRCPM1US Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091President US Army Missile R&D Commander1US Army Missile R&D Command ArtTN: STEBATCh Director1Fort Kao, KY 401211Commander US Army Missile R&D Command ArtTN: STEPATTI1Commander US Army Natick Research Laboratories ATTN: DRXPM-E1US Army Communications Electronics Installation Agency1ATTN: DRXNM-E1Ord Commander1ATTN: DRXNM-E1US Army Communications Electronics Installation Agency1Director1Varmy Communications Electronics Installati	HQDA (DAMA)	1	Orlando, FL 32813	
Director2US Army Infantry BoardThe Army LibraryATTN: Tech Director1The Pentagon, Rm 1A526ATTN: Tech Director1Washington, DC 20310CommanderUS Army Forces CommandDirectorUS Army Forces CommandATTN: ATLGAALArtTN: Code 26271Fort McPherson, GA 30330Assistant Sceretary of Army (R&D)CommanderATTN: Dr. Emerson1ATTN: SARRI.ATTN: Trech Director1Washington, DC 20310CommanderCommanderUS Army Aircraft Development ActivityUS Army Aircraft Development Activity1Rock Island, IL 61201CommanderUS Army Aircraft Development Activity1AtTN: Tech Director1Fort Rucker, AL 565621Environmental Information Division2Bidg 754Maxwell Air Force Base, AL 36112Maxwell Air Force Base, AL 36112CommanderUS Army Missile Materiel Readiness CommandUS Army Armor and Engineer Board ATTN: STEBPATT-1Commander1US Army Lictorios Froving Ground1ATTN: STEPAMT-11Commander1US Army Scholas1Commander1US Army Missile K&D Command1Commander1US Army Lictorios Froving Ground1ATTN: STEEPATT-11Commander1US Army Communications Command1US Army Communications Electronics Institaliation Agency1Commander1<	washington, DC 20510		President	
The Army Library The Pentagon, Rm 1A526 Washington, DC 20310ATTN: Tech Director Fort Benning, GA 31905Director Naval Research Laboratory ATTN: Dc 262627 Washington, DC 20375Commander US Army Forces Command ATTN: ATL6MA-11ATTN: Code 2627 Washington, DC 20310IFort McPherson, GA 30330Commander US Army Aircraft Development Activity Washington, DC 20310ICommander Rock Island Arsenal ATTN: SARRH.1Commander US Army Aircraft Development Activity ATTN: Tech DirectorICommander Rock Island, IL 612011Commander US Army Aircraft Development Activity ATTN: Tech DirectorICommander Rock Island, IL 612021Commander US Army Missile Materiel Readiness Command Maxwell Air Force Base, AL 36112II1Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091President US Army Armor and Engineer Board ATTN: Tech Programs Br (XOP) I1Commander US Army Electronics Proving Ground ATTN: STEEPATT1 Ort Huachuca, AZ 856131Commander US Army Natick Research Laboratories ATTN: Tech Programs Br (XOP) I1Commander US Army Communications Command I Stramy Maxiel Research Laboratories ATTN: Trek Proving Ground ATTN: DRXMM-E I I1Commander US Army Communications Sectorics Installation Agency Fort Huachuca, AZ 856131Director Director US Army Sums Research Laboratory ATTN: DRXMM-E I1Director US Army Communications Sectorics Installation Agency Fort Huachuca, AZ 856131Director Director<	Director	2	US Army Infantry Board	
The Peragon, Rn 1A526 Washington, DC 20310 Director Naval Research Laboratory ATTN: Secretary of Army (R&D) ATTN: Code 2627 Assistant Secretary of Army (R&D) ATTN: Dr. Emerson Washington, DC 20310 Commander US Army Aircraft Development Activity ATTN: Tech Director Fort Rucker, AL 56562 Commander US Army Aircraft Development Activity ATTN: Tech Director Fort Rucker, AL 56562 Commander US Army Missile Materiel Readiness Command ATTN: STREP-MTI- Fort Mucher, AZ 85613 Commander US Army Missile R&D Command ATTN: STREP-MTI- Fort Huchuca, AZ 85613 Commander US Army Missile Sectories Installation Agency Fort Bucker, AZ 8564 Commander US Army Missile Readiness Command ATTN: STREP-MTI- Fort Huchuca, AZ 85613 Commander US Army Missile Sectories ATTN: STREP-MTI- Tort Huchuca, AZ 85613 Commander US Army Mistick Research Laboratories ATTN: STREP-MTI- Tort Huchuca, AZ 85613 Commander US Army Mistick Research Laboratory ATTN: STREP-MTI- Tort Huchuca, AZ 85613 Commander US Army Mistick Research Laboratory ATTN: STREP-MTI- Tort Huchuca, AZ 85613 Commander US Army Mistick Secsarch Laboratory ATTN: STREP-MTI- Tort Huchuca, AZ 85613 Commander US Army Mistick Secsarch Laboratory ATTN: STREP-MTI- Tort Huchuca, AZ 85614 Commander DI-	The Army Library	-	ATTN: Tech Director	1
Washington, DC 20310CommanderDirectorUS Army Forces CommandNaval Research LaboratoryATTN: Code 26271Fort McPherson, GA 3030Washington, DC 20375CommanderAssistant Sceretary of Army (R&D)Rock Island, IL 61201CommanderATTN: SARI-LWashington, DC 20310CommanderCommanderCommanderUS Army Aircraft Development ActivityUS Army Armament Materiel Readiness CommandATTN: Tech Director1Fort Rucker, AL 36562CommandantEnvironmental Information Division2Eldg 754Sarmy Amaro and Engineer BoardMaxwell Air Force Base, AL 36112PresidentUS Army Missile Materiel Readiness Command1Prot Knox, KY 40121CommanderUS Army Missile RAD CommandCommanderUS Army Materials and Mechanics Research LaboratoriesATTN: STEEP-MT-ICom	The Pentagon, Rm 1A526		Fort Benning, GA 31905	
Commander US Army Forces Command ATTN: AFL6-MA-1 1 Fort McPherson, GA 30330 Assistant Secretary of Army (R&D) ATTN: DC 20375 Assistant Secretary of Army (R&D) ATTN: Dr. Emerson US Army Aiteraft Development Activity ATTN: Trech Director Fort Rucker, AL 36562 Environmental Information Division Bldg 754 Maxwell Air Force Base, AL 36112 Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809 Commander US Army Airmarent Materiel Readiness Command Redstone Arsenal, AL 35809 Commander US Army Armarent Materiel Readiness Command Redstone Arsenal, AL 35809 Commander US Army Armor and Engineer Board ATTN: STEBB-Tech Director Fort Kucker, AL 36562 Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809 Commander US Army Missile R&D Command Commander US Army Missile R&D Command Commander US Army Communications Sciences Installation Agency Fort Huachuca, AZ 85613 Commander US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613 Commander US Army Yuma Proving Ground ATTN: DRXMR-CT Watertown, MA 02172 Fort Huachuca, AZ 85613 Director Commander US Army Yuma Proving Ground ATTN: DRXBR-XM I Bldg 305 Aberdeen Proving Ground, MD 21005	Washington, DC 20310			
Director US Army Forces Command ATTN: Arther And Research Laboratory ATTN: Code 2627 Assistant Secretary of Army (R&D) Assistant Secretary of Army (R&D) Commander US Army Aircraft Development Activity ATTN: Tech Director Trence Director ATTN: Tech Director Tort Rucker, AL 36362 Environmental Information Division Bidg 754 Maxwell Air Force Base, AL 36112 Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809 Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809 Commander US Army Missile R&D Command Redstone Arsenal, AL 35809 Commander US Army Missile R&D Command ATTN: Tech Prore Base, AL 36112 Commander US Army Missile R&D Command Redstone Arsenal, AL 35809 Commander US Army Missile R&D Command ATTN: Tech Programs Br (XOP) 1 Hanscom Air Force Base, MA 01731 US Army Material Safe13 Commander US Army Natick Research Laboratories ATTN: DRXNM-E 1 US Army Materials and Mechanics Research Center ATTN: DRXNM-C 1 US Army Materials and Mechanics Research Center ATTN: DRXNM-E 1 US Army Materials and Mechanics Research Center ATTN: DRXMR-CT 1 Watertown, MA 02172 Fort Huachuca, AZ 85613 Director Commander US Army Materials and Mechanics Research Center ATTN: DRXMR-CT 1 Watertown, MA 02172 Fort Huachuca, AZ 85613 Director US Army Materials and Mechanics Research Center ATTN: DRXMR-CT 1 Watertown, MA 02172 Fort Huachuca, AZ 85613 Director US Army Materials and Mechanics Research Center ATTN: DRXMR-CT 1 Watertown, MA 02172 Fort Huachuca, AZ 85613 Director US Army Materials and Mechanics Research Center ATTN: DRXMR-CT 1 Watertown, MA 02172 Fort Huachuca, A			Commander	
Naval Research LaboratoryATTN:ATTN:AFL6-MA-11ATTN:Code 26271Fort McPherson, GA 30330Washington, DC 203751Fort McPherson, GA 30330Assistant Secretary of Army (R&D)Rock Island Arsenal1ATTN:Dr. Emerson1ATTN:SAR1-L1Mashington, DC 20310Commander1Rock Island, IL 612011CommanderUS Army Aircraft Development ActivityCommander11ATTN:Tech Director1ATTN:DRCPM1Fort Rucker, AL 56362Rock Island, IL 6120211Environmental Information Division2Commandart1Bldg 754Maxwell Air Force Base, AL 36112US Army Armor and Engineer Board ATTN:Tersident1Commander1PresidentUS Army Armor and Engineer Board ATTN:TTN:Strep Armor and Engineer Board ATTN:1Commander1Commander1Commander1US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809Commander1Eort Knox, KY 40121Commander1Commander1Gommander1US Army Missile R&D Command Redstone Arsenal, AL 35809Commander1S Army Natick Research Laboratories ATTN:Tech Pograms Br (XOP)1Commander1CommanderUS Army Natick Research and Development CommanderCommander1Natick, MA 01762Commander1ATTN:DRXMR-CT1N	Director		US Army Forces Command	
ATTN:Code 26271Fort McPherson, GA 30330Washington, DC 20375CommanderAssistant Secretary of Army (R&D)ATTN: Dr. Emerson1ATTN:Dr. Emerson1Washington, DC 20310CommanderCommanderNack Island, IL 61201CommanderCommanderUS Army Aircraft Development Activity1ATTN:Trech DirectorFort Rucker, AL 56362CommanderEnvironmental Information Division2Eldg 754US Army Armament Materiel Readiness CommandBldg 754US Army Command and General Staff College Fort Leavenworth, KS 66027Commander1PresidentUS Army Armor and Engineer BoardUS Army Missile Materiel Readiness Command Redstone Arsenal, AL 55809CommanderCommander1US Army Missile R&D Command Redstone Arsenal, AL 55809CommanderUS Army Bielectronics Proving Ground ATTN:STEBB-Tech Director1Hanscom Air Force Base, MA 01731CommanderUS Army Communications Command Fort Huachuca, AZ 85613Director1Commander1CommanderUS Army Communications Electronics Installation AgercyDirector1Ormander1Sarmy Communications Electronics Installation AgercyDirectorCommander1US Army Materials and Mechanics Research Center ATTN:DirectorCommander1Sarmy Communications Research Center ATTN:DirectorCommander1Sarmy Communications Elect	Naval Research Laboratory		ATTN: AFL6-MA-1	1
Washington, DC. 20375CommanderAssistant Sceretary of Army (R&D)Rock Island ArsenalArTTN: D. Emerson1Washington, DC 20310CommanderUS Army Aircraft Development Activity1ATTN: Ch Director1Fort Rucker, AL 36362CommanderUS Army Aircraft Development Activity1ATTN: Ch Director1Fort Rucker, AL 36362CommanderUS Army Army Armament Materiel Readiness Command1Bidg 754Rock Island, IL 61202Maxwell Air Force Base, AL 36112CommandantUS Army Missile Materiel Readiness Command1Redstone Arsenal, AL 35809PresidentUS Army Missile R&D CommandCommanderUS Army Certonics Proving GroundTN: TCFC Programs Br (XOP)ATTN: STEEP-MT-11CommanderIUS Army Communications ElectronicsDirectorInstallation AgencyDirectorVia Army Communications ElectronicsDirectorInstallation AgencyDirectorCommanderUS Army Materials and Mechanics Research CenterATTN: TSTEPPMIN1Bileg 305Ab	ATTN: Code 2627	1	Fort McPherson, GA 30330	
Assistant Secretary of Army (R&D) ArTN: Dr. Emerson Mashington, DC 20310 Commander US Army Aircraft Development Activity ATTN: Tech Director Fort Rucker, AL 36362 Environmental Information Division Bidg 754 Maxwell Air Force Base, AL 36112 Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809 Commander US Army Missile R&D Command Redstone Arsenal, AL 35809 Commander US Army Kielectronics Proving Ground ATTN: STEEP-MT-1 Fort Huachuca, AZ 85613 Commander US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613 Commander US Army Yuma Proving Ground ATTN: DRXMM-E I US Army Materials and Mechanics Research Center ATTN: DRXMM-CT I Matrick, MA 01762 Natick, MA 01762 Natick, MA 01762 Natick, MA 01762 Natick Materials and Mechanics Research Center ATTN: DRXMM-CT I Matrick STEPP-MIL I Marny Safet Natick Proving Ground ATTN: DRXMA-CT I Matrick Stepen Laboratory ATTN: DRXMA-CN I Marny Safet Director Safet Dire	Washington, DC 20375		Commenter	
Assistant Selectify of Anny (R&D)Rock Island AlectidaArtTN:TE Emerson1Washington, DC 203101Commander1US Army Aircraft Development Activity1ATTN:Drech DirectorFort Rucker, AL 363622Environmental Information Division2Bidg 754Maxwell Air Force Base, AL 36112Commander1US Army Missile Materiel Readiness CommandRedstone Arsenal, AL 35809Commander1US Army Missile Materiel Readiness CommandRedstone Arsenal, AL 35809CommanderUS Army Missile R&D CommandRedstone Arsenal, AL 35809CommanderUS Army Balistic Research LaboratoriesATTN:STEEP-MT-ICommanderUS Army Communications CommandFort Huachuca, AZ 85613CommanderUS Army Communications ElectronicsInstallation AgercyFort Huachuca, AZ 85613CommanderUS Army Communications ElectronicsInstallation AgercyFort Huachuca, AZ 85613CommanderUS Army Communications CommandATTN:Strip Yuma Proving GroundATTN:ATTN:Strip Yuma Proving GroundATTN:Strip Yuma Proving GroundATTN:Strip Yuma Proving GroundYuma, AZ 85364DirectorUS Army CommanderUS Army Ground, MD 21005	Assistant Socratory of Army (P&D)		Commander Book Island Arganal	
ATTN:D. EntropyMashington, DC 20310ICommanderUS Army Aircraft Development ActivityMATN:Tech DirectorIIFort Rucker, AL 36362IEnvironmental Information Division2Environmental Information Division2Environmental Information Division2Environmental Information Division2CommanderIUS Army Missile Materiel Readiness CommandRedstone Arsenal, AL 35809CommanderIUS Army Missile R&D CommandRedstone Arsenal, AL 35809CommanderUS Army Beletronics Proving GroundATTN:TTS:TEREP-MT-1Fort Huachuca, AZ 85613CommanderUS Army Communications CommandFort Huachuca, AZ 85613DirectorUS Army Communications ElectronicsInstallation AgencyFort Huachuca, AZ 85613DirectorUS Army Materials and Mechanics Research CenterATTN:Stramy CommanderUS Army Yuma Proving GroundATTN:Stramy CommanderUS Army CommanderUS Army CommanderUS Army Commanications ElectronicsInstallation AgencyFort Hu	ATTN. Dr Emerson	1	$\Delta TTN \cdot SARRIJ$	1
CommanderCommanderUS Army Aircraft Development Activity ATTN: Tech Director1ATTN: Dek Director1Fort Rucker, AL 363621Environmental Information Division2Bidg 754Maxwell Air Force Base, AL 361122Commander1US Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091PresidentUS Army Armor and Engineer Board ATTN: STEEPArtenUS Army Missile R&D Command Redstone Arsenal, AL 358091Commander1US Army Missile R&D Command Redstone Arsenal, AL 358091Commander11US Army Missile R&D Command Rort Huachuca, AZ 856131Commander11US Army Communications Electronics Installation Agency Fort Huachuca, AZ 856131Director11Director1US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 853641Director <td>Washington, DC 20310</td> <td>•</td> <td>Rock Island, IL 61201</td> <td>1</td>	Washington, DC 20310	•	Rock Island, IL 61201	1
Commander US Army Aircraft Development Activity ATTN: Tech Director Maxwell Air Force Base, AL 36112Commandant US Army Armament Materiel Readiness Command ATTN: DRCPM Rock Island, IL 612021Environmental Information Division Bldg 754 Maxwell Air Force Base, AL 361122Commandant US Army Command and General Staff College Fort Leavenworth, KS 660271Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091President US Army Armor and Engineer Board ATTN: STEBB-Tech Director Fort Knox, KY 401211Commander US Army Missile R&D Command Redstone Arsenal, AL 358091Commander US Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP) Hanscom Air Force Base, MA 017311Commander US Army Communications Command Fort Huachuca, AZ 856131Commander US Army Materials and Mechanics Research Center ATTN: DRXMR-E Natick, MA 017621Commander US Army Yuma Proving Ground ATTN: STELP-MTI1Director US Army Materials and Mechanics Research Center ATTN: DRXMR-CT Watertown, MA 021721Commander US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 85364Director US Army Materials and Mechanics Research Center ATTN: DRXMR-CT Watertown, MA 021721Director US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 853641Director US Army Balistics Research Laboratory ATTN: DRXBR-XM Aberdeen Proving Ground, MD 210051	, unington, 20 10010			
US Army Aircraft Development Activity ATTN: Tech Director 1 Fort Rucker, AL 36362 1 Environmental Information Division 2 Bidg 754 1 Maxwell Air Force Base, AL 36112 2 Commander 1 US Army Missile Materiel Readiness Command ATTN: STEEP-HTCh Director 1 Fort Knox, KY 40121 1 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 4 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 4 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 4 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 4 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 4 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 4 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 4 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 1 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 1 Commander 1 US Army Missile R&D Command Redstone Arsenal, AL 35809 1 Commander 1 US Army Missile Redet are 1 Commander 1 US Army Clectronics Proving Ground ATTN: Tech Programs Br (XOP) 1 Hanscom Air Force Base, MA 01731 1 US Army Communications Command Fort Huachuca, AZ 85613 5 Director 1 US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613 5 Director 1 US Army Yuma Proving Ground ATTN: DRXMN-E 1 Natick, MA 01762 5 Director 1 Watertown, MA 02172 1 Watertown, MA 02172 1 Director 1 Watertown, MA 02172 1 Director 2 Director 2 Dire	Commander		Commander	
ATTN:Tech Director1ATTN:DRCPM1Fort Rucker, AL 36362Rock Island, IL 61202Environmental Information Division2Commandant1Bldg 754US Army Command and General Staff CollegeMaxwell Air Force Base, AL 36112Fort Leavenworth, KS 66027Commander1PresidentUS Army Missile Materiel Readiness CommandUS Army Armor and Engineer BoardRedstone Arsenal, AL 35809ATTN:STEBB-Tech DirectorCommander1CommanderUS Army Missile R&D CommandCommanderRedstone Arsenal, AL 35809CommanderUS Army Flectronics Proving GroundCommanderATTN:STEEP-MT-1Commander1US Army Communications CommandCommanderUS Army Communications CommandDirectorCommander1US Army Communications ElectronicsDirectorUS Army Yuma Proving Ground1ATTN:DRXMR-CTUS Army Yuma Proving GroundDirectorUS Army SafetDirectorUS Army SafetDirectorUS Army Sallistics Research LaboratoryUS	US Army Aircraft Development Activity		US Army Armament Materiel Readiness Command	l
Fort Rucker, AL 36362Rock Island, IL 61202Environmental Information Division2Commandant1Bldg 754US Army Command and General Staff College Fort Leavenworth, KS 660271Maxwell Air Force Base, AL 361121PresidentUS Army Command and Engineer Board ATTN: STEEB-Tech Director1Commander1PresidentUS Army Armor and Engineer Board ATTN: STEBE-Tech Director1Commander1Commander1US Army Missile R&D Command Redstone Arsenal, AL 35809Commander1Commander1CommanderUS Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP)1Los Army Lectronics Proving Ground ATTN: STEEP-MT-11Commander US Army Natick Research and Development Command1VS Army Communications Command Fort Huachuca, AZ 856131ATTN: DRXNM-E Natick, MA 017621Commander1US Army Materials and Mechanics Research Center ATTN: DRXMR-CT1US Army Yuma Proving Ground ATTN: STEYP-MMI11Bidg 305 Aberdeen Proving Ground, MD 21005	ATTN: Tech Director	1	ATTN: DRCPM	1
Environmental Information Division Bldg 754 Maxwell Air Force Base, AL 361122Commandant US Army Command and General Staff College Fort Leavenworth, KS 66027Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091President US Army Armor and Engineer Board ATTN: STEBB-Tech Director Fort Knox, KY 40121Commander US Army Missile R&D Command Redstone Arsenal, AL 358091Commander Redstone Arsenal, AL 358091Commander Redstone Arsenal, AL 358091Commander Redstone Arsenal, AL 358091Commander US Army Dissile R&D Command Redstone Arsenal, AL 358091Commander US Army Electronics Proving Ground ATTN: STEEP-MT-1 Fort Huachuca, AZ 856131Commander US Army Communications Command Fort Huachuca, AZ 856131Commander US Army Communications Electronics Installation Agency Fort Huachuca, AZ 856131Commander US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 853641Director Durector LS Army Ballistics Research Laboratory ATTN: DRXMR-CT Materials and Mechanics Research Center ATTN: DRXMR-CT Materials and Mechanics Research Laboratory Materials and Mechanics Research Laboratory Materials and Mechanics Research Laboratory Materials and Mechanics Research Laboratory Materials an	Fort Rucker, AL 36362		Rock Island, IL 61202	
Bidg 754 Maxwell Air Force Base, AL 36112US Army Command and General Staff College Fort Leavenworth, KS 66027Commander US Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091President US Army Armor and Engineer Board ATTN: STEBB-Tech Director1President US Army Missile R&D Command Redstone Arsenal, AL 358091President US Army Armor and Engineer Board ATTN: STEBB-Tech Director1US Army Missile R&D Command Redstone Arsenal, AL 3580911Commander US Army Lectronics Proving Ground ATTN: STEEP-MT-I11Commander US Army Communications Command Fort Huachuca, AZ 8561311Commander US Army Communications Electronics Installation Agency Fort Huachuca, AZ 8561311Director US Army Yuma Proving Ground ATTN: STEYP-MMI US Army Yuma Proving Ground ATTN: STEYP-MMI11Bidg 305 Aberdeen Proving Ground, MD 210051	Environmental Information Division	2	Commandant	1
Maxwell Air Force Base, AL 36112Fort Leavenworth, KS 66027Commander1PresidentUS Army Missile Materiel Readiness Command Redstone Arsenal, AL 358091US Army Armor and Engineer Board ATTN: STEBB-Tech DirectorCommander1US Army Missile R&D Command Redstone Arsenal, AL 358091Commander11US Army Missile R&D Command Redstone Arsenal, AL 35809Commander US Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP)1Commander1Commander US Army Electronics Proving Ground ATTN: STEEP-MT-11Commander US Army Natick Research and Development CommandCommander1ATTN: DRXNM-E Natick, MA 017621US Army Communications Command Fort Huachuca, AZ 85613Director US Army Communications Electronics Installation Agency Fort Huachuca, AZ 856131Commander US Army Yuma Proving Ground ATTN: STEYP-MMI US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 853641Director DiaDirector US Army Goround, MD 21005	Bldg 754	-	US Army Command and General Staff College	-
Commander1PresidentUS Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809US Army Armor and Engineer Board ATTN: STEBB-Tech Director1Commander1Fort Knox, KY 40121US Army Missile R&D Command Redstone Arsenal, AL 35809Commander1US Army Missile R&D Command Redstone Arsenal, AL 35809Commander US Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP)1CommanderUS Army Electronics Proving Ground ATTN: STEEP-MT-11Commander US Army Natick Research and Development Commander1US Army Communications Command Fort Huachuca, AZ 85613Director1Natick, MA 01762Commander1US Army Materials and Mechanics Research Center ATTN: DRXMR-CT1US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613Director1Commander1US Army Materials and Mechanics Research Center ATTN: DRXMR-CT1US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 85364Director1DirectorUS Army Ballistics Research Laboratory US Army Ground, MD 210051	Maxwell Air Force Base, AL 36112		Fort Leavenworth, KS 66027	
Commander1PresidentUS Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809US Army Armor and Engineer Board ATTN: STEBB-Tech Director1Commander1Fort Knox, KY 401211US Army Missile R&D Command Redstone Arsenal, AL 358091Commander1US Army Missile R&D Command Redstone Arsenal, AL 35809US Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP)1CommanderUS Army Electronics Proving Ground ATTN: STEEP-MT-11Commander US Army Natick Research and Development Commander1US Army Communications Command Fort Huachuca, AZ 85613US Army Materials and Mechanics Research Center ATTN: DRXM-E1US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613Director1Commander US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 85364Director Director US Army Ballistics Research Laboratory ATTN: DRXBR-XM1Bidg 305 Aberdeen Proving Ground, MD 210051				
US Army Missile Materiel Readiness Command Redstone Arsenal, AL 35809US Army Armor and Engineer Board ATTN: STEBB-Tech DirectorCommander1US Army Missile R&D Command Redstone Arsenal, AL 35809CommanderRedstone Arsenal, AL 358091Commander1US Army Missile R&D Command Redstone Arsenal, AL 35809CommanderUS Army Dissile R&D Command Redstone Arsenal, AL 35809CommanderCommander1CommanderUS Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP)US Army Electronics Proving Ground1ATTN: STEEP-MT-I1Fort Huachuca, AZ 85613US Army Natick Research and Development CommanderCommander1US Army Communications Command Fort Huachuca, AZ 85613DirectorCommander1US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613DirectorCommander1US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 85364DirectorDirector1Bidg 305 Yuma, AZ 853641	Commander	1	President	
Redistone Arsenal, AL 35809All 35809All N: STEBB-Tech Director1Commander1US Army Missile R&D CommandCommanderRedistone Arsenal, AL 35809US Air Force Cambridge Research LaboratoriesAttrix:STEED-MT-1CommanderHanscom Air Force Base, MA 01731US Army Electronics Proving GroundCommanderATTN:STEEP-MT-1Fort Huachuca, AZ 85613CommanderCommander1US Army Communications CommandATTN:Fort Huachuca, AZ 85613DirectorCommander1US Army Communications ElectronicsDirectorInstallation Agency1Fort Huachuca, AZ 85613DirectorCommander1US Army Yuma Proving GroundATTN:ATTN:STEYP-MMIATTN:STEYP-MMIStarty Yuma, AZ 853641Bildg 305Aberdeen Proving Ground, MD 21005	US Army Missile Materiel Readiness Command		US Army Armor and Engineer Board	
Commander1US Army Missile R&D Command1Redstone Arsenal, AL 358091CommanderUS Air Force Cambridge Research LaboratoriesCommanderUS Air Force Cambridge Research LaboratoriesUS Army Electronics Proving Ground1ATTN: STEEP-MT-I1Fort Huachuca, AZ 856131Commander1US Army Communications Command1Fort Huachuca, AZ 856130Commander1US Army Communications Command1Fort Huachuca, AZ 856130Commander1US Army Communications Electronics0Installation Agency0Fort Huachuca, AZ 856130Commander1US Army Yuma Proving Ground1ATTN: STEVP-MMI1Bidg 3051Yuma, AZ 853640	Redstone Arsenal, AL 55809		ATTN: STEBB-Tech Director	1
CommanderCommanderRedstone Arsenal, AL 35809US Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP)CommanderUS Air Force Cambridge Research Laboratories ATTN: Tech Programs Br (XOP)US Army Electronics Proving GroundHanscom Air Force Base, MA 01731ATTN: STEEP-MT-I1Fort Huachuca, AZ 85613Commander US Army Communications CommandCommander1ATTN: DRXNM-E Natick, MA 01762Fort Huachuca, AZ 85613DirectorCommander1US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613Commander1US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 85364Director1Dareet DurectorDure Dure Dure DureDure Dure DureDure Dure Dure DureDure Dure Dure Dure DureDure Dure Dure DureDure Dure Dure Dure DureDure Dure Dure DureDure Dure Dure DureDure Dure DureDure Dure DureDure Dure DureDure Dure Dure DureDure Dure DureDure Dure DureDure Dure DureDure Dure DureDure Dure DureDure Dure DureDure DureDure DureDure DureDure DureDure DureDure DureDure DureDu	Commander	1	Fort Knox, K1 40121	
CommanderUS Air Force Cambridge Research LaboratoriesRedstone Arsenal, AL 35809US Air Force Cambridge Research LaboratoriesATTN:Commander1US Army Electronics Proving GroundIHanscom Air Force Base, MA 01731ATTN:STEEP-MT-I1Fort Huachuca, AZ 85613US Army Natick Research and Development CommanderCommander1ATTN:US Army Communications Command1Fort Huachuca, AZ 85613DirectorCommander1US Army Communications Electronics Installation Agency1Fort Huachuca, AZ 85613DirectorCommander1US Army Yuma Proving Ground ATTN:STEYP-MMI STEYP-MMI1Bidg 305 Aberdeen Proving Ground, MD 21005	US Army Missile R&D Command	1	Commander	
ATTN:Tech Programs Br (XOP)1CommanderHanscom Air Force Base, MA 017311US Army Electronics Proving GroundICommander1ATTN:STEEP-MT-I1Commander1Fort Huachuca, AZ 85613US Army Natick Research and Development Command1ATTN:Commander1ATTN:DRXNM-E1US Army Communications Command Fort Huachuca, AZ 856131US Army Materials and Mechanics Research Center ATTN:1US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613Director1Commander US Army Yuma Proving Ground ATTN:STEYP-MMI H1Director Bildg 305 Aberdeen Proving Ground, MD 21005D-11Bldg 305 Aberdeen Proving Ground, MD 21005D-1	Redstone Arsenal, AL 35809		US Air Force Cambridge Research Laboratories	
CommanderHanscom Air Force Base, MA 01731US Army Electronics Proving Ground1ATTN:STEEP-MT-1Fort Huachuca, AZ 856131Commander1US Army Natick Research and Development CommandCommander1US Army Communications CommandFort Huachuca, AZ 85613Commander1US Army Communications Electronics Installation AgencyFort Huachuca, AZ 85613CommanderUS Army Yuma Proving Ground ATTN:STEYP-MMIYuma, AZ 85364D-1	,,,,		ATTN: Tech Programs Br (XOP)	1
US Army Electronics Proving Ground ATTN: STEEP-MT-1 1 Commander Fort Huachuca, AZ 85613 US Army Natick Research and Development Commandd Commander 1 ATTN: DRXNM-E 1 VS Army Communications Command Fort Huachuca, AZ 85613 Commander 1 US Army Materials and Mechanics Research Center US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613 Commander US Army Materials and Mechanics Research Center US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613 Commander US Army Ballistics Research Laboratory US Army Yuma Proving Ground ATTN: STEYP-MMI 1 Yuma, AZ 85364 D-1	Commander		Hanscom Air Force Base, MA 01731	
ATTN:STEEP-MT-I1CommanderFort Huachuca, AZ 85613US Army Natick Research and Development CommandCommander1ATTN:DRXNM-E1US Army Communications Command1Natick, MA 017621Fort Huachuca, AZ 85613Director1US Army Materials and Mechanics Research CenterUS Army Communications Electronics Installation Agency1US Army Materials and Mechanics Research CenterFort Huachuca, AZ 85613Director1Commander1US Army Materials and Mechanics Research CenterUS Army Yuma Proving GroundDirector1ATTN:STEYP-MMI1Yuma, AZ 853641	US Army Electronics Proving Ground			
Fort Huachuca, AZ 85613US Army Natick Research and Development CommandCommander1ATTN: DRXNM-E1US Army Communications CommandNatick, MA 017621Fort Huachuca, AZ 85613Director1US Army Communications Electronics Installation AgencyDirector1Fort Huachuca, AZ 85613Director1Commander1US Army Materials and Mechanics Research CenterUS Army Communications Electronics Installation Agency1DirectorFort Huachuca, AZ 85613Director1Commander US Army Yuma Proving Ground ATTN: STEYP-MMI1Director Bildg 305 Aberdeen Proving Ground, MD 21005D-1D-11	ATTN: STEEP-MT-I	1	Commander	
CommanderIATTN:DRXNM-E1US Army Communications CommandNatick, MA 01762IIFort Huachuca, AZ 85613DirectorIUS Army Materials and Mechanics Research CenterUS Army Communications Electronics Installation AgencyIUS Army Materials and Mechanics Research Center1Fort Huachuca, AZ 85613DirectorIIUS Army Materials and Mechanics Research Center1CommanderIUS Army Materials and Mechanics Research Center1IIUS Army Communications Electronics Installation AgencyDirectorIICommanderUS Army Ballistics Research Laboratory1IUS Army Yuma Proving Ground ATTN:STEYP-MMI1Bldg 305IYuma, AZ 85364DirectorDirectorII	Fort Huachuca, AZ 85613		US Army Natick Research and Development	
CommanderIATTN:DRXNM-EIUS Army Communications CommandNatick, MA 01762Fort Huachuca, AZ 85613DirectorCommanderUS Army Materials and Mechanics Research CenterUS Army Communications ElectronicsATTN:Installation AgencyWatertown, MA 02172Fort Huachuca, AZ 85613DirectorCommanderUS Army Ballistics Research LaboratoryUS Army Yuma Proving GroundATTN:ATTN:STEYP-MMIIBldg 305Yuma, AZ 85364D-1	Common den	,	Command	
Fort Huachuca, AZ 85613 Director Commander 1 US Army Materials and Mechanics Research Center US Army Communications Electronics ATTN: DRXMR-CT 1 Installation Agency Watertown, MA 02172 1 Fort Huachuca, AZ 85613 Director 1 Commander US Army Ballistics Research Laboratory 1 US Army Yuma Proving Ground ATTN: DRXBR-XM 1 ATTN: STEYP-MMI 1 Bldg 305 Yuma, AZ 85364 D-1 1	Lommander	1	ATTN: DRXNM-E	1
CommanderIDirectorUS Army Communications Electronics Installation AgencyIUS Army Materials and Mechanics Research Center ATTN: DRXMR-CT1Fort Huachuca, AZ 85613Watertown, MA 02172ICommander US Army Yuma Proving Ground ATTN: STEYP-MMIDirector US Army Ballistics Research Laboratory ATTN: DRXBR-XM1IBldg 305 Aberdeen Proving Ground, MD 21005D-1	Fort Huachuca AZ 85613		Natick, MA 01702	
Commander1US Army Materials and Mechanics Research CenterUS Army Communications Electronics Installation Agency1US Army Materials and Mechanics Research CenterFort Huachuca, AZ 85613Watertown, MA 02172Commander US Army Yuma Proving Ground ATTN: STEYP-MMIDirector US Army Ballistics Research Laboratory ATTN: DRXBR-XMIBldg 305 Aberdeen Proving Ground, MD 21005	Tore machaca, me 05015		Director	
US Army Communications Electronics Installation Agency Fort Huachuca, AZ 85613 Commander US Army Yuma Proving Ground ATTN: STEYP-MMI Yuma, AZ 85364 Director US Army Ballistics Research Laboratory ATTN: DRXBR-XM 1 Bldg 305 Attrive Drawing Ground, MD 21005 D-1	Commander	1	US Army Materials and Mechanics Research Cente	r
Installation Agency Watertown, MA 02172 Fort Huachuca, AZ 85613 Commander US Army Yuma Proving Ground ATTN: DRXBR-XM 1 ATTN: STEYP-MMI 1 Bldg 305 Yuma, AZ 85364 Director US Army Ballistics Research Laboratory 1 Attributed Bldg 305 Aberdeen Proving Ground, MD 21005 D-1	US Army Communications Electronics		ATTN: DRXMR-CT	1
Fort Huachuca, AZ 85613 Director Commander US Army Ballistics Research Laboratory US Army Yuma Proving Ground ATTN: DRXBR-XM 1 ATTN: STEYP-MMI 1 Bldg 305 Yuma, AZ 85364 Aberdeen Proving Ground, MD 21005	Installation Agency		Watertown, MA 02172	
CommanderDirectorUS Army Yuma Proving GroundUS Army Ballistics Research LaboratoryATTN:STEYP-MMI1Bldg 305Yuma, AZ 85364Aberdeen Proving Ground, MD 21005	Fort Huachuca, AZ 85613		· · · · · · · · · · · · · · · · · · ·	
Commander US Army Ballistics Research Laboratory US Army Yuma Proving Ground ATTN: Data D-1			Director	
US Army Yuma Proving Ground ATTN: DRXBR-XM 1 ATTN: STEYP-MMI 1 Bldg 305 Yuma, AZ 85364 Aberdeen Proving Ground, MD 21005	Commander		US Army Ballistics Research Laboratory	
ATTN: STETT-WMI J Bldg 305 Yuma, AZ 85364 Aberdeen Proving Ground, MD 21005 D_1	US Army Yuma Proving Ground		ATTN: DRXBR-XM	1
D_{-1}	$\begin{array}{c} \textbf{ATTIN:} \textbf{STET-WIVII} \\ \textbf{Vuma} \textbf{A7} \textbf{85364} \end{array}$	1	Diag 305 Aberdeen Proving Cround MD 21005	8
	- unit, 112 0000 i	n	-1	

Addressee	Final Report	Addressee R	Final eport
Director US Army Materiel Systems Analysis Activity ATTN: DRXSY Aberdeen Proving Ground, MD 21005	2	Director US Army Atmospheric Sciences Laboratory US Army Communications R&D Command White Sands, NM 88002	1
Commander US Army Edgewood Arsenal ATTN: SAREA-TD Aberdeen Proving Ground, MD 21010	1	Commander US Army Watervliet Arsenal ATTN: SARWV-RT-L Watervliet, NY 12189	1
Commander US Army Tank-Automotive R&D Command Warren, MI 48090	1	President US Army Field Artillery Baord ATTN: ATZR-BDTD Fort Sill OK 73503	1
Commander US Army Tank-Automotive Materiel Readiness Command Warren, MI 48090	1	Commandant US Army War College Carlisle Barracks, PA 17013	1
Commander US Army Electronics R&D Center ATTN: DRXDO-DAC 2800 Powder Mill Road Adelphi, MD 20783	· 1	Commander Naval Air Development Center ATTN: Tech Director Warminster, PA 18974	1
Commander US Army Troop Support Readiness Command ATTN: Technical Operations Division	1	Commander US Army Frankford Arsenal ATTN: SARFA-TD Philadelphia, PA 19137	1
St. Louis, MO 63120 Director		Commander US Army Arctic Test Center APO Seattle 98733	1
US Army Waterways Experiment Station ATTN: Mob and Environ Division Tech Lib Vicksburg, MS 38180	1 1	President US Army Air Defense Board ATTN: ATZC-D-MT (Ch Engr) Fort Bliss, TX 79916	1
President US Army Airborne, Communications and Electronics Board ATTN: STEBG-TD Fort Bragg, NC 28307	1	Commander HQ, MASSTER ATTN: ATMAS-OP Fort Hood, TX 76544	1
Commander US Army Armament R&D Command Picatinny Arsenal Deurer, NL 07801	1	Chief Medical Equipment Test and Evaluation Division Fort Sam Houston, TX 78234	1
Commander US Army Picatinny Arsenal ATTN: SARPA-TS-EP	1	Red River Army Depot Deputy Director Supply and Transportation Texarkana, TX 75501	1
Dover, NJ 07801 Commander US Army Communications R&D Command	2	Commander US Army Dugway Proving Ground ATTN: STEDP-PO Dugway, UT 84022	1
Fort Monmouth, NJ 07703 Commander US Air Force Test and Evaluation Center ATTN: XR Kirtland, Air Force Base, NM 87115	1	Commander US Army Operational Test and Evaluation Agency ATTN: DACS-TEO-N 5600 Columbia Pike Baileys Crossroads, VA 22041	2
Commander US Army White Sands Missile Range ATTN: STEWS-TE White Sands, NM 88002	1 M	Officer-in-Charge Naval Surface Weapons Center, Dahlgren Lab ATTN: DX-21 Dahlgren, VA 22448 -2	1

¥

£

•

Addressee	Final Report	Addressee	Final Report
Administrator Defense Documentation Center ATTN: DDC-T Cameron Station, Alexandria, VA 22314	12		
Director US Army Engineer Topographic Labs ATTN: ETL-GSL Fort Belvoir, VA 22060	3		
Commander US Army Mobility Equipment R&D Command Fort Belvoir, VA 22060	1		
Director US Army Night Vision Laboratory ATTN: DRSEL-NV-PA-RA Fort Belvoir, VA 22060	1		
Director, Eustis Directorate US Army Air Mobility Research and Development Laboratory ATTN: SAVDL-EU-TSD Fort Eustis, VA 23604	1		
Commander US Army Logistics Management Center ATTN: DRXMC-ACM Fort Lee, VA 23801	1		
Commander-in-Chief US Southern Command ATTN: SCJ-3 Quarry Heights, CZ	1		
Commander 193d Infantry Brigade (Canal Zone) Fort Amador, CZ	1		
Commander US Army Tropic Test Center ATTN: STETC-TD STETC-TA STETC-TD-O STETC-MO (Tech Lib) STETC-MO (Ed Rm) Fort Clayton, CZ	20 2 2 3 2		

二、文書語のたい