Form Approved REPORT DOCUMENTATION PAGE OMB NO. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 3. REPORT TYPE AND DATES COVERED 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE Final 4 Feb 94 - 3 Aug 97 Oct 97 5. FUNDING NUMBERS 4. TITLE AND SUBTITLE Experiments and Theory in Ultracold Collision Dynamics DAAH04-94-G-0028 6. AUTHOR(S) John Weiner 7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER University of Maryland College Park, MD 20742 SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) SPONSORING / MONITORING AGENCY REPORT NUMBER U.S. Army Research Office P.O. Box 12211 ARO 31062.10-PH Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.

13. ABSTRACT (Maximum 200 words)

12a. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

19971204 149

12 b. DISTRIBUTION CODE

This research program seeks to understand and control atomic collisions at ultracold temperatures where quantum and light-filed effects lead to new interactions between atoms. We have pursued experimental and theoretical investigations of optical shielding and suppression, and the nature of ground-state collisions in and near a Bose-Einstein condensate. This research shows how inelastic collisions can be turned on and turned off by light fields, how the scattering length of ultracold ground-state collisions might be altered by light fields.

14. SUBJECT TERMS			15. NUMBER IF PAGES
	and the state of t		
DTIC QUALITY INSPECTED Q			16. PRICE CODE
17 SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICATION	20. LIMITATION OF ABSTRACT
	OF THIS PAGE	OF ABSTRACT	
	UNCLASSIFIED	UNCLASSIFIED	UL
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	OF THIS PAGE	OF ABSTRACT	

Experiments and Theory in Ultracold Collision Dynamics

John Weiner

October 6, 1997

U. S. Army Research Office

DAAH04-94-G-0028

Department of Chemistry and Biochemistry University of Maryland College Park, MD 20742

Final Progress Report on Research Agreement DAAH04-94-G-0028

- Statement of the Problem Studied—The problem is to understand and control atomic
 collisions at ultracold temperatures where quantum and light-field effects lead to new,
 sometimes collective, interaction between atoms. These interactions may lead to the
 development of new phases of condensed matter including the possibility of atom
 lasers.
- 2. Summary of the Most Important Results -- We have pursued experimental and theoretical investigation of optical shielding and suppression in ultracold collisions. A remarkable feature of the ultracold environment is the ability to optically reroute entrance-channel scattering flux and thereby control the exit channel of the collisional encounter.. In the 1996 interim progress report we cited our Physical Review Letter, "Optical Suppression of Photoassociation Ionization in a Magneto-Optical Trap (Phys. Rev. Lett. 73, 1911 (1994), which described the first observation of optical suppression of a bond-forming, associative collision. In 1995 we continued to explore the nature of this suppression effect. We have shown that a suppressor optical field, tuned to the blue of the atomic resonance line, at relatively high intensities (a few Watts per square centimeter) can suppress the reactive channel by over a factor of twenty (Phys. Rev. A 52 R913 (1995)). We have also shown, however, that the suppression phenomenon is not as effective as predicted by a simple two-state Landau-Zener model, and we have developed a rigorous (although spinless) theory that takes into account multiple-photon transitions during the course of the collision. The article is entitled "Theory of Optical Suppression of Ultracold Collision Rates by Polarized Light" with R. Napolitano and P. S. Julienne as co-authors (Phys. Rev. A 55, 1191 (1997). Another consequence of this high-intensity suppression is the theoretical prediction of a very pronounced polarization effect. We carried out experiments to confirm this prediction and indeed did show (Phys. Rev. Lett.76, 2033 (1996)) that this polarization effect is present and very strong. In order to follow up the discovery of the polarization effects we have carried out cold collisions in a highly collimated atomic beam. The results show agreement with the prediction that linearly polarized light is a less effective suppressor than predicted by a one-dimensional Landau-Zener model and that suppressor light polarized perpendicular to the collision axis is more effective than light polarized parallel to the axis. These findings are in qualitative agreement with the quantum closed-coupled theory of Napolitano, et al. We have also carried out photoassociative ionization experiments in ultracold Rb collisions. We have reported the observation of direct, two-color photoassociative ionization collisions between 85Rb atoms cooled and confined in a magneto-optical trap(Phys. Rev. A 52, R4332 (1995)). We also measured the resulting Rb₂⁺ion spectra and compared it to earlier trap-loss fluorescence spectra.
- 3. List of Publications and Technical Reports
- A. Phys. Rev. A 52, R913 (1995) "Intensity Dependence of Optical Suppression in Photoassociative Ionization Collisions in a Sodium Magneto-optic Trap" (L. Marcassa, R Horowicz, S. Zilio, V. Bagnato)

- B. Phys. Rev. Lett. **76**, 2033 (1996) "Polarization Dependence of Optical Suppression in Photoassociative Ionization Collisions in a Sodium Magneto-optic Trap", (V. Bagnato, R. Horowicz, L. Marcassa, S. Muniz, S. Zilio, R. Napolitano, and P. S. Julienne)
- C. Phys. Rev. A 55, 1191 (1997) "Theory of Optical Shielding of Ultracold Collisions by Polarized Light", (R. Napolitano, and P. S. Julienne)
- D. Appl. Phys. 80, 8 (1996) "Optical Collimation and Compression of a Thermal Atomic Beam" (C.-C. Tsao, Y. Wang, and V. S. Bagnato)
- E. Phys. Rev. A 52, R4332 (1995) "Stimulated Two-Color Photoassociative Ionization in a Rubidium Magneto-optic Trap" (D. Leonhardt)
- F. Phys. Rev. Lett. 78, 1880 (1997) "Collisional Stability of Double Bose Condensates," (P. S. Julienne, F. H. Mies, E. Tiesinga, and C. J. Williams)
- G. Phys. Rev. A 56, 1486 (1997) "Prospects for influencing scattering lengths with far-off-resonant light," (J. Boh and P. S. Julienne)
- 4. Scientific Personnel
 - A. Darrin Leonhardt, graduate student, received PhD. in 1995
 - B. C-C Tsao, graduate student, received PhD. in 1996
 - C. Eite Tsienga, Post-Doctoral research associate
 - D. Yinde Wang, Post-Doctoral research associate
 - E. Paul S. Julienne, co-PI, adjunct professor, University of Maryland
 - F. John Weiner, PI, professor, University of Maryland