REPORT DOC				ata sourc
ione reporting burgen for this collection of informa	tion is estimated to average 1 nour pe pieting and reviewing the collection of	er response, including the time to it information. Sens comments n protocological directorate	garding this burden estimate or any other a for information Operations and Reports, 12	spect of 1 15 Jeffer
Mection of information, including suggestions for ri Nection of information, including suggestions for ri- avis Highway, Suite 1204, Arlington, VA 22202-4302	educing this burden, to Washington in L, and to the Office of Management an	nd Sudget, Proerwork Reduction	NO DATES COVERED	-
AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TIPE		
			5. FUNDING NUMBERS	
TITLE AND SUBTITLE				
Mocred observati	ons for the force	d upper ocean		
dynamics experim	ent in the Arabia	III Sea	N00014-94-1-0450	
AUTHOR(S)		•		
John Marra		•	:	
				TION
PERFORMING ORGANIZATION NAM	E(S) AND ADDRESS(ES)		REPORT NUMBER	
Lamont-Doherty E	arth Observatory	of	NA	
Columbia Univers	1ty	and the state of the second state and the state of the stat	South ADDIMES	
Palisades, NY 10	964 Marntation #	均高的	31413 MAL 6704-0131	ļ.
IS II I A LAND A A LAND	a ala 1975 - en la 2005 - en la 1985 en destador en la 1985 - en 1985 Al ala manya constructiva en destador en la 1986 - en 1986	ne veza za zarowe ne zarowe ne zarowe na zarowe na zarowe na na zarowe na zarowe na zarowe na zarowe na zarowe Na zarowe na	LIN SPONSORING? MONITO	RING
S. SPONSORING / MONITORING AGEN	CY NAME(S) AND ADDRESS	SLESS and at heart approximates a	AGENCY REPORT NUM	BER
Office of Naval	Research water and the second state of the sec	nen der einen anteren neuensteren in einen eine Einen einen	and compared and an	1928 (CLV).
800 N. Quincy St	- 素菜、最高加加肉菜 販売 注 ●】		and and a second sec	ur biorene
Arlington, VA 22	2 1.7-5660	er en verster og blev han her er som med et er at tille her er storet. Er en verster og blev han her er er som er	T. FURSING STRANGERS	
11. SUPPLEMENTARY NOTES	Vor findings cont:	ained in this r	eport are those of the	e
11. SUPPLEMENTARY NOTES The view, opinions and	l/or findings contained a	ained in this T s an official D	eport are those of the partment of the Army	e
11. SUPPLEMENTARY NOTES The view, opinions and author(s) and should t	l/or findings cont: not be construed a	ained in this russ an official Department of the second se	eport are those of the epartment of the Army other documentation.	e
11. SUPPLEMENTARY NOTES The view, opinions and author(s) and should r position, policy, or o 12a. DISTRIBUTION/AVAILABILITY S Approved for public	l/or findings cont: Not be construed a lecision, unless s TATEMENT Telease; distribut	ained in this ross an official Designated by tion unlimited.	eport are those of the epartment of the Army other documentation. 12b. DISTRIBUTION CODE DESCRIPTION CODE	
 11. SUPPLEMENTARY NOTES The view, opinions and author(s) and should r position, policy, or o lia. DISTRIBUTION / AVAILABILITY S Approved for public 13. ABSTRACT (Maximum 200 word) The year-long mooring recorresponse to the northeast and the northeast monsoon, conv deepens via wind-induced m water column stratifies. The 	l/or findings cont: Not be construed a lecision, unless s TATEMENT release; distribut s) s) s) s) s) s) s) s) s) s)	ained in This To s an official Do to designated by tion unlimited.	learly the semi-annual biologie e mixed layer to deepen, but for thwest monsoon, the mixed lay declines, and then increases as	e A A A A A A A A A A A A A A A A A A A
 11. SUPPLEMENTARY NOTES The view, opinions and author(s) and should f position, policy, or o lostRibution/AVAILABILITY S Approved for public 13. ABSTRACT (Maximum 200 word) The year-long mooring recorresponse to the northeast and the northeast monsoon, conv deepens via wind-induced m water column stratifies. The center of the Findlater Jet) g and particle variables were of water column processes (e.g demonstrated the utility of m are extremely useful to those seasonal variability in produ The results will fuel consider 	I/or findings cont: Not be construed a lecision, unless s TATEMENT release; distribut si rds in the Arabian Sea (15) d southwest monsoons. Ea vective processes dominat ixing. During both mixin, annual cycle of chlorophy enerally follows the mixed observed, and coherence a ., changes in the mixed la noored sensor systems in the etrying to understand the citivity is crucial to interpor- ration of the importance of	ained in this re- s an official De- to designated by tion unlimited. 5'30'N/61'30E) show of ach monsoon causes th te, while during the sou g periods, chlorophyll yll variability at the mo- d layer depth. Strong - analysis indicated that the yer depth) than by sola an unforgiving environ drivers for seasonal va- ret the export of carbon of diel processes in det	clearly the semi-annual biological declines, and then increases as boring site (the climatological declines, and then increases as boring site (the climatological declines, and then increases as boring site (the climatological diel variability in phytoplankto hese were modulated more by it variability. We have ment: The high-resolution data riability in productivity. The a from the surface ocean to depermining the activities of plank	cal or yer the m oth. cton.
 11. SUPPLEMENTARY NOTES The view, opinions and position, policy, or o position, position,	I/or findings cont: Not be construed a lecision, unless s TATEMENT release; distribut st rds in the Arabian Sea (15 I southwest monsoons. Ea vective processes dominat ixing. During both mixin annual cycle of chlorophy enerally follows the mixe observed, and coherence a ., changes in the mixed la noored sensor systems in the trying to understand the ctivity is crucial to interportance of the importance of the importance of the importance of the importance of the importance of the importance of the importance of the importance of the importance o	ained in this re- s an official be- to designated by tion unlimited.	contract the second sec	cal or yer the on oth. cton.
 11. SUPPLEMENTARY NOTES The view, opinions and position, policy, or o position, policy, policy, or o position, policy, policy,	I/or findings cont: Not be construed a lecision, unless s TATEMENT release; distribut st rds in the Arabian Sea (15 I southwest monsoons. Ea vective processes dominat ixing. During both mixin annual cycle of chlorophy enerally follows the mixe observed, and coherence a ., changes in the mixed la noored sensor systems in the trying to understand the citivity is crucial to interport ration of the importance of ns, Arabian Sea,	ained in this rust s an official be o designated by tion unlimited. 5'30'N/61'30E) show of ach monsoon causes the te, while during the source g periods, chlorophyll yll variability at the model an unforgiving environ drivers for seasonal varies the export of carbon of diel processes in det productivity, p	content of the Army other documentation. 12b. DISTRIBUTION CODE 12b.	cal or yer the oth. cton.
 11. SUPPLEMENTARY NOTES The view, opinions and author(s) and should r position, policy, or o lia. DISTRIBUTION / AVAILABILITY S Approved for public 13. ABSTRACT (Maximum 200 word The year-long mooring recorresponse to the northeast and the northeast monsoon, conv deepens via wind-induced m water column stratifies. The center of the Findlater Jet) g and particle variables were o water column processes (e.g demonstrated the utility of m are extremely useful to those seasonal variability in produ The results will fuel conside 14. SUBJECT TERMS moorings, monsoon 	I/or findings cont: Not be construed a lecision, unless s TATEMENT release; distribut si rds in the Arabian Sea (15 d southwest monsoons. Ea vective processes dominat ixing. During both mixin, annual cycle of chlorophy enerally follows the mixed observed, and coherence a ., changes in the mixed la noored sensor systems in the citivity is crucial to interport ration of the importance of ns, Arabian Sea,	ained in this rust s an official be o designated by tion unlimited. 5'30'N/61'30E) show of ach monsoon causes th te, while during the sou g periods, chlorophyll yll variability at the model and layer depth. Strong of analysis indicated that the typer depth) than by sola an unforgiving environ drivers for seasonal variet the export of carbon of diel processes in det productivity, p	contract those of the apartment of the Army other documentation. 12b. DISTRIBUTION CODE 12b. DISTRIBUTION CODE 12b	cal or yer the oth. cton. Of P/
 11. SUPPLEMENTARY NOTES The view, opinions and position, policy, or o position, policy, policy, or o position, position, policy, policy, o position, policy, policy, policy, or o position, policy, policy,	I/or findings cont: Not be construed a lecision, unless s TATEMENT release; distribut s) rds in the Arabian Sea (15 d southwest monsoons. Ea vective processes dominat ixing. During both mixin annual cycle of chlorophy enerally follows the mixed la noored sensor systems in the trying to understand the activity is crucial to interport aration of the importance of ms, Arabian Sea, 18. SECURITY CLASSIFICA	ained in this re- s an official be- to designated by tion unlimited. 5'30'N/61'30E) show of ach monsoon causes the te, while during the source g periods, chlorophyll yll variability at the model an unforgiving environ drivers for seasonal va- ret the export of carbon of diel processes in det productivity, p ATION 19. SECURITY OF ABSTR	classification apartment of the Army other documentation. 12b. DISTRIBUTION CODE 12b. DISTRIBUTION 12b. DISTRIBUTION CODE 12b. DISTRIBUTION 12b. D	cal or yer the on oth. cton. OF P/
 11. SUPPLEMENTARY NOTES The view, opinions and position, policy, or o position, po	I/or findings cont: Not be construed a lecision, unless s TATEMENT release; distribut rds in the Arabian Sea (15 d southwest monsoons. Ea vective processes dominat ixing. During both mixin, annual cycle of chlorophy enerally follows the mixed observed, and coherence a , changes in the mixed la noored sensor systems in : e trying to understand the cutivity is crucial to interport ration of the importance of ns, Arabian Sea, 18. SECURITY CLASSIFICE UNCLASSIFIED	ained in this re- s an official De- to designated by tion unlimited. 5'30'N/61'30E) show of ach monsoon causes the e, while during the sou g periods, chlorophyll yll variability at the mod alayer depth. Strong of analysis indicated that the typer depth) than by sola an unforgiving environ drivers for seasonal variet the export of carbon of diel processes in det productivity, p ATION 19. SECURITY OF ABSTR UNCLAS	classification lankton classificatio	e a cal or yer the or oth. cton. OF P DOE ION OF

.

•-

.

.

٦

MOORED OBSERVATIONS FOR THE FORCED UPPER OCEAN DYNAMICS EXPERIMENT IN THE ARABIAN SEA

Award # N00014-94-1-0450

Final Report

submitted by

John Marra Lamont-Doherty Earth Observatory of Columbia University PO Box 1000 Palisades, NY 10964 Tel: 941-365-8891 Fax: 914-365-8150 e-mail, marra@ldeo.columbia.edu The scientific objectives of this grant were to (1) determine the diurnal, within-season, and seasonal variability of phytoplankton for a locale subject to strong seasonal wind-stress; (2) understand how POC:Chl changes with the advent of the SW monsoon; (3) determine whether the seasonal increase in phytoplankton affects the surface heating of the water column; and (4) determine whether the chlorophyll-specific primary production is constant through the year in the Arabian Sea, where strong seasonal signals in nutrients are characteristic.

The work completed for this grant is as follows:

- 1. We completed two data reports, one for each deployment (Ho et al., 1996a, 1996b), and contributed to a preliminary results article for EOS (Rudnick et al., 1997).
- 2. We made presentations of data at the Arabian Sea Workshop in July, 1997.
- 3. We have several manuscripts (published or in press) in Deep-Sea Research-II Special Volume on the Arabian Sea Expedition (Marra et al., 1998; Kinkade et al., 1999a,b), and were co-authors on three other manuscripts.

The year-long mooring records show clearly the semi-annual biological response to the northeast and southwest monsoons. Interestingly, prior to each mixed-layer deepening associated with the monsoons, there is evidence of mesoscale eddies passing the mooring site, and which contain enhanced quantities of chlorophyll. Each monsoon causes the mixed layer to deepen, but for the northeast monsoon, convective processes dominate, while during the southwest monsoon, the mixed layer deepens via wind-induced mixing. During both mixing periods, chlorophyll declines, and then increases as the water column stratifies. The annual cycle of chlorophyll variability at the mooring site (the climatological center of the Findlater Jet, 15°30'N/61°30E) generally follows the mixed layer depth. When the mixed layer is deep, the quantity of chlorophyll in the water column is low, and increases when the mixed layer shallows following the cessation of monsoon winds. Prolonged stratification, during the intermonsoons, also results in declines in photosynthesis.

The variability in productivity over the year generally follows the change in chlorophyll except where there may have been changes to community structure (Feb-Mar, '95), or when grazing might be important (May, July, '95). Strong diel variability in phytoplankton and particle variables were observed, and coherence analysis indicated that these were modulated more by water column processes (e.g., changes in the mixed layer depth) than by solar variability (Kinkade et al.,1999a).

We have demonstrated the utility of moored sensor systems in an unforgiving environment. The high-resolution data are extremely useful to those trying to understand the drivers for seasonal variability in productivity. The seasonal variability in productivity is crucial to interpret the export of carbon from the surface ocean to depth. The results will fuel consideration of the importance of diel processes in determining the activities of plankton. We now have a better idea of the relationships among phytoplankton production, nutrient supply, and changes in mixed layer depth. The importance of mesoscale processes in distributing heat and momentum was demonstrated over a large part of the study area, and is probably the reason why productivity can remain relatively high despite the extreme variability in wind-forcing.

During this project we have developed a low-cost, compact, easy-to-use moorable spectroradiometer with 32 wavelengths. It should find a variety of uses. Four companies sell in situ fluorometers which had a basis in design developed for a predecessor mooring program, Biowatt-II (1986-1988). I think that the efforts by both LDEO and UCSB (see T. Dickey et al., 1998) have had something to do with the use of chlorophyll fluorescence measurements at sea.

REFERENCES

- Ho, C., C.S. Kinkade, C. Langdon, M. Maccio, J. Marra. 1996a. The Forced Upper Ocean Dynamics Experiment in the Arabian Sea. Results from the multi-variable moored sensors from deployment-2 of the WHOI mooring. LDEO Tech Report LDEO-96-7, pp. 19+figs., app.
- Ho, C., C.S. Kinkade, C. Langdon, M. Maccio and J. Marra. 1996b. The Forced Upper Ocean Dynamics Experiment in the Arabian Sea. Results from the multi-variable moored sensors from deployment-2 of the WHOI mooring. LDEO Tech Report LDEO-96-8, pp. 19+figs., app.
- Kinkade, C.S., J. Marra, T. Dickey, C. Langdon, D. Sigurdson, R. Weller. 1999a. Diel variability of bio-optical signals in the Arabian Sea. Deep-Sea Research-II (in press).
- Kinkade, C., J. Marra, T. Dickey and R. Weller. 1999b. An intercomparison of moored optical sensor data and an annual cycle of phytoplankton biomass in the Arabian Sea. Deep-Sea Res. II (in press).
- Marra, J., T.D. Dickey, C. Ho, C.S. Kinkade, D.E. Sigurdson, R. Weller, R. T. Barber. 1998. Variability in primary production as observed from moored observations in the central Arabian Sea in 1995. Deep-Sea Research-II 45, 2253-2267.
- Rudnick, D., R.A. Weller, C. Eriksen, T.D. Dickey, J. Marra and C. Langdon. 1997. One-year moored observations of the Arabian Sea Monsoons. EOS 78, pp. 117, 120-121.
- Dickey, T.D., J. Marra, D.E. Sigurdson, R.A. Weller, C.S. Kinkade, S.E Zedler, J.D. Wiggert and C. Langdon. 1998. Seasonal variability of bio-optical and physical properties in the Arabian Sea: October 1994-October 1995. Deep-Sea Res. II 45, 2001-2025.