



Fabrication of a Composite Airfoil With a Large Scale Twist Capability

by William A. Spurgeon and Charles Beauchamp

ARL-TN-179

June 2001

Approved for public release; distribution is unlimited.

20010814 044

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

ARL-TN-179

June 2001

Fabrication of a Composite Airfoil With a Large Scale Twist Capability

William A. Spurgeon

Weapons and Materials Research Directorate, ARL

Charles Beauchamp

Naval Underwater Warfare Center

Abstract

This technical note describes the fabrication of a composite airfoil shaped part that could twist easily about its long axis, but would not flex easily. This part was fabricated using a polyurethane resin matrix glass reinforced composite material that performed satisfactorily in wind tunnel tests. Possibilities for scale-up to very large parts are described.

Contents

| | |
|--------------------------------|----|
| List of Figures | v |
| 1. Introduction | 1 |
| 2. Materials Selection | 1 |
| 3. Airfoil Fabrication Details | 2 |
| 4. Scale-Up Possibilities | 5 |
| 5. Conclusions | 7 |
| 6. References | 9 |
| Distribution List | 11 |
| Report Documentation Page | 23 |

INTENTIONALLY LEFT BLANK.

List of Figures

| | |
|---|---|
| Figure 1. The helicopter rotor blade section used as a mandrel for the airfoil fabrication process. | 2 |
| Figure 2. The SCRIMP process. Successive layers of Teflon-coated glass release fabric (brown layer at left of picture), fiberglass fabric (white layer) to make the part, A8888 polyamide release fabric (light green fabric) and transfer medium (dark green fabric) were applied over the mandrel. | 3 |
| Figure 3. A SCRIMP panel ready for infusion. The fill line is at the left, and the vacuum line is at the right. A black transfer medium was used in this case. | 4 |
| Figure 4. The first airfoil fabricated. | 5 |
| Figure 5. The second airfoil fabricated. | 6 |
| Figure 6. Another view of the second airfoil fabricated. | 6 |

INTENTIONALLY LEFT BLANK.

1. Introduction

This technical note describes the fabrication of a composite airfoil shaped part that could twist easily about its long axis, but would not flex easily. This was one of the significant challenges of a Federated Laboratory project to demonstrate the potential utility of such an airfoil as a windmill blade. Once the blade reaches a certain speed, the power generation efficiency of the blade can be improved if the blade is twisted around its long axis. The twist was introduced by applying a current to a shape-memory alloy wire wrapped around the part. The airfoil shaped part was fabricated using a glass fabric reinforced polyurethane elastomer matrix composite at a minimal cost. The materials selection, composite airfoil fabrication, and possibilities for scale-up to very large parts are described in this note. The performance of the airfoil was satisfactory, and twists well in excess of the needed 7 degrees were possible. Details of its modeled and measured performance will be presented elsewhere.

2. Materials Selection

The elastomer selected for this project was Adiprene L-100 polyurethane cured with CATUR 21. Both components were manufactured by and obtained from Uniroyal Chemical.* In previous U.S. Army Research Laboratory (ARL) work [1], this polyether-based polyurethane exhibited a hardness of Shore-A 85, somewhat harder than an automobile tire (Shore-A 75) and softer than a typewriter roller (Shore-A 90). Nearly all of the toluene-diisocyanate it contains is chemically bound, which makes it relatively safe to handle. Its most attractive feature is a fairly long working life, limited mainly by hydrolysis of the resin by moisture in the air. It is best worked at a temperature of about 140 degrees F. At this temperature, its viscosity drops to a low of about 2200 centipoise, which is low enough for some resin transfer molding processes. It cures rapidly at temperatures above 212 degrees F. Its glass transition temperature is below the -60 degree F limit of the differential scanning calorimeter used for this test. The resin has been used on other ARL projects that required a semi-flexible composite. Its selection followed an extensive search for appropriate thermoset resins through vendor contacts, in-house tests, and technical discussions with other DOD personnel.

* Uniroyal Chemical Co., Inc., World Headquarters, Middlebury, CT 06749.

The glass fabric used for the project was a 24 oz per square yard 5 × 5 S-2 glass woven roving. This fabric has been used extensively for ARL armor work for at least the past 15 years. The sizing is the standard epoxy compatible/polyester semicompatible type 463 sizing.* Apparently, no commercially available sizing has been specifically developed for polyurethane resins [2]. This fabric typically contributes 25 mil per ply to the thickness of a composite. Samples of such composites cut along a weave direction (0 or 90 degrees) will twist relatively easily, but will not flex well. In comparison, samples cut at 45 degrees will flex easily, but will resist twisting.

3. Airfoil Fabrication Details

The first major requirement for fabricating the airfoil was a mandrel of an appropriate size and shape over which fabrics could be draped or glass filaments wound. An approximately 5-ft-long section of a rotor blade for the UH-58 "Huey" helicopter was available for experimentation at ARL. This blade section is about 13-in wide and has a maximum width of 1.5 in. Although this is not an ideal airfoil shape, it was determined to be a sufficiently good approximation to start this project. The rotor blade used in the fabrication process is shown in Figure 1.




Figure 1. The helicopter rotor blade section used as a mandrel for the airfoil fabrication process.

* Advanced Glassfiber Yarns, Aken, SC.

The airfoil blanks were fabricated using a vacuum-assisted resin transfer molding process known as SCRIMP (Seeman's Composite Resin Infusion Molding Process [3]). This process is illustrated in Figures 2 and 3. First, the tool (in this case the rotor blade) was coated with five coats of Frekote 700 mold release.* Next, a layer of nonporous Teflon-coated glass release film (Richmond 200TFNP)[†] was then laid over the rotor blade and taped in place. Two plies of glass fabric, 34 in wide × 50 in long, were placed over the release fabric with the 90 degree direction along the long axis of the rotor. A ply of Richmond A8888 open weave polyamide release fabric[†] was laid over the glass. The edges of these fabrics were also taped to the mandrel. A layer of transfer medium, such as the 40-50% shade dark-green plastic awningscreen,[†] also shown in Figure 2, is then placed over the part. This transfer medium is cut about 8 in shorter than the 34 in length of the part. This forces the resin to flow down through the part and thus completely fill out the part before it reaches the vacuum line.




Figure 2. The SCRIMP process. Successive layers of Teflon-coated glass release fabric (brown layer at left of picture), fiberglass fabric (white layer) to make the part, A8888 polyamide release fabric (light green fabric) and transfer medium (dark green fabric) were applied over the mandrel.

* The Dexter Corporation, Frekote Products, 1 Seabrook Dr., Seabrook, NH 03874.

[†] Northern Fiberglass Sales, Inc., PO Box 2010, Hampton, NH 03483-5098.




Figure 3. A SCRIMP panel ready for infusion. The fill line is at the left, and the vacuum line is at the right. A black transfer medium was used in this case.

The transfer medium is also cut about 1 in smaller than the part on the two perpendicular sides. This prevents the development of a low impedance path (a "race track") along the sides of the part. A vacuum line, made from stretched 0.5-in OD Panduit plastic electrical spiral wrapping (part number T62F)* wrapped in a layer of 8.8-oz E or S-2 glass fabric, is placed at the end of the fabrics. A feed line in the form of a 0.75-in-diameter, 5-turn per inch steel spring was then placed on the leading edge of the rotor blade. Several layers of the transfer medium were used to separate it from the part. The entire assembly was then vacuum bagged (0.002-in-thick CAPRAN 512 bagging film[†] is the preferred material). Figure 3 shows a flat part vacuum bagged and ready for resin infusion. The fabrics were then infused with resin in a 140 degrees F walk-in oven. This process took about 1.5 hr. Once the resin transfer was complete, the blank was cured at 250 degrees F, debagged, and trimmed to size.

The airfoil blanks made in this manner had an open seam on the trailing edge of the parts. On the first part made, this was sealed at the 13-in width along a 1-in-wide flat. The Adiprene resin was used for the bonding since it results in a very strong bond—lap-shear samples prepared in this manner failed when the resin pulled off the glass [4]. The finished airfoil is shown in Figure 4.

* Northern Fiberglass Sales, Inc., PO Box 2010, Hampton, NH.

[†] Graybar Electric Company, New Castle, DE.




Figure 4. The first airfoil fabricated.

Ideal airfoils are somewhat fatter and symmetric. The second airfoil part was trimmed to a 9-in width; two 50-mil-thick, 1/4-in-wide strips of flat Adiprene-based composite stock were bonded in between the top and bottom of the airfoil part to make a somewhat more desirable airfoil. Two views of this airfoil are shown in Figures 5 and 6.

4. Scale-Up Possibilities

The SCRIMP process employed in this effort was excellent for fabricating the narrow, thin airfoils that were made. It would be difficult to fabricate considerably larger and thicker airfoils by this process, since it is very slow with this viscous resin. However, a process known as FASTRAC (fast remotely activated channeling) [5, 6], newly developed at ARL, would be suitable for full-size windmill vanes. The ultimate thickness of parts that can be made by this process with the Adiprene resin has not been established, but may be as much as an inch. The vanes could be made thicker if necessary by repeated applications of the process. Since a temperature of 250 degrees F is all that is required to cure the resin, an oven of adequate size could easily be built around the part. The fabrics could be stitched at the trailing edge of the mandrel, eliminating the bonding step. Success in removing filament wound tubes made with the Adiprene resin indicates that the airfoils could be slid off the end of the mandrel without the aid of the open seam used in the current project.




Figure 5. The second airfoil fabricated.




Figure 6. Another view of the second airfoil fabricated.

Depending on the size and shape of the airfoil, it may also be possible to braid the glass over the mandrel rather than using fabrics. This braided structure would then be infused with resin by a process such as FASTRAC. A stitched or stapled preform that could be similarly infused with resin may be a viable alternative to the braided structure. Filament winding would also be a possibility, provided that the part is not too large.

5. Conclusions

The successful fabrication of a polyurethane composite airfoil for use as a windmill blade prototype was demonstrated on a 42-in-long part. Fabrication of a full size windmill blade would clearly require some developmental work, but there is ample reason to expect eventual success.

INTENTIONALLY LEFT BLANK.

6. References

1. Spurgeon, W. A., and D. J. Thomas. "Fabrication of Novel Bumper and Skirt Components for a Ground Vehicle." ARL-TR-2327, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, September 2000.
2. Collins, T. "Advanced Glassfiber Yarns." Personal communication, Aberdeen Proving Ground, MD, June 2000.
3. Seeman, W. H. "Plastic Transfer Molding Techniques for the Production of Fiber Reinforced Plastic Structures." U.S. Patent No. 4,902,215, 20 February 1990.
4. Spurgeon, W. A., and D. J. Thomas. "Fabrication of Novel Bumper and Skirt Components for a Ground Vehicle." ARL-TR-2327, Appendix A, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, September 2000.
5. Walsh, S. M., E. J. Rigas, W. A. Spurgeon, and D. J. Strand. *ICCE/7 Proceedings*, Denver, CO, pp. 903-904, July 2000.
6. Walsh, S. M., E. J. Rigas, W. A. Spurgeon, W. N. Roy, D. Heider, and J. Gillespie. "A Non-Contact Distribution Scheme for Promoting and Controlling Resin Flow for VARTM Processes." SAMPE Technical Conference, Boston, MA, 5 November 2000.

INTENTIONALLY LEFT BLANK.

| <u>NO. OF COPIES</u> | <u>ORGANIZATION</u> |
|--------------------------|---|
| 2 | DEFENSE TECHNICAL INFORMATION CENTER DTIC OCA 8725 JOHN J KINGMAN RD STE 0944 FT BELVOIR VA 22060-6218 |
| 1 | HQDA DAMO FDT 400 ARMY PENTAGON WASHINGTON DC 20310-0460 |
| 1 | OSD OUSD(A&T)/ODDR&E(R) DR R J TREW 3800 DEFENSE PENTAGON WASHINGTON DC 20301-3800 |
| 1 | COMMANDING GENERAL US ARMY MATERIEL CMD AMCRDA TF 5001 EISENHOWER AVE ALEXANDRIA VA 22333-0001 |
| 1 | INST FOR ADVNCD TCHNLGY THE UNIV OF TEXAS AT AUSTIN 3925 W BRAKER LN STE 400 AUSTIN TX 78759-5316 |
| 1 | DARPA SPECIAL PROJECTS OFFICE J CARLINI 3701 N FAIRFAX DR ARLINGTON VA 22203-1714 |
| 1 | US MILITARY ACADEMY MATH SCI CTR EXCELLENCE MADN MATH MAJ HUBER THAYER HALL WEST POINT NY 10996-1786 |
| 1 | DIRECTOR US ARMY RESEARCH LAB AMSRL D DR D SMITH 2800 POWDER MILL RD ADELPHI MD 20783-1197 |

| <u>NO. OF COPIES</u> | <u>ORGANIZATION</u> |
|--------------------------|---|
| 1 | DIRECTOR US ARMY RESEARCH LAB AMSRL CI AI R 2800 POWDER MILL RD ADELPHI MD 20783-1197 |
| 3 | DIRECTOR US ARMY RESEARCH LAB AMSRL CI LL 2800 POWDER MILL RD ADELPHI MD 20783-1197 |
| 3 | DIRECTOR US ARMY RESEARCH LAB AMSRL CI IS T 2800 POWDER MILL RD ADELPHI MD 20783-1197 |
| | <u>ABERDEEN PROVING GROUND</u> |
| 2 | DIR USARL AMSRL CI LP (BLDG 305) |

NO. OF
COPIES ORGANIZATION

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL CP CA
D SNIDER
2800 POWDER MILL RD
ADELPHI MD 20783-1145

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL OP SD TA
2800 POWDER MILL ROAD
ADELPHI MD 20783-1145

3 DIRECTOR
US ARMY RESEARCH LAB
AMSRL OP SD TL
2800 POWDER MILL ROAD
ADELPHI MD 20783-1145

2 DIRECTOR
US ARMY RESEARCH LAB
AMSRL OP CI AD
TECH PUB BR
RECORDS MGMT ADMIN
2800 POWDER MILL ROAD
ADELPHI MD 20783-1197

1 HQDA
DAMI FIT
NOLAN BUILDING
WASHINGTON DC 20310-1025

1 DIRECTOR
PARTMENT OF THE ARMY
OASARDA
SARD-SO
3 ARMY PENTAGON
WASHINGTON DC 20310-0103

1 DEPUTY ASST SCY FOR R&T
SARD TT
RM 3EA79 THE PENTAGON
WASHINGTON DC 20301-7100

1 COMMANDER
US ARMY MATERIEL COMMAND
AMXMI INT
5001 EISENHOWER AVENUE
ALEXANDRIA VA 22333-0001

NO. OF
COPIES ORGANIZATION

1 DIRECTOR
US ARMY AMCOM
SFAE AV RAM TV
D CALDWELL
BUILDING 5300
REDSTONE ARSENAL AL 35898

2 CDR USA AMCOM
AVIATION APPLIED TECH DIR
J SCHUCK
FT EUSTIS VA 23604-5577

1 US ARMY CRREL
P DUTTA
72 LYME RD
HANOVER NH 03755

1 US ARMY CERL
R LAMPO
2902 NEWMARK DR
CHAMPAIGN IL 61822

2 US ARMY CORP OF ENGINEERS
CERD C
T LIU
CEW ET
T TAN
20 MASS AVE NW
WASHINGTON DC 20314

1 US ARMY MATERIEL
SYSTEMS ANALYSIS ACTIVITY
P DIETZ
392 HOPKINS RD
AMXSY TD
APG MD 21005-5071

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL OP AP L
APG MD 21005-5066

NO. OF
COPIES ORGANIZATION

8 COMMANDER
US ARMY TACOM
ASMTA TR R
D THOMAS
J BENNETT
D HANSEN
AMSTA JSK
S GOODMAN
J FLORENCE
AMSTA-TR-D
D OSTBERG
L HINOJOSA
B RAJU
WARREN MI 48397-5000

3 DIRECTOR
US ARMY NATIONAL GROUND
INTELLIGENCE CTR
D LEITER
S CARTER
S MINGLEDORF
220 SEVENTH STREET NE
CHARLOTTESVILLE VA 22091

1 US ARMY SBCCOM
SOLDIER SYSTEMS CENTER
BUS AREA ADVOCACY TEAM
W HASKELL
KANSAS ST
NATICK MA 01760-5019

8 US ARMY RESEARCH OFC
A CROWSON
J CHANDRA
J PRATER
R SINGLETON
G ANDERSON
D STEPP
D KISEROW
J CHANG
PO BOX 12211
RESEARCH TRIANGLE PARK NC
27709-2211

1 NAVAL AIR SYSTEMS COMMAND
J THOMPSON
48142 SHAW RD UNIT 5
PATUXENT RIVER MD 20670

NO. OF
COPIES ORGANIZATION

3 NAVAL UNDERWATER
WARFARE CTR
CODE 8232
BLDG 1302 02
J GOMEZ
C BEAUCHAMP
S PLUNKETT
1176 HOWELL ST
NEWPORT RI 02841

1 DIRECT REPORTING PROGRAM
MANAGER
ADVANCED AMPHIBIOUS
ASSAULT VEHICLE
991 ANNAPOLIS WAY
WOODBIDGE VA 22191-1215

1 NAVAL SURFACE WARFARE CTR
DAHLGREN DIV CODE G06
DAHLGREN VA 22448

1 NAVAL SURFACE WARFARE CTR
TECH LIBRARY CODE 323
17320 DAHLGREN RD
DAHLGREN VA 22448

3 NAVAL RESEARCH LAB
I WOLOCK CODE 6383
R BADALIANCE CODE 6304
L GAUSE
WASHINGTON DC 20375

1 NAVAL SURFACE WARFARE CTR
CRANE DIVISION
M JOHNSON CODE 20H4
LOUISVILLE KY 40214-5245

2 COMMANDER
NAVAL SURFACE WARFARE CTR
CARDEROCK DIVISION
R PETERSON CODE 2020
M CRITCHFIELD CODE 1730
BETHESDA MD 20084

2 NAVAL SURFACE WARFARE CTR
U SORATHIA
C WILLIAMS CD 6551
9500 MACARTHUR BLVD
WEST BETHESDA MD 20817

NO. OF
COPIES ORGANIZATION

NO. OF
COPIES ORGANIZATION

1 DAVID TAYLOR RESEARCH CTR
SHIP STRUCTURES &
PROTECTION
DEPARTMENT/CODE 1702
BETHESDA MD 20084

2 DAVID TAYLOR RESEARCH CTR
R ROCKWELL
W PHYLLAER
BETHESDA MD 20054-5000

1 OFC OF NAVAL RESEARCH
D SIEGEL CODE 351
800 N QUINCY ST
ARLINGTON VA 22217-5660

8 NAVAL SURFACE WARFARE CTR
J FRANCIS CODE G30
D WILSON CODE G32
R D COOPER CODE G32
J FRAYSSE CODE G33
E ROWE CODE G33
T DURAN CODE G33
L DE SIMONE CODE G33
R HUBBARD CODE G33
DAHLGREN VA 22448

1 NAVAL SEA SYSTEMS CMD
D LIESE
2531 JEFFERSON DAVIS HWY
ARLINGTON VA 22242-5160

1 NAVAL SURFACE WARFARE CTR
M LACY CODE B02
17320 DAHLGREN RD
DAHLGREN VA 22448

2 OFC OF NAVAL RESEARCH
D SIEGEL CODE 351
J KELLY
800 N QUINCY ST
ARLINGTON VA 22217-56601

2 NAVAL SURFACE WARFARE CTR
CARDEROCK DIVISION
R CRANE CODE 2802
C WILLIAMS CODE 6553
3A LEGGETT CIR
BETHESDA MD 20054-5000

1 NAVSEA OJRI
PEO DD21 PMS500
G CAMPONESCHI
2351 JEFFERSON DAVIS HWY
ARLINGTON VA 22242-5165

1 AFRL MLBC
2941 P ST RM 136
WRIGHT PATTERSON AFB OH
45433-7750

1 AFRL MLSS
R THOMSON
2179 12TH ST RM 122
WRIGHT PATTERSON AFB OH
45433-7718

2 AFRL
F ABRAMS
J BROWN
BLDG 653
2977 P ST STE 6
WRIGHT PATTERSON AFB OH
45433-7739

1 AFRL MLS OL
L COULTER
7278 4TH ST
BLDG 100 BAY D
HILL AFB UT 84056-5205

1 DEFENSE NUCLEAR AGENCY
INNOVATIVE CONCEPTS DIV
6801 TELEGRAPH RD
ALEXANDRIA VA 22310-3398

1 WATERWAYS EXPERIMENT
D SCOTT
3909 HALLS FERRY RD SC C
VICKSBURG MS 39180

3 DARPA
M VANFOSSEN
S WAX
L CHRISTODOULOU
3701 N FAIRFAX DR
ARLINGTON VA 22203-1714

NO. OF
COPIES ORGANIZATION

2 SERDP PROGRAM OFC
PM P2
C PELLERIN
B SMITH
901 N STUART ST STE 303
ARLINGTON VA 22203

1 FAA
MIL HDBK 17 CHAIR
L ILCEWICZ
1601 LIND AVE SW
ANM 115N
RESTON VA 98055

2 FAA
TECH CENTER
D OPLINGER AAR-431
P SHYPRYKEVICH AAR 431
ATLANTIC CITY NJ 08405

1 US DEPT OF ENERGY
OFC OF ENVIRONMENTAL
MANAGEMENT
P RITZCOVAN
19901 GERMANTOWN RD
GERMANTOWN MD 20874-1928

5 DIRECTOR
LLNL
R CHRISTENSEN
S DETERESA
F MAGNESS
M FINGER MS 313
M MURPHY L 282
PO BOX 808
LIVERMORE CA 94550

1 DIRECTOR
LLNL
F ADDESSIO MS B216
PO BOX 1633
LOS ALAMOS NM 87545

1 OAK RIDGE NATIONAL
LABORATORY
R M DAVIS
PO BOX 2008
OAK RIDGE TN 37831-6195

NO. OF
COPIES ORGANIZATION

7 NIST
R PARNAS
J DUNKERS
M VANLANDINGHAM MS 8621
J CHIN MS 8621
D HUNSTON MS 8543
J MARTIN MS 8621
D DUTHINH MS 8611
100 BUREAU DR
GAITHERSBURG MD 20899

1 OAK RIDGE NATIONAL
LABORATORY
C EBERLE MS 8048
PO BOX 2008
OAK RIDGE TN 37831

1 OAK RIDGE NATIONAL
LABORATORY
C D WARREN MS 8039
PO BOX 2008
OAK RIDGE TN 37831

1 HYDROGEOLOGIC INC
SERDP ESTCP SPT OFC
S WALSH
1155 HERNDON PKWY STE 900
HERNDON VA 201701

3 DIRECTOR
SANDIA NATIONAL LABS
APPLIED MECHANICS DEPT
DIVISION 8241
W KAWAHARA
K PERANO
D DAWSON
P NIELAN
PO BOX 969
LIVERMORE CA 94550-0969

3 NASA LANGLEY RSCH CTR
AMSRL VS
W ELBER MS 266
F BARTLETT JR MS 266
G FARLEY MS 266
HAMPTON VA 23681-0001

1 NASA LANGLEY RSCH CTR
T GATES MS 188E
HAMPTON VA 23661-3400

NO. OF
COPIES ORGANIZATION

1 USDOT FEDERAL RAILRD
M FATEH RDV 31
WASHINGTON DC 20590

1 DOT FHWA
J SCALZI
400 SEVENTH ST SW
3203 HNG 32
WASHINGTON DC 20590

1 FHWA
E MUNLEY
6300 GEORGETOWN PIKE
MCLEAN VA 22101

1 CENTRAL INTLLGNC AGNCY
OTI WDAG GT
W L WALTMAN
PO BOX 1925
WASHINGTON DC 20505

1 DIRECTOR
NATIONAL GRND INTLLGNC CTR
IANG TMT
220 SEVENTH ST NE
CHARLOTTESVILLE VA
22902-5396

1 DIRECTOR
DEFENSE INTLLGNC AGNCY
TA 5
K CRELLING
WASHINGTON DC 20310

1 GRAPHITE MASTERS INC
J WILLIS
3815 MEDFORD ST
LOS ANGELES CA 90063-1900

1 ADVANCED GLASS FIBER YARNS
T COLLINS
281 SPRING RUN LANE STE A
DOWNINGTON PA 19335

1 COMPOSITE MATERIALS INC
D SHORTT
19105 63 AVE NE
PO BOX 25
ARLINGTON WA 98223

NO. OF
COPIES ORGANIZATION

1 COMPOSITE MATERIALS INC
R HOLLAND
11 JEWEL CT
ORINDA CA 945631

1 COMPOSITE MATERIALS INC
C RILEY
14530 S ANSON AVE
SANTA FE SPRINGS CA 90670

2 COMPOSIX
D BLAKE
L DIXON
120 O NEILL DR
HEBRUN OH 43025

4 CYTEC FIBERITE
R DUNNE
D KOHLI
M GILLIO
R MAYHEW
1300 REVOLUTION ST
HAVRE DE GRACE MD 21078

2 SIMULA
J COLTMAN
R HUYETT
10016 S 51ST ST
PHOENIX AZ 85044

1 SIOUX MFG
B KRIEL
PO BOX 400
FT TOTTEN ND 58335

2 PROTECTION MATERIALS INC
M MILLER
F CRILLEY
14000 NW 58 CT
MIAMI LAKES FL 33014

3 FOSTER MILLER
J J GASSNER
M ROYLANCE
W ZUKAS
195 BEAR HILL RD
WALTHAM MA 02354-1196

1 ROM DEVELOPMENT CORP
R O MEARA
136 SWINEBURNE ROW
BRICK MARKET PLACE
NEWPORT RI 02840

NO. OF
COPIES ORGANIZATION

1 JPS GLASS
L CARTER
PO BOX 260
SLATER RD
SLATER SC 29683

1 O GARA HESS & EISENHARDT
M GILLESPIE
9113 LESAINT DR
FAIRFIELD OH 45014

1 CONNEAUGHT INDUSTRIES INC
J SANTOS
PO BOX 1425
COVENTRY RI 02816

1 BATTELLE
C R HARGREAVES
505 KING AVE
COLUMBUS OH 43201-2681

1 BATTELLE NATICK OPNS
B HALPIN
209 W CENTRAL ST STE 302
NATICK MA 01760

1 BATTELLE NW DOE PNNL
T HALL MS K231
BATTELLE BLVD
RICHLAND WA 99352

3 PACIFIC NORTHWEST LAB
M SMITH
G VAN ARSDALE
R SHIPPELL
PO BOX 999
RICHLAND WA 99352

1 ARMTEC DEFENSE PRODUCTS
S DYER
85 901 AVE 53
PO BOX 848
COACHELLA CA 92236

2 ADVANCED COMPOSITE MATS
CORP
P HOOD
J RHODES
1525 S BUNCOMBE RD
GREER SC 29651-9208

NO. OF
COPIES ORGANIZATION

2 GLCC INC
J RAY
M BRADLEY
103 TRADE ZONE DR STE 26C
WEST COLUMBIA SC 29170

1 SAIC
G CHRYSSOMALLIS
3800 W 80TH ST STE 1090
BLOOMINGTON MN 5543111

1 AAI CORPORATION
T G STASTNY
PO BOX 126
HUNT VALLEY MD 21030-0126

1 APPLIED COMPOSITES
W GRISCH
333 NORTH SIXTH ST
ST CHARLES IL 60174

3 HEXCEL INC
R BOE
F POLICELLI
J POESCH
PO BOX 98
MAGNA UT 84044

1 ZERNOW TECHNICAL SERVICES
L ZERNOW
425 W BONITA AVE STE 208
SAN DIMAS CA 91773

2 OLIN CORPORATION
FLINCHBAUGH DIV
E STEINER
B STEWART
PO BOX 127
RED LION PA 17356

1 OLIN CORPORATION
L WHITMORE
10101 NINTH ST NORTH
ST PETERSBURG FL 33702

1 GKN AEROSPACE
D OLDS
15 STERLING DR
WALLINGFORD CT 06492

NO. OF
COPIES ORGANIZATION

5 SIKORSKY AIRCRAFT
G JACARUSO
T CARSTENSAN
B KAY
S GARBO MS S330A
J ADELMANN
6900 MAIN ST
PO BOX 9729
STRATFORD CT 06497-9729

1 PRATT & WHITNEY
D HAMBRICK
400 MAIN ST MS 114 37
EAST HARTFORD CT 06108

1 AEROSPACE CORP
G HAWKINS M4 945
2350 E EL SEGUNDO BLVD
EL SEGUNDO CA 90245

2 CYTEC FIBERITE
M LIN
W WEB
1440 N KRAEMER BLVD
ANAHEIM CA 92806

1 HEXCEL
T BITZER
11711 DUBLIN BLVD
DUBLIN CA 94568

1 BOEING
R BOHLMANN
PO BOX 516 MC 5021322
ST LOUIS MO 63166-0516

2 BOEING DFENSE & SPACE GP
W HAMMOND S 4X55
J RUSSELL S 4X55
PO BOX 3707
SEATTLE WA 98124-2207

2 BOEING ROTORCRAFT
P MINGURT
P HANDEL
800 B PUTNAM BLVD
WALLINGFORD PA 19086

NO. OF
COPIES ORGANIZATION

1 BOEING
DOUGLAS PRODUCTS DIV
L J HART SMITH
3855 LAKEWOOD BLVD
D800 0019
LONG BEACH CA 90846-0001

1 LOCKHEED MARTIN
S REEVE
8650 COBB DR
D 73 62 MZ 0648
MARIETTA GA 30063-0648

1 LOCKHEED MARTIN
SKUNK WORKS
D FORTNEY
1011 LOCKHEED WAY
PALMDALE CA 93599-2502

1 LOCKHEED MARTIN
R FIELDS
1195 IRWIN CT
WINTER SPRINGS FL 32708

1 MATERIALS SCIENCES CORP
B W ROSEN
500 OFC CENTER DR STE 250
FT WASHINGTON PA 19034

2 NORTHROP GRUMMAN
ENVIRONMENTAL PROGRAMS
R OSTERMAN
A YEN
8900 E WASHINGTON BLVD
PICO RIVERA CA 90660

1 UDLP
D MARTIN
PO BOX 359
SANTA CLARA CA 95052

2 UDLP
G THOMAS
T PIKE
PO BOX 58123
SANTA CLARA CA 95052

2 UDLP
R BARRETT MAIL DROP M53
V HORVATICH MAIL DROP M53
328 W BROKAW RD
SANTA CLARA CA 95052-0359

NO. OF
COPIES ORGANIZATION

3 UDLP
R BRYNSVOLD
4800 EAST RIVER RD
MINNEAPOLIS MN 55421-1498

3 UDLP
GROUND SYSTEMS DIVISION
M PEDRAZZI MAIL DROP N09
A LEE MAIL DROP N11
M MACLEAN MAIL DROP N06
1205 COLEMAN AVE
SANTA CLARA CA 95052

2 GENERAL DYNAMICS
AMPHIBIOUS SYS
SURVIVABILITY LEAD
G WALKER
D LEAP
991 ANNAPOLIS WAY
WOODBIDGE VA 22191

2 GDLS
D REES
M PASIK
PO BOX 2074
WARREN MI 48090-2074

1 GDLS DIVISION
D BARTLE
PO BOX 1901
WARREN MI 48090

1 GDLS
MUSKEGON OPERATIONS
W SOMMERS JR
76 GETTY ST
MUSKEGON MI 49442

6 INST FOR ADVANCED
TECH
H FAIR
I MCNAB
P SULLIVAN
S BLESS
W REINECKE
C PERSAD
3955 W BRAKER LN STE 400
AUSTIN TX 78759-5316

NO. OF
COPIES ORGANIZATION

2 CIVIL ENGR RSCH FOUNDATION
PRESIDENT
H BERNSTEIN
R BELLE
1015 15TH ST NW STE 600
WASHINGTON DC 20005

1 ARROW TECH ASSO
1233 SHELBURNE RD STE D8
SOUTH BURLINGTON VT
05403-7700

1 R EICHELBERGER
CONSULTANT
409 W CATHERINE ST
BEL AIR MD 21014-3613

1 UCLA MANE DEPT ENGR IV
H T HAHN
LOS ANGELES CA 90024-1597

2 UNIV OF DAYTON
RESEARCH INST
R Y KIM
A K ROY
300 COLLEGE PARK AVE
DAYTON OH 45469-0168

1 MIT
P LAGACE
77 MASS AVE
CAMBRIDGE MA 01887

1 IIT RESEARCH CENTER
D ROSE
201 MILL ST
ROME NY 13440-6916

1 MICHIGAN ST UNIV
MSM DEPT
R AVERILL
3515 EB
EAST LANSING MI 48824-1226

1 UNIV OF KENTUCKY
L PENN
763 ANDERSON HALL
LEXINGTON KY 40506-0046

NO. OF
COPIES ORGANIZATION

1 UNIV OF WYOMING
D ADAMS
PO BOX 3295
LARAMIE WY 82071

1 UNIVERSITY OF UTAH
DEPT OF MECH & INDUSTRIAL
ENGR
S SWANSON
SALT LAKE CITY UT 84112

2 PENN STATE UNIV
R MCNITT
C BAKIS
212 EARTH ENGR
SCIENCES BLDG
UNIVERSITY PARK PA 16802

1 PENN STATE UNIV
R S ENGEL
245 HAMMOND BLDG
UNIVERSITY PARK PA 16801

1 PURDUE UNIV
SCHOOL OF AERO & ASTRO
C T SUN
W LAFAYETTE IN 47907-1282

1 STANFORD UNIV
DEPT OF AERONAUTICS
& AEROBALLISTICS
S TSAI
DURANT BLDG
STANFORD CA 94305

1 UNIV OF DAYTON
J M WHITNEY
COLLEGE PARK AVE
DAYTON OH 45469-0240

2 UNIV OF DELAWARE
CTR FOR COMPOSITE MTRLS
J GILLESPIE
D HEIDER
201 SPENCER LABORATORY
NEWARK DE 19716

NO. OF
COPIES ORGANIZATION

1 DEPT OF MATERIALS
SCIENCE & ENGINEERING
UNIVERSITY OF ILLINOIS
AT URBANA CHAMPAIGN
J ECONOMY
1304 WEST GREEN ST 115B
URBANA IL 61801

3 UNIV OF TEXAS AT AUSTIN
CTR FOR ELECTROMECHANICS
J PRICE
A WALLS
J KITZMILLER
10100 BURNET RD
AUSTIN TX 78758-4497

3 VA POLYTECHNIC
INST & STATE UNIV
DEPT OF ESM
M W HYER
K REIFSNIDER
R JONES
BLACKSBURG VA 24061-0219

1 NORTH CAROLINA STATE UNIV
CIVIL ENGINEERING DEPT
W RASDORF
PO BOX 7908
RALEIGH NC 27696-7908

1 UNIV OF MARYLAND
DEPT OF AEROSPACE ENGNRNG
A J VIZZINI
COLLEGE PARK MD 207421

1 DREXEL UNIV
A S D WANG
32ND & CHESTNUT ST
PHILADELPHIA PA 19104

1 SOUTHWEST RSCH INST
ENGR & MATL SCIENCES DIV
J RIEGEL
6220 CULEBRA RD
PO DRAWER 28510
SAN ANTONIO TX 78228-0510

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND

64 DIR USARL
AMSRL CS IO FI
M ADAMSON
AMSRL WM B
A HORST
AMSRL WM BR
C SHOEMAKER
J BORNSTEIN
AMSRL WM M
D VIECHNICKI
G HAGNAUER
J MCCAULEY
AMSRL WM MA
D FLANAGAN
D HARRIS
S MCKNIGHT
P MOY
P PATTERSON
G RODRIGUEZ
A TEETS
R YIN
AMSRL WM MB
B FINK
J BENDER
T BLANAS
T BOGETTI
R BOSSOLI
L BURTON
S CORNELISON
P DEHMER
W DRYSDALE
S GHIORSE
D GRANVILLE
C HOPPEL
D HENRY
R KASTE
M KLUSEWITZ
M LEADORE
R LIEB
E RIGAS
J SANDS
D SPAGNUOLO
W SPURGEON
J TZENG
E WETZEL

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND (CONT)

AMSRL WM MB ALC
A ABRAHAMIAN
M BERMAN
A FRYDMAN
T LI
W MCINTOSH
E SZYMANSKI
AMRSL WM MC
J BEATTY
J SWAB
J WELLS
AMSRL WM MD
W ROY
S WALSH
D STRAND
AMSRL WM T
B BURNS
AMSRL WM TD
T HADUCH
T MOYNIHAN
F GREGORY
AMSRL WM TE
A NIILER
AMSRL SS SD
H WALLACE

INTENTIONALLY LEFT BLANK.

| REPORT DOCUMENTATION PAGE | | | Form Approved OMB No. 0704-0188 | |
|---|---|--|---|--|
| Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project(0704-0188), Washington, DC 20503. | | | | |
| 1. AGENCY USE ONLY (Leave blank) | | 2. REPORT DATE June 2001 | | 3. REPORT TYPE AND DATES COVERED Final, April 2000–October 2000 |
| 4. TITLE AND SUBTITLE Fabrication of a Composite Airfoil With a Large Scale Twist Capability | | | 5. FUNDING NUMBERS 622618H80 | |
| 6. AUTHOR(S) William Spurgeon and Charles Beauchamp* | | | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-WM-MB Aberdeen Proving Ground, MD 21005-5069 | | | 8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TN-179 | |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Naval Underwater Warfare Center, 1176 Howell Street, Newport, RI 02841 | | | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER | |
| 11. SUPPLEMENTARY NOTES *Naval Underwater Warfare Center, 1176 Howell Street, Newport, RI 02841 | | | | |
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited. | | | 12b. DISTRIBUTION CODE | |
| 13. ABSTRACT (Maximum 200 words) This technical note describes the fabrication of a composite airfoil shaped part that could twist easily about its long axis, but would not flex easily. This part was fabricated using a polyurethane resin matrix glass reinforced composite material that performed satisfactorily in wind tunnel tests. Possibilities for scale-up to very large parts are described. | | | | |
| 14. SUBJECT TERMS flexible composite, polyurethane, airfoil | | | 15. NUMBER OF PAGES 24 | |
| | | | 16. PRICE CODE | |
| 17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED | 18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED | 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED | 20. LIMITATION OF ABSTRACT UL | |

INTENTIONALLY LEFT BLANK.

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. ARL Report Number/Author ARL-TN-179 (Spurgeon) Date of Report June 2001

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT
ADDRESS

Organization

Name

E-mail Name

Street or P.O. Box No.

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the Current or Correct address above and the Old or Incorrect address below.

OLD
ADDRESS

Organization

Name

Street or P.O. Box No.

City, State, Zip Code

(Remove this sheet, fold as indicated, tape closed, and mail.)

(DO NOT STAPLE)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 0001,APG,MD

POSTAGE WILL BE PAID BY ADDRESSEE

DIRECTOR
US ARMY RESEARCH LABORATORY
ATTN AMSRL WM MB
ABERDEEN PROVING GROUND MD 21005-5069



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

