

**AEDC-TR-09-F-34**



# **Pressure-Sensitive Paint Data on the Facility Aerodynamics Validation and Research (FAVOR) Model at AEDC**

**Marvin E. Sellers  
Aerospace Testing Alliance**

**December 2009**

**Final Report for Period October 2008**

**Statement A:** Approved for public release; distribution is unlimited.

**ARNOLD ENGINEERING DEVELOPMENT CENTER  
ARNOLD AIR FORCE BASE, TENNESSEE  
AIR FORCE MATERIEL COMMAND  
UNITED STATES AIR FORCE**

## NOTICES

When U. S. Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Qualified users may obtain copies of this report from the Defense Technical Information Center.


References to named commercial products in this report are not to be considered in any sense as an endorsement of the product by the United States Air Force or the Government.

## DESTRUCTION NOTICE

For unclassified, limited documents, destroy by any method that will prevent disclosure or reconstruction of the document.

## APPROVAL STATEMENT

### Prepared by:

  
MARVIN E. SELLERS  
Aerospace Testing Alliance

### Reviewed by:

  
RICHARD ROBERTS, PhD.  
716th Test Squadron

### Approved by:

  
JOHN J. WALTERS  
Deputy Director, 716<sup>th</sup> Test Squadron

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               |                                                             |                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------|-------------------------------|-------------------------------------------------------------|-----------------------------------------------------------|
| <b>REPORT DOCUMENTATION PAGE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |              |                                |                               | Form Approved<br>OMB No. 0704-0188                          |                                                           |
| <small>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</small>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               |                                                             |                                                           |
| 1. REPORT DATE (DD-MM-YYYY)<br>xx-12-2009                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |              | 2. REPORT TYPE<br>Final Report |                               | 3. DATES COVERED (From – To)<br>November 2009               |                                                           |
| 4. TITLE AND SUBTITLE<br>Pressure-Sensitive Paint Data on the Facility Aerodynamics Validation and Research (FAVOR) Model at AEDC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |                                |                               | 5a. CONTRACT NUMBER                                         |                                                           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               | 5b. GRANT NUMBER                                            |                                                           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               | 5c. PROGRAM ELEMENT NUMBER                                  |                                                           |
| 6. AUTHOR(S)<br>Sellers, Marvin E.<br>Aerospace Testing Alliance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |              |                                |                               | 5d. PROJECT NUMBER<br>12450                                 |                                                           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               | 5e. TASK NUMBER                                             |                                                           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               | 5f. WORK UNIT NUMBER                                        |                                                           |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br>Arnold Engineering Development Center<br>Air Force Material Command<br>Arnold Air Force Base, TN 37389-6001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |                                |                               | 8. PERFORMING ORGANIZATION<br>REPORT NO.<br>AEDC-TR-09-F-34 |                                                           |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br>Arnold Engineering Development Center<br>Air Force Material Command<br>Arnold Air Force Base, TN 37389-6001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                                |                               | 10. SPONSOR/MONITOR'S ACRONYM(S)                            |                                                           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               | 11. SPONSOR/MONITOR'S REPORT<br>NUMBER(S)                   |                                                           |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT<br>Statement A: Approved for public release; distribution is unlimited.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                |                               |                                                             |                                                           |
| 13. SUPPLEMENTARY NOTES<br>Available in the Defense Technical Information Center (DTIC).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |              |                                |                               |                                                             |                                                           |
| 14. ABSTRACT<br>Arnold Engineering Development Center (AEDC) recently acquired the Facility Aerodynamics Validation and Operations Research (FAVOR) model for use as a standard check model for Propulsion Wind Tunnel (PWT) 16T. The test article is a 5% scale model of the F-111 with new wings having a NACA 64-210 profile, a fixed sweep angle of 35 deg, and a span of 48 in. The plan is to periodically install the model and test across the facility capabilities to validate that tunnel operational characteristics have not changed. The first test of this model was recently completed as the baseline for future tests. While the internal balance and installed pressure taps were the primary source of data acquired, several other types of on- and off-body data were acquired. These included pressure-sensitive paint (PSP), background oriented schlieren (BOS), laser vapor screen, and planar doppler velocimetry (PDV). Pressure-sensitive paint data were acquired for demonstration of the techniques' capability to measure surface pressure and determine total vehicle loads and for use in computational fluid dynamics (CFD) validation. The PSP data were compared to and validated by conventional pressure data measured on the model and with total vehicle loads measured by the internal balance. This report documents the results from the PSP and presents the data comparisons. |              |                                |                               |                                                             |                                                           |
| 15. Subject Terms<br>Pressure-sensitive paint, lifetime technique, integrated loads, surface pressure distribution, transonic flow, 16T, wind tunnel tests, PSP (pressure-sensitive paint), panel loads, PWT (Propulsion Wind Tunnel), pressure distribution, FIB7, PtTFPP (platinum tetra pentafluorophenyl porphine), HAAS (high-angle automated sting)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |              |                                |                               |                                                             |                                                           |
| 16. SECURITY CLASSIFICATION OF:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                                | 17. LIMITATION OF<br>ABSTRACT | 18. NUMBER<br>OF PAGES                                      | 19A. NAME OF RESPONSIBLE PERSON                           |
| A. REPORT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | B. ABSTRACT  | C. THIS PAGE                   |                               |                                                             | Richard Roberts                                           |
| Unclassified                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Unclassified | Unclassified                   | Same as Report                | 138                                                         | 19B. TELEPHONE NUMBER (Include area code)<br>931-454-6225 |

## **PREFACE**

The work reported herein was conducted by the Arnold Engineering Development Center (AEDC), Air Force Materiel Command (AFMC), Arnold Air Force Base, TN. The results of the test were obtained by the Aerospace Testing Alliance (ATA), the operations, maintenance, information management, and support contractor for AEDC, AFMC, Arnold AFB, TN. Testing was conducted in Propulsion Wind Tunnel 16T of the Propulsion Wind Tunnel (PWT) Facility from 13 – 29 October 2008 under Air Force Project Number 12450. The Propulsion Wind Tunnel 16T Air Force Project Manager was Richard Roberts, and the ATA Project Manager was Melissa Minter.



## CONTENTS

|                                                           | <u>Page</u> |
|-----------------------------------------------------------|-------------|
| 1.0 INTRODUCTION .....                                    | 3           |
| 2.0 APPARATUS .....                                       | 3           |
| 2.1 Test Facility .....                                   | 3           |
| 2.2 Test Article .....                                    | 4           |
| 2.3 Pressure-Sensitive Paint Theory.....                  | 4           |
| 2.4 Pressure-Sensitive Paint.....                         | 5           |
| 2.5 Pressure-Sensitive Paint Data Acquisition System..... | 5           |
| 3.0 PROCEDURES .....                                      | 6           |
| 3.1 Test Conditions .....                                 | 6           |
| 3.2 Data Acquisition .....                                | 6           |
| 3.3 Pressure-Sensitive Paint Data Reduction .....         | 7           |
| 4.0 RESULTS AND DISCUSSION .....                          | 8           |
| 4.1 Pressure Measurement Comparisons.....                 | 8           |
| 4.2 PSP Error Analysis.....                               | 9           |
| 4.3 Integrated Force and Moment Comparisons.....          | 10          |
| 4.4 Full Surface Pressure Distributions.....              | 11          |
| 5.0 SUMMARY .....                                         | 11          |
| REFERENCES .....                                          | 13          |

## FIGURES

### Figure

|                                                                              |    |
|------------------------------------------------------------------------------|----|
| 1. FAVOR Test Article Installation in the HAAS Cart.....                     | 14 |
| 2. FAVOR Details .....                                                       | 15 |
| 3. PSP Lifetime Response to Pressure .....                                   | 16 |
| 4. Spectral Characteristics of PtTFPP in FIB7 and Filtered Light Source..... | 16 |
| 5. FIB7 PSP Calibration Results.....                                         | 17 |
| 6. PSP Data Acquisition System.....                                          | 19 |
| 7. PSP Slope Corrections .....                                               | 20 |
| 8. Mach Number 0.4 Wing Pressure Coefficient Comparison .....                | 21 |

|                                                                        |     |
|------------------------------------------------------------------------|-----|
| 9. Mach Number 0.8 Wing Pressure Coefficient Comparison .....          | 29  |
| 10. Mach Number 0.95 Wing Pressure Coefficient Comparison .....        | 39  |
| 11. Mach Number 1.1 Wing Pressure Coefficient Comparison .....         | 47  |
| 12. Pressure Error Between PSP and Conventional Pressure Orifices..... | 55  |
| 13. Total Integrated Loads.....                                        | 59  |
| 14. Delta Loads Between Balance and PSP Integration .....              | 65  |
| 15. Integrated Loads for the Left and Right Wings .....                | 69  |
| 16. Surface Pressure Distribution at Mach Number 0.4 .....             | 75  |
| 17. Surface Pressure Distribution at Mach Number 0.8 .....             | 81  |
| 18. Surface Pressure Distribution at Mach Number 0.95 .....            | 93  |
| 19. Surface Pressure Distribution at Mach Number 1.1 .....             | 105 |

## TABLES

### Table

|                                                    |     |
|----------------------------------------------------|-----|
| 1. Pressure Orifice Designation and Location ..... | 116 |
| 2. Paint Calibration Coefficients.....             | 135 |
| 3. Nominal Test Conditions.....                    | 135 |
| 4. Run Number Summary .....                        | 136 |

|                   |     |
|-------------------|-----|
| NOMENCLATURE..... | 137 |
|-------------------|-----|

## 1.0 INTRODUCTION

Arnold Engineering Development Center (AEDC) recently acquired the Facility Aerodynamics Validation and Operations Research (FAVOR) model for use as a standard check model for Propulsion Wind Tunnel (PWT) 16T. In addition, the test article is planned to be tested in several NASA facilities for comparison of test results. The test article is a 5% scale model of the F-111 with new wings having a NACA 64-210 profile, a fixed sweep angle of 35 deg, and a span of 48 in. The plan is to periodically install the model and test across the facility capabilities to validate that tunnel operational characteristics have not changed. The first test of this model was recently completed as the baseline for future tests. While the internal balance and installed pressure taps were the primary source of data acquired, several other types of on- and off-body data were acquired. These included pressure-sensitive paint (PSP), background oriented schlieren (BOS), laser vapor screen, and planar doppler velocimetry (PDV). Pressure-sensitive paint data were acquired for demonstration of the technique's capability to measure surface pressure and determine total vehicle loads and for use in computational fluid dynamics (CFD) validation. The PSP data were compared to and validated by conventional pressure data measured on the model and with total vehicle loads measured by the internal balance. This report documents the results from the PSP and presents the data comparisons.

## 2.0 APPARATUS

### 2.1 TEST FACILITY

AEDC Propulsion Wind Tunnel 16T is a closed-loop, continuous-flow, variable-density tunnel capable of being operated at Mach numbers from 0.06 to 1.60 and stagnation pressures from 120 to 4,000 psfa. The maximum attainable Mach number can vary slightly depending upon the tunnel pressure ratio requirements of a particular test installation. The maximum stagnation pressure attainable is a function of Mach number and available power. The tunnel stagnation temperature can be varied from approximately 60 to 160°F depending upon the available cooling water temperature. The tunnel is equipped with a scavenging system that removes combustion products when testing rocket motors or turbine engines.

The test cart used in Tunnel 16T was the high-angle automated sting (HAAS) cart, which has a 16-ft-square by 40-ft-long test section enclosed by porous walls. The wall porosity is fixed at 6% and is provided by regularly spaced 1-in.-diam holes that are inclined upstream at a 60-deg angle. The test section is completely enclosed in a plenum chamber from which air is evacuated at transonic and supersonic conditions, thus removing part of the tunnel airflow boundary layer through the porous walls of the test section. The HAAS test section has a side wall angle variation capability from -2.0 deg (convergence) to 0.8 deg (divergence). To compensate for the HAAS strut blockage, each side wall has a bulge section 6.0 in. deep. The model support system consists of a sector and sting attachment that has a pitch capability of -4 to 40 deg (position 2) with respect to the tunnel centerline and a roll capability of  $\pm 180$  deg about the sting centerline. The general arrangement of the test section and test article is shown in Fig. 1.

## 2.2 TEST ARTICLE

The test article was a 5% scale model of the F-111 with new wings having a NACA 64-210 profile, a fixed sweep angle of 35 deg, and a span of 48 in. The model was mounted on a six-component balance to measure the aerodynamic forces and moments. Each wing had 22 pressure orifices (11 upper and 11 lower) located at a fixed butline and the fuselage had 5 orifices, with all orifices connected to an electronically scanned pressure (ESP) module mounted inside the model. The model horizontal tails could be manually deflected using angled brackets but were fixed at zero degrees deflection for the PSP data. The inlets were faired over, and exit ducts were plugged to eliminate complications with flow through ducts corrections. Details of the test article are presented in Fig. 2. The actual pressure orifice locations and designations are listed in Table 1b. Since the model was designed prior to computer-aided drawing capabilities, there was no three-dimensional surface definition available for the fuselage, horizontals, or vertical tail. The model was scanned with a laser head mounted to a portable coordinate measuring machine. Unfortunately, the scan of the wings appeared to have some issues, so the surface file from the new wing design was used along with the scan of the remaining parts for the surface definition for PSP.

## 2.3 PRESSURE-SENSITIVE PAINT THEORY

PSP measurement systems exploit the sensitivity of certain luminescent molecules to oxygen density through the phenomenon of oxygen quenching. In a typical luminescent molecule, excitation by capture of a high-energy photon is followed by emission of a lower energy photon. As a result, the emitted photon will have a longer wavelength than the original exciting photon. The shift in emission wavelength from the absorption wavelength permits the measurement of emission intensity, or luminescence, with the use of appropriate filters. An alternate transition to the ground state is provided by collision with an oxygen molecule. Rather than emitting a photon, the excess energy of the luminescent molecule is absorbed by the oxygen molecule (oxygen quenching) during a collisional deactivation. Increasing amounts of oxygen increase the collisional deactivations, resulting in a decrease in the amount of luminescence. Since the number of oxygen molecules is directly proportional to the local pressure, low-pressure regions on the surface of a model will be brighter than regions of high pressure.

Two techniques exist for measurement of surface pressure using PSP: one is the “intensity” technique, and the other is the “lifetime” technique. In 2001, AEDC changed from the intensity technique to the lifetime technique to overcome limitations of the intensity method. A detailed description of the “intensity” technique can be found in Refs. 1 through 5. In the case of the lifetime technique, a pulsed light source is used to excite the paint to luminesce. The paint’s luminescence decays in an exponential fashion after the excitation is removed. If the excitation pulse ends at time zero, and the emitted intensity at that time is  $I_0$ , the emission then decays exponentially, following the relation:

$$I = I_0 e^{-t/\tau} \quad (1)$$

where  $I$  is the emitted intensity,  $t$  is time, and  $\tau$  is the lifetime. The rate of decay increases with increasing pressure (i.e., oxygen concentration) and is illustrated in Fig. 3. The rise and decay of the PSP response to the pulsed excitation cannot be measured with an imaging device. Therefore, two images (Gate 1 and Gate 2) are acquired with different start times relative to the excitation pulse. These gates integrate the area under the curve, and the resulting ratio represents the lifetime characteristic of the PSP. Also, because the light emitted from a single pulse is insufficient for accurate measurement, the excitation pulse is repeated many times to build up the signal for each gate. The images are acquired in succession with the tunnel at test conditions.

## 2.4 PRESSURE-SENSITIVE PAINT

Two layers of paint are typically applied to the model surface. The first is a white substrate that helps reflect the luminescent light away from the model surface and provides a uniform background. The first layer consists of the proprietary FIB7 polymer, developed by the University of Washington, with Titanium Dioxide. The second, the PSP layer, contains the FIB7 polymer and the luminescent molecule Platinum Tetra Pentafluorophenyl Porphine (PtTFPP). The FIB7 polymer is porous to oxygen molecules, permitting contact with the PtTFPP molecules. The absorption and emission spectral characteristics of PtTFPP in FIB7 and the excitation source are presented in Fig. 4. Each spectrum was normalized by its peak output. The response of the paint to pressure and temperature was measured in a controlled environment using a special calibration apparatus. The response from a coupon sample painted at the same time as the model is presented in Fig. 5a. The intensity ratio from the paint calibration data was fit using nonlinear regression analysis and the following equation:

$$\begin{aligned}
 P = & a_1 + a_2T + a_3T^2 + a_4T^3 + (IR) (b_1 + b_2T + b_3T^2 + b_4T^3) \\
 & + (IR)^2(c_1 + c_2T + c_3T^2 + c_4T^3) + (IR)^3(d_1 + d_2T + d_3T^2 + d_4T^3) \\
 & + (IR)^4(e_1 + e_2T + e_3T^2 + e_4T^3)
 \end{aligned} \tag{2}$$

where  $IR$  is the intensity ratio of Gate 1 over Gate 2 and  $T$  is the paint coupon surface temperature. The calibration coefficients ( $a_{1-4}$  through  $e_{1-4}$ ) are listed in Table 2. These calibration coefficients were used to calculate the surface pressure on the painted coupon sample, and the average residual curve fit error is presented in Fig. 5b. In addition, the standard deviation of the pressure across the sample (120,000 pixels for approximately 1 sq. in.) is presented in Figs. 5c and 5d as a pressure variation with pressure level. The image data from the calibration were binned (summed) over a 3 by 3 or 7 by 7 pixel area. The results illustrate a reduction in noise with averaging and are representative of the limitations of measurement accuracy.

## 2.5 PRESSURE-SENSITIVE PAINT DATA ACQUISITION SYSTEM

A schematic of the PSP data acquisition system (PSPDAS) used during the test is shown in Fig. 6. The PSP is excited by 40 light-emitting diode (LED) units, 10 LEDs per wall, which illuminate at a wavelength of 464 nm. The LEDs were pulsed on for 30  $\mu$ s every 600  $\mu$ s, for a 5% duty cycle, using a Berkley Nucleonics Corporation (BNC) 555 digital delay generator. The luminescence was measured with eight CoolSNAP K4 interline transfer cameras, each

with 2048 by 2048 pixel spatial resolution, and digitized at 12-bit (4096) gray level resolution. The interline transfer technology provides extremely accurate and repeatable exposure times necessary for the repeated experimental conditions required for the lifetime technique. The cameras also have a unique capability to accumulate the charge from thousands of individual pulses on the charge-coupled device (CCD) before readout. As a result, the read noise is significantly less than that of conventional interline transfer cameras, which read out after each pulse. The camera gating was controlled with the delay generator to maintain the temporal relationship between the LED pulse and the camera exposure. The luminescent light emitted by the paint was passed to the camera detector through a custom narrow-bandpass filter centered at 650 nm with a full width at half maximum of 40 nm. A Linux cluster, with a front end and eight nodes (each with dual processors), executed the data acquisition software that controlled the delay generator and cameras. One camera was connected to each node via a PCI card and fiber optic cable. A supply of pressurized air was used to cool the PSP equipment since it was exposed to the low-pressure environment in the tunnel plenum area.

### **3.0 PROCEDURES**

#### **3.1 TEST CONDITIONS**

The test was conducted at Mach numbers from 0.4 to 1.1 at a unit Reynolds number of 2.5 million/ft. The nominal test conditions established during the test are listed in Table 3. After establishing the desired test condition, data were recorded at selected angles of attack by pausing for completion of data acquisition. The angle of attack was varied from -3 to 40 deg (maximum angle decreased with increasing Mach). A test run number summary is presented in Table 4.

#### **3.2 DATA ACQUISITION**

Model aerodynamic loads data, conventional pressure data, and PSP images were acquired automatically by the facility computer. The facility computer set the requested model attitude and sent the run and sequence number to the PSPDAS, indicating that PSP data were to be acquired while the facility computer acquired the loads and conventional pressure data. The PSPDAS set the delay generator for Gate 1 to pulse the LEDs for 30  $\mu$ s and acquire a 30- $\mu$ s image during the LEDs pulse for a predetermined number of pulses. Once the image acquisition for Gate 1 was complete, the delay generator was set for Gate 2 to pulse the LEDs for 30  $\mu$ s and acquire a 30- $\mu$ s image 5  $\mu$ s after the LED pulse ended. The number of pulses for each gate was set to provide the brightest image possible, without saturation, for each test condition. The images for all eight cameras were acquired simultaneously and stored locally on each node. A file containing tunnel conditions, aerodynamic coefficients, and conventional pressure data was generated for each data point and stored on the PSPDAS. The PSPDAS returned a code to the facility computer once data acquisition was completed so the facility could advance to the next attitude or test condition.

### 3.3 PRESSURE-SENSITIVE PAINT DATA REDUCTION

Taking the ratio of the two gates, the effect of nonuniformities in illumination and paint thickness are negated, and there is no need to make a flat-field correction for pixel gain variation since identical pixels are ratioed. The raw images for both gates are first corrected for bias in the CCD (bias resulting from dark current charge accumulation) by subtracting a dark image with the equivalent number of pulses for each gate. The ideal process would be to generate a normalized (for the number of pulses) intensity ratio image by taking the pixel-by-pixel ratio of the Gate 1 image divided by the Gate 2 image as follows:

$$IR = \frac{(I_{Gate1} - I_{Dark1}) / (\#Gate1Pulses)}{(I_{Gate2} - I_{Dark2}) / (\#Gate2Pulses)} \quad (3)$$

However, analysis of PSP data taken with constant pressure on the model surface (at atmospheric or subatmospheric pressures) indicates the paint response differs from the laboratory calibration and is not uniform. Also, the possibility of red light leakage from the blue LEDs or blue light leakage through the camera filter will only affect the Gate 1 measurement (when the LED is on) and not be ratioed out. The nonuniform paint response is *independent* (fixed to the paint) of camera view angle and model attitude while the leakage effects (bias) are *dependent* on camera view angle and model attitude. Data acquired at a set of uniform pressures in the wind tunnel (e.g., 400, 800, 1,200, and 2,060 psfa) at each requested model attitude were used to compute the bias and slope corrections ( $s_0$  and  $s_1$ ) for an adjustment to the intensity ratio at each grid point on the model surface as follows:

$$IR_{adjusted} = \left( \frac{(I_{Gate1} - I_{Dark1}) / (\#Gate1Pulses) - Bias}{(I_{Gate2} - I_{Dark2}) / (\#Gate2Pulses)} - s_0 \right) / s_1 \quad (4)$$

The average bias adjustment is captured in the slope correction with the residual variation as model attitude varied captured in the bias term. As a result, the bias corrections were very small and are not presented. The spatial distribution and magnitude of the slope corrections are presented in Fig. 7. The result of applying this adjustment was a reduction in the PSP data uncertainty as compared to the pressure orifice measurements.

Registration targets were applied to the model, and their positions in model coordinates were measured using a portable coordinate-measuring machine (CMM). The registration targets were used to relate the two-dimensional (2D) image coordinate system to the three-dimensional (3D) model coordinate system. The photogrammetry methods described by Bell (Ref. 6) and Ruyten (Ref. 7) were used to overlay the 2D intensity ratio images from each camera onto a 3D mesh grid of the model surface. For each vertex point in the grid, a 7 by 7 average of the adjusted intensity ratio was extracted from the 2D image. If a vertex point was visible to more than one camera, the intensity ratio data were averaged using a weighting factor that was a function of the camera viewing angle. The surface pressure at each vertex was calculated using Eq. (2) with the adjusted intensity ratio ( $IR_{adjusted}$ ) and calibration coefficients ( $a_{1-4}$  through  $e_{1-4}$ ). The model surface temperature, substituted for  $T$  in Eq. (2),

was estimated using the turbulent boundary-layer recovery factor of 0.896 given by Schlichting (Ref. 8) and the following equation:

$$T_{surface} = r(TT - T_{\infty}) + T_{\infty} \quad (5)$$

where  $TT$  is the stagnation temperature,  $T_{\infty}$  is the freestream temperature, and  $r$  is the recovery factor. The surface pressure data ( $P$ ) were converted to pressure coefficient data using:

$$CP = \frac{(P - P_{\infty})}{Q_{\infty}} \quad (6)$$

where  $P_{\infty}$  and  $Q_{\infty}$  are the freestream static and dynamic pressure, respectively, calculated by the facility. The PSP data were adjusted to match the conventional pressure data to account for differences in estimated and actual surface temperatures and other unknown error sources. Differences between the conventional pressure data and PSP data at known corresponding locations on the model surface were calculated. These data were used to generate an average CP offset and slope correction that was applied to the 3D data file. The CP offset (converted to psf) and slope (in percent change) corrections that were applied to each data point are listed in Table 4. A PLOT3D type function file was generated for each data point with pressure coefficient data at each vertex point in the grid.

The PSP data practically provide a continuous distribution of surface pressure over the model surface. In an attempt to simplify and keep familiar the analysis of surface pressure data, virtual pressure taps were generated at six buttline stations on each wing, three stations on each horizontal tail, four waterline stations on the vertical tail, four fuselage stations on the body, and centerline cuts along the top and bottom of the fuselage. These data could be plotted as pressure profiles for comparisons with the conventional pressure data and with left and right surfaces for symmetry. The virtual pressure orifice locations and designations are listed in Table 1a. The sting cavity pressure was applied to surfaces representing the model and engine duct base as an approximation. The PSP data were numerically integrated for the total vehicle, the individual wings and horizontal tails, and the vertical tail to produce six-component forces and moments for each surface. The moment reference center for each surface was F.S. 27.150, B.L. 0.0, and W.L. 8.50. The sign was changed for all right surface side forces and yawing and rolling moments so that direct comparisons between the left and right surfaces of the model could be made (left-wing axis system).

## 4.0 RESULTS AND DISCUSSION

### 4.1 PRESSURE MEASUREMENT COMPARISONS

Verification of the PSP data is possible by comparison with the conventional pressure data, which is assumed to be truth. Also, the PSP data can be validated by comparing the data



from the left and right sides of the model which are supposed to be symmetrical. These comparisons for the six butto line stations on the wings are presented in Figs. 8-11.

The Mach number 0.4 PSP data presented in Fig. 8 are the noisiest because the surface pressures are closest to atmosphere and have the least amount of pressure variation across the wing. This is most evident on the lower surface of the wings with indications of rippling pressure distributions that should be fairly smooth and the PSP data indicating asymmetry on the two outboard sections of the wing where there should be none. However, comparisons of the two sections with conventional pressure data indicate fairly good agreement from minimum to maximum angle of attack. Some asymmetry occurs on the upper outboard wing sections at 8 deg (Fig. 8c) that is the result of asymmetric separation of the low pressure bubble on the wing. Once the wing reaches 14 deg angle of attack, the flow is fully separated outboard of butto line station 8.0 and the PSP data agree on both upper wing surfaces.

The Mach number 0.8 PSP data are presented in Fig. 9 and illustrate very good agreement with the conventional pressure data on the inboard upper and lower surface of the wings. The outboard upper surface also has very good agreement, but the lower surface has larger disagreement with the conventional data. The main reason for the disagreement was insufficient light emitted from the paint because the number of pulses acquired was too low. A repeat of this condition with increased pulses improved agreement (not presented) with conventional pressure measurements. A significant asymmetry is present in the PSP data on the upper wing surface between 7 and 12 deg angle of attack, after which the flow is separated and the PSP data are symmetric again.

The Mach number 0.95 PSP data are presented in Fig. 10 and illustrate excellent agreement with the conventional pressure data as well as having excellent symmetry between left and right wings. The one exception of PSP symmetry is for 12 deg angle of attack and once again is the result of asymmetric separation on the upper wing surface.

The Mach number 1.1 PSP data are presented in Fig. 11 and illustrate excellent agreement with the conventional pressure data as well as having excellent symmetry between left and right wings. The pressure orifice CWLO9 appears to be bad as compared with neighboring orifices and with the PSP from both wings. This was verified in the error analysis of the PSP data that was performed.

## 4.2 PSP ERROR ANALYSIS

Although the PSP data were "anchored" by the conventional pressure measurements using an average offset, there still remains a residual error between the paint and each individual orifice. The PSP measurement error can be estimated by computing the difference between the PSP and conventional pressure measurements on the two wings and the limited fuselage locations. The average pressure error of all data points at each Mach number and for each pressure orifice is presented as symbols in Figs. 12a-f, and the average error for all Mach numbers combined is presented in Fig. 12g. The error bars represent the  $\pm 1\sigma$  variation of the average error for each orifice. The pressure orifices CWIL1 and CWIL2 were removed from the error analysis because their positions on the wing were suspect and had significantly large errors. Likewise, CWOL9 was removed because the ESP measurement was suspect

as a result of comparison with neighboring values and PSP data. The average error of all orifices for Mach 0.4 was 10.8 psf with a standard deviation of  $\pm 7.6$  psf and is not fairly good for this low-speed condition. The average error for Mach 0.8 was 13.5 psf with a standard deviation of  $\pm 11.6$  psf, but a repeat of this condition with an increased number of pulses was 11.5 psf and  $\pm 7.6$  psf. The standard deviation was largest for the outboard lower wing section for the initial run but shows significant improvement on the repeat run that had an increased number of pulses acquired. This is a good indication that maximizing the emitted light from the PSP reduces the measurement noise. The average error for Mach 0.9 was 9.1 psf with a standard deviation of  $\pm 7.4$  psf, and the repeat was 10.0 psf and  $\pm 7.7$  psf. The average error was lowest for Mach 1.1 at 8.4 psf with a standard deviation of  $\pm 6.0$  psf. When combining all Mach numbers together, the average error was 10.4 psf with a standard deviation of  $\pm 9.1$  psf. These measurement errors are very good for PSP; however, the region of evaluation is limited.

### 4.3 INTEGRATED FORCE AND MOMENT COMPARISONS

A comparison of measured balance loads with the PSP integrated loads for the total vehicle are presented in Fig. 13. The PSP normal force and pitching moment agree very well with the balance measurements at all Mach numbers with the exception of the PSP pitching moment at Mach 0.4 for angles of attack less than 14 deg. The most likely reason is the very small and strong low-pressure region along the leading edge of the wings. A visualization of this will be presented in the next section. A small error in the mapping of this gradient can significantly affect the integrated pitching moment. The PSP normal force and pitching moment data for the initial Mach 0.8 run at the highest angles of attack start to deviate from the balance data as a result of the poor measurement on the lower wing surfaces. The data for the repeat run agree very well. The side force and yawing moment should be near zero since the model is supposedly symmetric. While the balance side force is near zero, a significant yawing moment was measured, especially when asymmetric separation occurred over the wing. This separation is evident in the large rolling moment generated and coincided with a spike in the yawing moment. This must be a coupling yaw moment because the side force did not have a corresponding change. The PSP yaw and roll plane data typically tracked the balance data but with some offset. It is difficult to pinpoint the source of the error in the PSP data because small forces at large distances (i.e., wing tips) from the moment reference center can introduce large moment errors. The PSP axial force tracked the balance measurement for all conditions but was always low. This was as expected because the PSP does not measure skin friction force, which is measured by the balance.

To provide a better understanding of the difference between PSP and balance data, the two were subtracted to generate delta loads (balance - PSP) and are presented in Fig. 14. The Mach 0.4 data illustrate a noisy result at angles of attack less than 14 deg and a large PSP rolling moment error. This is the result of noisy data across the surface of the model because of the high absolute surface pressure, where PSP does not perform well. The data at Mach 0.8 illustrate the improvement made by increasing the number of pulses for the repeat run. Again, the higher surface pressure noise for the first run resulted in a significant normal force and pitching and rolling moment error and was the result of poor measurement on the lower surface of the wings, especially toward the wing-tips. The data at Mach numbers 0.95 and 1.1 compare very well and are within 10% of the measured load. A significant observation is

the increasing axial force error as Mach number increases. This corresponds with the expected increase in skin friction as Mach increases.

Another validation of the PSP data can be performed by comparing the symmetry of integrated loads for the left and right wings as presented in Fig. 15. At Mach 0.4 there is a significant difference between the wing normal force and pitching and rolling moments. The wing rolling moment difference explains where most of the rolling moment error comes from in the total integration. However, the normal force and pitching moment error do not show up in the total loads. These must be canceled by errors on other surfaces. The normal force and pitching and rolling moment data at the other Mach numbers agree very well with the exception when asymmetric wing separation occurs. The wing axial force agrees very well at all conditions. With the exception of the Mach 0.4 data, the errors in the total integrated loads must be occurring on other surfaces of the vehicle. While not presented herein, the horizontal tail loads agreed very well, and the vertical tail contributed small loads to the total. Integrations of the left and right halves of the fuselage did have significant differences that contributed to the error of the PSP.

#### **4.4 FULL SURFACE PRESSURE DISTRIBUTIONS**

One of the advantages of PSP is the detailed surface pressure distribution that it provides. Surface pressure distributions on the upper and lower surfaces of the model for Mach 0.4 are presented in Fig. 16. At Mach 0.4 the pressure gradients are greatest on the upper wing, fuselage, and horizontal tail surfaces. As discussed earlier, a strong low-pressure region can be seen on the leading edge of the wing at 8 deg angle of attack. Strong vortices generated by the wing glove and the wing glove intersection and the effects on the wing pressure distribution can be seen at 14 deg angle of attack. Vortices are also generated from the leading edge of the horizontal tails.

Pressure distributions for Mach 0.8 are presented in Fig. 17. A strong low-pressure region is generated by the wing at negative angles of attack. The symmetry of the flow at 5 deg angle of attack is illustrated in Fig. 16b, while the asymmetric separation is visible in Figs. 16c and 16d. Symmetric conditions exist once the angle of attack gets to 14 deg and beyond.

Pressure distributions for Mach 0.95 and 1.1 are presented in Figs. 18 and 19. Strong shocks are present on the wings at 5 and 10 deg angle of attack after which separation starts to occur. Again, the symmetry prior to separation is evident in the images and returns at 14 deg for Mach 0.95 and after 14 deg for Mach 1.1.


### **5.0 SUMMARY**

Pressure-sensitive paint data were acquired on the FAVOR model in 16T for demonstration of the technique's ability to measure surface pressure and determine total vehicle loads and for use in CFD validation. The PSP data were compared to and validated by conventional pressure data measured on the model and with total vehicle loads measured by the internal balance. Some conclusions and observations from the test are as follows:


- The PSP pressure distributions had excellent agreement with the conventional pressure measurements except for the Mach 0.4 and initial Mach 0.8 runs. The main reason for the disagreement was noise in the PSP surface pressure measurement. The comparison between left and right surface PSP measurements was excellent when symmetry was present. Asymmetrical conditions that occurred with the abrupt wing stall were captured by the PSP in fine detail.
- The error analysis of the PSP measurements indicates the average error of the PSP to be approximately 10 psf when compared to the conventional measurements. However, by evaluating the error at each Mach number, a trend is observable that illustrates an improvement in PSP accuracy as Mach number increases, primarily the result of decreasing freestream pressure. In addition, the need to maximize the amount of emitted light from the PSP to reduce measurement noise is demonstrated in the Mach 0.8 repeat run. The region of error evaluation is limited to the two wing sections that were instrumented and the few fuselage pressure orifices.
- The total integrated normal force and pitching moment from the PSP data agree within 10% of the balance measured loads for most conditions. The integrated axial force was low compared to the balance measurement because the PSP cannot measure skin friction. The axial force error increased as Mach number increased because skin friction increases with Mach over the tested conditions. The yawing and rolling moment errors were significant, and the source was not easily identifiable. However, comparisons of the rolling moments for the left and right wings were excellent except for Mach 0.4. The vision for PSP was to reduce, or possibly eliminate, the need for a model with numerous pressure orifices to determine distributed loads in the structural analysis effort, not to replace a balance.
- Detailed pressure maps provided by the PSP data enable evaluation of the surface flow patterns and identification of flow disturbance sources. Also, the data will be very useful for CFD validation.

## REFERENCES

1. Sellers, M. E. and Brill, J. A. "Demonstration of a Pressure Sensitive Paint in the AEDC 16-ft Transonic Wind Tunnel Using the TST Model" AIAA Paper 94-2481, 18th AIAA Aerospace Ground Testing Conference, Colorado Springs, CO, June 1994.
2. Sellers, M. E. "Demonstrations of a Pressure Sensitive Paint Data System in the AEDC Propulsion Wind Tunnel 16T." AEDC-TR-95-8, October 1995.
3. Sellers, M. E. "Demonstration Comparison of an AEDC and a Russian Developed Pressure Sensitive Paint in the AEDC Propulsion Wind Tunnel 16T." AEDC-TR-95-88, December 1995.
4. Sellers, M. E. "Pressure Sensitive Paint Data on the Transonic Technology Wing Demonstrator (TST) in the AEDC Propulsion Wind Tunnel 16T." AEDC-TR-98-3, June 1998.
5. Sellers, M. E. "Application of Pressure Sensitive Paint for Determining Aerodynamic Loads on a Scale Model of the F-16C." AIAA Paper 2000-2528, 21st AIAA Aerodynamic Measurement Technology and Ground Testing Conference, Denver, CO, June 2000.
6. Bell, J. H. and McLachlan, B. G. "Image Registration for Luminescent Paint Sensors." AIAA Paper 93-0178, 31st Aerospace Sciences Meeting, Reno, NV, January 1993.
7. Ruyten, W. M. "Automatic Image Registration for Optical Techniques in Aerodynamic Test Facilities." AIAA Paper 2004-2400, 24th AIAA Aerodynamic Measurement Technology and Ground Testing Conference, Portland, OR, 28 June – 1 July 2004.
8. Schlichting, H. *Boundary Layer Theory*. McGraw-Hill, New York, 1979 (Seventh Edition).



**Figure 1. FAVOR Test Article Installation in the HAAS Cart**



**Dimensions in Inches**

**Figure 2. FAVOR Details**




Figure 3. PSP Lifetime Response to Pressure






Figure 4. Spectral Characteristics of PtTFPP in FIB7 and Filtered Light Source






a. FIB7 PSP Pressure and Temperature Characteristics




b. Curve Fit Residual Error

Figure 5. FIB7 PSP Calibration Results




c. Pressure Variation on PSP Sample, 5 by 5 Average



d. Pressure Variation on PSP Sample, 7 by 7 Average

Figure 5. Concluded



**Figure 6. PSP Data Acquisition System**






Figure 7. PSP Slope Corrections.




a. Alpha 0 deg.


Figure 8. Mach Number 0.4 Wing Pressure Coefficient Comparison.



**b. Alpha 4 deg.**  
**Figure 8. Continued.**




c. Alpha 8 deg.  
Figure 8. Continued.




d. Alpha 14 deg.  
Figure 8. Continued.







e. Alpha 20 deg.  
Figure 8. Continued.




f. Alpha 28 deg.  
Figure 8. Continued.



g. Alpha 36 deg.  
Figure 8. Continued.




h. Alpha 40 deg.  
Figure 8. Concluded.




a. Alpha -3 deg.


Figure 9. Mach Number 0.8 Wing Pressure Coefficient Comparison.



**b. Alpha 0 deg.**  
**Figure 8. Continued.**




c. Alpha 5 deg.  
Figure 9. Continued.




d. Alpha 7 deg.  
Figure 9. Continued.







e. Alpha 10 deg.  
Figure 9. Continued.




f. Alpha 12 deg.  
Figure 9. Continued.




g. Alpha 14 deg.  
Figure 9. Continued.




h. Alpha 20 deg.  
Figure 9. Continued.



i. Alpha 28 deg.  
Figure 9. Continued.




j. Alpha 32 deg.  
Figure 9. Concluded.




a. Alpha -3 deg.

Figure 10. Mach Number 0.95 Wing Pressure Coefficient Comparison.




**b. Alpha 0 deg.**  
**Figure 10. Continued.**







c. Alpha 5 deg.  
Figure 10. Continued.




d. Alpha 10 deg.  
Figure 10. Continued.




e. Alpha 12 deg.  
Figure 10. Continued.




f. Alpha 14 deg.  
Figure 10. Continued.



g. Alpha 24 deg.  
Figure 10. Continued.




h. Alpha 32 deg.  
Figure 10. Concluded.




a. Alpha -3 deg.

Figure 11. Mach Number 1.1 Wing Pressure Coefficient Comparison.




b. Alpha 0 deg.  
Figure 11. Continued.







c. Alpha 5 deg.  
Figure 11. Continued.




d. Alpha 10 deg.  
Figure 11. Continued.




e. Alpha 12 deg.  
Figure 11. Continued.




f. Alpha 14 deg.  
Figure 11. Continued.



g. Alpha 16 deg.  
Figure 11. Continued.




h. Alpha 24 deg.  
Figure 11. Concluded.




a. Mach 0.4

Figure 12. Pressure Error Between PSP and Conventional Pressure Orifices.




b. Mach 0.8

Figure 12. Continued.




c. Mach 0.8 Repeat  
 Figure 12. Continued.




d. Mach 0.95  
 Figure 12. Continued.







e. Mach 0.95 Repeat  
 Figure 12. Continued.




f. Mach 1.1  
 Figure 12. Continued.




**e. All Mach Numbers**  
**Figure 12. Concluded.**




a. Mach Number 0.4.  
Figure 13. Total Integrated Loads.




**b. Mach Number 0.8.**  
**Figure 13. Continued.**




c. Mach Number 0.8 Repeat.  
Figure 13. Continued.



d. Mach Number 0.95.  
Figure 13. Continued.




e. Mach Number 0.95 Repeat.  
Figure 13. Continued.




f. Mach Number 1.1.  
Figure 13. Concluded.






a. Mach Number 0.4.


Figure 14. Delta Loads Between Balance and PSP Integration.




**b Mach Number 0.8.**  
**Figure 14. Continued.**



**c. Mach Number 0.95.**  
**Figure 14. Continued.**




**d. Mach Number 1.1.**  
**Figure 14. Concluded.**




a. Mach Number 0.4.


Figure 15. Integrated Loads for the Left and Right Wings.



**b. Mach Number 0.8.**  
**Figure 15. Continued.**




c. Mach Number 0.8 Repeat.  
Figure 15. Continued.




d. Mach Number 0.95.  
Figure 15. Continued.






e. Mach Number 0.95 Repeat.  
Figure 15. Continued.




f. Mach Number 1.1.  
Figure 15. Concluded.




a. Alpha 8 deg.  
Figure 16. Surface Pressure Distribution at Mach Number 0.4.





b. Alpha 14 deg.  
Figure 16. Continued.






c. Alpha 20 deg.  
Figure 16. Concluded









a. Alpha -3 deg.  
Figure 17. Surface Pressure Distribution at Mach Number 0.8.






b. Alpha 5 deg.  
Figure 17. Continued.





c. Alpha 10 deg.  
Figure 17. Continued.






d. Alpha 12 deg.  
Figure 17. Continued.









e. Alpha 14 deg.  
Figure 17. Continued.






f. Alpha 24 deg.  
Figure 17. Concluded.





a. Alpha -3 deg.  
Figure 18. Surface Pressure Distribution at Mach Number 0.95.






b. Alpha 5 deg.  
Figure 18. Continued.









c. Alpha 10 deg.  
Figure 18. Continued.






d. Alpha 12 deg.  
Figure 18. Continued.





e. Alpha 14 deg.  
Figure 18. Continued.






f. Alpha 24 deg.  
Figure 18. Concluded.









a. Alpha -3 deg.  
Figure 19. Surface Pressure Distribution at Mach Number 1.1.






b. Alpha 5 deg.  
Figure 19. Continued.





c. Alpha 10 deg.  
Figure 19. Continued.






d. Alpha 12 deg.  
Figure 19. Continued.








e. Alpha 14 deg.  
Figure 19. Continued.





f. Alpha 24 deg.  
Figure 19. Concluded.

**Table 1. Pressure Orifice Designation and Location**  
**a. Virtual Pressure Orifices**

| Designation | F.S.   | B.L.  | W.L.   |
|-------------|--------|-------|--------|
| WRU-1-1     | 23.241 | 5.000 | 9.725  |
| WRU-1-2     | 23.395 | 5.000 | 9.844  |
| WRU-1-3     | 23.578 | 5.000 | 9.911  |
| WRU-1-4     | 23.770 | 5.000 | 9.950  |
| WRU-1-5     | 23.963 | 5.000 | 9.980  |
| WRU-1-6     | 24.158 | 5.000 | 10.003 |
| WRU-1-7     | 24.352 | 5.000 | 10.024 |
| WRU-1-8     | 24.547 | 5.000 | 10.042 |
| WRU-1-9     | 24.742 | 5.000 | 10.058 |
| WRU-1-10    | 24.938 | 5.000 | 10.073 |
| WRU-1-11    | 25.133 | 5.000 | 10.087 |
| WRU-1-12    | 25.328 | 5.000 | 10.100 |
| WRU-1-13    | 25.524 | 5.000 | 10.111 |
| WRU-1-14    | 25.719 | 5.000 | 10.120 |
| WRU-1-15    | 25.915 | 5.000 | 10.126 |
| WRU-1-16    | 26.111 | 5.000 | 10.129 |
| WRU-1-17    | 26.306 | 5.000 | 10.127 |
| WRU-1-18    | 26.502 | 5.000 | 10.125 |
| WRU-1-19    | 26.698 | 5.000 | 10.122 |
| WRU-1-20    | 26.894 | 5.000 | 10.119 |
| WRU-1-21    | 27.089 | 5.000 | 10.115 |
| WRU-1-22    | 27.285 | 5.000 | 10.112 |
| WRU-1-23    | 27.481 | 5.000 | 10.110 |
| WRU-1-24    | 27.677 | 5.000 | 10.105 |
| WRU-1-25    | 27.872 | 5.000 | 10.100 |
| WRU-1-26    | 28.068 | 5.000 | 10.094 |
| WRU-1-27    | 28.264 | 5.000 | 10.087 |
| WRU-1-28    | 28.459 | 5.000 | 10.076 |
| WRU-1-29    | 28.654 | 5.000 | 10.057 |
| WRU-1-30    | 28.849 | 5.000 | 10.035 |
| WRU-1-31    | 29.043 | 5.000 | 10.016 |
| WRU-1-32    | 29.238 | 5.000 | 9.995  |
| WRU-1-33    | 29.432 | 5.000 | 9.971  |
| WRU-1-34    | 29.627 | 5.000 | 9.947  |
| WRU-1-35    | 29.821 | 5.000 | 9.921  |
| WRU-1-36    | 30.015 | 5.000 | 9.895  |
| WRU-1-37    | 30.208 | 5.000 | 9.867  |
| WRU-1-38    | 30.402 | 5.000 | 9.837  |
| WRU-1-39    | 30.594 | 5.000 | 9.801  |
| WRU-1-40    | 30.786 | 5.000 | 9.761  |
| WRU-2-1     | 25.440 | 8.125 | 9.738  |
| WRU-2-2     | 25.621 | 8.125 | 9.818  |
| WRU-2-3     | 25.811 | 8.125 | 9.871  |
| WRU-2-4     | 26.004 | 8.125 | 9.918  |
| WRU-2-5     | 26.198 | 8.125 | 9.957  |
| WRU-2-6     | 26.393 | 8.125 | 9.991  |
| WRU-2-7     | 26.589 | 8.125 | 10.018 |
| WRU-2-8     | 26.785 | 8.125 | 10.041 |
| WRU-2-9     | 26.982 | 8.125 | 10.060 |
| WRU-2-10    | 27.180 | 8.125 | 10.075 |

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| WRU-2-11    | 27.377 | 8.125  | 10.087 |
| WRU-2-12    | 27.575 | 8.125  | 10.097 |
| WRU-2-13    | 27.773 | 8.125  | 10.105 |
| WRU-2-14    | 27.971 | 8.125  | 10.110 |
| WRU-2-15    | 28.169 | 8.125  | 10.112 |
| WRU-2-16    | 28.367 | 8.125  | 10.113 |
| WRU-2-17    | 28.565 | 8.125  | 10.111 |
| WRU-2-18    | 28.762 | 8.125  | 10.106 |
| WRU-2-19    | 28.960 | 8.125  | 10.099 |
| WRU-2-20    | 29.158 | 8.125  | 10.089 |
| WRU-2-21    | 29.356 | 8.125  | 10.078 |
| WRU-2-22    | 29.553 | 8.125  | 10.063 |
| WRU-2-23    | 29.750 | 8.125  | 10.047 |
| WRU-2-24    | 29.947 | 8.125  | 10.029 |
| WRU-2-25    | 30.144 | 8.125  | 10.009 |
| WRU-2-26    | 30.341 | 8.125  | 9.988  |
| WRU-2-27    | 30.538 | 8.125  | 9.966  |
| WRU-2-28    | 30.734 | 8.125  | 9.943  |
| WRU-2-29    | 30.931 | 8.125  | 9.919  |
| WRU-2-30    | 31.127 | 8.125  | 9.895  |
| WRU-2-31    | 31.324 | 8.125  | 9.870  |
| WRU-2-32    | 31.520 | 8.125  | 9.846  |
| WRU-2-33    | 31.717 | 8.125  | 9.822  |
| WRU-2-34    | 31.913 | 8.125  | 9.798  |
| WRU-2-35    | 32.110 | 8.125  | 9.775  |
| WRU-2-36    | 32.306 | 8.125  | 9.752  |
| WRU-2-37    | 32.503 | 8.125  | 9.731  |
| WRU-3-1     | 28.157 | 12.000 | 9.760  |
| WRU-3-2     | 28.343 | 12.000 | 9.833  |
| WRU-3-3     | 28.536 | 12.000 | 9.884  |
| WRU-3-4     | 28.732 | 12.000 | 9.927  |
| WRU-3-5     | 28.929 | 12.000 | 9.963  |
| WRU-3-6     | 29.127 | 12.000 | 9.993  |
| WRU-3-7     | 29.325 | 12.000 | 10.017 |
| WRU-3-8     | 29.524 | 12.000 | 10.035 |
| WRU-3-9     | 29.724 | 12.000 | 10.050 |
| WRU-3-10    | 29.924 | 12.000 | 10.062 |
| WRU-3-11    | 30.124 | 12.000 | 10.070 |
| WRU-3-12    | 30.324 | 12.000 | 10.076 |
| WRU-3-13    | 30.524 | 12.000 | 10.078 |
| WRU-3-14    | 30.724 | 12.000 | 10.078 |
| WRU-3-15    | 30.924 | 12.000 | 10.075 |
| WRU-3-16    | 31.124 | 12.000 | 10.070 |
| WRU-3-17    | 31.324 | 12.000 | 10.061 |
| WRU-3-18    | 31.524 | 12.000 | 10.050 |
| WRU-3-19    | 31.724 | 12.000 | 10.036 |
| WRU-3-20    | 31.923 | 12.000 | 10.019 |
| WRU-3-21    | 32.122 | 12.000 | 10.001 |
| WRU-3-22    | 32.321 | 12.000 | 9.981  |
| WRU-3-23    | 32.520 | 12.000 | 9.959  |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| WRU-3-24    | 32.719 | 12.000 | 9.936  |
| WRU-3-25    | 32.918 | 12.000 | 9.912  |
| WRU-3-26    | 33.116 | 12.000 | 9.888  |
| WRU-3-27    | 33.315 | 12.000 | 9.864  |
| WRU-3-28    | 33.514 | 12.000 | 9.839  |
| WRU-3-29    | 33.712 | 12.000 | 9.815  |
| WRU-3-30    | 33.911 | 12.000 | 9.791  |
| WRU-3-31    | 34.110 | 12.000 | 9.768  |
| WRU-3-32    | 34.309 | 12.000 | 9.747  |
| WRU-4-1     | 31.049 | 16.125 | 9.782  |
| WRU-4-2     | 31.239 | 16.125 | 9.848  |
| WRU-4-3     | 31.434 | 16.125 | 9.895  |
| WRU-4-4     | 31.631 | 16.125 | 9.934  |
| WRU-4-5     | 31.829 | 16.125 | 9.965  |
| WRU-4-6     | 32.029 | 16.125 | 9.990  |
| WRU-4-7     | 32.229 | 16.125 | 10.009 |
| WRU-4-8     | 32.429 | 16.125 | 10.023 |
| WRU-4-9     | 32.630 | 16.125 | 10.033 |
| WRU-4-10    | 32.831 | 16.125 | 10.040 |
| WRU-4-11    | 33.032 | 16.125 | 10.042 |
| WRU-4-12    | 33.232 | 16.125 | 10.042 |
| WRU-4-13    | 33.433 | 16.125 | 10.038 |
| WRU-4-14    | 33.634 | 16.125 | 10.030 |
| WRU-4-15    | 33.835 | 16.125 | 10.020 |
| WRU-4-16    | 34.035 | 16.125 | 10.006 |
| WRU-4-17    | 34.235 | 16.125 | 9.990  |
| WRU-4-18    | 34.435 | 16.125 | 9.971  |
| WRU-4-19    | 34.635 | 16.125 | 9.950  |
| WRU-4-20    | 34.835 | 16.125 | 9.928  |
| WRU-4-21    | 35.035 | 16.125 | 9.905  |
| WRU-4-22    | 35.234 | 16.125 | 9.881  |
| WRU-4-23    | 35.434 | 16.125 | 9.857  |
| WRU-4-24    | 35.633 | 16.125 | 9.832  |
| WRU-4-25    | 35.832 | 16.125 | 9.808  |
| WRU-4-26    | 36.032 | 16.125 | 9.785  |
| WRU-4-27    | 36.232 | 16.125 | 9.764  |
| WRU-5-1     | 33.817 | 20.000 | 9.822  |
| WRU-5-2     | 34.013 | 20.000 | 9.873  |
| WRU-5-3     | 34.211 | 20.000 | 9.914  |
| WRU-5-4     | 34.411 | 20.000 | 9.946  |
| WRU-5-5     | 34.611 | 20.000 | 9.970  |
| WRU-5-6     | 34.813 | 20.000 | 9.988  |
| WRU-5-7     | 35.015 | 20.000 | 9.999  |
| WRU-5-8     | 35.217 | 20.000 | 10.006 |
| WRU-5-9     | 35.419 | 20.000 | 10.009 |
| WRU-5-10    | 35.622 | 20.000 | 10.007 |
| WRU-5-11    | 35.824 | 20.000 | 10.001 |
| WRU-5-12    | 36.026 | 20.000 | 9.990  |
| WRU-5-13    | 36.228 | 20.000 | 9.977  |
| WRU-5-14    | 36.429 | 20.000 | 9.960  |

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| WRU-5-15    | 36.631 | 20.000 | 9.941 |
| WRU-5-16    | 36.832 | 20.000 | 9.919 |
| WRU-5-17    | 37.033 | 20.000 | 9.897 |
| WRU-5-18    | 37.234 | 20.000 | 9.873 |
| WRU-5-19    | 37.435 | 20.000 | 9.849 |
| WRU-5-20    | 37.636 | 20.000 | 9.825 |
| WRU-5-21    | 37.837 | 20.000 | 9.801 |
| WRU-5-22    | 38.038 | 20.000 | 9.779 |
| WRU-6-1     | 35.924 | 23.000 | 9.834 |
| WRU-6-2     | 36.115 | 23.000 | 9.879 |
| WRU-6-3     | 36.308 | 23.000 | 9.915 |
| WRU-6-4     | 36.503 | 23.000 | 9.942 |
| WRU-6-5     | 36.698 | 23.000 | 9.962 |
| WRU-6-6     | 36.895 | 23.000 | 9.975 |
| WRU-6-7     | 37.091 | 23.000 | 9.981 |
| WRU-6-8     | 37.287 | 23.000 | 9.982 |
| WRU-6-9     | 37.484 | 23.000 | 9.978 |
| WRU-6-10    | 37.680 | 23.000 | 9.970 |
| WRU-6-11    | 37.876 | 23.000 | 9.958 |
| WRU-6-12    | 38.072 | 23.000 | 9.942 |
| WRU-6-13    | 38.268 | 23.000 | 9.923 |
| WRU-6-14    | 38.463 | 23.000 | 9.903 |
| WRU-6-15    | 38.659 | 23.000 | 9.881 |
| WRU-6-16    | 38.854 | 23.000 | 9.858 |
| WRU-6-17    | 39.049 | 23.000 | 9.835 |
| WRU-6-18    | 39.244 | 23.000 | 9.813 |
| WRU-6-19    | 39.440 | 23.000 | 9.791 |
| WRL-1-1     | 23.241 | 5.000  | 9.563 |
| WRL-1-2     | 23.395 | 5.000  | 9.484 |
| WRL-1-3     | 23.578 | 5.000  | 9.447 |
| WRL-1-4     | 23.770 | 5.000  | 9.426 |
| WRL-1-5     | 23.963 | 5.000  | 9.411 |
| WRL-1-6     | 24.158 | 5.000  | 9.397 |
| WRL-1-7     | 24.352 | 5.000  | 9.384 |
| WRL-1-8     | 24.547 | 5.000  | 9.373 |
| WRL-1-9     | 24.742 | 5.000  | 9.365 |
| WRL-1-10    | 24.938 | 5.000  | 9.357 |
| WRL-1-11    | 25.133 | 5.000  | 9.351 |
| WRL-1-12    | 25.328 | 5.000  | 9.346 |
| WRL-1-13    | 25.524 | 5.000  | 9.344 |
| WRL-1-14    | 25.719 | 5.000  | 9.344 |
| WRL-1-15    | 25.915 | 5.000  | 9.345 |
| WRL-1-16    | 26.111 | 5.000  | 9.348 |
| WRL-1-17    | 26.306 | 5.000  | 9.351 |
| WRL-1-18    | 26.502 | 5.000  | 9.357 |
| WRL-1-19    | 26.698 | 5.000  | 9.363 |
| WRL-1-20    | 26.894 | 5.000  | 9.371 |
| WRL-1-21    | 27.089 | 5.000  | 9.381 |
| WRL-1-22    | 27.285 | 5.000  | 9.392 |
| WRL-1-23    | 27.481 | 5.000  | 9.402 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.  | W.L.  |
|-------------|--------|-------|-------|
| WRL-1-24    | 27.677 | 5.000 | 9.415 |
| WRL-1-25    | 27.872 | 5.000 | 9.426 |
| WRL-1-26    | 28.068 | 5.000 | 9.447 |
| WRL-1-27    | 28.264 | 5.000 | 9.471 |
| WRL-1-28    | 28.459 | 5.000 | 9.493 |
| WRL-1-29    | 28.654 | 5.000 | 9.517 |
| WRL-1-30    | 28.849 | 5.000 | 9.543 |
| WRL-1-31    | 29.043 | 5.000 | 9.569 |
| WRL-1-32    | 29.238 | 5.000 | 9.595 |
| WRL-1-33    | 29.432 | 5.000 | 9.620 |
| WRL-1-34    | 29.627 | 5.000 | 9.643 |
| WRL-1-35    | 29.821 | 5.000 | 9.664 |
| WRL-1-36    | 30.015 | 5.000 | 9.682 |
| WRL-1-37    | 30.208 | 5.000 | 9.696 |
| WRL-1-38    | 30.402 | 5.000 | 9.709 |
| WRL-1-39    | 30.594 | 5.000 | 9.722 |
| WRL-1-40    | 30.786 | 5.000 | 9.734 |
| WRL-2-1     | 25.266 | 7.875 | 9.596 |
| WRL-2-2     | 25.448 | 7.875 | 9.537 |
| WRL-2-3     | 25.640 | 7.875 | 9.504 |
| WRL-2-4     | 25.834 | 7.875 | 9.477 |
| WRL-2-5     | 26.029 | 7.875 | 9.454 |
| WRL-2-6     | 26.226 | 7.875 | 9.436 |
| WRL-2-7     | 26.423 | 7.875 | 9.422 |
| WRL-2-8     | 26.622 | 7.875 | 9.411 |
| WRL-2-9     | 26.820 | 7.875 | 9.403 |
| WRL-2-10    | 27.019 | 7.875 | 9.397 |
| WRL-2-11    | 27.218 | 7.875 | 9.394 |
| WRL-2-12    | 27.418 | 7.875 | 9.393 |
| WRL-2-13    | 27.617 | 7.875 | 9.394 |
| WRL-2-14    | 27.817 | 7.875 | 9.396 |
| WRL-2-15    | 28.016 | 7.875 | 9.400 |
| WRL-2-16    | 28.216 | 7.875 | 9.406 |
| WRL-2-17    | 28.415 | 7.875 | 9.413 |
| WRL-2-18    | 28.615 | 7.875 | 9.423 |
| WRL-2-19    | 28.814 | 7.875 | 9.434 |
| WRL-2-20    | 29.013 | 7.875 | 9.447 |
| WRL-2-21    | 29.213 | 7.875 | 9.461 |
| WRL-2-22    | 29.412 | 7.875 | 9.478 |
| WRL-2-23    | 29.611 | 7.875 | 9.496 |
| WRL-2-24    | 29.809 | 7.875 | 9.514 |
| WRL-2-25    | 30.008 | 7.875 | 9.534 |
| WRL-2-26    | 30.206 | 7.875 | 9.555 |
| WRL-2-27    | 30.405 | 7.875 | 9.576 |
| WRL-2-28    | 30.603 | 7.875 | 9.597 |
| WRL-2-29    | 30.801 | 7.875 | 9.617 |
| WRL-2-30    | 30.999 | 7.875 | 9.638 |
| WRL-2-31    | 31.197 | 7.875 | 9.657 |
| WRL-2-32    | 31.395 | 7.875 | 9.675 |
| WRL-2-33    | 31.593 | 7.875 | 9.691 |

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| WRL-2-34    | 31.791 | 7.875  | 9.704 |
| WRL-2-35    | 31.989 | 7.875  | 9.714 |
| WRL-2-36    | 32.187 | 7.875  | 9.719 |
| WRL-2-37    | 32.386 | 7.875  | 9.721 |
| WRL-3-1     | 28.157 | 12.000 | 9.627 |
| WRL-3-2     | 28.343 | 12.000 | 9.570 |
| WRL-3-3     | 28.536 | 12.000 | 9.540 |
| WRL-3-4     | 28.732 | 12.000 | 9.516 |
| WRL-3-5     | 28.929 | 12.000 | 9.497 |
| WRL-3-6     | 29.127 | 12.000 | 9.482 |
| WRL-3-7     | 29.325 | 12.000 | 9.471 |
| WRL-3-8     | 29.524 | 12.000 | 9.463 |
| WRL-3-9     | 29.724 | 12.000 | 9.457 |
| WRL-3-10    | 29.924 | 12.000 | 9.455 |
| WRL-3-11    | 30.124 | 12.000 | 9.454 |
| WRL-3-12    | 30.324 | 12.000 | 9.456 |
| WRL-3-13    | 30.524 | 12.000 | 9.459 |
| WRL-3-14    | 30.724 | 12.000 | 9.465 |
| WRL-3-15    | 30.924 | 12.000 | 9.473 |
| WRL-3-16    | 31.124 | 12.000 | 9.482 |
| WRL-3-17    | 31.324 | 12.000 | 9.495 |
| WRL-3-18    | 31.524 | 12.000 | 9.509 |
| WRL-3-19    | 31.724 | 12.000 | 9.525 |
| WRL-3-20    | 31.923 | 12.000 | 9.543 |
| WRL-3-21    | 32.122 | 12.000 | 9.563 |
| WRL-3-22    | 32.321 | 12.000 | 9.583 |
| WRL-3-23    | 32.520 | 12.000 | 9.604 |
| WRL-3-24    | 32.719 | 12.000 | 9.625 |
| WRL-3-25    | 32.918 | 12.000 | 9.646 |
| WRL-3-26    | 33.116 | 12.000 | 9.666 |
| WRL-3-27    | 33.315 | 12.000 | 9.686 |
| WRL-3-28    | 33.514 | 12.000 | 9.703 |
| WRL-3-29    | 33.712 | 12.000 | 9.717 |
| WRL-3-30    | 33.911 | 12.000 | 9.729 |
| WRL-3-31    | 34.110 | 12.000 | 9.735 |
| WRL-3-32    | 34.309 | 12.000 | 9.737 |
| WRL-4-1     | 30.899 | 15.875 | 9.645 |
| WRL-4-2     | 31.094 | 15.875 | 9.598 |
| WRL-4-3     | 31.294 | 15.875 | 9.572 |
| WRL-4-4     | 31.494 | 15.875 | 9.552 |
| WRL-4-5     | 31.695 | 15.875 | 9.537 |
| WRL-4-6     | 31.896 | 15.875 | 9.525 |
| WRL-4-7     | 32.097 | 15.875 | 9.518 |
| WRL-4-8     | 32.298 | 15.875 | 9.513 |
| WRL-4-9     | 32.500 | 15.875 | 9.511 |
| WRL-4-10    | 32.701 | 15.875 | 9.512 |
| WRL-4-11    | 32.902 | 15.875 | 9.515 |
| WRL-4-12    | 33.104 | 15.875 | 9.521 |
| WRL-4-13    | 33.305 | 15.875 | 9.529 |
| WRL-4-14    | 33.506 | 15.875 | 9.541 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| WRL-4-15    | 33.707 | 15.875 | 9.554 |
| WRL-4-16    | 33.908 | 15.875 | 9.571 |
| WRL-4-17    | 34.108 | 15.875 | 9.589 |
| WRL-4-18    | 34.309 | 15.875 | 9.609 |
| WRL-4-19    | 34.509 | 15.875 | 9.630 |
| WRL-4-20    | 34.709 | 15.875 | 9.652 |
| WRL-4-21    | 34.909 | 15.875 | 9.673 |
| WRL-4-22    | 35.110 | 15.875 | 9.694 |
| WRL-4-23    | 35.310 | 15.875 | 9.713 |
| WRL-4-24    | 35.511 | 15.875 | 9.729 |
| WRL-4-25    | 35.712 | 15.875 | 9.742 |
| WRL-4-26    | 35.913 | 15.875 | 9.750 |
| WRL-4-27    | 36.114 | 15.875 | 9.753 |
| WRL-5-1     | 33.817 | 20.000 | 9.665 |
| WRL-5-2     | 34.013 | 20.000 | 9.632 |
| WRL-5-3     | 34.211 | 20.000 | 9.612 |
| WRL-5-4     | 34.411 | 20.000 | 9.596 |
| WRL-5-5     | 34.611 | 20.000 | 9.585 |
| WRL-5-6     | 34.813 | 20.000 | 9.577 |
| WRL-5-7     | 35.015 | 20.000 | 9.573 |
| WRL-5-8     | 35.217 | 20.000 | 9.572 |
| WRL-5-9     | 35.419 | 20.000 | 9.575 |
| WRL-5-10    | 35.622 | 20.000 | 9.580 |
| WRL-5-11    | 35.824 | 20.000 | 9.590 |
| WRL-5-12    | 36.026 | 20.000 | 9.602 |
| WRL-5-13    | 36.228 | 20.000 | 9.619 |
| WRL-5-14    | 36.429 | 20.000 | 9.638 |
| WRL-5-15    | 36.631 | 20.000 | 9.659 |
| WRL-5-16    | 36.832 | 20.000 | 9.681 |
| WRL-5-17    | 37.033 | 20.000 | 9.702 |
| WRL-5-18    | 37.234 | 20.000 | 9.723 |
| WRL-5-19    | 37.435 | 20.000 | 9.741 |
| WRL-5-20    | 37.636 | 20.000 | 9.756 |
| WRL-5-21    | 37.837 | 20.000 | 9.766 |
| WRL-5-22    | 38.038 | 20.000 | 9.770 |
| WRL-6-1     | 35.924 | 23.000 | 9.697 |
| WRL-6-2     | 36.115 | 23.000 | 9.662 |
| WRL-6-3     | 36.308 | 23.000 | 9.645 |
| WRL-6-4     | 36.503 | 23.000 | 9.632 |
| WRL-6-5     | 36.698 | 23.000 | 9.623 |
| WRL-6-6     | 36.895 | 23.000 | 9.618 |
| WRL-6-7     | 37.091 | 23.000 | 9.616 |
| WRL-6-8     | 37.287 | 23.000 | 9.618 |
| WRL-6-9     | 37.484 | 23.000 | 9.625 |
| WRL-6-10    | 37.680 | 23.000 | 9.635 |
| WRL-6-11    | 37.876 | 23.000 | 9.650 |
| WRL-6-12    | 38.072 | 23.000 | 9.669 |
| WRL-6-13    | 38.268 | 23.000 | 9.689 |
| WRL-6-14    | 38.463 | 23.000 | 9.711 |
| WRL-6-15    | 38.659 | 23.000 | 9.732 |

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| WRL-6-16    | 38.854 | 23.000 | 9.751  |
| WRL-6-17    | 39.049 | 23.000 | 9.767  |
| WRL-6-18    | 39.244 | 23.000 | 9.778  |
| WRL-6-19    | 39.440 | 23.000 | 9.782  |
| WLU-1-1     | 23.241 | -5.000 | 9.725  |
| WLU-1-2     | 23.395 | -5.000 | 9.844  |
| WLU-1-3     | 23.578 | -5.000 | 9.911  |
| WLU-1-4     | 23.770 | -5.000 | 9.950  |
| WLU-1-5     | 23.963 | -5.000 | 9.980  |
| WLU-1-6     | 24.158 | -5.000 | 10.003 |
| WLU-1-7     | 24.352 | -5.000 | 10.024 |
| WLU-1-8     | 24.547 | -5.000 | 10.042 |
| WLU-1-9     | 24.742 | -5.000 | 10.058 |
| WLU-1-10    | 24.938 | -5.000 | 10.073 |
| WLU-1-11    | 25.133 | -5.000 | 10.087 |
| WLU-1-12    | 25.328 | -5.000 | 10.100 |
| WLU-1-13    | 25.524 | -5.000 | 10.111 |
| WLU-1-14    | 25.719 | -5.000 | 10.120 |
| WLU-1-15    | 25.915 | -5.000 | 10.126 |
| WLU-1-16    | 26.111 | -5.000 | 10.129 |
| WLU-1-17    | 26.306 | -5.000 | 10.127 |
| WLU-1-18    | 26.502 | -5.000 | 10.125 |
| WLU-1-19    | 26.698 | -5.000 | 10.122 |
| WLU-1-20    | 26.894 | -5.000 | 10.119 |
| WLU-1-21    | 27.089 | -5.000 | 10.115 |
| WLU-1-22    | 27.285 | -5.000 | 10.112 |
| WLU-1-23    | 27.481 | -5.000 | 10.110 |
| WLU-1-24    | 27.677 | -5.000 | 10.105 |
| WLU-1-25    | 27.872 | -5.000 | 10.100 |
| WLU-1-26    | 28.068 | -5.000 | 10.094 |
| WLU-1-27    | 28.264 | -5.000 | 10.087 |
| WLU-1-28    | 28.459 | -5.000 | 10.076 |
| WLU-1-29    | 28.654 | -5.000 | 10.056 |
| WLU-1-30    | 28.849 | -5.000 | 10.035 |
| WLU-1-31    | 29.043 | -5.000 | 10.016 |
| WLU-1-32    | 29.238 | -5.000 | 9.995  |
| WLU-1-33    | 29.432 | -5.000 | 9.971  |
| WLU-1-34    | 29.627 | -5.000 | 9.947  |
| WLU-1-35    | 29.821 | -5.000 | 9.921  |
| WLU-1-36    | 30.015 | -5.000 | 9.895  |
| WLU-1-37    | 30.208 | -5.000 | 9.867  |
| WLU-1-38    | 30.402 | -5.000 | 9.837  |
| WLU-1-39    | 30.594 | -5.000 | 9.801  |
| WLU-1-40    | 30.786 | -5.000 | 9.760  |
| WLU-2-1     | 25.440 | -8.125 | 9.738  |
| WLU-2-2     | 25.621 | -8.125 | 9.818  |
| WLU-2-3     | 25.811 | -8.125 | 9.871  |
| WLU-2-4     | 26.004 | -8.125 | 9.918  |
| WLU-2-5     | 26.198 | -8.125 | 9.957  |
| WLU-2-6     | 26.393 | -8.125 | 9.991  |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.    | W.L.   |
|-------------|--------|---------|--------|
| WLU-2-7     | 26.589 | -8.125  | 10.018 |
| WLU-2-8     | 26.785 | -8.125  | 10.041 |
| WLU-2-9     | 26.982 | -8.125  | 10.060 |
| WLU-2-10    | 27.180 | -8.125  | 10.075 |
| WLU-2-11    | 27.377 | -8.125  | 10.087 |
| WLU-2-12    | 27.575 | -8.125  | 10.097 |
| WLU-2-13    | 27.773 | -8.125  | 10.105 |
| WLU-2-14    | 27.971 | -8.125  | 10.110 |
| WLU-2-15    | 28.169 | -8.125  | 10.112 |
| WLU-2-16    | 28.367 | -8.125  | 10.113 |
| WLU-2-17    | 28.565 | -8.125  | 10.111 |
| WLU-2-18    | 28.762 | -8.125  | 10.106 |
| WLU-2-19    | 28.960 | -8.125  | 10.099 |
| WLU-2-20    | 29.158 | -8.125  | 10.089 |
| WLU-2-21    | 29.356 | -8.125  | 10.078 |
| WLU-2-22    | 29.553 | -8.125  | 10.063 |
| WLU-2-23    | 29.750 | -8.125  | 10.047 |
| WLU-2-24    | 29.947 | -8.125  | 10.029 |
| WLU-2-25    | 30.144 | -8.125  | 10.009 |
| WLU-2-26    | 30.341 | -8.125  | 9.988  |
| WLU-2-27    | 30.538 | -8.125  | 9.966  |
| WLU-2-28    | 30.734 | -8.125  | 9.943  |
| WLU-2-29    | 30.931 | -8.125  | 9.919  |
| WLU-2-30    | 31.127 | -8.125  | 9.895  |
| WLU-2-31    | 31.324 | -8.125  | 9.870  |
| WLU-2-32    | 31.520 | -8.125  | 9.846  |
| WLU-2-33    | 31.717 | -8.125  | 9.822  |
| WLU-2-34    | 31.913 | -8.125  | 9.798  |
| WLU-2-35    | 32.110 | -8.125  | 9.775  |
| WLU-2-36    | 32.306 | -8.125  | 9.752  |
| WLU-2-37    | 32.503 | -8.125  | 9.731  |
| WLU-3-1     | 28.157 | -12.000 | 9.760  |
| WLU-3-2     | 28.343 | -12.000 | 9.833  |
| WLU-3-3     | 28.536 | -12.000 | 9.884  |
| WLU-3-4     | 28.732 | -12.000 | 9.927  |
| WLU-3-5     | 28.929 | -12.000 | 9.963  |
| WLU-3-6     | 29.127 | -12.000 | 9.993  |
| WLU-3-7     | 29.325 | -12.000 | 10.017 |
| WLU-3-8     | 29.524 | -12.000 | 10.035 |
| WLU-3-9     | 29.724 | -12.000 | 10.050 |
| WLU-3-10    | 29.924 | -12.000 | 10.062 |
| WLU-3-11    | 30.124 | -12.000 | 10.070 |
| WLU-3-12    | 30.324 | -12.000 | 10.076 |
| WLU-3-13    | 30.524 | -12.000 | 10.078 |
| WLU-3-14    | 30.724 | -12.000 | 10.078 |
| WLU-3-15    | 30.924 | -12.000 | 10.075 |
| WLU-3-16    | 31.124 | -12.000 | 10.070 |
| WLU-3-17    | 31.324 | -12.000 | 10.061 |
| WLU-3-18    | 31.524 | -12.000 | 10.050 |
| WLU-3-19    | 31.724 | -12.000 | 10.036 |

| Designation | F.S.   | B.L.    | W.L.   |
|-------------|--------|---------|--------|
| WLU-3-20    | 31.923 | -12.000 | 10.019 |
| WLU-3-21    | 32.122 | -12.000 | 10.001 |
| WLU-3-22    | 32.321 | -12.000 | 9.981  |
| WLU-3-23    | 32.520 | -12.000 | 9.959  |
| WLU-3-24    | 32.719 | -12.000 | 9.936  |
| WLU-3-25    | 32.918 | -12.000 | 9.912  |
| WLU-3-26    | 33.116 | -12.000 | 9.888  |
| WLU-3-27    | 33.315 | -12.000 | 9.864  |
| WLU-3-28    | 33.514 | -12.000 | 9.839  |
| WLU-3-29    | 33.712 | -12.000 | 9.815  |
| WLU-3-30    | 33.911 | -12.000 | 9.791  |
| WLU-3-31    | 34.110 | -12.000 | 9.768  |
| WLU-3-32    | 34.309 | -12.000 | 9.747  |
| WLU-4-1     | 31.049 | -16.125 | 9.782  |
| WLU-4-2     | 31.239 | -16.125 | 9.848  |
| WLU-4-3     | 31.434 | -16.125 | 9.895  |
| WLU-4-4     | 31.631 | -16.125 | 9.934  |
| WLU-4-5     | 31.829 | -16.125 | 9.965  |
| WLU-4-6     | 32.029 | -16.125 | 9.990  |
| WLU-4-7     | 32.229 | -16.125 | 10.009 |
| WLU-4-8     | 32.429 | -16.125 | 10.023 |
| WLU-4-9     | 32.630 | -16.125 | 10.033 |
| WLU-4-10    | 32.831 | -16.125 | 10.040 |
| WLU-4-11    | 33.032 | -16.125 | 10.042 |
| WLU-4-12    | 33.232 | -16.125 | 10.042 |
| WLU-4-13    | 33.433 | -16.125 | 10.038 |
| WLU-4-14    | 33.634 | -16.125 | 10.030 |
| WLU-4-15    | 33.835 | -16.125 | 10.020 |
| WLU-4-16    | 34.035 | -16.125 | 10.006 |
| WLU-4-17    | 34.235 | -16.125 | 9.990  |
| WLU-4-18    | 34.435 | -16.125 | 9.971  |
| WLU-4-19    | 34.635 | -16.125 | 9.950  |
| WLU-4-20    | 34.835 | -16.125 | 9.928  |
| WLU-4-21    | 35.035 | -16.125 | 9.905  |
| WLU-4-22    | 35.234 | -16.125 | 9.881  |
| WLU-4-23    | 35.434 | -16.125 | 9.857  |
| WLU-4-24    | 35.633 | -16.125 | 9.832  |
| WLU-4-25    | 35.832 | -16.125 | 9.808  |
| WLU-4-26    | 36.032 | -16.125 | 9.785  |
| WLU-4-27    | 36.232 | -16.125 | 9.764  |
| WLU-5-1     | 33.817 | -20.000 | 9.822  |
| WLU-5-2     | 34.013 | -20.000 | 9.873  |
| WLU-5-3     | 34.211 | -20.000 | 9.914  |
| WLU-5-4     | 34.411 | -20.000 | 9.946  |
| WLU-5-5     | 34.611 | -20.000 | 9.970  |
| WLU-5-6     | 34.813 | -20.000 | 9.988  |
| WLU-5-7     | 35.015 | -20.000 | 9.999  |
| WLU-5-8     | 35.217 | -20.000 | 10.006 |
| WLU-5-9     | 35.419 | -20.000 | 10.009 |
| WLU-5-10    | 35.622 | -20.000 | 10.007 |



**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.    | W.L.   |
|-------------|--------|---------|--------|
| WLU-5-11    | 35.824 | -20.000 | 10.001 |
| WLU-5-12    | 36.026 | -20.000 | 9.990  |
| WLU-5-13    | 36.228 | -20.000 | 9.977  |
| WLU-5-14    | 36.429 | -20.000 | 9.960  |
| WLU-5-15    | 36.631 | -20.000 | 9.941  |
| WLU-5-16    | 36.832 | -20.000 | 9.919  |
| WLU-5-17    | 37.033 | -20.000 | 9.897  |
| WLU-5-18    | 37.234 | -20.000 | 9.873  |
| WLU-5-19    | 37.435 | -20.000 | 9.849  |
| WLU-5-20    | 37.636 | -20.000 | 9.825  |
| WLU-5-21    | 37.837 | -20.000 | 9.801  |
| WLU-5-22    | 38.038 | -20.000 | 9.779  |
| WLU-6-1     | 35.924 | -23.000 | 9.834  |
| WLU-6-2     | 36.115 | -23.000 | 9.879  |
| WLU-6-3     | 36.308 | -23.000 | 9.915  |
| WLU-6-4     | 36.503 | -23.000 | 9.942  |
| WLU-6-5     | 36.698 | -23.000 | 9.962  |
| WLU-6-6     | 36.895 | -23.000 | 9.975  |
| WLU-6-7     | 37.091 | -23.000 | 9.981  |
| WLU-6-8     | 37.287 | -23.000 | 9.982  |
| WLU-6-9     | 37.484 | -23.000 | 9.978  |
| WLU-6-10    | 37.680 | -23.000 | 9.970  |
| WLU-6-11    | 37.876 | -23.000 | 9.958  |
| WLU-6-12    | 38.072 | -23.000 | 9.942  |
| WLU-6-13    | 38.268 | -23.000 | 9.923  |
| WLU-6-14    | 38.463 | -23.000 | 9.903  |
| WLU-6-15    | 38.659 | -23.000 | 9.881  |
| WLU-6-16    | 38.854 | -23.000 | 9.858  |
| WLU-6-17    | 39.049 | -23.000 | 9.835  |
| WLU-6-18    | 39.244 | -23.000 | 9.813  |
| WLU-6-19    | 39.440 | -23.000 | 9.791  |
| WLL-1-1     | 23.241 | -5.000  | 9.563  |
| WLL-1-2     | 23.395 | -5.000  | 9.484  |
| WLL-1-3     | 23.578 | -5.000  | 9.447  |
| WLL-1-4     | 23.770 | -5.000  | 9.426  |
| WLL-1-5     | 23.963 | -5.000  | 9.411  |
| WLL-1-6     | 24.158 | -5.000  | 9.397  |
| WLL-1-7     | 24.352 | -5.000  | 9.384  |
| WLL-1-8     | 24.547 | -5.000  | 9.373  |
| WLL-1-9     | 24.742 | -5.000  | 9.365  |
| WLL-1-10    | 24.938 | -5.000  | 9.357  |
| WLL-1-11    | 25.133 | -5.000  | 9.351  |
| WLL-1-12    | 25.328 | -5.000  | 9.346  |
| WLL-1-13    | 25.524 | -5.000  | 9.344  |
| WLL-1-14    | 25.719 | -5.000  | 9.344  |
| WLL-1-15    | 25.915 | -5.000  | 9.345  |
| WLL-1-16    | 26.111 | -5.000  | 9.348  |
| WLL-1-17    | 26.306 | -5.000  | 9.351  |
| WLL-1-18    | 26.502 | -5.000  | 9.357  |
| WLL-1-19    | 26.698 | -5.000  | 9.363  |

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| WLL-1-20    | 26.894 | -5.000 | 9.371 |
| WLL-1-21    | 27.089 | -5.000 | 9.381 |
| WLL-1-22    | 27.285 | -5.000 | 9.392 |
| WLL-1-23    | 27.481 | -5.000 | 9.402 |
| WLL-1-24    | 27.677 | -5.000 | 9.415 |
| WLL-1-25    | 27.872 | -5.000 | 9.426 |
| WLL-1-26    | 28.068 | -5.000 | 9.447 |
| WLL-1-27    | 28.264 | -5.000 | 9.472 |
| WLL-1-28    | 28.459 | -5.000 | 9.493 |
| WLL-1-29    | 28.654 | -5.000 | 9.517 |
| WLL-1-30    | 28.849 | -5.000 | 9.543 |
| WLL-1-31    | 29.043 | -5.000 | 9.569 |
| WLL-1-32    | 29.238 | -5.000 | 9.595 |
| WLL-1-33    | 29.432 | -5.000 | 9.620 |
| WLL-1-34    | 29.627 | -5.000 | 9.643 |
| WLL-1-35    | 29.821 | -5.000 | 9.664 |
| WLL-1-36    | 30.015 | -5.000 | 9.682 |
| WLL-1-37    | 30.208 | -5.000 | 9.696 |
| WLL-1-38    | 30.402 | -5.000 | 9.709 |
| WLL-1-39    | 30.594 | -5.000 | 9.722 |
| WLL-1-40    | 30.786 | -5.000 | 9.734 |
| WLL-2-1     | 25.266 | -7.875 | 9.596 |
| WLL-2-2     | 25.448 | -7.875 | 9.537 |
| WLL-2-3     | 25.640 | -7.875 | 9.504 |
| WLL-2-4     | 25.834 | -7.875 | 9.477 |
| WLL-2-5     | 26.029 | -7.875 | 9.454 |
| WLL-2-6     | 26.226 | -7.875 | 9.436 |
| WLL-2-7     | 26.423 | -7.875 | 9.422 |
| WLL-2-8     | 26.622 | -7.875 | 9.411 |
| WLL-2-9     | 26.820 | -7.875 | 9.403 |
| WLL-2-10    | 27.019 | -7.875 | 9.397 |
| WLL-2-11    | 27.218 | -7.875 | 9.394 |
| WLL-2-12    | 27.418 | -7.875 | 9.393 |
| WLL-2-13    | 27.617 | -7.875 | 9.394 |
| WLL-2-14    | 27.817 | -7.875 | 9.396 |
| WLL-2-15    | 28.016 | -7.875 | 9.400 |
| WLL-2-16    | 28.216 | -7.875 | 9.406 |
| WLL-2-17    | 28.415 | -7.875 | 9.413 |
| WLL-2-18    | 28.615 | -7.875 | 9.423 |
| WLL-2-19    | 28.814 | -7.875 | 9.434 |
| WLL-2-20    | 29.013 | -7.875 | 9.447 |
| WLL-2-21    | 29.213 | -7.875 | 9.461 |
| WLL-2-22    | 29.412 | -7.875 | 9.478 |
| WLL-2-23    | 29.611 | -7.875 | 9.496 |
| WLL-2-24    | 29.809 | -7.875 | 9.514 |
| WLL-2-25    | 30.008 | -7.875 | 9.534 |
| WLL-2-26    | 30.206 | -7.875 | 9.555 |
| WLL-2-27    | 30.405 | -7.875 | 9.576 |
| WLL-2-28    | 30.603 | -7.875 | 9.597 |
| WLL-2-29    | 30.801 | -7.875 | 9.617 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.    | W.L.  |
|-------------|--------|---------|-------|
| WLL-2-30    | 30.999 | -7.875  | 9.638 |
| WLL-2-31    | 31.197 | -7.875  | 9.657 |
| WLL-2-32    | 31.395 | -7.875  | 9.675 |
| WLL-2-33    | 31.593 | -7.875  | 9.691 |
| WLL-2-34    | 31.791 | -7.875  | 9.704 |
| WLL-2-35    | 31.989 | -7.875  | 9.714 |
| WLL-2-36    | 32.187 | -7.875  | 9.719 |
| WLL-2-37    | 32.386 | -7.875  | 9.721 |
| WLL-3-1     | 28.157 | -12.000 | 9.627 |
| WLL-3-2     | 28.343 | -12.000 | 9.570 |
| WLL-3-3     | 28.536 | -12.000 | 9.540 |
| WLL-3-4     | 28.732 | -12.000 | 9.516 |
| WLL-3-5     | 28.929 | -12.000 | 9.497 |
| WLL-3-6     | 29.127 | -12.000 | 9.482 |
| WLL-3-7     | 29.325 | -12.000 | 9.471 |
| WLL-3-8     | 29.524 | -12.000 | 9.463 |
| WLL-3-9     | 29.724 | -12.000 | 9.457 |
| WLL-3-10    | 29.924 | -12.000 | 9.455 |
| WLL-3-11    | 30.124 | -12.000 | 9.454 |
| WLL-3-12    | 30.324 | -12.000 | 9.456 |
| WLL-3-13    | 30.524 | -12.000 | 9.459 |
| WLL-3-14    | 30.724 | -12.000 | 9.465 |
| WLL-3-15    | 30.924 | -12.000 | 9.473 |
| WLL-3-16    | 31.124 | -12.000 | 9.482 |
| WLL-3-17    | 31.324 | -12.000 | 9.495 |
| WLL-3-18    | 31.524 | -12.000 | 9.509 |
| WLL-3-19    | 31.724 | -12.000 | 9.525 |
| WLL-3-20    | 31.923 | -12.000 | 9.543 |
| WLL-3-21    | 32.122 | -12.000 | 9.563 |
| WLL-3-22    | 32.321 | -12.000 | 9.583 |
| WLL-3-23    | 32.520 | -12.000 | 9.604 |
| WLL-3-24    | 32.719 | -12.000 | 9.625 |
| WLL-3-25    | 32.918 | -12.000 | 9.646 |
| WLL-3-26    | 33.116 | -12.000 | 9.666 |
| WLL-3-27    | 33.315 | -12.000 | 9.686 |
| WLL-3-28    | 33.514 | -12.000 | 9.703 |
| WLL-3-29    | 33.712 | -12.000 | 9.717 |
| WLL-3-30    | 33.911 | -12.000 | 9.729 |
| WLL-3-31    | 34.110 | -12.000 | 9.735 |
| WLL-3-32    | 34.309 | -12.000 | 9.737 |
| WLL-4-1     | 30.899 | -15.875 | 9.645 |
| WLL-4-2     | 31.094 | -15.875 | 9.598 |
| WLL-4-3     | 31.294 | -15.875 | 9.572 |
| WLL-4-4     | 31.494 | -15.875 | 9.552 |
| WLL-4-5     | 31.695 | -15.875 | 9.537 |
| WLL-4-6     | 31.896 | -15.875 | 9.525 |
| WLL-4-7     | 32.097 | -15.875 | 9.518 |
| WLL-4-8     | 32.298 | -15.875 | 9.513 |
| WLL-4-9     | 32.500 | -15.875 | 9.511 |
| WLL-4-10    | 32.701 | -15.875 | 9.512 |

| Designation | F.S.   | B.L.    | W.L.  |
|-------------|--------|---------|-------|
| WLL-4-11    | 32.902 | -15.875 | 9.515 |
| WLL-4-12    | 33.104 | -15.875 | 9.521 |
| WLL-4-13    | 33.305 | -15.875 | 9.529 |
| WLL-4-14    | 33.506 | -15.875 | 9.541 |
| WLL-4-15    | 33.707 | -15.875 | 9.554 |
| WLL-4-16    | 33.908 | -15.875 | 9.571 |
| WLL-4-17    | 34.108 | -15.875 | 9.589 |
| WLL-4-18    | 34.309 | -15.875 | 9.609 |
| WLL-4-19    | 34.509 | -15.875 | 9.630 |
| WLL-4-20    | 34.709 | -15.875 | 9.652 |
| WLL-4-21    | 34.909 | -15.875 | 9.673 |
| WLL-4-22    | 35.110 | -15.875 | 9.694 |
| WLL-4-23    | 35.310 | -15.875 | 9.713 |
| WLL-4-24    | 35.511 | -15.875 | 9.729 |
| WLL-4-25    | 35.712 | -15.875 | 9.742 |
| WLL-4-26    | 35.913 | -15.875 | 9.750 |
| WLL-4-27    | 36.114 | -15.875 | 9.753 |
| WLL-5-1     | 33.817 | -20.000 | 9.665 |
| WLL-5-2     | 34.013 | -20.000 | 9.632 |
| WLL-5-3     | 34.211 | -20.000 | 9.612 |
| WLL-5-4     | 34.411 | -20.000 | 9.596 |
| WLL-5-5     | 34.611 | -20.000 | 9.585 |
| WLL-5-6     | 34.813 | -20.000 | 9.577 |
| WLL-5-7     | 35.015 | -20.000 | 9.573 |
| WLL-5-8     | 35.217 | -20.000 | 9.572 |
| WLL-5-9     | 35.419 | -20.000 | 9.575 |
| WLL-5-10    | 35.622 | -20.000 | 9.580 |
| WLL-5-11    | 35.824 | -20.000 | 9.590 |
| WLL-5-12    | 36.026 | -20.000 | 9.602 |
| WLL-5-13    | 36.228 | -20.000 | 9.619 |
| WLL-5-14    | 36.429 | -20.000 | 9.638 |
| WLL-5-15    | 36.631 | -20.000 | 9.659 |
| WLL-5-16    | 36.832 | -20.000 | 9.681 |
| WLL-5-17    | 37.033 | -20.000 | 9.702 |
| WLL-5-18    | 37.234 | -20.000 | 9.723 |
| WLL-5-19    | 37.435 | -20.000 | 9.741 |
| WLL-5-20    | 37.636 | -20.000 | 9.756 |
| WLL-5-21    | 37.837 | -20.000 | 9.766 |
| WLL-5-22    | 38.038 | -20.000 | 9.770 |
| WLL-6-1     | 35.924 | -23.000 | 9.697 |
| WLL-6-2     | 36.115 | -23.000 | 9.662 |
| WLL-6-3     | 36.308 | -23.000 | 9.645 |
| WLL-6-4     | 36.503 | -23.000 | 9.632 |
| WLL-6-5     | 36.698 | -23.000 | 9.623 |
| WLL-6-6     | 36.895 | -23.000 | 9.618 |
| WLL-6-7     | 37.091 | -23.000 | 9.616 |
| WLL-6-8     | 37.287 | -23.000 | 9.618 |
| WLL-6-9     | 37.484 | -23.000 | 9.625 |
| WLL-6-10    | 37.680 | -23.000 | 9.635 |
| WLL-6-11    | 37.876 | -23.000 | 9.650 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.    | W.L.  |
|-------------|--------|---------|-------|
| WLL-6-12    | 38.072 | -23.000 | 9.669 |
| WLL-6-13    | 38.268 | -23.000 | 9.689 |
| WLL-6-14    | 38.463 | -23.000 | 9.711 |
| WLL-6-15    | 38.659 | -23.000 | 9.732 |
| WLL-6-16    | 38.854 | -23.000 | 9.751 |
| WLL-6-17    | 39.049 | -23.000 | 9.767 |
| WLL-6-18    | 39.244 | -23.000 | 9.778 |
| WLL-6-19    | 39.440 | -23.000 | 9.782 |
| HRU-1-1     | 34.811 | 4.000   | 9.617 |
| HRU-1-2     | 35.021 | 4.000   | 9.629 |
| HRU-1-3     | 35.231 | 4.000   | 9.640 |
| HRU-1-4     | 35.442 | 4.000   | 9.651 |
| HRU-1-5     | 35.652 | 4.000   | 9.661 |
| HRU-1-6     | 35.862 | 4.000   | 9.670 |
| HRU-1-7     | 36.073 | 4.000   | 9.679 |
| HRU-1-8     | 36.283 | 4.000   | 9.686 |
| HRU-1-9     | 36.493 | 4.000   | 9.693 |
| HRU-1-10    | 36.704 | 4.000   | 9.699 |
| HRU-1-11    | 36.914 | 4.000   | 9.704 |
| HRU-1-12    | 37.125 | 4.000   | 9.709 |
| HRU-1-13    | 37.335 | 4.000   | 9.713 |
| HRU-1-14    | 37.546 | 4.000   | 9.716 |
| HRU-1-15    | 37.756 | 4.000   | 9.718 |
| HRU-1-16    | 37.967 | 4.000   | 9.720 |
| HRU-1-17    | 38.177 | 4.000   | 9.721 |
| HRU-1-18    | 38.388 | 4.000   | 9.721 |
| HRU-1-19    | 38.598 | 4.000   | 9.720 |
| HRU-1-20    | 38.809 | 4.000   | 9.718 |
| HRU-1-21    | 39.019 | 4.000   | 9.714 |
| HRU-1-22    | 39.230 | 4.000   | 9.710 |
| HRU-1-23    | 39.440 | 4.000   | 9.704 |
| HRU-1-24    | 39.651 | 4.000   | 9.697 |
| HRU-1-25    | 39.861 | 4.000   | 9.690 |
| HRU-1-26    | 40.071 | 4.000   | 9.681 |
| HRU-1-27    | 40.282 | 4.000   | 9.671 |
| HRU-1-28    | 40.492 | 4.000   | 9.661 |
| HRU-1-29    | 40.702 | 4.000   | 9.650 |
| HRU-1-30    | 40.912 | 4.000   | 9.638 |
| HRU-1-31    | 41.123 | 4.000   | 9.626 |
| HRU-1-32    | 41.333 | 4.000   | 9.613 |
| HRU-1-33    | 41.543 | 4.000   | 9.600 |
| HRU-1-34    | 41.753 | 4.000   | 9.586 |
| HRU-1-35    | 41.963 | 4.000   | 9.572 |
| HRU-1-36    | 42.173 | 4.000   | 9.556 |
| HRU-1-37    | 42.383 | 4.000   | 9.540 |
| HRU-1-38    | 42.593 | 4.000   | 9.523 |
| HRU-1-39    | 42.802 | 4.000   | 9.506 |
| HRU-2-1     | 37.182 | 5.500   | 9.557 |
| HRU-2-2     | 37.390 | 5.500   | 9.568 |
| HRU-2-3     | 37.597 | 5.500   | 9.579 |

| Designation | F.S.   | B.L.  | W.L.  |
|-------------|--------|-------|-------|
| HRU-2-4     | 37.805 | 5.500 | 9.588 |
| HRU-2-5     | 38.012 | 5.500 | 9.597 |
| HRU-2-6     | 38.220 | 5.500 | 9.604 |
| HRU-2-7     | 38.428 | 5.500 | 9.610 |
| HRU-2-8     | 38.635 | 5.500 | 9.616 |
| HRU-2-9     | 38.843 | 5.500 | 9.620 |
| HRU-2-10    | 39.051 | 5.500 | 9.624 |
| HRU-2-11    | 39.259 | 5.500 | 9.626 |
| HRU-2-12    | 39.467 | 5.500 | 9.628 |
| HRU-2-13    | 39.674 | 5.500 | 9.629 |
| HRU-2-14    | 39.882 | 5.500 | 9.630 |
| HRU-2-15    | 40.090 | 5.500 | 9.629 |
| HRU-2-16    | 40.298 | 5.500 | 9.627 |
| HRU-2-17    | 40.505 | 5.500 | 9.623 |
| HRU-2-18    | 40.713 | 5.500 | 9.619 |
| HRU-2-19    | 40.921 | 5.500 | 9.612 |
| HRU-2-20    | 41.129 | 5.500 | 9.605 |
| HRU-2-21    | 41.336 | 5.500 | 9.596 |
| HRU-2-22    | 41.544 | 5.500 | 9.586 |
| HRU-2-23    | 41.751 | 5.500 | 9.574 |
| HRU-2-24    | 41.959 | 5.500 | 9.562 |
| HRU-2-25    | 42.166 | 5.500 | 9.549 |
| HRU-2-26    | 42.373 | 5.500 | 9.536 |
| HRU-2-27    | 42.581 | 5.500 | 9.522 |
| HRU-2-28    | 42.788 | 5.500 | 9.507 |
| HRU-2-29    | 42.995 | 5.500 | 9.492 |
| HRU-2-30    | 43.202 | 5.500 | 9.476 |
| HRU-3-1     | 39.557 | 7.000 | 9.498 |
| HRU-3-2     | 39.770 | 7.000 | 9.508 |
| HRU-3-3     | 39.983 | 7.000 | 9.516 |
| HRU-3-4     | 40.196 | 7.000 | 9.523 |
| HRU-3-5     | 40.409 | 7.000 | 9.529 |
| HRU-3-6     | 40.622 | 7.000 | 9.533 |
| HRU-3-7     | 40.836 | 7.000 | 9.536 |
| HRU-3-8     | 41.049 | 7.000 | 9.538 |
| HRU-3-9     | 41.262 | 7.000 | 9.539 |
| HRU-3-10    | 41.475 | 7.000 | 9.539 |
| HRU-3-11    | 41.688 | 7.000 | 9.537 |
| HRU-3-12    | 41.901 | 7.000 | 9.532 |
| HRU-3-13    | 42.114 | 7.000 | 9.524 |
| HRU-3-14    | 42.327 | 7.000 | 9.514 |
| HRU-3-15    | 42.540 | 7.000 | 9.501 |
| HRU-3-16    | 42.753 | 7.000 | 9.488 |
| HRU-3-17    | 42.966 | 7.000 | 9.474 |
| HRU-3-18    | 43.178 | 7.000 | 9.460 |
| HRU-3-19    | 43.391 | 7.000 | 9.447 |
| HRL-1-1     | 34.811 | 4.000 | 9.600 |
| HRL-1-2     | 35.021 | 4.000 | 9.581 |
| HRL-1-3     | 35.231 | 4.000 | 9.562 |
| HRL-1-4     | 35.442 | 4.000 | 9.543 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.  | W.L.  |
|-------------|--------|-------|-------|
| HRL-1-5     | 35.652 | 4.000 | 9.526 |
| HRL-1-6     | 35.862 | 4.000 | 9.510 |
| HRL-1-7     | 36.073 | 4.000 | 9.496 |
| HRL-1-8     | 36.283 | 4.000 | 9.482 |
| HRL-1-9     | 36.493 | 4.000 | 9.470 |
| HRL-1-10    | 36.704 | 4.000 | 9.459 |
| HRL-1-11    | 36.914 | 4.000 | 9.448 |
| HRL-1-12    | 37.125 | 4.000 | 9.438 |
| HRL-1-13    | 37.335 | 4.000 | 9.429 |
| HRL-1-14    | 37.546 | 4.000 | 9.421 |
| HRL-1-15    | 37.756 | 4.000 | 9.413 |
| HRL-1-16    | 37.967 | 4.000 | 9.406 |
| HRL-1-17    | 38.177 | 4.000 | 9.400 |
| HRL-1-18    | 38.388 | 4.000 | 9.394 |
| HRL-1-19    | 38.598 | 4.000 | 9.389 |
| HRL-1-20    | 38.809 | 4.000 | 9.385 |
| HRL-1-21    | 39.019 | 4.000 | 9.382 |
| HRL-1-22    | 39.230 | 4.000 | 9.380 |
| HRL-1-23    | 39.440 | 4.000 | 9.379 |
| HRL-1-24    | 39.651 | 4.000 | 9.379 |
| HRL-1-25    | 39.861 | 4.000 | 9.380 |
| HRL-1-26    | 40.071 | 4.000 | 9.382 |
| HRL-1-27    | 40.282 | 4.000 | 9.385 |
| HRL-1-28    | 40.492 | 4.000 | 9.388 |
| HRL-1-29    | 40.702 | 4.000 | 9.393 |
| HRL-1-30    | 40.912 | 4.000 | 9.398 |
| HRL-1-31    | 41.123 | 4.000 | 9.404 |
| HRL-1-32    | 41.333 | 4.000 | 9.411 |
| HRL-1-33    | 41.543 | 4.000 | 9.419 |
| HRL-1-34    | 41.753 | 4.000 | 9.427 |
| HRL-1-35    | 41.963 | 4.000 | 9.437 |
| HRL-1-36    | 42.173 | 4.000 | 9.448 |
| HRL-1-37    | 42.383 | 4.000 | 9.461 |
| HRL-1-38    | 42.593 | 4.000 | 9.475 |
| HRL-1-39    | 42.802 | 4.000 | 9.489 |
| HRL-2-1     | 37.182 | 5.500 | 9.542 |
| HRL-2-2     | 37.390 | 5.500 | 9.524 |
| HRL-2-3     | 37.597 | 5.500 | 9.507 |
| HRL-2-4     | 37.805 | 5.500 | 9.490 |
| HRL-2-5     | 38.012 | 5.500 | 9.475 |
| HRL-2-6     | 38.220 | 5.500 | 9.462 |
| HRL-2-7     | 38.428 | 5.500 | 9.450 |
| HRL-2-8     | 38.635 | 5.500 | 9.439 |
| HRL-2-9     | 38.843 | 5.500 | 9.429 |
| HRL-2-10    | 39.051 | 5.500 | 9.420 |
| HRL-2-11    | 39.259 | 5.500 | 9.412 |
| HRL-2-12    | 39.467 | 5.500 | 9.404 |
| HRL-2-13    | 39.674 | 5.500 | 9.398 |
| HRL-2-14    | 39.882 | 5.500 | 9.392 |
| HRL-2-15    | 40.090 | 5.500 | 9.387 |

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| HRL-2-16    | 40.298 | 5.500  | 9.383 |
| HRL-2-17    | 40.505 | 5.500  | 9.380 |
| HRL-2-18    | 40.713 | 5.500  | 9.378 |
| HRL-2-19    | 40.921 | 5.500  | 9.377 |
| HRL-2-20    | 41.129 | 5.500  | 9.379 |
| HRL-2-21    | 41.336 | 5.500  | 9.381 |
| HRL-2-22    | 41.544 | 5.500  | 9.385 |
| HRL-2-23    | 41.751 | 5.500  | 9.391 |
| HRL-2-24    | 41.959 | 5.500  | 9.397 |
| HRL-2-25    | 42.166 | 5.500  | 9.405 |
| HRL-2-26    | 42.373 | 5.500  | 9.413 |
| HRL-2-27    | 42.581 | 5.500  | 9.423 |
| HRL-2-28    | 42.788 | 5.500  | 9.434 |
| HRL-2-29    | 42.995 | 5.500  | 9.447 |
| HRL-2-30    | 43.202 | 5.500  | 9.461 |
| HRL-3-1     | 39.557 | 7.000  | 9.484 |
| HRL-3-2     | 39.770 | 7.000  | 9.467 |
| HRL-3-3     | 39.983 | 7.000  | 9.452 |
| HRL-3-4     | 40.196 | 7.000  | 9.439 |
| HRL-3-5     | 40.409 | 7.000  | 9.427 |
| HRL-3-6     | 40.622 | 7.000  | 9.417 |
| HRL-3-7     | 40.836 | 7.000  | 9.409 |
| HRL-3-8     | 41.049 | 7.000  | 9.400 |
| HRL-3-9     | 41.262 | 7.000  | 9.393 |
| HRL-3-10    | 41.475 | 7.000  | 9.387 |
| HRL-3-11    | 41.688 | 7.000  | 9.383 |
| HRL-3-12    | 41.901 | 7.000  | 9.381 |
| HRL-3-13    | 42.114 | 7.000  | 9.382 |
| HRL-3-14    | 42.327 | 7.000  | 9.387 |
| HRL-3-15    | 42.540 | 7.000  | 9.394 |
| HRL-3-16    | 42.753 | 7.000  | 9.403 |
| HRL-3-17    | 42.966 | 7.000  | 9.413 |
| HRL-3-18    | 43.178 | 7.000  | 9.423 |
| HRL-3-19    | 43.391 | 7.000  | 9.435 |
| HLU-1-1     | 34.699 | -4.000 | 9.646 |
| HLU-1-2     | 34.911 | -4.000 | 9.659 |
| HLU-1-3     | 35.124 | -4.000 | 9.670 |
| HLU-1-4     | 35.336 | -4.000 | 9.681 |
| HLU-1-5     | 35.549 | -4.000 | 9.691 |
| HLU-1-6     | 35.762 | -4.000 | 9.700 |
| HLU-1-7     | 35.975 | -4.000 | 9.708 |
| HLU-1-8     | 36.188 | -4.000 | 9.715 |
| HLU-1-9     | 36.400 | -4.000 | 9.722 |
| HLU-1-10    | 36.613 | -4.000 | 9.727 |
| HLU-1-11    | 36.826 | -4.000 | 9.732 |
| HLU-1-12    | 37.039 | -4.000 | 9.737 |
| HLU-1-13    | 37.252 | -4.000 | 9.741 |
| HLU-1-14    | 37.465 | -4.000 | 9.744 |
| HLU-1-15    | 37.678 | -4.000 | 9.746 |
| HLU-1-16    | 37.891 | -4.000 | 9.747 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| HLU-1-17    | 38.104 | -4.000 | 9.747 |
| HLU-1-18    | 38.317 | -4.000 | 9.746 |
| HLU-1-19    | 38.530 | -4.000 | 9.744 |
| HLU-1-20    | 38.743 | -4.000 | 9.742 |
| HLU-1-21    | 38.956 | -4.000 | 9.738 |
| HLU-1-22    | 39.169 | -4.000 | 9.733 |
| HLU-1-23    | 39.381 | -4.000 | 9.727 |
| HLU-1-24    | 39.594 | -4.000 | 9.720 |
| HLU-1-25    | 39.807 | -4.000 | 9.713 |
| HLU-1-26    | 40.020 | -4.000 | 9.704 |
| HLU-1-27    | 40.233 | -4.000 | 9.694 |
| HLU-1-28    | 40.445 | -4.000 | 9.684 |
| HLU-1-29    | 40.658 | -4.000 | 9.673 |
| HLU-1-30    | 40.871 | -4.000 | 9.661 |
| HLU-1-31    | 41.083 | -4.000 | 9.648 |
| HLU-1-32    | 41.296 | -4.000 | 9.635 |
| HLU-1-33    | 41.508 | -4.000 | 9.621 |
| HLU-1-34    | 41.721 | -4.000 | 9.607 |
| HLU-1-35    | 41.933 | -4.000 | 9.591 |
| HLU-1-36    | 42.145 | -4.000 | 9.575 |
| HLU-1-37    | 42.358 | -4.000 | 9.557 |
| HLU-1-38    | 42.570 | -4.000 | 9.539 |
| HLU-1-39    | 42.782 | -4.000 | 9.520 |
| HLU-2-1     | 37.048 | -5.500 | 9.592 |
| HLU-2-2     | 37.260 | -5.500 | 9.603 |
| HLU-2-3     | 37.471 | -5.500 | 9.613 |
| HLU-2-4     | 37.683 | -5.500 | 9.623 |
| HLU-2-5     | 37.894 | -5.500 | 9.631 |
| HLU-2-6     | 38.105 | -5.500 | 9.638 |
| HLU-2-7     | 38.317 | -5.500 | 9.644 |
| HLU-2-8     | 38.529 | -5.500 | 9.650 |
| HLU-2-9     | 38.740 | -5.500 | 9.655 |
| HLU-2-10    | 38.952 | -5.500 | 9.658 |
| HLU-2-11    | 39.163 | -5.500 | 9.661 |
| HLU-2-12    | 39.375 | -5.500 | 9.663 |
| HLU-2-13    | 39.587 | -5.500 | 9.664 |
| HLU-2-14    | 39.798 | -5.500 | 9.663 |
| HLU-2-15    | 40.010 | -5.500 | 9.661 |
| HLU-2-16    | 40.221 | -5.500 | 9.658 |
| HLU-2-17    | 40.433 | -5.500 | 9.654 |
| HLU-2-18    | 40.644 | -5.500 | 9.648 |
| HLU-2-19    | 40.856 | -5.500 | 9.642 |
| HLU-2-20    | 41.067 | -5.500 | 9.634 |
| HLU-2-21    | 41.279 | -5.500 | 9.624 |
| HLU-2-22    | 41.490 | -5.500 | 9.614 |
| HLU-2-23    | 41.702 | -5.500 | 9.603 |
| HLU-2-24    | 41.913 | -5.500 | 9.591 |
| HLU-2-25    | 42.124 | -5.500 | 9.578 |
| HLU-2-26    | 42.335 | -5.500 | 9.563 |
| HLU-2-27    | 42.546 | -5.500 | 9.548 |

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| HLU-2-28    | 42.757 | -5.500 | 9.532 |
| HLU-2-29    | 42.968 | -5.500 | 9.515 |
| HLU-2-30    | 43.179 | -5.500 | 9.497 |
| HLU-3-1     | 39.405 | -7.000 | 9.539 |
| HLU-3-2     | 39.630 | -7.000 | 9.548 |
| HLU-3-3     | 39.855 | -7.000 | 9.556 |
| HLU-3-4     | 40.080 | -7.000 | 9.564 |
| HLU-3-5     | 40.304 | -7.000 | 9.570 |
| HLU-3-6     | 40.529 | -7.000 | 9.575 |
| HLU-3-7     | 40.754 | -7.000 | 9.579 |
| HLU-3-8     | 40.979 | -7.000 | 9.581 |
| HLU-3-9     | 41.204 | -7.000 | 9.581 |
| HLU-3-10    | 41.428 | -7.000 | 9.579 |
| HLU-3-11    | 41.653 | -7.000 | 9.575 |
| HLU-3-12    | 41.878 | -7.000 | 9.568 |
| HLU-3-13    | 42.103 | -7.000 | 9.560 |
| HLU-3-14    | 42.327 | -7.000 | 9.550 |
| HLU-3-15    | 42.552 | -7.000 | 9.538 |
| HLU-3-16    | 42.776 | -7.000 | 9.524 |
| HLU-3-17    | 43.001 | -7.000 | 9.508 |
| HLU-3-18    | 43.225 | -7.000 | 9.492 |
| HLU-3-19    | 43.449 | -7.000 | 9.476 |
| HLL-1-1     | 34.699 | -4.000 | 9.630 |
| HLL-1-2     | 34.911 | -4.000 | 9.612 |
| HLL-1-3     | 35.124 | -4.000 | 9.594 |
| HLL-1-4     | 35.336 | -4.000 | 9.576 |
| HLL-1-5     | 35.549 | -4.000 | 9.559 |
| HLL-1-6     | 35.762 | -4.000 | 9.543 |
| HLL-1-7     | 35.975 | -4.000 | 9.528 |
| HLL-1-8     | 36.188 | -4.000 | 9.514 |
| HLL-1-9     | 36.400 | -4.000 | 9.500 |
| HLL-1-10    | 36.613 | -4.000 | 9.487 |
| HLL-1-11    | 36.826 | -4.000 | 9.475 |
| HLL-1-12    | 37.039 | -4.000 | 9.464 |
| HLL-1-13    | 37.252 | -4.000 | 9.453 |
| HLL-1-14    | 37.465 | -4.000 | 9.444 |
| HLL-1-15    | 37.678 | -4.000 | 9.435 |
| HLL-1-16    | 37.891 | -4.000 | 9.427 |
| HLL-1-17    | 38.104 | -4.000 | 9.421 |
| HLL-1-18    | 38.317 | -4.000 | 9.415 |
| HLL-1-19    | 38.530 | -4.000 | 9.410 |
| HLL-1-20    | 38.743 | -4.000 | 9.406 |
| HLL-1-21    | 38.956 | -4.000 | 9.403 |
| HLL-1-22    | 39.169 | -4.000 | 9.401 |
| HLL-1-23    | 39.381 | -4.000 | 9.401 |
| HLL-1-24    | 39.594 | -4.000 | 9.401 |
| HLL-1-25    | 39.807 | -4.000 | 9.403 |
| HLL-1-26    | 40.020 | -4.000 | 9.405 |
| HLL-1-27    | 40.233 | -4.000 | 9.408 |
| HLL-1-28    | 40.445 | -4.000 | 9.412 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.  |
|-------------|--------|--------|-------|
| HLL-1-29    | 40.658 | -4.000 | 9.416 |
| HLL-1-30    | 40.871 | -4.000 | 9.421 |
| HLL-1-31    | 41.083 | -4.000 | 9.426 |
| HLL-1-32    | 41.296 | -4.000 | 9.432 |
| HLL-1-33    | 41.508 | -4.000 | 9.439 |
| HLL-1-34    | 41.721 | -4.000 | 9.447 |
| HLL-1-35    | 41.933 | -4.000 | 9.456 |
| HLL-1-36    | 42.145 | -4.000 | 9.466 |
| HLL-1-37    | 42.358 | -4.000 | 9.478 |
| HLL-1-38    | 42.570 | -4.000 | 9.491 |
| HLL-1-39    | 42.782 | -4.000 | 9.504 |
| HLL-2-1     | 37.048 | -5.500 | 9.578 |
| HLL-2-2     | 37.260 | -5.500 | 9.560 |
| HLL-2-3     | 37.471 | -5.500 | 9.543 |
| HLL-2-4     | 37.683 | -5.500 | 9.527 |
| HLL-2-5     | 37.894 | -5.500 | 9.512 |
| HLL-2-6     | 38.105 | -5.500 | 9.498 |
| HLL-2-7     | 38.317 | -5.500 | 9.485 |
| HLL-2-8     | 38.529 | -5.500 | 9.472 |
| HLL-2-9     | 38.740 | -5.500 | 9.461 |
| HLL-2-10    | 38.952 | -5.500 | 9.451 |
| HLL-2-11    | 39.163 | -5.500 | 9.442 |
| HLL-2-12    | 39.375 | -5.500 | 9.434 |
| HLL-2-13    | 39.587 | -5.500 | 9.427 |
| HLL-2-14    | 39.798 | -5.500 | 9.421 |
| HLL-2-15    | 40.010 | -5.500 | 9.416 |
| HLL-2-16    | 40.221 | -5.500 | 9.412 |
| HLL-2-17    | 40.433 | -5.500 | 9.410 |
| HLL-2-18    | 40.644 | -5.500 | 9.409 |
| HLL-2-19    | 40.856 | -5.500 | 9.409 |
| HLL-2-20    | 41.067 | -5.500 | 9.410 |
| HLL-2-21    | 41.279 | -5.500 | 9.412 |
| HLL-2-22    | 41.490 | -5.500 | 9.415 |
| HLL-2-23    | 41.702 | -5.500 | 9.419 |
| HLL-2-24    | 41.913 | -5.500 | 9.424 |
| HLL-2-25    | 42.124 | -5.500 | 9.430 |
| HLL-2-26    | 42.335 | -5.500 | 9.438 |
| HLL-2-27    | 42.546 | -5.500 | 9.447 |
| HLL-2-28    | 42.757 | -5.500 | 9.457 |
| HLL-2-29    | 42.968 | -5.500 | 9.469 |
| HLL-2-30    | 43.179 | -5.500 | 9.482 |
| HLL-3-1     | 39.405 | -7.000 | 9.525 |
| HLL-3-2     | 39.630 | -7.000 | 9.509 |
| HLL-3-3     | 39.855 | -7.000 | 9.493 |
| HLL-3-4     | 40.080 | -7.000 | 9.479 |
| HLL-3-5     | 40.304 | -7.000 | 9.466 |
| HLL-3-6     | 40.529 | -7.000 | 9.454 |
| HLL-3-7     | 40.754 | -7.000 | 9.444 |
| HLL-3-8     | 40.979 | -7.000 | 9.436 |
| HLL-3-9     | 41.204 | -7.000 | 9.429 |

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| HLL-3-10    | 41.428 | -7.000 | 9.424  |
| HLL-3-11    | 41.653 | -7.000 | 9.420  |
| HLL-3-12    | 41.878 | -7.000 | 9.418  |
| HLL-3-13    | 42.103 | -7.000 | 9.419  |
| HLL-3-14    | 42.327 | -7.000 | 9.421  |
| HLL-3-15    | 42.552 | -7.000 | 9.425  |
| HLL-3-16    | 42.776 | -7.000 | 9.432  |
| HLL-3-17    | 43.001 | -7.000 | 9.441  |
| HLL-3-18    | 43.225 | -7.000 | 9.452  |
| HLL-3-19    | 43.449 | -7.000 | 9.463  |
| VR-1-1      | 33.152 | -0.026 | 10.500 |
| VR-1-2      | 33.424 | -0.016 | 10.500 |
| VR-1-3      | 33.696 | -0.007 | 10.500 |
| VR-1-4      | 33.968 | 0.003  | 10.500 |
| VR-1-5      | 34.240 | 0.013  | 10.500 |
| VR-1-6      | 34.512 | 0.022  | 10.500 |
| VR-1-7      | 34.784 | 0.031  | 10.500 |
| VR-1-8      | 35.056 | 0.040  | 10.500 |
| VR-1-9      | 35.328 | 0.049  | 10.500 |
| VR-1-10     | 35.599 | 0.057  | 10.500 |
| VR-1-11     | 35.871 | 0.065  | 10.500 |
| VR-1-12     | 36.143 | 0.073  | 10.500 |
| VR-1-13     | 36.415 | 0.080  | 10.500 |
| VR-1-14     | 36.687 | 0.087  | 10.500 |
| VR-1-15     | 36.959 | 0.093  | 10.500 |
| VR-1-16     | 37.231 | 0.099  | 10.500 |
| VR-1-17     | 37.503 | 0.104  | 10.500 |
| VR-1-18     | 37.775 | 0.108  | 10.500 |
| VR-1-19     | 38.047 | 0.112  | 10.500 |
| VR-1-20     | 38.319 | 0.115  | 10.500 |
| VR-1-21     | 38.591 | 0.118  | 10.500 |
| VR-1-22     | 38.863 | 0.119  | 10.500 |
| VR-1-23     | 39.135 | 0.120  | 10.500 |
| VR-1-24     | 39.408 | 0.119  | 10.500 |
| VR-1-25     | 39.680 | 0.118  | 10.500 |
| VR-1-26     | 39.952 | 0.115  | 10.500 |
| VR-1-27     | 40.224 | 0.110  | 10.500 |
| VR-1-28     | 40.496 | 0.104  | 10.500 |
| VR-1-29     | 40.768 | 0.096  | 10.500 |
| VR-1-30     | 41.039 | 0.085  | 10.500 |
| VR-1-31     | 41.311 | 0.074  | 10.500 |
| VR-1-32     | 41.583 | 0.060  | 10.500 |
| VR-1-33     | 41.855 | 0.045  | 10.500 |
| VR-1-34     | 42.126 | 0.029  | 10.500 |
| VR-1-35     | 42.398 | 0.011  | 10.500 |
| VR-1-36     | 42.669 | -0.008 | 10.500 |
| VR-1-37     | 42.940 | -0.028 | 10.500 |
| VR-2-1      | 35.275 | -0.024 | 12.000 |
| VR-2-2      | 35.543 | -0.014 | 12.000 |
| VR-2-3      | 35.811 | -0.005 | 12.000 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| VR-2-4      | 36.079 | 0.004  | 12.000 |
| VR-2-5      | 36.347 | 0.013  | 12.000 |
| VR-2-6      | 36.615 | 0.022  | 12.000 |
| VR-2-7      | 36.884 | 0.031  | 12.000 |
| VR-2-8      | 37.152 | 0.039  | 12.000 |
| VR-2-9      | 37.420 | 0.048  | 12.000 |
| VR-2-10     | 37.688 | 0.055  | 12.000 |
| VR-2-11     | 37.956 | 0.063  | 12.000 |
| VR-2-12     | 38.224 | 0.070  | 12.000 |
| VR-2-13     | 38.492 | 0.077  | 12.000 |
| VR-2-14     | 38.760 | 0.083  | 12.000 |
| VR-2-15     | 39.028 | 0.089  | 12.000 |
| VR-2-16     | 39.296 | 0.094  | 12.000 |
| VR-2-17     | 39.564 | 0.097  | 12.000 |
| VR-2-18     | 39.833 | 0.100  | 12.000 |
| VR-2-19     | 40.101 | 0.101  | 12.000 |
| VR-2-20     | 40.369 | 0.101  | 12.000 |
| VR-2-21     | 40.637 | 0.098  | 12.000 |
| VR-2-22     | 40.905 | 0.094  | 12.000 |
| VR-2-23     | 41.173 | 0.088  | 12.000 |
| VR-2-24     | 41.441 | 0.080  | 12.000 |
| VR-2-25     | 41.709 | 0.070  | 12.000 |
| VR-2-26     | 41.977 | 0.059  | 12.000 |
| VR-2-27     | 42.245 | 0.045  | 12.000 |
| VR-2-28     | 42.513 | 0.030  | 12.000 |
| VR-2-29     | 42.780 | 0.014  | 12.000 |
| VR-2-30     | 43.048 | -0.005 | 12.000 |
| VR-2-31     | 43.315 | -0.024 | 12.000 |
| VR-3-1      | 37.403 | -0.018 | 13.500 |
| VR-3-2      | 37.676 | -0.009 | 13.500 |
| VR-3-3      | 37.949 | 0.000  | 13.500 |
| VR-3-4      | 38.223 | 0.009  | 13.500 |
| VR-3-5      | 38.496 | 0.018  | 13.500 |
| VR-3-6      | 38.769 | 0.026  | 13.500 |
| VR-3-7      | 39.042 | 0.035  | 13.500 |
| VR-3-8      | 39.315 | 0.043  | 13.500 |
| VR-3-9      | 39.589 | 0.050  | 13.500 |
| VR-3-10     | 39.862 | 0.057  | 13.500 |
| VR-3-11     | 40.135 | 0.063  | 13.500 |
| VR-3-12     | 40.409 | 0.067  | 13.500 |
| VR-3-13     | 40.682 | 0.070  | 13.500 |
| VR-3-14     | 40.955 | 0.072  | 13.500 |
| VR-3-15     | 41.228 | 0.073  | 13.500 |
| VR-3-16     | 41.502 | 0.071  | 13.500 |
| VR-3-17     | 41.775 | 0.068  | 13.500 |
| VR-3-18     | 42.048 | 0.063  | 13.500 |
| VR-3-19     | 42.322 | 0.055  | 13.500 |
| VR-3-20     | 42.595 | 0.046  | 13.500 |
| VR-3-21     | 42.868 | 0.034  | 13.500 |
| VR-3-22     | 43.141 | 0.019  | 13.500 |

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| VR-3-23     | 43.414 | 0.002  | 13.500 |
| VR-3-24     | 43.686 | -0.017 | 13.500 |
| VR-4-1      | 39.248 | -0.010 | 14.800 |
| VR-4-2      | 39.528 | -0.001 | 14.800 |
| VR-4-3      | 39.807 | 0.008  | 14.800 |
| VR-4-4      | 40.087 | 0.016  | 14.800 |
| VR-4-5      | 40.367 | 0.024  | 14.800 |
| VR-4-6      | 40.646 | 0.032  | 14.800 |
| VR-4-7      | 40.926 | 0.039  | 14.800 |
| VR-4-8      | 41.206 | 0.044  | 14.800 |
| VR-4-9      | 41.486 | 0.049  | 14.800 |
| VR-4-10     | 41.765 | 0.052  | 14.800 |
| VR-4-11     | 42.045 | 0.054  | 14.800 |
| VR-4-12     | 42.325 | 0.053  | 14.800 |
| VR-4-13     | 42.605 | 0.049  | 14.800 |
| VR-4-14     | 42.885 | 0.042  | 14.800 |
| VR-4-15     | 43.164 | 0.032  | 14.800 |
| VR-4-16     | 43.444 | 0.019  | 14.800 |
| VR-4-17     | 43.723 | 0.002  | 14.800 |
| VR-4-18     | 44.002 | -0.017 | 14.800 |
| VL-1-1      | 33.152 | -0.039 | 10.500 |
| VL-1-2      | 33.424 | -0.049 | 10.500 |
| VL-1-3      | 33.696 | -0.059 | 10.500 |
| VL-1-4      | 33.968 | -0.069 | 10.500 |
| VL-1-5      | 34.240 | -0.079 | 10.500 |
| VL-1-6      | 34.512 | -0.090 | 10.500 |
| VL-1-7      | 34.784 | -0.100 | 10.500 |
| VL-1-8      | 35.056 | -0.110 | 10.500 |
| VL-1-9      | 35.328 | -0.119 | 10.500 |
| VL-1-10     | 35.599 | -0.129 | 10.500 |
| VL-1-11     | 35.871 | -0.139 | 10.500 |
| VL-1-12     | 36.143 | -0.148 | 10.500 |
| VL-1-13     | 36.415 | -0.156 | 10.500 |
| VL-1-14     | 36.687 | -0.164 | 10.500 |
| VL-1-15     | 36.959 | -0.172 | 10.500 |
| VL-1-16     | 37.231 | -0.178 | 10.500 |
| VL-1-17     | 37.503 | -0.184 | 10.500 |
| VL-1-18     | 37.775 | -0.188 | 10.500 |
| VL-1-19     | 38.047 | -0.192 | 10.500 |
| VL-1-20     | 38.319 | -0.195 | 10.500 |
| VL-1-21     | 38.591 | -0.196 | 10.500 |
| VL-1-22     | 38.863 | -0.197 | 10.500 |
| VL-1-23     | 39.135 | -0.197 | 10.500 |
| VL-1-24     | 39.408 | -0.196 | 10.500 |
| VL-1-25     | 39.680 | -0.195 | 10.500 |
| VL-1-26     | 39.952 | -0.192 | 10.500 |
| VL-1-27     | 40.224 | -0.189 | 10.500 |
| VL-1-28     | 40.496 | -0.183 | 10.500 |
| VL-1-29     | 40.768 | -0.176 | 10.500 |
| VL-1-30     | 41.039 | -0.168 | 10.500 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| VL-1-31     | 41.311 | -0.157 | 10.500 |
| VL-1-32     | 41.583 | -0.145 | 10.500 |
| VL-1-33     | 41.855 | -0.130 | 10.500 |
| VL-1-34     | 42.126 | -0.114 | 10.500 |
| VL-1-35     | 42.398 | -0.096 | 10.500 |
| VL-1-36     | 42.669 | -0.077 | 10.500 |
| VL-1-37     | 42.940 | -0.058 | 10.500 |
| VL-2-1      | 35.275 | -0.039 | 12.000 |
| VL-2-2      | 35.543 | -0.049 | 12.000 |
| VL-2-3      | 35.811 | -0.059 | 12.000 |
| VL-2-4      | 36.079 | -0.069 | 12.000 |
| VL-2-5      | 36.347 | -0.079 | 12.000 |
| VL-2-6      | 36.615 | -0.089 | 12.000 |
| VL-2-7      | 36.884 | -0.098 | 12.000 |
| VL-2-8      | 37.152 | -0.107 | 12.000 |
| VL-2-9      | 37.420 | -0.116 | 12.000 |
| VL-2-10     | 37.688 | -0.124 | 12.000 |
| VL-2-11     | 37.956 | -0.132 | 12.000 |
| VL-2-12     | 38.224 | -0.139 | 12.000 |
| VL-2-13     | 38.492 | -0.146 | 12.000 |
| VL-2-14     | 38.760 | -0.152 | 12.000 |
| VL-2-15     | 39.028 | -0.157 | 12.000 |
| VL-2-16     | 39.296 | -0.161 | 12.000 |
| VL-2-17     | 39.564 | -0.165 | 12.000 |
| VL-2-18     | 39.833 | -0.168 | 12.000 |
| VL-2-19     | 40.101 | -0.170 | 12.000 |
| VL-2-20     | 40.369 | -0.170 | 12.000 |
| VL-2-21     | 40.637 | -0.169 | 12.000 |
| VL-2-22     | 40.905 | -0.166 | 12.000 |
| VL-2-23     | 41.173 | -0.161 | 12.000 |
| VL-2-24     | 41.441 | -0.153 | 12.000 |
| VL-2-25     | 41.709 | -0.144 | 12.000 |
| VL-2-26     | 41.977 | -0.133 | 12.000 |
| VL-2-27     | 42.245 | -0.120 | 12.000 |
| VL-2-28     | 42.513 | -0.105 | 12.000 |
| VL-2-29     | 42.780 | -0.089 | 12.000 |
| VL-2-30     | 43.048 | -0.072 | 12.000 |
| VL-2-31     | 43.315 | -0.053 | 12.000 |
| VL-3-1      | 37.403 | -0.036 | 13.500 |
| VL-3-2      | 37.676 | -0.046 | 13.500 |
| VL-3-3      | 37.949 | -0.055 | 13.500 |
| VL-3-4      | 38.223 | -0.065 | 13.500 |
| VL-3-5      | 38.496 | -0.075 | 13.500 |
| VL-3-6      | 38.769 | -0.084 | 13.500 |
| VL-3-7      | 39.042 | -0.093 | 13.500 |
| VL-3-8      | 39.315 | -0.101 | 13.500 |
| VL-3-9      | 39.589 | -0.109 | 13.500 |
| VL-3-10     | 39.862 | -0.117 | 13.500 |
| VL-3-11     | 40.135 | -0.124 | 13.500 |
| VL-3-12     | 40.409 | -0.130 | 13.500 |

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| VL-3-13     | 40.682 | -0.134 | 13.500 |
| VL-3-14     | 40.955 | -0.137 | 13.500 |
| VL-3-15     | 41.228 | -0.138 | 13.500 |
| VL-3-16     | 41.502 | -0.137 | 13.500 |
| VL-3-17     | 41.775 | -0.133 | 13.500 |
| VL-3-18     | 42.048 | -0.127 | 13.500 |
| VL-3-19     | 42.322 | -0.120 | 13.500 |
| VL-3-20     | 42.595 | -0.110 | 13.500 |
| VL-3-21     | 42.868 | -0.098 | 13.500 |
| VL-3-22     | 43.141 | -0.084 | 13.500 |
| VL-3-23     | 43.414 | -0.068 | 13.500 |
| VL-3-24     | 43.686 | -0.050 | 13.500 |
| VL-4-1      | 39.248 | -0.032 | 14.800 |
| VL-4-2      | 39.528 | -0.043 | 14.800 |
| VL-4-3      | 39.807 | -0.054 | 14.800 |
| VL-4-4      | 40.087 | -0.064 | 14.800 |
| VL-4-5      | 40.367 | -0.075 | 14.800 |
| VL-4-6      | 40.646 | -0.084 | 14.800 |
| VL-4-7      | 40.926 | -0.092 | 14.800 |
| VL-4-8      | 41.206 | -0.099 | 14.800 |
| VL-4-9      | 41.486 | -0.104 | 14.800 |
| VL-4-10     | 41.765 | -0.107 | 14.800 |
| VL-4-11     | 42.045 | -0.108 | 14.800 |
| VL-4-12     | 42.325 | -0.107 | 14.800 |
| VL-4-13     | 42.605 | -0.104 | 14.800 |
| VL-4-14     | 42.885 | -0.098 | 14.800 |
| VL-4-15     | 43.164 | -0.089 | 14.800 |
| VL-4-16     | 43.444 | -0.077 | 14.800 |
| VL-4-17     | 43.723 | -0.063 | 14.800 |
| VL-4-18     | 44.002 | -0.046 | 14.800 |
| FL-1-1      | 0.463  | 0.000  | 7.265  |
| FL-1-2      | 0.841  | 0.000  | 7.134  |
| FL-1-3      | 1.225  | 0.000  | 7.016  |
| FL-1-4      | 1.612  | 0.000  | 6.914  |
| FL-1-5      | 2.003  | 0.000  | 6.825  |
| FL-1-6      | 2.396  | 0.000  | 6.744  |
| FL-1-7      | 2.791  | 0.000  | 6.673  |
| FL-1-8      | 3.187  | 0.000  | 6.615  |
| FL-1-9      | 3.586  | 0.000  | 6.569  |
| FL-1-10     | 3.985  | 0.000  | 6.535  |
| FL-1-11     | 4.385  | 0.000  | 6.509  |
| FL-1-12     | 4.786  | 0.000  | 6.492  |
| FL-1-13     | 5.187  | 0.000  | 6.480  |
| FL-1-14     | 5.588  | 0.000  | 6.473  |
| FL-1-15     | 5.988  | 0.000  | 6.472  |
| FL-1-16     | 6.389  | 0.000  | 6.476  |
| FL-1-17     | 6.790  | 0.000  | 6.485  |
| FL-1-18     | 7.191  | 0.000  | 6.500  |
| FL-1-19     | 7.592  | 0.000  | 6.518  |
| FL-1-20     | 7.992  | 0.000  | 6.539  |



**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.  | W.L.  |
|-------------|--------|-------|-------|
| FL-1-21     | 8.392  | 0.000 | 6.560 |
| FL-1-22     | 8.793  | 0.000 | 6.581 |
| FL-1-23     | 9.193  | 0.000 | 6.599 |
| FL-1-24     | 9.594  | 0.000 | 6.616 |
| FL-1-25     | 9.995  | 0.000 | 6.629 |
| FL-1-26     | 10.396 | 0.000 | 6.639 |
| FL-1-27     | 10.796 | 0.000 | 6.646 |
| FL-1-28     | 11.197 | 0.000 | 6.651 |
| FL-1-29     | 11.598 | 0.000 | 6.658 |
| FL-1-30     | 11.999 | 0.000 | 6.662 |
| FL-1-31     | 12.400 | 0.000 | 6.668 |
| FL-1-32     | 12.801 | 0.000 | 6.674 |
| FL-1-33     | 13.202 | 0.000 | 6.679 |
| FL-1-34     | 13.603 | 0.000 | 6.684 |
| FL-1-35     | 14.004 | 0.000 | 6.689 |
| FL-1-36     | 14.405 | 0.000 | 6.695 |
| FL-1-37     | 14.806 | 0.000 | 6.699 |
| FL-1-38     | 15.207 | 0.000 | 6.703 |
| FL-1-39     | 15.608 | 0.000 | 6.709 |
| FL-1-40     | 16.009 | 0.000 | 6.713 |
| FL-1-41     | 16.410 | 0.000 | 6.717 |
| FL-1-42     | 16.811 | 0.000 | 6.722 |
| FL-1-43     | 17.212 | 0.000 | 6.726 |
| FL-1-44     | 17.613 | 0.000 | 6.730 |
| FL-1-45     | 18.013 | 0.000 | 6.735 |
| FL-1-46     | 18.414 | 0.000 | 6.738 |
| FL-1-47     | 18.815 | 0.000 | 6.741 |
| FL-1-48     | 19.216 | 0.000 | 6.743 |
| FL-1-49     | 19.617 | 0.000 | 6.746 |
| FL-1-50     | 20.018 | 0.000 | 6.748 |
| FL-1-51     | 20.419 | 0.000 | 6.753 |
| FL-1-52     | 20.820 | 0.000 | 6.758 |
| FL-1-53     | 21.221 | 0.000 | 6.763 |
| FL-1-54     | 21.622 | 0.000 | 6.768 |
| FL-1-55     | 22.023 | 0.000 | 6.773 |
| FL-1-56     | 22.424 | 0.000 | 6.777 |
| FL-1-57     | 22.825 | 0.000 | 6.782 |
| FL-1-58     | 23.226 | 0.000 | 6.788 |
| FL-1-59     | 23.627 | 0.000 | 6.793 |
| FL-1-60     | 24.028 | 0.000 | 6.798 |
| FL-1-61     | 24.429 | 0.000 | 6.803 |
| FL-1-62     | 24.830 | 0.000 | 6.809 |
| FL-1-63     | 25.231 | 0.000 | 6.815 |
| FL-1-64     | 25.632 | 0.000 | 6.819 |
| FL-1-65     | 26.032 | 0.000 | 6.824 |
| FL-1-66     | 26.433 | 0.000 | 6.827 |
| FL-1-67     | 26.834 | 0.000 | 6.831 |
| FL-1-68     | 27.235 | 0.000 | 6.832 |
| FL-1-69     | 27.636 | 0.000 | 6.832 |
| FL-1-70     | 28.037 | 0.000 | 6.832 |

| Designation | F.S.   | B.L.  | W.L.  |
|-------------|--------|-------|-------|
| FL-1-71     | 28.438 | 0.000 | 6.831 |
| FL-1-72     | 28.839 | 0.000 | 6.829 |
| FL-1-73     | 29.240 | 0.000 | 6.829 |
| FL-1-74     | 29.641 | 0.000 | 6.829 |
| FL-1-75     | 30.042 | 0.000 | 6.829 |
| FL-1-76     | 30.443 | 0.000 | 6.830 |
| FL-1-77     | 30.844 | 0.000 | 6.831 |
| FL-1-78     | 31.245 | 0.000 | 6.832 |
| FL-1-79     | 31.646 | 0.000 | 6.832 |
| FL-1-80     | 32.047 | 0.000 | 6.832 |
| FL-1-81     | 32.448 | 0.000 | 6.833 |
| FL-1-82     | 32.849 | 0.000 | 6.834 |
| FL-1-83     | 33.250 | 0.000 | 6.835 |
| FL-1-84     | 33.651 | 0.000 | 6.836 |
| FL-1-85     | 34.052 | 0.000 | 6.837 |
| FL-1-86     | 34.451 | 0.000 | 6.808 |
| FL-1-87     | 34.846 | 0.000 | 6.743 |
| FL-1-88     | 35.247 | 0.000 | 6.733 |
| FL-1-89     | 35.648 | 0.000 | 6.733 |
| FL-1-90     | 36.049 | 0.000 | 6.733 |
| FL-1-91     | 36.450 | 0.000 | 6.733 |
| FL-1-92     | 36.851 | 0.000 | 6.733 |
| FL-1-93     | 37.252 | 0.000 | 6.732 |
| FL-1-94     | 37.653 | 0.000 | 6.732 |
| FL-1-95     | 38.054 | 0.000 | 6.732 |
| FL-1-96     | 38.455 | 0.000 | 6.730 |
| FL-1-97     | 38.856 | 0.000 | 6.730 |
| FL-1-98     | 39.257 | 0.000 | 6.729 |
| FL-1-99     | 39.657 | 0.000 | 6.729 |
| FL-1-100    | 40.058 | 0.000 | 6.728 |
| FL-1-101    | 40.459 | 0.000 | 6.726 |
| FL-1-102    | 40.860 | 0.000 | 6.723 |
| FL-1-103    | 41.261 | 0.000 | 6.720 |
| FL-1-104    | 41.662 | 0.000 | 6.717 |
| FL-1-105    | 42.063 | 0.000 | 6.712 |
| FL-1-106    | 42.464 | 0.000 | 6.707 |
| FL-1-107    | 42.865 | 0.000 | 6.701 |
| FU-1-1      | 0.463  | 0.000 | 7.498 |
| FU-1-2      | 0.841  | 0.000 | 7.631 |
| FU-1-3      | 1.225  | 0.000 | 7.739 |
| FU-1-4      | 1.612  | 0.000 | 7.837 |
| FU-1-5      | 2.003  | 0.000 | 7.925 |
| FU-1-6      | 2.396  | 0.000 | 8.010 |
| FU-1-7      | 2.791  | 0.000 | 8.093 |
| FU-1-8      | 3.187  | 0.000 | 8.174 |
| FU-1-9      | 3.586  | 0.000 | 8.255 |
| FU-1-10     | 3.985  | 0.000 | 8.336 |
| FU-1-11     | 4.385  | 0.000 | 8.418 |
| FU-1-12     | 4.786  | 0.000 | 8.502 |
| FU-1-13     | 5.187  | 0.000 | 8.584 |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.  | W.L.   |
|-------------|--------|-------|--------|
| FU-1-14     | 5.588  | 0.000 | 8.664  |
| FU-1-15     | 5.988  | 0.000 | 8.745  |
| FU-1-16     | 6.389  | 0.000 | 8.825  |
| FU-1-17     | 6.790  | 0.000 | 8.904  |
| FU-1-18     | 7.191  | 0.000 | 8.981  |
| FU-1-19     | 7.592  | 0.000 | 9.057  |
| FU-1-20     | 7.992  | 0.000 | 9.132  |
| FU-1-21     | 8.392  | 0.000 | 9.201  |
| FU-1-22     | 8.793  | 0.000 | 9.268  |
| FU-1-23     | 9.193  | 0.000 | 9.367  |
| FU-1-24     | 9.594  | 0.000 | 9.531  |
| FU-1-25     | 9.995  | 0.000 | 9.696  |
| FU-1-26     | 10.396 | 0.000 | 9.858  |
| FU-1-27     | 10.796 | 0.000 | 10.019 |
| FU-1-28     | 11.197 | 0.000 | 10.177 |
| FU-1-29     | 11.598 | 0.000 | 10.335 |
| FU-1-30     | 11.999 | 0.000 | 10.490 |
| FU-1-31     | 12.400 | 0.000 | 10.627 |
| FU-1-32     | 12.801 | 0.000 | 10.738 |
| FU-1-33     | 13.202 | 0.000 | 10.820 |
| FU-1-34     | 13.603 | 0.000 | 10.878 |
| FU-1-35     | 14.004 | 0.000 | 10.920 |
| FU-1-36     | 14.405 | 0.000 | 10.952 |
| FU-1-37     | 14.806 | 0.000 | 10.974 |
| FU-1-38     | 15.207 | 0.000 | 10.987 |
| FU-1-39     | 15.608 | 0.000 | 10.993 |
| FU-1-40     | 16.009 | 0.000 | 10.992 |
| FU-1-41     | 16.410 | 0.000 | 10.986 |
| FU-1-42     | 16.811 | 0.000 | 10.974 |
| FU-1-43     | 17.212 | 0.000 | 10.957 |
| FU-1-44     | 17.613 | 0.000 | 10.939 |
| FU-1-45     | 18.013 | 0.000 | 10.918 |
| FU-1-46     | 18.414 | 0.000 | 10.896 |
| FU-1-47     | 18.815 | 0.000 | 10.871 |
| FU-1-48     | 19.216 | 0.000 | 10.845 |
| FU-1-49     | 19.617 | 0.000 | 10.818 |
| FU-1-50     | 20.018 | 0.000 | 10.789 |
| FU-1-51     | 20.419 | 0.000 | 10.758 |
| FU-1-52     | 20.820 | 0.000 | 10.725 |
| FU-1-53     | 21.221 | 0.000 | 10.692 |
| FU-1-54     | 21.622 | 0.000 | 10.660 |
| FU-1-55     | 22.023 | 0.000 | 10.629 |
| FU-1-56     | 22.424 | 0.000 | 10.600 |
| FU-1-57     | 22.825 | 0.000 | 10.571 |
| FU-1-58     | 23.226 | 0.000 | 10.544 |
| FU-1-59     | 23.627 | 0.000 | 10.518 |
| FU-1-60     | 24.028 | 0.000 | 10.493 |
| FU-1-61     | 24.429 | 0.000 | 10.468 |
| FU-1-62     | 24.830 | 0.000 | 10.443 |
| FU-1-63     | 25.231 | 0.000 | 10.420 |

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| FU-1-64     | 25.632 | 0.000  | 10.396 |
| FU-1-65     | 26.032 | 0.000  | 10.376 |
| FU-1-66     | 26.433 | 0.000  | 10.361 |
| FU-1-67     | 26.834 | 0.000  | 10.349 |
| FU-1-68     | 27.235 | 0.000  | 10.338 |
| FU-1-69     | 27.636 | 0.000  | 10.328 |
| FU-1-70     | 28.037 | 0.000  | 10.318 |
| FU-1-71     | 28.438 | 0.000  | 10.307 |
| FU-1-72     | 28.839 | 0.000  | 10.297 |
| FU-1-73     | 29.240 | 0.000  | 10.286 |
| FU-1-74     | 29.641 | 0.000  | 10.274 |
| FU-1-75     | 30.042 | 0.000  | 10.261 |
| FU-1-76     | 30.443 | 0.000  | 10.247 |
| FU-1-77     | 30.844 | 0.000  | 10.235 |
| FU-1-78     | 31.245 | 0.000  | 10.222 |
| FU-1-79     | 31.646 | 0.000  | 10.210 |
| FU-1-80     | 32.047 | 0.000  | 10.200 |
| FU-1-81     | 32.448 | 0.000  | 10.189 |
| FX-1-1      | 16.000 | 0.118  | 10.985 |
| FX-1-2      | 16.000 | 0.408  | 10.939 |
| FX-1-3      | 16.000 | 0.688  | 10.852 |
| FX-1-4      | 16.000 | 0.953  | 10.724 |
| FX-1-5      | 16.000 | 1.192  | 10.555 |
| FX-1-6      | 16.000 | 1.412  | 10.360 |
| FX-1-7      | 16.000 | 1.667  | 10.215 |
| FX-1-8      | 16.000 | 1.930  | 10.086 |
| FX-1-9      | 16.000 | 2.184  | 9.938  |
| FX-1-10     | 16.000 | 2.092  | 9.761  |
| FX-1-11     | 16.000 | 1.809  | 9.684  |
| FX-1-12     | 16.000 | 1.713  | 9.451  |
| FX-1-13     | 16.000 | 1.700  | 9.157  |
| FX-1-14     | 16.000 | 1.683  | 8.864  |
| FX-1-15     | 16.000 | 1.667  | 8.571  |
| FX-1-16     | 16.000 | 1.651  | 8.277  |
| FX-1-17     | 16.000 | 1.634  | 7.984  |
| FX-1-18     | 16.000 | 1.613  | 7.691  |
| FX-1-19     | 16.000 | 1.568  | 7.401  |
| FX-1-20     | 16.000 | 1.457  | 7.130  |
| FX-1-21     | 16.000 | 1.265  | 6.911  |
| FX-1-22     | 16.000 | 1.006  | 6.774  |
| FX-1-23     | 16.000 | 0.718  | 6.721  |
| FX-1-24     | 16.000 | 0.424  | 6.716  |
| FX-1-25     | 16.000 | 0.131  | 6.713  |
| FX-1-26     | 16.000 | -0.163 | 6.712  |
| FX-1-27     | 16.000 | -0.457 | 6.714  |
| FX-1-28     | 16.000 | -0.751 | 6.717  |
| FX-1-29     | 16.000 | -1.041 | 6.758  |
| FX-1-30     | 16.000 | -1.305 | 6.883  |
| FX-1-31     | 16.000 | -1.510 | 7.092  |
| FX-1-32     | 16.000 | -1.633 | 7.357  |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| FX-1-33     | 16.000 | -1.685 | 7.646  |
| FX-1-34     | 16.000 | -1.708 | 7.939  |
| FX-1-35     | 16.000 | -1.724 | 8.232  |
| FX-1-36     | 16.000 | -1.738 | 8.526  |
| FX-1-37     | 16.000 | -1.753 | 8.819  |
| FX-1-38     | 16.000 | -1.770 | 9.112  |
| FX-1-39     | 16.000 | -1.784 | 9.406  |
| FX-1-40     | 16.000 | -1.835 | 9.676  |
| FX-1-41     | 16.000 | -2.119 | 9.749  |
| FX-1-42     | 16.000 | -2.287 | 9.916  |
| FX-1-43     | 16.000 | -2.036 | 10.069 |
| FX-1-44     | 16.000 | -1.774 | 10.200 |
| FX-1-45     | 16.000 | -1.517 | 10.342 |
| FX-1-46     | 16.000 | -1.294 | 10.533 |
| FX-1-47     | 16.000 | -1.058 | 10.708 |
| FX-1-48     | 16.000 | -0.796 | 10.840 |
| FX-1-49     | 16.000 | -0.517 | 10.931 |
| FX-1-50     | 16.000 | -0.228 | 10.981 |
| FX-2-1      | 18.000 | -0.175 | 10.915 |
| FX-2-2      | 18.000 | -0.467 | 10.879 |
| FX-2-3      | 18.000 | -0.752 | 10.808 |
| FX-2-4      | 18.000 | -1.026 | 10.703 |
| FX-2-5      | 18.000 | -1.293 | 10.578 |
| FX-2-6      | 18.000 | -1.560 | 10.455 |
| FX-2-7      | 18.000 | -1.836 | 10.354 |
| FX-2-8      | 18.000 | -2.116 | 10.265 |
| FX-2-9      | 18.000 | -2.392 | 10.162 |
| FX-2-10     | 18.000 | -2.660 | 10.043 |
| FX-2-11     | 18.000 | -2.922 | 9.909  |
| FX-2-12     | 18.000 | -2.903 | 9.733  |
| FX-2-13     | 18.000 | -2.624 | 9.639  |
| FX-2-14     | 18.000 | -2.337 | 9.578  |
| FX-2-15     | 18.000 | -2.047 | 9.532  |
| FX-2-16     | 18.000 | -1.820 | 9.424  |
| FX-2-17     | 18.000 | -1.798 | 9.131  |
| FX-2-18     | 18.000 | -1.779 | 8.838  |
| FX-2-19     | 18.000 | -1.761 | 8.544  |
| FX-2-20     | 18.000 | -1.741 | 8.251  |
| FX-2-21     | 18.000 | -1.721 | 7.958  |
| FX-2-22     | 18.000 | -1.698 | 7.664  |
| FX-2-23     | 18.000 | -1.659 | 7.373  |
| FX-2-24     | 18.000 | -1.556 | 7.099  |
| FX-2-25     | 18.000 | -1.361 | 6.883  |
| FX-2-26     | 18.000 | -1.092 | 6.770  |
| FX-2-27     | 18.000 | -0.800 | 6.738  |
| FX-2-28     | 18.000 | -0.506 | 6.736  |
| FX-2-29     | 18.000 | -0.212 | 6.735  |
| FX-2-30     | 18.000 | 0.082  | 6.734  |
| FX-2-31     | 18.000 | 0.376  | 6.736  |
| FX-2-32     | 18.000 | 0.670  | 6.739  |

| Designation | F.S.   | B.L.  | W.L.   |
|-------------|--------|-------|--------|
| FX-2-33     | 18.000 | 0.963 | 6.759  |
| FX-2-34     | 18.000 | 1.240 | 6.854  |
| FX-2-35     | 18.000 | 1.453 | 7.052  |
| FX-2-36     | 18.000 | 1.568 | 7.321  |
| FX-2-37     | 18.000 | 1.616 | 7.611  |
| FX-2-38     | 18.000 | 1.641 | 7.904  |
| FX-2-39     | 18.000 | 1.661 | 8.197  |
| FX-2-40     | 18.000 | 1.681 | 8.491  |
| FX-2-41     | 18.000 | 1.701 | 8.784  |
| FX-2-42     | 18.000 | 1.720 | 9.077  |
| FX-2-43     | 18.000 | 1.739 | 9.371  |
| FX-2-44     | 18.000 | 1.915 | 9.521  |
| FX-2-45     | 18.000 | 2.207 | 9.561  |
| FX-2-46     | 18.000 | 2.496 | 9.614  |
| FX-2-47     | 18.000 | 2.777 | 9.697  |
| FX-2-48     | 18.000 | 2.919 | 9.867  |
| FX-2-49     | 18.000 | 2.661 | 10.006 |
| FX-2-50     | 18.000 | 2.393 | 10.129 |
| FX-2-51     | 18.000 | 2.120 | 10.236 |
| FX-2-52     | 18.000 | 1.840 | 10.327 |
| FX-2-53     | 18.000 | 1.563 | 10.424 |
| FX-2-54     | 18.000 | 1.293 | 10.542 |
| FX-2-55     | 18.000 | 1.029 | 10.671 |
| FX-2-56     | 18.000 | 0.758 | 10.784 |
| FX-2-57     | 18.000 | 0.475 | 10.864 |
| FX-2-58     | 18.000 | 0.185 | 10.909 |
| FX-3-1      | 20.000 | 0.119 | 10.787 |
| FX-3-2      | 20.000 | 0.412 | 10.751 |
| FX-3-3      | 20.000 | 0.699 | 10.686 |
| FX-3-4      | 20.000 | 0.983 | 10.607 |
| FX-3-5      | 20.000 | 1.267 | 10.524 |
| FX-3-6      | 20.000 | 1.552 | 10.448 |
| FX-3-7      | 20.000 | 1.839 | 10.382 |
| FX-3-8      | 20.000 | 2.128 | 10.322 |
| FX-3-9      | 20.000 | 2.416 | 10.258 |
| FX-3-10     | 20.000 | 2.701 | 10.183 |
| FX-3-11     | 20.000 | 2.982 | 10.092 |
| FX-3-12     | 20.000 | 3.259 | 9.989  |
| FX-3-13     | 20.000 | 3.529 | 9.873  |
| FX-3-14     | 20.000 | 3.610 | 9.683  |
| FX-3-15     | 20.000 | 3.334 | 9.580  |
| FX-3-16     | 20.000 | 3.047 | 9.513  |
| FX-3-17     | 20.000 | 2.755 | 9.470  |
| FX-3-18     | 20.000 | 2.761 | 9.193  |
| FX-3-19     | 20.000 | 2.762 | 8.898  |
| FX-3-20     | 20.000 | 2.699 | 8.611  |
| FX-3-21     | 20.000 | 2.536 | 8.366  |
| FX-3-22     | 20.000 | 2.315 | 8.173  |
| FX-3-23     | 20.000 | 2.048 | 8.051  |
| FX-3-24     | 20.000 | 1.757 | 8.002  |

**Table 1. Continued**  
**a. Continued**

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| FX-3-25     | 20.000 | 1.640  | 7.788  |
| FX-3-26     | 20.000 | 1.618  | 7.494  |
| FX-3-27     | 20.000 | 1.566  | 7.204  |
| FX-3-28     | 20.000 | 1.432  | 6.945  |
| FX-3-29     | 20.000 | 1.183  | 6.793  |
| FX-3-30     | 20.000 | 0.892  | 6.756  |
| FX-3-31     | 20.000 | 0.597  | 6.751  |
| FX-3-32     | 20.000 | 0.302  | 6.749  |
| FX-3-33     | 20.000 | 0.007  | 6.748  |
| FX-3-34     | 20.000 | -0.288 | 6.749  |
| FX-3-35     | 20.000 | -0.583 | 6.750  |
| FX-3-36     | 20.000 | -0.879 | 6.753  |
| FX-3-37     | 20.000 | -1.172 | 6.772  |
| FX-3-38     | 20.000 | -1.440 | 6.891  |
| FX-3-39     | 20.000 | -1.612 | 7.126  |
| FX-3-40     | 20.000 | -1.681 | 7.411  |
| FX-3-41     | 20.000 | -1.705 | 7.705  |
| FX-3-42     | 20.000 | -1.740 | 7.990  |
| FX-3-43     | 20.000 | -2.032 | 8.031  |
| FX-3-44     | 20.000 | -2.310 | 8.127  |
| FX-3-45     | 20.000 | -2.551 | 8.295  |
| FX-3-46     | 20.000 | -2.730 | 8.529  |
| FX-3-47     | 20.000 | -2.831 | 8.804  |
| FX-3-48     | 20.000 | -2.848 | 9.098  |
| FX-3-49     | 20.000 | -2.808 | 9.390  |
| FX-3-50     | 20.000 | -3.031 | 9.506  |
| FX-3-51     | 20.000 | -3.319 | 9.569  |
| FX-3-52     | 20.000 | -3.598 | 9.662  |
| FX-3-53     | 20.000 | -3.660 | 9.838  |
| FX-3-54     | 20.000 | -3.392 | 9.963  |
| FX-3-55     | 20.000 | -3.117 | 10.068 |
| FX-3-56     | 20.000 | -2.837 | 10.162 |
| FX-3-57     | 20.000 | -2.552 | 10.239 |
| FX-3-58     | 20.000 | -2.265 | 10.306 |
| FX-3-59     | 20.000 | -1.976 | 10.366 |
| FX-3-60     | 20.000 | -1.688 | 10.430 |
| FX-3-61     | 20.000 | -1.403 | 10.504 |
| FX-3-62     | 20.000 | -1.119 | 10.586 |
| FX-3-63     | 20.000 | -0.836 | 10.669 |
| FX-3-64     | 20.000 | -0.549 | 10.738 |
| FX-3-65     | 20.000 | -0.258 | 10.782 |
| FX-4-1      | 22.000 | -0.177 | 10.627 |
| FX-4-2      | 22.000 | -0.471 | 10.596 |
| FX-4-3      | 22.000 | -0.764 | 10.548 |
| FX-4-4      | 22.000 | -1.056 | 10.498 |
| FX-4-5      | 22.000 | -1.349 | 10.452 |
| FX-4-6      | 22.000 | -1.643 | 10.413 |
| FX-4-7      | 22.000 | -1.938 | 10.381 |
| FX-4-8      | 22.000 | -2.233 | 10.353 |
| FX-4-9      | 22.000 | -2.528 | 10.324 |

| Designation | F.S.   | B.L.   | W.L.   |
|-------------|--------|--------|--------|
| FX-4-10     | 22.000 | -2.822 | 10.287 |
| FX-4-11     | 22.000 | -3.114 | 10.239 |
| FX-4-12     | 22.000 | -3.404 | 10.176 |
| FX-4-13     | 22.000 | -3.692 | 10.104 |
| FX-4-14     | 22.000 | -3.976 | 10.021 |
| FX-4-15     | 22.000 | -4.245 | 9.897  |
| FX-4-16     | 22.000 | -4.447 | 9.692  |
| FX-4-17     | 22.000 | -4.224 | 9.524  |
| FX-4-18     | 22.000 | -3.935 | 9.459  |
| FX-4-19     | 22.000 | -3.647 | 9.411  |
| FX-4-20     | 22.000 | -3.645 | 9.116  |
| FX-4-21     | 22.000 | -3.636 | 8.821  |
| FX-4-22     | 22.000 | -3.577 | 8.530  |
| FX-4-23     | 22.000 | -3.468 | 8.255  |
| FX-4-24     | 22.000 | -3.314 | 8.003  |
| FX-4-25     | 22.000 | -3.112 | 7.787  |
| FX-4-26     | 22.000 | -2.872 | 7.612  |
| FX-4-27     | 22.000 | -2.606 | 7.483  |
| FX-4-28     | 22.000 | -2.324 | 7.393  |
| FX-4-29     | 22.000 | -2.033 | 7.335  |
| FX-4-30     | 22.000 | -1.739 | 7.303  |
| FX-4-31     | 22.000 | -1.628 | 7.038  |
| FX-4-32     | 22.000 | -1.419 | 6.840  |
| FX-4-33     | 22.000 | -1.130 | 6.780  |
| FX-4-34     | 22.000 | -0.834 | 6.774  |
| FX-4-35     | 22.000 | -0.537 | 6.773  |
| FX-4-36     | 22.000 | -0.241 | 6.773  |
| FX-4-37     | 22.000 | 0.056  | 6.772  |
| FX-4-38     | 22.000 | 0.352  | 6.772  |
| FX-4-39     | 22.000 | 0.649  | 6.774  |
| FX-4-40     | 22.000 | 0.945  | 6.774  |
| FX-4-41     | 22.000 | 1.239  | 6.801  |
| FX-4-42     | 22.000 | 1.499  | 6.934  |
| FX-4-43     | 22.000 | 1.618  | 7.202  |
| FX-4-44     | 22.000 | 1.854  | 7.312  |
| FX-4-45     | 22.000 | 2.146  | 7.360  |
| FX-4-46     | 22.000 | 2.430  | 7.444  |
| FX-4-47     | 22.000 | 2.703  | 7.559  |
| FX-4-48     | 22.000 | 2.953  | 7.717  |
| FX-4-49     | 22.000 | 3.169  | 7.919  |
| FX-4-50     | 22.000 | 3.340  | 8.161  |
| FX-4-51     | 22.000 | 3.466  | 8.429  |
| FX-4-52     | 22.000 | 3.544  | 8.714  |
| FX-4-53     | 22.000 | 3.573  | 9.009  |
| FX-4-54     | 22.000 | 3.570  | 9.305  |
| FX-4-55     | 22.000 | 3.775  | 9.427  |
| FX-4-56     | 22.000 | 4.066  | 9.482  |
| FX-4-57     | 22.000 | 4.336  | 9.596  |
| FX-4-58     | 22.000 | 4.266  | 9.834  |
| FX-4-59     | 22.000 | 4.006  | 9.976  |

**Table 1. Continued**  
**a. Concluded**

| Designation | F.S.   | B.L.  | W.L.   |
|-------------|--------|-------|--------|
| FX-4-60     | 22.000 | 3.725 | 10.070 |
| FX-4-61     | 22.000 | 3.438 | 10.145 |
| FX-4-62     | 22.000 | 3.149 | 10.211 |
| FX-4-63     | 22.000 | 2.858 | 10.266 |
| FX-4-64     | 22.000 | 2.564 | 10.307 |
| FX-4-65     | 22.000 | 2.270 | 10.339 |
| FX-4-66     | 22.000 | 1.975 | 10.369 |
| FX-4-67     | 22.000 | 1.680 | 10.402 |
| FX-4-68     | 22.000 | 1.386 | 10.440 |
| FX-4-69     | 22.000 | 1.093 | 10.484 |
| FX-4-70     | 22.000 | 0.801 | 10.532 |
| FX-4-71     | 22.000 | 0.508 | 10.582 |
| FX-4-72     | 22.000 | 0.215 | 10.621 |

**Table 1. Concluded  
b. Model Pressure Orifices**

| Designation | F.S.   | B.L.    | W.L.   |
|-------------|--------|---------|--------|
| CWIU1       | 25.621 | 8.121   | 9.818  |
| CWIU2       | 25.751 | 8.094   | 9.861  |
| CWIU3       | 26.084 | 8.100   | 9.938  |
| CWIU4       | 26.424 | 8.100   | 9.998  |
| CWIU5       | 26.769 | 8.097   | 10.042 |
| CWIU6       | 27.437 | 8.083   | 10.092 |
| CWIU7       | 28.091 | 8.090   | 10.112 |
| CWIU8       | 28.759 | 8.076   | 10.106 |
| CWIU9       | 29.427 | 8.116   | 10.072 |
| CWIU10      | 30.123 | 8.116   | 10.011 |
| CWIU11      | 30.770 | 8.085   | 9.936  |
| CWIL1       | 25.459 | 7.849   | 9.531  |
| CWIL2       | 25.585 | 7.836   | 9.508  |
| CWIL3       | 25.925 | 7.826   | 9.461  |
| CWIL4       | 26.247 | 7.834   | 9.432  |
| CWIL5       | 26.598 | 7.847   | 9.411  |
| CWIL6       | 27.260 | 7.841   | 9.393  |
| CWIL7       | 27.944 | 7.835   | 9.399  |
| CWIL8       | 28.600 | 7.848   | 9.422  |
| CWIL9       | 29.280 | 7.838   | 9.468  |
| CWIL10      | 29.950 | 7.866   | 9.529  |
| CWIL11      | 30.627 | 7.846   | 9.600  |
| CWOU1       | 31.180 | -16.143 | 9.828  |
| CWOU2       | 31.276 | -16.132 | 9.857  |
| CWOU3       | 31.520 | -16.143 | 9.911  |
| CWOU4       | 31.807 | -16.154 | 9.959  |
| CWOU5       | 32.046 | -16.150 | 9.990  |
| CWOU6       | 32.555 | -16.145 | 10.029 |
| CWOU7       | 33.061 | -16.146 | 10.042 |
| CWOU8       | 33.567 | -16.140 | 10.033 |
| CWOU9       | 34.094 | -16.139 | 10.002 |
| CWOU10      | 34.585 | -16.168 | 9.958  |
| CWOU11      | 35.110 | -16.135 | 9.896  |
| CWOL1       | 30.991 | -15.888 | 9.618  |
| CWOL2       | 31.081 | -15.889 | 9.601  |
| CWOL3       | 31.336 | -15.876 | 9.568  |
| CWOL4       | 31.614 | -15.878 | 9.543  |
| CWOL5       | 31.858 | -15.876 | 9.527  |
| CWOL6       | 32.357 | -15.895 | 9.513  |
| CWOL7       | 32.876 | -15.879 | 9.515  |
| CWOL8       | 33.391 | -15.880 | 9.534  |
| CWOL9       | 33.899 | -15.912 | 9.569  |
| CWOL10      | 34.413 | -15.888 | 9.619  |
| CWOL11      | 34.937 | -15.890 | 9.675  |
| CFL1        | 20.015 | -0.025  | 6.748  |
| CFL2        | 24.535 | -0.022  | 6.805  |
| CFL3        | 29.018 | -0.042  | 6.830  |
| CFL4        | 34.052 | 0.808   | 6.944  |
| CFL5        | 34.050 | -0.912  | 6.956  |

**Table 2. Paint Calibration Coefficients**

|             |   |              |              |              |              |
|-------------|---|--------------|--------------|--------------|--------------|
|             |   | Subscript    |              |              |              |
| Coefficient |   | 1            | 2            | 3            | 4            |
|             | a | -6.35589E+02 | 1.21793E+01  | -1.24007E-01 | 4.32677E-04  |
|             | b | 1.01216E+03  | -2.27270E+01 | 2.31811E-01  | -7.98981E-04 |
|             | c | -3.51380E+02 | 1.35776E+01  | -1.42748E-01 | 4.80971E-04  |
|             | d | 1.01600E+02  | -3.55983E+00 | 3.77434E-02  | -1.29570E-04 |
|             | e | -9.26667E+00 | 3.15839E-01  | -3.37185E-03 | 1.16801E-05  |

**Table 3. Nominal Test Conditions**

| Mach Number | Total Pressure, psfa | Total Temperature, °F | Free-stream Temperature, °R | Free-stream Pressure, psfa | Dynamic Pressure, psf | Reynolds Number, $\times 10^{-6}$ |
|-------------|----------------------|-----------------------|-----------------------------|----------------------------|-----------------------|-----------------------------------|
| 0.4         | 2150                 | 90                    | 533                         | 1924                       | 217                   | 2.5                               |
| 0.8         | 1347                 | 100                   | 496                         | 884                        | 396                   | 2.5                               |
| 0.95        | 1250                 | 100                   | 474                         | 498                        | 443                   | 2.5                               |
| 1.1         | 1207                 | 100                   | 451                         | 565                        | 479                   | 2.5                               |

**Table 4. Run Number Summary**

| RUN | POINT | M    | ALPHA | Avg offset, psf | %slope change |
|-----|-------|------|-------|-----------------|---------------|
| 272 | 1     | 0.40 | -2.0  | -15.9           | -2.1          |
| 272 | 2     | 0.40 | 0.0   | -9.1            | 27.9          |
| 272 | 3     | 0.40 | 2.0   | -15.0           | 7.1           |
| 272 | 4     | 0.40 | 4.0   | -16.9           | 3.7           |
| 272 | 5     | 0.40 | 6.0   | -19.8           | 3.6           |
| 272 | 6     | 0.40 | 8.0   | -22.8           | 0.2           |
| 272 | 7     | 0.40 | 10.0  | -18.1           | 2.5           |
| 272 | 8     | 0.40 | 14.0  | -23.1           | -1.5          |
| 272 | 9     | 0.40 | 20.0  | -25.5           | 1.6           |
| 272 | 10    | 0.40 | 28.0  | -23.3           | 1.9           |
| 272 | 11    | 0.40 | 36.0  | -24.0           | 2.0           |
| 272 | 12    | 0.40 | 40.0  | -30.0           | 4.2           |
| 344 | 1     | 0.80 | -3.0  | -19.4           | -4.2          |
| 344 | 5     | 0.80 | 1.0   | -0.6            | 6.4           |
| 344 | 6     | 0.80 | 2.0   | -0.6            | 2.1           |
| 344 | 7     | 0.80 | 3.0   | 1.4             | 3.6           |
| 344 | 8     | 0.80 | 4.0   | 1.3             | 3.4           |
| 344 | 9     | 0.80 | 5.0   | -5.5            | 0.2           |
| 344 | 10    | 0.80 | 6.0   | -0.9            | 0.9           |
| 344 | 11    | 0.80 | 7.0   | -5.6            | -0.4          |
| 345 | 1     | 0.80 | 10.0  | -2.2            | 0.1           |
| 345 | 2     | 0.80 | 12.0  | -4.5            | 0.2           |
| 345 | 3     | 0.80 | 14.0  | -2.6            | 1.1           |
| 345 | 4     | 0.80 | 16.0  | -1.0            | 1.9           |
| 345 | 5     | 0.80 | 18.0  | -3.8            | -0.7          |
| 345 | 6     | 0.80 | 20.0  | -4.0            | -0.1          |
| 345 | 7     | 0.80 | 24.0  | -9.2            | -0.5          |
| 345 | 8     | 0.80 | 28.1  | -23.4           | -3.7          |
| 345 | 9     | 0.80 | 32.1  | -19.6           | -3.9          |
| 345 | 10    | 0.80 | 36.0  | -34.8           | -4.9          |
| 346 | 1     | 0.95 | -3.0  | -24.8           | -7.2          |
| 346 | 2     | 0.95 | -2.0  | -21.3           | -8.2          |
| 346 | 3     | 0.95 | -1.0  | -21.7           | -6.9          |
| 346 | 4     | 0.95 | 0.0   | -18.0           | -5.5          |
| 346 | 5     | 0.95 | 1.0   | -16.4           | -4.3          |
| 346 | 6     | 0.95 | 2.0   | -15.9           | -3.4          |
| 346 | 7     | 0.95 | 3.0   | -10.6           | -0.9          |
| 346 | 8     | 0.95 | 4.0   | -3.9            | 1.1           |
| 346 | 9     | 0.95 | 5.0   | -6.1            | 2.7           |
| 346 | 10    | 0.95 | 6.0   | -5.1            | 0.2           |
| 346 | 11    | 0.95 | 7.0   | -4.0            | 0.4           |
| 346 | 12    | 0.95 | 8.0   | -3.2            | 0.9           |
| 346 | 13    | 0.95 | 9.0   | -4.1            | 0.8           |
| 346 | 14    | 0.95 | 10.0  | -2.3            | 2.0           |
| 346 | 15    | 0.95 | 12.0  | -3.4            | 2.0           |
| 346 | 16    | 0.95 | 14.0  | -2.6            | 3.7           |
| 346 | 17    | 0.95 | 16.0  | -4.4            | 2.3           |
| 346 | 18    | 0.95 | 18.0  | 0.2             | 2.6           |
| 346 | 19    | 0.95 | 20.0  | -4.1            | 3.9           |

| RUN | POINT | M    | ALPHA | Avg offset, psf | %slope change |
|-----|-------|------|-------|-----------------|---------------|
| 346 | 20    | 0.95 | 24.1  | -2.6            | 4.0           |
| 346 | 21    | 0.95 | 28.1  | -1.4            | 2.6           |
| 346 | 22    | 0.95 | 32.1  | 0.1             | 2.4           |
| 347 | 1     | 1.10 | -3.1  | -16.1           | -5.6          |
| 347 | 2     | 1.10 | -2.0  | -15.9           | -5.5          |
| 347 | 3     | 1.10 | -1.0  | -17.1           | -6.6          |
| 347 | 4     | 1.10 | 0.0   | -16.8           | -5.8          |
| 347 | 5     | 1.10 | 1.0   | -18.3           | -5.5          |
| 347 | 6     | 1.10 | 2.0   | -13.8           | -3.4          |
| 347 | 7     | 1.10 | 3.0   | -13.1           | -3.1          |
| 347 | 8     | 1.10 | 4.0   | -9.8            | -1.4          |
| 347 | 9     | 1.10 | 5.0   | -9.3            | -0.7          |
| 347 | 10    | 1.10 | 6.0   | -8.1            | -0.4          |
| 347 | 11    | 1.10 | 7.0   | -8.6            | -1.0          |
| 347 | 12    | 1.10 | 8.0   | -4.6            | 1.2           |
| 347 | 13    | 1.10 | 9.0   | -3.3            | 1.3           |
| 347 | 14    | 1.10 | 10.0  | 0.0             | 2.8           |
| 347 | 15    | 1.10 | 12.0  | -1.3            | 2.3           |
| 347 | 16    | 1.10 | 14.0  | -3.5            | 1.5           |
| 347 | 17    | 1.10 | 16.0  | -3.9            | 1.8           |
| 347 | 18    | 1.10 | 18.0  | -3.5            | 2.4           |
| 347 | 19    | 1.10 | 20.0  | -0.4            | 2.5           |
| 347 | 20    | 1.10 | 24.0  | 0.0             | 2.7           |
| 348 | 1     | 0.95 | -3.0  | -10.9           | -4.3          |
| 348 | 2     | 0.95 | -2.0  | -9.4            | -5.7          |
| 348 | 3     | 0.95 | -1.0  | -9.3            | -4.6          |
| 348 | 4     | 0.95 | 0.0   | -11.9           | -4.7          |
| 348 | 5     | 0.95 | 1.0   | -9.3            | -4.2          |
| 348 | 6     | 0.95 | 2.0   | -7.6            | -3.1          |
| 348 | 7     | 0.95 | 3.0   | -0.7            | 0.6           |
| 348 | 8     | 0.95 | 4.0   | 0.0             | 1.7           |
| 348 | 9     | 0.95 | 5.0   | 3.4             | 1.7           |
| 349 | 1     | 0.95 | 8.0   | 9.2             | 3.8           |
| 349 | 2     | 0.95 | 10.0  | 8.3             | 3.7           |
| 349 | 3     | 0.95 | 14.1  | 6.4             | 4.5           |
| 349 | 4     | 0.95 | 20.1  | 7.2             | 7.3           |
| 349 | 5     | 0.95 | 28.0  | 10.8            | 5.2           |
| 350 | 2     | 0.80 | 0.0   | 20.3            | 10.6          |
| 350 | 3     | 0.80 | 2.0   | 31.3            | 11.2          |
| 350 | 4     | 0.80 | 4.0   | 28.9            | 5.5           |
| 350 | 5     | 0.80 | 6.0   | 27.4            | 5.9           |
| 351 | 1     | 0.80 | 10.0  | 27.3            | 5.1           |
| 351 | 2     | 0.80 | 14.1  | 29.5            | 7.9           |
| 351 | 3     | 0.80 | 20.1  | 27.4            | 5.2           |
| 351 | 4     | 0.80 | 28.0  | 26.7            | 7.5           |
| 351 | 5     | 0.80 | 36.0  | 26.7            | 5.4           |



## NOMENCLATURE

|                 |                                                                                                                                    |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------|
| $a_x, b_x,$     | PSP lifetime calibration coefficients, where $x = 1-4$ (see Eq. [3], Table 2)                                                      |
| $c_x, d_x, e_x$ |                                                                                                                                    |
| Alpha           | Model angle of attack, deg                                                                                                         |
| Beta            | Model side slip angle, deg                                                                                                         |
| B.L.            | Model buttock line, model scale in.                                                                                                |
| CFLx            | Model fuselage pressure orifices, where $x = 1-5$ (see Table 1b)                                                                   |
| CP              | Surface pressure coefficient, $(P - P_\infty) / Q_\infty$                                                                          |
| CWILx           | Model wing inboard lower pressure orifices, where $x = 1-11$ (see Table 1b)                                                        |
| CWIUx           | Model wing inboard upper pressure orifices, where $x = 1-11$ (see Table 1b)                                                        |
| CWOLx           | Model wing outboard lower pressure orifices, where $x = 1-11$ (see Table 1b)                                                       |
| CWOUs           | Model wing outboard upper pressure orifices, where $x = 1-11$ (see Table 1b)                                                       |
| FIB7            | Proprietary polymer developed by the University of Washington                                                                      |
| FL-1-y          | Virtual fuselage pressure orifices along bottom centerline, $y$ is orifice number (see Table 1)                                    |
| F.S.            | Model fuselage station, model scale in.                                                                                            |
| FX-x-y          | Virtual fuselage pressure orifices, where $x$ is fuselage station cut number and $y$ is orifice number (see Table 1a)              |
| FU-1-y          | Virtual fuselage pressure orifices along top centerline, $y$ is orifice number (see Table 1a)                                      |
| Gate1,2         | Image acquired at different times relative to excitation pulse                                                                     |
| HAAS            | High Angle Automated Sting                                                                                                         |
| HLL-x-y         | Virtual left lower horizontal pressure orifices, where $x$ is horizontal B.L. cut number and $y$ is orifice number (see Table 1a)  |
| HLU-x-y         | Virtual left upper horizontal pressure orifices, where $x$ is horizontal B.L. cut number and $y$ is orifice number (see Table 1a)  |
| HRL-x-y         | Virtual right lower horizontal pressure orifices, where $x$ is horizontal B.L. cut number and $y$ is orifice number (see Table 1a) |
| HRU-x-y         | Virtual right upper horizontal pressure orifices, where $x$ is horizontal B.L. cut number and $y$ is orifice number (see Table 1a) |
| $I$             | Paint luminescence intensity at pressure, wind-on condition                                                                        |
| $I_0$           | Paint luminescence intensity in the absence of oxygen                                                                              |
| $I_{Dark}$      | Dark current intensity in the absence of illumination                                                                              |
| $I_{Gate_x}$    | Paint luminescence intensity for Gate 1 and 2                                                                                      |
| IR              | Intensity ratio, Gate 1/Gate 2                                                                                                     |
| LED             | Light emitting diode                                                                                                               |

|                         |                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| LW                      | Left wing                                                                                                                      |
| Mach                    | Freestream Mach number                                                                                                         |
| $P$                     | Surface pressure at wind-on condition, psfa                                                                                    |
| $P_{\infty}$            | Freestream static pressure, psfa                                                                                               |
| PSP                     | Pressure-sensitive paint                                                                                                       |
| Re/ft                   | Freestream unit Reynolds number, $\text{ft}^{-1}$                                                                              |
| RW                      | Right wing                                                                                                                     |
| $Q_{\infty}$            | Freestream dynamic pressure, psf                                                                                               |
| $r$                     | Temperature recovery factor (see Eq. [7])                                                                                      |
| $s_0, s_1$              | Slope correction terms (see Eq. [4], Fig. 7)                                                                                   |
| $t$                     | Time, sec                                                                                                                      |
| $T, T_{\text{surface}}$ | PSP calibration or model surface temperature, °F                                                                               |
| $T_{\infty}$            | Freestream temperature, °F                                                                                                     |
| $TT$                    | Tunnel stagnation temperature, °F                                                                                              |
| VL-x-y                  | Virtual left vertical tail pressure orifices, where x is vertical tail W.L. cut number and y is orifice number (see Table 1a)  |
| VR-x-y                  | Virtual right vertical tail pressure orifices, where x is vertical tail W.L. cut number and y is orifice number (see Table 1a) |
| W.L.                    | Model water line, model scale in.                                                                                              |
| WLL-x-y                 | Virtual left lower wing pressure orifices, where x is wing B.L. cut number and y is orifice number (see Table 1a)              |
| WLU-x-y                 | Virtual left upper wing pressure orifices, where x is wing B.L. cut number and y is orifice number (see Table 1a)              |
| WRL-x-y                 | Virtual right lower wing pressure orifices, where x is wing B.L. cut number and y is orifice number (see Table 1a)             |
| WRU-x-y                 | Virtual right upper wing pressure orifices, where x is wing B.L. cut number and y is orifice number (see Table 1a)             |
| X/C                     | Ratio of distance from wing leading edge to the chord at B.L. station                                                          |
| $\sigma$                | Standard deviation                                                                                                             |
| $\tau$                  | PSP lifetime, sec                                                                                                              |