



ARL-SR-0317 • MAR 2015



US Army Research Laboratory

Wet-Bulb–Globe Temperature Data Report

by David P Sauter

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

ARL-SR-0317 • MAR 2015



Wet-Bulb–Globe Temperature Data Report

by David P Sauter

Computational and Information Sciences Directorate, ARL

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>					
1. REPORT DATE (DD-Mar MM-YYYY)	2. REPORT TYPE		3. DATES COVERED (From - To)		
March 2015	Special Report		11 Aug 2014–23 Aug 2014		
4. TITLE AND SUBTITLE			5a. CONTRACT NUMBER		
Wet-Bulb–Globe Temperature Data Report			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
6. AUTHOR(S)			8. PERFORMING ORGANIZATION REPORT NUMBER		
David P Sauter			ARL-SR-0317		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
US Army Research Laboratory ATTN: RDRL-CIE-D White Sands Missile Range, NM 88002-5501			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			12. DISTRIBUTION/AVAILABILITY STATEMENT		
			Approved for public release; distribution unlimited.		
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
The Wet-Bulb–Globe Temperature (WBGT) is used extensively by the US military (and others) to provide guidance for work and rest periods as well as water intake by Soldiers in a hot environment. In an effort to help validate a predictive WBGT algorithm in use in a heat-stress-guidance application, WBGT data measurements were performed at Eglin Air Force Base, Florida, in August 2014. The data and a brief data analysis are included in this report.					
15. SUBJECT TERMS					
Wet-Bulb–Globe Temperature, heat stress					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE	UU	20	David P Sauter
Unclassified	Unclassified	Unclassified			19b. TELEPHONE NUMBER (Include area code)
(575) 678-2078					

Standard Form 298 (Rev. 8/98)
Prescribed by ANSI Std. Z39.18

Contents

List of Figures	iv
List of Tables	iv
Acknowledgments	v
1. Introduction	1
2. Instrumentation and Site Overview	1
3. Data Analysis	3
4. Data	4
5. References	10
Distribution List	11

List of Figures

Fig. 1 3M QUESTemp° 32 Sensor	1
Fig. 2 Sigma Products tactical WBGT kit	2
Fig. 3 Kestrel 4400 Heat Stress Tracker	2
Fig. 4 Eglin AFB's WBGT data-collection site.....	3

List of Tables

Table 1a WBGT and Meteorological Data for Quest, Sigma 1 (S1), and Kestrel 2 (K2) Sensors.....	5
Table 1b WBGT and Meteorological Data for Quest, Sigma 1 (S1), and Kestrel 2 (K2) Sensors.....	6
Table 1c WBGT and Meteorological Data for Quest, Sigma 1 (S1), and Kestrel 2 (K2) Sensors.....	7
Table 2a WBGT and Meteorological Data for Quest, Sigma 2 (S2), and Kestrel 1 (K1) Sensors.....	8
Table 2b WBGT and Meteorological Data for Quest, Sigma 2(S2), and Kestrel 1 (K1) Sensors.....	9

Acknowledgments

The author would like to acknowledge the 96th Weather Flight at Eglin Air Force Base, Florida, for its outstanding support before, during, and after the data-collection effort. Special thanks go to Mr. David Biggar, staff meteorologist with the 96th.

INTENTIONALLY LEFT BLANK.

1. Introduction

The Wet-Bulb–Globe Temperature (WBGT) is used extensively by the US military (and others) to provide guidance for work and rest periods as well as water intake by Soldiers in a hot environment. In an effort to validate a predictive WBGT algorithm within a heat-stress-guidance application, WBGT-data measurements were performed at Eglin Air Force Base (AFB), Florida, in August 2014. A recent paper (Sauter 2013) provides details of the heat-stress-guidance application and the role of the WBGT. This report includes an overview of the instrumentation and site, the actual data, and a brief analysis of the data. The primary intent is to make the data available (an Excel spreadsheet of the data is available upon request).

2. Instrumentation and Site Overview

The WBGT consists of 3 separate temperature components (Sauter 2013):

- Ambient dry-bulb temperature (T_d)
- Natural wet-bulb temperature (T_w)
- Black-globe temperature (T_g)

These values are typically measured directly as with the 3M QUESTemp° QT32 sensor (Fig. 1) or the Sigma Products tactical WBGT kit (Fig. 2).



Fig. 1 3M QUESTemp° 32 Sensor




Fig. 2 Sigma Products tactical WBGT kit

In the case of the Kestrel 4400 Heat Stress Tracker (Fig. 3), the natural wet-bulb component of the WBGT is computed as a function of the measured ambient temperature and humidity values.



Fig. 3 Kestrel 4400 Heat Stress Tracker

One each of the QT32, Sigma, and Kestrel sensors was used simultaneously in the data-collection process. Two each of the Sigma Products kits and the Kestrel 4400 meters were available and were interchanged approximately halfway through the data-collection period.

Data collection was conducted at Eglin AFB in a grassy and somewhat open area (Fig. 4). August was chosen in order to collect data in a hot and humid environment that lends itself to relatively high WBGT values and conditions favorable for heat-stress injuries. As the QT32 instrument is not designed to be exposed to precipitation, there are no observations for rainy conditions. Readings were generally taken every 30 min between mid-morning and late afternoon. A sampling duration of 60 s was chosen. The Kestrel 4400 sensor is able to automatically take samples every 2 s over the minute period and then display the average WBGT component values. For the Sigma WBGT kit and the QT32 sensor, the readings were taken immediately after the Kestrel readings were initiated and then again immediately after they were concluded. These values were then simply summed and halved to provide the average.



Fig. 4 Eglin AFB's WBGT data-collection site

3. Data Analysis

Although not intended to be a complete and detailed analysis of the data, the following observations have been made regarding the measurements from the various instruments, some of which belonged to the US Army Research Laboratory (ARL) and some to the 96th Weather Flight.

- 1) Compared to the QT32 and Sigma instruments, the Kestrel 4400 Heat Stress Meter's derived T_w values are too high (4–6 °F or more) under conditions with significant, direct solar load on the instrument. The Nielsen–Kellerman Co. (manufacturer of the Kestrels) was contacted regarding this bias (Sauter

2014a) and modifications to the software that computes the T_w were made. Subsequent measurements will be made once the updated sensor is received.

- 2) Under conditions of high solar load and light wind speeds, the Sigma Products T_d values typically exhibited an 8–10 °F warm bias as compared to the QT32 and Kestrel devices (as well as to a National Weather Service measuring site located less than a mile away). This information was provided to a Sigma Products representative (Sauter 2014b). As a result, the author was provided 2 additional tactical WBGT kits that were painted white (one matte and the other glossy) instead of the dark green of the original sensor. Limited follow-on measurements with the white sensors indicated somewhat lower T_d readings, but still higher than expected. Additional observations are anticipated later in 2015.
- 3) Although the relative-humidity (RH) value is not used by the QT32 sensor in the computation of the WBGT, the value exhibits a significantly low bias (20% or more) under hot and sunny conditions. It is believed that this is due to the RH sensor being located inside the QT32 housing and not being adequately ventilated. This was reported to a 3M (manufacturer of the QUESTemp sensors) representative (Sauter 2014c) who concurred with the finding.

While at Eglin AFB, several readings from a second QT32 sensor (property of the 96th Weather Flight) were compared to the ARL's QT32 and provided nearly identical results. The QT32 sensor readings are considered the baseline values.

4. Data

The raw data from the Eglin AFB site are included in the following tables. Tables 1a–1c include the observations for Sigma sensor 1 and Kestrel sensor 2 while Tables 2a–2b include Sigma sensor-2 and Kestrel sensor-1 observations. An Excel spreadsheet of the data is available from the author upon request.

Table 1a WBGT and Meteorological Data for Quest, Sigma 1 (S1), and Kestrel 2 (K2) Sensors

Mon	Day	Hour	Min	Pressure	SIGMA 1		QUEST		KESTREL 2		Wind	Cld amt	Cld type	Obscuration	Quest RH	Kestrel RH	VPS ^c RH	S1 WBGT	Q WBGT	K2 WBGT
					Dry	Nat Wet	Globe	Dry	Nat Wet	Globe										
				millibars	deg F	deg F	deg F	deg F	deg F	deg F	mph									
		GMT																		
8	11	16	22	1013.2	94.5	80	110	88.7	80.6	111.5	87.8	86.4	111	3.5	3	2	0	51	73	
8	11	16	56	1012.7	93.5	81.5	113.5	90	81.2	111.1	90	84.7	108.9	1.8	3	2	0	48	63	62
8	11	17	36	1012.8	94.5	80.5	110.5	91	80.8	112.4	90.1	83.7	113.2	2.3	3	2	2	41	58	87.9
8	11	18	15	1012.5	93	80.5	112.5	90.1	80.7	109.2	89.1	82	106.9	3.4	5	2	0	46	60	56
8	11	18	55	1012.1	91	80	101	88.7	81.2	101.5	88.9	83.3	100.9	1.8	5	2	2	51	68	68
8	11	20	0	1011.2	96.5	81.5	126	93	81.3	117.3	92.5	84.6	113	4.3	2	2	0	42	53	54
8	11	20	30	1011	95.5	81	114	92.3	81	107	92.3	82	104.7	3.2	3	2	0	42	54	
8	11	21	0	1011	95	79.5	106.5	92.3	80.7	105.4	92.8	80.8	102.7	1.7	4	2	1	40	51	51
8	11	21	30	1011	93	78	106	91.4	79.9	101.4	91.9	81.7	103.3	1.4	4	2	2	42	55	
8	12	14	20	1012.1	86	79	101.5	83.6	78.8	103.8	91.8	81.1	96.6	0.3	5	4	1	60	61	
8	12	15	0	1011.9	89.5	80	112	86.5	80.1	110.4	92.1	85.8	104.4	0.5	5	4	1	41	62	74
8	12	15	30	1012.2	93	81.5	119.5	88.6	81.3	117.7	89.1	86	113.9	1.2	6	4	1	38	64	
8	12	16	0	1011.9	95	80.5	118.5	89.6	81.3	117.2	89.1	86.4	118.2	2.2	7	4	1	35	64	70
8	12	16	30	1011.6	89	79	100	86.1	79.7	100.5	86.4	82.8	99.3	1.1	8	5	1	53	72	
8	12	17	0	1012	88.5	79	101	86.2	79.6	101.1	86.4	82.2	99.3	1.2	9	5	2	53	71	70
8	12	17	30	1011.9	91	80.5	105.5	87.2	80.5	105.6	87.4	83.8	103.8	2	9	5	1	52	70	
8	12	18	0	1011.8	93.5	80	115	89.5	80.5	113.4	89.1	85.1	113	2	8	5	1	43	64	64
8	12	18	30	1011.7	93	79.5	106.5	88.4	80.1	107.4	89.8	84	107.8	2	8	3	1	47	62	
8	12	19	0	1011.1	96.5	80.5	117.8	90.9	80.6	117.6	91.2	85.8	116.1	2.7	5	5	0	42	59	62
8	12	19	30	1010.8	96.3	80	116	91	81	116.8	92.1	84.6	114.4	2.8	4	5	0	42	56	
8	12	20	0	1010.2	95.3	80	113.8	90.7	80.8	113	91	84	111.6	2.7	5	5	0	42	58	59
8	12	20	30	1010.2	93.5	79	110.5	90.1	80.4	111.4	90.9	84.6	111.9	2	7	5	1	40	59	
8	12	21	0	1010.5	94.3	80.8	113	90.5	81.3	114	91.8	85.5	113.2	2.7	6	5	0	43	59	62
8	13	14	30	1012.8	82.3	76.3	89.5	81.2	77.1	89.7	82.4	76.8	87.6	0.7	6	5	2	71	76	79.5
8	13	15	0	1012.9	86	78	108.3	84.2	79.1	110.5	82.8	82.9	108.9	2.1	5	5	1	49	75	79
8	13	15	30	1012.8	92	82	123	88.6	81.5	119.1	88.9	85.5	111.4	0.5	4	5	0	38	64	91.2
8	13	16	0	1012.7	96	80.5	121.5	90	81.5	121.8	91.4	83.8	113.2	0.1	3	5	0	39	53	66
8	13	16	30	1012.8	97.8	84.5	125.5	93.1	84.1	123.1	94.1	89.2	121.5	1.6	3	2	0	38	59	94.0
8	13	17	0	1012.7	99.5	84.8	125	93.6	84.1	122.4	94.5	88.5	115.9	2.4	3	2	0	39	58	66
8	13	17	30	1012.4	96.5	82.8	118.5	92.5	82.5	115.4	92.3	86.5	114.6	1.9	3	2	0	40	61	
8	13	18	0	1012.3	97.3	83.8	117	92.3	83.4	115.6	91.9	86.4	113.7	2.2	3	2	0	44	61	66
8	13	18	30	1012	97	82.8	118.8	92.8	82.7	116.9	93.2	87.1	116.4	2.5	3	2	0	43	59	
8	13	19	7	1011.3	98	82.8	115.3	92.9	82.9	116.2	92.5	86.4	116.4	2.8	3	2	0	44	59	66
8	13	19	30	1011.4	98	82.3	115.3	93.3	82.8	117.9	94.6	87.4	117.7	2.5	3	2	0	41	56	
8	13	20	0	1011.1	95	81.5	108.8	91.6	82	109.7	92.1	84.7	110.3	2.9	3	2	1	46	59	66
8	13	20	30	1010.7	96.5	82.5	114.8	92.3	82.8	115.5	93.2	85.3	107.2	1.8	2	2	0	46	59	

Notes: All observations were taken at 30.49° N, 86.52° W (Eglin AFB). Local time = GMT – 5 h.

^a 0 = none; 1 = stratocumulus; 2 = cumulus; 3 = altostratus/altocumulus; 5 = thin cirrus; 6 = thick cirrus; 7 = precipitation.

^b 0 = sun not obscured; 1 = sun partially obscured; 2 = sun obscured.

^c National Weather Service observation site at the Northwest Florida Regional Airport (Valparaiso), less than 1 mile south-southwest of the WBGT observation site.

Table 1b WBGT and Meteorological Data for Quest, Sigma 1 (S1), and Kestrel 2 (K2) Sensors

Mon	Day	Hour	Min	SIGMA 1				QUEST				KESTREL 2				Obscuration	Quest RH	Kestrel RH	VPS ^c RH	S1 WBGT	Q WBGT	K2 WBGT		
				Pressure	Dry	Nat Wet	Globe	Dry	Nat Wet	Globe	Dry	Nat Wet	Globe	Wind	Cld amt	Cld type	code ^a	code ^b	%	%	%	deg F	deg F	deg F
		GMT		millibars	deg F	deg F	deg F	deg F	deg F	deg F	deg F	deg F	deg F	mph	tenths									
8	13	21	0	1010.8	90.8	79.8	101	89.8	80.8	100.7	89.6	84	106.3	2.7	4	2	2	49	65	62	85.1	85.7	89.0	
8	13	21	30	1010.7	94.3	80.5	111.5	91.6	81.4	112.5	92.3	85.5	113.4	3.3	3	2	0	44	58			88.1	88.6	91.8
8	14	14	0	1014.1	85	72.8	103.8	84	73.2	104	83.1	76.3	104.9	2.9	2	5	0	39	55	55	80.2	80.4	82.7	
8	14	14	30	1014.2	88.5	73.5	106.5	85.6	74.6	107.9	86.2	77.9	107.4	2.8	2	5	0	35	50			81.6	82.4	84.6
8	14	15	0	1014.2	89.5	73.8	108	86.8	74.6	107.8	86.7	78.6	108.7	2.4	3	5	0	34	51	52	82.2	82.5	85.4	
8	14	15	30	1014.3	93.3	74.8	113.5	89	75.6	113.9	88.3	79.9	113.7	2.1	3	5	0	31	48			84.4	84.6	87.5
8	14	16	0	1014.4	94.8	77	116.5	91.2	77.7	116.2	93	79.9	109.9	0.7	5	4	1	32	42	52	86.7	86.8	87.2	
8	14	16	30	1014.1	92	76.3	106.5	89.1	76.5	109.1	88	80.4	112.6	5.8	7	5	1	37	52			83.9	84.3	87.6
8	14	17	0	1013.7	94.5	77.8	111.3	90.3	77.9	113.2	90	81.5	111.7	2.7	8	4	1	37	51	55	86.2	86.2	88.4	
8	14	17	30	1013.3	96.3	79.3	118	92.5	79.5	117.3	93.2	84.4	115.7	2.2	7	4	1	37	50			88.7	88.4	91.5
8	14	18	0	1012.8	99.3	80.3	126	93.4	80.1	124.4	92.7	84	118.8	3.5	4	4	0	34	48	54	91.3	90.3	91.8	
8	14	18	30	1012.6	97	79.3	112.3	92	79.8	112.9	91.6	82.9	113.2	2.5	4	2	1	38	53			87.7	87.6	89.8
8	14	19	0	1012.3	94	77.5	110.5	91.3	78.8	109.1	89.8	82	113	3.1	4	2	1	39	54	57	85.8	86.1	89.0	
8	14	19	30	1011.7	99.8	81.3	118.8	94	81.9	121.1	93.7	86.4	120.2	2.3	3	2	0	38	53			90.7	91.0	93.9
8	14	20	0	1011.7	100.8	80.8	122.8	94.7	81.5	123.4	95	86	121.6	2	3	2	0	33	49	56	91.2	91.2	94.0	
8	14	20	30	1011	99	79.8	119	94.4	81	119.2	94.8	84	115.3	1.4	4	2	0	34	48			89.6	90.0	91.3
8	14	21	0	1011.3	96	78.8	115.5	92.9	79.9	116.2	92.7	82.8	114.8	2.2	4	2	0	34	49	56	87.9	88.5	90.2	
8	14	21	30	1011.2	96	80	114.5	93.2	80.9	115	92.5	83.7	113.9	2.5	3	2	0	37	53			88.5	89.0	90.6
8	14	22	0	1011.2	93.5	78.3	110.3	91.4	79.5	111.3	89.6	82.2	113.2	4	3	2	0	39	55	56	86.2	87.1	89.1	
8	14	22	30	1011.1	91	78.5	107.5	90.3	79.6	107.2	91	82.4	107.1	1.8	2	3	0	43	56			85.6	86.2	88.2
8	15	14	0	1014.1	88.8	73.5	105	84.2	74.1	105.1	83.8	77.7	103.6	1.9	4	4	1	45	57	51	81.3	81.3	83.5	
8	15	14	30	1014.3	93	74	112	86.8	75.2	113.9	87.4	79.7	111.6	2.2	5	4	0	34	50			83.5	84.1	86.9
8	15	15	0	1014.3	93.5	75.8	116.5	88.5	77	117.4	91.4	80.1	108.7	0.2	4	5	1	31	42	49	85.7	86.2	87.0	
8	15	15	30	1014.3	94.3	74.5	115.5	88.7	75.5	115.3	87.8	78.4	114.8	3.2	5	5	0	33	45			84.7	84.8	86.6
8	15	16	0	1014.2	93	74.8	114.5	89	75.8	112.1	88.9	78.6	109.4	1.8	5	5	1	35	47	44	84.6	84.4	85.8	
8	15	16	30	1013.8	94	76	116	90.4	76.7	116.9	89.2	80.2	114.3	3.2	4	5	0	33	47			85.8	86.1	87.9
8	15	17	0	1013.3	94.3	76	114.3	91.1	76.9	115.4	89.6	80.2	117.5	3.9	4	5	0	34	46	43	85.5	86.0	88.6	
8	15	18	0	1012.8	94	75.8	107	91.1	77.4	106.5	90.5	78.8	104.4	2	4	2	2	36	49	48	83.9	84.6	85.1	
8	15	18	30	1012.5	100	79.3	120	94.6	79.7	120.4	94.8	84.9	122.7	2.6	3	2	0	33	45			89.5	89.3	93.5
8	15	19	0	1012.5	100	78.8	120	94.8	79.5	122.1	94.3	84	123.4	3	4	2	0	31	44	49	89.2	89.6	92.9	
8	15	19	30	1012.5	94.8	76.8	107	91.8	77.7	108.6	92.5	81	111.4	3	3	2	1	36	46			84.6	85.3	88.2
8	15	20	0	1012.3	95.3	77.5	111	92.1	78.2	111.9	91.8	81.9	113.7	4.1	2	2	0	36	49	51	86.0	86.3	89.3	
8	15	20	30	1012.2	94.5	76.8	110	91.4	78	110.7	91.6	80.8	110.8	3.6	2	4	0	37	48			85.2	85.9	87.9
8	15	21	0	1012.1	94.8	77.5	112	91.6	78.6	112.3	91.8	82.2	113.2	3.7	3	4	0	38	50	51	86.1	86.6	89.4	
8	15	21	30	1012.1	93.3	77.5	110.5	91.1	78.9	111.4	91.4	81.9	110.7	2.9	3	4	0	38	51			85.7	86.6	88.6
8	15	22	0	1012	90.5	76	105.3	89.5	77.3	106.5	89.2	79.7	107.4	3.5	4	4	1	40	52	52	83.3	84.4	86.2	

Notes: All observations were taken at 30.49° N, 86.52° W (Eglin AFB). Local time = GMT – 5 h.

^a 0 = none; 1 = stratocumulus; 2 = cumulus; 3 = altostratus/altocumulus; 5 = thin cirrus; 6 = thick cirrus; 7 = precipitation.^b 0 = sun not obscured; 1 = sun partially obscured; 2 = sun obscured.^c National Weather Service observation site at the Northwest Florida Regional Airport (Valparaiso), less than 1 mile south-southwest of the WBGT observation site.

Table 1c WBGT and Meteorological Data for Quest, Sigma 1 (S1), and Kestrel 2 (K2) Sensors

Mon	Day	Hour	Min	SIGMA 1				QUEST				KESTREL 2								VPS ^c RH	S1 WBGT	Q WBGT	K2 WBGT
				Pressure millibars	Dry deg F	Nat Wet deg F	Globe deg F	Dry deg F	Nat Wet deg F	Globe deg F	Dry deg F	Nat Wet deg F	Globe deg F	Wind mph	Cld amt tenths	Cld type code ^a	Obscuration code ^b	Quest RH %	Kestrel RH %	%	deg F	deg F	deg F
8	15	22	30	1011.9	90	75.8	104.5	89.5	77	105.6	88	79.2	106.5	5.4	3	4	1	42	53		83.0	84.0	85.5
8	16	15	30	1015.4	95.8	78.5	123.3	93.1	79.2	120.4	99.3	84.9	115.7	1.3	2	2	0	31	40		89.2	88.8	92.5
8	16	16	0	1015.3	96.5	78.3	117.3	92.6	79.5	119.6	93.4	84.2	122.2	2.2	4	2	0	33	44		87.9	88.8	92.7
8	16	16	35	1015.3	99	81.5	122.3	94.9	81.6	122.3	95.4	85.8	120.7	2.2	5	2	0	30	47		91.4	91.1	93.7
8	16	17	0	1015.3	94.8	80.3	111.3	92.2	81	110.1	92.3	82.9	108.3	2.4	6	2	1	39	54	59	88.0	87.9	88.9
8	16	17	30	1014.9	90.3	78.5	103.3	90.3	79.7	101.5	89.2	82.6	109	2.6	6	2	2	40	60		84.6	85.1	88.5
8	16	18	0	1014.8	95.8	81.8	116	93.2	81.5	114.5	92.8	84.9	113.5	3.8	6	2	1	40	56	59	90.0	89.3	91.4
8	16	18	30	1014.6	96.5	81	109.3	92.7	81.4	112.1	93.2	84.2	108.7	3.2	6	2	2	46	54		88.2	88.7	90.0
8	16	19	0	1014.6	98.5	81.3	113.8	93.8	81.7	116.4	93.7	86.2	115.3	3.3	6	2	1	40	54	56	89.5	89.9	92.8
8	16	19	30	1014.2	97.3	79.5	110	93.6	80.7	113.7	93.7	84	112.3	3.6	6	2	1	39	52		87.4	88.6	90.6
8	16	20	0	1013.9	99.3	82.3	113	94.7	83.2	116.1	94.8	86.2	114.8	4	6	2	0	41	53	56	90.1	90.9	92.8
8	16	20	30	1013.7	97	81.3	114	93.8	82.2	115.9	93.9	86.4	118	4.2	5	2	0	40	55		89.4	90.1	93.5
8	18	14	0	1014.3	87.5	80.8	109	86.6	81.5	108.9	90.1	86.4	108.1	2.3	3	2	0	51	69	78	87.1	87.5	91.1
8	18	14	30	1014.5	89.5	80.3	109	88.4	81.5	106.4	88.2	85.1	106.5	2	5	2	1	46	71		87.0	87.2	89.7
8	18	15	0	1014.8	92.8	82	119.5	90.9	82.1	116.9	90.7	85.5	111.9	2.6	5	2	0	38	62	68	90.6	89.9	91.3
8	18	15	30	1014.6	93	80.8	110.5	91	81.1	109.9	92.7	84	107.8	2.1	6	2	1	38	57		88.0	87.9	89.6
8	18	16	0	1014.3	92.3	81	117.5	91.8	81.6	111.3	92.5	85.5	109.9	1.8	8	2	1	37	59	66	89.4	88.6	91.1
8	18	16	30	1014.2	89	81.3	105	89.3	81.5	98.8	88.2	85.1	108.3	4.4	8	2	2	48	70		86.8	85.7	90.1
8	18	17	0	1013.8	93.3	82.5	116.5	91.8	82.1	110.9	90.3	84.9	110.1	6.8	8	2	1	47	62	66	90.4	88.8	90.5
8	18	17	30	1013.6	93.3	82	117.3	91.6	81.5	110.3	90.5	84.7	111.6	5.1	8	2	1	44	61		90.2	88.3	90.7
8	18	19	0	1012.8	80	76	86.5	79	76.4	88	79.9	77.2	82.2	0.5	9	3	2	78	84		78.5	79.0	78.5
8	18	19	30	1012.4	84.8	78.5	94	82.2	78.9	95.6	83.7	82.2	91.9	0.2	9	3	2	70	81	84	82.2	82.6	84.3
8	18	20	0	1012.2	87	80.5	96.8	84.6	81	98.1	86.5	83.1	95.2	0.9	9	3	2	69	77		84.4	84.8	85.9
8	18	21	0	1012.4	89.5	81.5	99.5	86.3	82.3	101.5	88.3	84.9	98.1	0.5	9	3	2	65	75	79	85.9	86.5	87.9
8	19	14	0	1013.9	85	80	90	84.7	80.6	90.5	84.4	79.9	90.3	1.4	7	2	2	71	81	78	82.5	83.0	82.4
8	19	14	30	1013.7	89.3	81.8	103	87	82.1	106.5	89.2	86.9	104	3.1	5	2	0	62	74		86.8	87.5	90.6
8	19	15	0	1013.8	90.3	81.3	112	89.3	82	111.5	89.4	86.9	111	3.4	4	2	0	44	70	70	88.3	88.6	92.0
8	19	15	30	1013.9	91.5	80.8	108.8	89.7	81.5	111.1	88.9	84.4	106.9	5.9	5	2	1	46	67		87.5	88.2	89.4
8	19	16	0	1013.6	93.8	81.5	114	91.2	81.9	114.3	90	86.7	119.5	3.6	5	2	0	40	63	64	89.2	89.3	93.6
8	19	17	35	1013.1	92.8	85.3	128	90	84.1	120.2	88.7	88.7	112.6	3.4	6	2	0	50	75		94.6	91.9	93.5
8	19	18	0	1012.7	90.8	80.3	109.3	89.8	80.6	104.2	89.1	83.1	103.5	3.6	8	2	1	46	66	62	87.2	86.2	87.8
8	19	18	30	1012.5	93.8	81.8	106.3	90.8	81.9	109.9	90.1	85.8	112.1	7.2	5	2	0	48	65		87.9	88.4	91.5
8	19	19	0	1012.3	94.3	80.5	105.5	91.3	80.5	108.6	90.7	83.8	112.3	6.3	4	2	0	44	58	56	86.9	87.2	90.2
8	19	19	30	1011.9	94	81	108.3	91.5	81.4	110.7	91	85.3	112.5	5.3	3	2	0	45	61		87.8	88.3	91.3
8	19	20	0	1011.7	94.3	80.8	107	91.5	81.1	110.2	91.6	84	110.7	4.2	4	2	0	43	57	57	87.4	88.0	90.1
8	19	20	30	1011.6	92.3	80	102.8	90.3	80.8	106.1	90.1	84.4	108.3	6.8	3	2	0	48	63		85.8	86.8	89.8
8	19	21	0	1011.5	92	79.3	103	90.4	80	105.9	90.1	82.8	107.1	5.8	3	5	0	47	59	60	85.3	86.2	88.4
8	19	21	30	1011.4	92.8	79.8	104	91	80.6	107.5	91	83.5	109.2	5.9	3	5	0	47	58		85.9	87.0	89.4
8	19	22	0	1011.3	90.3	79.5	100.3	89.6	80.3	103.1	89.2	82.2	103.8	5.9	3	5	0	51	62	63	84.7	85.8	87.2

Notes: All observations were taken at 30.49° N, 86.52° W (Eglin AFB). Local time = GMT – 5 h.

^a 0 = none; 1 = stratocumulus; 2 = cumulus; 3 = altostratus/altocumulus; 5 = thin cirrus; 6 = thick cirrus; 7 = precipitation.

^b 0 = sun not obscured; 1 = sun partially obscured; 2 = sun obscured.

^c National Weather Service observation site at the Northwest Florida Regional Airport (Valparaiso), less than 1 mile south-southwest of the WBGT observation site.

Table 2a WBGT and Meteorological Data for Quest, Sigma 2 (S2), and Kestrel 1 (K1) Sensors

Mon	Day	Hour	Min	Pressure	SIGMA 2			QUEST			KESTREL 1			Wind	Cld amt	Cld type	Obscuration	Quest RH	Kestrel RH	VPS ^c RH	S2 WBGT	Q WBGT	K1 WBGT
					millibars	deg F	deg F	Globe	Dry	Nat Wet	Globe	Dry	deg F	deg F	deg F	mph	tenths	code ^a	code ^b	%	%	deg F	deg F
8	20	14	0	1015.7	87.3	79.8	104.8	86	80.6	105.7	86.9	88.2	105.3	2.7	1	5	0	54	86	74	85.6	86.2	91.5
8	20	14	30	1016	90	81.3	110.8	88.7	81.9	111.3	87.8	89.2	112.1	3.6	2	2	0	45	82		88.1	88.5	93.6
8	20	15	0	1016.2	93	82.8	114.3	90.3	83	115.1	92.1	90.9	109.8	1.5	4	2	1	44	75	68	90.1	90.2	94.8
8	20	15	30	1016.2	95.5	83	120	92.6	83.6	120	92.1	90.7	118.8	3.4	4	2	0	39	71		91.7	91.8	96.5
8	20	16	0	1016.5	91	79.8	102	88.8	81.1	103.6	88.3	84.4	102.6	2.6	4	2	1	53	73	59	85.4	86.4	88.4
8	20	16	30	1016.3	98.5	84	122.3	94.3	83.4	121.5	96.4	91.2	118.2	1.3	5	2	0	40	61		93.1	92.1	97.1
8	20	17	0	1015.9	99	83.3	119.3	94.6	82.3	118.3	92.7	85.6	110.7	2.8	5	2	0	36	59	64	92.1	90.7	91.3
8	20	17	30	1015.7	100.5	86.8	128.5	95.9	85.2	123.7	93.6	92.3	125.2	3.7	7	2	0	40	68		96.5	94.0	99.0
8	20	18	0	1015.7	93.5	79.8	109	92.2	80.7	109.5	90.5	85.3	111.9	3.5	8	2	2	42	63	67	87.0	87.6	91.1
8	20	21	50	1014.9	76	72.5	76	75	72.7	76.1	75.2	72.5	76.1	0.6	9	3	2	89	87	87	73.6	73.6	73.5
8	20	22	15	1014.8	75.5	73.5	76	74.7	73.7	76.2	75	73.8	75.9	0	9	3	2	95	95		74.2	74.3	74.3
8	21	14	0	1018.4	86.3	80.8	103.3	85	81.3	102.8	83.8	86.4	103.8	5.3	2	4	0	67	91	81	85.9	86.0	89.6
8	21	14	30	1018.2	91.3	81.8	108.5	86.9	82.2	106.8	85.6	87.8	107.1	4	2	4	0	62	87		88.1	87.6	91.4
8	21	15	0	1018.2	94	82	110	87.9	82.1	108.7	86.7	87.4	109	4.4	1	4	0	59	81	73	88.8	88.0	91.7
8	21	15	30	1018.2	94	81.3	114	89.5	81.8	112.8	87.8	87.4	112.3	5.3	1	2	0	51	75		89.1	88.8	92.4
8	21	16	0	1018.1	96.5	82.3	117	90.9	82.6	116.5	89.4	89.8	117.5	2.9	2	2	0	46	75	63	90.7	90.2	95.3
8	21	16	30	1017.7	100.3	83	127.8	94	83.6	125.9	92.7	91.6	122.5	1.6	3	2	0	37	67		93.7	93.1	97.9
8	21	17	0	1017.5	104.5	83.5	121.3	94	83.9	125.6	93.6	89.2	115.5	1.3	4	2	0	42	62	59	93.2	93.3	94.9
8	21	17	30	1017.4	101.3	87	122.3	95.9	86.5	123.5	94.3	91.6	117.3	2.4	4	2	0	43	69		95.5	94.8	97.0
8	21	18	0	1017.2	101.5	86	121.5	94.5	85.8	120.9	93.4	92.8	121.3	2.7	3	2	0	46	72	68	94.7	93.7	98.6
8	21	18	30	1017.2	101.5	86.3	120.8	94.8	86.1	120.6	93.9	92.8	119.5	2.3	3	2	0	46	73		94.7	93.9	98.3
8	21	19	0	1016.7	102.5	86.5	121.8	95.4	86.3	122.7	94.5	93	122.2	2.2	4	2	0	44	71	68	95.2	94.5	99.0
8	21	20	10	1015.6	98	83.8	113.3	93.7	84.8	114	93	91.4	117.1	2.5	5	2	0	44	73		91.1	91.5	96.7
8	21	21	0	1015.2	93.3	81	105	89.8	81.6	106	89.2	85.8	102.6	1.6	5	2	1	49	74	65	87.0	87.3	89.5
8	21	21	30	1015.2	96	82.3	111.8	92.1	82.8	113.5	91.2	88.9	112.6	2.5	5	2	0	43	72		89.6	89.9	93.9
8	21	22	0	1015.3	97	82.3	113.8	93.1	83.4	115.8	91.4	88	115.7	2.6	4	2	0	42	67	64	90.1	90.9	93.9
8	21	22	25	1015.3	95.8	82	109.8	92.4	83.1	112.3	91	87.8	112.1	2.6	5	4	1	44	71		88.9	89.9	93.0
8	22	14	0	1016.5	90	79.8	106.5	87.4	81	106.3	86.4	85.3	106.3	3.2	0	0	0	57	77	67	86.2	86.7	89.6
8	22	14	30	1016.6	92	80.5	108.3	88.4	81.3	107.9	87.3	86.5	109.6	4.8	0	0	0	54	76		87.2	87.3	91.2
8	22	15	35	1016.7	98.8	82	116.3	92.7	82.8	114.1	91.4	87.1	113.5	3.4	0	0	0	46	64		90.5	90.1	92.8
8	22	16	0	1016.7	98	81.5	117.5	93.4	82.4	116.5	91.8	87.3	117.9	4.4	0	0	0	43	62	55	90.4	90.3	93.9
8	22	16	30	1016.5	100	81	117.3	93.9	81.8	113.7	93.2	87.6	117.3	5.6	4	2	0	45	60		90.2	89.4	94.1
8	22	17	0	1016.1	99	81.8	119.8	95.3	82.7	120.2	93.9	88.3	121.6	3.8	6	2	0	35	58	49	91.1	91.5	95.5
8	22	17	30	1015.9	94.8	79	107	93.4	80.5	104.9	92.7	83.3	106.3	2	8	2	2	39	57		86.2	86.7	88.8
8	22	18	0	1015.5	104.3	83	135.5	99.3	83.4	131.5	97.2	90.5	133.7	2.5	8	2	0	28	50		95.6	94.6	99.8
8	22	18	30	1015.4	96.8	79.8	102.3	94.1	81.1	103.6	94.8	83.1	101.1	0	9	2	2	40	53		86.0	86.9	87.9
8	22	19	0	1014.7	93	80.5	97.8	91.9	81.7	98.4	91.2	83.1	100	2.8	8	2	2	50	65		85.2	86.1	87.3
8	22	19	30	1014.4	96.3	82	105.5	93.9	83.1	105.7	93	87.4	109.9	2	9	2	2	44	66		88.1	88.7	92.5

Notes: All observations were taken at 30.49° N, 86.52° W (Eglin AFB). Local time = GMT – 5 h.

^a 0 = none; 1 = stratocumulus; 2 = cumulus; 3 = altostratus/altocumulus; 5 = thin cirrus; 6 = thick cirrus; 7 = precipitation.

^b 0 = sun not obscured; 1 = sun partially obscured; 2 = sun obscured.

^c National Weather Service observation site at the Northwest Florida Regional Airport (Valparaiso), less than 1 mile south-southwest of the WBGT observation site.

Table 2b WBGT and Meteorological Data for Quest, Sigma 2(S2), and Kestrel 1 (K1) Sensors

Mon	Day	Hour	Min	SIGMA 2				QUEST				KESTREL 1				Quest RH	Kestrel RH	VPS ^c RH	S2 WBGT	Q WBGT	K1 WBGT				
				Dry	Nat Wet	Globe	Dry	Nat Wet	Globe	Dry	Nat Wet	Globe	Wind	Cld amt	Cld type	Obscuration	%	%	%	deg F	deg F	deg F			
		GMT		millibars	deg F	deg F	deg F	deg F	deg F	deg F	deg F	deg F	mph	tenths	code ^a	code ^b	%	%	%	deg F	deg F	deg F			
8	22	20	0	1013.9	100.5	82.5	116	96.4	83.3	116.9	94.8	89.1	120.2	3.4	8	2	1	38	60		91.0	91.3	95.9		
8	22	20	30	1013.5	102.5	82.5	119.3	97.6	83.6	121.8	95.5	88.5	121.6	4.1	7	2	0	35	56		91.9	92.6	95.8		
8	22	21	0	1013.6	102	82.5	118.8	97.7	84	120.8	96.6	88.3	119.1	2.6	6	2	0	34	56		91.7	92.7	95.3		
8	22	21	30	1013.4	99	82.5	114.8	96	83.8	116.6	96.4	90.1	117	2	7	2	0	40	61		90.6	91.6	96.1		
8	22	22	0	1013.3	95	83.3	107.8	93.3	84	109.8	92.3	88.7	109.2	4.6	6	2	0	51	72		89.4	90.1	93.2		
8	23	14	35	1013.6	95.8	82	112.5	91.7	82.3	111.8	90.1	86.5	110.5	2.9	2	5	0	53	68		89.5	89.1	91.7		
8	23	15	0	1013.5	97	81.3	113.3	92.4	82.2	111.9	90.5	85.6	111	5.2	2	5	0	49	64	57	89.3	89.2	91.2		
8	23	15	30	1013.5	98	80.8	116	93.9	82.1	114.7	92.1	86.4	115.5	5.6	2	5	0	43	60		89.6	89.8	92.8		
8	23	16	30	1013.2				96.2	81.3	122.8	94.5	87.4	124.3	4.7	4	2	0	34	53				91.1	95.5	
8	23	16	55	1012.9					97.1	82.2	124.1	95.4	87.6	124.7	5	5	2	0	36	52	45			92.1	95.8
8	23	17	25	1012.6					98.2	82.6	127.5	98.4	88	121.6	1.1	6	2	0	32	46				93.1	95.8
8	23	17	55	1012.1					99.1	81.8	130.5	95.9	87.1	128.1	2.6	6	2	0	30	47	43			93.3	96.2
8	23	18	20	1011.9					99.1	81.6	128	97	88	128.7	4.9	7	2	0	29	47				92.6	97.0

Notes: All observations were taken at 30.49° N, 86.52° W (Eglin AFB). Local time = GMT – 5 h.

^a 0 = none; 1 = stratocumulus; 2 = cumulus; 3 = altostratus/altocumulus; 5 = thin cirrus; 6 = thick cirrus; 7 = precipitation.

^b 0 = sun not obscured; 1 = sun partially obscured; 2 = sun obscured.

^c National Weather Service observation site at the Northwest Florida Regional Airport (Valparaiso), less than 1 mile south-southwest of the WBGT observation site.

5. References

- Sauter DP. A wet-bulb globe temperature validation study using standard meteorological inputs and modeled solar irradiance. *J Oper Meteor.* 2013;1(18):215–225.
- Sauter D. Personal communication (Joe Racosky, Advanced Technical and Customer Support Engineering, the Nielsen–Kellerman Co.), 2014a.
- Sauter D. Personal communication (Matt Cramer, General Manager, Sigma Products), 2014b.
- Sauter D. Personal communication (Mark E. Scherer, Technical Support Engineer, Detection Portfolio 3M Personal Safety Division, Quest Technologies), 2014c.

1 DEFENSE TECHNICAL
(PDF) INFORMATION CTR
DTIC OCA

2 DIRECTOR
(PDF) US ARMY RESEARCH LAB
RDRL CIO LL
IMAL HRA MAIL & RECORDS MGMT

1 GOVT PRINTG OFC
(PDF) A MALHOTRA

1 DIRECTOR
(PDF) US ARMY RESEARCH LAB

1 DAVID SAUTER
(PDF) US ARMY RESEARCH LAB
RDRL-CIE-D

INTENTIONALLY LEFT BLANK.