

UNCLASSIFIED

AD NUMBER	
ADA800859	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to DoD only; Administrative/Operational Use; 24 APR 1947. Other requests shall be referred to National Aeronautics and Space Administration, Washington, DC. Pre-dates formal DoD distribution statements. Treat as DoD only.	
AUTHORITY	
NACA, 15 Nov 1951; NASA TR Server website	

THIS PAGE IS UNCLASSIFIED

Reproduction Quality Notice

This document is part of the Air Technical Index [ATI] collection. The ATI collection is over 50 years old and was imaged from roll film. The collection has deteriorated over time and is in poor condition. DTIC has reproduced the best available copy utilizing the most current imaging technology. ATI documents that are partially legible have been included in the DTIC collection due to their historical value.

If you are dissatisfied with this document, please feel free to contact our Directorate of User Services at [703] 767-9066/9068 or DSN 427-9066/9068.

**Do Not Return This Document
To DTIC**

Reproduced by
AIR DOCUMENTS DIVISION



HEADQUARTERS AIR MATERIEL COMMAND

WRIGHT FIELD, DAYTON, OHIO

The
U.S. GOVERNMENT

IS ABSOLVED

FROM ANY LITIGATION WHICH MAY
ENSUE FROM THE CONTRACTORS IN -
FRINGING ON THE FOREIGN PATENT
RIGHTS WHICH MAY BE INVOLVED.

REEL - C

8 8

A.T.I.

3 8 7 0

Copy No. 59

CONFIDENTIAL

RM No. L7C04a



AIR DOCUMENTS DIVISION, 1-2
AMC, WRIGHT FIELD
MICROFILM No.
R C-88 F 3870

RESEARCH MEMORANDUM

ATI No. **3870**

MEASUREMENTS OF STATIC AND TOTAL PRESSURE THROUGHOUT THE
TRANSONIC SPEED RANGE AS OBTAINED FROM AN AIRSPEED
HEAD MOUNTED ON A FREELY FALLING BODY

By

C. W. Mathews and J. R. Thompson

Langley Memorial Aeronautical Laboratory
Langley Field, Va.

CLASSIFIED DOCUMENT

This document contains classified information affecting the National Defense of the United States within the meaning of the Espionage Act, USC 5031 and 5041. Its transmission or the revelation of its contents to any person is an unauthorized person is prohibited by law. Information so classified may be reported only to persons in the military and naval services of the United States, appropriate civilian officers and employees of the Federal Government who have a legitimate interest therein, and to United States citizens of known loyalty and discretion who of necessity must be informed thereof.

**NATIONAL ADVISORY COMMITTEE
FOR AERONAUTICS**

WASHINGTON

April 24, 1947

CONFIDENTIAL

MM 2 12 45 PM '47
TS RED
IN

NACA RM No. L7C04a

CONFIDENTIAL

NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

RESEARCH MEMORANDUM


MEASUREMENTS OF STATIC AND TOTAL PRESSURE THROUGHOUT THE
TRANSONIC SPEED RANGE AS OBTAINED FROM AN AIRSPEED
HEAD MOUNTED ON A FREELY FALLING BODY

By C. W. Mathews and J. R. Thompson

1. Results of tests of an airspeed head mounted on a freely falling body are presented in preliminary form. Measurements were made throughout the transonic speed range. Details and dimensions of the airspeed head and the body are given in figure 1.
2. The variations of static pressure, total pressure, and Mach number with time from release of the test body are presented in figure 2. The dashed curves show these variations as measured by the airspeed head. The solid curves were computed from true airspeed as determined by ground radar tracking records corrected for wind and from correlation of the altitude-time variation of the test body during its fall with the variations of atmospheric temperature and pressure with altitude at the time of the test. The discrepancies between the curves in figure 2, interpreted in terms of the corresponding discrepancy in true airspeed, are shown in figure 3 for the typical case of flight at 30,000 feet. The indicated error in static-pressure coefficient as measured by the airspeed head is presented in figure 4. Since the possible error in the measurement of the static-pressure coefficient due to transmitting and recording may be as much as 0.015, the presented curve should not be interpreted as a final calibration of the airspeed head. It does show, however, that with this type of head the measured error in static pressure was small throughout the transonic speed range.


Langley Memorial Aeronautical Laboratory
National Advisory Committee for Aeronautics
Langley Field, Va.

CONFIDENTIAL



3
Fig. 4

NACA, RM No. L7C04a






Figure 1.- Details of airspeed head installation on freely falling body.

**NATIONAL ADVISORY
COMMITTEE FOR AERONAUTICS**

CONFIDENTIAL

NACA RM No. L7C04a



REEL - C

8 8

A.T.I.

3 8 7 0

~~CONFIDENTIAL~~

TITLE: Measurements of Static and Total Pressure Throughout the Transonic Speed Range as Obtained from an Airspeed Head Mounted on a Freely Falling Body
AUTHOR(S): Mathews, C. W.; Thompson, J. R.
ORIGINATING AGENCY: National Advisory Committee for Aeronautics, Washington, D. C.
PUBLISHED BY: (Same)

ATI- 3870

DIVISION
(None)

ORIG. AGENCY NO.
RM-L7C04a

PUBLISHING AGENCY NO.

DATE	DOC. CLASS.	COUNTRY	LANGUAGE	PAGES	ILLUSTRATIONS
April '47	Conf'd	U.S.	Eng.	5	diags, graphs

ABSTRACT:

Results of preliminary tests of an air-speed head mounted on a freely falling body are prescribed. Measurements were made throughout the transonic speed range. Details and dimensions of the airspeed head and the body are given along with variations of static pressure, total pressure, and Mach number with time from release of the test body. A comparison of two methods of airspeed measurement and measured static pressure error is made in graphs.

DISTRIBUTION: Request copies of this report only from Originating Agency

DIVISION: Aerodynamics (2)
SECTION: Fluid Mechanics and Aerodynamic Theory (9)

SUBJECT HEADINGS: Velocity head - Measurement (96750)

ATI SHEET NO.: C-2-9-7

Air Documents Division, Intelligence Department
Air Materiel Command

AIR TECHNICAL INDEX
~~CONFIDENTIAL~~

Wright-Patterson Air Force Base
Dayton, Ohio