AD NUMBER: ADB951583					
CLASSIFICATION CHANGES					
TO: Unclassified					
FROM: Confidential					
LIMITATION CHANGES					
TO:					
Approved for public release; distribution is unlimited.					
FROM:					
Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 15 DEC 1951. Other requests shall be referred to the Defense Nuclear Agency, Washington, DC.					
AUTHORITY					
15 Oct 1975, per document marking; PER DNA ltr 5 Mar 1980					

AD NUMBER: ADB951583						
CLASSIFICATION CHANGES						
TO:						
Confidential						
FROM:						
Secret						
AUTHORITY						
31 Dec 1963, DoDD 5200.10, gp-3						

PHOTO	GRAPH THIS SHEET
PSS SSSON NUMBER CACCESSION NUMBER	INVENTORY
Appro	MENT IDENTIFICATION SUTION STATEMENT A rved for public release; stribution Unitarited DISTRIBUTION STATEMENT
CCESSION FOR	DISTRIBUTION STATEMENT
OTES GRAMI	
Y	
ISTRIBUTION / VAILABILITY CODES	
AVAIL AND/OR SPECIAL	DATE ACCESSIONED
DISTRIBUTION STAMP	
DATE	RECEIVED IN DTIC
PHOTOGRAPH THIS SH	EET AND RETURN TO DTIC-DDA-2

DTIC FORM 70A

DOCUMENT PROCESSING SHEET

REPORT of TEST EXERCISES Desert Rock II and III



DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.


GENERAL PLAN OCT 15 1975 Exercises Desert Rock II and III



Shyph was Red In. 10 how 5!

Headquarters Camp Desert Rock

UNCLASSIFILD





Part I

22311

HEADQUARTERS Camp Desert Rock Las Vegas, Nevada

15 December 1951

SUBJECT: Report of Exercises Desert Rock II and III

UNGLASSIFIED

TO:

Commanding General Sixth Army Presidio of San Francisco, California

TECHNICAL LIBRARY

of the

ARMED FORCES

- 1. Reference: Letter, this Headquarters, to Commanding General, Sixth Army, Subject: Report of Activities, Camp Desert Rock, dated 15 December 1951.
- 2. Submitted herewith is the Report of Exercises Desert Rock II and III in nine (9) copies.
- 3. This report is complete except as noted below. Action has been taken to obtain the following information which should be added to this report by the recipient of each copy of the report:
 - a. Weapon effects data on ground accelerations and displacement.
- b. Scaling law information required to scale the effects up to the size of operational weapons.

Data relative to a. and b. above have been requested from the Chief, Armed Forces Special Weapons Project, Washington, D. C. (See Inclosure 10).

- c. "Before" and "After" photos of equipment, materiel, and emplacements for Desert Rock III. Action has been taken to procure these photos, by letter to Mr. Carroll L. Tyler, Test Manager, United States Atomic Energy Commission. (See Inclosure 11).
- d. Further, detailed evaluation of damage at position 1 (100 yards) and position 2 (200 yards) is required to supplement the limited assessment of those positions, which was made for this report. Action has been taken to complete this evaluation, as indicated in letter, this Headquarters, to Commanding General, Sixth Army, Subject: Operation Desert Rock III, dated 5 December 1951.
- 4. This report, as written, requires a classification of "Secret Restricted Data." It is recommended that those parts of the report which
 are of general, important interest to the Army be reviewed by Department

UNCLASSIFIE



SUBJECT: Report of Exercises Desert Rock II and III 15 December 1951.

of the Army with a view toward downgrading their classification in order to facilitate wide distribution to the several agencies requiring this information.

- 5. a. In order to expedite the procurement of the information indicated in paragraph 3a and b. above, distribution has been made of three (3) advance copies of this report to the representatives of the following agencies, who had major responsibilities in the preparation of the report:
 - Copy 10 Chief, Armed Forces Special Weapons Project Washington 25, D. C. (ATTN: Major Thomas A. Gibson, Jr.)
 - Copy 11 Commanding General, Field Command Armed Forces Special Weapons Project Sandia Base, New Mexico (ATTN: Lt Col R. K. Brunsvold)
 - Copy 12 Director of Effects Tests Group Technical Operations Squadron (Prov) Kirtland Air Forces Base, New Mexico (ATTN: Colonel Max S. George)

b. Recommended distribution of the remaining copies of this report is as follows:

> Copies 1 - 5 Commanding General, Sixth Army Presidio of San Francisco, California (with appropriate copies to Department of the Army and to Army Field Forces.)
> Commanding General, III Corps Copy 6

Fort MacArthur, California

Copy 7 Chief, Armed Forces Special Weapons Project Washington 25, D. C.

Copy 8 Commanding General, Field Command Armed Forces Special Weapons Project Sandia Base, New Mexico


Copy 9 Commanding Officer, III Corps Artillery Fort Lewis, Washington

> B. M. FITCH Brig Gen, USA Commanding

11 Inclosures

1. - 9. 9 copies

"Report of Exercises Desert Rock II and III" Classified "Secret - Restricted Data."



BICLASS AED

SUBJECT: Report of Exercises Desert Rock II and III 15 December 1951

10. Copy of Letter, Hq Camp Desert Rock to Chief, AFSWP Classified "Secret - Restricted Data."

11. Copy of Letter, Hq Camp Desert Rock to Mr. Carroll L. Tyler Classified "Confidential."

Copy (less inclosures) to: Chief, AFSWP Mr. Tyler

SHOURSFIED

SECURITY ITTEL TATION

HEADQUARTERS Camp Desert Rock Las Vegas, Nevada

14 December 1951

SUBJECT: Request for Weapon Effects Data

THRU:

Commanding General

Sixth Army


Presidio of San Francisco, California

30:


Chief, Armed Forces Special Weapons Project P. O. Box 2610 Washington 25, D. C. ATTW: (Weapon Effects Division)

- Gertain items of effects information are essential in order to finalize the reports of Exercises Desert Rock II and III. The necessary information falls into two categories:
 - a. Information required to complete the present report.
- b. Information required to re-evaluate the report in terms of the yields of the actual operational meapon.
- 2. The information required with reference to paragraphs la and lb above is as follows:
 - 4. Reference paragraph la above:
 - (1) Surface shot information.
- (a) Maximum horizontal and vertical transient ground displacements, as a function of distance.
 - (b) Ground acceleration, as a function of distance.
 - (2) Underground shot information.
- (a) Maximum horizontal and vertical transient ground displacements, as a function of distance.
 - (b) Ground acceleration, as a function of distance.





SUBJECT: Request for Weapon Effects Data



- (c) Total dose contours of the conteminated area.
- b. Reference paragraph Ib above:

Scaling laws for the various weapons effects, for both underground and surface bursts.

3. It is requested that the information indicated in paragraph 2 above be sent to the Commanding General, Sixth Army, Presidie of San Francisco, California, (ATTN: AC of S, G3), as soon as it is available. It is further requested that the Commanding General, Sixth Army, be advised in advance of the estimated availability dates of the information requested.

B. M. FITCH Brig Gen, USA Commanding



SECURITY TORMATION

UNCLASSIFIED

HEADQUARTERS
Camp Desert Rock
Les Yegns, Nevada

4 December 1951

SURJECT: Army Photographic Requirements, Operation Jangle

TO:

Mr. Carroll L. Tyler Test Manager United States Atomic Energy Commission Nevada Test Site P.O. Box 2088 Las Yegas, Nevada

- 1. It is now planned that the present Camp Desert Rock troop complement will leave for their home stations about 15 December 1951. They will be replaced by a small winterisation detachment.
- 2. A preliminary report of the Army participation in Operation Jangle will be completed about 15 December and forwarded to Headquarters, Sixth Army.
- 3. Since the photographic coverage of the effects of the 29 November that of Operation Jangle vill probably not be completely processed by the time our preliminary report is forwarded, it is requested that the photographs pertaining to that thet, when completed be sent from your office directly to the Commanding General, Sixth Army. Presidio of San Francisco, California, (ATTN: AS of 8, 63).

o/ B. M. Flock b/ B. M. Fifth Brig Gen, USA Germading


SECURITY ENFORMATION

UNCLASSFIED

DICLASSIFIED

HEADQUARTERS
Comp Desert Rock
Las Vegas, Hevada

DIFFOUNDIETTON



- 1. Exercises Desert Rock II and III have been completed, and from them, valuable data have been obtained to complement and supplement that already made of record from Exercise Deport Rock I.
- 2. This report consists of a compilation of the major results of the two exercises. Some additional effects data which are presently unavailable will follow as soon as they can be furnished by the Atomic Energy Commission and Armed Forces Special Meapons Project when radiation effects have decreased to a sufficient level to permit final assessment.
- 3. The two exercises demonstrate the potent capability of these types of bursts for tactical operations if properly employed, and point the way to breader capabilities in the atomic weapons field.

he It is believed that the results attained in these exercises are of the greatest importance to the Armed Forces and that timely and adequate planning should be made for increased participation.

le H. Fitch

B. M. PITCH Brigadier General, U.S.A. Commanding

SECURITY DEFORMATION



INDEX

PART I - General Plan for Exercises Desert Rock II and III

PART II - Exercise Desert Rock II

Section & - Effects Test Report

Section B - Operational Report

PART III - Exercise Desert Rock III

Section A - Effects Test Report

Section B - Operational Report

PART IV - Comparison of Results of Desert Rock Exercises II and III, Conclusions and Recommendations



PART I

General Plan for Exercises Desert Rock II and III

INDEE

2	regi	
	1.	Introduction Pages 5-6
		Relationship of Effects Tests Group and Commanding General Camp Desert Rock - Tab I-A
	2.	Mission Pages 6
	3.	Test Objectives (Exercises Desert Rock II and III

UNCLASSIFIED

PART I

General Plan for Exercises Desert Rock II and III

1. Introduction.

- junction with AEC Operation JANGLE in order to obtain information relative to the effects of surface and underground nuclear explosions on typical army field emplacements, equipment and material, and to determine, insofar as possible, the probable effects on personnel. Although no animals were permitted in Desert Rock II and III, inferences were drawn as to effects on personnel from information obtained from Operation JANGLE animal experiments.
- b. This report shows the damage which resulted to emplacements, equipment and materiel, and by indirect methods, the casualty effect on personnel.
- o. It should be remembered when using this report that these nuclear explosions were of a very low yield (1 KT). The yield of the operational weapons for surface and underground explosions will be many times larger. Therefore, one should not consider the damage or casualties in terms of distance, but rather in terms of the weapon effects which were present at those distances.
- d. Since the manner in which the various weapon effects will scale to larger yield weapons will not be completely known until the efficial report of the JANGLE Operation has been completed, it is not possible at this time to determine accurately the effects of the operational weapons. As soon as the scaling laws have been determined, appropriate portions of this report should be re-evaluated from that standpoint. At that time, firm estimates of the effectiveness of the operational weapons can be made. The Chief, AFSWP, has been requested to supply the scaling law information to Sixth Army as soon as it becomes available.



- e. It should be understood that this report is based upon preliminary results of Operation JANGLE and is subject to modification after the data have been more completely evaluated.
- necessary to leave out certain information which was not available at the time it was written. These omissions are noted in the body of the report so that when the information becomes available it can be inserted in the appropriate place in the report. The Chief, AFSWP, has been requested to supply this information to Sixth Army as soon as it is available.
- g. Appreciation is expressed to the Armed Forces Special Weapons Project for providing the AFSWP Advisory Group to assist in the test planning and to prepare this report. This group consisted of

Lt. Col. Rudolph K. Brunsvold - Infantry

Lt. Col. Gerald McDonnel - Medical Corps

Major Thomas A Gibson, Jr. - Chemical Corps

Appreciation is also expressed for the advice and assistance rendered

by: Dr. A. F. Spilhaus - Deputy Director for the BUSTER/JANGLE Operation

Col. Max S. George - Director of Effects Tests Group

2. Mission.

The mission of Exercises Desert Rock II and III is outlined in letter, Headquarters Camp Desert Rock, to CG Sixth Army, dated 6 Nov 1951, Subject: Operation and Maintenance of Camp Desert Rock During and Subsequent to November, 1951, para 2b as follows:

*In coordination with AEC and AFSWP, participate in the remaining tests scheduled by AEC for November 1951, supplementing previous Army Tests conducted in Exercise Desert Rock I, to determine effects on Army fortifications, material, and equipment."

- 3. Test Objectives (Exercises Desert Rock II and III)
 - a. Effects Test Objectives.
- (1) To determine nature and extent of damage sustained by standard (FN 5-15) military explacements when subjected to the effects of surface and underground muclear explosions.



- (2) To determine nature and extent of damage sustained by military equipment and material when subject to the effects of surface and underground nuclear explosions. This determination will include an assessment of serviceability for immediate combat use of equipment and material tested.
- (3) To determine the degree of protection afforded by standard field emplacements from nuclear radiation, and blast effects from surface and underground nuclear explosions.
- (4) To determine by indirect methods, through the use of film badges and observation of damage to emplacements, the probable effects on personnel when exposed to the effects of surface and underground nuclear explosions.

b. Observer Indoctrination and Training Program.

In addition to the effects test conducted by the Commanding General, Camp Desert Rock, an indoctrination and training program for observers was conducted. This program consisted of instruction in the various aspects of atomic weapons. Discussion groups were formed and a report of the conclusions of each group was obtained.

4. Test Plan.

a. Test Area.

Desert Rock Exercises II and III were conducted in the "crada Test Site in the area about 15 miles north of the Atomic Energy Commission's Control Point at Yucca Pass. The following sketch (Fig. 1) shows the general layout of the area.

- b. Disposition of Equipment, Materiel and Emplacements.
- and underground), materiel, equipment and emplacements were located in positions extending from 100 yards out to 1000 yards from the zero point. Film badges were placed throughout the test positions to obtain indirect information as to the effects of the radiation on personnel.


CHOLHOOMILED

c. Test Explosions.

The AEC Test Operation JANGLE, in conjunction with which the Desert Rock Exercises II and III were held, were as follows:

- (1) Surface Shot (Exercise Desert Rock II)
- A 1 KT nuclear explosion, detonated on the surface of the ground at 0900 hours on 19 November 1951.
 - (2) Underground Shot (Exercise Desert Rock III)

A 1 KT nuclear explosion, detonated at 17 feet below the surface of the ground at 1200 hours, 29 November 1951.



CFFICE OF THE DIRECTOR EFFECTS TESTS c/o TECHNICAL OPERATIONS SQUADRON (PROV) P.O. BOX 1349 Las Vegas, Nevada

24 November 1951

SUBJ TOT:

Cooperation of Commanding General, Camp Desert Rock, and the Effects Tests Group of the Technical Operations Squadren (Prov) in Exercise

Desert Rock II


TO:

The Commanding General Camp Desert Rock, Nevada

- 1. Reference is made to the meeting on this subject, held at Camp Desert Rock on 13 November 1951. At this meeting the Commanding General, Camp Pesert Rock, requested that the responsibilities agreed to be made a matter of record. This letter outlines those agreements.
- 2. The Deputy Test Director, Dr. A.F. Spilhaus, and the Director of the Effects Tests, Colonel Max S. George, have examined the agreements set forth herein.
 - 3. Responsibilities:
- a. The Commanding General, Camp Desert Rock, assumes complete responsibility for Exercise Desert Rock II and the preparation of reports pertaining thereto.
 - b. The Commanding General, Camp Desert Rock will:
 - (1) Prepare emplacements.
 - (2) Emplace and remove test equipment.
- (3) Provide officers of the technical service to record the damage and to determine nost-shot operability of test equipment appropriate to their service.
- (4) Provide the logistic and administrative support required to conduct the test.
- (5) Restore test area to its original condition after test (fill in holes, remove debris, etc.)
- (6) Submit copies of test plans and operational plans to Director Effects Tests (Colonel l'ax S. George) for coordination with the Military Effects Tests Program.
- c. In order to assist the Commanding General, Camp Desert Rock, the Effects Tests Group has arranged for the services of qualified AFSWP officers to serve on a full-time basis as technical advisers and to prepare, under the directic of the CG, Camp Desert Rock, the preliminary technical report on Exercise Desert Rock II. These AFSMP Advisory Group officers are:

Lt. Col. R.K. Brunsvold, Inf. Major Thomas Gibson, Cml. Corps. Lt. Gol. Gerald Mc Donnel, Med. Corps.

These officers may also assist in the on-site and test briefings for VIP's and c' server personnel.





SUBJECT: Cooperation of Commanding General, Camp Desert Rock, and the Effects Tests Group of the Technical Operations Squadron (Prov) in Exercise Desert Rock II

- d. Lt. Col. G.M. McHaney will be liaison officer in this headquarters between this office and the personnel listed above and will coordinate their activities with those of units subordinate to this office.
- e. The Effects Tests Group will provide the AFSWP Advisory Group the preliminary basic effects data required by them in the preparation of the technical report. A request for the specific data required should be made to this office. Although no exact time can be given as to availability of these data, every effort will be made to supply the information at the earliest possible time.
- f. The Director of the Effects Tests Group will review the report prepared by the AFSWP Advisory Group for technical accuracy and form the standpoint of security.

Max S. George Colonel, Arty Director

Distribution:

3 cys - CO, Camp Desert Rock

2 cys - ETG

2 cys - AFSWP Advisory Group



EXERCISE DESERT ROCK II



1KT
Surface Shot
19 November 1951

Part II

THICLASSIFIED



PART II

Exercise Desert Rock II

Index

	A- Effects Test Report:	1./
1.	Test Plan - General Summary	Pages/5
	Detailed Test Plan	- Tab II-A
	Detailed Drawings of Test Emplacemen	its - Tab II-B
	Film Badge Layout Plan	- Tab II-C
2.	Test Results - General Summary	Pages 15-32
	Description of Surface Shot	
	Effects on Materiel and Equipment	- Tab II-E
	Effects on Emplacements	- Tab II-F
	Photographs of Emplacements & Equipm	ment - Tab II-G
	Film Badge Results	- Tab II-H
	Effects on Food and Water	- Tab II-I
	Effects of Radioactive Dust	- Tab II-J
	Effects on Animals	- Tab II-K
3.	Conclusions	Pages 32-34
etion	B - Operational Report	
1.	General Summary	Pages 34
	Troop List	- Tab II-L
2.	Observer Indodtrination and Training Program.	B Pages 34-35
	Observer Instruction Schedule 13 Nov	v 51 - Tab II-N
	Seminar Reports	- Tab II-N
. 3.	Miscellaneous	Pages 35-36
	Radiological Safety Plan	- Tab II-0
	Decontamination Plan	- Tab II-P
	Report on Radiological Safety and Decontamination Operations	- Tab II-Q
	Counterintelligence Directive	- Tab II-R
	Administrative Terrain Study	- Tab II-5
		INCLASSIFIED





PART II

Exercise Desert Rock II

Section A - Effects Test Report.

- 1. Test Plan General Summary.
- materiel and equipment were positioned from 100 yards out to 1000 yard from surface zero. The layout consisted of six test positions located at 100, 200, 400, 630, 800 and 1000 yards from zero point. Interspersed between the test positions were two lines of two-man foxholes, revetted and unrevetted, end-on and side-on to the zero point. The detailed layout and contents of each test position are shown in the following diagram (Fig. 2).
- b. The preparation of emplacements, placement of equipment, materiel and film badges, pre-shot and post-shot photography, damage evaluation and restoration of the area were carried out as described in Tabs II-A, II-B and II-C.
 - 2. Test Results General Summary.
 - a. General (See Tab II-D)
- (1) The surface shot of the 1 KT yield test weapon was fired at 0900 hours on 19 November 1951. The wind was from a south-easterly direction which carried the majority of the residual contamination away from the Desert Rock II test positions and permitted early entry into the positions for evaluation purposes.
 - b. Effects on Materiel (See Tab II-E)
- (1) In this test the damage to the major items of materiel extended out to Position 2, which was 200 yards from zero point. The materiel in general was located above ground. The weapons were in firing position in the emplacements. Some smaller articles of equipment were in emplacements below ground and were damaged or lost due to the collapse of the emplacements. It is believed that the majority of damage to materiel was caused by the air blast. There was little evidence of thermal radiation defined and the 1/4-ton jeep at 100

OBSERVATION POST

2 Compass Leneratio (one on surface-one un les cover) 2. Cases cannel latin (one en serta e-ens unter color) 4 vans. water 5 yel (ene can slo ed-ene open on the ace,

one can elect one open unter cover

Assorted perspebles ; salt

MG EMPL (Horseshoe Type) 2. MG Cal 30

2 Mounts, MG Cal 30

(one each on surface - one each under ver)

81 MM MORT EMPL

1 EE8 Telephone

2-Radio SCR-536 (one on surface - one under cover)

TWO MAN FOX HOLE W/C

2 - Dummies in fatiques helmet w/rifle Cal. 30 M-1

(one in hole - one on surface)

Mask, gas, service

Shelter Tent adjacent to Empl'D

57\$75 MM RR EMPL

57 MM RR Mounted

SPL MG EMPL

1-EE8 Telephone

4-Coils No 114 (Zabore - 2 under)

Various wire circuits between CfF

(one each above f one buried 8 under)

OBSELVATION POST

2-Compass, Lensatic lone on surface

2-Cases cannod rations (one on surface 4- Cans, water 5gal (one can closed-

cus can closed -

Ace ite's constrate

MG EMPL

(drisesion Tyi)

2-MG C2 30

Pan # 4

2- Mounts MG Cal 30.

(one each or surface - one each in

81 MM MORT EMPL

1-EE8 Telephone

2-Radio SCR 300 (one on surface

Double afron Fence benind Empl F

TWO MAN FOX HOLE W/C

2- Dummies in fatigues, helmet which

(one in hole - one on surface)

Mask gas, service Shelter Tent adjacent to Empl D

57 775 MM RR EMPL

75 MM RR Mounted


SPL MG EMPL

1- EEB Telephone

4-Coils No 114 (2 above - 2 sader)


Various wire circuits between CFF


(one each above ; one buried 8 und




Two man fox holes in p Psn # apart. One of each pa one unrevetted 02E 10

511 TE ERVATION DESERVATION DOST 2. Compass Lensatic (one on surface one under soler) 2-Compass, Lens V e-one under cover) 2- Cases canned rations (one or or all one unit cover) ce-one under cover) 2-Cas carred rat 4-Cans water 5gal (one can closed-wie con en surface - one open on surface, one can store to a specialist me 1, -one your suler a vor) 4-62115 Water 5-12 A - reed parisnables & salt on serface, ore Assorted perishables MG EMPL (Horseshoe Type) MG EMPL 2-MG Cal 30 (Horseshoe Type) 2-Mounts, MG Cal 30 2 MG Cal 30 (one each on inface - one each under cover) under cover) 2- Mounts MG Cal (one each on surf 31 MM MORT EMPL 1-EE8 Telephone BI MM MORT 2-Radio SCR-536 (one on surface - one under cover) one under cover) 1- EE 8 Telephone Double apron fence TWO MAN FOX HOLE W/C 2-Dummies in Fatigues, helmet while Cal. 30 M-1 TWO MAN F (one in hole - one on surface) 1 Cal 30 Mil 2- Dummies in Fa Mask, gas, service Cal. 30 (one in h Shelter Tent adjacent to Empl D Mask, gas, Service Shelter Tent adja 57 & 75 MM RR EMPL 57 MM RR Mounted 57 \$ 75 MM 1- Sniperscope (one surface) 75 MM RR Mounte 1 Sniperscope (on SPL MG EMPL 1-EES Telephone SPL MG EMP 4-Coils No 114 (2 above - 2 under) 1- EE 8 Telephone Various wire circuits between Cif 4- Coils No 114 (c (one each above & one buried 8 under) nder) Various wire circuit jone each above pairs spaced 100' air is revetted -Psn #3 Psn # 2 0 26 TANK







yards which burned after its gasoline ignited. Typical examples of damage at Position 2 (200 yards) are:

HMG Cal .30......Cooling system destroyed, plugs out.
Unserviceable.

105 mm Howitzer......Sights, shield and trail damaged.
Unserwiceable.

1/4-ton Truck......Frame twisted, severe damage.
Unserviceable.

Double Apron Fence......Wire ripped from posts. Post bent 60°.

With the exception of moderate damage to the 22-ton truck at Position 3 (400 yards) there was little damage to the major items beyond Test Position 2.

- c. Effects on Emplacements (See Tab II-F)
- (1) In this test the revetted emplacements withstood the effects of the weapon markedly well. The most distant revetted emplacement which collapsed to an appreciable degree was foxhole No. 3 at 280 yards. The most distant unrevetted foxhole which suffered serious damage was foxhole No. 9 at 515 yards.
 - d. Photos showing Typical Damage at the Various Positions.

 For comprehensive photo-coverage of damage see Tab II-G.



Position 1 (100 Yards)



Bailey Bridge Before After

Moved Sideways 5 Yards









th Ton Truck - Before ↑ After

Moved 12 Yards to the rear ↓






Position 1 (100 Yards)



57 mm Recoiless Rifle - Before After
Gun Blown 35 Yards Note: Burns V
on sand bags









Tank - Before \(^1\) Looking Away From Zero Point After Looking toward Zero Point. Note: Tank \(^1\) fender in fore ground. Tank unserviceable due to broken lugs on tracks.





Position 2 (200 Yards)



HiG in Emplacement - Before After








Position 3 (400 Yards)



Before A Bailey Bridge. Note: Loose ramp and broken walkway After J/





Position 3 (400 Yards)



21 Ton Truck. Truck was Operative



24

Position 4 (633 Yards)



75 mm Recoiless Rifle - Before After V




UNCLASSIFIED


UNULASSIFICE


- e. Film Badge Results (See Tab II-H)
- (1) Most of the film badges for measuring gamma radiation dosage were recovered and the results obtained therefrom were generally satisfactory. The dosage measured on the film came from two sources: one, from the initial gamma radiation from the fireball and the radicactive column of the cloud; and two, from the residual radio active contamination described on the ground. The gamma radiation from the fireball and column had left Desert Rock II positions in approximately six minutes. The total dosage measured during the first six minutes after the explosion along the line of Desert Rock positions is shown graphically in Figure 3.
- (2) The dosage in the open is seen to be more than the dosage in the average emplacement. The average emplacement reduced the dosage to 10% of the dosage in the open at the same distance. Indications were that overhead cover increased the protection from gamma radiation to a small degree. The orientation of the two-man foxholes with respect to the zero point had an effect on the protection afforded. The foxholes oriented side-on toward zero point gave somewhat more protection.
- (3) Information concerning the residual radiation dose rate was obtained from the Effects Tests Group of Operation JANGLE.

 Desert Rock positions were up-wind from zero point and were only slightly contaminated. One and one-tenth (1.1) square miles of area were contaminated to a level of 100 r/hr or greater at H + 1 hour.

 See Figure 4 for this information.
- (4) The total dose of gamma radiation over the entire area during the time H to H + 2 days was obtained from the Effects
 Tests Group of Operation JANGLE. See Figure 5 for this information.
 The area covered by a total dose in two days of 400 r or greater is
 0.7 square miles. It should be noted that more than 90% of the total dose in this 0.7 square mile area is received during the first few minutes following the explosion.







- f. Effects on Food and Water (See Tab II-I).
- (1) The majority of the boxes of "C" rations, cans of water, pieces of beef, and sacks of salt exposed were recovered. Fission product contaminated dust did not enter the "C" rations, the closed water cans, the beef wrapped in paper, or the salt in paper sacks. Water in open water cans and bare beef were contaminated with fission products. An attempt was made to decontaminate the meat from 100 yards by cutting away the outside layers. Most of the contamination could be removed, but some remained down to a depth of 3/4 of an inch. Because the meat had weathered in the field for five days before recovery, it was dry and difficult to work with, and the experimental results were inconclusive.
- (2) Neutron induced radioactivity was observed in the "C" ration box exposed above ground at 200 yards and in the salt exposed above ground at 200 yards and 400 yards. Five days after the shot, this induced activity had decayed to a point where the material was edible.
 - g. Effects of Radioactive Dust (See Tab II-J)
- following the surface shot. This was due to the fact that the particles which fell out in the immediate area were of such size that they would not be breathed in by the respiratory system. The smaller particles were carried away by the atomic cloud and dispersed to such a degree that no hazard resulted.
 - h. Effects on Animals (See Tab II-K)
- (1) Although no animals were exposed as a part of Exercise Desert Rock II, the results of the animal (sheep and dogs) exposure test of the Effects Tests Group of Operation JANGLE were made available for this report. These results are:


-	Animals Location from Surface Zero	Radiation Dosage Received	Deaths
	2670 yards	Less than 10 r	None None None
	830 yards	Usid to 300 s	None

31


- 1. Correlation of Damage with Caustive Factors.
- (1) The following diagram (Fig. 6) illustrates the limits of damage of the various types as a function of distance and relates it to the weapon effects which were present at those distance. The information on ground acceleration and horizontal and vertical ground displacement was not available at this writing and could not be included. That section of the figure is left blank so that this information can conveniently be added when it is available.

3. Conclusions.

- a. The major damage to personnel, materiel and equipment from a surface burst results from the air blast, initial gamma radiation and thermal effects in much the same fashion as from an air burst weapon. The principal differences were the greater ground shock effects and residual contamination from the surface burst weapon.
- b. The residual contamination on the ground from a surface burst is sufficient to preclude occupancy of a relatively large area for a period of days after the shot. In this test, an area of roughly 1.8 square miles was contaminated to a level that would have prevente continuous occupancy even under combat conditions for at least two days.
- c. From a surface explosion, the effects of contamination of equipment are not militarily significant beyond the range of sever damage from other causes. The contaminated dust can be removed by simple decontamination methods. The induced radioactivity in the metal is so low as to be negligible.
- d. Typical field emplacements provide approximately 90% protection against the initial nuclear radiation. Overhead cover on emplacements increased the protection slightly, but not sufficient to warrant construction of overhead cover for this purpose alone. It should be remembered that in regions of high radiation dosage the blast pressures are also very high and would probably cause collapse



UNCLASSIFIED S SHOT CORRELATION OF DAMAGE WITH CAUSATIVE FACTORS 600 700 500 400 LIMIT OF COLLAPSE LIMIT OF CASUALTIES F COLLAPSE TO PERSONNEL IN OF UNREVETTED TO TED EMPLACEMENTS EMPLACEMENTS MENTS (FROM GAMMA GADIATION) Psn 4 Pon 3 1 ES 10 2 1000 600 400 300 0 500 600 700 400 FIGURE 6



- e. Typical field emplacements provide about 75% protection from the residual radiation (contaminated dust on the ground and in the emplacement.)
- f. The special machine gun emplacements did not appear to exhibit any particular advantage over the standard emplacements.
- g. Canned rations and water in the vicinity of a surface explosion are usable provided the containers are still intact.
- h. The measured values of thermal radiation, initial gamma radiation and air blast are in very close agreement with those predicted from TM 23-200 "Capabilities of Atomic Weapons".
- i. The radioactive dust from the surface burst did not constitute a respiratory hazard due to its large particle size.

Section B - Operational Report.

- accomplish the assigned missions of Camp Desert Rock, certain camp operational matters were accomplished. This portion of the report deals with those matters of general interest only. Troop support for Camp Desert Rock was drawn from the entire Sixth Army Area. Participating units are listed in Tab II-L "Troop List".
- bring official observers up-to-date on atomic weapons and development was undertaken. Subjects to be covered were closely coordinated with AFSWP and Sandia Base, Albuquerque, New Mexico. Schedule, of course, 13 listed on Tab II-M. Two full-time instructors were secured from AFSWP. Other instructors were drawn from AFSWP Effects Tests Group, Nevada Test Site, and Technical Services, Camp Desert Rock. On completion of the training course, the observers were invited to give their comments on the implications of atomic weapon on employment of arms and troops in future combat operations. The group reactions are detailed in Tab II-N. The general class opinion was:
- a. That no changes in design of present equipment are required to cope with an atomic attack.

34

- b. There is no need for specialized equipment in the forward areas.
- c. There are no new problems in disposition, handling and transportation of equipment and material in forward areas, and
- d. No special training is necessary for troops except the CBR monitor in each Company, Battery or similar size unit. The possibility of atomic attacks does not warrant changing our present doctrine of disposition of troops in the attack or defense. It was generally agreed that training of all troops should include a short course on nature of atomic weapons, their effect, and precautions necessary for individual safety.
 - 3. Miscellaneous operational matters of general interest include
- a. A radiological safety plan which essentially provided rad-monitors, with radiac detection equipment, to accompany all personnel entering the shot area. Film badges to be issued individuals who might be exposed to radiation. These badges, when developed, disclosed the amount of radiation received by the individual. Radiation tolerance limits, established by AEC, was set at a total dosage of 3 roentgens. This tolerance was extremely safe and is not to be construed as a military operational dosage. Details of RadSafe plan are listed in Tab II-O.
- b. Since all personnel working in the shot area were exscood to radioactive contamination, a decontamination plan was necessary. Decontamination was accomplished by dry brushing, dusting
 with wet rags and washing. These methods were used on personnel and
 test items with excellent success. Details of this plan are attached
 on Tab II-P.
 - c. Radiological safety measures were adequate as witnessed by the fact that no individual received a hazardous dosage of radiation. Personnel, test materiel and equipment decontamination was effective. All items were reduced to below the maximum limit of a milli-roentgen per hour level. A more detailed report is attached as Tab II-Q.

- d. The high percentage of classified subject matter inherent in the nature of the operation necessitated positive counterintelligence measures. Details of this plan are listed as Tab II-R.
- e. The terrain study (Tab II-S) was prepared and disseminated for orientation purposes.



Hqs, Camp Desert Rock Las Vegas, Nevada 11 November 1951

EQUIPMENT TEST PLAN FOR EXERCISE DESERT ROCK II

STOTION I - GENERAL PLAN OF TEST-"S" SHOT.

1. Summary

- a. On D-day the CG, Camp Desert Rock will conduct a test of military equipment, material and emplacements by exposing them to the effects of atomic bombs at the ALC Nevada Test Site. From the test an evaluation of damage to equipment, material and emplacements will be made.
 - b. The general test variables to be imposed are:
- (1) Equipment will be placed both on the ground surface and below ground surface.
- (2) Normal types of tactical field fortifications will be constructed plus special fortifications designed for the loads and hazards expected.
- (3) The items in para 1b (1) & (2) will be placed at various distance from ground zero.
- c. Assessment of damage will be made subsequent to the explosion and a report of results compiled.

2. Basic Directives


Letter, Headquarters Camp Desert Rock, to CG Sixth Army, dated 6 Nev 1951, Subject: Operation and Maintenance of Camp Desert Rock During and Subsequent to November, 1951, para 2b as follows:

"In coordination with AEC and AFSWP, participate in the remaining tests scheduled by AEC for November 1951, supplementing previous Army Tests conducted in Exercise Desert Rock, to determine effects on Army fortifications, materiel, and equipment."

3. Detailed Test Objectives

A. Test objectives are:

- (1) To determine nature and extent of damage sustained by standard (FM 5-15) military emplacements when subjected to the effects of a nuclear surface explosion.
- (2) To determine nature and extent of damage sustained by military equipment and material when subjected to the effects of a nuclear surface explosion. This determination will include an assessment of serviceability for immediate comba use of equipment and material tested.
- (3) To determine the degree of protection afforded by standard field emplacements from nuclear radiation, and the blast effects from a surface nuclear explosion.
- (4) To determine by indirect methods, through the use of film badges and observation of damage to emplacements, the probable effects on personnel when exposed to the effects of a surface nuclear explosion.



4. Heans of Reaching Test Objectives

a. Field fortifications

- (1) For test "S" a line of revetted and unrevetted foxholes commencing 300 feet from G.Z. and running out 3000 feet at 100-foot intervals will be constructed. See Annex 1
- (2) For test "S" six test positions will be constructed one each at 300 feet, 600 feet, 1200 feet, 1900 feet, 2400 feet, and 3000 feet from G.Z. See Annex 1
- (3) After construction, sketches will be made and photographs will be taken of all emplacements prior to the test explosion.
- (4) Post-shot evaluation of damage will be made and recorded by technical personnel.

b. Military Equipment and Materiel

- (1) Six test positions (1-6) will contain equipment to be exposed in various attitudes and with varying amounts of protection. Location of these test positions is shown on attached sketch (Annex 1), with G.Z. as shown.
- (2) Location of equipment and material within these positions, as recommended by appropriate technical services, is shown by emplacement and position charts (Annex 1).
- (3) Details of time of placement, pre-shot testing of equipment serviceability, identification and location marking, and removal instructions are contained in Section II of this plan.
- (4) Post-shot evaluation and description of effects will be made by a supporting evaluation group from the Armed Forces Special Weapons Project (AFSMP) and Camp Desert Rock technical service representatives. Details are contained in Section II.
- (5) Equipment and materiel will be removed from test positions on order, and in accordance with detailed plan outlined in Section II.

c. Protection Afforded by Implacements


- (1) Film badges will be installed in emplacements to indicate the amount of nuclear radiation received.
- (2) Observation of the damage to emplacements will be made to determine, indirectly, the probable effects on personnel, material and equipment located in the emplacements.

d. Special Emplacement

- (1) One special machine gun emplacement at position 1-6 will be prepared to determine its advantage over standard emplacements.
- (2) Film badges will be placed in this special position to indicate the actual protection afforded.

e. Support for Other Aspects of Operation Desert Rock II

(1) One of the missions of Operation Desert Rock II is to furnish observers soon after the explosion, with an explanation of general effects of the explosion on the test positions. To furnish data for this purpose, post-shot damage assessment will be made by Effects Evaluation Teams, and furnished to designated ATSWP representatives who will conduct the briefing.



EQUIPMENT TEST PLAN FOR EXERCISE DESERT ROCK II

f. Reports

(1) The data obtained from the Desert Rock II test position, supplemented by information furnished by the Effects Tests Group of Operation JANGLE will be consolidated into a single report, to be prepared by the AFSWP Advisory Group under the direction of the Commanding General, Camp Desert Rock.

SECTION II - DETAILED IMPLEMENTATION OF PLAN

5. Organization and Functions of Personnel

- a. Administrative relationships and groupings are shown in Annex 2.
- b, Major functions and responsibilities of the various elements concerned with this plan are:

(1) Camp Desert Rock Chiefs of Technical Services

- (a) Obtain the equipment and material prescribed by the CG Camp Desert Rock for the Test (Annex 3), and provide for its movement and placement into the test positions on D-1, completing such movement by 1630 hrs D-1 (Annex 6).
- (b) Provide personnel for damage assessment to such equipment and material at the test positions.
- (c) Insure that the equipment and materiel is moved back from the test site to Camp Desert Rock on order, or is disposed of in place if movement is impossible for radiological or other reasons. Undamaged or repairable items of equipment and materiel will be picked up and accounted for on the stock record accounts of the Service concerned.
- (d) Prepare a draft report concerning the post-shot condition of equipment and material which falls within their respective supply field, and turn such report over to the O.I.C. Effects Test for correlation with other data and compilation into one comprehensive report on the effects test.

(2) AFSMP Advisory Group

- (a) Provide advice and assistance as required to the Camp Desert Rock staff during the planning and preparatory phases of the exercise.
- (b) Deliver explanatory talks to the observers who visit various test positions concerning the effects of the explosion on aggingment and material in the positions.
- (c) Assist technical service evaluators in assessing damage to their equipment and material in test positions.
- (d) Prepare, from data gained in the test positions and from other sources, a comprehensive report of the effects test of Desert Rock II.
 - (3) Technical Service Damage Evaluators
- (a) Make a detailed evaluation of damage for all items in test position and record same on Final Damage Assessment Form (Annex 5).
- (b) When all items of equipment and material for a Tech Service have been evaluated, and when movement clearance has been given by O.I.C. Effects Test, request Chief of Tech Service concerned for personnel and vehicles to evacuate the items to Camp Desert Rock. Disposition of items that cannot be radiologically cleared will be in accordance with instructions given by the O.I.C. Effects Test.



40

MNCT49211 ITD

EQUIPMENT TEST PLAN FOR EXERCISE DESERT ROCK II

- (c) Complete remaining damage assessment at camp.
- (d) Turn in Final Damage Assessment Forms and Tech Service report to O.I.C. Effects Tests.

(4) C.I.C. Effects Tests

- (a) Effect coordination between Hq Camp Desert Rock and the AFSWP Advisory Group on matters pertaining to testing of equipment and material.
- (b) Coordinate and supervise the preparation of damage assessment reports.
- (c) Obtain identification tags for each coded item of equipment and material within his test position from S-3 section; Hq Camp Desert Rock; tag each item of equipment and material when it has been placed in the test position by the Technical Services on D-1, in accordance with the cataloging plan (Annex 3) and equipment location charts (Annex 1); place ground pins in the ground (marking the pre-shot location of all small items that are likely to be displaced by the explosion) with duplicate dog tags affixed to the ground pins.
- (d) Insure by checking on D-2 (and D-1) that all equipment and materiel has been placed in position according to plan (Annex 1), and offer any assistance required by Technical Service representatives to facilitate their task of moving equipment and material into position.
- (e) Insure that all personnel who are to move into his position assemble properly in the march serial for movement from camp, according to the Control Group Movement Plan (Annex 7).
- (f) Insure that a guard for each position is posted in his area at 1600 hours D-2. The guards will insure that no unauthorized persons enter the area, and that no equipment or materiel is moved without authority of the test position O.I.C. The guards will be relieved during the night D-1 D-day, upon direction from Camp Desert Rock S-3. They will be re-posted after D-day, and maintained until relieved by test position O.I.C.
- (g) Coordinate and assist members of the evaluation team at his position by insuring that:
- 1. Final Damage Assessment Forms (Annex 5) are prepared for each item of equipment and material in his position, and are turned into the O.I.C. Effects Tests.
- 2. All administrative assistance to insure the successful accomplishment of the evaluation team's task is provided promptly.
- (h) Insure that all equipment and materiel is evacuated from the positions after proper release by monitors and moved to camp by the technical services concerned. Equipment and materiel damaged or rendered unserviceable will be surveyed.

(5) O.I.C. Film Badges for Equipment

- (a) Insure that Chemical Officer places film badges according to plan on D-1 (Annex 8, Film Badge Placement Plan).
- (b) Insure that film badges are collected after D-day, and turned in to the film badge laboratory at the AEC C.P.
- (c) Obtain the film badge report from the laboratory, and turn it in to the O.I.C. Effects Tests (copy to AFSUP Advisory Group Chief) for inclusion in the final report.

EQUIPMENT TEST PLAN FOR EXERCISE DESERT ROCK II

' (6) O.I.C. Monitors (Chemical Officer)

- (a) Insure that position monitors keep the position O.I.C. advised of radiation level and total amount received a suitable time intervals, and give immediate warning at any time the prescribed maximum safe level is reached.
- (b) Instruct position monitors to advise tech service evaluators of residual radiation, if any, on or in any piece of equipment for incorporation in damage assessment reports.
- (c) Instruct position monitors to give clearances to Tech Service evaluators, from a radiological contamination standpoint, for movement of equipment and material items back to camp.

(7) O.I.C. Photography

- (a) Supervise execution of photographic coverage plan (Annex 9).
- (b) Arrange that prints of all thots are provided by AEC within reasonable time for inspection by Camp Desert Rock staff members concerned, and that sufficient quantities of prints selected for report purposes are produced.
- (c) Upon ALC clearance to revisit the area, instruct all photographic teams who may be required to move from one test position to another to clear with the position C.I.C. before movement.
- (d) Make necessary arrangements in advance with Camp Desert Rock Air Officer for helicopter use when necessary.
 - (8) O.I.C. Administrative Support (Deputy Camp Commander)
- (a) Insure that necessary vehicles for movement to test positions are provided by Camp Desert Rock Transportation Officer, and are assembled for movement in proper order (Annex 7).
- (b) Insure that equipment movement plan from camp to test positions on D-3 and return on D-7 is effected (Annex 6).
- (c) Provide an emergency assistance station for operation on D-day at observation position containing ambulance, engineer squad truck, personnel and pioneer tools, medical aid man, and emergency supply of gasoline, oil and water for evaluation team vehicles.
- (d) Provide clip boards and tape measures for test evaluation personnel requiring same.

6. Miscellaneous Details for Damage Evaluation

- a. It will be necessary to take measurements; to the nearest foot, to record the displacement distance of equipment moved by the explosion.
- b. Every effort will be made by all concerned to prevent movement of test items until all observers have passed through the test position and all measurements and photographs have been taken. However, should an item have to be picked up or moved in any way to accomplish damage assessment it will be replaced in the attitude in which found after the explosion as soon as such damage assessment is completed. Small articles which may have been strewn about by the blast and are in danger of being trampled and further damaged by observer groups will be prominently marked in some suitable fashion to minimize this possibility.





EQUIPMENT TEST PLAN EXPRCISE DESERT ROCK II (Cont)

7. Demobilization

- a. Equipment and material will be moved out of positions 1-6 when damage assessment is completed. However, test position 0.1.C.'s will not permit removal of test items until radiologically cleared for movement by the position monitor.
- b. Salvage of emplacement lumber, all sand bags and tactical wire will be commenced by 231 Engr (C) Bn, upon clearance with each position O.I.C., and continued on all available subsequent working days until completed and turned in to camp engineer dump. Emplacement holes will be backfilled and leveled.
- c. Test items recovered by tech services will be picked up on appropriate property accounts if serviceable or repairable, or evacuated as salvage if unrepairable.

8. Safety Measures

- a. Radiological Safety (RadSafe) monitoring for entire area will be accomplished before evaluation personnel, or any other personnel, are permitted to enter. In addition, one monitor will be continually stationed in each position while evaluation personnel are present. Details of RadSafe plan are contained in tactical plan Operation Desert Rock II.
 - b. Vehicles speeds on dirt roads will be kept below 15 MPH.
 - c. Fire and casualty personnel will be on call at Engr unit at YUCCA PASS.
- d. If for any emergency reason the forward area must be evacuated on D-day, "Emergency Operation Plan Black" will be put into effect. Upon receipt of word that "Condition Black" is in effect, or observation of a red star cluster pyrotechnic signal, O.I.G's at each position will assemble all personnel in their position, load them in available vehicles, and proceed directly to Camp Desert Rock.
- e. When decontamination of vehicles becomes necessary, the Decontamination Plan (see Annex 10) will be in effect.


FITCH Brig. General

Annexes:

- 1 Position Layouts
- 2 Admin. Relationships Chart (S-3 to prepare)
- 3 Catalogue of Equipment
- 4 .- Preliminary Damage Assessment Work Sheet
- 5 Final Damage Assessment Form
- 6 Equipment Novement Plan
- 7 Control Group Movement Plan (S-3 to prepare)
- 8 Film Badge Placement Plan
- 9 Photography Coverage Plan
- 10 Decontamination Plan

OFFICIAL:

SMITTE S-3



Page 6

AD'INISTRATIVE RELATIONSHIP CHART



HEADQUARTERS Camp Desert Rock Las Vegas Nevada

Annex 3

10 November 1951

CATALOGUE OF EQUIPMENT

AT TEST POSITIONS NUMBERS 1, 2, 3, 4, 5, 6

DESERT ROCK EXERCISE II Test No 1

	ITEM	PSN	PSN	PSN	PSN	PSN	PSN 6	
	Compass Lensatic	1A-1	2 2A-1	3 3A-1	4A-1	5 5A -1	6A-1	-
	Compass Lensatic (Surface)	1A-2	2A-2	3A-2	4A-2	5A-2	6A-2	
	Canned rations	1A-3	2A-3	3A-3	4A-4	5A-3	6A-3	
	Canned rations (Surface)	1A - 4	2A-4	3A -4	44-4	5A-4	6A - 4	
	Can, water 5 gal	1A-5	21-5	3A-5	4A-5	5A-5	6A-5	
	Can, water 5 gal (Surface)	1A-6	2A-6	3 A-6	♣ A-6	5A-6	6A-6	
	Can, water 5 gal (Open)	1A - 7	2A-7	3A-7	4A-7	5A - 7	6A-7	
	Can, water 5 gal (Surface, open)	1A-8	2A-8	3A -8	41-8	5A-8	6A -8	
	Perishable rations	1A-9	2A-9	3A-9	4A-9	5A - 9	6A-9	
	Perishable rations	1A-10	2A-10	3A-10	4A-10	5A -1 0	6A-10	
	Perishable rations	14-11	2A-11	34-11	44-11	51-11	6A-11	
	Perishable rations	11-12	2A-12	3A-12	41-12	5A-12	6A-12	
	Machine gun, w/mount	18-1	2B-1	3B-1	4B-1	59-1	6B-1	
	Machine gun, w/mount (Surface)	1B-2	2B-2	3B-2	4B-2	5B - 2	6B-2	
ų	EE-8 Telephone	1C-1°	20-1/	30-1	4C-1	5C-1	6C-1	
	SCR-536 (Surface)	-		30-2	-	5C-2	-	
	SCR 536			30-3		5C -3		
	SCR-300 (Surface)		-	4C-2	>4 c -2	••	6C-2	
	SCR-300		ethere.	-	4C-3	-	6C-3	
	Dummy in hole with:							
	Jacket HBT	1D-1	2D-1	3D-1	4D-1	50-1	6D-1	
	Trousers HBT	10-2	2D-2	3D-2	4D-2	5D-2	6D92	









CATALOGUE OF EQUIPMENT

AT TEST POSITIONS NUMBERS 1, 2, 3, 4, 5, and 6

DESERT ROCK EXERCISE II Test No 1

Dummy in hole wi	ith: PSN	PSN 2	PSN 3	PSN 4	PSN 5	PSN 6
Helmet	10-1	2D-1	30-1	4D-1	5D-1	6D -1
M-1 rifle	10-4	2D-4	3D-4	4D-4	5D-4	4D-4
Gas Mask (C)	10-5	2D-5	3D-5	4D-5	5D-5	6D-5
Dummy on surface	with:					
Jacket HBT	1D-6	2D-6	3D-6	4D-6	5D-6	6D - 6
Trousers HBT	10-7	2D-7	3D-7	4D-7	5D-7	6D-7
Helmet	1D-8	2D -8	3D-8	4D-8	5118	6D -8
M-1 rifle	1D-9	2D - 9	3D-9	4D-9	5D-9	6D-9
Gas mask (AG)	1D-10	2D-10	3D-10	4D-10	5D-10	6D-10
Tent, shelter (Surface)	10-11	2D-11	3D -1 1.	4D-11	5D-11	6D-11
Recoilless rifle	1E-1	2E-1	3E-1	4E-1	5E-1	6E-1
Sniperscope (Surface)		2E-2	3F-2			
Galante EE-8 Telephone	1F-1	2F-1	3F-1	4F-1	5F-1	6F-1
Coil No. 114 (Surface)	1F-2	2F-2/	3F-2	4F-2	5F-2	6F-2
Below Coil No. 114	1 F-3 ~	2F-3	3F-3	4F-3	5F-3	6F-3
Surface)	1F-4	2F-4	3F-4	4F-4	5F-4	6 F-4
James Coil No. 114	1F-5	2F-5	3F-5	4F=5	5F-5	6F-5
Circuit WD-1 wire (Surface)	1 F- 6~	2F-6	3F-6	4 F -6	5F - 6	6F-6
Circuit WD-1 wire (Buried 8")	1 F- 7 ✓	2F-7~	3F - 7	4F-7	5F-7	6F-7
Circuit 110B wire (Surface)	1F-8 /	2F-8	3F-8	4F-8	5F-8	6F -8
Bried 8")	1 F-9 /	2F-9	3 F- 9	4F-9 .	5F-9	6 F- 9
Stub poles Circuit Sp 4 (old) (Surface)	1F-10 /	2F-10	3F-10	4F-10	5F-10	6 F-1 0
Circuit Sp 4 (old)	1F-11 /	2F-11 /	3F-11	4F-11	5F-11	6F-11
Circuit Sp 4 (new)	1F-12/	2F-12 ✓	3F-12	4F-12	5F-12	6F-12





-Page 3-

CATALOGUE OF EQUIPMENT (Cont'd)

	ITEM	PSN 1	PSN 2	PSN 3	PSN 4	PSN 5	PSN 6	
	Circuit Sp 4 (new) (Buried 8")	1F-13	2F-13	3F-13	4F-13	5F-13	6F-13	
,	Circuit W-143 (Surface)	1F-14	2F-14	3F-14	4F-14	5F-14	6F-14	
>	Circuit W-143 (Buried 8")	1F-15	2F-15	3F-15	4F-15	5F-15	6F-15	
	Bailey Bridge	10-1		3G - 1				
	Jeep (Sideways)			3H-1	4H-1			
	Tank (Dug in (On Surface-	=	2I-1 51-1	3 <u>I-1</u> 6 <u>I-1</u>		=	==	
	Trk 21 ton			3J-1	43-1	5J-1	6J-1	
	Jeep (end on)	1K-1	2K-1		-	5K-1	6K-1	
	105 NM How.		21-1	3L-1				





UNCLASSIFIED

47



HEADQUARTERS Camp Desert Rock Las Vegas Nevada

UNCLASSIFIED

11 November 1951

EQUIPMENT EMPLACEMENT PLAN

- l Test items will be moved and installed in site of Test No. 1, Desert Rock Exercise II according to following schedule.
 - (a) To be in place ready for test no later than 1630 12 Nov 51.

TECH SERVICE	ITEM	NO.	POSITION
ORDNANCE	Tanks	4	2,3,5,6
	Trks $2\frac{1}{2}$ ton	4	3,4,5,6
	Trks ton	2	3:4: (sideways)
	Trks ‡ ton	4	1;2,5,6 (end on)
	105 MM How	2	3,4
ENGINEER	Bailey Bridge	2	1;3'
	Barbed wire	3	1;3 2,3,6

(b) To be in place ready for test no later than 1200 14 Nov 51 (Note: movement may begin 0700 14 Nov 51)

TECH SERVICE	ITEM	NO.	POSITION	
ORDNAN CE	Machine guns	12	1,2,3,4,5,6	
	M-l rifles	24	1;2;3;4;5;6	
	Recoiless rifles	6	1,2,3,4,5,6	
ENGINEER	Compasses, lensatic	12	1;2,3,4,5,6	
	Sniperscopes	2	2,3	
CHEMICAL	Gas Masks	12	1,2,3,4,5,6	
QUARTERMASTER	Canned rations	12	1;2;3;4;5;6	
QOMITEMENDIEM	•	24r	1;2;3,4,5,6	
	Cans, water, 5 gal Beef	6	エッペッフッチッフッひ	
			2;3;5	
(02-43-4	Salt	12	1;2;3;4;5;6	
(Clothing dummies)	(Trousers HBT	12	1,2,3,4,5,6	
	(Jackets HBT	12	1;2;3;4;5;6	
	(Helmets, steel	12	1,2,3,4,5,6	
	Tents, shelter	_		
	(complete)	6	1,2,3,4,5,6	
SIGNAL	EE-8 Telephone	12	1;2;3;4;5;6	Ern
	Coils No. 114	24	1;2;3;4;5;6	1000
	Circuits WD-1 wire	12	1;2;3;4;5;6	200
	Circuits 110B wire	12	1;2;3;4;5;6	200
	Circuits Sp 4 (old)	12	1;2;3;4;5;6	1*
	Circuits Sp 4 (new)	12	1;2;3;4;5;6	
	Circuits W-143	12	1;2,3,4,5,6	Ti.
	SCR-536	4	3,5	200
	SCR-300	Ĩ.	4,6	280

2. Technical service staff chiefs are responsible for emplacement of property belonging to their particular technical service. However, emplacement of materiel by tech service staff chiefs must be coordinated with OIC Effects Tests, (Lt Col. Carl A. Elsea, Cp Desert Rock Engr O) and his assistant (1st Lt. Wesley L. Smith QMC, Test Property Officer).





-Page 2- UNCLASSIFIED


EQUIPMENT EMPLACEMENT PLAN (cont'd)

- 3. Equipment and materiel will be placed according to plans prepared by S-3. Copies of plans are available to staff chiefs at S-3 Office.
- 4. All items when emplaced will be marked with a metal tag (dog-tag) designated by code number. A duplicate of this tag will be pinned to the ground beneath the item. These tags will be available 12 November 1951, at S-3 Office.

FITCH BRIG GEN

OFFICIAL:

SITTH S-3



UNCLASSIFIE

HELD UARTERS Camo Dosert Rock Las Vecas, Novala

All X 9



12 November 1951

PROTOGRAMPHY COVERAGE ILAN FOR DESMRT ROCK, MXCMRCISE II

- 1. Following is the plan for photographic coverage of Desert Rock Excercise II:
- a. <u>Evaluation and Affects rhotography</u>: Six + x 5 contact prints each to be made from approximately 1,200 negatives covering relitary test positions dering the two tests at the Nevada Test Site will be required for leffects and avaluation Reports. This coverage has been coordinated with AnC representatives and will be ascomplished by photographers of Graphic Arts Group, Los Alamos Scientific beharatories, including processing of neatives and prints.
- b. Public Information shotography: Prints made from approximately fifty negatives will be required for PIO release during this exercise. Frint requiremments will vary from three to twenty-five per negative, either 4 x 5 contact prints, or 3 x 10 onlar, ements. Subjects will be of Camp Descrt Rock activities. Subjects should include VIP observers at the forward position. This last requirement is coordinated with A&C representatives.
- c. Matica licture Thotography: None is recommended since approximately 30,000 feet of 35cm metion picture fil covering all phases of Camp Desert Rock were exposed by the Signal Corps thotographic Conter Special Coverage Unit during Excercise Desert Rock at the time of yeak activity.
- 2. Phtographic personnel required to accomplish photography listed in paragraph 1 abovo:
- a. (kefer to paragraph la, Evaluation and offects Photography) all personnel, equipment and supplies to be furnished by Graphic Arts Group, Los Alamos Scientific Laboratories, with the exception of four jeeps to be furnished by Hq Camp Desert Rock during photographic operations.
- b. (Refer to paragraph 1b, 210 Photography.) One still camoraman (NOS 3152, attached to Hq. Camp Desert Rock will be required to accomplish PIO rhotography for Camp Desert Rock during Desert Rock Excercise II.
- c. Arrangements have been made with Mullis Air Force Base Photo Laboratory to process and print the pictures listed in pare 1b, so no laboratory facilities and/or darkroom personnel will be required at Camp Desert Rock.

MATERIAL 9



LEFLOTS AND LY/LUATION PHOTOGRAL HY FOR DASLET ROOM LXCLECISE II

1. Wegative Requirements UNCLASSFED	T-ST	NO.I	TLIST N	o. II
5.		After (D-7)	Before	After
Test Position No. k (12 sub-areas per position for positions 1-7, incl.)		36	(<u>D-1)</u> 24	(D <u>-1)</u> 36
Fost Losition No. 2.	24	36	24	36
Test Position No. 3	24	36	24	36
Test Positi n No. 4	24	36	24	36
Tost Fosition No. 5	24	36	24	36
Test Position No. 6	24	36	24	36
Test resition No. 7			24	36
Poxholes (46, containing film badges only)	46	92	46	92
Aerial phot graphs, low altitude (helicepter), 2 per position and fexhole layout before and 3 per position and fexhole layout after	14	21	16	24
VIP's at test position during detenation. (for FIO release)		6		6
Vehicle Decentamination		12		12
	204	347	230	386
Negatives per Test Total Negatives		551	*, *	616 1,167

2. Frint dequirements

Six 4 x 5 centact prints from each of the negatives listed above will be required as soon as possible after the tests are completed. These prints will be used for affects and/or avaluation Reports. Coordination will be effected with ALC representatives to secure earliest release of VII photographs taken at the Test Site.

Approndix A to Annex 9



UNCLASSIFIED FIN_L DAMAGE ASSESSMENT FORM

1. Itam:	2. Position:	
3/ Item catalo, ue code no.:	4. Service:	
	VpoAe	Below
5. implacement name	o.surfaco	7. surface
6. Danage assessor's name:	9. Grade	10. Service:
II D	MAGE ASSESSMENT	
11. Itom was undamaged: (yes) (r	no) 12. mplosion m	oved itom: (yes)(no)(fe
13. Item has redi wal radiation:	(yes) (nc) 14. Amor	unt:
15. Itum is cleared for ovacuety	on to Co Desert Rock	k: (ves) (no)
15. Item is cleared for evacuety	ion to Co Desert Roc	k: (yes) (no)
		k; (yes) (no)
	onitor ing extent of burning ral erushing, donting	e or charrine; extent o
10. Name of radiological check mo 17. Description of damage; coveri "sandblast" offects; structur	onitor ing extent of burning ral erushing, donting	e or charrine; extent o
10. Name of radiological check mo 17. Description of damage; coveri "sandblast" offects; structur	onitor ing extent of burning ral erushing, donting	e or charrine; extent o
10. Name of radiological check mo 17. Description of damage; coveri "sandblast" offects; structur	onitor ing extent of burning ral erushing, donting	e or charrine; extent o
lo. Name of radiological check mo 17. Description of damage; coveri "sandblast" offects; structur failures; fuel tank; fuel res	onitor ing extent of burning ral erushing, donting	e or charrine; extent o
"sandblast" offects; structur failures; fuel tank; fuel res	onitor ing extent of burning ral eruching, donting torvet Survices in the survival of the su	e or charring; extent og or broakage; function
lo. Name of radiological check mo 17. Description of damage; coveri "sandblast" offects; structur failures; fuel tank; fuel res	onitor ing extent of burning ral druching, denting denting, denting denting denting derivations.	or charring; extent og or broakage; function
lo. Name of radiological check mo 17. Description of damage; coveri "sandblast" offects; structur failures; fuel tank; fuel res III - 18. Item is immediately combat s 19. For combat serviceability, it	onitor ing extent of burning ral druching, denting servet Small Charlity erv. c. ablc. (yes sem requires: 1st och	or charring; extent og or broakage; function (no) rors 2nd och rors
lo. Name of radiological check mo 17. Description of damage; coveri "sandblast" offects; structur failures; fuel tank; fuel res III - 18. Item is inmediately combat s	onitor ing extent of burning ral eruching, denting extenting, denting denting derivations. Smittighter than the control of t	or charring; extent og or broakage; function (no) rors 2nd och rors

Report negatively if necessary, for each type of damage.
 avac to Cp Desert Rock; destroyed in place; buried at site.

AlinaX 5



Signature of Damage Assessor



Camp Desert Rock, Las Tevas, Mevada

VAMALA 7



Pate ____

المنشقة غواله

DRIVE, INTERARY DAVIAGE ASSESS WINT


M
Service)

Observer, Rane, Rank, Organiz tion


Onda Item	I A B	Ser- vice- able	Description of Damage
-			
*			
ì			
1			
3			
		7.1	


* Original Location - above or below surface.

innex 4





UNCLASSIFIED







UNCLASSIFIED SECTION TOP VIEW REVETTED FULLY X-X 4'-6" 81 MM MORTAR EMPLACEMENT F. 48 P. 95











PSN # 6

NOTE:

BE BADGED ACCORDING
TO TYPICAL LAYOUT.

ALL FILM BADGES ARE TO BE HIGH INTENSITY FILM BADGES IN NATIONAL BUREAU OF STANDARDS FILM BADGE HOLDERS: OP A
MG EMPL B
BI MOPT EMPL C
2 MAN FOXHOLE 1/2 D
57: 75 mm RR EMPL E
SPL MG EMPL F


TRUCK 25T J

JEEP K

6-A-1to 5 See typical layout 6-B-1to 5 See typical layout 6-C-1to 5 See typical layout 6-D-1to 5 See typical layout 6-E-1to 5 See typical layout 6-F-1to 5 See typical layout

6-J-1 Drivers seat
6-J-2 Back of drivers seat
6-J-3 Passenger seat
6-J-4 Back of passenger seat
6-J-5. On motor block

6-K-1 Drivers seat
6-K-2 Back of drivers seat
6-K-3 Passenger seat
6-K-4 Back of passengers seat
6-K-5 On motor block



JEEP

seat

PSN #4

UNCLASSIFIED


LOCATION

-,			LOCATION
OP	A	5-A-1 to 5	See typical layout
MG EMPL	B	5-B-1 to 5	See typical loyeut
81 MORT EMPL	C	5-C-1+05	See typidal layout
2 MAN FONHOLE Y/C	D	5-D-16-5	See typical layout
574 75 RR EMPL	E	5-E-1+05	See typical layout
SPL MG EMPL	-	5-1-1405	See ryphal layort
TRUCK 2%T	T	5-J-1 Dr	wers seaf
6 X 6			ick of differs seat
			isserier seat
			ack of this enger ser
No.		- T	an area of the last of

T J 5-J-1 Drivers seat
5-J-2 Back of clivers seat
5-J-3 Passencer seat
5-J-4 Back of passenger seat
5-J-5 On motor block

K 5-K-1 Drivers seat
5-K-2 Back of drivers seat
5-K-3 Passen pers seat
5-K-4 Back of passenger seat
5-K-5 On motor block

See typica 4-A-1+05 OP See typica 4-3-11-5 MG EMPL BI MORT EMPL 4-D-1+65 4-E-1+65 4-F-1+65 2 MAN FOXHOLE YE D J. - typica 57475 mm RR EMPL E See typica See type SPL MG EMPL Drivers see" JEEP 4-H-2 4-H-3 Back of dryer Passingers en Back of passen 4-4-4 in Moter . 4-H-5 Drivers seat Back of driver 4-1-1 TRUCK 25T J 6 X 6 Passerger se 4-1-3 4-1-5 Back of pas Cn moter



1. 15 400+

of layout

01 104500

cal layeut

rs seat

enger seat

ers teat

black

center seat

600+

: 00 K

ea-t


lauget


augu:


LOCATION


3-A-1to 5 See typical layout OP layout 3-B-1 to 5 See typical MG EMPL layout 3-C-1+05 See typical 3-D-1+05 See typical AL MORT EMPL layout 12 MAN FOXHOLE XE D layout 3-E-1 to 5 See typical 57475 -- RR EMPL E 3-F-1 to 5 See typical layout , SPL MG EMPL 3-H-1 to 5 See fupical layout 3-I-I Drivers seat TANK (dug in) I Asst driver seat 3-I-2 3-I-3 Gunners seat 3-1-4 On radio Radio seat Drivers seat 3-5-1 TRUK 24T J Back of drivers seat 3-J-2 6 × 6 3-5-3 Passengers seat Back of pass, seat 3-J-4 3-1-5 On motor block Drivers seat 3-K-1 K TANK Assistant drivers seat 3-K-2 3-K-3 3-K-4 Gunner seat Tark Commanders scot Breach of Gun 3-K-5 3-L-1 Breach 105 mm How L On left trail 3-4-2 3-L-3 on right trail Behind armor plate Behind armor plate


2-A-1405 OP MG EMPL 2-B-1+05 -C-1+05 2-0-1405 81 MORT EMPL 12 MAN FORHOLE YE 2-E-1+05 57475 - RR EMPL E 2-F-1 to 5 1 SPL MG EMPL F 2-I-1 2-I-3 2-I-5 TANK (Jugin) I 2-1-1 TANK 2-J-2 2-J-3 2- J-4 -J-5 JEEP K 2-K-1 2-K-2 2-K-3 2-K-4 2-K-5











DESCRIPTION OF SURFACE SHOT AND METEOROLOGICAL CONDITIONS

The surface shot was a detonation of an implosion nuclear fission device which yielded energy equivalent to 1.1 KT of TNT. The shot was fired at 0900 hours Pacific Standard Time on 19 November 1951. The typical flash of visible light resulted, but the fireball was not as symmetrical as those resulting from a high air burst. The air shock wave kicked up a dense cloud of dust out to about 1000 yards, and this obscured completely the high speed photographic coverage focused on the Desert Rock II test positions. Only the planks of the 100-yard Bailey Bridge flying through the air were visible in the moving pictures.

The fireball and associated dust cloud rose rapidly to 11,000 feet above zero point. The cloud sheared at 2,700 feet due to the strong upper level winds. Fall-out from this part of the cloud was responsible for the down-wind residual radioactive cantamination. Desert Rock positions were not in the path of the fall-out.

The majority of the fission products were sucked up with the rising fireball, and there was no base surge associated with the explosion.

Atmospheric conditions at 0900P, 19 November 1951.


Pressure at Ground Zero	871.5 milibars
Virtual Temperature at Ground Zero	≠ 1.3 C
Actual Temperature at Ground Zero	≠ 1.0 C
Dew Point Temperature at Ground Zero	- 9.5 C
Relative Humidity at Ground Zero	47%

Upper level winds, pressures, temperatures and relative humidities: (Winds in Degrees from true North and Knots; Heights in feet above surface zero)

HEICHT	WIND		PRESSURE	TEMPERAT	RELATIVE HUMIDITY	
Surface	190 De	g 02 Knots				
1900	170	13	821 milibars	45:0° c	48%	
3900	180	26	767	≠5.0° c ≠1.7	63	
5900	200	32	715	-1:6	67	
7900	200	37	662	-1.6	21	
9900	210	40	609		(Unknown but	
11,900	210	44	560	-20.0	very low)	

Weather following the shot

Surface winds at control point varieties in calm to a maximum of 13






-Page 2-

DESCRIPTION OF SURRACE SHOT .ND NETEOROLOGICAL CONDITIONS (cont'd) knots, all from the South and Southeast, from shot time (0900) until 2030 on shot day (Nov 19).

At 2130 the wind increased to 17 knots and continued to blow at 17 to 30 knots from the South until 1730 on 20 November.

Rain fell in the period 2130 Nov 19 to 0130 on Nov 20. The rain-fall was sufficient to wet the soil in the shot area to a depth of 3/4". Very little dust was picked up by the wind after the rain until the soil surface was dried out (about noon on Nov 20).

Surface zero elevation above mean sea level - 41001.





JANGLE RESULTS

1.1 KT

UNCLASSIFIED

Surface

Underground
17 feet
1.1 KT

Yield

Crater 350 feet 90 feet Diameter 30 feet 100 feet Depth Air Blast 125 yds 230 yds 25 psi (300 yds for equivalent Air Burst) Direct Ground Shock Direct Ground Shock Ground Small. Air Blast Induced Greater Than Surface Shock Ground Shock Dominates. Shot. Air Blast Induced Ground Shock Still Important. No data but probably Considerable Numbers Missiles out to 2000-3000 feet. Small Thermal One-third of Air Burst None Radiation High in Infra-red 7,000 Feet Cloud 11,000 Feet Height Lattial One Half of Air Burst Smaller Green Rudation Dirage 0.7 M12-Total (0.5 Mi2 for equivalent Air Burst) Dusage (400 r)

UNCLASSIFIED

Effects on Materiel and Equipment - Surface Shot

The following tabulation describes the effects of the surface explosion on the material and equipment which was exposed in the various test positions.

The original copies of the detailed damage assessment forms are attached to Copy 1 of this report and can be used for more detailed reference to specific damage to individual items if desired.

The distinction of serviceable and unserviceable refers to whether or not the item was immediately combat serviceable after the explosion and gives an indication as to the loss of immediate effectiveness of a unit from the standpoint of equipment and material.

The code number shown in the tabulation refers to the code number assigned to the particular item in the detailed test plan (Tab II-A).

This code number can be used to identify the particular item with the photographs showing the damage (Tab II-G).

It will be noted that numerous items which were displayed in the test were not reported upon. This is due to the fact that many of the items were completely demolished and others were buried in collapsed emplacements. To stay within the prescribed radiation tolerances, no attempt was made to recover those buried items.

Position No. 1 - 100 yards from Ground Zero

Item

Description of Damage

Ordnance Items:

Cal.30 Rifle Ml

Concerno Losas.	• `	
Above Ground	Code No.	
Truck ton C&R (End-on)	(1K-1)	Moved 33 feet. Totally destroyed by blast. Completely mangled and burned. Unserviceable.
57 mm Recoiless Rifle	(1E-1)	Moved 100 feet. Sight, sight bracket and monopod severely damaged. Unserviceable.
Cal. 30 Heavy Machines	run (1B–1)	Moved 75 feet. Mount bent, water plugs out, sight bent, grips burned. (Unserviceable).
Cal. 30 Light Machines	un (18–2)	Moved 30 feet. Hount leg bent. Elevating and traversing mechan- ism bent. Unserviceable.
Cal. 30 Rifle Mi	NCLASSIFIED	Moved 200 feet. Stock shattered. Trigger housing missing, barrel bent. Unserviceable.
Below Ground		100

Effects on Materiel and Equipment (cont'd) UNCLASSIFIE

Position No. 1 - 100 yards from Ground Zero

Item	Code No.	Description of Damage
Engineer Items:		
Above Ground		
Bailey Bridge, 201 span (side-on)	(16-1)	Moved 15 feet. End ramp blown 30 yards. Footwalk handrail blown off, planking shattered and strewn over 100-yard square area. Metal parts twisted, transom bent 30°. Unserviceable.
4 Luminous Markers (wired to bridge)	(none)	Three undamaged, One Missing.
Lensatic Compass	(1A-2)	Moved 50 feet. Totally destroyed. Unserviceable.
Below Ground		
Lensatic Compass	(1A-1)	Covered in foxhole - not re- covered.
Signal Items		
Above Ground		
Loading Coil C-114	(1F-2) (1F-4)	Lost - considered totally destroyed.
Field Telephone EE8	(10-1)	Lost - considered totally destroyed.
Surface-layed Wire and cable W-110B, W-143, WD1-Spiral 4	(1F-6) (1F-12) (1F-14)	Lost - considered totally destroyed.
Field Wire and Cable on Stub Poles, W-110B, W-143, Wdl-Spiral 4 on Stub poles	(1F-8) (1F-10)	Lost - considered totally destroyed.
Below Ground		
Field Telephone EES	(1F-1)	Lost in collapsed emplace- ment.
Field Wire and Cable W-110B, W-143, WD1-Spiral 4. Buried 6" deep.	(1F-9) (1F-15) (1F-11) (1F-13) (1F-7)	Undamaged - Serviceable.
2 Loading Coils C-114	(1F-3) (1F-5)	Buried in emplacements.
Chemical Items		
Above Ground Gas mask	(1D -1 0)	Totally destroyed by blast and heat. Unserviceable.
Below Ground Gas Mask		Lost - Buried in emplacement.



UNULHOOM IL

Effects on Nateriel and Equipment (cont'd)

Position No. 1 - 100 yards from Ground Zero

<u>Item</u>	Code No.	Description of Damage
Quartermaster Items:		
Above Ground		
Tent, Shelter	(10-11)	Missing - considered totally destroyed.
Trousers, HBT	(1D-7)	Missing - considered totally destroyed.
Jacket, HBT	(1D - 6)	Missing - considered totally destroyed.
Steel Helmet w/liner	(10-8)	Missing - considered totally destroyed.
2 - 5 gal. water cans	(1A-6) (1A-8)	Totally destroyed.
Below Ground		
Trousers, HBT	(1D-2)	Lost in collapsed emplacement.
Jacket, HBT	(1D-1)	Lost in collapsed emplacement.
Steel Helmet w/liner	(1D - 3)	Lost in collapsed emplacement.
2 - 5 gal. water cans	(1A-5) (1A-7)	Lost in collapsed emplacement.

Position No. 2 - 200 yards from Ground Zero

Ordnance Items:

Abores	Ground
ADOVE	Ground

MOOTO GEOGRA	
Truck t-ton C&R (2K-1) (end-on)	Moved 10 feet. Hood blown off, radiator pushed against fan. Grill bent, windshield torn off. Headlights broken, Franct seats bent 60° backwards. Franctwisted, spare tire torn off. Unserviceable.
75 mm Recoilless Rifle (2E-1)	Moved 4 feet. Sight damaged, debris in mechanism. Unser-viceable.
Cal .30 Heavy Machinegum (2B-1)	Moved 8 feet. Cork assembly water plugs destroyed. Water chest missing. Unserviceable.
Cal .30 Light Machinegum (2B-2)	Weapon serviceable after cleaning.
Cal .30 Rifle Mal (2D-9)	Moved 6 feet. No significant damage. Serviceable after cleaning.
105 mm Howitze	Moved 5 feet. Upper right

71



Effects on Materiel and Equipment (cont'd)

Item

Position No. 2 - 200 yards from Ground Zero

Ordnance Items:

Above Ground		Description of Damage
105 mm Howitzer	(2L_1)	missing. Bottom flap-hinge bent and borken, flap broken. Upper left shield, shield and hinge broken. Left axle lock lever bent. Panoramic takes scope case crushed. Long-itudinal level broken on telescope mount. Azimuth micrometer knob and index missing on telescope. Sights foggy, tires scorched, paint scorched. Unserviceable.
Tank, M-24	(51-1)	Moved one foot. Left fender blown back and crumpled, spare track links blown free on tank. Paint and rubber scorched. Left track binds and would not
Below Ground		function. Unserviceable.
Cel.30 Rifle M-1	(2D - 4)	No damage - Serviceable after cleaning.
Tank, M-4A3 (hull down)	(21-1)	Paint blistered, periscope blown from assistant drivers hatch, turnet will not traverse, sights foggy. Unserviceable.
Enginuer Items:		
Above Ground Sniperscope	(2E-2)	Light source mount broken. Objective lens sand blasted. Unserviceable.
Double Apron Wire	(None)	Barbed wire blown from stakes, center stakes bent 60°. <u>Un-serviceable</u> .
Lensatic Compass	(21-2)	Lost
Below Ground		
Lensatic Compass	(2/1-1)	Lost
	\~ <u>-</u> /	owa48
	•	

Signal Items:

Above Ground

Loading Coil, C-114 (2F-2) No damage. (2F-4)

Pield Telephone EE8 (2C-1)

Moved 150 feet. Set form apart and totally destroyed.

Unserviceable.






Effects on Materiel and Equipment (coht'd)

Position No. 2 - 200 yards from Ground Zero

Iten	Code No.	Bescription of Damage
Signal Items:		
Above Ground		
Surface-layed Wire and Cable, WD1, W110-B, W143, Spiral 4	(2F-6) (2F-12) (2F-14)	Moved 9 feet. Wire pulled loose from anchor point. No circuits useable. Unserviceable.
Field Wire and Cable on Stub Poles, WD1, W110-B Spiral 4	(2F-8) (2F-10)	Noved 70 feet. Poles blown away. Circuits broken and unusable. Unservice-able.
Radio Set SCR 528 (installed in tank)	(none)	Final stage of transmitter would not load up. Antennae broken at base and blown 61 feet. Unserviceable.
Below Ground	(20.1)	No demons :
Field Telephone EE8 Field wire and Cable	(2F-1) (2F-7)	No damage. No damage.
WD1, W-110B, W143 Spiral 4 - Buried 6"	(2F-9) (2F-11) (2F-13) (2F-15)	No delicago.
Chemical Ress:		
Above Ground Gas Mask	(20–10)	Moved 2 feet, Cannister dented, Serviceable.
Below Ground Gas Mask	(2D-5)	Buried in emplacement.
Quartermaster Items: Above Ground		
Tent, Shelter	(2D - 11)	Moved 75 feet. Totally destroyed, partially scorched, badly ripped. Unserviceable.
Trougers, HBT	(2D-7)	Moved 5 feet. Serviceable.
Jacket, HBT	(2D - 6)	Moved 7 feet. Serviceable.
Steel Helmet, w/liner	(2D-8)	Moved 5 feet. Serviceable.
2 - 5 gal. water cans	(2A-6) (2A-8)	Totally destroyed. Unserviceable.
Below Ground		
Trousers, HBT	(2D-2)	Lost in collapsed emplacement.





Effects on Materiel and Equipment (cont'd)

Quartermaster Items:	Code No.	Description	Damage
Below Ground			
Jacket, HBT		Lost in collapsed placement.	em-
Steel Helmet, w/liner		Lost in collapsed placement.	em-

(2A-5) (2A-7) Lost in collapsed emplacement. 2 - 5 gal. water cans

		g
Position No.	3 - 400 yards fr	
Item	Code No.	Description of Damage
Ordnance Items:		٩
Above Ground		
Truck t-ton C&R	(3H-1)	Windshield broken. Serviceable.
Truck 2½-ton Cargo	(3J-1)	Hood blown off. Windshield frame bent, glass broken, left hood side panel pushed in, tarpaulin torn, ribs broke side of bed bent in 45°, radiator pushed back slightly. Unserviceable.
57 mm Recoilless Rifle	(3E-1)	Serviceable after cleaning.
Cal .30 Heavy Machinegun	(3B-1)	Serviceable after cleaning.
Cal .30 Light Machinegun	(3B ₋₂)	Serviceable after cleaning,
Tank, M-24	(61-1)	Paint blistering, right fender pushed against track, antenna bent. Serviceable.
105 mm. Howitzer	(31-1)	Paint and tires scorched. Serviceable.
Cal .30 rifle M-l	(30-9)	Moved 4 feet. Serviceable after cleaning.
Below Ground		
Tank, M-46 (hull down)	(31-1)	No damage. Serviceable.
Cal .30 Rifle, M-1	(3D-4)	Serviceable after cleaning.
Engineer Items:		
Above Ground		
4 Luminous markers	(None)	No damage.
Spinorecone	Chi man	anblasting on objective lens

Sniperscope

- UNCLASSIFIED



Effects on Material and Equipment (cont'd)

Position No. 3 - 400 yards from Ground Zero

Engineer Items

Engineer Items:		
Above Ground	Code No.	Description of Damage
Bailey Bridge	(3G-1)	Moved 1/3 foot. End ramps pulled away from transom on side toward blast. Walkway blown out of place on side toward blast. Serviceable with minor repair.
Lensatic Compass	(3A-2)	Missing.
Below Ground		
Lensatic Compass	(3A-1)	Missing.
Signal Items:		
Above Ground		No damage.
Below Ground		No damage.
Chemical Items:		
Above Ground		20 - 20 2 2 2
Gas Mask	(30-10)	Moved 10 feet. Cannister dented. Serviceable.
Below Ground		
Gas Mask	(30-5)	Buried in emplacement. Serviceable.
Quartermaster Items:		
Above Ground		
Tent, shelter	(30-11)	Moved 15 feet. Torn beyond repair. Unserviceable.
Trousers, HBT	(30-7)	Moved 15 feet, Serviceable.
Jacket, HBT	(30-6)	Moved 7 feet, Serviceable
Steel Holmet w/liner	(30-8)	Moved 25 feet, Serviceable.
2 - 5 gal. water cans	(3A-6) (3A-8)	No damage.
Below Ground		•
Trousers, HBT	(3D-2)	No damage.
Jacket, HBT	(30-1)	No damage.
Steel Helmet w/liner	(30-3)	No damage.
2 - 5 gal. water cans	(3A-5) (3A-7)	No damage.
		12.



Effects on Materiel and Equipment (cont'd)

Position No. 4 - 630 yards from Ground Zero

Item	Code No.	Description of Damage
Ordnance Items:		
Above Ground		
Truck t-ton C&R	(4H - 1)	No damage.
Truck 2½-ton	(43-1)	Moved la feet. Hood bowed up. Left windshield broken. Left door panel caved, glass broken. Serviceable.
75 mm Recoilless Rifle	(4E-1)	No damage.
Cal .30 Heavy Machinegun	(4B-1)	No damage.
Cal .30 Light Machinegun	(4B-2)	No damage.
Cal .30 Rifle M-1	(4D-9)	No damage.
Below Ground		
Cal .30 Rifle, M-1	(4D-4)	No damage.
Engineering Items:		No damage.
Signal Items:		No damage.
Chemical Items:		No damage.
Quartermaster Items:		No damage.

Position No. 5 - 800 yards from Ground Zero

No damage to any materiel or equipment. All items were immediately combat serviceable.

Position No. 6 - 1000 yards from Ground Zero

No damage to any materiel or equipment. All items were immediately combat serviceable.







Affects on Amplacements - Surface Shot

In the following tabulation only that damage which was sufficient to result in causing the occupant to become a casualty was considered.

FH - 2-man Foxhole w/o cover

X - Damaged sufficient to cause injury to occupants


NA - No positions of this type in test 0 - Negligible damage.


Type Position	Position Number	Distance (yds) from G.Z.	Revetted	Unrevetted
ज्य	1.794	95	x	X
MG Emol.	18	100	x	NA
81 mm Mmol.	10	100	, X	NA
Re Wmol.	13	115	X	NA
Sp. MG Empl.	14	115	x	NA.
∩p	21	200	x	NA
MG Timol.	23	200	X	NA
Almm Empl.	30	200	X	NA
man Foxhole	SD	215	X	NA
with cover	ZE	215	0	NA
RR Mmpl. Sp. MG Mmpl.	2 F	215	x	NA
in	2774	250	0	x
e. Ph	3FK	280	X	0
r Fr	475	315	0	x
sin.	53H	345	0	x
भ्य लुस्	6 <u>77</u>	375	Ö	x
OP .	34	400	0	NA
16 Empl.	3B	400	0	NA
31mmEmpl.	30	400	D	NA
man Toxhole	3D	415	0	NA
with cover	31	415	0	NA
RR Empl. Sp. MG Empl.	3 F	415	Ô	NA
T H	758	445	Ģ	x
inh Tu	8.TH	485	0	0
dis A	9 F F	515	Ó	x
		545	Ŏ.	0
ब्रेस इस	10.114 11.144	580	Ö	0 .
קר	44	635	0	NA
MG Page 1.	4B	635	0	NA
Almm Mmpl.	4C	635	0	IVA
8 man Foxhole	4D	645	0 .	NA
with cover	47	645	0	NA
RR Mmpl. Sp. 1'G Mmpl.	45 45	645	ŏ	NA
प्राप्त	12M	695	0	o x
गा ए	13FF	735	0	X
्या <u>च</u>	14PH	765	0	0 -

UNCLASSIFIED



Type Position	Position Number	Distance (yds) from G.Z.	Revetted	Unrevetted
OP	5A	800	0	NA
MG Empl.	5B	800	0	NA
81mm Empl.	5 C	800	0	NA
2 man Foxhole				
with cover	5D	815	0	NA
RR Empl.	5 E	815	0	NA
Sp. MG Empl.	5 F	815	0	NA
Lin	15FH	850	0	0
Fp	16FH	895	0	0
पुर	ויייניין	955	0	0
Hara	18 FF	920	0	O
OP	6A	1000	0	NA
MG Empl.	6B	1000	0	NA
81mm Empl.	6C	1000	0	NA
2 man Foxhol	e			
with cover	6D	1015	0	NA
RR Empl.	6.3	1015	0	NA
Sp. M.G Tmpl.	6F	1015	0	NA
TH	19FH	1050	0	0





Position 1 (100 Yards)



Before // Unrevetted Two Man Fox Mole



PRECEDING PAGE BLANK-NOT FILMED



UNCLASSIFIED

Position 1 (100 Yords)



Atomic Trooper Kilroy.

UNCLASSIFIED



UNCLASSIFIED

Position 2 (Marineris)



Two man Fox Hole with Cover Before's



Position 3 (400 Yords)



81 nm Nortar Position

Before







Pisitin 3 (400 Yards)



Before // 57 mm Recoilless Rifle Emplacement After



UNCLASSIFIED







Position 5 (900 Tards)



25 Ton Truck Before

after 4





UNCLASSIFIED





Position 6 (1000 Yards)



Before //
Ton Truck
After







Position 6 (1000 Yards)



Before A Heavy Machine Gun Emplacement After





Position 6 (1000 Yards)



Two man foxhole with cover. Note; Light blast effects.







FILM BADGE DATA

The method of preparation of the graph showing the gamma dose during the first six minutes on the surface and in field emplacements for "S" shot was as follows:

A total of 340 film packets (containing two pieces of film: Eastman #5302, range 20r to 1000r, and Eastman Double Coat, range 1000 to 10,000 r.) in National Bureau of Standard holders were exposed as shown on the "Layout of Film Badge" map. Of these, 279 or 82% were recovered. The films were developed and read by the Evans Signal Laboratory unit at the Test Site.

The dose due to residual radiation from H \(\neq \) 6 minutes until the time the films were picked up was calculated and subtracted from the total dose.

The resulting data were plotted on semi-log paper, and the best smooth curve drawn through the points. The curve for emplacements represents the average of two-man foxholes end-on and side-on to zero point, machine gun emplacements, 81 mm mortar emplacements, two - man foxholes with cover, etc. as shown on the layout. It is believed that this approaches the situation and random orientation which would exist on the battlefield. From the tabulation showing the per cent protection afforded by the average emplacement vs. distance from zero point, (see pelow) it is seen that a man "well down" in an emplacement is 90% protected from initial gamma radiation, i.e., 90% of the radiation does not reach him.

DATA SHOWING PROTECTION AFFORDED
AGAINST INITIAL GAMMA RADIATION
BY THE AVERAGE FIELD EMPLACEMENT-"S" SHOT

Distance from Surface Zero in yards	Dose in r in open	(Average) Dose in r in Emplacement	%Dose in Emplacement	% Protection
250	10,000	1,700	17	83
300	6,500	780	12	88
400	2,800	260	9	91
500	1,200	130	11	89
600	630	62	10	90
700	360	31	9	91
800	220	15	7	93

CONCLUSION: A man in an emplacement is on the average 90% protected from initial gamma radiation.





FILM BADGE DATA

Protection afforded against initial gamma radiation by tanks in Operation Desert Rock II;

Four tanks, two of which were dug in, were exposed. This did not provide enough data to draw firm conclusions, but the film badge readings in the tanks indicated that a tank "dug in" gave more protection than the average emplacement. A tank "in the open" gave less protection than the average implacement.

Distance		Dose D	Dose During First Six Minutes (in roentgens)		
(yards)	In Open	In Average	Emplacement In Tank I	Oug in Tank in Open	
220	10,000	3,000	1,200	4,500	
420	2,400	220	100	500	


Machine gun emplacements, with and without cover:

Film was recovered from three machine gun emplacements with cover, and from four without cover. The emplacements with cover gave slightly more protection against initial gamma radiation, but the data was too limited and too erratic to draw a quantitative conclusion as to the added protection afforded by overhead cover.

Two-man foxholes with long axis perpendicular to a line from the position to zero point and with cover:

Data was available from three such emplacements at distances roughly 400 yards, 600 yards and 800 yards from zero point. On the basis of this limited amount of information, it was estimated that the covered foxholes gave 99% protection against 97% for the same emplacement without overhead cover.





D .		
Dose	ın	T

Yards Distance	Dose; in open in r	Parallel Hole	% Pro- tection	Perpendicu- lar Hole	% Pro- tection	Difference in %
250	10,000	800	92	390	96	4.
300	6,500	580	91	270	96	5
400	2,800	310	89	130	95	6
500	1,200	160	87	60	95	7
600	630	85	87	29	95	8 .
700	360	45	88	14	96	8
800	220	23	90	7	97	7
900	•130	12	91	3.2	97	6

The above data is for two man fox holes with no cover. A parallel hole is one whose long dimension is parallel to the line from zero point to the hole. A perpendicular hole has its long dimension perpendicular to this line.

The original film badge data and the calculations made in this study are on file in the Radiation Branch, Hq Armed Forces Special Weapons Project, P. O. Box 2610, Wash. 25, D. C.





GANMA RADIATION EFFECTS

DOSE RATE H/1 HR	SURFACE AREA (SQ MI)	UNDERGROUND AREA (SQ MI)
50 r/hr 100 r/hr 300 r/hr 500 r/hr	1.8 1.1 0.14 (crater and lip area only) (crater and lip area only)	very large 2.1 0.34 0.2 0.08


TOTAL DOSAGE		SURFACE AREA		
100	r	1.6		
200		0.9		
400		0.7		
1000		0.4		
5000		0.15		

DECAY FACTORS

To correct contamination to times other than H/1 hour after detonation, use the following factors:

Time After	Decay
Detonation	Factors
15 -44	5.4
15 minutes 1 hour	1.0
5 hours	0.12
24 hours	0.02
1 week	0.002
1 month	0.004







DESTRE ROCK - "S" SHOT

RADIOACTIVE CONTAMINATION ON AND NEUTRON INDUCED RADIOACTIVITY IN FOODS AND WATER

The following rations and water cans were recovered and examined on 24 November 1951:

Item	PSN 1	PSN 2	PSN 3	PSN 4	PSN 5	PSN 6	
2001				the state of the s		-	
Canned rations; below ground "C" ration box			3A-3	4A-3	5 A-3	64-3	
Canned rations (surface)		24-4	3A-4	44-4	5A -4	6A -4	
Can, water 5 gal. below ground	•		34~5	44-5	5A- 5	6A-5	
Can, water 5 gal. surface		2A-6	34-6	4 A-6	5A-6	6A-6	
Can, water 5 gal. Open on surface		21-7	3A-7	44-7	5A-7	6A-7	
Can, water 5 gal. surface, open			3A-8	4A-8	5A-8	6A-8	
Perishable rations, meat, beef (below ground, paper cover)	1A-9		3A-9	† t	54-9		
Perishable rations, meat, beef (above ground bere meat exposed)	14-10		3A-1 0		54-10		
Perishable rations, salt (below ground in paper sack)			3A-11	44-11	5A-11	64-11	
Perishable rations, salt (above ground in paper sack)		2A-12	34-12	44-12	5A-12	64-12	

First a survey check for radioactivity was made using a Beckman Beta-Gamma Survey Meter, Model NX-5. Reading were made one inch from the specimens with the beta shield open.

Any item that was contaminated or that showed induced radioactivity was turned over to the technical group from the Army Medical Center, Washington, D. C. at the test site for further examination in their counting laboratory.

Only one box of the recovered rations showed neutron induced radioactivity.

This was exposed above ground at 200 yards (Jeen 2A-4). All of the other boxes

were free from the control of the control of

In item 2A-4 the metal cans and metal foils showed neutron induced activity.

Mone of the foods except those listed below were radioactive:

Soluble Milk

Cocoa

Soluble Coffee

Salt Crackers

The activity was below tolerance level and not due to fission products. The food in this "C" ration box was edible when examined, ie., five days after "S" Shot. This experience, though limited, agrees with the findings of Peterson, Webster and Liljigren: "Neutron Induced Radioactivity in Foods", to be published in the January 1951 issue of "Nucleonics". It appears correct to say that packaged food in an unbroken container is safe to eat after exposure to an atomic weapon detonation.

The salt exposed above ground at 200 yards and 400 yards was radioactive due to Na²⁴ formed by neutron capture. On 24 November at about 2000 hours the following specific activities were observed:

200-yard sample - 21 x 10⁻⁶ millicuries/gram

400-yard sample - 1.5 x 10-6 millicuries/gram

It is felt that this level of activity could and should be tolerated under combat conditions.


The water in the can left open at 200 yards contained fission preducts. None of the water in closed cans contained radioactive material.

The meat exposed without a paper wrapping at 100 yds. was contaminated. It had weathered for five days and was somewhat dried out and spoiled. It was found that removing 3/4" of the outside layer of meat removed most, but not all, of the radioactive contamination. There was no neutron inducted activity in the meat samples. This meat sample was too thin to make observations at a greater depth within the meat.









EFFECTS OF RADIOACTIVE DUST

Fallout particles were obtained and examined by the Effects Tests Group of Operation JANGLE. All active particles obtained within a range of 10 miles from surface zero were of a diameter greater than 150 microns. This does not represent a respiratory hazard. Corollary measurements by the AEC were made in cities of northern Nevada, Utah and southern Idaho. Levels of activity detected were well below even rigid laboratory tolerances, and a preliminary particle size determination indicated that 80 to 95% were of less than 5 microns in diameter, well within the respiratory retention range.

These two situations can be explained by the fact that the particles which fell out close to ground zero were fused or partially fused material and of relatively large size. The particles of smaller size were carried longer distances but were so diluted in the atmosphere and so decayed with time that they did not represent a respiratory hazard even though the particles were small enough to be retained in the lungs.





EFFECTS ON ANIMALS

Preliminary Account of Mortality and Total Dosage in Animals Exposed in Operation Jangle - Surface Shot

All of 15 dogs and 12 sheep (ewes) exposed at varying distances from S-O (2500', 5000' and 8000') survived the test shot. The animals were disposed at the surface of the ground and in the fox-holes along arcs extending from a line 50° E of N to a line 25° E of N. The principal region of contamination fell outside of the shimal array used during this test.

Tach animal carried a Polaroid, Land dosimeter (F3-5d) but due to the activity of the animal and the faulty spring clips only 25% of the films were recovered. Of those recovered at 5000 and 8000 foot stations all showed dosages of less than lor. Surface animals at 2500' stations were found to have received 230 to 340r while one fox-hole sheep was found to have received 23r. These measurements agree fairly closely with N.B.S. film dosimetry measurements both at the surface and in fox-hole stations.

Fox-hole animals were placed on the 45° E of N line, these being 2 sheep each at 2500 and 5000 fort positions while 2 dogs were placed at 2500 foot stations and one at 5000 feet from ground 0.

PRECEDING PACE BLANK-NOT FILMED





SIXTH ARMY COMMANDER AND EXTRCISE SUPERVISOR

Lieutenant General Joseph M. Swing

CAIP COMMANDER AND EXERCISE DIRECTOR

Brigadier General B.M. Fitch

CHIEF OF STAFF

Colonel Harry P. . Storke

DEPUTY CAMP COMMANDER

Colonel Calvin A.L. Dickey

TRECUTIVE OFFICER

Lt. Col Alfred B. Banks

STAFF

S-1 Major James J. Crawley S-2 Lt Col J.E. Wasson S-3 Major Glenn A. Smith S-4 Lt Col Jerome W. Suhr INSPECTOR GENERAL: Lt Col Lex M. Stout SIGNAL OFFICER: Major Richard A. Wetzel ORDNANCE OFFICER: Major Charles H. Masters ENGINEER OFFICER: Lt Col Ira M.F. Gaulke TRANSPORTATION OFFICER: Capt Claude H. Currey QUARTERMASTER: Major Joseph F. Hunt STAFF JUDGE ADVOCATE: 1st Lt Ralph W. Johnson SIGNAL PHOTO OFFICER: Major Ralph N. Tudor AIR OFFICER: Capt James E. Parker MEDICAL OFFICER: Capt Stephen N. Schanzer SPECIAL SERVICE OFFICER: Major George L. Crutcher CHEMICAL OFFICER: Capt Ephrian M. Gershater PROVOST MAR THAL: Major Ernest J. Verba POST EXCHANGE OFFICER: 1st Lt Arthur L. Sell PUBLIC INFORMATION OFFICER: Capt Thomas D. Boyd VISITORS BUREAU: Capt Peer A. Buck

PRECEDING PACE BLANK-NOT FILMED





HEADQUARTERS Camp Desert Rock Las Vegas, Nevada

MEMORANDUM

19 November 1951

The following troop list is published for the information and guidance of all concerned:

UNIT	HOME STATION
Fo & Hq Btry III Corps Arty	Ft. Levis
231st Engr C Bn 359th Engr Util Det Det, 597th Lt Equip Co 90th Engr Water Sup Co Haint Plat, 705th Engr Fld Maint Co	Ft Lewis Cp Cooke Ft Huachuca Ft Lewis Ft Huachuca
Hq & Hq Det 393d Ord Bn 161st Ord Depot Co (-) 3623d Ord Co (MM)	Cp Gooke Cp Gooke Cp Gooke
Det, Hq & Hq Co 303d Sig Svc Bn (1) Det, Hq & Hq Co & Co "3," 314th Sig Svc Bn (-) 504th Sig Base Maint Co (Det)	Cp Cooke Cp Cooke Sacramento
Co "A" 505th MP Bn Co "C" 505th MP Bn	Op Roberts Op Roberts
621st QM Svc Co 1 Plat, 523d QM Sub Dep Co (-) 53d QM Base Depot Co (Det) 1 Plat, 539th QM Ldry Co	Ft Lewis Utah Gen Depot Utah Gen Depot Ft Lewis
4th TC Trk Co 2 Plat, 92d TC Car Co	Cp Stoneman Cp Roberts
806th APU 94th VTID 4 Sections, 562d Staging Area Co 15 Food Service Personnel	Ft Lewis Ft Lewis Cp Stoneman Presidio of S Fran


BY COMMAND OF TRIGADIER GENERAL FITCH:


OFFICIAL:

HARRY P STORKE Colonel, Arty Chief of Staff

JAMES J CRAWLEY
Major, AGC
Adjutant

DISTRIBUTION:
CG, Sixth Army
(Col Fox, Ag Misc)
Ea Staff Section
Ea Orga Concerned
File





Official
SITH
S-3 17 Nov 16 Nov 19 Nov 15 Nov 20 Nov 18 Nov 0900-1100 0900-1000 0900-1000 Sunday, (no school) 0900-1000 1330-1600 1000-1100 1500-1600 1330-1400 1330-1500 430-1630 1330-1430 1030-1200 1400-1500 500-1630 1000-1130 1100-1130 1000-1200

> Camp Desert Rock, Las Vegas, Nevada Observers' Instruction Schedule HEAD U RTERS

laj. Jessup Instructor

14 Nov

0900-0930

Bomb Physics Nuclear Physics

Bomb Effects

Basic Weapons

Introduction Desert Rock II

Bomb Effect

Security

Weapons Description

Medical Aspects of Atomic Disasters

Date

Subject

Corrander Pollock Commander Pollock Major Senior lajor Senior

Cormander Pollock Major Senior

Lt. Colonel Hartgering SULA

Lt Colonel Brunsvold Lt. Buddee Lt Colonel Brunsvold

Lt. Colonel McDonnel and

- H Captain Rogers Capt Gorshater

Operation Desert Rock I Operation Desert Rock II Radiation and Radiation Measurements

Radiological Decontamination

Instruments

Injor Servis

Officers of S-3 Section und Lt. Col. Brunsvold Lt. Chapman

Major Gibson

Lt. Canmann

Film. (Tale of two Cities)

observers' trip to test impractical) Effects of Desert Rock II, (if Committees

Seminar & Report by Observers Film (Individual Protection)

Radiological Defense

Organization of Dept. Army for

PRECEDING PACE BLANK-NOT FILMED

> Place Theater

13 November 1951

Bris. Gen FITCH

> School Tent Theater School tent

School Tent


Theater

UNCLASSIFIED

106

Comp Desert Rock, Las Teras, Neva'a

14 November 1951



ato	Time	Su yoct	Instructor	Place
17 Nov 51 aturday	0900-1000	Organization of Sent of the Army for Radio- logical Sefense	lajor Servis	School tent
	1000-1100	Radiation and Rad a- tion Teasurements	Captain Corshat r	School t nt
	1100-1130	Cadiological Decontamination	It Duddee	School tent
	1330-1500	Maval Pelivory and	Somdr Follock	Cehool tent
	3.500-1100	Raliac Instruments	Captain Tempsey	Corool thant


rice n

CTTICI L:

5-3



UNCLASSIFIED



HEADQUARTERS Camp Desert Rock, Las Vegas, Nevada

15 November 1951


MEMORANDUM:


SUBJECT: Seminars

PRECEDING PAGE BLANK-NOT FILMED

TO: Observer Personnel at Co Desert Rock Exercise II

- 1. On Saturday afternoon, 17 November and thereafter as directed, seminars will be conducted, during which your impressions concerning the Nevada atomic test: and your conclusions and recommendations resulting therefrom, will be presented to the class.
- 2. You are being divided into Discussion groups by branch of service. These groups will be headed by group leaders, who will present during the 1330-1600 period, 17 November, findings and recommendations or ideas of the group. These finding will be in writing. They need not be confined to majority opinions of the group; views and ideas of individuals are also desired. Saturday morning will be devoted to discussions by groups and preparation of reports. However, it is hoped that there will be discussions and formulations of views on this important subject during your free time.
- 3. Our reason for these seminars is that many of you are connected with various service schools throughout the Army and in that capacity have worked with the tactical as well as the strategic doctrines of your various branches. From these positions which you occupy either as service school instructors, or in such other positions as you may be filling, you have probably had or will have, opportunities to view objectively the test which we are conducting here at Desert Rock. Each of you here will observe this test from a specific point of view, your own or that of your branch, and will have ideas along the lines in which you have been trained. It is desired to record and forward these ideas to higher headquarters for their consideration and use.
- h. In preparing your papers for the seminar conclusions or recommendations a regards the following points are desired insofar as practicable:
- a. From the point of view of your branch of service, what conclusions or recommendations may be drawn by the use of the atomic weapons in:
 - (1) Design of equipment.
 - (2) Availability and use of specialised equipment in forward areas.
- (3) Disposition, handling and transportation of equipment in forward areas.
 - (h) Specialized training to cope with enemy atomic attacks.
- b. Conclusions or recommendations as regards the tactical aspects of the atomic weapon which are of particular moment to your branch. Considers
 - (1) Disposition of troops in rear areas.
 - (2) Disposition of troops in the attack.
 - (3) Disposition and use of troops in the defense.
- (4) Availability and use of special technical personnel or troops in forward areas.





Operations Desert Rock I and II, what is your estimate of the missions best suited to Department of the Army in future tests, with regard to both troop training and further experimentation of any military nature?

18 November 1951

SEMINAR - The Atomic Bomb - As it Affects the Combat Arms and Tech Services.

Gentlemens (It Col Brunsvold)

The plan for this afternoon is as follows: I will call on each of the group leaders who prepared reports this morning to come up to the front of the room and go through the report of that group. The purpose of this is to take advantage of the recommendations and thoughts of each of these groups. Following the presentation by each of the group leaders, we will invite comments or questions from the remainder of the class. In order to control the meeting, if you have a comment or question, raise your hand and we will call on you. If you have a long comment to make, we will run the microphone down so that the stenographers can take down your remark. Following are a number of things in particular that I want to bring up.

We don't have time this afternoon to hold as a part of the Seminar a comment on the training program which you have just been subjected to, and how it can be improved. We will appreciate suggestions prior to your departure from Camp. If you have ideas or suggestions which would improve the next class (for the next shot), it will make their program better, particularly from the standpoint of material presented, and whether you think the material was duplicated in too many talks. In order to limit the time this afternoon, we will not go into that part of it. General Fitch in the last day or two received a directive from Army Field Forces in which specific questions about atomic weapons and doctrines were asked. These questions are to be used by Field Forces as a part of basis for symposium which will be held there in January. We feel that the comments from you people today will be helpful in preparing the replies to those questions. I want to express my own personal appreciation for the kindness you have shown to all of us during this instruction program.

I feel that the personnel under General Fitch and Major Smith have done a good job in arranging a training program in the short time they had. I think later it is planned to put in better facilities when time permittee

After each group leader has discussed his paper, we would like for him to leave his paper with the stemographers so that we can have it typed. Without regard to seniority of the person reporting, I propose to call on the group leaders of Combat Arms group first, followed by the group leaders of the Technical Service.

One point that I think will be of interest—the weather looks favorable for tomorrow.

I will now call on Lt. Col. Drouillard.

GROUP I - INFAMIRY

- 1. A discussion was held by members of Infantry Group #1 for the purpose of answering questions outlined in par ha and b, Memoraudum, Subjects Seminar, Hqs, Camp Desert Rock, dated 15 Nov 51.
- 2. Discussions of the various subjects were limited in that only two of the officers attended the courses offered at Sandia, and only one officer had observed. Operation BUSTER.
 - 3 Conclusions and recommendations of the group are outlined belows





- a. From the point of view of your branch of service, what conclusions of recommendations may be drawn by the use of the atomic weapons in:
 - (1) Design of equipment.
- (a) Issue of the reversible parks (white and CD) for reflection of thermal radiation
 - (b) Use of white underclothing.
 - (c) Plastic boot covers for passing through contaminated areas.
 - (2) Availability and use of specialized equipment in forward areas.
 - (a) In favor of self-reading dosimeters 3 Officers
 - (b) Not in favor

- 23 Officers

- (3) Disposition, handling and transportation of equipment in formard areas.
- (a) No change in disposition, handling, and transportation of equipment in forward areas.
 - (h) Specialized training to cope with enemy atomic attacks.
- (a) No special training to cope with atomic attacks. Reemphasis of present infantry doctrine.
- b. Conclusions or recommendations as regards the tactical aspects of the atomic weapon which are of particular moment to your branch. Consider:
 - (1) Disposition of troops in the attack.
- (a) No change for troops in the attack. Troops should be taught to close with the enemy as soon as possible. In the attack and defense, corps to have sufficient reserves to plug the gap caused by enemy atom bombs.
 - (2) Disposition of troops in rear areas.
- (a) Additional dispersion for such reserves above battalion level. No change for battalion-size and small units. Mobile reserves to be "dug in assembly areas.
 - (3) Disposition and use of troops in the defense.
- (a) No major changes in defensive doctrine. Command posts, surply points, and other installations should be "dug in".
- (4) Availability and use of special technical personnel or troops in forward areas.
- (a) No special technical personnel needed in forward areas. Gas officers and NCO's to be trained for CBR work.
 - (5) Training and indostrination of troops.
- (a) The following breakdown of hours recommended for the indectrination of thoops during their basic training was suggested:

atomic bombs.

- 1. 1st hour Characteristics and methods of delivery of
- 2. 2nd hour Effects and limitations of atomic bombs.
- 3. 3rd hour Individual protective measures.
- h. 4th hour Sissery and lepen discussion.

UNCLASSIFICATION





- (b) Above subjects are to be re-emphasized during concurent training. Poll of hours deemed necessary for indoctrination resulted in the following: two hours, three officers; four hours, seventeen officers; eight hours, one officer; twenty hours, one officer. Publication of pamphlet by D/A entitled: "Individual Actions in Atomic Warfare" prepared by the Infantry School, is slated for this month.
- c. As a result of knowledge gained or of reports, you have heard about Operations Desert Rock I and II. What is your estimate of the missions best suited to Department of the Army in future tests with regard to both troop training and further experimentation for any military nature?
 - (1) Future tests should incorporate the following:
- (a) More time be devoted to detailed planning prior to future tests to include participation by representatives of the service schools and chief, of services to insure that every possible measure is included to obtain answers to all questions that may affect doctrine.
- (b) The employment of larger amounts of equipment and materiel in future tests to gain more detailed and accurate information.
- (c) If the results of the one KT surface and sub-surface bursts indicate that a nominal bomb may be employed in such tests with safety, recommend that a full scale test be conducted.
- (d) Future tests to be conducted on a different type terrain. Use sheared sheep dressed in fatigues, at various ranges, on the ground, in fox holes, and in vehicles.

Lt. Col. Brunsvold:

We have another group from the infantry to report-Col. Linder:

GROUP II - INFANTRY

- 1. From the point of view of your branch of service, what conclusions or recommendations may be drawn by the use of the atomic weapons in:
 - a. Design of equipment.
 - (1) No major changes of design of equipment used by the Infantry.
- (2) Since the fox hole is the soldier's best friend on the battle field, a redesigned individual entrenching tool of light weight, designed for ease of carrying, and which will give maximum service for digging under various conditions is in order.
- (3) To further expand the "digging-in" capabilities of infantry unit especially for such items as vehicles, CP's, maintenance installations, P&A installations, etc, a light-weight bulldozer or other ditch digging apparatus for each infantry division is recommended. This equipment to be assigned to service compand of an Infantry regiment for use by battalions or to be used by the regiment under regimental control.
- (h) An alternate to paragraph (3) above might be to design a blade to be attached to a jeep or 22—ton truck that would be an assist of each vehicle operator to quickly dig in his own vehicle.
- (5) This next item infringes on the medical field, but is of great or neern to the infantry soldier. Since burns of all intensity and nature are a casualty producing agent of the A-bomb, it is recommended that the first aid packs carried by the individual contain a medicant of some to be applied to burns.



1/2



- b. Availability and use of specialized equipment in forward areas.
- (1) This subject and the subject of redesign of equipment are pratty closely associated.
- (2) Recommend that each individual be required to have on his person a dosimeter of some type as determined by tests now underway.
- (3) Recommend that the CBR officers and non-commissioned officers in each unit, down to and including company, be thoroughly trained in and equipped with the equipment in order that the intensity of any given area at any given time be known by the unit commander.
 - (4) No other specialized equipment in forward areas was considered.
- c. Disposition, handling, and transportation of equipment in forward areas.
- (1) No special problem since we do not recommend any major changes or additions in equipment to cope with atomic bomb use.
 - d. Specialized training to cope with enemy atomic attacks.
- (1) Recommend that CBR officers and non-commissioned officers, as well as alternates, be thoroughly trained in effects of atomic attack, defense against atomic attack, and use of radar equipment. They must be the unit experts.
- (2) Recommend that the cloak of secrecy and mystery be thrown off the A-bomb and its effects, and a program of thorough indoctrination and education be presented to all military personnel. This program should not be a one-time affair, but a program to be repeated at regular intervals so that the most unintelligent individuals in the military service understand all the implications of the bomb and effects of radiological warfare.
- (3) These next items are not specialized training as we think of the term, but in light of our weakness in their application, it is felt that the following be stressed continually in all training. These items are camouflage, concealment and dispersion. Due to our air superiority in World War II and Korea, our Army is extremely lax in their application.
- (h) A minority report rendered by a member of the group was to stres. Coming in defense on a wide front or defense, Types of defense, methods of organizing for defense, and acts of defense are presently under study in light of what we have learned in World War II and Korea as well as what we know of the description of defense adopted by a commander depends on certain conditions that are ever present in warrare. Some of those are the terrain, composition and strength of enemy force in front of you, the means available to you to conduct the defense, and the sector assigned to you to defend.
- 2. Conclusions or recommendations as regards the tactical aspects of the atomic weapon which are of particular moment to your branch. Consider:
 - a. Disposition of troops in rear areas.
- (1) Tactical troops (reserves) must be well camouflaged, concenled and dispersed. It was recommended that our reserves be located about a mile apart of a size not to exceed a battalion. Another point, our reserves must be highly mobile and capable of moving to the point where they are most needed very quickly and in condition to carry out a mission effectively.





(2) Service troops and installations

- (a) The points to keep in mind about location of service installations are ability to perform mission of support to combat units, defensibility, and dispersion. So with too great a dispersion of installations, you may be sucrificing defensibility and ability to perform the mission. Conversely, if you concentrate for defensibility, you may sacrifice dispersion. So a happy medium must be adopted in light of the affects of the A-bomb, but with the mission of service units always paramount in your mind.
- (b) A splitting of service installations to two or more separat. locations may be feasible in some instances. This would reduce the possibility of losing all of one type supply at one location.
- (c) Another recommendation is to dump less supplies on the ground, keep as much as possible or transportation where it can be quickly moved. This ties in pretty well with the recommendation of splitting classes of supplies and locating these supplies at two or more places.
 - b. Disposition of troops in the attack.
- (1) On attack we still need mass and economy of force. The threat of attack by atomic bomb comes when we mass our forces for periods long enough for the enemy to profitably use an atomic bomb or projectile on our area of consentration.
- (2) So we must mass our forces quickly and secretly and plan our attack so that we spend the absolute minimum of time in a concentrated area before we strike a hard decisive blow and close with the enemy. Surprise is the key note, not only from the viewpoint of striking where the enemy does not expect you to strike but also to strike quickly and with all the power you can muster to gain a decisive advantage.
 - c. Disposition and use of troops in the defense.
 - (1) No minor changes in our present defence doctrine.
- (2) Recommend that foxholes be revetted and provided with overhead cover from materials available in the area.
- (3) Type of defense depends on mission assigned, terrain to be defended, wears available to conduct defense, and capabilities and composition of enemy trees expected to attack you.
- (i) Paramend that study be given to position defense and wide front or mobile defense in light of effects of A-bomb versus ability to accomplish our mission against other forms of enemy attack. We must come up with best means of defense against all forms of attack.
- d. Availability and use of special technical personnel or troops in forward areas.
- (1) Forward areas is interpreted to mean forward of division rear bound.

 Padit

 (2) The present organization of CHR personnel with sense equipment seems

to be adequate.

- (3) No special technical personnel or troops in forward areas are felt to be needed.
 - e. Training and indostrination of troops.
- (1) Recommend all military personnel be given the straight facts in an intelligent and logical manner regardly (NICATALLIA) and protective measured against an A-bomb.




- (2) This program to be not a one-time affair but a program wherein indectrination is repeated at intervals so that everyone understands all implications of atomic warfare.
- 3. As a result of knowledge gained or of reports you have heard about Operations Desert Rock I and II, what is your estimate of the missions best suited to Department of the Army in future tests, with regard to both troop training and further experimentation of any military nature?
- a. General The Army should first conduct studies and definitely decide what test or tests will give them the information to answer the majority of questions still unagravered. Then build up a case of definite need for a bomb or number of bombs to be used for Army or military experimentation and present it to the AEC. Then with AEC acting as the bomb supplier and supervisor of all the technical aspects of firing the bomb, the Army will lay out the test area, after careful planning, to come up with some definite results of what the bomb will do to a defensive position, a division in attack, logistical installations (perhaps an Army service area), etc.

b. Experimentation

- (1) Lay out a division defensive position, make a target analysis of the point to drop the bomb, put in desimeters, animals, etc, and get some results.
 - (2) Lay out a division in attack under same conditions as (1) above.
 - (3) Do the same for an Army Service Area.
 - c. Training.
- (1) Intensify indoctrination of all military personnel regarding ef. fects of A-bomb as well as defense against effects of A-bomb.
 - (2) Train CER personnel for each unit from company size and up.
- 4. What general and specific policies and procedures should the Department of the Army adopt now in order to accomplish practically and expeditiously proper indectrination and training of Army troops with respect to atomic warfare?
 - a. Dissemination of information as acquired without delay.
- b. Distribute a uniform plan of orientation and information to be disseminated to troops. Might go to the point of distributing lesson plans.
- c. A review of information new known with the view of down grading as much general information as possible for orientation of all military personnel.
- d. Build up a library of training aids and training films to accompany detailed orientation course.
- e. Increase emphasis in training on comouflage, dispersion, fortification etc.in all training.

5. Here at Desert Rocks

- a. Issue a loose-leaf folder presenting entire plan of subjects to be presented. Allow students to take notes on lecture to fill in outline plan as desired. Collect folders at end of classes, secure and reissue each time class reassembles. Upon completion of course, mail classified folder to officers at homes station.
- b. Include Nevy and Air Force personnel for better discussion in our Seminars.






GROUP III - ARTILLERY -- Presented by Col Cole

- 1. Future design of Artillery equipment with viewpoint of defense against atomic warfare.
- a. Protection against atomic weapons. Our present equipment is rugged enough (with the possible exception of sighting and instrument equipment which may require a design of a more rugged nature).
 - b. Fireproof all equipment to the extent practicable.
 - 2. Necessity and use of specialized Artillery equipment in forward areas.
- a. It is considered that bulldosers of better quality than now provided (for example, Marine Corps type) should be provided in sufficient quantity for all forward position areas. (In this connection it should be noted that a re-examination of the doctrine of digging in may be warranted, in light of the effects of surface and sub-surface bursts).
- b. Timbers, or means of providing them, should be available to all artillery installations in the forward area at the earliest practicable time.
 - 3. Disposition, handling and transportation of equipment in the forward area.
- a. Without prejudice to the accomplishment of the mission, the deployment of the battery should not be over-extended beyond the present doctrine of dispersion; but maximum dispersion of battalions and higher groups should be effected.
- b. As protection against blast effect, lashing of equipment on vehicles should be practiced.
 - h. Specialized training to cope with enemy atomic attack.
- a. It is considered that the present training program including sending of selected individuals to CER schools and utilizing appropriate AFF lesson plans, is adequate. Further, that the large scale maneuvers providing for realistic training including reorganization after assumed catastrophic losses, is particularly valuable. Finally, measure should be continued to guard against becoming defensive minded (Maginot Line complex) (Foxhole bound).
 - 5. Disposition of Artillery troops.
- a. Rear Area. Generally speaking, artillery troops are not found in rear meas, however, where located in the rear, they should be "dug-in" as much as practicable.
- b. Offence and Defense. The principle enunciated in paragraph 3s above with regard to disposition of artillery units is considered equally applicable to the disposition of troops in the offense and defense. Further, in the event that mass building tactics are employed by our infantry prior to the attack, it is considered, insofar as accomplishment of the artillery mission will permit, that medium and heavy artillery positions will avoid the critical building areas. (Note There is some opposition in the group to this last statement).
 - 6. Necessity and use of special technical personnel or troops in forward and
 - a. No special requirements for the artillery.
 - 7. Training in the indoctrination of troops in atomic werfare.
- a. The number of hours (10) now devoted to atomic training and indoctrination of troops is considered to be a minimum. In order to avoid increasing the length of ATP's or to avoid detraction to a minimum.

- UNCLASSIFIED

116



- 8. Recommendations with regard to future exercises.
- a. There exists certain Army training and indoctrination requirements for atomic weapons. These requirements should be satisfied by the AEC, insofar as supply of weapons will permit. Inter-service participation should be encouraged in these exercises.
- b. Future exercises, such as Desert Rock, should permit fuller scope of desired Army participation.
- c. Future exercises should be covered by definite D/A directives which would guide the exercise commander in execution of his task.
- d. Future exercises, such as Desert Rock, should approach the training objective of placing troops in tactical deployment similar to actual offensive deployment with this weapon; the foregoing within the framework of safety requirements.
- e. In the event incenclusive evidence exists as to the effect of the atomic weapon in wooded terrain, tests in wooded terrain should be conducted.
- f. Consideration should be given to AFF Boards participation in the development and testing of new weapons.
- g. In order to permit greater freedom of action at Desert Rock, appropriate education should be initiated insofar as neighboring civilian communities are concerned.
 - 9. Department of the Army policies:
- a. In order to properly indoctrinate and train Army troops appropriate directives should be issued to implement the above recommendations.

10. General

a. No attempt has been made to cover atomic weapons which the Army is developing.

OROUP IV - ARTILLERY
Presented by Col. Otto, Army War College, Carlisle Barracks.

- 1. Future design of Artillery equipment with viewpoint of defense against utomic werfare.
- a. Consideration should be given to the design of protective shielding for anti-circuit weapons to protect the crews against the effects of atomic explosion, particularly the thermal effect.
- b. Camouflage nets, terpaulins and sand bags should be made of a fire-proof material.
- c. The Army should accelerate its development of an accurate surface to surface artillery guided missiles for the delivery of an atomic war-head.
- d. Recommend that research be continued to develop artillery atomic projectiles that make use of the implosion principle with emphasis on increasing efficiency and reducing caliber.
 - 2. Necessity and use of specialised artillery equipment in forward areas.
- a. Monitoring equipment should be furnished down to battery level as now contemplated by the Chemical Corps plan. Cumulative type desimeters should be issued to all individuals. Pending development of a standard decimeter, individual film badges should be issued to familiar individual to the contemplate of the conte





- 3. Disposition, handling, and transportation of equipment in the forward avec
 - a. None.
- 4. Specialized training to cope with enemy atomic attack.
 - a. None.
- 5. Disposition of artillery troops.
- a. It will require a greater number of anti-aircraft units to defend a wider area of dispersion of service units and supply points.
 - b. Artillery should conform to the Infantry's disposition.
- c. Artillery should have the responsibility for preparing the atomic shell for firing after the delivery of the nuclear component. The Ordnance should render technical advice and assistance only.
- d. Special deception units should be made available for use in areas where the 280 MM gun is to be used for the specific mission of erecting dummy positions. Additional anti-aircraft units, both Gun and AW, must be provided to protect the very heavy artillery.
 - 6. Recommendations with regard to future exercises.
- a. Quotas for combat arms should be increased for the C and E Course at Sandia Base.
- b. More emphasis should be placed on the rapid installation of overhead cover on field fortifications and installations, both hasty and deliberate.
 - c. The Army should actively participate in all future atomic tests.
- d. Tests of equipment should be as recommended by the Army Field Forces Boards.
 - e. Participation of troops should be coordinated by Army Field Forces.
- f. The Army should press for an atomic test explosion on a division tactical position that has been fully occupied, leaving token items of equipment in position with adequate means of testing effects on all personnel. This might be accomplished in conjunction with a field maneuver. Should be held on other terrain rossibly in West Texas.

7. General.

- a. Down-to-earth, understandable information on the casualty capabilities and effects of atomic explosions should be distributed for the information of troops. This material should be in the form of illustrated pemphlets, training films, entertaining lectures and TIE programs and materials of all kinds.
- b. Results of Desert Rock and future atomic tests that confirm or modify information that has already been disseminated should be distributed at the conclusion of the exercises.
- c. Any agency conducting instructions of selected individuals in atomic warfare should issue a written summary of information, under the highest classification, that can be disseminated to troops by these individuals on their return to some stations.
- d. Doctrine on the tactical employment of atomic weapons by the Army should be developed as a matter of urgency.
- nation course on the site along the limit of the limit of Rock II.



f. At least one large mansurer or field exercise per year should stress the tactical use of the stonic bomb, and a simple method of simulating an atomic explesion should be sought.

Presented by Lt. Col Green, Office of Chief of Psychological Warfare Washington, D.C.

1. General:

- a. Not now a tactical weapon.
- b. Has merely introduced a new hazard.
- 2. From point of view of my branch of service, the following recommendations may be drawn by use of atomic weapons in:
- a. Design of equipment no specific changes deemed necessary at this time.
- b. Availability and use of specialized equipment in forward areas none necessary.
- c. Disposition, handling and transportation of equipment in forward areas no change.
- d. Specialized training to cope with enemy atomic attacks not consider ed necessary.
 - (1) Fox holes sufficient.
 - 3. Tactical Aspects.
 - a. Disposition of troops in rear areas no change.
 - b. Disposition of troops in attack no change.
- c. Disposition and use of troops in the defense none necessary, armor must maintain mobility.
- d. Availability and use of special technical personnel or troops in for-
 - (1) Plan as presented appears adequate.
 - (2) Down to Bn level at least.
 - (3) CHR NCO in companies.
- e. Training and indostrination of troops training circulars or similar regulations reference what can or cannot be divulged to troops.

4. Future tests:

- a. Greater freedom for Army in these tests,
- b. Representatives of corbat arms boards on test site.
- c. More troop participation i.e., use of personnel in target area.
- d. More initiative from ABC.
- 5. Indoctrination and Training of Troops.
 - a. Get information to the





- b. Specialized instructional teams on the bomb and atomic warfare to visit all units for basic indectrination.
 - c. Compile basic lesson plan with list of available training aids.
- d. Clearly establish the hazard of the weapon as such prepare for psychological impact.

OROUP VI - SIGNAL Presented by Lt. Col. Keyncamp

- 1. This discussion was held and the conclusion reached before the group witnessed the explosion of the atomic bomb. Thus the effects of the bomb had not bee: witnessed personally by the group prior to the discussions.
- 2. Based on the indectrination course received at Exercise Desert Rock II, the following conclusions were reached in regard to the discussion subjects presented.
- a. No general redesign of Signal Corps equipment is necessary at this time inasmich as present trends satisfy the requirements of atomic warfare. These twends in design are for more rugged and durable equipment with less weight and volume.
- b. No specialized Signal Corps equipment is necessary as a result of the use of atomic weapons other than that already contemplated.
- c. Disposition, handling and transportation of equipment in the forward areas. This committee defined forward areas as the area forward of Division Hq. Adequate dispersion is required and "dug-in" installations are desirable.
 - d. No specialized training is necessary for Signal Corps troops.
- e. With regard to disposition of troops in the rear areas, the present Signal Corps doctrine of "alternate route", "alternate means" and dispersal of installations is adequate. The use of underground installations and earthquake-proof buildings for large rear area communications installations should be emphasized.
- f. Complete and thorough indoctrinations of troops is required. This should include exactly what to expect of an atomic attack and what defense measures can be taken. It should be carried out by the unit making use of unit CBR personnel and should be accomplished as soon as possible. This orientation should be given periodically and should be revised in the light of new information and developments.
- h. As a result of our orientation in Desert Rock I and II, this committee recommends the following missions for the chief signal officer in future tests:
- a. Develop a definite program for increased attendance of signal officer and enlisted personnel with the object of more complete indoctrination.
- b. The chief signal officer should make a comprehensive study to determine the effects of atomic warfare on signal equipment, procedures and doctrine.
- c. The Department of the Army should publish a standard training program with the view of accomplishing complete and uniform indostrination of all personne. This should be similar to the DA TC #12 which covered the training in the Uniform Code of Military Justice.

120



d. The AG officers in this committee recommended that one of the existing personnel records should be expanded to include atomic exposure data.

OROUP VII - CHEMICAL
Presented by Lt Col Allen Williams, Chemical Corps, 3rd Army Hq.

1. Instruction.


- a. It is recommended that a mandatory Army-wide course of simple and practical indoctrination, not to exceed 4 hours, in Rad-defense be set up for all troops, with integrated or refresher training whenever possible.
- b. That this instruction be mandatory for all personnel and that refresher training be not less than one hour per month.
- c. That an examination be held at the completion of the course and that entry be made on Officers' 66-1 and EM's forms 20 to the effect that they have completed the course of Rad training. (At present, no record is kept).
- d. That Division and Regimental CER personnel be required to attend the mix-weeks course of instruction at the Army Chemical School at Ft. McClellan.
- e. That every effort be made to stabilize trained Rad defense personnel in units, particularly in Division and higher echelons of command.
- f. That the definite responsibility of Medical, Signal and Chemical Corps be outlined in appendices to SOP annex for Rad defense in order that all will understand and coordinate their responsibility.
- 2. Equipment. That inquiry and research be made in the design of chemical protective equipment against heat.
- 3. Depots. In service areas, that multiple service depots be set up in sections and widely dispersed.

L. Tactics.

- a. Investigate the effects and advantages of smoke screens for possible protection against an atomic bomb attack.
- b. That a minimum military tolerance against Rad be established and published.
- 5. Camp. Suggestions for Future Exercises. Facilities and treatment accorded have been excellent.

6. Course of Instruction.

- a. Recommend that for future groups attending Desert Rock or a similar exercise that a predetermined course of instruction be set up for a definite period (whether the bomb is set off or not) with no overlapping.
- b. That printed instructional material be made available for students to take back to their units, covering new doctrine and lessons learned for dissemination to their personnel.
- 7. Tests. That separation of AEC and military tests be made, and that military tests be conducted under simulated combat conditions.



- 23 - UNCLASSIFIED



- ROUP VIII (QM, OFD, TC, and MP)
 Presented by Lt Col Martin, Post & Service QM, Camp Breckenridge, Kentucky
- 1. Recommend that the first period be devoted to a discussion of the course objective to include an explanation of what use may be made of the information, i.e., what information may be disseminated to troops and what information should be confined to staff level.
- 2. Recommend that hand-out material be provided members of the class, of the pertinent information contained in lectures to the group. This information should contain both classified and un-classified information which could be used by the observers for orientation of selected personnel at their home stations.
- 3. Recommend that a critique with all instructors, who have lectured to the group, be present to answer any final questions that are asked by the visiting officers.
- 4. Recommend that future tests include gasoline storage, both open and closed.
- 5. Recommend that future tests include a study of supply installations of all types, to determine particularly the requirements for dispersion, extent of contamination of supplies, and for underground storage.
- 6. Recommend that Service Installations be assigned trained monitors whose duties will be to locate and identify contaminated areas.
- 7. Recommend that Ordnance equipment tested be in a more normal condition of combat readiness, to include some vehicles with motors running, some with complete combat loads, and some tanks with hatches open.
- 8. Recommend that all types of ammunition be tested for sympathetic detonation.
- 9. Recommend that interpolated results of this blast be furnished direct to each participant when the results have been compiled.
- 10. Recommend that III Corps issue written guidance to observers as to what categories of information disseminated at Exercise Desert Rock can be officially disseminated by observers.
 - a. To troops.
 - b. To properly cleared students in Service Schools.
 - c. To properly cleared personnel of observers own Headquarters.
- 11. Recommend that III Corps initiate recommendations to D/A through 6th Aray with a view to enlisting the support of higher authority in obtaining for the Aray a greater degree of cooperation from AEC in testing Army equipment in future tests of atomic weapons.
- 12. Recommend that III Corps improve instructional facilities at Desert Rook so that training aids, films and film strips now available, may be utilized in future exercises.
- 13. Recommend that observers be permitted to take notes for use in reviewing and memorising classroom instructions while at Camp Desert Rock. Notes to be turned in for destruction prior to leaving Camp Desert Rock.





GROUP IX - MEDICAL

Presented by Col Charles B. Henry, MC, Medical Section, Office, Chief Army Field Forces

- 1. Casualty evacuation is the major problem for the medical service.
 - a. Perimeter control. The immediate moving in of intact medical units.
- b. Flexible medical field service in the utilization of field installations.
 - c. Decentralization of supply.
 - 2. Types of Casualties.
 - a. Blast injuries and fractures present a quantitative factor only.
- b. Burns. Open air treatment of burns applies more to the care of civilian pepulation, military medicine requires present methods of the use of massive dry dressings.
- c. Conservation of manpower primary factor. Dosimeters not of value to battalion aid station surgeon. Must depend in combat area on clinical evaluation.
 - 3. Training and Indoctrination.
 - a. Medical effects well covered in our schools with present facilities.
 - 4. Conclusions and Recommendations:
 - a. Additional emphasis be placed on the handling of mass casualties.
- b. Maximum utilization be made of returning air transportation for evacuation of casualties to relieve congestion of field medical installations.
- c. More emphasis be placed on the forward sorting of casualties in order that unnecessary loss of manpower be avoided.
- d. Disposition of medical troops depends upon the tactical disposition of the troops which they support, either in the rear areas during the attack or in the defense.
- e. There is no training, other than medical training required in the car of atomic casualties.
- 5. As a result of knowledge gained in participation in this exercise, it is suggested that:
- a. Indoctrination training of all military personnel be mandatory in the present concept in the use of atomic weapons.
- b. Department of Army be given more latitude in troop training and fur-

Presented by Lt Col Holmstrom

1. The following recommendations are made in accordance with memorandum subject "Seminare Hq Camp Desert Rock, Las Vegas, Nevada," dated 15 Nov 1951. The points listed in paragraph 4 of the above memorandum were used as guide for discussions








- a. Recommendations drawn by the use of the atomic weapons int
 - (1) Design of equipments
 - (a) No change.
 - (2) Availability and use of specialised equipment in forward areas.
 - (a) Greater need for replacement.
 - (b) Place water tanks underground.
- b. Disposition, handling and transportation of equipment in forward po-
 - (1) Maximum dispersion possible.
 - c. Specialized training to cope with enemy atomic attacks.
- d. Maximum indoctrination concerning limitations and capabilities of
 - (1) Rapid decontamination of equipment and men.
 - (2) Maximum "digging in" of men and equipment.
- (3) Use of engineers and other troops in new methods for digging in all troops.

 (4) More intensive research in design and supervision of construction in field construction.
- 2. Conclusions and recommendations as regards the tactical aspects of the atomic weapon which are of particular moment to our branch CE Consider:
 - a. Disposition of troops in rear areas.
 - (1) Maximum dispersion of troops.
 - b. Disposition of troops in the attacks
 - (1) This is command decision-line unit.
 - c. Disposition and use of troops in the defense:
 - (1) Command decision.
- d. Availability and use of special technical personnel or troops in for-
 - (1) Attack CBR Personnel:
 - e. Training and indoctrination of troops:
 - (1) Maximum number of CBR supervisory personnel.
- (2) Intensive indoctrination concerning atomic weapons. Keep the troops informed.
 - (3) Eliminate fear. Psychological training is important.
- (4) More intensive use of atomic variare aspects in CPX and field exercises in all troop units.





- 3. Missions best suited to Department of Army in future tests, with regard to troop training and further experimentation of any military nature:
- a. Accurate determination of the effects of the A-bomb on personnel and equipment for all types of blast, air, underwater, ground and underground.
- b. Means of getting a more realistic method of technical evaluation of the use of atomic weapons not only its effect on our own troops but its lethal effect on enemy. Soldiers should be taught that bomb is a tremendous asset to us in many situations - make enemy fear it.
- bomb. Follow up immediately with parachute unit actually parachuting into area with some heavy equipment; then evaluate results.
- d. Drop an atomic bomb in Korea on suitable tactical target sufficiently close behind lines so that quick linkup can be made. Drop parachute unit into area. Capture maximum number of prisoners. Interrogate them closely to determine effects on enemy personnel and equipment.
- e. Develop detailed and standard SOP's on the subject of dispersion of troops and equipment in view of the great present differences of opinion concerning this aspect of defense.
- f. In order that all troops get necessary information develop the folicating program immediately:
- (1) New approved manual of instruction for all Department of Defende
- (2) Eliminate the tendency for poor instruction by producing the best possible training sids-specially films, slides and charts.
 - (3) Declassify most of the information now secret.
- (4) Devote more effort to coordinated instruction between civilian population and defense personnel as follows: Disaster relief due to atomic blast water supply, etc. Have combined field exercises in greatly populated areas so that civilian defense agencies, National Guard and Regular Army personnel will gat emperience in a common task. Recommend specific policies and procedures to be followed by Army: In view of the apparent differences between AEC and the Army, and if these differences are deterring the present Army program, the Army should appeal to higher authority for a resolution of these differences which may deter progress in developing the tactical use of the atomic bomb. Institute continuous irraining for all Department of Defense personnel in all aspects of the atomic weapon.



TINCLASSIFIED

HEADQUARTERS Camp Desert Rock Las Vegas, Nevada

16 November 1951

RADIOLOGICAL SAFETY PLAN FOR EXERCISE DESERT ROCK II



1. The following is Rad-Safe plan for military participation in Exercise Desert Rock II.

2. Activities prior to D-Day:

- a. Indoctrination of all observer military personnel in the characteristics of nuclear explosions and the general effects of the atomic weapons (AFSWP).
 - b. Is we of a film-badge to each observer.
- c. Calibration-check of all radiac instruments to be used in the exercise (Oml O).
- Instruction of all monitoring personnel in their specific assignments (Cm1 0). and duties.
- e. Procurement of additional clothing and boots, to be issued in the even of contamination of personal clothing. (QM)
- f. Preparation of Personnel & Vehicle Decontamination Station, to be located at Co. "C" CP, 231st Engr.

3. Activities on and after D-Day:

- a. Physical check on all observers, as they entruck, to ensure that they are equipped with film badges and gas mask. (This duty will be performed by the MP assigned to the observer vehicle.)
- b. Vehicles dispatched from Desert Rock will not be permitted to pass beyond a limiting point to be (designated) by the RadSafe Officer.
- c. A radiological survey will be made by the Rad-Safe Officer (Maj Servis ? Cml Corps), who will report to the staff Cml Officer, Camp Desert Rock (Col Whitesides), on limits of advence into the contaminated area.
- d. Upon exit of the observers from the forward area (on Observer-Day), they will be monitored. An MP road-block will be established for control purposes. Tolerance for this operation will be an intensity reading of 20 MP-hour, with the tota shield open and held six inches from the body. Personnel whose body or clothing sive a reading in excess of this tolerance will be decontaminated.
- e. Decontamination of Test Equipment will be covered in separate instructions to the Mffects Evaluation "eams.
- f. Rad-Safe Officer will establish his headquarters at the Desert Rock Observation Point.
 - 4. Radiation Tolerance Limit: *

PRECEDING PACE BLANK-NOT FILMED


a. Total: Three (3) roentgens.

OFFICIAL:

SMITH 5-3



FITCH



HEADQUARTERS Camp Desert Rock Las Vegas, Nevada

11 November 1951

DECONTAMINATION PLAN

- 1. Decontamination of the test equipment will be carried out according to the following plan:
- a. The purpose of this decontamination is to remove radioactive contaminstion utilizing only TO&E equipment that is found in a battalion or smaller unit,
- b. Three types of decontamination methods are to be used in this test. These methods are to be dry decontamination (brushed), semi-wet decontamination (damo rass) and wet decontamination (washing).
 - 2. Sites for these stations will be selected by the chemical officer.
- 3. Drivers of all test vehicles and decontamination representives of the technical services will be reported to the Chemical Section. A 2-hour course in decontamination will be given on Tuesday 13 November 1951 at 1400 hours for the above mentioned people.
- 4. When the equipment is released from the test areas by the OIC, the personnel mentioned in paragragh 3 will proceed with their equipment to the designated decontamination areas.
- 5. Engineers will provide two trucks with 3000 gallon water tanks, pumps, and hoses at station three.
- 6. Evaluation, decontamination, radiological safety personnel and drivers of the test vehicles will draw film baiges from Signal Corps.

FITCH BRIG GEN

OFFICIAL:

PRECEDING PAGE BLANK-NOT FILMED




HEADQUARTERS
Camp Desert Rock
Las Vegas, Nevada

PRECEDING PAGE BLANK-NOT FILMED

Report on Radiological Safety and Decontamination Operations, Exercise Pesert Rock II and III

- 1. The following operations were conducted by the Chemical Section before, during and after Shot-Days for Exercise Desert Rock II and III.
- 2. The Staff Chemical Officer was responsible for all Rad-Defense matters pertaining to the operations.
 - 3. Activities prior to Shot-Day:
- (a) Indoctrinated all participating military personnel in the char acteristics of nuclear explosions and the general effects of atomic weapons.
- (b) Conducted a calibration check of all radiac instruments used during the exercise.
- (c) Instructed all monitoring personnel as to their specific assignments and duties.
- (d) Prepared plans for the installation of Personnel and Vehicle Decontamination Stations to be set up at AEC Camp No 1, 4 miles South of "S" Shot Ground Zoro.
- (e) Installed high intensity film badges in revetted and unrevetted foxholes, emplacements, and on equipment as directed in Film Badge Layout Plan.
 - (f) Installed chemical items of equipment for test.
 - 4. Activities on Shot-Day:
- (a) Chemical monitors conducted a physical check on all observers as they boarded buses for the Observation Point, to insure that they were equipped with film badges.
 - (b) Assigned one Chemical Officer as a monitor to the VIP's.
 - 5. Activities after Shot-Day!
- (a) Following notification by the AEC of clearance into the test area an initial radiological survey was made by the Rad-Defense Officer who reported to the Start Chemical Official, Camp Desert Rock, on the limits of advance into the Contaminated area.
- (b) The Staff Chemical Officer reported to the Commanding General the limits of intensities in the area.
- (c) On the day the observers entered the area, Chemical Corps monitors under the supervision of the Staff Chemical Officer and Rad-Defense Officer were assigned to each observer-Bus for Rad-Defense measures. The monitors performed their assigned duties while in area and collected all film badges after clearance from the area. Due to the fact personnel did not debark from the buses while in the shot area personnel monitoring was not performed.



- (d) Provided monitors for each evaluation team that went into the forward area.
- (e) Set up equipment and personnel decontamination stations at Camp No 1.
- badges into the film badge laboratory located at the AEC Control Point.
- (g) Obtained the film badge report from the laboratory and maintained an operational chart on total dosage received by each member of the evaluation team.
- (h) Chemical personnel recovered the high intensity film badges and evaluated the damage to Cml Equipment.



1 December 1951

1. General:

- a. <u>Purpose</u>: This Counterintelligence Directive (CI-SOP) standardizes and prescribes normal security procedures relating to Operation DESCRIBOOK. It will apply during the entire Operation.
 - b. Unit Procedure: Subordinate units will issue SOP to conform.

2. Military Security:

- a. Secrecy Discipline. (1) Strict secrecy discipline will be maintained at all times. All violations, regardless of the degree of severity, will be reported at once to the S-2, this headquarters.
- (2) Classified material including documents, maps, sketches, overlays, and cryptographic equipment, will be safeguarded in accordance with AR 380-5.
- (3) All pursonnel granted passes for the purpose of visiting local communities will be warned of their individual security responsibilities prior to departure from the campsite.
- (4) A member of the Counter Intelligence Corps (CIC) Detachment, this healquarters, will deliver a security briefing to each unit shortly after the arrival of the unit at the compsite.
- taken by military authorities. All personnel will be warned, however, against divulging classified information in personal correspondence.
- (2) Such consorship activities as may become necessary will be accomplished by the ARC.
- c. Communication Security. (1) Unauthorized personnel will be prohibited from entering or loitering near message centers.
- (2) Signal communication security is a responsibility of designated Signal Corps personnel under the supervision of the Signal Officer.
- (3) Violations will be reported through Signal channels to the S-2, this headquarters.
- d. Security of Troop Novements. (1) The actual strength of units participating in the Operation will not be divulged to any person not officially connected with Operation DESERT NOCK.
- (2) Shoulder sleeve insignia, vehicle bumper markings and other unit identification markings need not be removed or effaced.
- (3) Movements to and from the maneuver area north of the campsite, and to and from other restricted areas, will be in strict conformance with regulations prescribed by the AEC.
- e. Recommaissance Recommaissance of the man aver area and other restricted places is limited exclusively to official visits by authorized personnel meaning DR badges (see par 4c) or bearing other media of authorization.
- f. Access to Comprite. Access to Compsite is restricted to the established entrances and exits. Military Police patrols will arrest all endeavoring to enter or leave the carp at other points.



- to represent the public press, radio or similar news-gathering activities will be escorted to the Office of the Public Information Officer, this headquarters, where they will be processed.
- (2) Properly accredited press representatives if any, will not be permitted to conduct interviews unless specifically authorized to do so, in each case by the Chief of Staff, this headquarters.
- (3) No press releases will be handed out unless specifically authorized by the Chief of Staff, this headquarters.
- h. <u>Unofficial Visitors</u>. Visitors, other than properly identified pursons having official connection with Operation DESERT ROCK, will be lenied access to the campait, maneuver area and other restricted places. They will be detained and reported by telephone or messenger to the CIC Detachment, S-2 Section, this headquarters.
- i. Photo raphy. (1) Photography of any type, other than that undertaken officially by authorized AEC and AFSEP photographers, is prohibited.
- (2) All personally owned photographic equipment and supplies will be turned over to the Provost Marchal, for safekeeping and will be returned to the owner upon departure of the unit.
- (3) Unit communders will make periodic inspections at frequent but irregular intervals to discover cameras and film not already impounded. When such equipment and supplies are discovered, the name, grade, serial number and unit of the owner will be reported at once to the S-2, this headquarters, and the photographic equipment and supplies turned over to the Provest Marshal.
- j. Countersubversion. Known or suspected subversive activities, including espionage, sabotage, treason, sedition or the dissemination of hostile propagally on the part of any member of the Armed Forces connected with operation DECRET ROCK, will be reported immediately to the S-2, this headquarters, together with a statement of the pertinent facts or allegations.

3. Civil Scourity:

- a. durisdiction. (1) The security control of civilians other than those employed by Depart Ant of Defense and whose presence at Camp Desert Rock has been properly authorized, is a responsibility: of the ALC, FOI and state and local authorities.
- (2) Known or suspected subversive or other hostile activities including undue curiosity on the part of civilians or emmanating from within the civil population, will be reported promptly to the S-2, this head-quarters, who will pass the information to the appropriate civil authorities.
- to and from the manauver area north of the compaite is a responsibility of the ANC.
- (2) The control of civilian traffic along US Highway 95 in the vicinity of the campsite is a responsibility of state and local authorities in cooperation with the ANC.
- (3) The control of civilian traffic to and from Camp Desert sock proper is a responsibility of the Army and will be in strict accordance with regulations prescribed by this headquarters.

4. Miscellancous:

a. Unauthorized Absences. and official duty assignment of all must be a proper than the property of the second sec

135

Defense personnel found to be absent without authority will be reported at ence to the 5-2, this headquarters.

- b. Security Clearances. All matters pertaining to security clearances of all types relating to military and civilian Department of Defense personnel will be dealt with by the S-2, this headquarters.
- by the ANC to certain officers and NCO's authorizing admittance to restricted or maneuver areas.
- (2) Troops will be passed into restricted or mansuver areas by individuals possessing a DR badge.
- (3) DR badges will be turned in upon notification by S-2, this headquarters. Their loss as well as the loss of other offical identity documents, cards, etc., will be reported immediately by the most direct means to S-2, this headquarters.

BY COMMAND OF BRIGADIER GENERAL FITCH:

H. B. STORKE COLONEL ARTY Chief of Staff

OFFICAL:

James J. Ora Mator

Ad Jutant

HEAD WARTERS
Camp Desert Rock, las Vogas, Nevada

Administrative Study of the "errain In the "Desert Rock" Area

1. The Area:

a. The area studied is located 56 miles northwest of Las Vegas, Nevada, on US Highway 95 and 40 miles east of Death Valley, California. Highway 95 forms the southern boundary of a north-south rectangle extending 58 miles north and 17 miles west. The area is located between:

115 degrees 50' W and 116 degrees 15' W 36 degrees 31' N and 37 degrees 15' N

- b. Map grids used are from maps:
 - (1) N.J. 11-11 Army Map Service V502
 - (2) N.J. 11-8 Army Map Service V502 Type F (AMS 1) 1947
 - (3) US Repartment of Interior Geological Survey Nevada-California
 Las Vegas,
 N 3600 W 11500/40 1908
- 2. Purpose: The purpose of the study is:


a. To familiarize test personnel with terrain feature and climatical conditions in test area.

3. General Description of the Area:

a. Climatic. Existing climate is dry, hot. Wind of approximately 15 MPH from the south to the north from late morning until sunset. Possibility of flash thunderstoms with a quick run-off. Otherwise, little or no rainfall. as in the past 14 months.

b. Topography.

- (1) <u>Drainage System</u>. The entire valley floor appears trafficable, even the dry lake bottoms make desirable locations for airfields. Stream beds are flat and present no barrier to movement.
- (2) <u>Vegetation</u>. There is little vegetation of any sort in the except for scattered groupings of sparse cactus and sage on the flats. of the sector is non-wooded and uncultivated.
- (3) Surface materials. The surface of the valley is a combination of shale, sandstone pebbles, small rocks, fine rock sand and crust. These materials are well suited for the construction of road bods, providing good drainage as well as traction. Even without a road network, theeled as well as tracked vehicles may be driven cross-country. The flat surfaces at Yucca Flat and Frenchman Flat provide fine locations for airstrips. One has been constructed at Yucca Flat.



(4) Cultural Features. The dominant feature of the area is the two lane, high speed road recently built through the area from US Highway 95 north to Yucca Pass. Unimproved dirt roads from Stockers Mountain on the west and from a pass north of Skull Mountain across Frenchman Plat provide questionable trafficability for light motor transportation.

4. Military Aspects of the Area:


a. Critical Terrain Features.

- (1) Hill 58.00 412.00 Altitude 7000. Observes: passes to south; main valley and road to the south.
- (2) Hill 58.40 412.25 Altitude 7135. Observes: passes toward south; entire northern valley.
- (3) Hill 57.00 411.50 Altitude 7500. Observes: Entire northern valley, road, surrounding ridges and peaks. This is the high point of the ridge along the western barder of the northern valley.
- (4) Shoshone Mountain Altitude 6500. Observes: Dirt road from Shoshone northeast; entire northern valley and surrounding ridges.
- (5) Ridge forming eastern boundary of northern valley Altitude 6000. Observes: Morthern valley; Shoshone road; Yucca Flat and airstrip.
- (6) Yucca Pass 58.50 408.80. High ground here on either side of main N S road. Ridge on eastern side of road commands Yucca Flat, airstrip and observes entire northern valley to the north.
- (7) Hill 59.50 498.40 Altitude 5270. Observes: Yucca Flat, airstrip, main road south from Yucca Pass.
- (8) Skull Mountain 57.30 -407.00 Altitude 5950. Observes:
- (9) Hill 60.00 406.90 Altitude 4500. Observes: Frenchman Flat to the north; road across Frenchman Flat; pass through Spotted Range to the south. No road present through this pass.
- (10) Hill 57.60 405.40 Altitude 5000. Observes: Pass to west around Specter Range; low ground to Skull Mountain on the north; highway 95 to the south; base camp to the east; main road north from case camp.
- (11) Belted Range Altitude up to 8600. This narrow range of mountains extends northward for 30 miles from the northwest border of the area under study.
- b. Observation. Observation from the indicated points is described under 3a. Influence of vegetation, snow, rain, etc., is negligible.
- c. Obstacles. The only natural obstacles to test operations in the are under study are the rugged ridges and mountains. In these areas, use of motorized vehicles would be limited. The use of vehicles on the floor of the valley is unimpeded, except for the occasional flash floods.
- d. Concealment and Cover. There is little or no cover or concealment on the valley floor. No ditches, wooded areas, or other cover which would prevent close and accurate observation from the high ground. The cactus covered regions might provide some concealment for the ground troops, but such concealment is sparse and easily penetrable. The only

Charles and Comment


- e. Avenues of Approach. Access to the area from the east is obtained on highway 95 which runs westward from Las Vegas past the southern boundary of the sector. A dirt road extends north from high an 95 through Indian Spring Valley which is 14 miles past of the sector. A branch off this road passes through the Spotted Range into Franchman Flat. Indian Spring Valley is a 30 mile long narrow valley with high peaks and ridges (5500 ft.) on east and west.
- (1) The road through Indian Spring Valley provides fair access to the northern sector as it runs parallel to the Belted Range to the north. (see attached map).
- (2) Access to the area from the southwest is achieved by a dirt road running NE from highway 95 at the junction with state highway 29.
- (3) Access to the area from the northwest is nonexistant because of rugged mountains and no road or rail net.
- (4) Access within the area is provided by the two lane asphaltic concrete road extending 30 miles north of highway 95. Other means of access within the area are provided by the air strip at Tucca Flat, a dirt road from the southeast across Frenchman Flat.
- (5) Access within, the area under study and in surrounding valley areas is not necessarily prevented by a lack of roads due to the trafficability of the soil. The sandstone and shale surface provides traction for most wheeled vehicles, which enable them to move across country at random.
- (1) Access to the area from the north is achieved through Emigrant Valley or Kawich Valley. These valleys are controlled by Theel-barrow Feak and Belted Peak in the Balted Range and by Quartzite Hountain in the Timpshute Range at the north and of Emigrant Valley. Smooth Top Yountain, 9340 ft., also guard the northeastern approach to the area.

DEEPH & URICHT
Najor, wrillery
S-2



SKETCH MAP DESERT ROCK AREA 1 DEC 1951 QUARTZIFE KAWICH VALLEY EALOMT Grand Ty EMIGRANT VALLEY YUCCA' FLATS' TO INDIAN SPRINGS 141

EXERCISE DESERT ROCK III



1 KT
Underground Shot
29 November 1951

PHILI



PART III

Exercise Desert Rock III

Index

	A - Effects Test Report;	
1.	Test Plan - General Summary	Pages 144
	Detailed Test Plan	- Tab III-A
	Detailed Drawings of Test Emplacement	s - Tab III-B
	Film Badge Lajout Plan	- Tab III-C
2.	Test Results - General Summary	Pages 144-154
	Description of Underground Shot	- Tab III-D
	Effects on Materiel and Equipment	- Tab III-E
	Effects on Emplacements	- Tab III-F
	Photographs of Emplacements & Equipme	ent - Tab III-G
	Film Badge Results	- Tab III-H
	Effects on Food and Water	- Tab III-I
	Effects of Radioactive Dust	- Tab III-J
	Effects on Animals	- Tab III-K
3.	Conclusions	Pages 154-155
1.	General Summary	Page 155-15/
	Troop List	- Tab III-L
2.		- Tab III-L
2.	Troop List Observer Indoctrination and Training	- Tab III-L Pages _/56
2.	Troop List Observer Indoctrination and Training Program	- Tab III-L . Pages /56 - Tab III-M - Tab III-N
2.	Troop List Observer Indoctrination and Training Program	- Tab III-L . Pages
	Troop List Observer Indoctrination and Training Program	- Tab III-L . Pages
	Troop List Observer Indoctrination and Training Program	- Tab III-L Pages /56 Tab III-N Tab III-N Pages /56-/5-7
	Troop List Observer Indoctrination and Training Program	- Tab III-L . Pages /56 - Tab III-M - Tab III-N . Pages /56-/5-7 - Tab III-0
	Troop List Observer Indoctrination and Training Program	- Tab III-L . Pages /56 - Tab III-M - Tab III-N . Pages /56-/5-7 - Tab III-0 - Tab III-P
	Observer Indoctrination and Training Program	- Tab III-L . Pages /56 - Tab III-M - Tab III-N . Pages /56-/5-7 - Tab III-0 - Tab III-P - Tab III-4
	Observer Indoctrination and Training Program	- Tab III-L Pages /56 Tab III-M Tab III-N Pages /56-/5-7 Tab III-0 Tab III-P Tab III-Q Tab III-R


PART III


Exercise Desert Rock III

Section A - Effects Test Report:

- 1. Test Plan General Summary.
- a. In this test, typical and special Army field emplacements, materiel and equipment were positioned from 100 yards out to 1000 yards from the underground zero point. The layout consisted of seven test positions. Positions 1 and 2 were located at 100 and 200 yards along a northeast line from zero point. Positions 3, 4, 5, 6 and 7 were located at 300, 400, 633, 800 and 1000 yards, respectively, along a south line from zero point. Interspersed between the test positions were two lines of two-man foxholes, revetted and unrevetted, alternately end-on and side-on to zero point. Along the northeast leg the foxholes extended from 100 to 666 yards, and on the south leg from 347 to 966 yards from zero point. The detailed layout and contents of each test position are shown in the following diagram (Fig. 7).
- b. The preparation of emplacements, placement of materiel, equipment and film badges, pre-shot and post-shot photography, dam-
 - 2. Test Results General Summary.
 - a. General (See Tab III-D)
- pon was fired at 1200 hours on 29 November 1951. The light, changeable winds which existed at H-hour did not carry the contaminated cloud away as rapidly as was the case of the surface shot. This, coupled with the fact that the underground shot deposited a large amount of contaminated dust on the ground, delayed entry into the test area for damage assessment purposes. Only a limited assessment of damage could be made of the test items in







OBSERVATION POST 4. Cans, Water 5 Gal (one can water closed, one can open on surface, one can closed, one open in emplacement) 2 Cases 'C" Rations

(one can on surface, one case in emplacement) Assorted perishables / Salt

MG EMPL

in emplacement Gal 30

BI MM MORT EMPL

1.EE 8 Telephone 2. Radios, SCR 300 (one or surface, one

Two Man Foxhole

2. Uniformed dummies Wrifle

Fsn # 4

OBSERVATION POST

5 Gal 4. Cans . Water (one can water closed, one can open on surface, one can closed, one open in emplacement)

2. Cases "C" Rations (one case on surface, one case in emplacement) Assorted perishables & Salt

> MG EMPL (Horseshoe Type)

LHMG Cal 30 emplacement

81 MM MORT EMPL

C

1. EE 8 Telephone

1- Switchboard BD 72

2. Radios SCR 536 (one on surface, one in emplacement)

Two Man Forhole Ye

I. HMG

Psn = 3

4. Cans

(one c

surfac

lone c


2. Cases


Assorte


IEE 8


2. Unifor (one in


2 Mask













surface "/compass lensatu) OBSERVATION POST OBSEPVATION 4 Cans, Water 5 Gal Alans Water 5 Gal (one can water closed one open in article mmy) line can nater closed one can closed one open in emplacement) nt to hole the lar closed the open 2. Cases C Patiers. 2. lases L' Rations (one case on surface one car in emplacement) MM RRENIFL ene dase en surtace e Assorted perishables & Salt Assorted perchables & Sal polies on surface adjacent MG EMPL MGEMPL (norseshoe Type) Heiseshee Tyn 1. LMG Cal 30 in surface LLMG Cal 30 on sur 1 HMG Cal 30 in emplacement IHMG Cal 30 in emp C two on emplacement) SIMM MORT EMPL 81 MM MO. its laid between Pons Cit 1.EE 8 Telephone IEE 8 Telephone 1. Switch morard BD 72 Two Min Feshole W/4 2. Uniformed dummies Wrifle Cal 30 M-1 ·Two Man forhole (one in hole, one on surface /compass lensation 2 Uniformed dummics one 2. Mask, Gas Service surface Ycompass lensal (one with each dummy) Trifle (al 30 MI Shelter tent adjacent to hole 2 Mask, Gas Service (one with each dummy) 57 \$ 75 MM RR EMPL Sheller tent adjacent to 57 MM RR Mounted Assorted medical supplies on surface 511 75 MM RR EM adjacent to hole 75 MM RR Mounted Assorted medical supplie SPL MG EMPL adjacent to hole 1. EE 8 Telephone 4 Coils No 114 SPL MG EMP (Two on surface, two in empacement) IEE 8 Telephone + Various wire circuits laid between psns CIF 4 Coils No 114 (Two on surface two in t Various wire circuits laid

· Tritle Cal 30 M1







in Positions 1 and 2. The test items at these positions cannot be removed for several weeks due to the low total dosage limitation of 3r placed on all test personnel. Position 3 at 300 yards could not be entered for evaluation purposes until 10 December 1951 (nearly two weeks after the shot).

b. Effects on Materiel (See Tab III-E)

ment and materiel extended out to Position 2 which was 200 yards from the zero point. The general level of damage was somewhat lower than in the surface shot. Damage to, and loss of small articles of equipment extended beyond Position 2, but it is not felt that damage to these items would seriously affect the immediate combat capability of an organization. In the main, the damage to equipment and materiel was caused by air blast from this shot. Typical examples of damage at Position 2 (200 yards) are:

1/4-ton truck...... Steering column bent, windshield ripped off. <u>Unserviceable</u>.

Bailey Bridge...... Noved 6". Flooring and walkways dislodged. <u>Serviceable</u> with minor repair.

105 mm Howitzer..... Needed cleaning. Serviceable.

Tanks..... Ninor damage, hatch twisted.

The radiation level at this position prevented a detailed assessment of damage at Positions 1 and 2 at the time this report was written.

- c. Effects on Emplacements (See Tab III-F).
- (1) In this test the most distant revetted emplacement which collapsed to an appreciable degree was the two-man foxhole with overhead cover at 412 yards. The most distant unrevetted emplacement which suffered severe damage was the two-man foxhole without overhead cover at 566 yards.





d. Photos showing Typical Damage at the various positions. (to be inserted when available).

(1) For comprehensive photo-coverage of damage, see Tab III-G.


UNCLASSIFIED




- e. Film Badge Results (See Tab III-H).
- equipment and emplacements were recovered. A substantial amount of the initial radiation following the underground shot came from the low radioactive cloud which covered the test positions. This cloud had moved down-wind from Desert Rock III positions by H + 50 minutes. Thus the desage during the first 30 minutes is of primary interest. This is shown in the following two figures for the two position lines of Desert Rock III:















- (2) Along the NE line of positions, the average foxhole gave roughly 75% protection from the radiation. Along the
 8 line of positions, the average emplacement gave roughly 85%
 protection. The per cent protection apparently depends upon how
 close the center of the cloud comes to a particular foxhole or
 emplacement, and the interested reader is asked to consult Tab
 III-H for details.
- plied the information concerning the residual contamination on the ground following the explosion. This is shown in the following figure. It should be noted that a serious radiation problem exists after the radioactive cloud has moved away down-wind.













- f. Effects on Food and Water (See Tab III-I)
- (1) There was no neutron induced radioactivity in the food and water following the underground burst because the neutrons were absorbed in the earth. Food and water in unbroken containers was not contaminated by fission products. Meat exposed with no cover was edible on D + 8 days after 1/2" of the outside contaminated surface had been removed.
 - g. Effects of Radioactive Dust (See Tab III-J).
- (1) A radioactive dust hazard existed following the underground shot. The service gas mask offers protection against this hazard.
 - h. Effects on Animals (See Tab III-K)
- (1) Dogs and sheep were exposed by the Effects Test Group of Operation JANGLE. Of these, about 30 per cent died between D + 4 and D + 8 days. No data is available after D + 8 days. The animals who died exhibited the symptoms of radiation sickness. Their body tissue contained radioactive material, indicating the ingestion and/or inhalation of radioactive dust.
 - S. Conclusions.
- a. The major damage to emplacements from the underground burst resulted from the ground shock. The initial gamma radiation and the residual radiological contamination provided the greatest personnel casualty effect. The damage to the major items of material and equipment, which were above ground, was due to air blast effects in most cases.
- b. The residual contamination on the ground from the underground burst was sufficient to preclude occupancy of a large area for a period of days after the burst. In this test, an area of more than three square miles was contaminated to a degree that would have prevented continuous occupancy, even under combat conditions, for at least two days. However, personnel, especially those in vehicles, could analyte through this area a few hours after the burst.

UNCLASSIFICU



- c. From this underground explosion the effects of contamination of equipment, which could be removed from the area of heavy contamination, was not militarily significant beyond the range of severe damage from other causes. The contamination was removed by simple field decontamination methods. There was no neutron induced radioactivity in equipment beyond the immediate area of the crater.
- d. Typical field emplacements without overhead cover provided approximately 75% protection against the gamma radiation from the atomic cloud passing over them. The question of the protection afforded by overhead cover was not answered by this experiment. (This is explained in Tab III-H).
- e. Typical field emplacements provided about 75% protection from the residual radiation (contaminated dust on the ground and in the emplacements).
- f. The special machine gun emplacements did not appear to exhibit any particular advantage over the standard emplacements in their resistance to blast or nuclear radiation effects.
- g. Rations and water in closed and intact containers following the underground explosion were usable.
- h. Exposed meat (beef) which was contaminated was decontaminated to a safe level by cutting away about one inch of the outside surface layer.

Section B - Operational Report:

1. General Summary.

(a) This portion of the report on Exercise Desert Rock III again deals with the operational support for the effects test. The experience in Desert Rock II showed that no major operational changes were necessary to effectively complete the assigned mission of Camp Desert Rock. As only 67 official observers attended the "U" and the assigned that some of the camp



supporting troops could be returned to their home stations and phasing-out of units began. Participating units present in camp on 29 November 1951 are shown on the attach "Troop List", Tab III-L.

- 2. Observer Indoctrination and Training Program (See Tabs
- a. An Observer Indoctrination and Training Program was also conducted for this part of Exercise Desert Rock. Discussion groups were formed and observers invited to give their impressions on how atomic weapons might alter our present doctrines of warfare. The group reports, detailed as Tab III-M, were very similar to the group reports of the observers of Desert Rock II. The class did not think that the atomic weapon will change the basic doctrines, tactics or techniques of any branch or arm of service, either in the attack, defense or in the rear areas. Emphasis on dispersion of all installations in the combat theater was thought necessary. There is no need to redesign present equipment. Radiac equipment should be issued to all troops but specialized personnel will not be necessary to operate and maintain the equipment, The present CBR and Signal Corps people could handle the job, No specialised training for troops is required but all individuals should be given an introductory course in atomic weapons, their effects, and individual protective measures required for safety.
 - 3. Miscellaneous Operations.
- a. Miscellaneous operational matters of general interest did not change for Test III. The comments listed below are the same as those for Exercise Desert Rock II but are repeated here for convenience.
- orovided red-monitors, with radiae deteption equipment, to accompany all personnel entering the shot area was issued. Film bases, when developed, disclosed the securit of radiation received





by the individual. A radiation tolerance limit was set at a total dosage of 3 roentgens. This tolerance was the same as that used


by AEC and should not be construed as a military dosage tolerance.

Details of the RadSafe plan are listed in Tab III-0.

- entering the test area were exposed to radiation contamination, a decontamination plan was necessary. Decontamination was accomplished by dry brushing, dusting with wet rags and washing. These methods were used on personnel and test items with excellent success. Details of this plan are attached as Tab III-P.
- witnessed by the fact that no individual received a hazardous dosage of radiation. Personnel, test materiel and equipment decontamination was effective as all exposed items were reduced below a maximum residual radiation level limit of two milli-roentgens per hour. A more detailed report is attached as Tab III-Q.
- (4) The high percentage of classified subject matter inherent in the operation necessitated positive counter-intelligence measures. Details of the counterintelligence directive are listed as Tab III-R.
- (5) A terrain study (Tab III-S) was prepared and disseminated for orientation purposes.



*



HEADQUARTERS
Camp Desert Rock
Las Vegas, Nevada

23 November 1951

EMPLACIMENT AND EQUIPMENT TEST PLAN FOR EXERCISE DESERT ROCK III

SECTION I - GENERAL TEST PLAN

1. Summary

a. On U-Day the Cg Camp Desert Rock will conduct a test of military equipment, material, and emplacements by exposing them to effects of an atomic weapon at ATC Nevada Test Site in connection with AEC Operation Jangle. After the test an evaluation of damage to equipment, material, and emplacements will be made.

b. Test variables to be imposed are:

- (1) Material and equipment will be placed both on the grounds surface and in fortifications and emplacements below the grounds surface.
- (2) Normal types of tactical field fortifications and weapons emplacements will be constructed at test site.
- (3) Items in pera 1b (1) & (2) will be located at various in distances from ground zero.
- c. Assessment of damage will be made after the explosion with reports of the results compiled.


2. Basic Directive

Letter, Headquarters, Camp Desert Rock, to CG Sixth Army, dated 6 Nov 1951, Subject: Operation and Maintenance of Camp Desert Rock During and Subsequent to November, 1951, para 2b as follows:

"In coordination with AEC and AFSWP, participate in the remaining tests scheduled by AEC for November 1951, supplementing previous Army lests conducted in Exercise Desert Rock, to determine effects on Army fortifications, material, and equipment,"

3. Test Objectives

- a. To determine nature and extent of damage to standard military emplacements (FM 5-15) when subjected to the effects of an underground nuclear explosion.
- b. To determine nature and extent of damage to various types of military equipment and material when subjected to the effects of an underground nuclear explosion. This will include assessment of servicability for immediate combat use.
- c. To determine the degree of protection afforded individuals by standard field emplacements from nuclear radiation and blast effects of an underground nuclear explosion.
- d. To determine by the use of film badges and observation of damage to emplacements the probable effects on personnel when exposed to the effects of an underground nuclear explosion.





TOPLACTORY AND VAUIPHENT TEST PLAN FOR WARRISE DESERT BOCK III (Continued)

STOTION I - GETTRAL TEST PLAN

4. Means of Accomplishing Test Objectives

a. Implacements:

- (1) Two lines of forholes will be constructed starting 300 feet from ground zero, and extending out to 3000 feet. The forholes will be in pairs, one revetted one unrevetted, and alternating the long and short axis of each pair to the direction of the blast. (See Annex No. 1)
- (2) Seven test positions, one each, at distances of 300 feet, 500 feet, 900 feet, 1200 feet, 1900 feet, 2400 feet, and 3000 feet from G. Z. (Annex 1), will be organised. In each position there will be constructed six different emplacements. (See Annex Mo. 1)
- (3) Photographs of individual emplacements, both before and after atomic blast, will be taken to provide permanent visual record of shot effects.
- (4) Post-shot evaluation of damage will be made and recorded by technical personnel.

b. Military Equipment and Material:

- (1) Various small items of equipment and material will be placed in and around the six different emplacements at the seven test positions.

 (Annex 1)
- (2) Various heavy equipment (tanks, vehicles, stc.) will be placed in the seven test positions, in rear of the emplacements. (Annex 1)
- (3) Photographs will be taken of individual items before and after atomic blast to provide permanent visual record of effects of shot.
- (4) Post shot evaluation of damage will be made and recorded by technical personnel.

c. Protection Afforded by Buplacements:

(1) Fire badges will be installed both in emplacements and on the surface to indicate comparative amounts of nuclear radiation received, thus providing a basis for estimate of protection afforded by digging - in.

5. Observer Indostrination

During their stay at Camp Desort Rock chargers will be familiar-

- (a) A seven (7) day common of instruction on Atomic Wispons and related subjects will be conducted while waiting for the Atomic Shot and rediction decay after the shot.
- (b) Observers will witness the shot on U-day; and, residual radiation permitting, will be taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward into the test positions after U-day to observe effects the taken forward effects the taken fo
- toom and observer (The property of the assessment)





MPLACTURES AND WHITPHEST PLAN FOR MURCISE DESIRE ROCK III

STOTICHT - CHITRAL THE PLAN

6. Reports


The data obtained from the Desert Rock III test positions supplemented by information furnished by the Effects Test Group of Operation JANGLE will be consolidated into a single report, to beprepared by the AFSMP Advisory Group under the direction of the Commanding General Case. Desert Rock.

STOTIONII - DETAILED INPLICATION OF PLAN

- 1. Organization and Functions of Personnel
 - a. Administrative relationships and groupings are shown in Annex 2.
- b. Functions and responsibilities of the individuals concerned with this plan are:

(1) OIC Mfeets Test

- (a) Is responsible for complete organisation, construction of emplecements, and, in coordination with Chiefs of Tech & rvices, Camp Desert Rock, the placement of equipment and material in the test area as indicated in Annex 1 and Annex 6.
- (b) Refect coordination between Rq, Damp Desert Rock and the AFSMP Refects Evaluation Group on matters pertaining to testing of equipment, material, and explacements, and the preparation of Refects Test Reports.
- (c) Coordinate and supervise activities of Evaluation Teams in obtaining and reporting complete damage assessments, as quickly as practicable after that day.
- (4) Insure that sufficient guards are posted in the test eron by 1600 hours U-3. The guards will be relieved during the night U-1 upon direction from Camp Desert Rock S-3. They will be reposted after U-day upon electance by Rad-Safe 0 to enter the position and maintained until relieved by OIO Effects Test.
- (e) Coordinate with OIC Photography to insure that pre and post shot photographs are completed as indicated. (Annex 9)
- (f) Coordinate and supervise the prompt preparation of all reports called for in this plan, and prepare the report to be forwarded to OIC AFMP Affects Evaluation Group.
- (g) Coordinate with technical services on the removal of all test items after evaluation and the police of test shot area,
 - (2) OIC Technical Service Placement and Braluation Teams
- (a) Under direction OIC Effects Test place or construct test items as indicated in Annex 1 and Annex 6 in test positions.
- (b) Obtain identification tags for each coded item of equipment and material as it is placed in the test position in accordance with the entaloging plan (Annex S) and equipment location charts (Annex 1); place ground pins in the ground (Marking the shot location of all items that are likely to be displaced to the emplosion) with duplicate for larg affixed to the ground pine.





SPLACECTIT AND SOUIPMENT TEST PLAN FOR SCERCIST DESERT ROCK III (Continued)


STOTION II - DETAILED INPLYMENTATION OF PLAN

- (c) Make detailed damage evaluations of each item by completing final Damage Assessment Form (Annex 5) as quickly as test area is cleared for re-entry by Rad-Safe O. Reports to OIC Effects Test.
- (d) Insure that <u>all</u> items of equipment and material for his tech service are evacuated to camp from test area after proper release from Red-Safe 0 and AFSWP representatives. Damaged or unserviceable equipment to be surveyed.
- (e) Cause Tech Darage Assessment to be completed at camp and written report submitted to OIC Mffects Test.
 - (3) Camp Desert Rock Chiefs of Technical Services
- (a) Obtain the equipment and material prescribed by the CG, Camp Desert Rock for the test (Annex 3), and provide for its movement and placement into the test positions under direction of the CI. Tech Service Placement and Evaluating Team, completing such movement by 1200 hours U-1 (Annex 6).
- (b) Provide personnel for Tech Service Placement and Evaluation Teams as required by OIC Effects Test.
- (c) On request, OIO Tech Service Teams, move equipment and material back from the test site to Camp Desert Rock, or dispose of items in place, if movement is possible for radiological or other reasons. Undamaged or repeirable items will be micked up and accounted for on the stock record accounts of the service concerned.
- (d) Cause a Tech Inspection to be male on items exposed to the atomic blast, and prepare a report concerning the post-shot condition of the aquipment and Material. The report forwarded to the OIC Effects Test for correlation with other data and compilation _ into one comprehensive report on the effects test.

(4) ATSWP Advisory Group

- (a) Provide advice and assistance as required to the Camp
 Desert Rock staff during the planning and preparatory phases of the exercise.
- (b) Deliver explanatory talks to the observers who visit various test positions concerning the effects of the explosion on equipment in the positions.
- to their equipment and material in test positions.
- (d) Prepare, from data gained in the test positions and from other sources, a comprehensive final report of the effects test of Macroise Desert Rock III.
- (5) S-5 will make a hasty visual inspection of all test positions as quickly after the blast as possible, completing preliminary Damage Assess ment Forms (Annex 4) for each position. Completed forms forwarded to representative AFSP to be used in briefing observers in extent of damage.





SPLACEMENT AND EQUIPMENT TIST PLAN FOR EXERCISE DESSER BOOK III (Continued)

STOTION II - DYFAILED IMPLEMENTATION PLAN

(6) Chemical Officer Com Desert Book

- (a) Insure that film badges are plaged according to plan on U-1 (Annex 8 Film Badge Placement Plan): that film badges are collected after U-day and returned in to Film Badge Laboratory ANO U.P.; that film badge report is turned into OIC Effects Test. (Copy to AFSP Effects Evaluation Group Chief).
- (b) Keep OIG Refects Test advised of residual radiation level in test positions, and clear Fe-entry into shot area, (see Annex 7)
- (c) Instruct position monitors to navice tech service evalustors of residual radiation if any, on or in any piece of equipment or naterial for incorporation in damage assessment reports, (See Annex 7)
- (d) Instruct position nonitors to give clearance to tech service evaluators, from a radiological contamination standpoint, for movement of items back to camp.
 - (e) Carry out provisions Decontamination Plan (Annex 10)
 - (1) Provide monitors to accompany observer group on U-Day

(7) 016 Photography

- (a) Goordinate with OIG Effects feet and supervise execution of photographic coverage plan (Annex 9).
- (b) Insure that prints of all shots are provided by ANC within resonable time for inspection by Cam Desert Rock staff members concerned, and that sufficient quantities of prints selected for report purposes are produced.
- (c) Upon AND elements to revisit the area, instruct all photographic teams who may be required to move from one test position to another to elem with the OIO Effects Test before movement.
- (4) Make necessary arrangements in advance with Gomp Desert Rock Air Officer for helicopter use when necessary.

(8) Old Maintetrative Sumert

- (a) Insure that necessary vehicles for nevenent to test positions are provided by Cosp Desert Rock Eransportation Officer, and are assembled for movement in proper order per nevenent Order # 8 this Headquarters dated 26 1800U Nov 51.
- (b) Insure that equipment neverent plan from easy to test positions on U-3 and return on U/1 is offeeted (Annex 6).
- (c) Provide an energency assistance station for operation on U-day at observation position containing ambulance, engoineer equad bruck, personnel and pioneer tools, medical aid man, and energency supply of gasoline; oil and water for evaluation team vehicles.

(d) Provide clip boards and tape measures for test evaluation personnel requiring gene.

UNCLASSIFIED



TOPLACTIONT AND THIPMENT THE PLAN FOR STREETS DESECT BOOK III (Continued)

STOTION II - DWINILED INPLOMENTATION OF PLAN

2. Miscellaneous Details for Daner Bvaluation

- a. It will be necessary to take measurements, to the nearest foot, to record the displacement distance of equipment or material moved by the explosion. Survey all large test items. Such measurements must be taken unon arrival at test positions for equipment or material that will be administratively moved (vehicles, etc.) in demonstrations for observers.
- b. Every effort will be made by all concerned to prevent movement of test items until all observers have passed through the test positions and all measurements and photographs have been taken. However, should an item have to be picked uncremed in any way to accomplish damage assessment it will be replaced in the attitude in which found after the explosion as soon as such damage assessment is completed. Small articles which may have been strewn about by the blast and are in danger of being trampled and further damaged by observer groups will be prominently marked in some suitable fashion to minimize this possibility.

3. Salvage and Equipment Recovery

- a. Buipment and material will be moved out of positions 1-7 when damage assessment is completed. However, OIC Effects Test will not permit removal of any item until radiologically cleared for movement by the position monitor. Instructions will be given in each case for disposition of equipment or material not movemble by the OIC Effects Tests.
- b. Salvage of emplacement lumber, all sand bags and tactical wire will be commenced by 251 Mags (C) Bm, upon clearance with OIC Effects Test and continued on all available subsequent working days until completed and turned in to camp engineer dumm. Implacement holes will be backfilled and leveled.
- o. Equipment and material recovered by tech service will be picked up on appropriate property accounts if serviceable or repairable.

4. Sefety Heagures

- a. Radiological safety (RADSATS) monitoring on entire test area will be accomplished before evaluation personnel, or any other personnel, are permitted to enter. In addition, one monitor will be continually stationed in each position while evaluation personnel are present. Details of RADSATS plan are attached as Annex 7.
- b. Vehicles speeds on dirt roads will be kept below 15 MPH. Paved roads 35 MPH.





MPLACTORT AND MOUIPHONT TEST PLAN FOR MORGIST DESERT ROOK III (Continued)

STOTION II - IMPLEMENTATION OF PLAN

c. If for any emergency reason the forward area must be evacuated "Emergency Operation Plan Black" (see movement order # 2 this Hq's dated 26 1800 U Mov 51) will be put into effect. Upon receipt of word that "Condition Black" is in effect, or observation of a red star cluster pyrotechnic signal, OIS's at all positions will assemble all personnel in their position, load them in available vehicles, and proceed directly to Camp Desert Rock. When Secontamination of vehicles becomes necessary, the Decontamination Plan (see Annex 10) will be in effect.

Distribution Special

OFFICIAL

FITCH Brig Gen

Smith S-3


ANN SCAS:


1. Equipment Leyout Plan

2. Administrative Relationship Chart

3. Catalogue of Equipment

- 4. Preliminary Damage Assessment form
 5. Final Damage Assessment form
 6. Equipment Emplacement Plan
- 7. Endiclogical Safety Plan
- 8. Film Bedge Placement Plan
- Photographic Coverage Plan 9.
- 10. Decontamination Plan







-1 mx 3

26 Nevember 1951

GATALOGUE OF TOURS ELY AT TEST POSITIONS DU BERS 1, 2, 3, 4, 5, 6, and 7

DESIGN ROCK ELERCIST III

•	ע	ESELT ROO	in acting 15	.11			
ITA.	: PSN:	PS:F	PSII · 3	PS: 4	PSI'	PSN 6	PSN 7
Compres lensetic (on dumy)	14-2	20-2	3n-2	42	5±-2	6 _n -2	7à-2
Type "c" rations	13	2.i-3	33	43	53	64-3	74-3
Type "c" ration(surf	cce) 14	24	34-4	44	54	64	714
Con, water 5gal (closed under surfac	15 e)	2ú-5	3a-5	44-5	54-5	65	74-5
Con, water 5gml (surface & classe)	16	26	36	46	56	66	74-6
Jon, water 5gal (open & under surface	17	27	37	44-7	57	6ú-7	74-7
on, water 5gal (surface, open)	18	28	38	48	5 - &	68	78
Perishable rations (beef)	L9	29	39	49	59	69	74-9
Perishable rations s. lt)	110	210	34-10	410	5à-10	6a-10	710
erithuble rations	14-11	211	311	411	5 -1 1	6a-12	711
erishalle	112	212	312	412	512	612	7-12
erishable rations	113	213	313	413	513	64-13	74-13
erishable rations	14-14	214	314	414	514	614	7a-14
O callic G w/ rount	15-1	22-1	33-1	40-1	50-1	63-1,	711-1 .
orling w/rount surface)	1B-2	212	33-2	4B-2	5B-2	6B-2	7B-2
- C Telephone	10-1	20-1	30-1	40- V	50-1	60-1	70-1
M-536 (surfree)			-	40-2	-	60-2	-,
OR-536		-		40-3		60-3/	•
300 (aurfccs)		-			50-2		70-2
-300	-		-		50-3		70-3-
-72		20-2		40-4-			
oliona wire	-	20-3	30-2		50-4" -		••
				-			
	1		TINEY	Com			

DRELASSITIED

ANNEX 3, Cont. Catalogue of Equipment

0 0

Dummy in hole with:	-		*				
Jacket FRE	10-1	27-1	30-1	kD-1	50-1	6D-1	70-1
Tronsers FET	17-2	20-2	3D-2	47-2	57-2	6D-2	7D-2
Melmet w/liners	17-3	20-3	30-3	4D-3	57-3	6D-3	70-3
M-1 rifle	1D-4	20-4	32-4	40.4	50-4	6D-4	79-4
Gas mask	17-5	2D-5	30-5	40-5	5D-5	60-5	70-5
Poots, comtat	10-13	2 20-12	30-1	2 47-12	577-12	2 60-12	2 70-12
Duray on surface with:							
Jacket HST	17-6	27-6	3D-6	47-6	52-6	60-6	7D-6
Tronsers HBT	10.7	20-7	3D-7	47-7	50-7	60-7	70-7
Helmet w/liners	171-9	27-8	3D-8	40-8	50-8	6n-8	70-8
M-1 rifle	17-0	-	30-9		50-9	-	70-9
AR 30 cal		20-9		₹Ð-9	-	6D-9	
Gas Mask	10-10	2D-10	37-10	4D-10	50-10		
Boote, comtat	17-13	20-13	30-13		511-13		70-13
Tent, shelter (surface)	10-11	2D-11	30-11	-	50-11		70-11
57MM recoiless rifle	13-1	-	3E-1	-	5%-1		75-1
75 recoiless rifle		2F-1	****	47-1	-	6E-1	
Sniperscope (surface)		~~~	3F-2	-	-		
Plasma set	135-3	27-3	37-3	45-3	53-3	615-3	7E-3
First Aid pkt	1E-11	25-11	35-11	47-11	5%-11	62-11	75-11
Gause sp, 3"x6, vd	18-12	28-12	3E-12	48-12		6 E -12	72-12
Cotton, absorb, open	15-14	2E-14				62-14	72-14
Foot powder	17-16	25-16		43-16	-		73-16
Penicillin (procaine)	13-17	25-17					75-17
Ampules 100cc calcium Gluconate		25-19					73-19
Cintment tubus, 15% sulfathiosole, 30%	1 E- 20	23-20	37-20	48-20	53-20	69-20	75 –20
The ATOTOTAGE	17-1/	27-1	37-1	48-1-	57-1	6P-1	77-1-1
(Fath Strike)		27-2					77-2~

	_							
ANNEX 3. Cont Catalogue of Equipmen	t				ICI AS	CIEIED		
Co11 No. 114	17	3. 2 [±]	-3 / 31	1-3. 41	102 (C	1-3 61	 -3 7#_	•
Coil No. 114 (surface)	31			L.4 . 41		L4 69		
Coil No. 114	17	-5√ 2₹					•	
Circuit WD-1 wire (surface)		LG 27.			-		-5 7F-	
Gircuit WD-1 wire (air) 17	-12 2	-12 3 m	-12- 4F	-12/5m	-12 KR	-12 7F-]	2
Circuit WD-1 wire (buried 8")		-7/ 2 <u>1</u> -						
Circuit 110B wire (surface)	17-	ra/ Súr	8/ 3F	-A ∼ †fir	-13 / 5TK	-A / 67L	A 7E-8	K
Circuit VIICE wire (air)	17-	43 [/] 27-	13 3%	.13~4¤	13 5P	13 FR	13 .71-1	3
Circuit W110B wire (buried 8")	17-	0 21	o / 33_	9 × 412	יול כי	ov 6r	9 75-9	
Circuit sp:4 (old) (surface)	17-	10 / 27-	10/3m	In/ 4#_	10° 58-	1a 6m	1A 7F-10) /
Circuit sp 4 (old) (air)	19.	16/28-1	L6~3!~:	16 × 4p.	16 5F-	16 6 P -:	16 77-16	5
Circuit sp 4 (el4) (buried 8")	7,38.	11 27-1	1/3%-	L1 4 4 %L	11 5 m.	LIV ATL	1 / 71-11	J.
Circuit W.143 (surface)	174	W 28-1	4 3R-1	4/41	4 57.	4 61-1	4 77-14	
Circuit W-143 (air)	1F-1	7 27-1	7 31-1	7- 4F-1	7 511-1	7. 6B.1	7 75-17	_
Circuit W-143 (buried Am)	1 11-1	5/2m.1	5 37-1	5/ 4F-1	5 51-4	5 6F-1	5' 71-15	· .
Squad Tont	_	_	30-1	_	50-1	_	-	
Sailey Tridge		20-1	-	40-1	-		_	
-Jeep (siduays)		-	38-1				_	
Tank, MA3		21-2		41-1			75-1	
Tenk, M24			31-1			61-1		
Tank, 146					51-1	-	-	
Trk 21-ton		~~.	31-2	_		-	-	
Joop (facing)		25-1	3J-1	45-1	-	-	-	
105kN Howitser	1K-1	2K-1	-	-	5K-1	6K-1	-	
Truck 3/4-ton		21-1	-	4L-1	-	-	-	
37-402	-	-	-	48-1	-	-	-	• •
		. 6.						
	-			FITCH				
OFFICAL:			. 34					
An II		THE RESERVE	-					

169

UNCLASSIFIED



Camp Desert Rock, Las Vegas, Nevada

ANNEA 6
Equipment Test Plan Exercise
Desert Rock III

26 November 1951

E UIPMENT EM-LACEMENT PLAN

- 1. Equipment will be moved and installed in site of Desert Rock Exercise III according to following schedule.
 - a. To se in place roady for test no later than 16309 -3days.

TECH SERVICE	ITEM .	•	NO.	POSITION
Ordnance	Tank M24 Tank M4A3 Tank M46 105%M Howitzer Trk 2 1/2-ton Irk 1/4-ton (sideways)	-36	3 1 2 3 3	2, 3, 5 2, 4, 6 3 2, 4 2, 3, 4 3, 4, 7
	Trk aton(facing) Trk 3/4-ton		4	1, 2, 5, 6
Engineer	Bailey Bridge (20' apan) Inctical wire		2	2, 4
Querternester	Squed tent		2	3. 5

b. to be in place ready for test no later than 1200 U-lday. (Note: movement may be in 0700 U-lday.)

TICH SERVICE	Ital:	io.	POSITION
Ordnance	Nach gun .30 erl hvy.	6	1, 2, 3, 4, 5, 6
	Wich gun .30 cal lt.	6	1, 2, 3, 4, 5, 6
	kifle1 .30 cal	11	1, 2, 3, 4, 5, 6, 7
	a lt .30 ccl	3	2, 4, 6
	5711 recoiless rifle	4	1, 3, 5, 7
	7511 recoiless rifle	3	2, 4, 6
Lngineer	Compreses, lenertic (on durmy)	7	1, 2, 3, 4, 5, 6, 7
	Sniperscope	1	3
Chemier 1	Gas mastes (on durmy)	14	1, 2, 3, 4, 5, 6, 7
Medical	.Ointment tubes (sulfa-crlomel)	7	1, 2, 3, 4, 5, 6, 7
	Plranc sets		1, 2, 3, 4, 5, 6, 7
	First cid prefets	? ?.	1, 2, 3, 4, 5, 6, 7
	Gruze 3"x6yd pr cke t		
	Cotton, absorb open	7	1. 2. 3. 4. 5. 4. 7
	Foot powder, pockets	7	1, 2, 3, 4, 5, 6, 7 1, 2, 3, 4, 5, 6, 7
	Penicillin (proceine)	7	1, 2, 3, 4, 5, 6, 7
	Appulos 10cc colicum gluconate	7	1, 2, 3, 4, 5, 6, 7
Quertermeter		14	1, 2, 3, 4, 5, 6, 7
	Cons, water 5 gal (filled)	28	1, 2, 3, 4, 5, 6, 7
	Beef, chun'ts	3	2, 3, 5, 7
	Perishable, arctions		1, 2, 3, 4, 5, 6, 7
	Solt (phas)	14	1, 2, 3, 4, 5, 6, 7
Clothing for	rousers, hot		
Durnies	Jacket hot	14	1, 2, 3, 4, 5, 6, 7
	Helmets, stoel w/liner	14	1, 2, 3, 4, 5, 6, 7
	Boots, compat	14	1, 2, 3, 4, 5, 6, 7
-	and, thelter	7	1, 2, 3, 4, 5, 6, 7
			,

ánnex 6, Cont'n
Equipment Test Plan Exercise De Jack III

TECH SERVICE	IWE	<u>:0.</u> .	POSITION
Si _u :nal	Coils #114 Circuits WD-1 wire Circuits V110B wire Circuits SP4 (old) Circuits V143 wire SQR 536 radio SCH 300 radio Switchboard DD-72	21 21 4 4	1, 2, 3, 4, 5, 6, 7 1, 2, 3, 4, 5, 6, 7 4, 6 5, 7 2, 4

- 2. Technical service staff chiefs are responsible for emplacement of property belonging to their particular technical service. However, emplacement of material must be coordinated with OIC Effect Test, (Lt Gol Cril At Elsea, Comp Desert Rock Engr. 0) and his assistant (lst Lt. Wesley Lt Smith CMC, Test property officer).
 - 3. Equipment will be placed according to plan Annex 1.
- 4. All items when emplaced will be marked with a metal trg (dog-trg) designated by code number. A duplicate of this trg will be pinned to the ground beneath the item. These trgs are aviolable on request from OIO Effects Test.

FITCH Brig Gen

OFFICIAL:

S. IM



HEADQUARTERS Camp Desert Rock Las Vegas, Nevada



ANNEX 9

UNCLASSIFIED

26 November 1951


PHOTOGRAPHY COVERAGE PLAN FOR DESERT ROCK, EXERCISE III

- l. Following is the plan for photographic coverage of Desert Rock Exercise IIIs
- a. Evaluation and Effects Photography: Six 4 x 5 contact prints each to be made from approximately 1,200 negatives covering military test postitions during the two tests at the Nevada Test Site will be required for Effects and Evaluation Reports. This coverage has been coordinated with AEC representatives and will be accomplished by photographers of Graphic Arts Group, Los Alamos Scientific Laboratories, including processing of negatives and prints.
- b. Public Information Photography: Prints made from approximately fifty negatives will be required for PIO release during this exercise. Print requirements will vary from three to twenty-five per negative, either 4 x 5 contact prints, or 8 x 10 enlargements. Subjects will be of Camp Desert Rock activities. Subjects should include VIP observers at the forward position. This last requirement is coordinated with AEC representatives.
- c. Motion Picture Photography: None is recommended since approximately 30,000 feet of 35 mm motion picture film covering all phases of Camp Desert Rock were exposed by the Signal Corps Photographic Center Special Coverage Unit during Exercise Desert Rock at the time of peak activity.
- 2. Photographic personnel required to accomplish photography listed in paragraph 1 above:
- a. (Refer to paragraph la, Evaluation and Effects Photography) All personnel, equipment and supplies to be furnished by Graphic Arts Group, Los Alamos Scientific Laboratories, with the exception of four jeeps to be furnished by Camp Desert Rock during photographic operations.
- b. (Refer to paragraph 1b, PIC Photography.) One still cameraman (MOS 3152, attached to Hq. Camp Desert Rock will be required to accomplish PIC Photography for Camp Desert Rock during Desert Rock Exercise III.
- c. Arrangements have been made with Nellis Air Force Base Photo Laboratory to process and print the pictures listed in para 1b, so no laboratory facilities and/or darkroom personnel will be required at Camp Desert Rock.

Trie Gen

OFTICTALE

Sutur 5-3




UNCLASSIFIED d


Detailed drawings of Tent Emplacements

Refer to Tab II - B, in Part II of
this report. The emplacements were the
same for both empresses.









22FH 21FH 20FH 19FH 18FH 17FH 16FH

PSN * 4(1200') PSN * 3 (900')

22FHR 21FHR 20FHR 19FHR 18FHR 17FHR 16FHR

PSN * 5

PSN * 5

PSN * 4

Emplacement Bodge Code 0= 116 Emri 81 Mort Land 2 Man Foundle/ac 57 (75 RF Emp) 4-A-1 to3 See 4-B-1+03 4-0-1103 a Man Fachalelus 57475 FA Empl M-24 Tank Spi MG Empi Drivers Sear 3/4. Ton Truck Gunners Seat In Turret 1/4 Ton Truck Drivers Seat MANS Tonk Back of Driver Set On Morer Block

GROUND ZERO

P5N#3

Early Code Location Emplocement scation OF MGEMO! 3-B-1+03 B! Mart Emp! 3-C-1+03 2 Man Foxhole/we3-D-1+03 57+75 RR Emp! 3-E-1+03 Sp! MG Emp! 3-F-1+03 cal Layout 3-6-1 1/4 Ton Truck 3-6-2 Back o- Driver Drivers Seat On Motor 510 M46 Tonk 3-4-2 3-4-3 11 -3-1-1 2/2 Ton Truck 3-11-1 3-1-2 3-1-3 In Turnet

IFHR S

3FHR

PSN # 1 (300')

1 FH

2 F


PSN

4FHR

5FH

PSN2


3



Note: Note: All Foxholes Are To Be Bodged According To Typical ground Loyout All Film Badges Are to be High Intensity Film Bodges in Notional Bureau of Standards Film Bodge Holders

OF MG Empl 8/ Mort En of film bodges a underemplacement 70 Ground Zero 8FHR-1 Film Borge in NBS Holder Not Shieland M46 Ton 8FHR-2 Film Bodge in N35 Holder E Feet From Bottom of Employement on Front Wall 8FHR-3 Film Bodge in NBS Holder on Stoke 2 Feet From Bottom of Employement 0.0.0.0.0


1 PSNZ PSN Badge Code 2-A-1103 2-B-1103 2-C-1103 Location Emplacement Poo Code Location see Typical Layout OF 103 See Typical Layout 1-2 MG Empl 1-5 BJ Mort Empl 1-6 MG Empl Empl 403 xhole/wc 2-D-/ to3 2 Man Foxhole well o Empl 2-E-1+03 57 175 RR Empl Spl MG Empl 1/4 Ton Truck 11001 2-5-1 Driver Seat 2-6-2 2-6-3 Drivers Seat Gunners Seat Back of Drivers Seat In Turret On Motor Block TUCH Drivers Seat Back of Drivers Seat 2-4-2 2-4-3 On Motor Block 2-J-1 2-J-2 2-J-3 2-K-1 Drivers Seat Back of Orivers Seat On Motor Black Drivers Seat Gunners Seat In Turret 2-4-2 20H-3




UNCLASSIFIED

by flying debris. It is estimated that 50% casualties would have resulted at Position No. 2 from the blast effect.

- the first two positions were unserviceable and personnel in them would probably have been easualties. The revetted hole of pair No. 3, which was 750 feet from ground sero was undamaged. The unrevetted hole was caved in and not usable. The revetted hole of pair No. 4 was undamaged. The unrevetted hole was about ½ full of dirt and debris. Both holes of pair No. 5 were undamaged. Pair No. 5 was 950 feet from ground sero. The unrevetted holes were unserviceable up to 850 feet and those with revettment were unserviceable up to 600 feet. The fact that some were end on and some were side on seemed to make no difference.
- (d) The double apron fence which was 600 feet from ground zero was damaged but would have been about 80% effective against an enemy immediately after the blast. The trip wires near the blast were covered with debris and the posts were bent about 100 from vertical.
- 6. Summers of Damers to Medical Equipment in Positions No. 1 and 2. Test Desert Rock III.
- (1) Mone of the items in Position No. 1 (300 feet from ground sero) could be found. This was probably due to the thick layer of dust and rocks that covered the entire area.
- (2) The items in Position No. 2 (600 feet from ground zero) showed no evidence of damage from burning, and no damage from blast effect. It was again noted that the percus surfaced items were difficult to decontaminate because of infiltration with radioactive particles. Even after dusting the cetton still read 180 MR 53 days after the blast. Well scaled and smooth surfaced containers pretected the contents from contamination with radioactive particles and were simple to decontaminate.





UNCLASSIFIED

h. Summary of Demage to Chemical Equipment in Positions No. 1 and 2. Test Desert Rock III.

- (1) A final assessment of damages to Chemical Corps equipment in Positions No. 1 and 2 which was subjected to the Atomic Blast in Exercise Desert Rock III was made 23 January 1952 and revealed the following:
- (a) One M-3-10Al-6 Gas mask placed on a dummy above the surface of a two-man foxhole at test position No. 1-D (300 feet) showed that one lens was broken, the nose cup pulled away from the face piece, the canister badly dented, the carrier and hose tube torm. This item was beyond repair and would require entire replacement. The gas mask placed below the surface at position No. 1-D was not recovered as the two-man foxhole was caved in covering the gas mask with a depth of four feet of contaminated soil. The gas mask in the above surface position was blown approximately four feet from original position by the blast.
- (b) The gas mask placed on a dummy in the above surface position of a two-man foxhole at position No. 2-D (600 feet) revealed the same damage as that of the gas mask recovered from position No. 1-D (300 feet). Again it was impossible to recover the gas mask placed in the below surface position of the two-man foxhole at position No. 2-D due to the cave in and coverage of four feet of contaminated soil.
- (2) It was found that equipment placed in this area was a somplete loss.
- 1. Summerr of Danage to Signal Equipment in Positions No. 1 and 2. Test Desert Rock III.
- (1) Home of the items in Position No. 1 (300 feet from ground zero) were found due to the thick layer of dust and rock that covered the entire position. The emplacements were collapsed and filled in, and were not emeavated because of the high residual contamination.







DESCRIPTION OF UNDERGROUND SHOT

The underground shot was a detonation of an implosion type inclear fission device at 1200 hours Pacific Standard Time on 29 November 1951. The device was buried 17 feet below the surface of underground zero. Freliminary estimates place the yield at 1.1 KT.

To the visual observer, the fireball did not extend above the earth's surface. Thus the flash of intense visible light associated with an air and a surface burst was absent. The earth thrown up did not appear to rise in a vertical column, but instead it formed the shape of an inverted cone whose sides made an angle of between 45° and 60° with the horisontal. Dense dust formed immediately and obscured the view of any additional details.

The dust cloud rose to a height of 7,000 feet above the terrain and appeared to hang over the vicinity of surface sero for one to two hours. Actually the top drifted northeast at about 25 knots and the bottom drifted north by northeast at about 3 knots. The maximum diameter of the cloud was roughly 4,000 yards.

A distinct and unmistakable base surge was not evident. Controversy concerning this exists at the time of this writing, and it will not be resolved until a study of high speed motion picture photographs is made. However, the net effect as far as radiological contemination was concerned was the same as if a base surge had formed.


Miscellaneous data (See Tab II-D)

Craters

Depth - 100 feet Dismeter - 350 feet

Masilest

Considerable numbers out to 2000 to 3000 feet.





DESCRIPTION OF UNDERGROUND SHOT (Cont'd.)

29 Nevember 1951:

Time	Altitude (Above U Zero) (feet)	Direction	Speed, Knots	Temperature
0820	Surface 900 1900 2900 3900	SW 070 070 070 070	3 3 3 5	
	4900 5900 7900	210 220 230	14 21 23	
1235	Surface 900 1900 2900 3900	100 190 210 210	3 8 12 17	13° C 10° 8° 6°
	4900 5900 6900 7900	570 550 550	22 21 25	5° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °

Surface Pressure at Shot Time - 25.92"

Record of Weather Subsequent to Shot, All Measurements at AEC Command Post

29 November 1951

1230 N 2 2 1330 SE 6 6 1430 SE 6 6 1530 SE 5 1630 SE 5 144 1730 SSW 3 1830 S 14 1930 - 0230 Calm 0330 November 1951 0330 November 1951	
1330 SE 6 1430 SE 6 1530 SE 5 1630 SE 5 1630 S 14 1730 SSW 3 1830 S 14 1930 - 0230 Calm N 5 0430 - 0530 Calm NE 3 0730 0830 - 1030 Calm	
1930 - 0230 Calm 30 November 1951 0330 N 5 0430 - 0530 Calm 0630 NE 3 0730 NW 3 0830 - 1030 Calm	
1930 - 0230 Calm 30 November 1951 0330 N 5 0430 - 0530 Calm 0630 NE 3 0730 NW 3 0830 - 1030 Calm	
1930 - 0230 Calm 30 November 1951 0330 N 5 0430 - 0530 Calm 0630 NE 3 0730 NW 3 0830 - 1030 Calm	
1930 - 0230 Calm 30 November 1951 0330 N 5 0430 - 0530 Calm 0630 NE 3 0730 NW 3 0830 - 1030 Calm	
1930 - 0230 Calm 30 November 1951 0330 N 5 0430 - 0530 Calm 0630 NE 3 0730 NW 3 0830 - 1030 Calm	
1930 - 0230 Calm 30 November 1951 0330 N 5 0430 - 0530 Calm 0630 NE 3 0730 NW 3 0830 - 1030 Calm	
0330 N 5 0430 - 0530 Calm 0630 NE 3 0730 NW 3	
0430 - 0530	
0430 - 0530	
0630 NE 3 0730 NW 3 0830 - 1030 Calm	
0830 - 1030 Calm	
0830 - 1030 Calm	
1130 SW 7	
1230 SW 6	
1330 SW 10	
1330 SW 10 1430 SSE 5 1530 SSE 5	
1530 SSE 5	
1630 Calm	
1730 SP 6	
1830 M	
1930 - 2130	Barron
2230 Sept. N. C. Parketter Street Street	
2330 Femal Rode	
-2 - UNCLASSIFIED	12



DESCRIPTION OF UNDERGROUND SHOT (CONT'D.)

1 December 1951

Time	Surface Winds Direction	Speed, Knots
0030	W	. 4
0130	W	3
0230 - 1030	Cala	
1130	SE `	4
1230	NE	<u>l</u> i
1330	Calm	
1430	SW	16
1530	SW	16
1630	SW	. 51



-3-

180

Presidio of San Francisco

AMGCT-3 381 (19 Mar 52)19

21 MAR 1952

SUBJECT: Report of Effects on Materiel and Equipment, Positions
No. 1 and 2, Exercise DESERT ROCK III

TOI

Chief Armed Forces Special Weapons Project Washington 25, D. C. ATTN: Major Thomas A. Gibson, Jr.

TECHNICAL LIBRARY

of the

ARMED FORCES SPECIAL WEAPOWS PROJECT

1952

1. Forwarded herewith is a copy of the Report of Effects on Materiel and Equipment at Positions No. 1 and 2, Exercise DESERT ROCK III.

2. This report is to be inserted in your copy of Report of Test Resreises Desert Rock II and III, in Section III-E as indicated on inclosures.


FOR THE COMMANDING GENERAL:

2 Inche

ary of Demon - Description of Da CHARLES K. FOX Lt Col AGC Asst Adjutant General


PRECEDING PACE BLANK-NOT FILIED






The following information to be inserted in REPORT OF TEST EXERCISES DESERT ROCK II and III in SECTION III-E, Page 2, "EFFECTS ON MATERIEL AND EQUIPMENT - UNDERGROUND SHOT"

- e. Summary of Damage to Ordnance Equipment in Positions No. 1 and 2. Test Desert Rock III.
- (1) Evaluation of equipment in Positions No. 1 and 2 was made 23 January 1952, 55 days after the Test. Radiation in the area was from 300 MR to 1000 MR. Readings on all equipment, after removal from test were over 20 MR. After decontemination, residual radiation was below 15 MR on all items.
- (2) Due to 55 days of exposure to weather, all weapons were badly rusted and unserviceable, but this cannot be attributed to effect of the blast. All weapons in Position No. 1, 300 feet from ground zero, were undamaged. However, mounted weapons were blown over and buried in heavy layer of sand. Sand was blown into the bores and mechanisms of all weapons which would have necessitated field stripping and thorough cleaning before firing. Vehicles on the surface at this position would be rendered unserviceable, requiring 3d and 4th echelon repairs. 100% casualties would be expected at this position.
- (3) Weapons in Position No. 2, 600 feet from ground zero, were undamaged by the blast. However, sand was blown into the bores and mechanisms, necessitating field stripping and cleaning before firing. Weapons were rusty from exposure. Tanks at this position were undamaged and were immediately serviceable. Wheeled vehicles were rendered unserviceable, requiring up to 3d and 4th echelon repairs. Approximately 60% casualties would be expected at this position.










f. Sammery of Danage to Barinear Fontionent and Field Fortifications in Positions No. 1 and 2, Test Desert Book III.

(1) Engineer Equipment.


- (a) The Bailey Bridge M2, located 700 feet from ground sero was unserviceable and would require approximately 10 mem hours to relay the stringers, ramps, chess, guard rails and walkways. The bridge was side on to the blast. Two walkway sections were split and the hand rail ports were bent on the near side of the bridge. They could be easily straightened.
- (b) The luminous markers that were wired to the end posts of the bridge were undamaged.
- (c) The Lensatic compass in Position No. 1 was not serviceable but it is assumed that the damage was due to being buried for 53 days in the wet ground and not to the blast effect. The compass at Position No. 2 was undamaged.
- (d) The Thornal indicators were constructed by tacking a piece of syles cloth and a piece of herring-bone twill side by side on a wooden frame. A burn on the syles would indicate a skin burn and a burn on the herring-bone twill would indicate a clothing burn. This experiment was not a success because those indicators close enough to ground zero to be burned were destroyed or buried by the blast. One is hale was burned in a piece of the syles at a distance of 800 feet from ground zero. It appeared as if a burning ember had fallon on the cloth.

(2) Field Fortifications.


- (a) The six positions at Position No. 1 were completely destroyed and filled with dirt and debris. It is estimated that 100% committee would have resulted if personnel had been in these positions.
- (b) Intensive damage was canced the positions at No. 2 but if personnel had been down low in these positions they would have survived. If they had been standing they probably would have been injured







- (2) The items in Position No. 2 (600 feet from ground zero) showed very little blast effects and no burning or charring.
- (a) The only damage attributed to blast was a split case on one EES telephone and damaged disphragms on both telephones, which was partly due to the heavy rains in the area recently. The telephones could be restored to service by decontamination and replacement of the handsets.
- (b) The BD72 switchboard was below the surface of the ground when the blast took place and the top was covered with sand. No damage was noted and with decontamination and a thorough cleaning could be placed back in service.
- (e) The Cll4 loading coils were lying on the surface of the ground and require only cleaning for serviceability.
- (d) The above ground wire circuits between emplacements
 C and F were all down on the ground with the supports broken. The wire
 looked serviceable but would require checking for continuity and replacement on supports. The underground would only require check.
- (e) After 53 days, Position No. 2 had approximately 800 MR residual contamination, but when the items were removed from the area they were easily brought down to 3 or 4 MR by simple brushing.
- J. Summers of Demans to Quartermaster Engineent in Positions No. 1 and 2. Test Desert Rock III.
- (1) In Test Position No. 1 all tentage was completely destroyed by the blast from the bomb. There was no burning of material detected. The case of rations was moved about 100 feet and damaged considerably. Over 20 MR was detected on the outside of the case. After it was removed 15 MR was detected on the inner cases containing the rations.









Meter the rations were removed from the inner case 10 MR was registered on the individual cans of rations. The individual cartons were ruptured and contents registered from 5 to 10 MR and were considered unsafe for use. The cans of rations were all badly bent but none were ruptured.

After removing the dust from the cans of rations they registered less than i MR and were considered safe for human consumption. The 5 gallon cans of water were highly contaminated, the contents registering over 20 MR, and were not safe for human consumption. The water cans were badly bent and not serviceable. The individual clothing above ground was highly contaminated registering more than 20 MR and not safe for human use. All equipment and clothing placed below the surface of the ground was buried by about four feet of highly contaminated earth and it was not safe to attempt to recover them due to the excessive amount of radiation in the area. Radiation registered up to 500 MR.


destroyed by the blast from the bomb. There was no burning of material detected. The case of rations above ground was contaminated and registered over 20 MR after removal of the outer case. The inner case did not register any radiation. The case of rations had not been moved by the blast. All rations in the case are safe for human consumption. The water cans were tipped over and the open cans contents were contaminated and not safe for use. The closed can was contaminated on the outside. After decontaminating the outside of the can the contents registered less than \(\frac{1}{2}\) MR and are considered safe for human consumption. The water cans were above ground. The case of rations below the surface and the water cans were above ground. The case of rations below the surface and the outer surface registering over 20 MR. After removal of the outer case from the rations there was me radiation detected. The water in the open can was contaminated and not







safe to use. After decontaminating the outside of the closed water can the contents were found safe to use, registering less than \(\frac{1}{2} \) MR. All rations and water cans were decontaminated by brushing off the dirt in the case of the rations and by washing the outside of the water cans. All clothing above the surface was unsafe due to radiation and not safe to use until decontaminated by washing and airing out over a period of time. All clothing installed below the surface was not recovered, being covered with about three or four feet of highly contaminated dirt, and it was not safe to recover them, the area registering up to 350 MR.





THU LANGE

The following information to be inserted in REPORT OF TEST EXERCISES

DESERT ROCK II and III in SECTION III-E, Page 3, under heading
"Position No. 1 - 100 yards from Ground Zero"

EFFECTS ON MATERIEL AND EQUIPMENT

Position No. 1 - 100 yards from Ground Zero

Item	Code No.	Description of Desage
Ordnance Routusent		
Below Ground		
Rifle, U.S. Cal 30 ML	(11%)	Item buried not recovered.
Rifle, 57mm M18	(151)	Item blown backward and out of revetment. Lens of telescope sight sand blasted and is unserviceable.
Gun, Machine Cal 30 M1917A1	(181)	Machine gun blown over back- ward and buried in sand with only tripod legs protruding, hose missing. <u>Serviceable</u> after cleaning and replace- ment of hose.
Above Ground		
Rifle, U.S. Cal 30 Ml	(109)	Serviceable after cleaning.
Gum, Machine Cal 30 M1917A1	(109)	Machine gun blown over back- ward and buried in sand with only tripod legs protruding. Serviceable after cleaning.
Fruck & Ton 4 x 4 C&R	(181)	Vehicle was damaged in previous test. The following additional damage was done: Radiator and radiator grill pushed further back; right front fender buckled in. Front wheels out of alignment (Toe out); rear seat broken loose from body; battery caps blown out, gasoline tank bent and seams opened. <u>Unserviceable</u> .
Engineer Equipment		
Above Ground		
Thermal Indicator	(1D1)	Not recovered.
Compass, Lensatic	(1M)	Dial is binding on shaft. Unserviceable.

MarkictsD DAM


Markic Decry Act 1946

Specific Restricted Data Clearance MCT

Caquired. Dec Military Classification

Antoguards







Itam	Code No.	Description of Damage
Signal Fourpoint		
Above Ground		
Wire W143	(1-F)	Buried unserviceable
Wire SP4 Old	(1-F)	Buried unserviceable
Wire W110B	(1-F)	Buried unserviceable
Wire WD 1	(1-F)	Buried unserviceable
Wire W114	(1-F)	Buried unserviceable
	* NOTE:	All wire circuits were buried by thick layer of dust and rock. Emplacements were not excavated due to high residual contamination.
Telephone EES	(1-C)	Buried unserviceable
Below Ground		
Telephone EFS	(1-F)	Buried unserviceable
Wire WD 1	(1-F)	Buried unserviceable
Wire Wilos	(1-F)	Buried <u>unservicesble</u>
Wire SP4 Old	(1-F)	Buried unserviceable
Hire 10143	(1-F)	Buried unserviceable
Mire Will	(1-F)	Buried unserviceable
Chemical Equipment		
Above Ground		
Gas Mask	(1-0)	One lens broken and badly pitted from sand blast, nose cup pulled away from face piece, canister badly dented, carrier torn and hose tube torn. <u>Unserviceable</u> .
Below Ground		
Gas Mask	(1-D)	Item not recovered. Buried by contaminated soil. Unserviceable.


Absolution Date 1946
Specific Destricted Date Clearance MAT
Required. Use Military Classification
Sufeguards:





Ita		Gode No.	Description of Demans
118	rtermaster Moulement		
	Above Ground		
	Tent Shelter	(1 F H)	Destroyed by blast. Unserviceable.
	Trousers HBT	(UFH)	Undamaged except for intense radiation. <u>Unserviceable</u> .
	Jacket HBT	(1FH)	Excessive radiation.
	Boots Combat	(1FH)	No damage except excessive radiation. <u>Unserviceable</u> .
	Helmet Steel Ml w/liner	(1FH)	No damage except excessive radiation. <u>Unserviceable</u> .
	Rations Type "C" Case	(1-A)	Case badly torn up, individual cans bent, but not ruptured. Safe for human consumption except for cigarettes, coffee, sugar.
	Can, Water 5 gal w/water (Glosed)	(1-4)	Water can was badly caved in and bent. <u>Unserviceable</u> . The water was still intact but contaminated and unsere for human consumption.
	Can, Water 5 gal w/water (Open)	(1-A)	Water can was badly bent and unserviceable, Water had spilled out.
	Below Ground		
	Trousers HBT	(IFI)	Item was buried, not recovered.
	Jacket HBT	(IFR)	Item was buried, not recovered.
	Boots Combat	(1FH)	Item was buried, not recovered.
	Helmet Steel Ml v/liner	(1-4)	Item was buried, not recovered.
	Rations Type "C" Case	(1-A)	Item was buried, not recovered.
	Can, Water 5 gal v/water (Glosed)	(2-A)	Item was buried, not recovered.
	Can, Water 5 gal W/water (Open)	(1-A)	Item was buried, not recovered.





ONG LASSIFIED

Item	Gode No.	Description of Descrip
Medical Equipment		
Above Ground		
Tube, Ointment	(1-E)	Item not recovered.
Ampule, Ca Gluconate	(1-E)	Item not recovered.
Penicillium	(1-E)	Item not recovered.
Foot Powder	(1-E)	Item not recovered.
Cotton, Absorbent(Open)	(1-E)	Item not recovered.
First Aid Packet	(1-E)	Item not recovered.
Plasma Set Box	(1-E)	Item not recovered.
Gause packet (3" 6 Ids)	(1-E)	Item not recovered.

The following information to be inserted in REPORT OF TEST EXERCISES


PESENT ROCK II and III in SECTION III-E, Page 3, under heading

Position No. 2 - 200 yards from Ground Zero*

EFFECTS ON MATERIEL AND EQUIPMENT

Position No. 2 - 200 yards from Ground Zero

Item	Code No.	Description of Descrip
Ordnance Foutment		
Above Ground		
Rifle, Auto, Cal 30 M191844	(209)	Serviceable after eleaning.
Gun, Machine Cal 30 M1919a6	(282)	Serviceable after cleaning.
Howitser, 105mm N2Al	(21)	Sights were not mounted. No evidence of charring or burning. Serviceable after cleaning.



Ordnance Engineent

Above Ground

Truck & Ton 4 x 4 G&R (201)

Mindshield elemps broken, windshield frame broken loose on left side and windshield blown back over steering wheel, bending steering column in horizontal position. Road clamps broken, front wheels slightly out of alignment (toe out). Vehicle driven from site. <u>Unserviceable</u>.

Truck, 21 Ton 6 x 6
GMC Cargo (2J1)

Truck moved sideways 12 inches. Hood blown off; left door of cab which was toward the blast badly bent in, glass shattered, glass frame bent in; windshield glass blown out; glass in rear of cab blown out; left front fender bent and running board broken loose; right door of. cab blown open, glass shattered and frame bent out; seat cushion blown out of right door. Fuel tank and fuel intact.

Unserviceable.

Tank Light M-24 (2π) No damage 75mm gum, 50 Cal and 30 Cal serviceable after

cleening.

Tank Hedium MAA3 (2I2)

No damage, weapons serviceable

after cleaning.

Balow Ground

Gun, Machine, Cal 30 M1917A1

(221)

Hose broken. Heapon could be fired after cleaning and replace-

ment of hose.

Rifle 75mm M20

(2H1)

No telescope was mounted on weapon. No damage.


Rifle, U.S. Cal 30 M

(204)


No demage. Serviceable after

cleaning.





Item	Code Jio.	Description of Panege
Incineer Equipment		
Above Ground		
4 ea Harker, Luminous	(2)	No damage. Serviceable.
Bridge, Bailey	(2)	All except four stringers, ramps, chess, guard rails and walkways would have to be relayed to make bridge serviceable. Bridge was moved 12° by the blast.
Double Aprox Fence	(2)	Posts bent 10° from vertical. Debris covered trip vires next to blast. <u>lbserviceable</u> .
Compass, Lensatio	(2-0)	No damage. Serviceable.
Sienal Emriment		
Above Ground		
-Coil C114	(2-C)	No damage. Serviceable.
- Wire W43	(2-F)	No damago. Serviceable.
Wire SP4 Old	(2-F)	No damago, Sarviceable.
Wire Wilco	(2-F)	No damage. Serviceable.
Wire WD 1	(2-F)	No demage. Sarviceable.
Fire Wild	(2 -F)	Item not recovered.
Below Ground		
Aritchboard BD72	(2-0)	No damage. Sand in drop cord and chest set compartments.
Telephone FES	(2-1)	No damage. Sarricashle.
Wire WILL	(2-F)	Item not recovered.
-Mre WD	(2-7)	No demage. Sarriesable.
14re V110B	(2-F)	No damago. Sarriesable.
Mire SP4	(2-3)	No damage. Sarriamble.





UNCLASSIFIED


Item	Code No.	Description of Danses
Signal Rouisment		
Below Ground		
Wire W143	(2-2)	No demage, Serviceable.
Telephone MES	(2-0)	Case split at handset pocket. Farphone and microphone disphragus badly distorted and packed with sand. Inserviceable.
Chemical Equipment		
Above Ground		
Anna Mask	(2 - D)	One lens broken and badly pitted from sand blast. Nose cup pulled away from face piece, canister badly dented. Carrier and hose tube torn. Unserviceable.
Balow Ground		
Gas Mask	(2-D)	Item buried by blast not recovered.
Surtemester Equipment		
Above Ground		
Gam, Water 5 Gal W/water (Closed)	(2-4)	No damage. Contents fit for human consumption. Serviceable.
Can, Mater 5 Gal w/water (Open)	(2-A)	No damage. Contents unfit for human consumption. Servicesble-
Boots, Combat	(2FH)	No demage except excessive rediction. <u> hearyleachla</u> .
Helmot, Steel	(2FE)	No damage except excessive radiation. <u>Unservious</u> ble.
Jacket, HPT	(2FH)	No damage except excessive rediction. <u>Theorytonable</u> .
Ration, Type C (Case)	(2-4)	No damage. Contents fit for human consumption.
Tent, Shelter	(2-A)	Destroyed by blast.
Trousers, HDT	(2FH)	No dimage except excessive radiation. Unarricable.
	Aug	A STATE OF THE PERSON NAMED IN







Item	Code No.	Description of Descrip
uertermester Equipment		
Below Ground		
Boots, Combat	(24)	Item buried, not recovered.
Can, Water 5 Gal w/water (Closed)	(2-A)	No damage. Contents fit for human consumption.
Can, Water 5 Gal	(2-1)	No damage. Contents unfit for human consemption.
Helmet, Steel w/liner	(2FH)	Item buried, not recovered.
Jacket HBT	(2FH)	Item buried, not recovered.
Rations, Type C (Case)	(2-A)	No damage. Contents fit for human consumption.
Trousers HBT	(2FH)	Item buried, not recovered.
Medical Equipment		
Above Ground		*
Ca Gluconate (Ampule)	(2-E)	Item could not be found.
Cotton, Absorbent (Open)	(2-1)	Unserviceable due to infiltration of radiated dust.
First Aid Packet	(2-E)	No damage. Serviceable.
Gause Packet (3" x 6 Kds)(2-E)	Packet torn. Unserviceable.
Cintment Tube 15% Sulfatheanole 30% Calomel	(2-E)	No damage. Serviceable.
Poot Powder, Cellophane	(5-E)	Item could not be found.
Penicillin (Proceine) Bottle 10ce	(2-E)	No damage. Serviceable.
Plasma Set Box	(2=E)	Box showed evidence of damage from burning. Idd was off and box torn. Inserviceable.







EFFECTS ON MATERIEL AND EQUIPMENT - UNDERGROUND SHOT

The following tabulation describes the effects of the underground explosion on the material and equipment which was exposed in the various test positions.

The original copies of the detailed damage assessment forms are attached to to Copy 1 of this report and can be used for more detailed reference to specific damage to individual items if desired.

The distinction of serviceable and unserviceable refers to whether or not the item was immediately combat serviceable after the explosion and gives an indication as to the loss of immediate effectiveness of a unit from the standpoint of equipment and material.

The code number shown in the tabulation refers to the code number assigned to the particular item in the detailed test plan (Tab III-A). This code number can be used to identify the particular item with the photographs showing the damage (Tab III-G).

It will be noted that the damage to test items in Positions 1 and 2 was not completely appraised. Residual radiations prevented detailed damage assessment by evaluations in these positions. Other items, not reported on, were buried in collapsed emplacements.

All weapons, which were not obviously damaged to an extent that would prevent it, were test-fired as an additional check of their combat serviceability.

A hasty visual assessment of damage to the equipment and fortifications of

- a. Revetted and unrevetted foxholes at FHP Nos. 1 and 2, were caved in. Unrevetted foxholes in FHP Nos. 3, 4, 5, 6 and 7 were caved in but revetted foxholes held up under the blast. Remaining foxholes remained undamaged.
- b. In test Position No. 1 (100 yards) all positions were caved in and most of the test items buried. One case of "C" rations was blown about 20 yards to the rear. The 1/4-ton truck was damaged beyond repair. The tires remained intact but the body and front were badly twisted. At D + h days the residual radiation level was 100-700.



UNCLASSIFIED

182



EFFECTS ON MATERIEL AND EQUIPMENT - UNDERGROUND SHOT (Continued)

- In Test Position No. 2 (200 yards), the windshield of the 1/4ton truck, which had been fastened to the hood, was torn loose, pushed to its normal position and then bent on back to a point where the stearing wheel was pushed through the glass. The steering column was bent down to a point where the steering wheel was resting on the driver's seat. The jeep had been moved to the rear one foot. The motor, radiator, and remainder of the jeep apparently sustained no damage. The Bailey bridge was moved six inches on its base and the flooring and walkways were dislodged. Of the two tanks in this position, an MA3 and an M-24, only the M-24 showed any damage. An open hatch was twisted slightly on its hinges. The 105 mm Howitzer was undamaged. A cab-type 22-ton truck had the engine hood blown up and badly twisted; the left front fender was torn loose and twisted; all cab and door glass was broken, and the left front door blown in about six inches. All bows were broken in the rear. The fortifications, all revetted, suffered only slight cave-ins and the small weapons appeared undamaged. Tactical wire was loosened and telephone wire blown down. At D . 4 days, the radiation level was 10 r/hr.
- d. A thick dust covered all test items in Positions 1 and 2.

 Gas masks had to be worn to prevent the breathing of the contaminated dust by the evaluators.







EFFECTS ON NATERIEL AND EQUIPMENT

Position No. 1 - 100 yards from Ground Zero

Item

Code No. Description of Damage

To be assessed later

Position No. 2 - 200 yards from Ground Zero

To be assessed later

Position No. 3 - 300 yards from Ground Zero

Ordanca -

Above Ground

Truck 2 Ton 4 x 4 C&R	(3H-1)	Hood catches broken off. Windshield pushed down over steering whool, glass broken left side, hood damaged.
		Scrviceable

1 Truck 2½ Ton Cargo	(3J-1)	Cargo body pushed in 4"Bow socket twisted, left windshield blown out. Right engine side pannel broken, hood loose and damaged.
		Servicoable

Tank M46	(31-2)	No damage test fired.
Tank W2/	(31-1)	No damage test fired.

57mm Recoiless Eifle	(3E-1)	No damage.
Rifle Cal 30 N-1	(3D-9)	No damage.

MG M1919A6	(3B-1)	No damage.

N'S WISTAIT	()E-42)	no came ge
Below Ground		

		(00.1)	
Rifle Cal	30 N-1	(3D-4)	No damage.

Engineer Equipment

Above Ground

Sniperscore	(3E-2)	Batteries cracked, Burned spots on viewing screen Dim image - <u>Unserviceable</u>

Lensatic	Comrass	(34-2)	No damage.
	pull	1000	

Double Apron Wire (3C-2)	Wire stretched	- Services bl	.0
--------------------------	----------------	---------------	----

Signal Equipment

In the Air

Wire Circuts

Blown from poles - Serviceable





Effects on Materiel and Equipment (cont'd)

Position No. 3 - 300 yards from Ground Zero

Item	Code No.	Description of Damage
Signal Equipment		
Above Ground		
Wire Circuts		No damage
TES TP	(30-1)	Moved 5! Batteries loossened Serviceable
Loading Coils	(3F-4)	No damage
Below Ground		
Wire Circuts		No damage
EES TP	(3F-1)	No damage
Quarter Masters		
Above Ground		
Jacket HBT	(3D-6)	No damage
Trousers HBT	(3D-7)	No damage
"Helmet, steel	(30-8)	Loved 10! Serviceable
Boots, combat	(31-13)	No damage
Tent, shelters	(30-11)	Apparently burned, 18" sq. piece only located. Destroyed
Tent Squad	(3G-1)	Tent torn and picces scattered over area 40' x 100' Unserviceable
Below Ground		
Jacket HBT	(3D-1)	Not recovered
Trousers HBT	(3D-2)	Not recovered
Helmet, steel	(3D-3)	Not recovered
Boots, combat	(3D-12)	Not recovered
Medical Equipment		
Above Ground		
Ointment tube	(3E-20)	No damage
Ca Gluconate Ampule	(3E-19)	No damage
Penicillium	(3E-17)	No damage
Foot Powder	(3E-16)	No damage
A	AC AC	THE ISSEED 183



Effects on Lateriel and Equipment (contid)

Position No. 3 -	300 yards fro	m Ground Zero
Item	Code No.	Description of Damage
Medical Equipment		
Above Ground		
· Cotton, open	(3E-14)	Permeated with Atomic Dust <u>Unserviceable</u>
Gause Pkt	(3E-12)	No damage
First Aid Pkt	(3 E-11)	No damage
Plasma Set	(2~-3)	Moved 7' Serviceable
Position No. 4 -	400 yards fro	om Ground Zero
Ordance Equipment		
Above Ground		
Truck, 2½ Ton Cargo	(4J - 1)	<pre>heved sideways 1'. Hood ripped open, engine compart- ment side panel bent inward, tarp torn, bows broken. Serviceable</pre>
Truck, 3/4 Ton 4 x 4 WC	(4%-1)	Moved 6" sideways, hood torn off, windshield broken, tarp torn off and bows broken. Serviceable
Truck, 1 Ton 4 x 4 C&R	(4H-1)	Moved 6", Windshield cracked. Serviceable
Tank, MAA3	(41-1)	Spot light torn off. Weapon test fired U \(\neq \) 9 days. Serviceable
105mm How.	(4L-1)	Moved 6", Test fired U ≠ 9 day; Scrviceable
75mm Recoiless Rifle	(4E-1)	Knocked over no damage test fired U / 9 days. Serviceable
Machine Gun N191741	(4B-1)	No damage. Test fired U / 9 Sorviceable
Machine Gun 11191916	(4B-2)	No damage. Test fired U ≠ 9 Scrviceable
Automatic Rifle Cal 30	(4D - 9)	No damage. Test fired U / 9 Serviceable
Below Ground		
Rifle N-1 Cal 30	(4D-9)	No damage. Test fired U ≠ 9 Serviceable
	FRENEY	16
	INIOI ACCI	186



Effects on Lateriel and Equipment (cont'd)

Position No. 4 - 400 yards from Ground Zero

Itom	Code No.	Description of Damage
Engineer Equipment		
Above Ground		
Bailoy Bridge	(4G-1)	Moved 4" on bearing plates Serviceable
Other Item		No Damage
Signal Equipment		No Damage
Chemical Equipment		No Damage
Dertor Moster Equipment		
Above Ground		
Salt	(44-10)	Sack container broke Unserviceable
Jacket HBT	(4D-6)	Moved 1º Serviceable
Trousers HBT	(4D-7)	Moved 2 Serviceable
Helmet, steel		Moved 10 Serviceable
Tent, Shelter	(4D-11)	Moved 20 ^t Torn and ripped Unserviceable
Boots, combat	(4D-12)	Moved 1 Serviceable
Bolow Ground		
Salt	(44-10)	Sack broken - not recovered
Other Items		No damago
ledical Equipment		
Abovo Ground		
Ca Gluconate (Ampule)	(4E-19)	Tip of ampule broken off Unscruicoable
Other Items		No damage
Position No. 5	- 633 yards fro	om Ground Zero
Ordance Equipment		No damage - weapons test fired
Engineer Equipment		No damage
Signal Equipment		
Bolow Ground		
SCR 300 Radio	(50-3)	Antonna bent. Serviceable
Other Items	-	74 damage
THINK COULT	Date Grant	9

MICHASSIFIED



Effects on Materiel and Equipment (cont'd)

Position No. 5 - 633 yards from Ground Zoro

Item Code No. Description of Damage

Chemical Equipment No Damage

Quarter Master Equipment

Above Ground

Tent, shelter (5D-11) Knocked down - torn & ripped

Unserviceable

Tent, squad (5G-1) Upright broken - tern Length

of ridge pole - other rips

Unserviccable

Other Items No damage

Medical Equipment

Above Ground

Plasma Set (5E-3) Box cracked - contents

contaminated - Serviceable

Other Items No damage

Position No. 6 - 800 yards from Ground Zero

Ordance Equipment No damage - weapons test fired

Engineer Equipment No damage

Signal Equipment No damage

Chemical Equipment No damage

Quarter Mester

Above Ground

Tent, shelter (6D-11) Collapsed - Serviceable

Other Items No damage

Medical Equipment No damage

Position No. 7 - 1000 yards from Ground Zero


Ordance Equipment No damage - Weapons test fired

Engineer Equipment No damage

Signal Equipment No damage

Chemical Equipment No damage





Effects on Materiel and Equipment (cont'd)

Position No. 7 - 1000 yards from Ground Zero

Itom Code No. Description of Damage

Quarter Moster

Above Ground

Tent, shelter (7D-11) Collapsed - pole broken

Serviceable

Other Items No damage

Medical Equipment No damago





Effects on Emplacements --...

U - Shot

In the following tabulation only that damage which was sufficient to result in causing the occupant to become a casualty was considered.

FH - 2 man foxhole w/o cover

X - Damage sufficient to cause injury to occupants.O - Negligible damage.

NA - No positions of this type in test

Type Position	Position Number	Distance (yds) from GaZa	Revetted	Unrevetted	
0.P.	1.4	100	x	NA	
li.G. Empl.	1B	100	X	NA	
81 mm Empl.	1E	100	X	NA	
		117	x	NA NA	
2 lian FH wcover	TD		A		
RR Empl.	1E	117	X X	NA NA	
Spi M.G. Empl.	1F	117	Α.	NA	
FH	1FH	150	X	x	
FH	2FH	183	x	X	
0.P.	2A	200	x	NA	
M.G. Empl.	2B	200	0	NA	
81 mm Empl.	2C	200	0	NA	
FH w/cover	2D	214	0 0 X	NA	
RR Empl	2E	214	¥	NA	
Sp H.G. Empl.	2F	214	Ô	NA NA	
ob mos mbre	~ E		Ů		
FH	3FH	266	X	X	
FH	4FH	300	0	X	
0.P.	3A	300	0	NA	
ii.G. Empl.	3B	300	0	NA	
81 mm Empl.	3C	300	0	NA	
2 man FH wcover	3D	313	X	NA	
RR Empl.	3E	113	Ô	NA NA	
Sp. 11.G. Empl.	3F	313	ŏ	NA	
FH	5FH	333	0	X	
FH	16FH	347	0	X	
FH	6FH	366	0	X	
FH	17FH	385	0	X	
FH	7FH	400	O	X X X X	
O.P.	44	400	x	NA	
M.G. Empl.	AB	400	Ö	NA	
81 mm Empl.	4C	400	ŏ	NA NA	
2 man Fligeover	4D	412	x	NA NA	
RR Empl.	Æ	412	ô		
Sp. M.G. Empl.	4E 4F	412	Ŏ	NA NA	
				2	
FK	8FH	433	0	X .	
FH	9FH	466	0	0	
FH	18 PH	466	0		
FH	10FH	500	0	ō	
FH	10FH 19FH	500	0	Ī	
FH	1174	433 466 466 500 500 533 533 566 600 600 633	0 0 0 0 0	ō	
PH	SOLH	533	0	7.	
FH	20PH 12PH	444	0	ô	
TU TU	23 184	244	-	2	
FH	21FH	700			
PH -	13FH 22FH	600	-		
PH PH	22FH	600			-
FH	14FH	633		ne con	
		INCLASSIFIED			



Effects on Emplacements - Surface Shot

U - Shot

(contid)

Position Position	Position Number	Distance (yds) from G.Z.	Revetted	Unrevetted
0.9.	5A	633	0	NA
H.G. Empl.	5B	633	0	NA
MM Empl.	5C	633	0	NA
FH w/cover	50	645	0	NA
RR Empl.	5E	645	0	NA
Spl N.G. Empl.	5F	645	0	N.A
FH	15FH	666	0	0
FH	23FH	700	0	0
FH	24FH	7 33	0	0
FH	25FH	766	0	0
0.P.	6A	800	0	. NA
M.G. Empl.	6B	800	0	NA ·
81 mm Empl.	6C	800	0 0 0 0	NA
FH w/cover	6D	812	O	NA
RR Empl.	6E	812	0	NA
Sp. M.G. Empl.	6F	812	0	NA
FH	26FH	866	0	0
FH	27FH	900	0	0
FH	28FH	933	0	. 0
FH	29FH	966	0	0
0.P.	7A	1000	0	NA
M.G. Empi.	7B	1000	0	NA
81 mm Empl.	78	1000	0	NA
FH w/cover	70	1012	0	NA
RR Empl	7E	1012	0	NA
Sp. N.G. Empl.	7F	1012	О .	NA






Photographs of Emplacements & Equipment

Photographs (before and after) of equipment and emplacements to be added in this section when available.

PRECEDING PACE BLANK-NOT FILMED





FILM BADGE RESULTS

PRECEDING PAGE BLANK-NOT FILMED

Desert Rock III

The method of preparation of the graphs showing the gamma dose during the first 30 minutes in the open and in foxholes and emplacements was the same as that used after Desert Rock II. (Tab II-H). A total of 354 National Bureau of Standard holders loaded with Eastman #5302 and Eastman "Double Coat" were exposed. Of these, 288 or 81% were recovered. The Evans Signal Laboratory unit personal that the test site calibrated, developed and read the film.

The dosage on the film due to residual radiation from H + 30 minutes until
the film was recovered was calculated. This amount was subtracted from the total.
The result gave the dosage during the first 30 minutes following the explosion.
Thirty minutes was chosen because the radioactive ground cloud moved 3,000
yards during this time and had thus moved away from Desert Rock III positions
after approximately 30 minutes.

The two lines of Desert Rock positions (NE and S) were reported separately for two reasons. First, the NE line was under the cloud for a longer time and received more initial radiation; and, second, the film from foxholes only could be recovered from the NE line because most of the emplacements had caved in. Also, the residual radiation at the time of recovery (H + 5 days) was too high to allow the recovery party time to crawl into the emplacements of the NE line. If recovery had been made at a later day, a prohibitive number of the film would have been above the upper dose limit of the film (10,000 r). As it was, 35 of the recovered film were over-exposed and many more were near the upper limit.

One would expect emplacements with overhead cover to give more protection from a radioactive cloud passing over than those emplacements without. The data from the South positions was examined for this effect, but the readings were too scattered and too erratic to detect the effect even if present.

When recovering the film holders, readings of the dose rate due to the residual radiation both in the open at, and in each foxhole and emplacement were made. The average protection afforded by the foxholes and emplacements against a recidual radiation field example.





FILM BADGE RESULTS (Cont'd.)

The curve showing dosage during the first 30 minutes vs. distance for the NE line of positions represents the average of revetted and unrevetted foxholes oriented end-on and side-on toward zero point. The orientation of the foxholes did not have a detectable effect on the dosage received. However, whether a foxhole was revetted or not had a definite effect. The unrevetted holes were wider and received more of the radiation down into the hole from the passing cloud. See Table below:

*U" SHOT - NORTHEAST LINE

Distance from Zero (yards)	Dose in Open	Dose in Revetted Foxlele	% Protection	Dose in Unravetted Foxiole	\$ Protection
400	10,000	2,400	76	5,300	47
500	6,500	1,000	85	2,000	67
600	3,300	280	92	500	85
650	1,900	140	93	230	88

It should be noted that the per cent protection varies markedly with distance from zero point. This was not true following the surface shot.

A suitable working rule for the protection afforded by a foxhole from the radiation of a passing ground cloud is 75%.

The following table shows the protection afforded by the average emplacement along the south line of positions.

	Dosage in Roentgens				
Distance from Zero (yards)	In Open	In Average Emplacement	Protection		
450	7,000	1,400	80		
500	4,000	760	81		
600	1,800	220	88		
700	840	64	92		
800	400	10	97		
			etr	-	
	-	000 V a 4 dia -			
	m 2 m	DIPLACC!	CIED	16-	



FILM BADGE RESULTS (Cont'd.)


The following table shows the area covered by the residual radioactive contamination on the ground following the underground shot.


Dose Rate	Area (sq.mi.)
50 r/hr. or greater	Very large
300 r/hr. or greater 500 r/hr. or greater 1000 r/hr. or greater	0.34

The film badge data from tanks was very limited in that film from only four tanks was recovered. The table below shows a comparison of the dosage in 30 minutes in the tanks for which data was available, and in the average emplacement:

Distance from Zero (yards)	Tank Type	Dose in r in Tank	Dose in r Average Emplacement
233	M-116	8,900*	> 10,000
417	MA3	275	600
651	M-24	150	120
818	MIA3	30	< ≯ 10

^{*} Tank was "hull down". Others were on surface.





EFFECTS ON FOOD AND WATER

PRECEDING PACE BLANK-NOT FILMED

Desert Rock III

Since the neutrons from the underground burst were absorbed in the earth, there was no neutron induced radioactivity in the exposed food and water. As in the surface shot, the radioactive dust did not contaminate the water in a closed water can or the food in an intact "C" ration box.

Meat (beef) exposed bare was recovered from Positions 3, 5 and 7. In this test, large massive pieces of meat were exposed so that the penetration of the contamination into the meat could be examined. The meat was recovered on D + 7 days. The weather had been cold, and the meat did not spoil and only the outer layer had dried out.

The meat was prepared for examination by technical personnel from the National Institute of Health, Washington, D. C. present at the test site.

The counting was done in their counting laboratory on D + 8 days. The calculations were made by AFSWP personnel attached to Camp Desert Rock. The meat was not washed or cleaned in any way, and it was examined as described below:

Neat Contamination Study

Each piece of meat was sectioned at four (h) inches from the end in order to avoid possible endwise contamination, care having been taken to avoid cross contamination between the various pieces and between the parts of the same piece. Figure 1 gives a schematic representation of the pieces of meat which







Figure 2 represents a slice of the meat A, above, and shows the portions presented in Table 1 and their designation.



Sample blecks 1 through 3, and 4 through 6 were taken in such a way that the centers of the blocks were separated by a distance of approximately $1/4^n$ and $1/2^n$ so that the meat was sampled virtually to a depth of $3/4^n$ from one side (1-3) and 1-1/2ⁿ on the other side (4-6). Blocks No. 7 were derived from the center of each slice.

Table 1
Depth of Penetration of Contamination in Samples of Meat Exposed

Meat Sample Number	Tissue Block Numbers	Crucible No.	Weight Wet Tissue* (grams)	Curies	curies/	Planchet No.
	1	40	1,11	2.7x10-9	2.5x10-9	272
7A-11	2	48	0.97	1.2-10-11	1-3×10-11	217
7A-9A	3	25	0.84	3 0-10-17	1.6~10-11	404
A-2	Ĭ.	27	1.935	7.1x10	3 7-10-10	308
r-e	3	بلبل	1.06	3.7=10=++	3.5x10	343
1000 yards	6	15	1.31	1.6x10 ⁻¹¹	7 2470	203
from Zero	7	42	0.94	6.5x10-11	6.9x10-11	384
				1.0x10-8	4.8210 9	131
	1	17	2.11	6.5x10-11	4.1x10-11	138
	2	37	1.59	2.6x10-11	2.4x10-11	427
5A-9A	3	30	1.08	2.8x10 - 9	2.5010	25
	4	43	1.13	3.7×10-11	5.5010-11	241
	5	1 5	0.67	4.1x10-11	4-4-10-11	222
650 yards	6	_5	0.94	3.2x10-11	3.1210-11	بلتبا
from Zero	7	50	1.04 .		3.13.10 —	414
	3	21	1.33	6.2×10-8	4.7x10-10	93
	2	35	1.01	X.5710	8 110-20	418
3A 9A	2	23	1.27	5.3×10-10	4.2x10-10	374
אל אל	10	ě	0.93	1.4x10- 7	1.5x10- 7	197
	2	36	0.84	4.5x10- 9	5-10-10-	121
300 yards	6	7	2.3	1. 0×10" Y	1.7-10	365
from Zero	ř	24	1.03	6.3x10-10	6.1×10-10	وبليا

* Tissue dried at 500° C and process that the location of the paper planchets.

| Compared to the paper of th

201




Department of the Army Pamphlet No. 8-11 on Page 33 gives the telerance values for food and water contaminated with fission products. The table therefrom is reproduced below:

Beta in Food and Water: Fission Products

Time Water is	Safe	Low Acceptable Risk
to be consumed	curies per	curies per
10 days	3.5210-9	9x10 ⁻⁸
One month	1.1x10-9	3×10 ⁻⁸

Comparison of these values with the curies per gram observed in the tissue blocks of the exposed meat shows that this meat could have been eaten with safety when recovered after washing and cutting away 1/2 inch of the outside surface.

The original data and calculations concerning this experiment are on file in the Radiation Branch, Weapons Effects Division, Hq., AFSWP, P. O. Box 2610, Washington, D. C.






Effects of Radioactive Dust

Preliminary analysis of particles of dust in the cloud following "S" shot indicated that a large percentage of the active particles were of the size range for respiratory retention. This can possibly be explained by the fact that the earth in the test area is of similar particle size. The complete dust story will be available in the final report of Operation JANGLE.

Dogs and sheep exposed to this dust cloud did inhale and retain in their bodies radioactive material. (See Tab III-K)

It should be pointed out that a "well fitted" standard Army gas mask gives complete protection against this respiratory hazard. The commercial type dust respirator is markedly inferior to gas masks in the degree of protection afforded.

PRECEDING PACE BLANK-NOT FILMED





ETFECTS ON ANILALS

The following information was supplied by the Effects Test Group of Operation JANGLE:

In this test, a total of 46 animals (26 dogs and 20 ewes) were arranged underground in arcs 2500, 5000 and 8000 feet distant from surface zero. These arcs extended from 450 E of N line to about 40 W of N. Since the test with animals involved serial killings it is impossible to give a clear picture of the mortality which occurred. Furthermore, only nine sheep and nine dogs were recovered at H \(\neq \) 6 hours, while the remaining animals were recovered at H \(\neq \) 24 hours. Thus the animals suffered two different radiation exposures, the intensity of which may only roughly be estimated. The following table gives pertinent data:

Table 1 - Mortality and Total Dosage in Animals
Exposed During "U" Test at Surface Stations

				Dosage at in Roentge	
Animal	Distance from Underground Zero (Feet)	Station Position	Day of Death	Polaroid Film Packet	N.B.S. Film Packet
Dog #3	2500	600' E of N	D / 4	> 400	2960
Dog #9	2500	1000' E of N	D / 4		2525
Dog #31	2500	400' W of N	D + 4	> 400	1800
Pup* A	2500	400° W of N	D / 4	>400	1800
Dog #2	5000	600' E of N	D / 8	> 400	
Dog #10	5000	600' W of N	D \(\frac{1}{4} \)	>400	
Pup* B	5000	300' W of N	D # 8	>400	• •
Dog #16	8000	1600' E of N	D / 8	>400	
Pup* C	8000	800' E of N	D ≠ 4	>400	
Ewe #3	2500	600' E of N	D + 4	>400	2425
Ewe #5	2500	200' E of N	D + 6	>400	1800
Ewe #24	2500	600' W of N	D # 8	>400	
Ewe #9	5000	300' E of N	D # 5	>400	••
4		6		<u> </u>	-
			NCLASSI	FIED	20



Ewe #8

5000

900' E of N

D + 4

>400

19.3

* 7 to 9 week old pups were exposed during the test in order to study the effects of the exposure on juvenile dogs.

No fox hole animals have died of radiation effects to date (8 Dec. 1951). As in the "S" tests, the fox holes were placed at the 450 E of N line at 2500 and 5000 feet. Their total dosage was less than that received by surface-exposed animals, the highest being 234 r(Polaroid) and the least being 23 r (Polaroid).

No preliminary statement can be made respecting the partition of the total dosage between inhaled or ingested contamination and that due to residual (ground) contamination. It is clear, however, that nearly all tissues examined contain significant amounts of radioactive material.





HEADQUARTERS
Camp Desert Rock
Las Vegas, Nevada

MELORANDUM

29 November 1951

The following troop list is published for the information and guidance of all concerned:

UNIT	HOLE STATION
Hq & Hq Btry III Corps Arty	Ft Lewis
231st Engr C Bn	Ft Lewis
359th Engr Util Det	Cp Cooke
3623d Ord Co (i.il)	Cp Cooke
Det, Hq & Hq Co 303d Sig Svc Bn (1)	Cp Cooke
Det, Hq & Hq Co & Co "L", 314th Sig Svc Bn (-)	Cp Cooke
Co "C" 505th MP Bn	Cp Roberts
1 Plat 523d QM Sub Dep Co (-)	Utah Gen Depot
4th TC Trk Co	Cp Stoneman
2 Plat, 92d TC Car Co	Cp Roberts
806th APU	Ft Lewis
4 Sections, 562d Staging Area Co	Cp Stoneman
16 Food Service Personnel	Presidio of SF

BY COLLAND OF BRIGADIER GENERAL FITCH:


OFFICIAL:


HARRY P. STORKE Colonel, Arty Chief of Staff

JAMES J. CRAWLEY
Major, AGC
Adjutant

DISTRIBUTION:

CG Sixth Army 5
(Col. Fox, AG Misc) 3
Ea Staff Section 3
Ea Orgn Concerned 3
File 2





SIXTH ARMY COMMANDER AND EXERCISE SUPERVISOR

Lieutenant General Joseph M. Swing

CAMP COMMANDER AND EXERCISE DIRECTOR

Brigadier General B. M. Fitch

CHIEF OF STAFF

Colonel Harry P. Storke

DEPUTY CALP COLMANDER

Colonel Calvin A. L. Dickey

EXECUTIVE OFFICER

Lt. Col. Alfred B. Banks

STAFF

S-1 Major James J. Crawley

S-2 Major Joseph H. Wright

S-3 Major Glenn A. Smith

S-4 Lt. Col. Jerome W. Suhr

INSPECTOR GENERAL: Lt. Col. Lex M. Stout

SIGNAL OFFICER: Major Richard A. Wetzel

ORDNANCE OFFICER: Major D. E. Klinker

ENGINEER OFFICER: Lt. Col. Ira M. F. Gaulke

TRANSPORTATION OFFICER: Capt. Claude H. Currey

QUARTERMASTER: Major Joseph F. Hunt

STAFF JUDGE ADVOCATE: 1st. Lt. Ralph W. Johnson

AIR OFFICER: Capt. John A. Bollard

MEDICAL OFFICER: 1st. Lt. Phillip H. Henderson, Jr.

SPECIAL SERVICE OFFICER: Major George L. Crutcher

CHEMICAL OFFICER: Col. S. E. Whitesides, Jr.

PROVOST MARSHAL: Major Ernest J. Verba

POST EXCHANGE OFFICER: 1st. Lt. Arthur L. Sell

PUBLIC INFOR ATION OFFICER: Capt. Thomas D. Boyd

VISITORS BUREAU: Capt. Peer A. Buck



Cump Losert Rock, Lus Vogas, Neved

	schedule
90. 000 1000	instruction
a social district	observers' A
	1

27 November 1951

Date	hour	bubject	Instructor	rluce
26 Nov 51	0810-0320 0820-0320 0820-0550 040-1300 1430-1520	introductory Remarks Security Urientation Lesert Rock intend Test objectives Frip to und inspection of Fest Layoud Busic waupons	Gen fitch Mr Leeson Legar Leeson Legar befanding	Incator tent Incator tent Incator tent Icst situ The cor lent
Zy nov 51	0551-1200 1330-1420 1430-1520 1530-1020	Visit to Test Site Somb Physics Bomb Effects (initial Nuclear radiation) Thermal Reduction and Incendiary Effects) Sumb affects (Shock from Air, Uncerground and Underwater Burst)	Major S. ith Major Senior Grer Pellock	fost bite thereor fort there int
Fridey 30 kov 51	0500-0750 1000-11£5 1350-1650	Emb Effects (in tiel Auclear addistion, thermal affects & incent.ry Affects) Bomb Effects (Shock From Lir, Underground & Under- water Bursts & Physic Lumesc) Accting of Sominer Orrups for Lisquession & Preparetion of Beauts	Cmdr Follock Cmdr Follock Group Now ors	Theater Font Theater Tent Or up Tonts
Scturing 1 Dec 51	0503-1200 1330-1430 1430-1500	Wedden Lapots of Linnic Disuster offects at Hirsham and Pagaski	Lt Col Motornal Brig Gen Sons	heater tent Theater lent

OFFICILLS SWITE 5-3

FIICH Brig Gan



PRECEDING PAGE BLANK-NOT FILMED

SUBJECT: Seminar

INGLASSIEED


27 November 1951

TO: Observer Personnel, Operation Desert Rock III

- 1. It is desired that the maximum possible professional benefit be derived from your visit to Camp Desert Rock and to the Nevada Test Site.
- 2. Therefore, during the latter part of your stay at Camp Desert Rock, a seminar will be conducted, at which time your impressions concerning the Nevada atomic tests and your conclusions and recommendations resulting therefrom will be presented to the class. Tentatively, the seminar is scheduled for 4 December 51; this date may be changed, if necessary because of change in conditions involving Operation Desert Rock III which cannot now be foreseen.
- 3. You have been divided into discussion groups by branch of service. Prior to the seminar, each group will meet under the leadership of the indicated group leader, for discussion; for formulation of findings, recommendations, or ideas; and for preparation in writing of the group report. In addition, it is hoped that there will be discussions and formulation of ideas on atomic warfare during your free time. During the seminar, group leaders will be called upon to present their group reports. These reports need not be confined to majority opinions of the group; views and ideas of individuals are desired,
- 4. Our reason for conducting this seminar is that many of you are connected with various schools throughout the Army and in that capacity have had experience with the tactical as well as the strategic doctrine of your various branches. Some of you are in positions where you can influence the formulation of atomic doctrine. Each of you will observe this test from a specific point of view, your own or that of your branch, and will have ideas along the lines in which you have been trained. It is desired to record and forward those ideas with any resultant recommendations to higher headquarters for their consideration and use.
- 5. In proparing your papers for the seminar, conclusions or recommendations as regards the following points are desired insofar as practicable.
- a. From the point of view of your branch of survice, what conclusions or recommendations may be drawn by the use of the atomic
 - (1) Dosign of equipment
 - (2) Availability and use of specialized equipment in forward areas.
 - (3) Disposition, handling and transportation of equipment in forward areas.
 - (4) Specialized training to cope with enemy atomic







SUBJECT: Seminar (Continued)

b. Conclusions or recommendations as regards the tactical aspects of the atomic weapon which are of particular moment to your branch. Consider:

- (1) Disposition of troops in the attack.
- (2) Disposition of troops in the defense.
- (3) Disposition of troops in the rear area.
- (4) Availability and use of special, technical personnel or troops in forward areas.
- (5) Training and indoctrination of troops.
- c. As a result of knowledge gained or of reports you have heard about Operations Desert Rock I, II, and III, what is your estimate of the missions best suited to Department of the Army in future tests, with regard to both troop training and further experimentation of any military nature?
- d. What general and specific policies and procedures should the Department of the Army adopt now in order to accomplish practically and expeditiously proper indoctrination and training of Army Troops with respect to atomic warfare?

FOR THE COMMANDING GENERAL:

JAMES J CRAWLEY
Major AGC
Adjutant





HEADQUARTERS
Camb Desert Rock
Las Vegas, Nevada

3 December 1951

The Atomic Bomb - As it effects the Combat Arms and Technical Services.

FOREWARD

4 meeting of discussion groups as outlined in letter directive, Hq, Camp Desert Rock, dated, 27 Nov 51, subject: Seminar (Enclosure 1), was held at Camp Desert Rock, 30 November 1951. Lack of time precluded holding of the seminor. However, group reports were prepared and are presented herewith:

GROUP I. INFAMERY
COLONFIL FREDERICK H. LOMMIS, Chairman

General: Group I, led by Colonel Trederick H. Lommis, consisting of Infantry officers, discussed the subjects outlined in the Seminar Directive and reached conclusions as outlined herein. These conclusions are based on the assumption that the enemy will use atomic weapons against us. The following point were considered:

- 1. From the point of view of the Infantry, what conclusions or recommendations may be drawn by the use of the atomic weapon in:
 - a. Design of equipment.
- (1) No radical changes in design of Infantry equipment are indicated. Delicate equipment, such as instruments, will require protection from blast.
 - b. Availability and use of specialized equipment in forward areas.
- (1) Military devices, such as Geiger counters, dosemeters, and film bodges, for the detection and measurement of radioactivity, must be provided for front-line troops.
- (2) There is a need for additional entrenching equipment, both mechanical and manual, for speed in digging in.
- c. Disposition, handling, and transportation of equipment in forward areas.
 - (1) No change,
 - d. Specialized training to cope with enemy atomic attacks.
- (1) Specialized training of individuals should be conducted during remainer training programs. Such training programs should include:
 - (a) Effects.
 - (b) Protective measures.
- (2) A directive for such training is being prepared by OCAFF, including command training as well as individual training.
- 2. Conclusions or readomentations as resurts the tactical aspects of the atomic wellow and are of applicular moment to your branch. Consider:

a. Desposition of traces to the estimation



- (1) Present attack formations are sound. Troops concentrating for attack are dispersed.
 - (a) 35 square miles for Infantry and Armord Divisions.
 - (b) 40 square miles for Corps Headquarters and troops.
 - b. Disposition of troops in the defense.
- (1) Care must be exercised in all defensive situations to insure that reserve and artillery concentrations do not exceed battalion size.
- (a) In the linear defense, mobile defense, and delaying action, dispersion is adequate.
- (b) The protection afforded by fortifications and the normal dispersion of units in the position defense give adequate protection against atomic attack.
 - c. Disposition of troops in the rear area.
- (1) In rear areas, emphasis must be placed on dispersion and overhead cover.
- d. Availability and use of special technical personnel or troops in forward areas.
 - (1) Infantry units should train its own personnel.
 - e. Training and indoctrination of troops.
 - (1) Same as 2 d (1), above.
- 3. As a result of knowledge gained or of reports you have heard about Operations Desert Rock I, II, and III, what is your estimate of the missions best suited to Department of the Army in future tests, with regards to both troops training and future experimentation of any military nature?
- a. There is a need of practical exercises to test present policies and doctrine.
- 4. What general and specific policies and procedures should the Department of the Army adopt now in order to accomplish practically and expeditiously proper indoctrination and training of Army Proops with respect to
- (1) See 3 (a) above. Department of the Army should continue requesting release by AEC of atomic weapons so that practical tests may be conducted.

GROUP II, ARTILLERY
COLONEL THOMAS G. KEITHLY, Chairman

General: In compliance with letter, Hq, Camp Desert Rock, 27 Nov 1951, subject: "Seminar", the following report is submitted. The conclusions and recommendations presented herein represent the unaminous opinion of the officers of the Artillery group. They are presented only from the point of view of the Artillery, and do not necessarily apply to the other branches of the service.

- 1. From the point of view of your branch of service, what conclusions or recommendations may be drawn by the use of the atomic weapons in:
 - a. Design of equipment.
- (1) Recommend the development and standardisation of the 280 pm and continuent equipment and the activation of 280 mm gun baterial local becompedited.

INCLASSIFIED



- (2) Recommend the development of rockets with acceptable degree of accuracy be expedited.
- (3) Recommend studies be made of means of locating targets at long ranges.
- (4) No change is indicated in equipment presently used by the artillery,
- b. Availability and use of specialized equipment in forward areas.
 - (1) Development and issue of radiac equipment.
- c. Disposition, handling, and transportation of equipment in for-ward areas.
- (1) No change in present doctrine and practices is indicated, except that greater emphasis should be placed an dispersion of artillery battalions and better digging-in of equipment and personnel.
 - d. Specialized training to cope with atomic attacks.
 - (1) Not commented upon.
- 2. Conclusions and recommendations as regards the tactical aspects of the atomic weapon which are of particular moment to your branch.
 - a. Disposition of troops in the attack.
- (1) No change from present doctrine is indicated, except for greater dispersion between artillery battalians and adjacent troops. Division, Corps, and other headquarters must coordinate, to some extent, the location of units, to avoid concentrations of such size as to present renumerative target for atomic weapons. This responsibility of such headquarters should be clearly stated in appropriate field manuals.
 - b. Disposition of troops in the defense.
 - (1) See 2 a (1).
 - c. Disposition of troops in rear area.
 - (1) See 2 a (1).
- d. Availability and use of special technical personnel or troops in forward areas.
- (1) No specialists, as such, are required in the Artillery. A portion of the present organic personnel of all units should be trained in reliction detection and decontomination. A few men in the 280 mm gun battalions must be trained in the handling and assembly of the atomic shell.
 - e, Training and indoctrination of troops.
- (1) All enlisted men, in their basic training and periodically thereafter, should be taught the capabilities, limitations, and effects of, and the means of protecting themselves from, atomic weapons.
- (2) A course similar to the present Staff Officers Orientation Course now conducted at Sanita Base should be incorporated in the regular Artillery Officers Basic and Advance Courses, OCS Courses, and the C & GSC and Army War College Courses. It is believed all officers should attend the present the present of the latest developments and changes.



- (3) The play of atomic weapons, both offensively and defensively, and as realistically as possible, through all echelons, should be incorporated in all maneuvers and large field exercises.
- 3. As a result of knowledge gained or of reports you have heard about Operations Desert Rock I, II, and III, what is your estimate of the missions best suited to Department of the Army in future test, with regard to both troop training and further experimentation of any military nature?
- a. It is recommended that future tests of atomic weapons include the following:
- (1) Animals be used to obtain more data on atomic effects on living organisms. Animals should be placed inside of tanks, vehicles, and structures, where personnel will probably be located.
 - (2) Effects on radar equipment.
- (3) Combining a test with a RCT problem and later with division maneuvers.
 - (4) As many officers and wen as possible should observe tests.
- 4. What general and specific policies and procedures should the DA adopt now in order to accomplish practically and expeditiously proper inductionand training of Army Proops with respect to atomic warfare.
- a. It is recommended that the Department of the Army be given control of atomic weapons tests of a tactical and training nature.
- b. It is recommended that the above recommendations pertaining to the training and indoctrination of troops be implemented as soon as practicable.
- c. This group does not believe that atomic wonpons will materially change the doctrine, tactics, or technique of Artillery.

GRUOP III. ORDNANCE AND ARMOR LT COLONEL ROY C. BREWER, Chairman

General: "The following report is submitted following the discussion meeting of Ordnance and Armor officers, (Group III), who were among the observers at Operation Desert Rock III. The report represents the personal opinions of the officers concerned, and in no way necessarily represents the opinions of the Ordnance and Armor branches of the Army.

- 1. From the point of view of your branch of service, what conclusions or recommendations may be drawn by use of the atomic weapon in:
 - a. Design of equipment.
- (1) It is felt that no basic changes in equipment are necessary as result of the possible tactical use of the atomic bomb, nor will any specialized equipment be required in combat areas. However, it is believed that fragile spare parts, such as sighting equipment, radio tubes, radio antennae, etc, should be stored in safe positions and be readily available to use as replacements.
 - b. Availability and use of specialized equipment in forward areas.
- (1) There probably will be a need for soldiers in forward areas to have dust respiratiors. Since a gas tank drain plug on one vehicle near a recent atomic bomb blast was blown out or sucked out of the tank, the subject of gas tanks should be looked into thoroughly and plans made to strengthen these tanks, not only at the drain plug but also at the seams at the stanks.



- (2) Wor first schelon decontamination, each vehicle should be equiped with at least one whisk broom.
- (3) There appears to be an outstanding need for a method of surely and quickly retrieving knocked out vehicles.
- (4) Because of dust arising from the erea of an atomic blast, it is suggested that exposed, lubricated surfaces, should be dry treated and that pill or grease not be used.
- c. Disposition, handling, and transportation of equipment in for-
- (1) Normal dispersion should be adequate protection for an armored division. Recause of the intense heat emmating from the center of an atomic explosion, it is felt that the exteriors of vehicles should be kept free of inflammable items such as ration cartons, barracks bags, etc. This is especially true of tanks, as such small items ablaze can easily set a tank on fire.
 - d. Condulatized training to cope with enemy atomic attacks.
- (1) Opecialized training certainly is necessary for all soldiers who ray have to cope with enemy atomic attacks. Every soldier should be familiarized with the effects of atomic weapons. He should be taught methods of protection, and he should learn how to decontaminate himself and his equipment. This should be treated as a basic military subject.
- 2. Conclusions or recommendations as regards the tactical aspects of the atomic werpon which are of particular moment to your branch. Consider:
 - a. Disposition of troops in the attack.
- (1) No change is recommended in the tactical disposition of saldiers or vehicles in the attack. An armored division in the attack covers much too large an area to be a profitable A-bomb target.
 - b. Disposition of troops in the defense.
- (1) Defensive dispositions should remain much the same, the only exception being that the reserve force should be kept about three milem from the main line of resistance, but only when terrain and other conditions parmit.
 - c. Disposition of troops in rear area.
 - (1) In the rear areas, dispersal is mandatory.
- d. Availability and use of special, technical personnel or troops in forward areas.
- (1) There should be adequate trained personnel with instruments with each platoon, to record radiological data. This personnel should be the trained instructors for their units,
 - e. Training and indoctrination of troops.
- (1) In future nuclear experiments, more consideration should be given to the role the military in Tray in atomic operations. There should be as much troughthis interposable in future explosions in order that unjustified considerations of the soldiers are regards the known, will be dispelled and indicated the notice that the control of the soldiers are regards the troops who will fight power destrictly afford the given an opportunity to judge it in its proper perspective.



GROUP IV, ENGINEERS, TRANSPORMATION, GOD MILITARY POLICE. COLONTA ROYD W. BARTLETT, Chairman

General: The nature of the problems presented to these services are such that many of the items of the suggested agenda are not particularly applicable. Accordingly, this group has organized its report under two main headings (1), equipment and (2), training and indoctrination of personnel. Discussion under each head follows:

1. Equipment:

- a. In order to minimize the effect of atomic weapons, the following conclusions and recommendations pertaining to Engineer and Transportation equipment are submitted:
- (1) The threat of atomic warfare will necessitate the establishment of flexibility in the means and methods for the landing and inland movement of personnel and cargo. Ports are likely to be prime targets for atomic warpons. It is therefore necessary that the proper equipment and troop units be available to provide for the landing of large quantities of cargo and personnel through shallow draft ports, over beaches, and over even coast line where beaches are not available. The articles of equipment, some of which are under development, which should be available to accomplish the landings under conditions discussed above are:
- (a) Large amphibious vehicles which will handle the heaviest items found in an armored division (approximately 50 short tons).
- (b) Transportation aerial tramways to permit discharge of vessels off shore over rough coast lines.
- (c) Floating pods which may be launched from ships off shore and snaked into the large amphibious vehicles and taken ashere (approximately 5 short ton cauncity).
- (d) A portable vier, suitable for rapid installation, which will afford protection against tidal and weather conditions (the De Long pier is an example of this item).
- (e) A roll-on, roll-off ship which can be loaded with prestowed trailers or containers in the ZI and discharged in shallow draft ports overseas (20 feet of water) by rolling the load off rapidly. The trailers and/or containers could then be moved inland rapidly. The ship could be turned around in a minmum of time, thereby reducing its vulnerability and permitting more ship turn-around out of each vessel.
 - 2. Training and Indoctrination of Personnel:
 - a. Training of military personnel and individuals.
- (1) Until recently the basic indoctrination and training of all military personnel on an individual basis has been largely done with elemental and unclassified information. This has been necessitated perhaps by an overriding need for security during the development phase of these new weapons. Another factor has been the incomplete nature of the test data resulting from a very small number of nuclear explosions. The time is rapidly approaching, if indeed it is not already here, when a gradual lowering of security classification and a more firm accumulation of evaluated data will enable us to tell the "consumer" (American soldier) more and more of factual information and less of speculation. Nuclear indoctrination and training of Engineers of Speculation. Nuclear indoctrination and training of Engineers of Speculation and Military Police personnel must begin at the instantive of the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons attacked the same indoctrinated and trained in conventional weapons, attacked the same indoctrinated and trained in convention and a more firm accumulation of the same indoctrinated and trained and trained in conv

it be in recruit basic training, ROTC, Guard and Reserve training or UMT. This initial training must scrumulously avoid "scare" information and stress nuclear weapons solely as now and very powerful means of fighting battles. New entrants into military service must have de-emphasized immediately their previous concepts of atomic warfare involving strategic bombings of cities, factories, and other quasi-civilian targets. As military men they must then be re-indoctrinated in, (a) what our own existing nuclear weapons can and connot do in military situations, (b) what we can expect from an enemy of such weapons against our own military fromation and targets: (c) now their weapons, vehicles, and other equipment will function or not function after various types of probable nuclear attacks. And last, but not least, a concept that a nuclear blast will not kill them and deader than a direct hit or near miss by conventional explosives.

- (2) Each basic training cadre must contain a few officers, MCO's, and EM who have actually witnesses nuclear explosions. These cadre personnel must not be unduly prohibited from freely discussing their individual experiences in viewing the effects of nuclear tests. Detailed scientific facts need not be given out or discussed, but a healthy amount of informed group discussion of observed practical effects must be permitted.
- (3) This initial basic nuclear infactrination must be followed up at least yearly at a more advanced level of information during unit training.
 - b. Training of individuals in units:
- (1) All those services will have units in areas which may be targets for an atomic attack. Units of all these services also operate in small groups or as individuals. They must therefore be taught how to protect themselves first and then taught what to do until instructions can be disseminated from higher headquarters. Some of the subjects which should be tought follow:
- (a) Monitoring: Each unit likely to be in a target area should have monitoring crews and all individuals in the unit should be given sufficient training in the use of detection devices to allow them to use the devices in an emergency.
- (b) Protection of equipment and supplies: Individuals and small groups must be taught the necessity for protecting valuable supplies which may not be permanently damaged.
- (c) Evacuation of populations and/or troops to alternate areas: Military police must be trained in control of civilian population, to include supervision of panic, ricting, and pilfering. They must control revenents of populations and know locations of all important installations in order to give intelligent directions.
- (d) This committee is of the opinion that it would be a desirable goal if at least one nember of each unit of company size could have witnessed an atomic test, in order to bring home to him the fact that reasonable protection is possible if each individual utilizes the means available to him to eliminate excessive fear by disseminating results of the test to members of his unit upon his return. We believe that the cost of transporting these individuals to and from the test site is not excessive when compared to the overall cost of the test shot.

GROUP Y STOMET DIGG A IND AGC

General: In accordance with letter, handquartersy Characters to dr. dated 27 Nov 1951, subject: "Seminary, the report contained herein is submitted from the Signal Corps observers at Desert Rock III. The following recommen-

dations are offered, por paragraph 5, reference letter.

- 1. From the point of view of your branch of service, what conclusions or recommendations may be drawn by the use of the atomic weapons in:
 - a. Design of equipment.
 - (1) Continue present miniturization trends.
 - b. Avrilability and use of specialized equipment in forward areas.
 - (1) Bury field wire 6-8 inches.
- (2) Provide additional shielding at splices to insure uniform resistance to thermal radiation.
 - (3) Develop a portable hand-plow for burying wire.
- c. Disposition, handling, and transportation of equipment in forward areas.
 - (1) Bury operating reserves and equipment.
 - d. Specialized training to cope with enemy stomic attacks.
 - (1) Give all troops concerned training similar to old gas drill.
- 2. Conclusions or regularions as regards the tactical aspects of the atomic weapon which are of particular moment to your branch. Consider:
 - a. Disposition of troops in attack, defense, and rear areas.
- (1) Maximum dispersion of troops and equipment consistent with tactical and service requirements.
- b. Availability and use of special, technical personnel or troops in forward areas.
- (1) Designation and specialist training of personnel in the use and repair of monitoring equipment.
 - c. Training and indoctrination of troops.
 - (1) Remove mystery by emphasis on effects of nuclear explosions.
- (2) Downgrading information so that it may be presented to the troops by omission of technical characteristics (presented in lay terms).
- 3. As a result of knowledge gained or of reports you have heard about Operations Desirt Rock I, II, and III, what is your estimate of the missions best suited to Department of the Army in future tests, with regard to both troop training and further experimentation of any military nature?
- a. As a result of knowledge gained, it is our opinion that the following be done.
- (1) Show to all troops, both active and reserve, motion pictures of nuclear explosions, with classification no higher then RESTRIC-This film should include the effects and protective measures.
- (2) Accompany files with indostrination teams, with allied equipment.
 - (3) Presentation to be nesteroind contact contact ROT (4) Subsequent observers be given maximum amount of instruc-

tion (on location) prior to the detenation, followed by analysis of effects, viewing of the test rite, then seminar.

(5) Distribute a uniform course of instruction to be included in unit training programs (not part of "I&B).

Major Poul Pritt, 490 and Captain Revneld Bennett, JAGC, due to the nature of their assicingents were asked to prepare separate reports. Their reports are as follows:

MATOR PATT BPIMM, AGO

- 1. The lectures and discussions have been most enlightening in bringing on un-to-date in the potentialities of the atomic weapon, its effects, and possible suitable means of eliminating or reducing the harmful effects.
 - 2. Conclusting:

Ref pure 5, letter subject: Seminar, 27 Nov 51 a 1, 2, and 3. No special comment.

- 5. a (h) As a former school man I'm firmly convinced that a number of training films showing effects of atomic evolution, methods of decontamination, and procedures for protecting anself and equipment from atomic evolution, repeated when necessary, would so familiarized personnel with atomic evolution that they would lose their abject fear of atomic reaction and would voluntarily and with enthusians be proposed to take appropriate action in the event of stomic attack. These films could be followed by discussions, and perhaps some radioactive material (relatively mild) could be made available along with instruments (Geiger counters) to identify the material. This training need include little of the scientific aspects of the action occurring, but could include practical indoctrination in detection of radioactivity and protection from all effects of atomic explosion.
- 5. b (5) I believe it would be highly desirable to take a picture of a group such as ours, showing the precoutions taken, decontamination procedures and effects, leaving out such details as would be higher than restricted or confidential at most, making it possible for complete discussion by and presentation to troops. Knowledge that effective measures are available for protection under many conditions should be made known to all troops. Certainly, potential enomies of the United States are now familiar with all such measures that would need to be passed on to military and civilian personnel.
- 5. c after troops have been oriented and indoctrinated, as oulined very briefly in comments above, a few hours of practical application under field conditions should be conducted under a simulated atomic attack. Note: Specific provision for entering on records exposure to atomic radiation should be made.

CAPTAIN RTYNOLD BENNETT, JAGO

Congress must be impressed by:

- a. The limitations of the A-bamb i.e.; physical destructive power and tectical adaptability in the field as well monetary limits show that manager is still of prime consideration in carrying out tactical warfare.
- (1) The A-borb has a certain destructive range of effectiveness whether pressure, thermal, or radiation limitations are considered.
- (2) In deployed the trong pathegorent, whether of troops or supplies, the advisability of textended to the pathegore and ve. "Why kill a fly with a club"? In a topic words the production of the safeguards. 65,000,000 artillery shells is limited.

b. The usage of the A-borb is largely strategic, i.e., primarily limited to the destruction of large concentrated targets, e.g., industrial centers, submarine pens, sents of Gevernment, etc. The intividual soldier with a high morale, good individual equipment and imbued with a firm belief in America and democratic principles, is of prime importance and complimentary to stomic firepower.

GROUP VI. QUARTERMASTER COLONEL JOSEPH E. JAMES, Chearman

- 1. From the point of view of your branch of service, what conclusions or recommendations may be drawn by the use of the atomic weapons in:
 - a. Design of equipment.
- (1) Equipment will be effected by amount of blast and heat to which it is subjected. This is a variable and is dependent upon proximity to the explosion. Effect of radiation is not permanent, as items can be decontaminated by time or mechanical cleaning. Redesign is not indicated.
 - b. Availability and use of specialized equipment in forward areas.
- (1) Geiger counters and protective clothing, such as gloves, boots, dust respirators, especially for such units as GRS and Quartermaster salvage, as needed to accomplish their missions,
- c. Disposition, handling, and transportation of equipment in forward areas.
 - (1) No change.
 - d. Specialized training to cope with enemy atomic attacks.
- (1) In addition to training common to all branches, specialized training should be given to Quartermaster personnel insuring that:
- (a) All items stored in dumps should be in containers or covered to preclude any contamination.
- (b) Methods of testing, recovery, and decontamination of supplies will include:
 - (1) Perishable and non- perishable supplies.
 - (2) Clothing and equipment.
 - (3) POL
 - (4) Deceased personnel and miscellaneous supplies.
- (2) Specialized training in methods and procedures for the recovery of materials classified as salvage, in coordination with other interested agencies.
- (3) Specialized training in methods and procedures for recovery of remains, decontamination of bodies, mass burials, based on casualties which could reach to proportions of Fireshima. In all probability, troops other than OM GRS will be required to corry out GRS functions. Basic procedures, therfore, should be included in other arms and services training.
- 2. Conclusions or recommendations as regards the tactical aspects of the atomic weapon which are of next to your branch. Consider:
 - a. Disposition of troopseinnthey Ath 248

- (1) So far as disposition of Q" troops in concerned, in either attack or defense, locations will confrom to the disposition of elements being supported.
 - b. Disposition of troops in the defense:
 - (1) Same as 2. a. (1) above.
 - c. Disposition of troops in the rear area:
- (1) The present organization of QM supply and service units in rear areas has been proved sound and allows for adequate dispersal. Use of G neral Depot Organization type units will only complicate command structures. The guide in establishing supply points in services should be based on the principle that one can function as an alternate for another. In other words, "do not put all your eggs in one basket". These alternate dumps should be held to a minimum to reduce the problem of communications, command structure, and protection. Disposition cannot be so dissipated that efficiency of operations is lost, or else adjacent units cannot furnish mutual protection against ground or guerrilla operations.
- d. Availability and use of special, technical personnel or troops in forward areas.
- (1) It is not visualized that additional specialized or technical personnel will be required. Some consideration, however, should be given to making personnel available to affected areas when required.
 - e. Training and indoctrination of troops.
 - (1) Training and indoctrination of troops see above.
- 3. As a result of knowledge gained or of reports you have heard about Operations Desert Rock I, II, and III, what is your estimate of the missions best suited to Department of the Army in future tests, with regard to both troop training and further experimentation of any military nature?
- a. To properly disseminate information, troops should participate as observers of each demonstration. Troops should be from all types of Army units, to include CBR personnel. It is believed that experimentation might be of benefit to determine effect and extent of recovery which can be effected on bread, fresh fruits and vegetables, meats, etc.
- 4. What general and specific policies and procedures should the Department of the Army adopt now in order to accomplish practically and expeditiously, proper indoctrination and training of Army Proops with respect to atomic warfare?
- a. Policies and procedures to accomplish the expeditions indoctrination, and training of troops should be general in nature and specifically pointing out the effects of the bomb, methods and protection against heat and blast, and radiation contamination, and the simplicity of counteracting the results of radiation.

LT COLONTL KENNETTH S THITTE, Chairman

General: From the point of view of the Chemical Corps, the following conclusions and recommendations of the Chemical Group, Desert Rock III, in regards to the use of atomic versues a submitted.

1. From the point of view of hours being service, was conclusions or recommendations may be drawn by the mint of Date G. was the march.

a. Design of equipment:

- (1) In general, Chemical Corps equipment is adequate for use in atomic warfare. The mask, protective, field, provides protection against ingestion and inhalation of radioactive particles. However, certain equipment may be modified to reduce the amount of contaminating material that can settle on the surfaces. To this end, all surfaces should be smooth, sharp angles eliminated, and exposed appurtenances enclosed in housings. Power-driven decontaminating apparatus should be modified to include a vacuum cleaner for drawing radioactive particles from equipment which cannot be cleaned easily by brushes or by washing.
 - b. Availability and use of specialized equipment in forward areas.
- (1) The number of power-driven decontaminating apparatus alloted to the field army should be increased.
- c. Disposition, handling, and transportation of equipment in for-
- (1) The principle of dispersion should be followed in forward areas until equipment has to be employed.
 - 4. Specialized training to cope with enemy atomic attacks.
- (1) Greater emphasis should be placed on CBR Unit Defense Personnel training. The course of instruction can be made more practical and profitable by:
 - (a) Reducing time spent on teaching physics and theory.
- (b) Devoting more time to training in the use of monitoring equipment, and practical exercises.
- (c) Troops should be taught what constitutes profitable to ctical targets for atomic attack.
- (d) More training should be done with the mask, including concurrent training, and instilling in troops confidence in the mask.
- (e) Play of atomic wearons should be included in all maneuvers,
- ?. Conclusions or recommendations as remarks the tactical aspects of the storic weapon which are of particular moment to your branch. Consider:
 - a. Disposition of troops in the attack.
- (1) Combat troops of the Chemical Corps are the 4.2 inch morter units and stoke generator units. The morters are normally disposed in defilade: the smoke generator units must be placed according to their mission. No special disposition because of a probable attack can be considered if these troops are actually engaged in a mission.
 - b. Disposition of troops in the defense.
- (1) The same principle as in sub-paragraph 2a must be observed in defensive situations.
 - c. Disposition of troops in the rear area.
- (1) Troops in Fear aired should be dispersed as much as the situation will allow. The brinds april a should be as much as possible.

 Required. Use Military Classification Safeguards.



- d. Omitted by this group.
- a. "raining and indoctrination of troops.
- (1) The training and industrination of troops should be as complete as security considerations requit. Training should include at least those subjects set forth in paragraphs 1 d., (a), (b), (c), (d), and (e) subpragraphs.
- (2) Commendars should make full use of their staff Chemical Officers for atomic planning.
- (3) CER Unit Defense personnel have received special training and should be used to conduct the training and indoctrination of their troops.
 - 3. Omitted by this group.
 - 4. Omitted by this croup.

GOOLO ALL WALLOW H. MINISTAN CHOLUM

General: The atomic weapon is a high explosive weapon which produces human casualties by the following phenomena: blast, heat, radiation, and psychological stress. Psychological stress will vary directly with the degree of indoctrination among those exposed to the detonation. This stress factor is an important medical consideration, not only to those individuals exposed but also to those immediately aware of the explosions. Assumption: The following assumptions were made to limit the discussion and clarify the findings and recommendations.

- a. The atomic bomb was used by the enemy in a theater of operation against friendly military targets.
- b. The stomic bomb used was an air burst. In any other form the medical problem would be decreased.
- c. The theater of operations was in a temporate climate and on a continental landwass.
- d. The enemy has a weapon of the same potentialities and capabilities as our own,

Finding and recommendations: the group considered the question listed in par 5 of letter subject; "Seminar", Hq. Comp Desert Rock, date 27 Nov 51 and offers the following comments, findings and recommendations.

- 1. From the point of view of your branch of service, what conclusions or recommendations may be drawn by the use of the atomic weapons in:
 - a. Design of equipment.
 - (1) No comment.
 - b. Amilability and use of specialized equipment in forward areas.
- (1) The medical service requires an individual radiation detecting device which will provide the professional medical service personnel with data indicating the accumulative dose of radiation of each individual exposed. This device should be a part of the individual equipment of each military person and should be in the constant passession of each such person. As a suggestion, this period to the clothing (parts) of the individual or may be a part of the individual to the clothing (parts) of the individual or may be a part of the provide the part of the individual or may be a part of the part of the individual or may be a part of the individual equipment of each military dissification safeguards.



- c. Disposition, handline, and transportation of equipment in forward areas.
- (1) It is recommended that, in considerations of the above, the following principles be followed:
- (a) Marimum practicable dispersion of medical supplies consistent with other considerations such as handling and safeguarding.
- (b) Adequate advence planning to assure proper distribution of essential medical supplies at the right time and place. Maximum use of air transportability should receive primary consideration.
 - d. Specilized training to cope with enemy stomic attacks.
- (1) The training objective should be to dispel the mystery and dissolve the soldier's feer of the unknown as it pertains to the atomic weapon. It is felt that proper indoctrination to the company level may be accomplished by special training of all officers and key non-comissioned officers, to include platoon sergeants, who in turn will indoctrinate their own platoons. Training must be repeated, continuous, realistic and conducted by all possible training media.
- (a) Added emphasis on the first aid care and handling of burn cosmalties by the individual soldier.
- (b) Additional training of professional medical service personnel in a standardized method of transment and care of burn and radiation casualties.
- (c) More technical training of all medical service personnel to sid professional personnel in the treatment and care of burn and radiation casualties.
- 2. Conclusions or recommendations as regards the tactical aspects of the atomic weepon which ere of particular moment to your branch. Consider:
 - a. Disnosition of troops in the attack.
- of dispersion, cover, and concealment are properly emphasized and practical, that atomic weapons, at least in their present form, will not constitute a problem that differs greatly from any other type of explosive agent. In regard to the disposition of medical components, again the present procedures should be adequate. It is believed that the casualties from an air burst atomic bomb can be provided adequate medical service by the medical strength normally available in the field army. Additional bombs would cause proportionately more difficulty in handling casualties if we are to provide the same standard of medical service.
 - b. Disposition of troops in the defense.
 - (1) No comment.
 - c. Disposition of troops in the rear area.
- (1) Pospital, as well as all medical installations should be dispersed to the maximum degree consistent with other considerations such as ground defense, handling of patients, supplies, etc.

in forward areas.

(1) No comment.





- e. Training and indoctrination of troops.
 - (1) No comment
- 3. Is a result of knowledge gained or of reports you have heard about Operations Desert Pock I, II, and III, what is your estimate of the missions best suited to Department of the irmy in future tests, with regard to both troops training and further experimentation of any military nature?
- a. It is recommended that maximum military participation be continued at all stable tests. Emphasis should be continued, as in Desert Rock I, on the indoctrination of enlisted men by observation of actual nuclear explosions and participation in exercises designed to familiarize them with the effects.
- h. Theoretical war of atomic weapons in maneuvers should be continued and simulated as closely as possible to the actual situation. The play should be expended to include medical as well as other considerations, and casualties should be assessed and evacuated.
 - 4. Omitted by this group.

ψητης Brig Gen

OFFICIL:

2-3

Raputyd.

UNCLASSIFIED

230

Cump Desert Now, as "egas, Nevada

AUNIX 7 to Saplacement and Equipment Test Plan for Exercise Desert Rock III 2618000 Nov 1951

RAJOLOGICA STITT PLAN

- 1. The following is Rad-Safe plan for military participation in Exercise Desert Book III.
 - 2. Activities prior to U-)ay:
- actoristics of nuclear explosions and the general effects of the atomic measons. (AVSA?)
 - b. Issue of film badge to each observer. (Sig 0)
- c. Calibration-check of all radiac instruments to be used in the exercise. (Cml 0).
- d. Instruction of all monitoring personnel in their specific assignments and cutles. (Oil 0)
- in the event of contamination of personal clothing. (OM)
- f. Preparation of Personnel & Vehicle Decontamination Station to be located at Tucca Pass.
 - 3. Activities on and after U-Day:
- that they are equipped with film badges and gas mask. (This duty will be performed by the LP assigned to the observer vehicle.)
- b. Vehicles dispatched from Desert Rock vill not be permitted to pass beyond a limiting point to be (designated) by the Rad-afe Officer.
 - c. A radiological survey will be made by the Rad-Safe Officer (Major Servis, Onl Gorps), who will report to the staff Onl Officer, Camp General Rock (Colonel Whitesides) on limits of advance into the contaminated area.
 - vation Day), they will be monitored. In MP read-block will be established for control purposes. Tolerance for this operation will be an intensity reading of 20 PM, with the beta shield open and held six inches from the body. Personnel whose body or clothing to a reading in excess of this telegrance will be decontaminated.
 - e. Decontamination of Test Equipment will be covered in separate instructions to the Effects Evaluation Teams.
 - f. Ral-Care Officer will establish his headquarters at the Desert Rock Observation Point.
 - 4. Radiation Tolerance Limit

a. Total: Three (3) roenteens.

Specific Restarted

OFFICIAL:

Hail for




HEADQUARTERS Camp Desert Rock Las Vegas, Nevada

UNCLASSIFIED

26 November 1951

DECONTAMINATION PLAN



- a. The purpose of this decontamination is to remove radioactive contamination utilizing only TO & E equipment that is found in a battalion or smaller unit.
- b. Three types of decontamination methods are to be used in this test. These methods are to be dry decontamination (brushed), semi-wet decontamination (damp rags) and wet decontamination (washing).
 - 2. Sites for these stations will be selected by the chemical Officer.
- 3. Drivers of all test vehicles and decontamination representatives of the technical services will be reported to the Chemical Section. A 2-hour course in decontamination will be given on Tuesday 27 November 1951 at 1400 hours for the above mentioned people.
- 4. When the equipment is released from the test areas by the OIC, the personnel mentioned in paragraph 3 will proceed with their equipment to the designated decontamination areas.
- 5. Engineers will provide two trucks with 3000 gallon water tanks, pumps, and hoses at position to be designated by the Chemical Officer.
- 6. Evaluation, decontamination, radiological safety personnel and drivers of the test vehicles will draw film badges from Signal Corps as required prior to entry into test area after shot.
 - 7. Engineers will set up showers for personnel at Yucca Pass on day observers enter area and maintain until evaluators have completed mission.

FITCH BRIG GEN

OFFICIAL:

ANNEX 10

SMITH





Report on Radiological Safety and Decontamination Operations, Exercise Desert Rock II and III

- 1. The following operations were conducted by the Chemical Section before, during and after Shot-Days for Exercise Pesert Rock II and III.
- 2. The Staff Chemical Officer was responsible for all Rad-Defense matters pertaining to the operations.
 - 3. Activities prior to Shot-Day:
- (a) Indoctrinated all participating military personnel in the characteristics of nuclear explosions and the general effects of atomic weapons.
- (b) Conducted a calibration check of all radiac instruments used during the exercise.
- (c) Instructed all monitoring personnel as to their specific assignments and duties.
- (d) Prepared plans for the installation of Personnel and Vehicle Decontamination Stations to be set up at AEC Camp No 1, 4 miles South of "S" Shot Ground Zoro.
- (e) Installed high intensity film badges in revetted and unrevetted foxholes, emplacements, and on equipment as directed in Film Badge Layout Plan.
 - (f) Installed chemical items of equipment for test.
 - 4. Activities on Shot-Day:
- (a) Chemical monitors conducted a physical check on all observers as they boarded buses for the Observation Point, to insure that they were equiped with film badges.
 - (b) Assigned one Chemical Officer as a monitor to the VIP's.
 - 5. Activities after Shot-Day:
- (a) Following notification by the AEC of clearance into the test area an initial radiological survey was made by the Rad-Defense Officer who reported to the Staff Chemical Official, Camp Desert Rock, on the limits of advance into the Contaminated area.
- (b) The Staff Chemical Officer reported to the Commanding General the limits of intensities in the area.
- (c) On the day the observers entered the area, Chemical Corps monitors under the supervision of the Staff Chemical Officer and Rad-Defense Officer were assigned to each observer Bus for Rad-Defense measures. The monitors performed their assigned duties while in area and collected all film backes after clear noe from the area. Due to the fact personal did not debark from the buses while in the shot area personnel monitoring was not performed.






- (d) Provided monitors for each evaluation team that went into the forward area.
- (e) Set up equipment and personnel decontamination stations at Camp
- (f) Collected all evaluation personnel film badges and turned the badges into the film badge laboratory located at the AEC Control Point,
- (g) Obtained the film bedge report from the laboratory and maintained an operational chart on total dosage received by each member of the evaluation team.
- (h) Chemical personnel recovered the high intensity film badges and evaluated the damage to Cml Equipment.



Camp Desert Rock, Las Vegas, Fevada

MEMORAYDUM KUMBUR 10



1. General:

- a. <u>Purpose:</u> This Counterintelligence Directive (CI-SCP) standardizes and prescribes normal security procedures relating to Operation DESERT ROCK. It will apply during the entire Operation.
 - b. Unit Procedure: Subordinate units will issue SOP to conform.

2. Military Security:

- a. Secrecy discipline. (1) Strict secrecy discipline will be maintained at all times. All violations, regardless of the degree of severity, will be reported at once to the S-2, this headquarters.
- (2) Classified material including documents, maps, sketches, overlays, and cryptographic equipment, will be safeguarded in accordance with AR 330-5.
- (3) All personnel granted passes for the purpose of visiting local communities will be warned of their individual security responsibilities prior to departure from the campaits.
- (4) A member of the Counter Intelligence Corps (CIC) Detachment, this headquarters, till deliver a security briefing to each unit shortly after the arrival of the unit at the compsite.
- b. Concerchip. (1) No unit or base consorship will be undertaken by military authorities. All personnel will be warned, however, against divulging classified information in personal correspondence.
- (2) Such consorship activities as may become necessary will be accomplished by the AEC.
- c. Communication Security. (1) Unauthorized personnel will be prohibited from entering or loitering near message centers.
- (2) Signal communication security is a responsibility of designated Signal Corps personnel under the supervision of the Signal Officer.
- (3) Violations will be reported through Signal channels to the S-2, this headquarters.
- d. Security of Troop Movements. (1) The actual strength of units participating in the Operation will not be divulged to any person not officially connected with Operation DESERT MOCK.
- (2) Shoulder sleeve insignia, vehicle bumper markings and other unit identification markings need not be removed or effaced.
- (3) Movements to and from the maneuver area north of the campsite, and to and from other restricted areas, will be in strict conformance with regulations prescribed by the AMC.
- restricted places is limited exclusively to official visits by authorized personnel wearing DR badges (see par 4c) or bearing other media of authorized parties.
- f. Access to Committee. Access to Committee is restricted to the established entrances and exits. Military Police patrols will arrost all endeavoring to enter or leave the camp at other points.



- Accredited Press Representatives. (1) All persons claiming to represent the public press, radio or similar news-gathering activities will be escorted to the Office of the Public Information Officer, this headquarters, where they will be processed.
- (2) Properly accredited press representatives if any, will not be permitted to conduct interviews unless specifically authorized to do so, in each case by the Chief of Staff, this headquarters.
- . (3) No press releases will be handed out unless specifically authorized by the Chief of Staff, this headquarters.
- h. <u>Unofficial Visitors</u>. Visitors, other than properly identified pursons brying official connection with Operation DESERT ROCK, will be denied access to the campait, maneuver area and other restricted places. They will be detained and resorted by telephone or messenger to the CIC Detachment, S-2 Section, this headquarters.
- i. Photo rachy. (1) Photography of any type, other than that undertaken officially by authorized ABC and AFSUP photographers, is prohibited.
- (2) All personally owned photographic equipment and supplies will be turned over to the Provest Uurchal, for safekeeping and will be returned to the owner upon departure of the unit.
- (3) Unit communders will make periodic inspections at frequent but irregular intervals to discover cameras and film not already impounded. When such equipment and supplies are discovered, the name, grade, scrial number and unit of the owner will be reported at once to the S-2, this headquarters, and the photographic segipment and supplies turned over to the Provest Narshal.
- j. Countersubversion. Known or suspected subversive activities, including espionage, subotage, treason, sedition or the dissemination of hostile propagall, on the part of any member of the Armod Forces connected with operation DESCRT ROCK, will be reported immediately to the S-2, this headquarters, together with a statement of the pertinent facts or allegations.

3. Civil Security:

- a. Jurisdiction. (1) The security control of civilians other than those employed by Depart ant of Defense and whose presence at Camp Desert Rock has been properly authorized, is a responsibility: f the ADC, FOI and state and local authorities.
- (2) Known or suspected subversive or other hostile activities including undue curiosity on the part of civilians or emmanating from within the civil population, will be reported promptly to the S-2, this head-quarters, who will pass the information to the appropriate civil authorities.
- to and from the manusor area north of the compsite is a responsibility of the AEC.
- (2) The control of civilian traffic along US Highway 95 in the vicinity of the campsite is a responsibility of state and local authorities in cooperation with the ADC.
- (3) The control of civilian traffic to and from Camp Desert mock proper is a responsibility of the Army and will be in strict accordance with regulations processing the traffic adquarters.

4. Miscellartonse Energy Act 1946

a. Unaw instruction of all military and civilian Department of

INCLASSFED

240

Defense personnel found to be absent without authority will be reported at once to the S-2, this headquarters.

- b. Security Clearances. All matters pertaining to security clearances of all types relating to military and civilian Department of Defense personnel will be dealt with by the S-2, this headquarters.
- c. Security Passes and Permits. (1) DR badges will be issued by the AEC to certain officers and NCO's authorizing admittance to restricted or maneuver areas.
- (2) Troops will be passed into restricted or maneuver areas by individuals possessing a DR badge.
- (3) DR badges will be turned in upon notification by S-2, this headquarters. Their loss as well as the loss of other offical identity documents, cards, etc., will be reported immediately by the most direct means to S-2, this headquarters.

BY COMMAND OF BRIGADIER GENERAL FITCH:

H. B. STORKE COLONEL ARTY Chief of Staff

OWELCAL:

TANGS J. CHAPLEY

'ATOR AGG

Adjutant



HEAD UNIT AS Camp Desert Rock, Tas Toras, Tevals

Administrative Study of the "errain In the "Desert Book" Area

1. The Area:

a. The area studied is located 56 miles northwest of las Veras, Nevada, on US Highway 95 and 40 miles east of Death Valley, California. Highway 95 forms the southern boundary of a north-south rectangle extending 58 miles north and 17 miles west. The area is located between:

115 degrees 50' W and 116 degrees 15' W 36 degrees 31' N and 37 degrees 15' N

- b. Man grids used are from maps:
 - (1) N.J. 11-11 Army Map Service V502
 - (2) N.J. 11-8 Army Map Sorvice V502 Type F (AMS 1) 1947
 - (3) US Department of Interior Geological Survey Nevada-California Las Veras, N 3600 - V 11500/40 1908
- 2. Purpose: The purpose of the study is:

a. To familiarize test personnel with terrain feature and climatical conditions in test area.

3. General Description of the Area:

a. Climatic. Existing climate is dry, hot. Wind of approximately 15 MPH from the south to the north from late morning until sunset. Possibility of flash thunderstoms with a quick run-off. Otherwise, little or no rainfall, as in the past 14 months.

b. Topography.

- (1) <u>Drainage System</u>. The entire vallev floor appears trafficable, even the dry lake bottoms make desirable locations for airfields. Stream beds are flat and present no barrier to movement.
- (2) <u>Vegetation</u>. There is little vegetation of any sort in the arca except for scattered groupings of sparse cactus and sage on the flats. The cactus is no barrier to foot troops or tracked vehicles. The remainder of the sector is non-wooded and uncultivated.
- (3) Surface materials. The surface of the valley is a combination of shale, sandstone pebbles, small rocks, fine rock sand and crust. These materials are well suited for the construction of road bods, providing good drainage as well as traction. Even without a road network, theeled as well as tracked vehicles may be driven cross-country. The flat surfaces at Yucca Flat and Frenchman Flat provide fine locations for airstrips. One has been constructed at Yucca Flat.



TIKITA92ILIED

(4) Cultural Features. The dominant feature of the area is the two lane, high speed road recently built through the area from US Highway 95 north to Yucca Pass. Unimproved dirt roads from Stostone Mountain on the west and from a pass north of Skull Mountain across Frenchman Flat provide questionable trafficability for light motor transportation.

4. Military Aspects of the Area:


a. Critical Terrain Features.

- (1) Hill 58.00 412.00 Altitude 7000. Observes: passes to south; main valley and road to the south.
- (2) Hill 58.40 412.25 Altitude 7135. Observes passes toward south; entire northern valley.
- (3) Hill 57.00 411.50 Altitude 7500. Observes: Entire northern valley, road, surrounding ridges and peaks. This is the high point of the ridge along the western border of the northern valley. The ridge extends 26 miles to the south.
- (4) Shoshone Mountain Altitude 6500. Observes: Dirt road from Shoshone northeast; entire northern valley and surrounding ridges.
- (5) Ridge forming eastern boundary of northern valley Altitude 6000. Observes. Northern valley; Shoshone road; Yucca Flat and airstrip.
- (6) Yucca Pass 58.50 408.80. High ground here on either side of main N S road. Ridge on eastern side of road commands Yucca Flat, airstrip and observes entire northern valley to the north.
- (7) Hill 59.50 498. 0 Altitude 5270. Observes: Yucca Flat, airstrip, main road south from Yucca Pass.
- (8) Skull Mountain 57.30 -407.00 Altitude 5950. Observes: Flat ground north.
- (9) Hill 60.00 406.90 Altitude 4500. Observes: Frenchman Flat to the north; road across Frenchman Flat; pass through Spotted Range to the south. No road present through this pass.
- (10) Hill 57.60 405.40 Altitude 5000. Observes: Pass to west around Specter Range; low ground to Skull Mountain on the north; highway 95 to the south; base camp to the east; main road north from case camp.
- (11) Belted Range Altitude up to 8600. This narrow range of mountains extends northward for 30 miles from the northwest border of the area under study.
- b. Observation. Observation from the indicated points is described under 3a. Influence of vegetation, snow, rain, etc., is negligible.
- c. Obstacles. The only natural obstacles to test operations in the are under study are the rugged ridges and mountains. In these areas, use of motorized vehicles would be limited. The use of vehicles on the floor of the valley is unimpeded, except for the occasional flash floods.
- d. Concealment and Cover. There is little or no cover or concealment on the valley floor. No ditches, wooded areas, or other cover which rould prevent close and accurate observation from the high ground. The cactus covered regions might provide some concealment for the ground thoops, but such concealment is sparse and easily penetrable. The only captured is provided by high ground.


S. INCLASSIFIED

- e. Avenues of Approach. Access to the area from the cost is obtained on highway 95 which runs westward from Las Vegas mast the continern boundary of the sector. A dirt road extends north from highway 95 through Indian Spring Valley which is 14 miles past of the sector. A branch off this road passes through the Spotted Range into Franchman Flat. Indian Spring Valley is a 30 mile long narrow valley with high peaks and ridges (5500 ft.) on east and west.
- (1) The road through Indian Spring Valley provides fair access to the northern sector as it runs parallel to the 9-1ted Range to the north. (see attached map).
- (2) Access to the area from the southwest is achieved by a dirt road running NE from highway 95 at the junction with state highway 29.
- (3) Access to the area from the northwest is nonexistant because of rugged mountains and no road or rail net.
- (4) Access within the area is provided by the two lane asphaltic concrete road extending 30 miles north of highway 95. Other means of access within the area are provided by the air strip at Tucca Flat, a dirt road from the southeast across Frenchman Flat.
- (5) Access within, the area under study and in surrounding valley areas is not necessarily prevented by a lack of roads due to the trafficability of the soil. The sandstone and shale surface provides traction for most wheeled vehicles, which enable them to move across country at random.
- (5) Access to the area from the north is achieved through Emigrant Valley or Kawich Valley. These valleys are controlled by Wheel-barrow Peak and Belted Peak in the Belted Range and by Quartzite Mountain in the Timpshute Range at the north and of Emigrant Valley. Smooth Top Mountain, 9340 ft., also guard the northeastern approach to the area.

DSEPH A RICHT Major, Artillery S-2







COMPARISON of RESULTS Exercises Desert Rock II and III Conclusions - Recommendations



Part IV UNCLASSIFI

PART IV

Comparison of Results of Exercises Desert Rock II and III Conclusions and Recommendations

Index

1.	. General Pages	244
2.	. Comparison of Results Pages	749-252
3.	. Limitations of the Tests Pages	252
4.	. Conclusions Pages	252-253
5.	. Recommendations Pages	254-256





Part IV

Comparison of Results of Exercises Desert Rock II and III Conclusions and Recommendations

1. General.


- a. In evaluating the results of the comparison made later in this part of the report, the reader should recall that the results shown here are for 1 KT weapons. Therefore, the areas of damage and lethal effects are necessarily small by comparison with the expected areas of damage from the operational weapons.
- b. The yields of the operational penetrating weapon and surface burst weapons will be

 spectively. It should be recalled, also, that

 surface burst weapons can be produced for the same amount of fissionable material required for penetrating weapon of the present design. However, this economic factor must not be permitted to overshadow the operational need for military weapons to produce damage of the type desired. While the economic and technical aspects must be carefully considered, in the final analysis the military operational requirements of deliverability, accuracy of delivery, and ability of the weapon to produce the results required, are of paramount importance.
- c. Consequently, the reader is urged to weigh carefully these considerations before rendering judgment on the merits of the penetrating weapon versus the surface burst weapons.
 - 2. Comparison of Results.
 - a. Correlated Comparison of Damage and Causative Factors.
- (1) The following chart (Fig. 13) shows in a brief comparative manner the damage experienced in each of the tests.


 Included also is a comparison of the major effects, as a function convenient referencement.

UNCLASSIFIED 249



SURFACE AND UNDERGROUND SHOTS





SHOTS 700 800 900 1000 1100 LIMIT OF CASUALTIES TO PERSONNEL IN THE OPEN PSN 5 PSN 6 LIMIT OF CASUALTIES -LIMIT OF CASUALTIES -PERSONNEL IN EMPLACEMENTS PERSONNEL IN THE OPEN (GAMMA RADIATION) PSN 5 PON 6 U U 800 900 1000 700 2 (PSI) AT 1420 YARDS 50 2 400 300 200 100 600 300 200 1000 400 100 2 700 800 900 1100 1000 14 DEC. 51



- b. Discussion of the various effects.
- (1) Air blast. It is noted in Figure 13 that the air blast from the surface shot was higher than for the underground shot down to the region of 6 psi. Also, that for lower values of overpressure, the reverse is true. This is contrary appected to exceed those of an underground burst. This anomaly is unexplained at present, but may possibly be explained later after more careful analyses of the scientific results have been made.
- (2) Ground pressure. The peak ground pressures resulting from these two shots vary roughly in the manner expected, with the underground shot giving higher pressures than the surface shot at the various distances. The validity of this statement is substantiated by the fact that the emplacements suffered severe damage at greater distances in the case of the underground shot.
- thermal radiation. From the standpoint of thermal radiation (heat), these types of burst exhibit markedly different characteristics. The surface burst produced significant burning effects out to fairly large distances which contributed to the casualty-producing effect of such a weapon. The thermal effects of an underground burst, on the other hand, are dissipated in the earth surrounding the weapon and are of negligible importance from the military standpoint.
- (4) Nuclear radiation. The significant comparison is that the underground burst produced a radiation hazard greater than twice that of the surface shot. The lethal range of the initial radiation was greater in the case of the underground explosion, and the area of serious residual contamination was more than twice as large. A respiratory problem from radioactive dust existed following the underground explosion, but not following the nurface explosion. The degree of radiation protection afforded by



25-1



field emplacements was less against the passage of a low radioactive cloud than against the radiation emitted by the swiftly
rising fireball of a surface shot. The fact that 14 of 46 animals
exposed during the "U" detonation died within eight days serves to
amphasize the radiation effects. Contamination of equipment and
cood that could be removed from the area did not present a serious

- 3. Limitation of the Tests.
- a. The test weapons were of a very low yield (1 KT).

 This, coupled with the fact that the scaling laws for the various effects are not fully known, limits extrapolation of the results to the yields of the operational weapons.
- b. The weapon effects information supplied by the Effects Tests Group of Operation JANGLE upon which some of this report is based, is preliminary in nature and may need to be modified when a more detailed analyses of their results have been made.
- o. The type of soil and flat, treeless terrain of the Nevada Test Site is such that it may be difficult to predict the effects against similar targets on other terrain and in other soils.

4. Conclusions.

a. Conclusions relative to the effects test.

Conclusion relative to surface burst, see Part II, Sec. A, par 3.

Conclusion relative to underground bursts, see Part III, Sec. A, par 3.

- (1) The greater amount of damage to the major items of materiel and equipment from both the surface and underground bursts resulted from the air blast.
- (2) The thermal effects of the surface shot would nontribute to personnel casualties in the open, but produced only negligible damage to material and equipment. There was no thermal damage from the underground shot. 252

UNCLASSIFIED



- (3) The gamma radiation effects provided the principal hazard to personnel.
- (4) Normal field emplacements provide about 80% prosection against the nuclear radiation effects of surface and underground bursts.
- (5) The contaminating effects of surface and underground bursts are such as to preclude occupancy of relatively large areas for periods of several days after the burst. However, a unit could pass through the edges of the area fairly soon after the burst.
 - (6) The effects of contamination of military equipment and materiel do not pose a serious operational problem.
 - (7) Specially designed field emplacements for atomic warfare are not justified.
 - (8) Food and water in closed, intact containers following an atomic explosion are usable.
 - (9) It is felt that the results of Desert Rock Exercises I, II and III provide adequate information as to the protection afforded by normal field emplacements in this type of terrain and soil.
 - b. Conclusions relative to the test operation.
 - (1) The concept of providing pre-shot and post-shot observer indoctrination is sound in view of the excellent contrasting results.
 - (2) The three (3) roentgen tolerance level established is too low for practical military test requirements.
 - (3) The RadSafe program for test personnel would have been more efficient from the point of view of military participation had it been under complete military control.



5. Recommendations.

- a. As regards effects tests.
- (1) As soon as scaling law information becomes available, appropriate portions of this report should be reviewed by the Department of the Army so as to reflect the effects of the operational weapon.
- (2) Prior to the conduct of future tests, a careful study of past experience and existing test data should be made. These results should be summarized and promulgated to future test agencies in ample time for use in connection with test planning. This procedure will minimize unnecessary and costly duplication and some uncertainty in the conduct of future tests.
- (3) Items selected for test should be typical of those which are of major importance in the analyses of targets. Miscellaneous small items should not be included unless justification for tests of these items is evident after careful coordination and planning, to include technical services involved:
 - b. As regards test operations.
- (1) The observer indoctrination program be reviewed by AFSWP for scope content and time allotment.
- (2) Observer attendance at low yield nuclear explosions should be limited to personnel from those agencies directly concerned. Maximum observer attendance is recommended for all tests involving operational yield weapons.
- (3) Department of the Army to review the radiation dosage information available and to establish for test operation an approved military operational dosage which should have the general concurrence of the Atomic Energy Commission.
- (4) Staff to conduct future Army participation in atomic operations should be as well trained basically and as self-sufficient as possible from the points of view of indoctrination,





radiological safety, monitoring, and other technical aspects. Such a procedure would facilitate the Army control of its own radio-logical safety program.

- (5) No changes are recommended at this time in design or construction of standard emplacements, clothing, equipment, and materiel tested, but the possible needs in this connection should be subject to continuing review.
- (6) No change be made in the basic doctrine of employment of troops in attack or defense, except that emphasis should be placed upon digging-in and the dispersion of reserves.
- important part of the Department of the Army training program, particularly as it pertains to atomic weapons effects and individual protective measures, to be instituted with careful planning and thorough supervision. The objective of this training should be the thorough indoctrination of all personnel in the capabilities and limitations of all types of atomic weapons explosions.
- (8) Consideration should be given to conducting future tests in types of terrain, such as rolling or hilly country and wooded areas in which operations might normally be conducted. More pertinent data could be thus secured than has been obtained to date from conduct of exercises in flat terrain. For instance, in operations Desert Rock II and III, a more rolling terrain was available in the same general vicinity.
- (9) The Armed Forces to take advantage of every opportunity in the future to participate more actively in the operation of atomic tests, including complete control of certain special tests by the Armed Forces.
- (10) Advantage should also be taken of every opportunity to include troop participation, tactically and experimentally, in future atomic exercises.



255



(11) Final conclusions as to tactical employment and comparative effectiveness of surface and underground weapons should be withheld where obviously appropriate until a re-evaluation of this report has been made in terms of the estimated yield of the operational weapon.

