

UNCLASSIFIED

AD NUMBER

ADC033491

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution: Further dissemination only as directed by Chemical Systems Laboratory, Army Armament Research and Development Command, Aberdeen Proving Ground, MD 21010, 28 NOV 2001, or higher DoD authority. This document contains export-controlled technical data.

AUTHORITY

ECBC memo dtd 18 Feb 2016

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD NUMBER

ADC033491

CLASSIFICATION CHANGES

TO: unclassified

FROM: confidential

LIMITATION CHANGES

TO:

Distribution: Further dissemination only as directed by U.S. Army Armament Research and Development Command, Aberdeen Proving Ground, MD, 21010, 28 Nov 2001, or higher DoD authority.

FROM:

DoD Controlling Office: US Army Armament Research and Development Command, Chemical Systems Lab., ATTN: DRDAR-CLJ-IR, Aberdeen Proving Ground, MD 21010.

AUTHORITY

USASBC, DA Form 1575, 28 Nov 2001; USASBC, DA Form 1575, 28 Nov 2001

THIS PAGE IS UNCLASSIFIED

CONFIDENTIAL

AD



**CHEMICAL
SYSTEMS
LABORATORY**

US Army Armament Research and Development Command
Aberdeen Proving Ground, Maryland 21010

SPECIAL PUBLICATION ARCSL-SP-83015

**PHYSICAL PROPERTIES OF STANDARD AGENTS, CANDIDATE AGENTS,
AND RELATED COMPOUNDS AT SEVERAL TEMPERATURES (U)**

by

John B. Samuel
Elwin C. Penski
John J. Callahan

Chemical Branch
Research Division

June 1983

CLASSIFIED BY: Multiple Sources
DECLASSIFY ON: OADR



DTIC FILE COPY

**DTIC
ELECTE
FEB 9 1984**

D

CONFIDENTIAL 84 02 90 508

CONFIDENTIAL
(This page is unclassified)
UNCLASSIFIED

Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Disposition

When this report is no longer needed, Department of the Army organizations will destroy it as prescribed by AR 380-5. Navy and Air Force elements will destroy it in accordance with applicable directions. Department of Defense contractors will destroy the report as prescribed by paragraph 19 of the Industrial Security Manual for Safeguarding Classified Information. All other recipients will return the report to the Commander, Chemical Systems Laboratory, ATTN: DRDAR-CLA/Class Docu, Aberdeen Proving Ground, Maryland 21010.

CONFIDENTIAL
(This page is unclassified)
UNCLASSIFIED

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

[This page is unclassified]

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCSL-SP-83015	2. GOVT ACCESSION NO. AD-C033491	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) PHYSICAL PROPERTIES OF STANDARD AGENTS, CANDIDATE AGENTS, AND RELATED COMPOUNDS AT SEVERAL TEMPERATURES (U)		5. TYPE OF REPORT & PERIOD COVERED Special Publication August 1970-September 1982
7. AUTHOR(s) John B. Samuel Elwin C. Penski John J. Callahan		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Commander, Chemical Systems Laboratory ATTN: DRDAR-CLB-CP Aberdeen Proving Ground, Maryland 21010		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Commander, Chemical Systems Laboratory ATTN: DRDAR-CLJ-IR Aberdeen Proving Ground, Maryland 21010		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1L161102A71A 1L162706A553 1L762710AD61
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE June 1983
		13. NUMBER OF PAGES 371
		15. SECURITY CLASS. (of this report) CONFIDENTIAL
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE Declassify On: OADR.
16. DISTRIBUTION STATEMENT (of this Report)		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
Diffusion Coefficient	Refractive Index	Freezing Point
Density (Bulk, Liquid, Crystal)	Boiling Point	Flash Point
Coefficient of Expansion	Dipole Moment	Heat of Fusion
Viscosity	Melting Point	Heat of Sublimation
Surface Tension	Heat of Vaporization	Heat of Combustion
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
(U) The physical properties, extrapolated properties, calculated properties, equation parameters, and references are listed for 55 agents, candidate agents, and related compounds. The physical property data system is described in general terms. Also, methods for the prediction of critical properties, diffusion coefficients of vapors in air and viscosities of vapors are described. The use, strengths, and weaknesses of the Antoine equation are discussed.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

CONFIDENTIAL

[This page is unclassified]

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

CONFIDENTIAL**UNCLASSIFIED**

(This page is unclassified)

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

19. Key Words

Autoignition Temperature	EA 1728
Heat Capacity	EA 1763
Thermal Conductivity	EA 2261
Formula Weight	EA 2337
Vapor Pressure	EA 2361
Volatility	EA 3307
Solubility	EA 3430
Storage Stability	EA 4349
Antoine Equation	EA 4923
Oxygen Index	EA 5265
Critical Properties	EA 5365
Diffusion Coefficient	EA 5389
Viscosity of Vapor	EA 5403
EA 1033 HD	EA 5414
EA 1034 L	EA 5488
EA 1036 T	
EA 1053 HN3	
EA 1205 GA	
EA 1207	
EA 1208 GB	
EA 1209 GE	
EA 1210 GD	
EA 1211 GH	
EA 1212 GF	
EA 1213	
EA 1214	
EA 1230	
EA 1232	
EA 1244	
EA 1245	
EA 1246	
EA 1249	
EA 1251 DF	
EA 1253 DICL	
EA 1255	
EA 1258	
EA 1261	
EA 1262	
EA 1263	
EA 1264	
EA 1274	
EA 1356	
EA 1508 VG	
EA 1511 VP	
EA 1517 VE	
EA 1576	
EA 1622	
EA 1664 VM	
EA 1677 VS	
EA 1694	
EA 1699	
EA 1701 VX	
EA 1724 QL	

CONFIDENTIAL

CONFIDENTIAL

(This page is unclassified)

UNCLASSIFIED

PREFACE

The work described in this report was authorized under Projects 1L161102A71A, Research in Defensive System for CW/BW; 1L762710AD61, Technical Evaluation of Foreign Chemical Warfare Potential; and 1L162706A553, Chemistry of Threat Agents and Chemical Technology. This work was started in August 1970 and completed in September 1982.

The use of trade names in this report does not constitute an official endorsement or approval of the use of such commercial hardware or software. This report may not be cited for purposes of advertisement.

Reproduction of this document in whole or in part is prohibited except with permission of the Commander, Chemical Systems Laboratory, ATTN: DRDAR-CLJ-IR, Aberdeen Proving Ground, Maryland 21010. However, the Defense Technical Information Center is authorized to reproduce this document for United States Government purposes.

Any suggestions or corrections for future editions should be directed to John B. Samuel, (301) 671-2366 or Elwin C. Penski, (301) 671-3953.

Acknowledgments

The authors would like to thank the many individuals (too numerous to acknowledge here) who worked on the measurement and documentation of the physical properties. However, the significant contributions of the following individuals are recognized: Fredric Belkin, Harry A. Brown, Jr., Ann Brozena, Philip B. Coulter, Donald Fielder, Robert J. Grula, Sarah San Agustin, James J. Savage, Helen Walker, David Schneck, and Bernard M. Zeffert.

In addition, the authors would also like to acknowledge the friendly cooperation extended by the Sperry Univac 1100/60 operators and the many other Management Information Systems Support Division (MISSD) personnel.

Accession For	
NTIS GRA&I	☐
DTIC TAB	☒
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
9	



UNCLASSIFIED

CONFIDENTIAL

(This page is unclassified)

UNCLASSIFIED

Blank

UNCLASSIFIED

UNCLASSIFIED

CONTENTS (U)

	Page
1. INTRODUCTION.....	7
2. PHYSICAL CHEMICAL DATA SYSTEM.....	8
3. PREDICTIONS OF PHYSICAL PROPERTIES.....	10
3.1 Critical Properties.....	10
3.2 Diffusion Coefficients.....	13
3.3 Viscosity of Vapor.....	14
LITERATURE CITED.....	15
APPENDIX A. LIST OF COMPOUNDS.....	17
APPENDIX B. PHYSICAL PROPERTY DATA.....	27
APPENDIX C. USE OF THE ANTOINE EQUATION TO FIT VAPOR PRESSURE DATA.....	359
DISTRIBUTION LIST.....	367

UNCLASSIFIED

UNCLASSIFIED

Blank

UNCLASSIFIED

CONFIDENTIAL

PHYSICAL PROPERTIES OF STANDARD AGENTS, CANDIDATE AGENTS, AND RELATED COMPOUNDS AT SEVERAL TEMPERATURES (U)

1. (U) INTRODUCTION

(U) A problem facing users of physical chemical properties of chemical agents and related compounds has been the lack of a central source of reliable data. Data are often scattered in various technical reports, journals and laboratory notebooks. Many compilations of data fail to note original sources or important experimental details. As a result, the physical properties used in calculations in various technical reports are inconsistent and often not the best data available.

(U) For over a decade, efforts of chemists in the Physical Organic Section have been directed toward providing an automated physical property data system for chemical agents and related compounds. The characteristics of the desired system are listed in table 1. To provide the maximum assistance to the user of physical chemical properties of chemical agents, every effort was made to obtain these characteristics.

(U) This report briefly describes the physical property data system along with methods used to predict additional properties. A compilation of physical, chemical and thermodynamic data and correlations is provided for 55 chemical agents and related compounds. A list of these compounds with their chemical structures is given in Appendix A. In Appendix B, the properties along with predicted properties are provided at temperatures of -40°, -20°, 0°, 20°, 25° and 40°C.

Table 1. (U) Characteristics of the Desired Data System

- | |
|---|
| 1. Use automation to ease access and to allow for upgrading of input. |
| 2. Enter properties in formatted form so that each value is machine readable. |
| 3. Evaluate all available data and use best data. |
| 4. Combine data to extend the experimental data range where appropriate. |
| 5. Calculate properties at any specified temperature. |
| 6. Provide easy to read printout with readily apparent units. |
| 7. Take all data from original sources with provided references. |
| 8. Provide data ranges and warnings where extrapolations are performed. |

UNCLASSIFIED

(This page is UNCLASSIFIED)

CONFIDENTIAL

UNCLASSIFIED

2. (U) PHYSICAL CHEMICAL DATA SYSTEM

(U) All values for properties and equation parameters entered into the data system are formatted and identified by property code and compound number. Thus, all properties are machine readable except solubility which lists the solvent in the reference field. Table 2 lists the major components of an 80 character input line.

Table 2. (U) Components of a Data Input Line

- | |
|--|
| 1. Compound code number |
| 2. Compound letter code |
| 3. Property or parameter code number |
| 4. Property or parameter value |
| 5. Temperature and/or upper or lower values of temperature range |
| 6. Reference field of up to 36 characters |

UNCLASSIFIED

(U) Compounds are listed in order of their EA number. A system of numbered codes was established to identify individual properties and parameters. The compound numbers, names, and structures for compounds contained in this report are tabulated in Appendix A.

(U) Considerable time and effort were spent locating, evaluating and selecting physical chemical properties to be included in this system. The data selected are considered the best available. When conflicting data were found, selection was made primarily on the basis of experimental procedure and reported sample purity. Therefore, the values in this system tend to be for purified rather than technical grade material. When properties had been extensively evaluated and documented in reviews, these values were used unless better data had become available.

(U) Two types of equations are used in this system to describe physical properties versus temperature. Where possible, data sets covering different temperature ranges were combined to generate property parameters based on extended temperature ranges.

(U) Antoine equations¹ are used to describe both vapor pressure and viscosity. The merits of the Antoine equation for fitting and extrapolating vapor pressure data are covered extensively in Appendix C. The Antoine equation has been found also to work well for fitting and interpolating viscosity data. However, for many of the compounds, the Antoine constants for viscosity were generated from three points which covered a data range of only 25°C. Extensive extrapolation of viscosity for these compounds may result in a significant error.

UNCLASSIFIED

UNCLASSIFIED

(U) Density, refractive index, and surface tension are each expressed as a linear function of temperature. The method of least squares was used to generate equation parameters from the experimental data.

(U) The reference field allows up to 36 characters per property or set of parameters. Due to this space limitation, it was necessary to abbreviate references. These references should be available in the Chemical Systems Laboratory (CSL) Technical Library. Since some data are unpublished, it was necessary to list CSL notebook (NB) numbers. Several unreferenced data points are included in the system despite substantial efforts to reference all information. Additional information is sometimes provided in the reference field, e.g., sample purity and other characteristics. In cases where the property value was reported in the literature as a range, an average value was used and the range was reported in the reference field.

(U) Numerous tests and warnings have been incorporated into this system for the following reasons: (1) to prevent the calculation of meaningless data, and (2) to warn the user when the calculated values fall outside the range of the experimental data used in generating the input parameters. The most common warning is "THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE." Due to the small temperature coefficients, extrapolations of the linear functions such as density and surface tension over broad temperature ranges are relatively reliable. The viscosity, and vapor pressure, along with properties derived from vapor pressure, undergo significant changes with temperature. Relatively poor values for these properties could result from large extrapolations, particularly when equations are derived from data collected over a narrow temperature range. An extrapolation of vapor pressure over a 200° temperature range could result in errors of one magnitude or more in value. Tests and warnings also have been incorporated into the data system to prevent extrapolation of data from one physical state to another. Table 3 demonstrates how the system uses freezing points (fp) (or melting points) and boiling points (bp) to classify a specified temperature prior to calculating liquid properties. Appropriate statements and warnings are printed along with the calculated values.

Table 3. (U) Test and Warnings

Classification	Directed Action
1. $bp < T$	Liquid properties are calculated at bp
2. $fp < T < bp$	Liquid properties are calculated at T
3. $(fp-25^{\circ}C) < T < fp$	Liquid properties are calculated at T and it is noted that these values are calculated for a supercooled liquid
4. $T < (fp-25^{\circ}C)$	Liquid properties are calculated at the fp
5. No fp	Liquid properties calculated at T with warning that there is no fp available
6. No bp	Liquid properties calculated at T with warning that there is no bp available

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

3. (U) PREDICTIONS OF PHYSICAL PROPERTIES

(U) Early in the development of the physical chemical property data system, it was realized that a great potential existed with this system for predicting additional properties. Bretsznajader's book, Prediction of Transport and Other Physical Properties of Fluids,² provided much help in selecting procedures which required properties consistent with those contained within this data system. Various empirical relationships were added to the data system to allow the prediction of critical properties, the viscosity of vapor, and the diffusion coefficient of vapor into air.

3.1 (U) Critical Properties.

(U) The critical density, critical temperature, critical volume, and critical pressure are calculated using the method of Filippov.³ The property parameters used to calculate critical properties are the density equation constants A and B, and the molecular weight. The following equation allows the critical density (ρ_c) in gm/ml to be calculated at T degrees Kelvin ($^{\circ}\text{K}$).

$$\rho_c = 0.253 \left(\rho - T \frac{d\rho}{dT} \right) \quad (1)$$

where ρ is the density of compound at temperature T, and $d\rho/dT$ is the derivative of density with respect to T.

Critical temperature (T_c) in $^{\circ}\text{K}$ is calculated using the following relationship:

$$T_c = \frac{-1.95 \rho_c}{d\rho/dT} \quad (2)$$

Critical pressure (P_c) in atmospheres (atm) is calculated as follows:

$$P_c = \frac{RT_c \rho_c}{3.83 M} \quad (3)$$

where R is 82.06 (ml atm/deg-mole), and M is the molecular weight.

The critical volume (V_c) is simply the gram molecular weight divided by the critical density.

(U) Using Filippov's method, good estimates of critical properties should be obtained when the following criteria are met for the density equation parameters:

UNCLASSIFIED

UNCLASSIFIED

- a. Accurate measurements were made with pure material.
- b. Experimental range is in an area where the vapor density is small compared to liquid density.
- c. $d\rho/dT$ is constant over a broad temperature range.

(U) For most liquids, $d\rho/dT$ is relatively constant. Highly associated liquids are an exception. Water exhibits an abnormality at 4°C where $d\rho/dT$ changes signs. Above 4°C, the magnitude of $d\rho/dT$ increases significantly with increased temperature.

(U) Filippov³ found that errors in calculating critical properties usually did not exceed 2 percent for ρ_c and 3 percent for T_c . Literature values for critical properties of chemical agents contained in this report were not available; therefore, four test compounds were added to the system. Table 4 contains a listing of the calculated critical properties and literature values for these compounds. Input for the test compounds consisted of molecular weights and density equation parameters. Density parameters were derived from literature values of density at various temperatures over a range of 25 to 35°C. The 2-propanol was selected as a nonideal case. Due to hydrogen bonding, its density is a nonlinear function of temperature.

(U) The estimated critical properties are in relatively good agreement with the literature values for the first three compounds. The estimated critical temperature for diethylamine is 22.5°C lower than the reported value; however, the difference in absolute temperature is only 5 percent. The estimated critical temperature for 2-propanol which is about 15 percent lower than the experimental value can be attributed primarily to the nonlinearity of its density versus temperature relationship.

UNCLASSIFIED

UNCLASSIFIED

Table 4. (U) Comparison of Estimated Properties with Experiment Values^a for Four Test Compounds

Critical Properties			Diffusion Coefficient of the Vapor into Air		Viscosity of the Vapor	
Density g/ml	Temp °C	Vol cc/mole	Pressure Atm	cm ² /sec	Temp (°C)	cP
<u>BENZENE</u>						
Estimated	0.303	271	258	45.2	0.082	0
						0.0072
						0.0095
Experimental	0.304	288.5	257	47.7	0.077	0
						0.00738
						0.00918
<u>CHLOROFORM</u>						
Estimated	0.515	266	232	49.8	0.085	25
						0.0090
						0.0164
Experimental	0.516	263	228	--	0.091	25
						0.00936
						0.0164
<u>DIETHYLAMINE</u>						
Estimated	0.256	201	285	35.6	0.067	0
						0.0092
Experimental	0.246	223.5	297	36.2	0.0884	0
						0.0092
<u>2-PROPANOL</u>						
Estimated	0.264	313	228	55.2	0.079	0
						0.0087
Experimental	0.273	235.16	220	47.02	0.0818	0
						0.0109
						99.8
						99.8

* All experimental values were taken from the International Critical Tables⁴ except for the diffusion coefficient of chloroform⁵ and the critical properties of 2-propanol.⁶

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

3.2 (U) Diffusion Coefficients.

The method of Othmer and Chen⁷ is used to calculate the diffusion coefficient of a vapor into air.

$$D_{12}P = (2.52 \times 10^7) \mu^{2.74} \left[\frac{\left(\frac{1}{M_1} + \frac{1}{M_2} \right)^{0.5}}{\left(v_{c1}^{0.4} + v_{c2}^{0.4} \right)^2} \right]^{1.23} \quad (4)$$

where D_{12} = the diffusion coefficient of component one into component two in cm^2/sec

M_1 = molecular weight of component one (vapor)

M_2 = molecular weight of component two (air)

P = pressure in atm

v_{c1} = critical volume in ml of component one (vapor)

v_{c2} = critical volume in ml of component two (air)

μ = viscosity of air in centipoise (cP) at the desired temperature.

(U) The V_c of component one is calculated as described in the preceding section on critical properties. The value used for the molecular weight of air is 28.95⁸ while the ρ_c of air is reported to be 0.35 g/ml.⁹ Thus, the V_c of air is calculated to be 82.71 ml. In this report, all calculations of diffusion coefficients are made at one atm.

(U) The viscosity of air is calculated at the required temperatures using the Sutherland¹⁰ equation for the influence of temperature on the viscosity of gases. When the constants for air⁴ are substituted into the equation, the following relationship is obtained:

$$\mu_{\text{air}} = \frac{0.001488 T^{3/2}}{T + 120} \quad (5)$$

where μ_{air} is the viscosity of air at T in cP.

(U) Using diffusion coefficient literature values for 50 systems at 25°C, Othmer and Chen⁷ found an average absolute deviation of 5.75 percent. In addition, they compared their calculated values for an air-water system between 25 and 1220°C to observed values and found an average error of 7.61 percent. Citing experimental difficulties, they concluded that their method, as well as several more complex methods, should give values within experimental error.

UNCLASSIFIED

UNCLASSIFIED

(U) Diffusion coefficients for the vapor into air for the four test compounds were estimated in the physical property data system and included in table 4. Estimated values agree within 7 percent for three of the compounds while the fourth, diethylamine, agrees within 24 percent. The literature value for the critical volume of diethylamine was then used to recalculate the diffusion coefficient yielding a value of 0.069 cm²/sec.

3.3 (U) Viscosity of Vapor.

(U) The modified Sutherland's equation shown below was developed by Licht and Stechert¹⁰ and is used to calculate the viscosity of gases. Within the pressure range where viscosity is not dependent on pressure, the equation allows the viscosity of a gas to be calculated from its critical temperature, its critical pressure, and its molecular weight.

$$\mu = 6.30 \times 10^{-4} \left(\frac{M^3 P_c^4}{T_c} \right)^{1/6} \frac{T_r^{3/2}}{T_r + 0.8} \quad (6)$$

where μ = viscosity of vapor in cP at T°K

M = molecular weight

P_c = critical pressure in atm

T_c = critical temperature in °K

T_r = reduced temperature = T/T_c

(U) Licht and Stechert calculated the viscosity of gases for 23 compounds and found that for 19 of the compounds, estimated values fell within 10 percent of the literature values. The remaining compounds were water, helium, ammonia and ethanol. Estimated values for these compounds were within 21 percent of the literature values.¹⁰

(U) Table 4 lists the estimated and literature vapor viscosity values for the four test compounds. Using the previously estimated critical pressures and temperatures, the physical property data system was used to estimate the viscosity of vapor for these compounds. While agreement within 4 percent was obtained for the first three compounds, the estimated value for 2-propanol is 20 percent lower than the literature value. The deviation was reduced to 16 percent when the calculation was repeated using literature values for critical properties. These results for 2-propanol are consistent with Licht and Stechert's results for ethanol.

(U) It should be noted that highly associated compounds may not give estimates as accurate as those given by the compounds found in table 4; the data and compounds shown in table 4 were probably used to develop the estimation techniques.

UNCLASSIFIED

UNCLASSIFIED

LITERATURE CITED (U)

1. Penski, E. C., and Latour, L. J. Edgewood Arsenal Technical Report EATR 4491. Conversational Computation Method for Fitting the Antoine Equation to Vapor Pressure-Temperature Data. February 1971. UNCLASSIFIED Report.
2. Bretsznajder, S. Prediction of Transport and Other Physical Properties of Fluids. Pergamon Press, Oxford. 1st Eng Ed. 1971.
3. Filippov, L. P. Description of the Properties of Liquids in Terms of Similarity Theory. Zhurn. Fiz. Khim. 37, 201 (1963).
4. Washburn, E. W. Editor. The International Critical Tables of Numerical Data, Physics, Chemistry and Technology. 1st Ed. Vols. 3 and 5. McGraw-Hill Publishing Company, New York. 1929.
5. Mrazek, R. V., Wicks, C. E., and Prabhu, K. N. S. Dependence of the Diffusion Coefficient on Composition in Binary Gaseous Systems. J. Chem & Eng Data. 13 (4), 509 (1968).
6. Wilhoit, R. C., and Zwolinski, B. J. Properties of Aliphatic Alcohols. J. Phy. Chem. Ref. Data. 2, Suppl 1, 1-78 (1973).
7. Othmer, D. F., and Chen, H. T. Correlating Diffusion Coefficients in Binary Gas Systems. Ind. Eng. & Chem. Proc. Des. & Dev. 1 (4), 249 (1962).
8. Eshbach, O. W., and Souders, M. Editors. Handbook of Engineering Fundamentals. 3rd Ed. p 1504. John Wiley and Sons, New York. 1975.
9. Pickering, S. F. A Review of the Critical Constants of Various Gases. J. Phy. Chem. 28, 102 (1924).
10. Licht, W. Jr., and Stechert, D. G. The Variation of the Viscosity of Gases and Vapors with Temperature. J. Phys. Chem. 48, 23 (1944).

UNCLASSIFIED

UNCLASSIFIED

Blank

UNCLASSIFIED

CONFIDENTIAL

APPENDIX A

LIST OF COMPOUNDS (U)

CLASSIFIED BY: Multiple Sources

DECLASSIFY ON: OADR

(This page is UNCLASSIFIED)

CONFIDENTIAL

UNCLASSIFIED

Blank

UNCLASSIFIED

UNCLASSIFIED

APPENDIX A

LIST OF COMPOUNDS (U)


Code Number Code Name	Name	Structure
(U) EA 1033 (HD)	Bis(2-chloroethyl)sulfide; Distilled Mustard	$\text{ClC}_2\text{H}_4\text{SC}_2\text{H}_4\text{Cl}$
(U) EA 1034 (L)	2-Chlorovinylchloroarsine	ClCH=CHAsCl_2
(U) EA 1036 (T)	Bis [2-(2-chloroethylmercapto) ethyl] ether	$(\text{ClC}_2\text{H}_4\text{SC}_2\text{H}_4)_2\text{O}$
(U) EA 1053 (NH3)	Tris(2-chloroethyl)amine; Nitrogen Mustard -3	$(\text{ClC}_2\text{H}_4)_3\text{N}$
(U) EA 1205 (GA)	Ethyl N,N-dimethylphosphoramido- cyanidate	$\begin{array}{c} \text{CH}_3 \\ \diagup \\ \text{N} - \text{P} - \text{O} - \text{C}_2\text{H}_5 \\ \diagdown \quad \\ \text{CH}_3 \quad \text{CN} \end{array}$
(U) EA 1207	Ethyl methylphosphonofluoridate	$\begin{array}{c} \text{O} \\ \\ \text{CH}_3 - \text{P} - \text{OC}_2\text{H}_5 \\ \\ \text{F} \end{array}$
(U) EA 1208 (GB)	2-Propyl methylphosphono- fluoridate	$\begin{array}{c} \text{O} \quad \text{CH}_3 \\ \quad \\ \text{CH}_3 - \text{P} - \text{O} - \text{CH} \\ \quad \\ \text{F} \quad \text{CH}_3 \end{array}$
(U) EA 1209 (GE)	2-Propyl ethylphosphono- fluoridate	$\begin{array}{c} \text{O} \quad \text{CH}_3 \\ \quad \\ \text{C}_2\text{H}_5 - \text{P} - \text{O} - \text{CH} \\ \quad \\ \text{F} \quad \text{CH}_3 \end{array}$
(U) EA 1210 (GD)	Pinacolyl methylphosphono- fluoridate	$\begin{array}{c} \text{O} \quad \text{CH}_3 \\ \quad \\ \text{CH}_3 - \text{P} - \text{O} - \text{CH} - \text{C}(\text{CH}_3)_3 \\ \\ \text{F} \end{array}$

UNCLASSIFIED

UNCLASSIFIED


(U) EA 1211
(GH)

2-(4-Methylpentyl)methyl-
phosphonofluoridate




(U) EA 1212
(GF)

Cyclohexyl methylphosphono-
fluoridate




(U) EA 1213

2,2-Dimethylpropyl
methylphosphonofluoridate




(U) EA 1214

2-Ethylhexyl methylphosphono-
fluoridate




(U) EA 1230

2-Phenoxyethyl methyl-
phosphonofluoridate




(U) EA 1232

Methyl methylphosphonofluoridate




(U) EA 1244

2-Chloroethyl N,N-dimethyl-
phosphoramidocyanidate




(U) EA 1245

Methyl N,N-diethylphosphoramido-
cyanidate




(U) EA 1246

Cyclopentyl methylphosphono-
fluoridate




UNCLASSIFIED


(U) EA 1249 2 Methylpropyl methylphosphonofluoridate




(U) EA 1251 (DF) Methyl phosphonic difluoride




(U) EA 1253 (DACL) Methyl phosphonic dichloride




(U) EA 1255 2-Butyl methylphosphonofluoridate




(U) EA 1258 1-Butyl methylphosphonofluoridate




(U) EA 1261 1-Propyl methylphosphonofluoridate




(U) EA 1262 1-Hexyl methylphosphonofluoridate



(U) EA 1263 1-Decyl methylphosphonofluoridate



(U) EA 1264 4-(2,6-Dimethylheptyl) methylphosphonofluoridate




Appendix A

UNCLASSIFIED

CONFIDENTIAL


(U) EA 1274

2-Pentyl methylphosphonofluoridate




(C) EA 1356

(Racemic) 2-methylcyclohexyl methylphosphonofluoridate




(U) EA 1508
(VG)

O,O-Diethyl S-(2-diethylaminoethyl) phosphorothioate




(U) EA 1511
(VP)

3-Pyridyl 3,3,5-trimethylcyclohexyl methylphosphonate




(U) EA 1517
(VE)

O-Ethyl S-(2-diethylaminoethyl) ethylphosphonothioate




(U) EA 1576

2-Ethoxycarbonyl-1-methylvinyl 3-methylcyclohexyl methylphosphonate



(U) EA 1622

O-Isopropyl S-(2-diethylaminoethyl) methylphosphonothioate




UNCLASSIFIED

(U) EA 1664 (VM)	O-Ethyl S-(2-diethylamino-ethyl) methylphosphonothioate	$\begin{array}{c} \text{CH}_3 \\ \diagup \\ \text{P}=\text{O} \\ \diagdown \\ \text{C}_2\text{H}_5\text{O} \end{array} \text{-SC}_2\text{H}_4\text{N}(\text{C}_2\text{H}_5)_2$
(U) EA 1677 (VS)	O-Ethyl S-(2-diisopropyl-aminoethyl) ethylphosphonothioate	$\begin{array}{c} \text{C}_2\text{H}_5 \\ \diagup \\ \text{P}=\text{O} \\ \diagdown \\ \text{C}_2\text{H}_5\text{O} \end{array} \text{-SC}_2\text{H}_4\text{N}[\text{CH}(\text{CH}_3)_2]_2$
(U) EA 1694	O-Ethyl S-(2-dimethylamino-ethyl) ethylphosphonothioate	$\begin{array}{c} \text{C}_2\text{H}_5 \\ \diagup \\ \text{P}=\text{O} \\ \diagdown \\ \text{C}_2\text{H}_5\text{O} \end{array} \text{-SC}_2\text{H}_4\text{N}(\text{CH}_3)_2$
(U) EA 1699	O-Ethyl S-(2-dimethylamino-ethyl) methylphosphonothioate	$\begin{array}{c} \text{CH}_3 \\ \diagup \\ \text{P}=\text{O} \\ \diagdown \\ \text{C}_2\text{H}_5\text{O} \end{array} \text{-SC}_2\text{H}_4\text{N}(\text{CH}_3)_2$
(U) EA 1701 (VX)	O-Ethyl S-(2-diisopropyl-aminoethyl) methylphosphonothioate	$\begin{array}{c} \text{CH}_3 \\ \diagup \\ \text{P}=\text{O} \\ \diagdown \\ \text{C}_2\text{H}_5\text{O} \end{array} \text{-SC}_2\text{H}_4\text{N}[\text{CH}(\text{CH}_3)_2]_2$
(U) EA 1724 (QL)	O-(2-Diisopropylaminoethyl) O-ethyl methylphosphonite	$\begin{array}{c} \text{CH}_3 \\ \diagup \\ \text{P} \\ \diagdown \\ \text{C}_2\text{H}_5\text{O} \end{array} \text{-OC}_2\text{H}_4\text{N}[\text{CH}(\text{CH}_3)_2]_2$
(U) EA 1728	O-Isopropyl S-(2-diisopropyl-aminoethyl) methylphosphonothioate	$\begin{array}{c} \text{CH}_3 \\ \diagup \\ \text{P}=\text{O} \\ \diagdown \\ (\text{CH}_3)_2\text{CHO} \end{array} \text{-SC}_2\text{H}_4\text{N}[\text{CH}(\text{CH}_3)_2]_2$

UNCLASSIFIED


(U) EA 1763

O-n-Propyl S-(2-diisopropyl-aminoethyl) methylphosphonothioate




(U) EA 2261

O-(2-Methylcyclohexyl) methylphosphonofluoridothioate




(U) EA 2337

O-Pinacolyl methylphosphonofluoridothioate




(U) EA 2361

O-Cyclopentyl methylphosphonofluoridothioate




(U) EA 3307

2,5-Dimethylcyclohexyl methylphosphonofluoridate




(U) EA 3430

2-Methylcyclopentyl methylphosphonofluoridate



(U) EA 4349

Cyclooctyl methylphosphonofluoridate




Appendix A


UNCLASSIFIED

CONFIDENTIAL


(U) EA 4923 1-Methoxy cycloheptatriene




(U) EA 5265 2,4-Dimethylcyclohexyl methylphosphono-fluoridate




(C) EA 5365 2-Dimethylaminoethyl N,N-dimethylphosphoramidofluoridate




(U) EA 5389 O-2,4-Dimethylcyclohexyl methylphosphonofluoridothioate




(C) EA 5403 1-Dimethylamino-2-propyl N,N-dimethylphosphoramido-fluoridate



(C) EA 5414 1-Dimethylamino-3-propyl N,N-dimethylphosphoramido-fluoridate



(C) EA 5488 3-Quinuclidyl-N,N-dimethylphosphoramido-fluoridate



UNCLASSIFIED

Blank

UNCLASSIFIED

CONFIDENTIAL

APPENDIX B

PHYSICAL PROPERTY DATA (U)

CLASSIFIED BY: Multiple Sources

DECLASSIFY ON: OADR

(This page is UNCLASSIFIED)

CONFIDENTIAL

UNCLASSIFIED

Blank

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1033 AT THE MELTING POINT IN LIEU OF -40 DEG C
COMMON NAME: HD FORMULA WEIGHT: 159.1 GENERAL REFERENCE: CRLR542
***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47009, B= 1935.47, C= 204.2 DETERMINED OVER THE
TEMPERATURE RANGE 14.9 TO 140.0 DEG. CENT. REFERENCE: EQ.CAL FROM V389
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .42-01
ESTIMATED BOILING POINT(CENT.)= 217.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.3
VOLATILITY(MG/METER CUBED)= .37+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .23+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VAPOR PRESSURE(TORR)= .11+00 AT 25.0 DEG. CENT. REFERENCE: CRLR542
DENSITY(G/ML)= 1.2799 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2954 - .00107 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 RANGE 20-40C LIQUID

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.59800, B= -952.50, C= 273.2 DETERMINED OVER THE TEMPERATURE
RANGE 15.0 TO 35.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE TEMPERATURE

VISCOSITY(CENTIPOISE)= 5.175
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 45.3700 - .1340*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE SURFACE TENSION 43.9 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.5305 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.5377 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
20.0 TO 36.0 DEG. CENT. REFERENCE: CRLR542

HEAT OF COMBUSTION(KCAL/MOLE)= -7.56 AT 25.0 DEG. CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635

FLASH POINT, (CENTIGRADE)= 105.0 REFERENCE: MICRO METHOD CRLR542

HEAT OF SUBLIMATION(KCAL/MOLE)= 18.60 AT 14.5 DEGREE CENT. REFERENCE: CRLR542

HEAT OF FUSION(KCAL/MOLE)= 4.2 AT 25.0 DEGREE CENT. REFERENCE: CRLR542

HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -47.91 AT 25.0 DEGREE CENT. REFERENCE: CRLR542

HEAT CAPACITY (KCAL/MOLE)= .0569 AT 19.0 DEGREE CENT. REFERENCE: CRLR542

HEAT CAPACITY (KCAL/MOLE)= .0504 AT 0 DEGREE CENT. REFERENCE: CRLR542

THERMAL CONDUCTIVITY(CAL/CM*2/CM/DEG. C./SEC)= .316-03 AT 20.0 DEGREE CENT. REFERENCE: CRLR542

THERMAL CONDUCTIVITY(CAL/CM*2/CM/DEG. C./SEC)= .387-03 AT 4.0 DEGREE CENT. REFERENCE: CRLR542

FREEZING POINT (DEG. CENT.)= 14.45 REFERENCE: CRLR542

SOLUBILITY(G/100G SOLVENT) .820+00 AT 22.0 DEGREE CENTIGRADE REFERENCE: WATER CRLR542

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4020 456.11 395.70 39.49

DIFFUSION COEF. = .055 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.49,23(1944) VISCOSITY OF VAPOR = 6.37-03 CENTIPOISE

END OF COMPOUND EA 1033 AT 14.5 DEGREES C. PAGE NUMBER B- 1

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1033 AT THE MELTING POINT IN LIEU OF -20 DEG C

***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47009, B= 1935.47, C= 204.2 DETERMINED OVER THE TEMPERATURE RANGE 14.9 TO 140.0 DEG. CENT. REFERENCE: EQ.CAL FROM V389

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .42-01
ESTIMATED BOILING POINT(CENT.)= 217.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.3
VOLATILITY(MG/METER CUBED)= .37+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .23+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VAPOR PRESSURE(TORR)= .11+00 AT 25.0 DEG. CENT. REFERENCE: CRLR542
DENSITY(G/ML)= 1.2799 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2954 - .00107 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 RANGE 20-40C LIQUID

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.59800, B= -952.50, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 35.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= 5.175
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 45.6700 - .1340*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE SURFACE TENSION 43.9 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.5305 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.5377 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

HEAT OF COMBUSTION(KCAL/MOLE)= -7.56 AT 25.0 DEG. CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635

FLASH POINT, (CENTIGRADE)= 105.0 REFERENCE: MICRO METHOD CRLR542

HEAT OF SUBLIMATION(KCAL/MOLE)= 18.60 AT 14.5 DEGREE CENT. REFERENCE: CRLR542

HEAT OF FUSION(KCAL/MOLE)= 4.2 AT 25.0 DEGREE CENT. REFERENCE: CRDL-542

HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -47.91 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635

HEAT CAPACITY (KCAL/MOLE)= .0569 AT 19.0 DEGREE CENT. REFERENCE: CRLR542

HEAT CAPACITY (KCAL/MOLE)= .0504 AT .0 DEGREE CENT. REFERENCE: CRLR542 -30 TO 10 DEG C

THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .316-03 AT 20.0 DEGREE CENT. REFERENCE: CRLR542

THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .387-03 AT 4.0 DEGREE CENT. REFERENCE: CRLR542

- FREEZING POINT (DEG. CENT.)= 14.45 REFERENCE: CRLR542

SOLUBILITY(G/100G SOLVENT)= .920+00 AT 22.0 DEGREE CENTIGRADE REFERENCE: WATER CRUL542

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.1020	456.11	395.70	39.49

DIFFUSION COEF. = .055 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.37-03 CENTIPOISE

END OF COMPOUND EA 1033 AT 14.5 DEGREES C. PAGE NUMBER B- 2

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1033 AT 22.0 DEGREES CENTIGRADE
 COMMON NAME: HD FORMULA WEIGHT: 159.1 GENERAL REFERENCE: CRLR542
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47009, B= 1935.47, C= 204.2 DETERMINED OVER THE
 TEMPERATURE RANGE 14.9 TO 140.0 DEG. CENT. REFERENCE: EQ.CAL FROM V389
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .99-02
 ESTIMATED BOILING POINT(CENT.)= 217.5
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.8
 VOLATILITY(MG/METER CUBED)= .92+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .58+00
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VAPOR PRESSURE(TORR)= .11+00 AT 25.0 DEG. CENT. REFERENCE: CRLR542
 DENSITY(G/ML)= 1.2954 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2954 - .00107 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 RANGE 20-40C LIQUID

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.59800, B= -952.50, C= 273.2 DETERMINED OVER THE TEMPERATURE
 RANGE 15.0 TO 35.0 DEG. CENT. REFERENCE: CRLR542
 VISCOSITY(CENTIPOISE)= 7.748 WERE USED TO CALCULATE THE VISCOSITY

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 45.8700 - .1340*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542
 WERE USED TO CALCULATE THE SURFACE TENSION= 45.9 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.5377 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.5377 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

HEAT OF COMBUSTION(KCAL/MOLE)= -7.56 AT 25.0 DEG. CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635

FLASH POINT, (CENTIGRADE)= 105.0 REFERENCE: MICRO METHOD CRLR542

HEAT OF FUSION(KCAL/MOLE)= 4.2 AT 25.0 DEGREE CENT. REFERENCE: CRDL-542

HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -47.91 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635

HEAT CAPACITY (KCAL/MOLE)= .0569 AT 19.0 DEGREE CENT. REFERENCE: CRLR542

HEAT CAPACITY (KCAL/MOLE)= .0504 AT 20.0 DEGREE CENT. REFERENCE: CRLR542 -30 TO 10 DEG C

THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .316-03 AT 20.0 DEGREE CENT. REFERENCE: CRLR542

THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .387-03 AT 4.0 DEGREE CENT. REFERENCE: CRLR542

FREEZING POINT (DEG. CENT.)= 14.45 REFERENCE: CRLR542

SOLUBILITY(G/100G SOLVENT)= .920+00 AT 22.0 DEGREE CENTIGRADE REFERENCE: WATER CRDL542

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.4020	456.11	395.70	39.45

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.00-03 CENTIPOISE

END OF COMPOUND EA 1033 AT 22.0 DEGREES C. PAGE NUMBER B- 3

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1033 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: HD FORMULA WEIGHT: 159.1 GENERAL REFERENCE: CRLR542

THE FOLLOWING ANTIGINE CONSTANTS(EATR 4491): A= 7.47009, B= 1935.47, C= 204.2 DETERMINED OVER THE TEMPERATURE RANGE 14.9 TO 140.0 DEG. CENT. REFERENCE: EQ.CAL FROM V389
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .69-01
ESTIMATED BOILING POINT(CENT.)= 217.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.1
VOLATILITY(MILLIMOLE/ METER CUBED)= .38+01
VOLATILITY(MG/METER CUBED)= .60+03 AT 25.0 DEG. CENT. REFERENCE: CRLR542
VAPOR PRESSURE(TORR)= .11+00 AT 25.0 DEG. CENT. REFERENCE: CRLR542
DENSITY(G/ML)= 1.2739 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2954 - .00107 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 RANGE 20-40C LIQUID

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.59800, B= -952.50, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 35.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE VISCOSITY

THE EQUATION: SURFACE TENSION(DYNES/CM)= 45.8700 - .1340*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE SURFACE TENSION 43.2 DYNES/CM
REFRACTIVE INDEX(ND)= 1.5277 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5377 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

HEAT OF COMBUSTION(KCAL/MOLE)= -7.56 AT 25.0 DEG. CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635
FLASH POINT (CENTIGRADE)= 105.0 REFERENCE: MICRO METHOD CRLR542

HEAT OF FUSION(KCAL/MOLE)= 18.60 AT 14.5 DEGREE CENT. REFERENCE: CRLR542
HEAT OF SUBLIMATION(KCAL/MOLE)= 4.2 AT 25.0 DEGREE CENT. REFERENCE: CRLR542
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -47.91 AT 25.0 DEGREE CENT. REFERENCE: CRDL-542

HEAT CAPACITY (KCAL/MOLE)= .0569 AT 19.0 DEGREE CENT. REFERENCE: CRLR542
HEAT CAPACITY (KCAL/MOLE)= .0504 AT 0 DEGREE CENT. REFERENCE: CRLR542
THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .316-03 AT 20.0 DEGREE CENT. REFERENCE: CRLR542

THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .387-03 AT 4.0 DEGREE CENT. REFERENCE: CRLR542
FREEZING POINT (DEG. CENT.)= 14.45 REFERENCE: CRLR542
SOLUBILITY(G/100G SOLVENT)= .920+00 AT 22.0 DEGREE CENTIGRADE REFERENCE: WATER CRDL542

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.8020	456.11	395.70	39.49

DIFFUSION COEF. = .057 CM.²/SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.52-03. CENTIPOISE

END OF COMPOUND EA 1033 AT 20.0 DEGREES C. PAGE NUMBER B- 4

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1033 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: NO FORMULA WEIGHT: 159.1 GENERAL REFERENCE: CRLR542

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 7.47009, B= 1935.47, C= 204.2 DETERMINED OVER THE TEMPERATURE RANGE 14.9 TO 140.0 DEG. CENT. REFERENCE: EQ.CAL FROM V389
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .11+00
ESTIMATED BOILING POINT(CENT.)= 217.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.0
VOLATILITY(MG/METER CUBED)= .91+03 VOLATILITY(MILLIMOLE/METER CUBED)= .57+01
VAPOR PRESSURE(TORR)= .11+00 AT 25.0 DEG. CENT. REFERENCE: CRLR542
DENSITY(G/ML)= 1.2685 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2954 - .00107 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 RANGE 20-40C LIQUID

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -2.59800, B= -952.50, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 35.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= 3.951
THE EQUATION: SURFACE TENSION(DYNES/CM)= 45.8700 - .1340*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE SURFACE TENSION 42.5 DYNES/CM
REFRACTIVE INDEX(MD)= 1.5252 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(MD)= 1.5377 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

HEAT OF COMBUSTION(KCAL/MOLE)= -7.56 AT 25.0 DEG. CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635
FLASH POINT, (CENTIGRADE)= 105.0 REFERENCE: MICRO METHOD CRLR542

HEAT OF SUBLIMATION(KCAL/MOLE)= 18.60 AT 14.5 DEGREE CENT. REFERENCE: CRLR542

HEAT OF FUSION(KCAL/MOLE)= 4.2 AT 25.0 DEGREE CENT. REFERENCE: CRDL-542

HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -47.91 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635

HEAT CAPACITY (KCAL/MOLE)= .0569 AT 19.0 DEGREE CENT. REFERENCE: CRLR542

HEAT CAPACITY (KCAL/MOLE)= .0504 AT .0 DEGREE CENT. REFERENCE: CRLR542 -30 TO 10 DEG C

THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .316-03 AT 20.0 DEGREE CENT. REFERENCE: CRLR542

THERMAL CONDUCTIVITY(CAL/CM**2/CM/DEG. C./SEC)= .307-03 AT 4.0 DEGREE CENT. REFERENCE: CRLR542

FREEZING POINT (DEG. CENT.)= 14.45 REFERENCE: CRLR542

SOLUBILITY(G/100G SOLVENT)= .920+00 AT 22.0 DEGREE CENTIGRADE REFERENCE: WATER CRDL542

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.1020	456.11	395.70	39.49

DIFFUSION COEF. = .060 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 6.65-03 CENTIPOISE

END OF COMPOUND EA 1033 AT 25.0 DEGREES C.

PAGE NUMBER 8- 5

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1033 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: NO FORMULA WEIGHT: 159.1 GENERAL REFERENCE: CRLR542

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47009, B= 1935.47, C= 204.2 DETERMINED OVER THE TEMPERATURE RANGE 14.9 TO 140.0 DEG. CENT. REFERENCE: EQ.CAL FROM V389
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .35+00
ESTIMATED BOILING POINT(CENT.)= 217.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.5
VOLATILITY(MG/METER CUBED)= .29+04 VOLATILITY(MILLIMOLE/ METER CUBED)ⁿ .18+02
VAPOR PRESSURE(TORR)= .11+00 AT 25.0 DEG. CENT. REFERENCE: CRLR542
DENSITY(G/ML)= 1.2524 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2954 - .00107 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 RANGE 20-40C LIQUID

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.59800, B= -952.50, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 35.0 DEG. CENT. REFERENCE: CRLR542
VISCOSITY(CENTIPOISE)= 2.779
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 45.8700 - .1340*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542
WERE USED TO CALCULATE THE SURFACE TENSION 40.5 DYNES/CM
REFRACTIVE INDEX(ND)= 1.5177 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.5377 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542
HEAT OF COMBUSTION(KCAL/MOLE)= -7.56 AT 25.0 DEG. CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635
FLASH POINT, (CENTIGRADE)= 105.0 REFERENCE: MICRO METHOD CRLR542

HEAT OF SUBLIMATION(KCAL/MOLE)= 18.60 AT 14.5 DEGREE CENT. REFERENCE: CRLR542
HEAT OF FUSION(KCAL/MOLE)= 4.2 AT 25.0 DEGREE CENT. REFERENCE: CRLR542
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -47.91 AT 25.0 DEGREE CENT. REFERENCE: CRD-542

HEAT CAPACITY (KCAL/MOLE)= .0509 AT 19.0 DEGREE CENT. REFERENCE: CRLR542
HEAT CAPACITY (KCAL/MOLE)= .0504 AT 0.0 DEGREE CENT. REFERENCE: CRLR542 -30 TO 10 DEG C
THERMAL CONDUCTIVITY(CAL/CM*2/CM/DEG. C./SEC)= .316-03 AT 20.0 DEGREE CENT. REFERENCE: CRLR542

THERMAL CONDUCTIVITY(CAL/CM*2/CM/DEG. C./SEC)= .387-03 AT 4.0 DEGREE CENT. REFERENCE: CRLR542
FREEZING POINT (DEG. CENT.)= 14.45 REFERENCE: CRLR542
SOLUBILITY(G/100G SOLVENT) .920+00 AT 22.0 DEGREE CENTIGRADE REFERENCE: WATER CRDL542

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
-4020 456.11 395.70 39.49

DIFFUSION COEF. = .066 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.04-03 CENTIPOISE

END OF COMPOUND EA 1033 AT 40.0 DEGREES C. PAGE NUMBER B- 6

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1034 AT THE MELTING POINT IN LIEU OF -40 DEG C
 COMMON NAME: L FORMULA WEIGHT: 207.3 GENERAL REFERENCE: S.O./R/667
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.40361, B= 1237.03, C= 155.2 DETERMINED OVER THE
 TEMPERATURE RANGE 50.0 TO 150.0 DEG. CENT. REFERENCE: S.O./R/561 HIGH PURITY
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .24-01
 ESTIMATED BOILING POINT(CENT.)= 195.9
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 17.6
 VOLATILITY(MG/METER CUBED)= .29+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .14+01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.9230 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.9210 - .00167 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02201, B= -223.38, C= 142.4 DETERMINED OVER THE TEMPERATURE
 RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTIPOISE)= 3.631
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.1900 - .1218*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/344
 WERE USED TO CALCULATE THE SURFACE TENSION 44.3 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -1.2 REFERENCE: -18 TO .1 DEG C ETF100-41V4
 REFRACTIVE INDEX(ND)= 1.6207 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.6201 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.6014	429.11	344.72	43.66

DIFFUSION COEF. = .052 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.68-03 CENTIPOISE

END OF COMPOUND EA 1034 AT -1.2 DEGREES C. PAGE NUMBER B- 7

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1034 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: L FORMULA WEIGHT: 207.3 GENERAL REFERENCE: S.O./R/667
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.40361, B= 1237.03, C= 155.2 DETERMINED OVER THE
 TEMPERATURE RANGE 50.0 TO 150.0 DEG. CENT. REFERENCE: S.O./R/561 HIGH PURITY
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .18-02
 ESTIMATED BOILING POINT(CENT.)= 195.9
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.8
 VOLATILITY(MG/METER CUBED)= .24+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .11+00
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.9544 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.9210 - .00167 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02201, B= -223.38, C= 142.4 DETERMINED OVER THE TEMPERATURE
 RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTIPOISE)= 6.353
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.1900 - .1218*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/544
 WERE USED TO CALCULATE THE SURFACE TENSION 46.6 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 MELTING POINT (DEG. CENT.) = -1.2 REFERENCE: -18 TO .1 DEG C ETT100-41V4
 REFRACTIVE INDEX(ND)= 1.6301 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.6201 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .6014 429.11 344.72 43.68

DIFFUSION COEF. = .044 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 7.04-03 CENTIPOISE

END OF COMPOUND EA 1034 AT -20.0 DEGREES C. PAGE NUMBER B- 8

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1034 AT .0 DEGREES CENTIGRADE
COMMON NAME: L FORMULA WEIGHT: 207.3 GENERAL REFERENCE: S.O./R/667

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.40361, B= 1237.03, C= 155.2 DETERMINED OVER THE TEMPERATURE RANGE 50.0 TO 150.0 DEG. CENT. REFERENCE: S.O./R/561 HIGH PURITY WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .27-01
ESTIMATED BOILING POINT(CENT.)= 195.9
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 17.5
VOLATILITY(MG/METER CUBED)= .33+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .18+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.9210 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.9210 - .00167 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02201, B= -223.38, C= 142.4 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667 WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= 3.521
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.1900 - .1218*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/544
WERE USED TO CALCULATE THE SURFACE TENSION 44.2 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -1.2 REFERENCE: -18 TO .1 DEG C ETF100-41V4

REFRACTIVE INDEX(ND)= 1.6201 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.6201 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.6014	429.11	344.72	43.66

DIFFUSION COEF. = .053 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.70-03 CENTIPOISE

END OF COMPOUND EA 1034 AT .0 DEGREES C. PAGE NUMBER 8- 9

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1034 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: L FORMULA WEIGHT: 207.3 GENERAL REFERENCE: S.O./R/667

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.40361, B= 1237.03, C= 155.2 DETERMINED OVER THE
TEMPERATURE RANGE 50.0 TO 150.0 DEG. CENT. REFERENCE: S.O./R/561 HIGH PURITY
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .22+00
ESTIMATED BOILING POINT(CENT.)= 195.9
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.8
VOLATILITY(MILLIMOLE/ METER CUBED)= .25+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .12+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.8876 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.9210 - .00167 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02201, B= -223.38, C= 142.4 DETERMINED OVER THE TEMPERATURE
RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667
WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= 2.257
THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.1900 - .1218*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/544
WERE USED TO CALCULATE THE SURFACE TENSION 41.8 DYNES/CM
MELTING POINT (DEG. CENT.) = -1.2 REFERENCE: -18 TO .1 DEG C ETF100-41V4
REFRACTIVE INDEX(ND)= 1.6101 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.6201 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.6014 429.11 344.72 43.66

DIFFUSION COEF. = .061 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 8.36-03 CENTIPOISE

END OF COMPOUND EA 1034 AT 20.0 DEGREES C. PAGE NUMBER B- 10

Appendix B

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1034 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: L FORMULA WEIGHT: 207.3 GENERAL REFERENCE: S.O./R/667

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.40361, B= 1237.03, C= 155.2 DETERMINED OVER THE
TEMPERATURE RANGE 50.0 TO 150.0 DEG. CENT. REFERENCE: S.O./R/561 HIGH PURITY
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .35+00
ESTIMATED BOILING POINT(CENT.)= 195.9
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.5
VOLATILITY(MG/METER CUBED)= .39+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .19+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.8793 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.9210 - .00167 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02201, B= -223.38, C= 142.4 DETERMINED OVER THE TEMPERATURE
RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667
WERE USED TO CALCULATE THE VISCOSITY

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.1900 - .1218*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/544
WERE USED TO CALCULATE THE SURFACE TENSION 41.1 DYNES/CM
MELTING POINT (DEG. CENT.) = -1.2 REFERENCE: -18 TO .1 DEG C ETF100-41V4
REFRACTIVE INDEX(ND)= 1.6076 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.6201 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.6014 429.11 344.72 43.66

DIFFUSION COEF. = .064 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 8.53-03 CENTIPOISE

END OF COMPOUND EA 1034 AT 25.0 DEGREES C. PAGE NUMBER 8- 11

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1034 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: L FORMULA WEIGHT: 207.3 GENERAL REFERENCE: S.O./R/667

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.40361, B= 1237.03, C= 155.2 DETERMINED OVER THE TEMPERATURE RANGE 50.0 TO 150.0 DEG. CENT. REFERENCE: S.O./R/561 HIGH PURITY WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= 12+01
ESTIMATED BOILING POINT(CENT.)= 195.9
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.5
VOLATILITY(MG/METER CUBED)= 12+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .60+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.8542 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.9210 - .00167 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02201, B= -223.38, C= 142.4 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667 WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= 1.595
THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.1900 - .1218*TEMP.(C.) REFERENCE: S.O./R/544
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT.
WERE USED TO CALCULATE THE SURFACE TENSION 39.3 DYNES/CM
MELTING POINT (DEG. CENT.) = -1.2 REFERENCE: -18 TO 1 DEG C ETF100-41V4
REFRACTIVE INDEX(ND)= 1.6001 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.6201 - .00050*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: S.O./R/667

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.6014 429.11 344.72 43.66

DIFFUSION COEF. = .071 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING : 2 ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY-CHEM.48,23(1944) VISCOSITY OF VAPOR = 9.02-03 CENTIPOISE

END OF COMPOUND EA 1034 AT 40.0 DEGREES C. PAGE NUMBER B- 12

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1036 AT THE MELTING POINT IN LIEU OF -40 DEG C
 COMMON NAME: T FORMULA WEIGHT: 263.2 GENERAL REFERENCE: CRLR542
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.53000, B= 4191.00, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 50.0 TO 70.0 DEG. CENT. REFERENCE: CRLR542 HIGH PURITY FM 8.85
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .48-05
 ESTIMATED BOILING POINT(CENT.)= 357.1
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.1
 VOLATILITY(MG/METER CUBED)= .71-01 VOLATILITY(MILLIMOLE/ METER CUBED)= .27-03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2514 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2599 - .00095 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE VISCOSITY(CENTIPOISE)= 18.300 AT 20.0 DEGREES CENTIGRADE REFERENCE: SYNTHETIC T,FP 5.8, TDMR 524
 EQUATION: SURFACE TENSION(DYNES/CM)= 48.2600 - .1106*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 FP 7.8C
 WERE USED TO CALCULATE THE SURFACE TENSION 47.3 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.5440 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.5478 - .00042*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 15.0 TO 25.0 DEG. CENT. REFERENCE: CRLR542 FP 5.4
 HEAT OF SUBLIMATION(KCAL/MOLE)= 24.00 AT .0 DEGREE CENT. REFERENCE: CRLR520 CAL.
 HEAT OF FUSION(KCAL/MOLE)= 4.65 AT .0 DEGREE CENT. REFERENCE: CRLR542 ALSO GIVES 4.9
 BOILING POINT, (DEG. CENTIGRADE)= 357.0 AT 760.0 MM OF HG REFERENCE: CRLR542 CAL DECOMP
 FREEZING POINT (DEG. CENT.)= 8.97 REFERENCE: CRLR542 +OR- .01 PERCENT

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3844	515.89	684.82	24.69

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.27-03 CENTIPOISE

END OF COMPOUND EA 1036 AT 9.0 DEGREES C. PAGE NUMBER B- 13

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1036 AT THE MELTING POINT IN LIEU OF -20 DEG C
 COMMON NAME: 1 FORMULA WEIGHT: 263.2
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.53000, B= 4191.00, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 50.0 TO 70.0 DEG. CENT. REFERENCE: CRLR542 HIGH PURITY FP 8.85
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .48-05
 ESTIMATED BOILING POINT(CENT.)= 357.1
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.1
 VOLATILITY(MG/METER CUBED)= .71-01 VOLATILITY(MILLIMOLE/ METER CUBED)= .27-03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2514 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2599 - .00095 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VISCOSITY(CENTIPOISE)= 18.300 AT 20.0 DEGREES CENTIGRADE REFERENCE: SYNTHETIC T, FP 5.8, TDMR 524
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 48.2600 - .1106*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 FP 7.6C
 WERE USED TO CALCULATE THE SURFACE TENSION 47.3 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.5440 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.5478 - .00042*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 15.0 TO 25.0 DEG. CENT. REFERENCE: CRLR542 FP 5.4
 HEAT OF SUBLIMATION(KCAL/MOLE)= 24.00 AT .0 DEGREE CENT. REFERENCE: CRLR520 CAL.
 HEAT OF FUSION(KCAL/MOLE)= 4.65 AT .0 DEGREE CENT. REFERENCE: CRLR542 ALSO GIVES 4.9
 BOILING POINT (DEG. CENTIGRADE)= 357.0 AT 760.0 MM OF HG REFERENCE: CRLR542 CAL DECOMP
 FREEZING POINT (DEG. CENT.)= 8.97 REFERENCE: CRLR542 +OR- .01 PERCENT

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3844 515.89 684.82 24.69

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48, 23(1944) VISCOSITY OF VAPOR = 5.27-03 CENTIPOISE

END OF COMPOUND EA 1036 AT 9.0 DEGREES C. PAGE NUMBER 8- 14

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1036 AT .0 DEGREES CENTIGRADE
 COMMON NAME: T FORMULA WEIGHT: 263.2 GENERAL REFERENCE: CRLR542
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTIGONE CONSTANTS(EATR 4491): A= 9.53000, B= 4191.60, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 50.0 TO 70.0 DEG. CENT. REFERENCE: CRLR542 HIGH PURITY FP 8.85
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .15-05
 ESTIMATED BOILING POINT(CENT.)= 357.1
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.1
 VOLATILITY(MG/METER CUBED)= .24-01 VOLATILITY(MILLIMOLE/ METER CUBED)= .91-04
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2599 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2599 - .00095 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VISCOSITY(CENTIPOISE)= 18.300 AT 20.0 DEGREES CENTIGRADE REFERENCE: SYNTHETIC T.FP 5.8, TDMR 524
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 48.2600 - .1106*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 FP 7.6C
 WERE USED TO CALCULATE THE SURFACE TENSION 48.3 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.5478 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.5478 - .00042*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 15.0 TO 25.0 DEG. CENT. REFERENCE: CRLR542 FP 5.4
 HEAT OF SUBLIMATION(KCAL/MOLE)= 24.00 AT .0 DEGREE CENT. REFERENCE: CRLR520 CAL.
 HEAT OF FUSION(KCAL/MOLE)= 4.65 AT .0 DEGREE CENT. REFERENCE: CRLR542 ALSO GIVES 4.9
 BOILING POINT, (DEG. CENTIGRADE)= 357.0 AT 760.0 MM OF HG REFERENCE: CRLR542 CAL DECOMP
 FREEZING POINT (DEG. CENT.)= 8.97 REFERENCE: CRLR542 +OR- .01 PERCENT

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3844 515.89 684.82 24.69

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.07-03 CENTIPOISE

END OF COMPOUND EA 1036 AT .0 DEGREES C. PAGE NUMBER B- 15

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1036 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: 7 FORMULA WEIGHT: 263.2 GENERAL REFERENCE: CRLR542

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.53000, B= 4191.00, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 50.0 TO 70.0 DEG. CENT. REFERENCE: CRLR542 HIGH PURITY FP 8.85 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .17-04
ESTIMATED BOILING POINT(CENT.)= 357.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.1
VOLATILITY(MG/METER CUBED)= .25+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .94-03
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2409 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2599 - .00095 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

VISCOSITY(CENTIPOISE)= 19.300 AT 20.0 DEGREES CENTIGRADE REFERENCE: SYNTHETIC T.FP 5.8, TDMR 524
THE EQUATION: SURFACE TENSION(DYNES/CM)= 48.2600 - .1106*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 FP 7.6C
WERE USED TO CALCULATE THE SURFACE TENSION 46.0 DYNES/CM

REFRACTIVE INDEX(ND)= 1.5384 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5478 - .00042*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 25.0 DEG. CENT. REFERENCE: CRLR542 FP 5.4

HEAT OF SUBLIMATION(KCAL/MOLE)= 24.00 AT .0 DEGREE CENT. REFERENCE: CRLR520 CAL.
HEAT OF FUSION(KCAL/MOLE)= 4.85 AT .0 DEGREE CENT. REFERENCE: CRLR542 ALSO GIVES 4.9
BOILING POINT, (DEG. CENTIGRADE)= 357.0 AT 760.0 MM OF HG REFERENCE: CRLR542 CAL DECOMP
FREEZING POINT (DEG. CENT.)= 8.97 REFERENCE: CRLR542 +OR- .01 PERCENT

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3844 515.89 684.82 24.69

DIFFUSION COEF. = .038 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.52-03 CENTIPOISE

END OF COMPOUND EA 1036 AT 20.0 DEGREES C. PAGE NUMBER 8- 16

Appendix B

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1036 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: T FORMULA WEIGHT: 263.2 GENERAL REFERENCE: CRLR542

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.53000, B= 4191.00, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 50.0 TO 70.0 DEG. CENT. REFERENCE: CRLR542 HIGH PURITY FP 8.85 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .30-04
ESTIMATED BOILING POINT(CENT.)= 357.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.1
VOLATILITY(MG/METER CUBED)= .42+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .18-02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2362 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2599 - .00095 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

VISCOSITY(CENTIPOISE)= 18.300 AT 20.0 DEGREES CENTIGRADE REFERENCE: SYNTHETIC T.FP 5.8, TDMR 524
THE EQUATION: SURFACE TENSION(DYNES/CM)= 49.2600 - .1106*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 FP 7.6C
WERE USED TO CALCULATE THE SURFACE TENSION
REFRACTIVE INDEX(ND)= 1.5373 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.5478 - .00042*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 25.0 DEG. CENT. REFERENCE: CRLR542 FP 5.4
HEAT OF SUBLIMATION(KCAL/MOLE)= 24.00 AT .0 DEGREE CENT. REFERENCE: CRLR520 CAL.
HEAT OF FUSION(KCAL/MOLE)= 4.65 AT .0 DEGREE CENT. REFERENCE: CRLR542 ALSO GIVES 4.9
BOILING POINT, (DEG. CENTIGRADE)= 357.0 AT 760.0 MM OF HG REFERENCE: CRLR542 CAL DECOMP
FREEZING POINT (DEG. CENT.)= 8.97 REFERENCE: CRLR542 +OR- .01 PERCENT

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3844 515.89 684.82 24.89

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 5.83-03 CENTIPOISE

END OF COMPOUND EA 1036 AT 25.0 DEGREES C. PAGE NUMBER B- 17

Appendix B

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1036 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: T FORMULA WEIGHT: 263.2 GENERAL REFERENCE: CRLR542

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 9.53000, B= 4191.00, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 50.0 TO 70.0 DEG. CENT. REFERENCE: CRLR542 HIGH PURITY FP 0.85
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(13)= .14-03
ESTIMATED BOILING POINT(CENT.)= 357.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.1
VOLATILITY(KG/ME CUBED)= .19-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.219 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2599 - .00095 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: CRLR542

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VISCOSITY(CENTIPOISE)= 18.300 AT 20.0 DEGREES CENTIGRADE REFERENCE: SYNTHETIC T.FP 5.8. TDMR 524
EQUATION: SURFACE TENSION(DYNES/CM)= 48.2600 - .1106*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: CRLR542 FP 7.6C
WERE USED TO CALCULATE THE SURFACE TENSION 43.8 DYNES/CM
REFRACTIVE INDEX(ND)= 1.5310 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5478 - .00042*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 25.0 DEG. CENT. REFERENCE: CRLR542 FP 5.4
HEAT OF SUBLIMATION(KCAL/MOLE)= 24.00 AT .0 DEGREE CENT. REFERENCE: CRLR520 CAL.
HEAT OF FUSION(KCAL/MOLE)= 4.65 AT .0 DEGREE CENT. REFERENCE: CRLR542 ALSO GIVES 4.9
BOILING POINT, (DEG. CENTIGRADE)= 357.0 AT 760.0 MM OF HG REFERENCE: CRLR542 CAL DECOMP
FREEZING POINT (DEG. CENT.)= 8.97 REFERENCE: CRLR542 +DR- .01 PERCENT

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3244 515.89 684.82 24.69

DIFFUSION COEF. = .044 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.96-03 CENTIPOISE

END OF COMPOUND EA 1036 AT 40.0 DEGREES C. PAGE NUMBER B- 18

Appendix B

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1053 AT THE MELTING POINT IN LIEU OF -40 DEG C
 COMMON NAME: HN3 FORMULA WEIGHT: 204.5 GENERAL REFERENCE: ETF100-41V4 N-MUSTARD-3
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 8.55297, B= 2856.48, C= 246.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 186.0 DEG. CENT. REFERENCE: COMB.SO/R/643.W11451.N83821
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .61-03
 ESTIMATED BOILING POINT(CENT.)= 257.2
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.1
 VOLATILITY(MG/METER CUBED)= .74+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .36-01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2632 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2596 - .00098 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -5.32800, B=-1250.00, C= 273.2 DETERMINED OVER THE TEMPERATURE
 RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE:SO/R/643 WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= .205
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.0900 - .1290*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643
 WERE USED TO CALCULATE THE SURFACE TENSION 44.6 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -3.7 REFERENCE: ETF100-41V4

REFRACTIVE INDEX(ND)= 1.5057 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.5042 - .00040*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 20.0 TO 35.8 DEG. CENT. REFERENCE: SO/R/643 REFERENCE: ETF100-41V4 APP WATER
 SOLUBILITY(G/100G SOLVENT) .600-02 AT 25.0 DEGREE CENTIGRADE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3860	498.94	529.83	31.23

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.30-03 CENTIPOISE

END OF COMPOUND EA 1053 AT -3.7 DEGREES C. PAGE NUMBER B- 19

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1053 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: NN3 FORMULA WEIGHT: 204.5 GENERAL REFERENCE: ETF100-41V4 N-MUSTARD-3
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55297, B= 2856.46, C= 246.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 186.0 DEG. CENT. REFERENCE: COMB.SO/R/643.W11451.NB8821
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .87-04
 ESTIMATED BOILING POINT(CENT.)= 257.2
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.3
 VOLATILITY(MILLIMOLE/ METER CUBED)= .55-02
 VOLATILITY(MG/METER CUBED)= .11+01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2790 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2598 - .00098 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -5.32800, B=-1250.00, C= 273.2 DETERMINED OVER THE TEMPERATURE
 RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE: SO/R/643
 WERE USED TO CALCULATE THE SURFACE TENSION
 VISCOSITY(CENTIPOISE)= .406
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.0900 - .1290*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643
 WERE USED TO CALCULATE THE SURFACE TENSION 46.7 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -3.7 REFERENCE: ETF100-41V4

REFRACTIVE INDEX(ND)= 1.5122 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.5042 - .00040*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 20.0 TO 35.8 DEG. CENT. REFERENCE: SO/R/643
 SOLUBILITY(G/100G SOLVENT) .800-02 AT 25.0 DEGREE CENTIGRADE REFERENCE: ETF100-41V4 APP WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3860	498.94	529.83	31.23

DIFFUSION COEF. = .034 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.9+03 CENTIPOISE

END OF COMPOUND EA 1053 AT -20.0 DEGREES C. PAGE NUMBER B- 20

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1053 AT .0 DEGREES CENTIGRADE
COMMON NAME: HN3 FORMULA WEIGHT: 204.5 GENERAL REFERENCE: ETF100-41V4 N-MUSTARD-3

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55297, B= 2855.46, C= 246.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 186.0 DEG. CENT. REFERENCE: COMB.SO/R/643.M11451.NB0821
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .92-03
ESTIMATED BOILING POINT(CENT.)= 257.2
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.0
VOLATILITY(MG/METER CUBED)= .11+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .54-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2596 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2596 - .00098 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -5.32800, B=-1250.00, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE:SO/R/643
WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= .177
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.0900 - .1290*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643
WERE USED TO CALCULATE THE SURFACE TENSION 44.1 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -3.7 REFERENCE: ETF100-41V4
REFRACTIVE INDEX(ND)= 1.5042 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5042 - .00040*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.8 DEG. CENT. REFERENCE: SO/R/643
SOLUBILITY(G/100G SOLVENT) .800-02 AT 25.0 DEGREE CENTIGRADE REFERENCE: ETF100-41V4 APP WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3860 -98.94 529.83 31.23

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.38-03 CENTIPOISE

END OF COMPOUND EA 1053 AT .0 DEGREES C. PAGE NUMBER B- 21

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1053 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: HN3 FORMULA WEIGHT: 204.5 GENERAL REFERENCE: ETF100-41V4 N-MUSTARD-3

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55297, B= 2856.46, C= 246.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 186.0 DEG. CENT. REFERENCE: COMB.SO/R/643.W11451.NB8821
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TGRR)= .68-02
ESTIMATED BOILING POINT(CENT.)= 257.2
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.8
VOLATILITY(MG/METER CUBED)= .76+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .37+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.2401 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2598 - .00098 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -5.32800, B=-1250.00, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE: SO/R/643
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTIPOISE)= .086
THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.0900 - .1290*TEMP.(C.) REFERENCE: SO/R/643
WERE DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT.
WERE USED TO CALCULATE THE SURFACE TENSION 41.5 DYNES/CM
MELTING POINT (DEG. CENT.) = -3.7 REFERENCE: ETF100-41V4
REFRACTIVE INDEX(ND)= 1.4962 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5042 - .00040*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.8 DEG. CENT. REFERENCE: SO/R/643
SOLUBILITY(G/100G SOLVENT) .800-02 AT 25.0 DEGREE CENTIGRADE REFERENCE: ETF100-41V4 APP WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3860	498.94	529.83	31.23

DIFFUSION COEF. = .046 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.85-03 CENTIPOISE

END OF COMPOUND EA 1053 AT 20.0 DEGREES C. PAGE NUMBER B- 22

Appendix B

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1053 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: HN3 FORMULA WEIGHT: 204.5 GENERAL REFERENCE: ETF100-41V4 N-MUSTARD-3

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = 8.55297, B = 2856.46, C = 245.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 186.0 DEG. CENT. REFERENCE: COMB.SD/R/643,W11451,NB8021
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR) = .11-01
ESTIMATED BOILING POINT(CELT.) = 257.2
HEAT OF VAPORIZATION(KILOCALORIES/MOLE) = 15.8
VOLATILITY(MILLIMOLE/ METER CUBED) = .59+00
DENSITY(G/ML) = 1.2352 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.2596 - .00098 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -5.32800, B = -1250.00, C = 273.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE:SO/R/643
WERE USED TO CALCULATE THE VISCOSITY

THE EQUATION: SURFACE TENSION(DYNES/CM) = 44.0900 - .1290*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643
WERE USED TO CALCULATE THE SURFACE TENSION 40.9 DYNES/CM
MELTING POINT (DEG. CENT.) = -3.7 REFERENCE: ETF100-41V4
REFRACTIVE INDEX(ND) = 1.4942 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND) = 1.5042 - .00040*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.8 DEG. CENT. REFERENCE: SO/R/643
SOLUBILITY(G/100G SOLVENT) .800-02 AT 25.0 DEGREE CENTIGRADE REFERENCE: ETF100-41V4 APP WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3860	498.94	529.83	31.23

DIFFUSION COEF. = .048 CM-SO./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.97-03 CENTIPOISE

END OF COMPOUND EA 1053 AT 25.0 DEGREES C. PAGE NUMBER 8- 23

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1053 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: HN3 FORMULA WEIGHT: 204.5 GENERAL REFERENCE: ETF100-41V4 N-MUSTARD-3

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55297, B= 2856.46, C= 246.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 186.0 DEG. CENT. REFERENCE: COMB.SO/R/643.W11451.N88821
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .38-01
ESTIMATED BOILING POINT(CENT.)= 257.2
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.6
VOLATILITY(MG/METER CUBED)= .40+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .20+01
DENSITY(G/ML)= 1.2206 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2596 - .00098 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -5.32800, B=-1250.00, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE:SO/R/643
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTIPOISE)= .046

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 44.0900 - .1290*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: SO/R/643
WERE USED TO CALCULATE THE SURFACE TENSION 38.9 DYNES/CM

MELTING POINT (DEG. CENT.) = -3.7 REFERENCE: ETF100-41V4

REFRACTIVE INDEX(ND)= 1.4882 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5042 - .00040*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.8 DEG. CENT. REFERENCE: SO/R/643

SOLUBILITY(G/100G SOLVENT) .800-02 AT 25.0 DEGREE CENTIGRADE REFERENCE: ETF100-41V4 APP WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
CM/CC DEG C CC/MOLE ATM.
.3860 498.94 529.83 31.23

DIFFUSION COEF. = .054 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.33-03 CENTIPOISE

END OF COMPOUND EA 1053 AT 40.0 DEGREES C. PAGE NUMBER B- 24

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1205 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: GA FORMULA WEIGHT: 162.1 GENERAL REFERENCE: TDMR94

THE FOLLOWING ANTDINE CONSTANT(S(EATR 4491)): A= 6.80011, B= 1700.59, C= 186.4 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 152.0 DEG. CENT. REFERENCE: TDMR1094, A3804/3, EC1R75032
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .15-04
ESTIMATED BOILING POINT(CENT.)= 247.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.7
VOLATILITY(MG/METER CUBED)= .17+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .10-02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1389 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0999 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -40.0 TO 71.0 DEG. CENT. REFERENCE: STM 109

THE FOLLOWING ANTDINE CONSTANTS(EATR 4491): A= -2.68053, B= -905.78, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1094
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTIPOISE)= 16.011
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 35.0000 - .1000*TEMP.(C.) REFERENCE: STM 109 P.2
DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 40.0 DEG. CENT.
WERE USED TO CALCULATE THE SURFACE TENSION 39.0 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4469 WAS CALCULATED FROM THE EQUATION: DETERMINED OVER THE TEMPERATURE RANGE
REFRACTIVE INDEX(ND)= 1.4316 - .00038*TEMPERATURE(C.)
10.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
FLASH POINT, CLOSED CUP(CENTIGRADE)= 78.0 REFERENCE: PTP45
HEAT CAPACITY (KCAL/MOLE)= .0700 AT 25.0 DEGREE CENT. REFERENCE: 25 TO 50 DEG C., STM109
FREEZING POINT (DEG. CENT.)= -50.00 REFERENCE: TDMR 1094
SOLUBILITY(G/100G SOLVENT) .720+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: ETF100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .980+01 AT .0 DEGREE CENTIGRADE REFERENCE: STUDY 35-48 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3456 419.02 459.10 31.62

DIFFUSION COEF. = .031 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.64-03 CENTIPOISE

END OF COMPOUND EA 1205 AT -40.0 DEGREES C. PAGE NUMBER 8- 25

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1205 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: GA FORMULA WEIGHT: 162.1 GENERAL REFERENCE: TDMR94

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.80011, B= 1700.59, C= 126.4 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 152.0 DEG. CENT. REFERENCE: TDMR1094, A3804/3, ECTR75032
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TOPR)= .38-03
ESTIMATED BOILING POINT(CENT.)= 247.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.0
VOLATILITY(MG/METER CUBED)= .39+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .24-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1194 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0999 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -40.0 TO 71.0 DEG. CENT. REFERENCE: STM 109

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.68053, B= -905.78, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1094
WERE USED TO CALCULATE THE SURFACE TENSION 37.0 DYNES/CM
VISCOSITY(CENTIPOISE)= 7.897
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 35.0000 - .1000*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
WERE USED TO CALCULATE THE SURFACE TENSION 37.0 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4392 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.4316 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
FLASH POINT, CLOSED CUP(CENTIGRADE)= 78.0 REFERENCE: PTP45
HEAT CAPACITY (KCAL/MOLE)= .0700 AT 25.0 DEGREE CENT. REFERENCE: 25 TO 50 DEG C, STM109
FREEZING POINT (DEG. CENT.)= -50.00 REFERENCE: TDMR 1094
SOLUBILITY(G/100G SOLVENT) .720+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: ETF100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .980+01 AT .0 DEGREE CENTIGRADE REFERENCE: STUDY 35-48 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3456 419.02 469.10 31.62

DIFFUSION COEF. = .037 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.12-03 CENTIPOISE

END OF COMPOUND EA 1205 AT -20.0 DEGREES C. PAGE NUMBER B- 26

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1205 AT .0 DEGREES CENTIGRADE
COMMON NAME: GA FORMULA WEIGHT: 162.1 GENERAL REFERENCE: TDMR94

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.80011, B= 1700.59, C= 186.4 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 152.0 DEG. CENT. REFERENCE: TDMR1094, A3804/3, ECTR75032
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .47-02
ESTIMATED BOILING POINT(CENT.)= 247.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
VOLATILITY(MG/METER CUBED)= .45+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .28+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0999 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0999 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -40.0 TO 71.0 DEG. CENT. REFERENCE: STM 109

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.68053, B= -905.78, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1094
WERE USED TO CALCULATE THE SURFACE TENSION 35.0 DYNES/CM
VISCOSITY(CENTIPOISE)= 4.320
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 35.0000 - .1000*TEMP.(C.) REFERENCE: STM 109 P.2
DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 40.0 DEG. CENT.
WERE USED TO CALCULATE THE SURFACE TENSION 35.0 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4316 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.4316 - .00036*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
FLASH POINT, CLOSED CUP(CENTIGRADE)= 78.0 REFERENCE: PTP45
HEAT CAPACITY (KCAL/MOLE)= .0700 AT 25.0 DEGREE CENT. REFERENCE: 25 TO 50 DEG C, STM109
FREEZING POINT (DEG. CENT.)= -50.00 REFERENCE: TDMR 1094
SOLUBILITY(G/100G SOLVENT)= .720+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: ETF100-41 VOL 1
SOLUBILITY(G/100G SOLVENT)= .980+01 AT .0 DEGREE CENTIGRADE REFERENCE: STUDY 35-48 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE	VOLUME	PRESSURE
GM/CC	CC/MOLE	ATM.
.3456	419.02	31.62

DIFFUSION COEF. = .044 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.60-03 CENTIPOISE

END OF COMPOUND EA 1205 AT .0 DEGREES C. PAGE NUMBER 8- 27

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1205 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: GA FORMULA WEIGHT: 162.1 GENERAL REFERENCE: TDMR94

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.80011, B= 1700.59, C= 186.4 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 152.0 DEG. CENT. REFERENCE: TDMR1094, A3804/3, ECTR75032
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .36-01
ESTIMATED BOILING POINT(CENT.)= 247.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.7
VOLATILITY(MG/METER CUBED)= .32+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .20+01
DENSITY(G/ML)= 1.0804 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0999 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -40.0 TO 71.0 DEG. CENT. REFERENCE: STM 109

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.68053, B= -905.78, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1094
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTIPOISE)= 2.566
THE EQUATION: SURFACE TENSION(DYNES/CM)= 35.0000 - .1000*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
WERE USED TO CALCULATE THE SURFACE TENSION 33.0 DYNES/CM
REFRACTIVE INDEX(ND)= 1.4240 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.4316 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
FLASH POINT, CLOSED CUP(CENTIGR.= 78.0 REFERENCE: PTP45
HEAT CAPACITY (KCAL/MOLE)= .0700 AT 25.0 DEGREE CENT. REFERENCE: 25 TO 50 DEG C, STM109
FREEZING POINT (DEG. CENT.)= -50.00 REFERENCE: TDMR 1094
SOLUBILITY(G/100G SOLVENT) .720+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: ETF100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .980+01 AT .0 DEGREE CENTIGRADE REFERENCE: STUDY 35-48 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3456	419.02	469.10	31.62

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.08-03 CENTIPOISE

END OF COMPOUND EA 1205 AT 20.0 DEGREES C. PAGE NUMBER B- 28

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1205 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: GA FORMULA WEIGHT: 162.1 GENERAL REFERENCE: TDMR94

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.80011, B= 1700.59, C= 186.4 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 152.0 DEG. CENT. REFERENCE: TDMR1094, A3804/3, ECTR75032
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .57-01
ESTIMATED BOILING POINT(CENT.)= 247.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.5
VOLATILITY(MG/METER CUBED)= .49+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .31+01
DENSITY(G/ML)= 1.0756 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0999 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -40.0 TO 71.0 DEG. CENT. REFERENCE: STM 109

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.68053, B= -905.78, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1094
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTIPOISE)= 2.277
THE EQUATION: SURFACE TENSION(DYNES/CM)= 35.0000 - .1000*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
WERE USED TO CALCULATE THE SURFACE TENSION 32.5 DYNES/CM
REFRACTIVE INDEX(ND)= 1.4221 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.4316 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2

FLASH POINT, CLOSED CUP(CENTIGRADE)= 78.0 REFERENCE: PTP45
HEAT CAPACITY (KCAL/MOLE)= .0700 AT 25.0 DEGREE CENT. REFERENCE: 25 TO 50 DEG C, STM109
FREEZING POINT (DEG CENT.)= -50.00 REFERENCE: TDMR 1094
SOLUBILITY(G/100G SOLVENT) .720+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: ETF100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .980+01 AT .0 DEGREE CENTIGRADE REFERENCE: STUDY 35-48 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3456 419.02 469.10 31.62

DIFFUSION COEF. = .053 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.20-03 CENTIPOISE
END OF COMPOUND EA 1205 AT 25.0 DEGREES C. PAGE NUMBER B- 29

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1205 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: GA FORMULA WEIGHT: 162.1 GENERAL REFERENCE: TDMR94

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.80311, B= 1700.59, C= 186.4 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 152.0 DEG. CENT. REFERENCE: TDMR1094, A3804/3, ECTR75032
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .19+00
ESTIMATED BOILING POINT(CENT.)= 247.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.9
VOLATILITY(MG/METER CUBED)= .16+04 VOLATILITY(MILLIMOILE/ METER CUPED)= .99+01
DENSITY(G/ML)= 1.0610 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0999 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -40.0 TO 71.0 DEG. CENT. REFERENCE: STM 109

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.68053, B= -905.78, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1094
WAS USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTIPOISE)= 1.629
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 35.0000 - .1000*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
WERE USED TO CALCULATE THE SURFACE TENSION 31.0 DYNES/CM
REFRACTIVE INDEX(ND)= 1.4163 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.4316 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: STM 109 P.2
FLASH POINT, CLOSED CUP(CENTIGRADE)= 78.0 REFERENCE: PTP45
HEAT CAPACITY (KCAL/MOLE)= .0700 AT 25.0 DEGREE CENT. REFERENCE: 25 TO 50 DEG C, STM109
FREEZING POINT (DEG. CENT.)= -50.00 REFERENCE: TDMR 1094
SOLUBILITY(G/100G SOLVENT) .720+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: ETF100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .980+01 AT .0 DEGREE CENTIGRADE REFERENCE: STUDY 35-48 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3456 419.02 469.10 31.62

DIFFUSION COEF. = .059 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.56-03 CENTIPOISE

END OF COMPOUND EA 1205 AT 40.0 DEGREES C. PAGE NUMBER B- 30

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1207 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 126.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .29*01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2324 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1832 - .00123 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.09866, B= -632.26, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.5
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 4.102

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3760 AT 25.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -64.00. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3844	336.19	328.01	39.81

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.67-03 CENTIPOISE

END OF COMPOUND EA 1207 AT -40.0 DEGREES C.

PAGE NUMBER B- 31

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1207 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 126.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .29+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2078 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1832 - .00123 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.09866, B= -632.26, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.5
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.505

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3760 AT 25.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -64.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3844 336.19 328.01 39.81

DIFFUSION COEF. = .048 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.25-03 CENTIPOISE

END OF COMPOUND EA 1207 AT -20.0 DEGREES C. PAGE NUMBER B- 32

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1207 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 126.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .29+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.1832 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.1832 - .00123 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.09866, B = -632.26, C = 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.5
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.644

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND) = 1.3760 AT 25.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -64.00 REFERENCE: TCR36

ZHURN. FIZ KHIM. 37. 201(1963)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3844	336.19	328.01	39.81

DIFFUSION COEF. = .057 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.82-03 CENTIPOISE

END OF COMPOUND EA 1207 AT .0 DEGREES C. PAGE NUMBER B- 33

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1207 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 126.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .29+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1586 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1832 - .00123 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.09868, B= -632.26, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.5
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.143

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3760 AT 25.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -64.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3844 336.19 328.01 39.81

DIFFUSION COEF. = .066 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY-CHEM,48,23(1944) VISCOSITY OF VAPOR = 7.38-03 CENTIPOISE

END OF COMPOUND EA 1207 AT 20.0 DEGREES C. PAGE NUMBER B- 34

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1207 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 120.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .29+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1525 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1832 - .00123 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.09868, B= -632.26, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE:TCR36 P.5
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.052

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3760 AT 25.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -64.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATL E VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3944 336.19 328.01 39.81

DIFFUSION COEF. = .069 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.53-03 CENTIPOISE

END OF COMPOUND EA 1207 AT 25.0 DEGREES C. PAGE NUMBER B- 35

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1207 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 126.1 GENERAL REFERENCE: TCR38

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .29+01 AT 25.0 DEG. CENT. REFERENCE: TCR38
DENSITY(G/ML)= 1.1340 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1832 - .00123 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 38

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.09866, B= -832.26, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR38 P.5
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = .832

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.0 DEG. CENT. REFERENCE: TCR38
REFRACTIVE INDEX(ND)= 1.3760 AT 25.5 DEG. CENT. REFERENCE: TCR38
FREEZING POINT (DEG. CENT.)= -84.00 REFERENCE: TCR38

ZHURN. FIZ KHIM. 37. 201(1963)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3844 336.19 328.01 39.81

DIFFUSION COEF. = .076 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1947) VISCOSITY OF VAPOR = 7.95-03 CENTIPOISE

PAGE NUMBER B- 38

END OF COMPOUND EA 1207 AT 40.0 DEGREES C.

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1208 AT -40.0 DEGREES CENTIGRADE COMMON NAME: GB FORMULA WEIGHT: 140.1 GENERAL REFERENCES: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.48180, B= 1773.82, C= 227.9 DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 80.0 DEG. CENT. REFERENCE: PTP278
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .11-01
ESTIMATED BOILING POINT(CENT.)= 157.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.5
VOLATILITY(MG/METER CUBED)= .11+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .75+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1654 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1182 - .00118 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: PTP278

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.71231, B= -88.35, C= 80.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: PTP278 PURE. TECH 10% HIGHER
WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES) = 27.103

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 28.7640 - .1129*TEMP.(C.) REFERENCE: PTP278 HIGH PURITY
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT.
WERE USED TO CALCULATE THE SURFACE TENSION 33.3 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4089 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.3917 - .00043*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE

15.0 TO 30.0 DEG. CENT. REFERENCE: PTP278
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -249.00 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635
FREEZING POINT (DEG. CENT.)= -56.90 REFERENCE: ICIR 513

SOLUBILITY(G/100G SOLVENT) .100+03 AT .0 DEGREE CENTIGRADE REFERENCE: CRDL-TL-83-9-595 MISCIBLE

ZHURN. FIZ KHIM. 37. 201(1983)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3645 329.12 384.41 33.57

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.42-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 24.7 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

PAGE NUMBER B- 37

END OF COMPOUND EA 1208 AT -40.0 DEGREES C.

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1208 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: GB FORMULA WEIGHT: 140.1 GENERAL REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.48160, B= 1773.82, C= 227.9 DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 80.0 DEG. CENT. REFERENCE: PTP278
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .89-01
ESTIMATED BOILING POINT(CENT.)= 157.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.0
VOLATILITY(MG/METER CUBED)= .79+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .56+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

* DENSITY(G/ML)= 1.1418 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1182 - .00118 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: PTP278

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.71231, B= -86.35, C= 80.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: PTP278 PURE. TECH 10% HIGHER
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 5.259

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 28.7640 - .1129*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE: PTP278 HIGH PURITY
WERE USED TO CALCULATE THE SURFACE TENSION 31.0 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4003 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.3917 - .00043*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 30.0 DEG. CENT. REFERENCE: PTP278

HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -249.00 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635
FREEZING POINT (DEG. CENT.)= -56.90 REFERENCE: TCIR 513
SOLUBILITY(G/100G SOLVENT) .100+03 AT .0 DEGREE CENTIGRADE REFERENCE: CRDL-TL-63-S-555 MISCIBLE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3645 329.12 384.41 33.57

DIFFUSION COEF. = .043 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48-23(1944) VISCOSITY OF VAPOR = 5.97-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 24.7 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1208 AT -20.0 DEGREES C.

PAGE NUMBER 8- 38

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1208 AT .0 DEGREES CENTIGRADE
COMMON NAME: GB FORMULA WEIGHT: 140.1 GENERAL REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.48160, B= 1773.82, C= 227.9 DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 80.0 DEG. CENT. REFERENCE: PTP278
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .50+00
ESTIMATED BOILING POINT(CENT.)= 157.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.7
VOLATILITY(MG/METER CUBED)= .41+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .29+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1182 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1182 - .00118 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: PTP278

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.71231, B= -86.35, C= 80.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: PTP278 PURE. TECH 10% HIGHER
WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES) = 2.310

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 28.7640 - .1129*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE: PTP278 HIGH PURITY
WERE USED TO CALCULATE THE SURFACE TENSION 28.8 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.3917 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.3917 - .00043*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 30.0 DEG. CENT. REFERENCE: PTP278

HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -249.00 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635

FREEZING POINT (DEG. CENT.)= -56.90

REFERENCE: TCIR 513

SOLUBILITY(G/100G SOLVENT) .100+03 AT

.0 DEGREE CENTIGRADE REFERENCE: CRDL-TL-63-9-555 MISCIBLE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE

GM/CC DEG C CC/MOLE ATM.
.3645 329.12 384.41 33.57

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 6.51-03 CENTIPOISE
DIPOLE MOMENT(DEBES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 24.7 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1208 AT .0 DEGREES C.

PAGE NUMBER B- 39

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1208 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: GB FORMULA WEIGHT: 140.1 GENERAL REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.48160, B= 1773.82, C= 227.9 DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 80.0 DEG. CENT. REFERENCE: PTP278

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TOHR)= .2140;
ESTIMATED BOILING POINT(CENT.)= 157.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.3
VOLATILITY(MG/METER CUBED)= .16405 VOLATILITY(MILLIMOLE/ METER CUBED)= .12403
DENSITY(G/ML)= 1.0946 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1182 - .00118 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.71231, B= -86.35, C= 80.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: PTP278 PURE. TECH 10% HIGHER
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.409

THE EQUATION: SURFACE TENSION(DYNES/CM)= 28.7640 - .1129*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE: PTP278 HIGH PURITY
WERE USED TO CALCULATE THE SURFACE TENSION 26.5 DYNES/CM
REFRACTIVE INDEX(ND)= 1.3831 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.3917 - .00043*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 30.0 DEG. CENT. REFERENCE: PTP278
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -249.00 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635
FREEZING POINT (DEG. CENT.)= -56.90 REFERENCE: TCIR 513
SOLUBILITY(G/100G SOLVENT) .100+03 AT .0 DEGREE CENTIGRADE REFERENCE: CROD-TL-63-9-555 MISCIBLE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3645 329.12 384.41 33.57

DIFFUSION COEF. = .059 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.; J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.05-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 24.7 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1208 AT 20.0 DEGREES C.

PAGE NUMBER B- 40

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1208 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: GB FORMULA WEIGHT: 140.1 GENERAL REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.48160, B= 1773.82, C= 227.9 DETERMINED OVER THE TEMPERATURE RANGE 5.0 TO 80.0 DEG. CENT. REFERENCE: PTP278
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .29+01
ESTIMATED BOILING POINT(CENT.)= 157.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.3
VOLATILITY(MG/METER CUBED)= .22+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .16+03
DENSITY(G/ML)= 1.0887 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1182 - .00118 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.71231, B= -88.35, C= 80.2 DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: PTP278 PURE. TECH 10% HIGHER
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.283

THE EQUATION: SURFACE TENSION(DYNES/CM)= 28.7640 - .1129*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE: PTP278 HIGH PURITY
WERE USED TO CALCULATE THE SURFACE TENSION 25.9 DYNES/CM
REFRACTIVE INDEX(ND)= 1.3809 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.3917 - .00043*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 30.0 DEG. CENT. REFERENCE: PTP278
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -249.00 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(5)635
FREEZING POINT (DEG. CENT.)= -56.90 REFERENCE: ICIR 513
SOLUBILITY(G/100G SOLVENT) = .100+03 AT .0 DEGREE CENTIGRADE REFERENCE: CRDL-TL-63-3-555 MISCIBLE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3645 329.12 384.41 33.57

DIFFUSION COEF. = .061 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 7.19-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 24.7 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1208 AT 25.0 DEGREES C. PAGE NUMBER B- 41

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1208 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: G8 FORMULA WEIGHT: 140.1 GENERAL REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.48160, B= 1773.82, C= 227.9 DETERMINED OVER THE
TEMPERATURE RANGE 5.0 TO 80.0 DEG. CENT. REFERENCE: PTP278
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .72+01
ESTIMATED BOILING POINT(CENT.)= 157.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.1
VOLATILITY(MG/METER CUBED)= .52+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .37+03
DENSITY(G/ML)= 1.0710 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1182 - .00118 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 40.0 DEG. CENT. REFERENCE: PTP278

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.71231, B= -86.35, C= 80.2 DETERMINED OVER THE
TEMPERATURE RANGE 20.0 TO 40.0 DEG. CENT. REFERENCE: PTP278 PURE. TECH 10% HIGHER
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.013

THE EQUATION: SURFACE TENSION(DYNES/CM)= 28.7640 - .1129*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 20.0 TO 35.0 DEG. CENT. REFERENCE: PTP278 HIGH PURITY
WERE USED TO CALCULATE THE SURFACE TENSION 24.2 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.3745 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.3917 - .00043*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
15.0 TO 30.0 DEG. CENT. REFERENCE: PTP278
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -249.00 AT 25.0 DEGREE CENT. REFERENCE: J.RES NBS SEC A 1975 79A(S)835
FREEZING POINT (DEG. CENT.)= -56.90 REFERENCE: TCIR 513
SOLUBILITY(G/100G SOLVENT)= .100+03 AT .0 DEGREE CENTIGRADE REFERENCE: CRDL-TL-83-S-555 MISCIBLE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. F12 KHIM. 37. 201(1983)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3645	329.12	384.41	33.57

DIFFUSION COEF. = .068 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 7.59-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 24.7 AT AMBIENT TEMPERATURE REFERENCE: N89253 P 4

END OF COMPOUND EA 1208 AT 40.0 DEGREES C.

PAGE NUMBER B- 42

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1209 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: GE FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TDMR1182

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.70810, B= 2536.90, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1182
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .68-02
ESTIMATED BOILING POINT(CENT.)= 162.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.6
VOLATILITY(MG/METER CUBED)= .72+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .46+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1255 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0830 - .00106 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1182

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VISCOSITY(CENTISTOKE)= 1.400 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1182
VISCOSITY(CENTIPOISE)= 1.480 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1181
SURFACE TENSION (DYNES/CM) = 24.9 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
REFRACTIVE INDEX(ND)= 1.3817 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
FREEZING POINT (DEG. CENT.)= -79.00 REFERENCE: TDMR 1182 DID NOT FREEZE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3475 364.24 443.50 30.80

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.97-03 CENTIPOISE

END OF COMPOUND EA 1209 AT -40.0 DEGREES C.

PAGE NUMBER B- 43

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1209 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: GE FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TDMR1182

THE FOLLOWING ANTUINE CONSTANTS(EATR 4491): A= 8.70810, B= 2536.90, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1182
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .49-01
ESTIMATED BOILING POINT(CENT.)= 162.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.6
VOLATILITY(MG/METER CUBED)= .48+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .31+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1043 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0830 - .00106 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1182

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VISCOSITY(CENTISTOKE)= 1.400 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1182
VISCOSITY(CENTIPOISE)= 1.480 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1181
SURFACE TENSION (DYNES/CM)= 24.9 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
REFRACTIVE INDEX(ND)= 1.3817 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
FREEZING POINT (DEG. CENT.)= -70.00 REFERENCE: TDMR 1182 DID NOT FREEZE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3475 364.24 443.50 30.80

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY-CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.48-03 CENTIPOISE

END OF COMPOUND EA 1209 AT -20.0 DEGREES C. PAGE NUMBER B- 44

Appendix B

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1209 AT .0 DEGREES CENTIGRADE
COMMON NAME: GE FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TDMR1182

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.70810, B= 2536.90, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1182
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .26+00
ESTIMATED BOILING POINT(CENT.)= 162.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.8
VOLATILITY(MG/METER CUBED)= .24+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .16+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0830 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0830 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1182

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VISCOSITY(CENTISTOKE)= 1.400 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1182
VISCOSITY(CENTIPOISE)= 1.480 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1181
SURFACE TENSION (DYNES/CM) = 24.9 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
REFRACTIVE INDEX(ND)= 1.3817 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
FREEZING POINT (DEG. CENT.)= -70.00 REFERENCE: TDMR 1182 DID NOT FREEZE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. F12 KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3475 364.24 443.50 30.80

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.99-03 CENTIPOISE

END OF COMPOUND EA 1209 AT .0 DEGREES C. PAGE NUMBER B- 45

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1209 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: GE FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TDMR1182

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.70810, B= 2536.90, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1182

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .11+01

ESTIMATED BOILING POINT(CENT.)= 162.1

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.6

VOLATILITY(MG/METER CUBED)= .96+04

VOLATILITY(MILLIMOLE/ METER CUBED)= .62+02

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0517 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0830 - .00106 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1182

VISCOSITY(CENTISTOKE)= 1.400 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1182

VISCOSITY(CENTIPOISE)= 1.480 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1181

SURFACE TENSION (DYNES/CM) = 24.9 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182

REFRACTIVE INDEX(ND)= 1.3817 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182

FREEZING POINT (DEG. CENT.)= -70.00 REFERENCE: TDMR 1182 DID NOT FREEZE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE

GM/CC DEG C CC/MOLE ATM.

.3475 364.24 443.50 30.80

DIFFUSION COEF. = .054 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.49-03 CENTIPOISE

END OF COMPOUND EA 1209 AT 20.0 DEGREES C.

PAGE NUMBER B- 46

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1209 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: GE FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TDMR1182

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.70810, B= 2536.90, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1182
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .16+01
ESTIMATED BOILING POINT(CENT.)= 162.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.6
VOLATILITY(MG/METER CUBED)= .13+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .85+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0564 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0830 - .00106 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1182

VISCOSITY(CENTISTOKE)= 1.400 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1182
VISCOSITY(CENTIPOISE)= 1.480 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1181
SURFACE TENSION (DYNES/CM) = 24.9 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
REFRACTIVE INDEX(ND)= 1.3817 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
FREEZING POINT (DEG. CENT.)= -70.00 REFERENCE: TDMR 1182 DID NOT FREEZE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. F12 KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3475 364.24 443.50 30.80
DIFFUSION COEF. = .055 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY-CHEM.48:23(1944) VISCOSITY OF VAPOR = 6.61-03 CENTIPOISE

END OF COMPOUND EA 1209 AT 25.0 DEGREES C. PAGE NUMBER 8- 47

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1209 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: GE FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TDMR1182

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.70810, B= 2536.90, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1182

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .41+01
ESTIMATED BOILING POINT(CENT.)= 162.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.8
VOLATILITY(MG/METER CUBED)= .32+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .21+03
DENSITY(G/ML)= 1.0405 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0830 - .00106 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1182

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

VISCOSITY(CENTISTOKE)= 1.400 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1182
VISCOSITY(CENTIPOISE)= 1.480 AT 25.0 DEGREES CENTIGRADE REFERENCE: TDMR 1181
SURFACE TENSION (DYNES/CM) = 24.9 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
REFRACTIVE INDEX(ND)= 1.3817 AT 25.0 DEG. CENT. REFERENCE: TDMR 1182
FREEZING POINT (DEG. CENT.)= -70.00 REFERENCE: TDMR 1182 DID NOT FREEZE

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3475	364.24	443.50	30.80

DIFFUSION COEF. = .062 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.99-03 CENTIPOISE

END OF COMPOUND EA 1209 AT 40.0 DEGREES C. PAGE NUMBER 8- 48

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1210 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: GD FORMULA WEIGHT: 182.2
GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47060, B= 1903.10, C= 216.9 DETERMINED OVER THE
TEMPERATURE RANGE -23.0 TO 190.0 DEG. CENT. REFERENCE: EC-TR-76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .51-03
ESTIMATED BOILING POINT(CENT.)= 197.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.1
VOLATILITY(MG/METER CUBED)= .64+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .35-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0828 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0456 - .00093 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36154, B= -704.49, C= 222.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 32.374

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.5 AT 26.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4050 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FLASH POINT, OPEN CUP (CENTIGRADE)= 121.0 REFERENCE: NB-6695, 96% PURE
FREEZING POINT (DEG. CENT.)= -42.00 REFERENCE: NB7285 97.6% PURE
SOLUBILITY(G/100G SOLVENT) .210+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: EATR4210 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. P12 KHIM. 37. 261(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.

.3288 416.28 554.06 26.67

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48:23(1944) VISCOSITY OF VAPOR = 4.42-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS

END OF COMPOUND EA 1210 AT -40.0 DEGREES C.

PAGE NUMBER 8- 40

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1210 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: GD FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47060, B= 1903.10, C= 216.9 DETERMINED OVER THE TEMPERATURE RANGE -23.0 TO 190.0 DEG. CENT. REFERENCE: EC-TR-76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .64-02
ESTIMATED BOILING POINT(CENT.)= 197.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.4
VOLATILITY(MILLIMOLE/ METER CUBED)= .40+00
DENSITY(G/ML)= 1.0642 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0458 - .00093 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36154, B= -704.49, C= 222.0 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTONES)= 13.390

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.5 AT 26.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4050 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FLASH POINT, OPEN CUP (CENTIGRADE)= 121.0 REFERENCE: NB-6695, 96% PURE
FREEZING POINT (DEG. CENT.)= -42.00 REFERENCE: NB7265 97.6% PURE
SOLUBILITY(G/100G SOLVENT) .210+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: EATR4210 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3288 416.28 554.06 26.67

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.87-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS

END OF COMPOUND EA 1210 AT -20.0 DEGREES C. PAGE NUMBER 8- 50

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1210 AT .0 DEGREES CENTIGRADE
COMMON NAME: GD FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47080, B= 1903.10, C= 216.9 DETERMINED OVER THE
TEMPERATURE RANGE -23.0 TO 190.0 DEG. CENT. REFERENCE: EC-TR-76058

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .50-01

ESTIMATED BOILING POINT(CENT.)= 197.8

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8

VOLATILITY(MG/METER CUBED)= .53+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .29+01

DENSITY(G/ML)= 1.0456 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0456 - .00092 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.38154, B= -704.49, C= 222.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 6.493

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.5 AT 26.5 DEG. CENT. REFERENCE: TDMR1292

REFRACTIVE INDEX(ND)= 1.4050 AT 25.0 DEG. CENT. REFERENCE: TDMR1292

FLASH POINT, OPEN CUP (CENTIGRADE)= 121.0 REFERENCE: NB-6695, 96% PURE

FREEZING POINT (DEG. CENT.)= -42.00 REFERENCE: NB7265 97.6% PURE

SOLUBILITY(G/100G SOLVENT) .210+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: EATR4210 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE

GM/CC DEG C CC/MOLE ATM.

.3288 416.28 554.06 26.67

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.33-03 CENTIPOISE

DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-7R IN PROGRESS

END OF COMPOUND EA 1210 AT .0 DEGREES C. PAGE NUMBER B- 51

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1210 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: GD FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47060, B= 1903.10, C= 216.9 DETERMINED OVER THE TEMPERATURE RANGE -23.0 TO 190.0 DEG. CENT. REFERENCE: EC-TR-76059

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .27+00

ESTIMATED BOILING POINT(CENT.)= 197.8

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.3

VOLATILITY(MILLIMOLE/ METER CUBED)= .15+02

DENSITY(G/ML)= 1.0270 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0456 - .00093 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36154, B= -704.49, C= 222.0 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 3.549

SURFACE TENSION (DYNES/CM) = 24.5 AT 26.5 DEG. CENT. REFERENCE: TDMR1292

REFRACTIVE INDEX(ND)= 1.4050 AT 25.0 DEG. CENT. REFERENCE: TDMR1292

FLASH POINT, OPEN CUP (CENTIGRADE)= 121.0 REFERENCE: NB-6695, 96% PURE

FREEZING POINT (DEG. CENT.)= -42.00 REFERENCE: NB7265 97.6% PURE

SOLUBILITY(G/100G SOLVENT) .210+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: EATR4210 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE

GM/CC DEG C CC/MOLE ATM.

.3288 416.28 554.06 26.87

DIFFUSION COEF. = .045 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.76-03 CENTIPOISE

DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS

END OF COMPOUND EA 1210 AT 20.0 DEGREES C. PAGE NUMBER B- 52

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1210 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: GD FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47060, B= 1903.10, C= 216.9 DETERMINED OVER THE
TEMPERATURE RANGE -23.0 TO 190.0 DEG. CENT. REFERENCE: EC-TR-76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .40+03
ESTIMATED BOILING POINT(CENT.)= 197.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.2
VOLATILITY(MG/METER CURED)= .36+04 VOLATILITY(MILLIGLE/METER CUBED)= .22+02
DENSITY(G/ML)= 1.0223 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0456 - .00093 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36154, B= -704.49, C= 222.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 3.098

SURFACE TENSION (DYNES/CM) = 24.5 AT 26.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4350 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FLASH POINT, OPEN CUP (CENTIGRADE)= 121.0 REFERENCE: NB-6695, 96% PURE
FREEZING POINT (DEG. CENT.)= -42.00 REFERENCE: NB7265 97.6% PURE
SOLUBILITY(G/100G SOLVENT) .210+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: EATR4210 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURU. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3288	416.28	554.06	26.67

DIFFUSION COEF. = .047 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM, 48, 23(1944) VISCOSITY OF VAPOR = 5.90-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS

END OF COMPOUND EA 1210 AT 25.0 DEGREES C. PAGE NUMBER B- 53

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1210 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: GD FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.47060, B= 1903.10, C= 216.9 DETERMINED OVER THE TEMPERATURE RANGE -23.0 TO 190.0 DEG. CENT. REFERENCE: EC-TR-76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .12+01
ESTIMATED BOILING POINT(CENT.)= 197.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.9
VOLATILITY(MG/METER CUBED)= .11+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .59+02
DENSITY(G/ML)= 1.0084 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0456 - .00093 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36154, B= -704.49, C= 222.0 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.127

SURFACE TENSION (DYNES/CM) = 24.5 AT 26.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4050 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FLASH POINT, OPEN CUP (CENTIGRADE)= 121.0 REFERENCE: NB-6695, 96% PURE
FREEZING POINT (DEG. CENT.)= -42.00 REFERENCE: NB7265 97.6% PURE
SOLUBILITY(G/100G SOLVENT) .210+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: EATR4210 WATER

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3288 416.28 554.06 26.67

DIFFUSION COEF. = .052 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.24-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.8 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS

END OF COMPOUND EA 1210 AT 40.0 DEGREES C. PAGE NUMBER B= 54

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1211 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: GH FORMULA WEIGHT: 162.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.78980, B= 3069.00, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 49.9 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .43-03
ESTIMATED BOILING POINT(CENT.)= 171.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.0
VOLATILITY(MG/METER CUBED)= .53+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .29-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.0758 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0366 - .00098 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00851, B= -175.38, C= 108.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 37.042

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 25.7 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4030 AT 24.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE -78C 72HR

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3300 383.45 552.09 25.49

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.58-03 CENTIPOISE

END OF COMPOUND EA 1211 AT -40.0 DEGREES C. PAGE NUMBER B- 55

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1211 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: GH FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.78980, B= 3069.00, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 49.9 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .47-02
ESTIMATED BOILING POINT(CENT.)= 171.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.0
VOLATILITY(MG/METER CUBED)= .54+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .30+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.0562 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0366 - .00098 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00851, B= -175.38, C= 108.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 9.623

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
SURFACE TENSION (DYNES/CM) = 25.7 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4030 AT 24.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE -78C 72HR

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3300	383.45	552.09	25.49

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.05-03 CENTIPOISE

END OF COMPOUND EA 1211 AT -20.0 DEGREES C. PAGE NUMBER B- 56

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1211 AT .0 DEGREES CENTIGRADE
 COMMON NAME: GH FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.78980, B= 3069.00, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 49.9 DEG. CENT. REFERENCE: TDMR 1292

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .36-01
 ESTIMATED BOILING POINT(CENT.)= 171.0
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.0
 VOLATILITY(MG/METER CUBED)= .39+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .21+01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0366 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0366 - .00098 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00851, B= -175.38, C= 108.0 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1292

WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 4.117

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 25.7 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
 REFRACTIVE INDEX(ND)= 1.4030 AT 24.0 DEG. CENT. REFERENCE: TDMR1292
 FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE -78C 72HR

ZHMN. FIZ KHM. 37. 201(1963)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3300	383.45	552.09	25.49

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.52-03 CENTIPOISE

END OF COMPOUND EA 1211 AT .0 DEGREES C.
 PAGE NUMBER B- 57

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1211 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: GH FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.78980, B= 3069.00, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 49.9 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .21+00
ESTIMATED BOILING POINT(CENT.)= 171.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.0
VOLATILITY(MG/METER CUBED)= .21+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .11+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0170 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0366 - .00098 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00851, B= -175.38, C= 108.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.397

SURFACE TENSION (DYNES/CM) = 25.7 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4030 AT 24.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE -78C 72HR

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
CM/CC DEG C CC/MOLE ATM.
.3300 383.45 552.09 25.49

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.98-03 CENTIPOISE

END OF COMPOUND EA 1211 AT 20.0 DEGREES C. PAGE NUMBER 8- 58

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1211 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: GH FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = 9.78980, B = 3069.00, C = 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 49.9 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR) = .31+00
ESTIMATED BOILING POINT(CENT.) = 171.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE) = 14.0
VOLATILITY(MILLIMOLE/ METER CUBED) = .31+04 VOLATILITY(MILLIMOLE/ METER CUBED) = .17+02
DENSITY(G/ML) = 1.0121 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0368 - .00098 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.00851, B = -175.38, C = 108.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.040

SURFACE TENSION (DYNES/CM) = 25.7 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND) = 1.4030 AT 24.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE -78C 72HR

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. 2HURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3300 383.45 552.09 25.49

DIFFUSION COEF. = .047 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,49.23(1944) VISCOSITY OF VAPOR = 6.10-03 CENTIPOISE

END OF COMPOUND EA 1211 AT 25.0 DEGREES C. PAGE NUMBER B- 59

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1211 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: GH FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.78980, B= 3069.00, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 49.9 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .98+00
ESTIMATED BOILING POINT(CENT.)= 171.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.0
VOLATILITY(MG/METER CUBED)= .91+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .50+02
DENSITY(G/ML)= .9974 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0366 - .00098 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00851, B= -175.38, C= 108.0 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 35.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.500

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 25.7 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4030 AT 24.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT.(DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE -78C 72HR

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3300 383.45 552.09 25.49
DIFFUSION COEF. = .053 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.45-03 CENTIPOISE

END OF COMPOUND EA 1211 AT 40.0 DEGREES C. PAGE NUMBER 8- 60

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1212 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: GF FORMULA WEIGHT: 180.2 GENERAL REFERENCE: EATR4210
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.5240, B= 1507.30, C= 170.4 DETERMINED OVER THE
 TEMPERATURE RANGE 14.0 TO 168.0 DEG. CENT. REFERENCE: COMB EQU.PTP 341 + N88343P36
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .10-04
 ESTIMATED BOILING POINT(CENT.)= 239.0
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 22.0
 VOLATILITY(MG/METER CUBED)= .12+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .69-03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1918 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1524 - .00099 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79115, B= -164.65, C= 86.7 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE:TDMR 1292
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 541.044

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 32.3 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
 MELTING POINT (DEG. CENT.) = -12.0 REFERENCE: E100-41 VOL 1, METASTABLE
 REFRACTIVE INDEX(ND)= 1.4590 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.4438 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 15.0 TO 30.0 DEG. CENT. REFERENCE: CRLR164

FLASH POINT
 (CENTIGRADE)= 94.0 REFERENCE: Calculated
 FREEZING POINT (DEG. CENT.)= -30.00 REFERENCE: ETF 100-41 VOL 1 <-30 DEG C
 MELTING POINT DEPRESSION(DEG. C./MOLE)= -12.000 REFERENCE: ETF 100-41 VOL 1
 SOLUBILITY(G/100G SOLVENT) .510+01 AT .0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1
 SOLUBILITY(G/100G SOLVENT) .370+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL. 1

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3597 438.22 500.87 30.44

DIFFUSION COEF. = .029 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.59-03 CENTIPOISE

END OF COMPOUND EA 1212 AT -40.0 DEGREES C. PAGE NUMBER B- 61

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1212 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: GF FORMULA WEIGHT: 180.2 GENERAL REFERENCE: EATR4210
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPECOOLED LIQUID AND NOT THE SOLID *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.56240, B= 1507.30, C= 170.4 DETERMINED OVER THE
 TEMPERATURE RANGE 14.0 TO 168.0 DEG. CENT. REFERENCE: COMB EQU. PTP 341 + NB8343P36
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .35-03
 ESTIMATED BOILING POINT(CENT.)= 239.0
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.5
 VOLATILITY(MG/METER CUBED)= .39+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .22-01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
 DENSITY(G/ML)= 1.1721 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1524 - .00099 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79115, B= -164.65, C= 86.7 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 47.502

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 32.3 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
 MELTING POINT (DEG. CENT.) = -12.0 REFERENCE: E100-41 VOL 1, METASTABLE
 REFRACTIVE INDEX(ND)= 1.4514 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.4438 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 15.0 TO 30.0 DEG. CENT. REFERENCE: CRLR164
 FLASH POINT, (CENTIGRADE)= 94.0 REFERENCE: Calculated
 FREEZING POINT (DEG. CENT.)= -30.00 REFERENCE: ETF 100-41 VOL 1 <-30 DEG C
 MELTING POINT DEPRESSION(DEG. C./MOLE)= -12.000 REFERENCE: ETF 100-41 VOL 1
 SOLUBILITY(G/100G SOLVENT) .510+01 AT .0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1
 SOLUBILITY(G/100G SOLVENT) .370+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3597 438.22 500.87 30.44
 DIFFUSION COEF. = .035 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.07-03 CENTIPOISE

END OF COMPOUND EA 1212 AT -20.0 DEGREES C. PAGE NUMBER B- 62

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1212 AT .0 DEGREES CENTIGRADE
COMMON NAME: GF FORMULA WEIGHT: 180.2 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.56240, B= 1507.30, C= 170.4 DETERMINED OVER THE
TEMPERATURE RANGE 14.0 TO 168.0 DEG. CENT. REFERENCE: COMB EQU.PTP 341 + N88343P36
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .52-02
ESTIMATED BOILING POINT(CENT.)= 239.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 17.7
VOLATILITY(MG/METER CUBED)= .55+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .31+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.1524 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1524 - .00099 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79115, B= -164.65, C= 86.7 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 12.810

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 32.3 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
MELTING POINT (DEG. CENT.) = -12.0 REFERENCE: E100-41 VOL 1 METASTABLE
REFRACTIVE INDEX(ND)= 1.4438 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.4438 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
15.0 TO 30.0 DEG. CENT. REFERENCE: CRLR164
FLASH POINT, (CENTIGRADE)= 94.0 REFERENCE: **Calculated**
FREEZING POINT (DEG. CENT.)= -30.00 REFERENCE: ETF 100-41 VOL 1 <-30 DEG C
MELTING POINT DEPRESSION(DEG. C./MOLE)= -12.000 REFERENCE: ETF 100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .510+01 AT .0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .370+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL. 1

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3597	438.22	500.87	30.44

DIFFUSION COEF. = .042 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.55-03 CENTIPOISE

END OF COMPOUND EA 1212 AT .0 DEGREES C. PAGE NUMBER B- 63

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1212 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: GF FORMULA WEIGHT: 180.2 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.56240, B= 1507.30, C= 170.4 DETERMINED OVER THE TEMPERATURE RANGE 14.0 TO 168.0 DEG. CENT. REFERENCE: COMB EQU. PTP 341 + N8834.
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .44-01
ESTIMATED BOILING POINT(CENT.)= 239.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.3
VOLATILITY(MG/METER CUBED)= .44+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .24+01
DENSITY(G/ML)= 1.1327 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1524 - .00099 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79115, B= -164.66, C= 60.7 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 5.645

SURFACE TENSION (DYNES/CM) = 32.3 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
MELTING POINT (DEG. CENT.) = -12.0 REFERENCE: E100-41 VOL 1, METASTABLE
REFRACTIVE INDEX(ND)= 1.4363 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.4438 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 30.0 DEG. CENT. REFERENCE: CRLR164

FLASH POINT, (CENTIGRADE)= 94.0 REFERENCE: CRLR164
FREEZING POINT (DEG. CENT.)= -30.00 REFERENCE: ETF 100-41 VOL 1 <-30 DEG C
MELTING POINT DEPRESSION(DEG. C./MOLE)= -12.000 REFERENCE: ETF 100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .510+01 AT .0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .370+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURM. P12 NIMB. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3597 438.22 500.87 30.44

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY-CHEM,48,23(1944) VISCOSITY OF VAPOR = 0.03-03 CENTIPOISE

END OF COMPOUND EA 1212 AT 20.0 DEGREES C. PAGE NUMBER 8- 64

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1212 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: GF FORMULA WEIGHT: 180.2 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.56240, B= 1507.30, C= 170.4 DETERMINED OVER THE
TEMPERATURE RANGE 14.0 TO 168.0 DEG. CENT. REFERENCE: COMB EQU.FTP 341 + N88343P36

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .70-01
ESTIMATED BOILING POINT(CENT.)= 239.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.0
VOLATILITY(MILLIMOLE/ METER CUBED)= .38+01
VOLATILITY(MG/METER CUBED)= .68+03
DENSITY(G/ML)= 1.1278 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1524 - .00059 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TOMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79115, B= -164.65, C= 86.7 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TOMR 1292

WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 4.816

SURFACE TENSION (DYNES/CM) = 32.3 AT 25.5 DEG. CENT. REFERENCE: TOMR1292

MELTING POINT (DEG. CENT.) = -12.0 REFERENCE: E100-41 VOL 1, METASTABLE

REFRACTIVE INDEX(ND)= 1.4343 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.4439 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
15.0 TO 30.0 DEG. CENT. REFERENCE: CLR164

FLASH POINT, (CENTIGRADE)= 94.0 REFERENCE: Calculated

FREEZING POINT (DEG. CENT.)= -30.00 REFERENCE: ETF 100-41 VOL 1 <-30 DEG C

MELTING POINT DEPRESSION(DEG. C./MOLE)= -12.000 REFERENCE: ETF 100-41 VOL 1

SOLUBILITY(G/100G SOLVENT) .510+01 AT .0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1

SOLUBILITY(G/100G SOLVENT) .370+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL. 1

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3597 438.22 500.87 30.44

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.15-03 CENTIPOISE

END OF COMPOUND EA 1212 AT 25.0 DEGREES C. PAGE NUMBER B- 65

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1212 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: GF FORMULA WEIGHT: 180.2 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.56240, B= 1507.30, C= 170.4 DETERMINED OVER THE TEMPERATURE RANGE 14.0 TO 168.0 DEG. CENT. REFERENCE: COMB EQU.PTP 341 + NB8343P36
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .25+00
ESTIMATED BOILING POINT(CENT.)= 239.0
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.3
VOLATILITY(MG/METER CUBED)= .23+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .13+02
DENSITY(G/ML)= 1.1130 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1524 - .00099 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79115, B= -164.65, C= 86.7 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 3.222

SURFACE TENSION (DYNES/CM) = 32.3 AT 25.5 DEG. CENT. REFERENCE: TDMR1292
MELTING POINT (DEG. CENT.) = -12.0 REFERENCE: E100-41 VOL 1 METASTABLE
REFRACTIVE INDEX(ND)= 1.4287 WAS CALCULATED FROM THE EQUATION:

REFRACTIVE INDEX(ND)= 1.4438 - .00038*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 30.0 DEG. CENT. REFERENCE: CRLR164
FLASH POINT, (CENTIGRADE)= 94.0 REFERENCE: Calculated
FREEZING POINT (DEG. CENT.)= -30.00 REFERENCE: ETF 100-41 VOL 1 <-30 DEG C
MELTING POINT DEPRESSION(DEG. C./MOLE)= -12.000 REFERENCE: ETF 100-41 VOL 1, METASTABLE
SOLUBILITY(G/100G SOLVENT) .510+01 AT .0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL 1
SOLUBILITY(G/100G SOLVENT) .370+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER ETF 100-41 VOL. 1

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3597	438.22	500.87	30.44

DIFFUSION COEF. = .056 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.50-03 CENTIPOISE

END OF COMPOUND EA 1212 AT 40.0 DEGREES C. PAGE NUMBER B- 66

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1213 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: TDMR1292
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPECOOLED LIQUID AND NOT THE SOLID *****

VAPOR PRESSURE(TORR)= .22+02 AT 84.0 DEG. CENT. REFERENCE: TDMR1292
 VAPOR PRESSURE(TORR)= .55+00 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
 DENSITY(G/ML)= 1.0919 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0531 - .00097 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.92419, B= -495.20, C= 189.2 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 24.864

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.8 AT 26.0 DEG. CENT. REFERENCE: TDMR1292
 REFRACTIVE INDEX(ND)= 1.3980 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
 FREEZING POINT (DEG. CENT.)= -18.80 REFERENCE: TDMR1292

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3335 397.22 504.25 28.49

DIFFUSION COEF. = .029 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.61-03 CENTIPOISE

END OF COMPOUND EA 1213 AT -40.0 DEGREES C.

PAGE NUMBER B- 67

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1213 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 158.1 GENERAL REFERENCE: TDMR1292
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****
 VAPOR PRESSURE(TORR)= .22*02 AT 84.0 DEG. CENT. REFERENCE: TDMR1292
 VAPOR PRESSURE(TORR)= .55*00 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
 DENSITY(G/ML)= 1.0725 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0531 - .00097 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4911): A= -1.92419, B= -495.20, C= 189.2 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 10.072

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.8 AT 26.0 DEG. CENT. REFERENCE: TDMR1292
 REFRACTIVE INDEX(ND)= 1.3980 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
 FREEZING POINT (DEG. CENT.) = -18.80 REFERENCE: TDMR1292

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3335 397.22 504.25 28.49

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.08-03 CENTIPOISE

END OF COMPOUND EA 1213 AT -20.0 DEGREES C. PAGE NUMBER 8- 68

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1213 AT -0.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .22+02 AT 84.0 DEG. CENT. REFERENCE: TDMR1292
VAPOR PRESSURE(TORR)= .55+00 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
DENSITY(G/ML)= 1.0531 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0531 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.92419, B= -495.20, C= 189.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 4.939

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.8 AT 26.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.3980 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -18.80 REFERENCE: TDMR1292

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3335	397.22	504.25	28.49

DIFFUSION COEF. = .042 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.55-03 CENTIPOISE

END OF COMPOUND EA 1213 AT -0.0 DEGREES C. PAGE NUMBER B- 69

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1213 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .22+02 AT 84.0 DEG. CENT. REFERENCE: TDMR1292
VAPOR PRESSURE(TORR)= .55+00 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
DENSITY(G/ML)= 1.0337 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0531 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.92419, B= -495.20, C= 189.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.775

SURFACE TENSION (DYNES/CM) = 24.8 AT 26.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.3980 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -18.00 REFERENCE: TDMR1292

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3335 397.22 504.25 28.49

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.02-03 CENTIPOISE

END OF COMPOUND EA 1213 AT 20.0 DEGREES C. PAGE NUMBER 8- 70

Appendix B

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1213 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: TDMR1292

*** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .22+02 AT 84.0 DEG. CENT. REFERENCE: TDMR1292
VAPOR PRESSURE(TOPR)= .55+00 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
DENSITY(G/ML)= 1.0289 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0531 - .00097 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

THE FOLLOWING Antoine constants(EATR 4491): A= -1.92419, B= -495.20, C= 189.2 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.444

SURFACE TENSION (DYNES/CM) = 24.8 AT 26.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.3980 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.) = -18.80 REFERENCE: TDMR1292

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GW/CC DEG C CC/MOLE ATM.
.3335 397.22 504.25 28.49

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.14-03 CENTIPOISE

END OF COMPOUND EA 1213 AT 25.0 DEGREES C. PAGE NUMBER B- 71

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1213 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 169.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .22+02 AT 84.0 DEG. CENT. REFERENCE: TDMR1292
VAPOR PRESSURE(TORR)= .55+00 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
DENSITY(G/ML)= 1.0143 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0531 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.92419, B= -495.20, C= 189.2 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.725

SURFACE TENSION (DYNES/CM) = 24.8 AT 26.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(NL)= 1.3980 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -18.80 REFERENCE: TDMR1292

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3335 397.22 504.25 28.49

DIFFUSION COEF. = .056 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY-CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.50-03 CENTIPOISE

END OF COMPOUND EA 1213 AT 40.0 DEGREES C. PAGE NUMBER B- 72

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1214 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 210.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30+01 AT 105.0 DEG. CENT. REFERENCE: TDMR1292 TEMP. +-1 DEG.
VAPOR PRESSURE(TORR)= .60-01 AT 25.0 DEG. CENT. REFERENCE: TDMR1292 APROX (0.04 TO 0.08)
DENSITY(G/ML)= 1.0568 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0210 - .00089 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.96037, B= -502.19, C= 178.6 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 45.948

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.3 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4190 AT 23.5 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TDMR-1292 DID NOT FREEZE TO-78

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3198 427.58 657.03 22.88

DIFFUSION COEF. = .024 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 4.18-03 CENTIPOISE

END OF COMPOUND EA 1214 AT -40.0 DEGREES C. PAGE NUMBER B- 73

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1214 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 210.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .30+01 AT 105.0 DEG. CENT. REFERENCE: TDMR1292 TEMP. +-1 DEG.
VAPOR PRESSURE(TORR) = .60-01 AT 25.0 DEG. CENT. REFERENCE: TDMR1292 APPROX (0.04 TO 0.08)
DENSITY(G/ML) = 1.0388 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0210 - .00089 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.96037, B = -502.19, C = 178.6 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 16.051

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.3 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND) = 1.4190 AT 23.5 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TDMR-1292 DID NOT FREEZE TO -78

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3198 427.58 657.03 22.86

DIFFUSION COEF. = .029 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.62-03 CENTIPOISE

END OF COMPOUND EA 1214 AT -20.0 DEGREES C. PAGE NUMBER B- 74

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1214 AT .0 DEGREES CENTIGRADE
 COMPOUND NAME: FORMULA WEIGHT: 210.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30-01 AT 105.0 DEG. CENT. REFERENCE: TDMR1292 TEMP. +-1 DEG.
 VAPOR PRESSURE(TORR)= .60-01 AT 25.0 DEG. CENT. REFERENCE: TDMR1292 APROX (0.04 TO 0.09)
 DENSITY(G/ML)= 1.0210 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0210 - .00089 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.98037, B= -502.19, C= 178.6 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 7.098

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.3 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
 REFRACTIVE INDEX(ND)= 1.4190 AT 23.5 DEG. CENT. REFERENCE: TDMR1292
 FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TDMR-1292 DID NOT FREEZE TO -78

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3198	427.58	657.03	22.86

DIFFUSION COEF. = .034 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.05-03 CENTIPOISE

END OF COMPOUND EA 1214 AT .0 DEGREES C. PAGE NUMBER 8- 75

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1214 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 210.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .30+01 AT 105.0 DEG. CENT. REFERENCE: TDMR1292 TEMP. +-1 DEG.
VAPOR PRESSURE(TORR) = .60+01 AT 25.0 DEG. CENT. REFERENCE: TDMR1292 APPROX (0.04 TO 0.08)
DENSITY(G/ML) = 1.0032 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0210 - .00089 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.98037, B = -502.19, C = 178.6 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 3.698

SURFACE TENSION (DYNES/CM) = 27.3 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND) = 1.4190 AT 23.5 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TDMR-1292 DID NOT FREEZE TO -78

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G./CC DEG C CC/MOLE ATM.
.3198 427.58 657.03 22.86

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.48-03 CENTIPOISE

END OF COMPOUND EA 1214 AT 20.0 DEGREES C.

PAGE NUMBER B- 78

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1214 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 210.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30-01 AT 105.0 DEG. CENT. REFERENCE: TDMR1292 TEMP. +-1 DEG.
VAPOR PRESSURE(TORR)= .60-01 AT 25.0 DEG. CENT. REFERENCE: TDMR1292 APPROX (0.04 TO 0.08)
DENSITY(G/ML)= .9488 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0210 - .00089 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.96037, B= -5C2.19, C= 178.6 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 3.205

SURFACE TENSION (DYNES/CM) = 27.3 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4190 AT 23.5 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TDMR-1292 DID NOT FREEZE TO-78

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3198 427.58 657.03 22.86

DIFFUSION COEF. = .042 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.59-03 CENTIPOISE

END OF COMPOUND EA 1214 AT 25.0 DEGREES C. PAGE NUMBER 8- 77

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1214 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 210.1 GENERAL REFERENCE: TDMR1292

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30+01 AT 105.0 DEG. CENT. REFERENCE: TDMR1292 TEMP. +-1 DEG.
VAPOR PRESSURE(TORR)= .60-01 AT 25.0 DEG. CENT. REFERENCE: TDMR1292 APROX (0.04 TO 0.08)
DENSITY(G/ML)= .9554 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0210 - .00089 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR1292

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.96037, B= -502.19, C= 178.6 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TDMR 1292
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.171

SURFACE TENSION (DYNES/CM) = 27.3 AT 25.0 DEG. CENT. REFERENCE: TDMR1292
REFRACTIVE INDEX(ND)= 1.4190 AT 23.5 DEG. CENT. REFERENCE: TDMR1292
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TDMR-1292 DID NOT FREEZE TO-78

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3198 427.58 657.03 22.86

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.92-93 CENTIPOISE

END OF COMPOUND EA 1214 AT 40.0 DEGREES C.

PAGE NUMBER 8- 78

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1230 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 218.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .10+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2966 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2578 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.25660, B= -259.14, C= 80.3 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P. 6
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 151368.965

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 40.0 AT 24.5 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4940 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3853 501.36 566.28 29.31

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.38-03 CENTIPOISE

END OF COMPOUND EA 1230 AT -40.0 DEGREES C. PAGE NUMBER 8- 79

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1230 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 218.2 GENERAL REFERENCE: TCR36

**** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .10400 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2772 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2578 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.25660, B= -259.14, C= 80.3 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P. 6
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1105.983

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ****

SURFACE TENSION (DYNES/CM) = 40.0 AT 24.5 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4940 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG. C CC/MOLE ATM.
.3853 501.36 566.28 29.31

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.84-03 CENTIPOISE

END OF COMPOUND EA 1230 AT -20.0 DEGREES C. PAGE NUMBER B- 80

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1230 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 218.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .10+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2578 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2578 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTIOXIDANT CONSTANTS(EATR 4491): A= -1.25660, B= -259.14, C= 80.3 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P. 6

WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 93.787

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 40.0 AT 24.5 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4940 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
CM/CC DEG C CC/MOLE ATM.
.3853 501.36 568.28 29.31

DIFFUSION COEF. = .038 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.31-03 CENTIPOISE

END OF COMPOUND EA 1230 AT .0 DEGREES C. PAGE NUMBER B- 81

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1230 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 218.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .10+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2384 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2578 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.25660, B= -259.14, C= 80.3 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P. 6
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 21.285

SURFACE TENSION (DYNES/CM) = 40.0 AT 24.5 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4940 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3853 501.36 566.28 29.31

DIFFUSION COEF. = .044 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY-CHEM.48,23(1944) VISCOSITY OF VAPOR = 3.77-03 CENTIPOISE

END OF COMPOUND EA 1230 AT 20.0 DEGREES C.

PAGE NUMBER B- 82

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1230 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 218.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .1040 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2336 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2578 -
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36
.00097 *TEMP.(C.) DETERMINED OVER

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.25660, B= -259.14, C= 80.3 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P. 6
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 16.043

SURFACE TENSION (DYNES/CM) = 40.0 AT 24.5 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4940 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3853 501.36 566.28 29.31
DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.. J.RHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.89-03 CENTIPOISE

END OF COMPOUND EA 1230 AT 25.0 DEGREES C. PAGE NUMBER 3- 83

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1230 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 218.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .10+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2190 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2578 -
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 .00097 *TEMP.(C.) DETERMINED OVER

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.25660, B= -259.14, C= 80.3 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P. 6
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 7.911

SURFACE TENSION (DYNES/CM) = 40.0 AT 24.5 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4940 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. Z.JURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3853 501.36 566.28 29.31

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.24-03 CENTIPOISE

END OF COMPOUND EA 1230 AT 40.0 DEGREES C.

PAGE NUMBER 8- 84

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1232 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 112.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .38+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.3231 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2715 - .00129 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18494, B= -854.91, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.7
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 4.207

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 30.9 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3720 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -67.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4108 347.88 272.74 48.80

DIFFUSION COEF. = .045 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.97-03 CENTIPOISE

END OF COMPOUND EA 1232 AT -40.0 DEGREES C.

PAGE NUMBER B- 85

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1232 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 112.1
GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .38+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2373 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2715 - .00129 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18484, B= -854.91, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.7
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.524

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 30.9 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3720 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -67.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4108 347.88 272.74 48.80

DIFFUSION COEF. = .054 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.58-03 CENTIPOISE

END OF COMPOUND EA 1232 AT -20.0 DEGREES C. PAGE NUMBER 8- 86

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1232 AT -0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 112.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .38+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.2715 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.2715 - .00129 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOLINE CONSTANTS(EATR 4491): A = -2.18484, B = -654.91, C = 273.2 DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.7
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.632

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 30.9 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND) = 1.3720 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -67.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4108 347.08 272.74 48.80

DIFFUSION COEF. = .065 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.18-03 CENTIPOISE

END OF COMPOUND EA 1232 AT -0 DEGREES C. PAGE NUMBER 8- 87

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1232 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 112.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .38+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2457 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2715 -
THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36 .00129 *TEMP.(C.) DETERMINED OVER

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18484, B= -854.91, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.7
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.120

SURFACE TENSION (DYNES/CM) = 30.9 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3720 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -87.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.4108 347.88 272.74 48.80

DIFFUSION COEF. = .075 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.78-03 CENTIPOISE

END OF COMPOUND EA 1232 AT 20.0 DEGREES C.

PAGE NUMBER B- 88

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1232 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 112.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .38+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.2392 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.2715 - .00129 * TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.18484, B = -654.91, C = 273.2 DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.7
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.027

SURFACE TENSION (DYNES/CM) = 30.9 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND) = 1.3720 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -67.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4108 347.88 272.74 48.80

DIFFUSION COEF. = .078 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.93-03 CENTIPOISE

END OF COMPOUND EA 1232 AT 25.0 DEGREES C. PAGE NUMBER B- 89

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1232 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 112.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .38+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2199 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2715 - .00129 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18484, B= -854.91, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 9.5 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.7
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= .806

SURFACE TENSION (DYNES/CM) = 30.9 AT 25.0 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3720 AT 24.5 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -67.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.4108 347.88 272.74 48.80

DIFFUSION COEF. = .087 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.38-03 CENTIPOISE

END OF COMPOUND EA 1232 AT 40.0 DEGREES C. PAGE NUMBER 8- 90

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1244 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 196.6 GENERAL REFERENCE: TCR36
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = -20.01 AT 30.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.2854 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.2466 - .00097 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.94420, B = -506.85, C = 154.7 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.8
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 298.184

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 37.8 AT 23.2 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND) = 1.4520 AT 25.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3824 495.65 514.03 32.05

DIFFUSION COEF. = .029 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.46-03 CENTIPOISE

END OF COMPOUND EA 1244 AT -40.0 DEGREES C. PAGE NUMBER B- 91

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1244 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 196.8 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .20-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2660 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2466 - .00097 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.94420, B= -508.83, C= 154.7 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.8
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 65.833

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 37.8 AT 23.2 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4520 AT 25.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHM. 37. 201(1963)

DENSITY TEMPERATURE	VOLUME PRESSURE
GM/CC	DEG C
.3824	495.65
514.03	32.05

DIFFUSION COEF. = .034 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.93-03 CENTIPOISE

END OF COMPOUND EA 1244 AT -20.0 DEGREES C. PAGE NUMBER 8- 92

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1244 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 196.6 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 VAPOR PRESSURE(TORR)= .20-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.2466 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2466 -
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.94420, B= -506.85, C= 154.7 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.8
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 21.479

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 SURFACE TENSION (DYNES/CM) = 37.8 AT 23.2 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.4520 AT 25.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3824 495.65 514.03 32.05

DIFFUSION COEF. = .041 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.40-03 CENTIPOISE
 END OF COMPOUND EA 1244 AT .0 DEGREES C.

PAGE NUMBER B- 93

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1244 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 196.6 GENERAL REFERENCE: TCR36
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .20-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.2272 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2466 - .00097 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.94420, B= -506.85, C= 154.7 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.8
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 9.057

SURFACE TENSION (DYNES/CM) = 37.8 AT 23.2 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4520 AT 25.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3824 495.65 514.03 32.05

DIFFUSION COEF. = .048 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.87-03 CENTIPOISE

END OF COMPOUND EA 1244 AT 20.0 DEGREES C.

PAGE NUMBER B- 94

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1244 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 196.6 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .20-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.2224 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2466 - .00097 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.94420, B= -506.85, C= 154.7 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.8
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 7.520

SURFACE TENSION (DYNES/CM) = 37.8 AT 23.2 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.4520 AT 25.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3824	495.65	514.03	32.05

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.99-03 CENTIPOISE

END OF COMPOUND EA 1244 AT 25.0 DEGREES C. PAGE NUMBER B- 95

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1244 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 196.6 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 VAPOR PRESSURE(TORR)= -20-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.2078 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.2466 - .00097 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.94420, B= -506.85, C= 154.7 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.8
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 4.560
 SURFACE TENSION (DYNES/CM) = 37.8 AT 23.2 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.4520 AT 25.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3824 495.65 514.03 32.05

DIFFUSION COEF. = .055 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY-CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.35-03 CENTIPOISE

END OF COMPOUND EA 1244 AT 40.0 DEGREES C.

PAGE NUMBER B- 96

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1245 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 176.2 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 VAPOR PRESSURE(TORR)= .65-01 AT 50.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.1208 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0852 - .00089 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.38600, B= -711.4, C= 219.3 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.9
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 38.239

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 34.2 AT 21.8 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.4290 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3361 463.19 524.18 30.10

DIFFUSION COEF. = .028 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944). VISCOSITY OF VAPOR = 4.30-03 CENTIPOISE

END OF COMPOUND EA 1245 AT -40.0 DEGREES C.

PAGE NUMBER 8- 97

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1245 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 176.2 GENERAL REFERENCE: TCR36
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
**** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
VAPOR PRESSURE(TORR)= .65-01 AT 50.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1030 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0852 - .00089 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.38600, B= -711.47, C= 219.3 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.9
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 15.283

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 34.2 AT 21.8 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4290 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3361 463.19 524.18 30.10

DIFFUSION COEF. = .034 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.75-03 CENTIPOISE

END OF COMPOUND EA 1245 AT -20.0 DEGREES C. PAGE NUMBER B- 98

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1245 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 176.2 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 VAPOR PRESSURE(TORR)= .65-01 AT 50.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.0852 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0852 - .00089 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.38600, B= -711.47, C= 219.3 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.9
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 7.221

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 34.2 AT 21.8 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.4290 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GA/CC DEG C CC/MOLE ATM.
 .3361 463.19 524.18 30.10

DIFFUSION COEF. = .041 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.20-03 CENTIPOISE

END OF COMPOUND EA 1245 AT .0 DEGREES C. PAGE NUMBER 8- 99

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES: 1245 AT 20.0 DEGREES CENTIGRADE
 FORMULA WEIGHT: 170.2
 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLES TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .30-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 VAPOR PRESSURE(TORR) = .65-01 AT 50.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML) = 1.0674 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0852 -
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36
 .00089 *TEMP.(C.) DETERMINED OVER

THE FOLLOWING ANTIMINE CONSTANTS(EATR 4491): A = -2.38600, B = -711.47, C = 219.3 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.9
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 3.867

SURFACE TENSION (DYNES/CM) = 34.2 AT 21.8 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND) = 1.4290 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3361 463.19 524.18 30.10

DIFFUSION COEF. = .047 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.65-03 CENTIPOISE

END OF COMPOUND EA 1245 AT 20.0 DEGREES C.

PAGE NUMBER B-100

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1245 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 176.2 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCULS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .30-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 VAPOR PRESSURE(TORR)= .85-01 AT 50.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.0630 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0852 - .00089 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.38600, B= -711.47, C= 219.3 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.9
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 3.361

SURFACE TENSION (DYNES/CM) = 34.2 AT 21.8 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.4290 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG.C CC/MOLE ATM.
 .3361 463.19 524.18 30.10

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.76-03 CENTIPOISE

END OF COMPOUND EA 1245 AT 25.0 DEGREES C. PAGE NUMBER B-101

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1245 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 176.2 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .30-01 AT 30.0 DEG. CENT. REFERENCE: TCR36
 VAPOR PRESSURE(TORR) = .65-01 AT 50.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML) = 1.0496 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0852 - .00089 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.38600, B = -711.47, C = 219.3 DETERMINED OVER THE
 TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.9
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 2.280

SURFACE TENSION (DYNES/CM) = 34.2 AT 21.8 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND) = 1.4290 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GH/CC DEG C CC/MOLE ATM.
 .3361 463.19 524.18 30.10

DIFFUSION COEF. = .055 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 6.10-03 CENTIPOISE

END OF COMPOUND EA 1245 AT 40.0 DEGREES C.

PAGE NUMBER B-102

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1246 AT -20.0 DEGREES CENTIGRADE
 COMPOUND NAME: FORMULA WEIGHT: 166.1
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOCIS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.90720, B= 2890.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -0 TO 28.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .31-02
 ESTIMATED BOILING POINT(CENT.)= 208.5
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.2
 VOLATILITY(MG/METER CUBED)= .32+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .20+00
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.1924 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1714 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.22760, B= -799.87, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 8.552
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3689 412.01 450.22 32.61
 DIFFUSION COEF. = .038 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.36-03 CENTIPOISE
 END OF COMPOUND EA 1246 AT -20.0 DEGREES C. PAGE NUMBER B-104

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1246 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 166.1 GENERAL REFERENCE: ARCSL-TR-77001

***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.90720, B= 2890.40, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE .0 TO 28.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .32-03

ESTIMATED BOILING POINT(CENT.)= 206.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.2

VOLATILITY(MG/METER CUBED)= .37+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .22-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2134 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1714 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.22760, B= -799.87, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE:ARCSL-TR-77001

WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 15.963

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G#/CC DEG C CC/MOLE ATM.
.3689 412.01 450.22 32.61

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.86-03 CENTIPOISE

END OF COMPOUND EA 1246 AT -40.0 DEGREES C. PAGE NUMBER B-103

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1246 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 166.1 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTINE CONSTANTS(EATR 4491): A= 8.90720, B= 2890.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE .0 TO 28.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .21-01
 ESTIMATED BOILING POINT(CENT.)= 206.5
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.2
 VOLATILITY(MG/METER CUBED)= .21+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .12+01
 DENSITY(G/ML)= 1.1714 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1714 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTINE CONSTANTS(EATR 4491): A= -2.22760, B= -799.87, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 5.020

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
CG/CC	DEG C	CC/MOLE	ATM.
.3689	412.01	450.22	32.61

DIFFUSION COEF. = .045 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.87-03 CENTIPOISE

END OF COMPOUND EA 1246 AT .0 DEGREES C. PAGE NUMBER 8-105

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1246 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 166.1 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.90720, B= 2890.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 0 TO 28.0 DEG. CENT. REFERENCE: ARCSL-IR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .11400
 ESTIMATED BOILING POINT(CENT.)= 206.5
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.2
 VOLATILITY(MG/METER CUBED)= .10404 VOLATILITY(MILLIMOLE/ METER CUBED)= .61401
 DENSITY(G/ML)= 1.1504 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1714 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.2760, B= -799.87, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 3.169

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3689 412.01 450.22 32.61

DIFFUSION COEF. = .053 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.37-03 CENTIPOISE

END OF COMPOUND EA 1246 AT 20.0 DEGREES C. PAGE NUMBER B-106

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1246 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 166.1
 GENERAL REFERENCE: ARCSL-TR-77001
 *** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOLDS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.90720, B= 2890.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE .0 TO 28.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .16+00
 ESTIMATED BOILING POINT(CFNT.)= 206.5
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.2
 VOLATILITY(MG/METER CUBED)= .15+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .88+01
 DENSITY(G/ML)= 1.1452 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1714 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.22760, B= -799.87, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 2.852

ZHURN. FIZ KHIM. 37. 201(1963)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3689	412.01	450.22	32.61

DIFFUSION COEF. = .055 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.49-03 CENTIPOISE

END OF COMPOUND EA 1246 AT 25.0 DEGREES C. PAGE NUMBER 8-107

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1246 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 166.1
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.90720, B= 2890.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE .0 TO 28.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .48+00
 ESTIMATED BOILING POINT(CENT.)= 208.5
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.2
 VOLATILITY(MG/METER CUBED)= .40+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .24+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.1294 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1714 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.22760, B= -799.87, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 2.122
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3689 412.01 450.22 32.61
 DIFFUSION COEF. = .061 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.87-03 CENTIPOISE
 END OF COMPOUND EA 1246 AT 40.0 DEGREES C. PAGE NUMBER D-108

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1249 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****
 VAPOR PRESSURE(TORR)= .74+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.1327 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0899 - .00107 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 SURFACE TENSION (DYNES/CM) = 24.4 AT 20.4 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.3890 AT 23.0 DEG. CENT. REFERENCE: TCR36
 FREEZING POINT (DEG. CENT.)= -34.70 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3497 364.16 440.78 30.99
 DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.00-03 CENTIPOISE

END OF COMPOUND EA 1249 AT -40.0 DEGREES C. PAGE NUMBER B-109

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1249 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .74+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1113 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0899 - .00107 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.4 AT 20.4 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3890 AT 23.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -34.70 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3497 364.16 440.78 30.99

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.50-03 CENTIPOISE

END OF COMPOUND EA 1249 AT -20.0 DEGREES C. PAGE NUMBER B-110

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1249 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .74+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0899 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0899 - .00107.*TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.4 AT 20.4 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3890 AT 23.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -34.70 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3497 364.16 440.78 30.99

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY-CHEM, 48, 23(1944) VISCOSITY OF VAPOR = 6.01-03 CENTIPOISE

END OF COMPOUND EA 1249 AT .0 DEGREES C. PAGE NUMBER 8-111

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1249 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .7400 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0686 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0899 - .00107 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

SURFACE TENSION (DYNES/CM) = 24.4 AT 20.4 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3890 AT 23.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -34.70 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3497 364.16 440.78 30.99

DIFFUSION COEF. = .054 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 8.52-03 CENTIPOISE

END OF COMPOUND EA 1249 AT 20.0 DEGREES C. PAGE NUMBER B-112

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1249 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .74+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML) = 1.0632 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0899 - .00107 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

SURFACE TENSION (DYNES/CM) = 24.4 AT 20.4 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND) = 1.3890 AT 23.0 DEG. CENT. REFERENCE: TCR36
 FREEZING POINT (DEG. CENT.) = -34.70 REFERENCE: TCR36

ZHURN. FIZ KHIM. 37. 201(1963)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3497 364.16 440.78 30.99

DIFFUSION COEF. = .056 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.64-03 CENTIPOISE

END OF COMPOUND EA 1249 AT 25.0 DEGREES C. PAGE NUMBER 8-113

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1249 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

**** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .74+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0472 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0899 - .00107 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

SURFACE TENSION (DYNES/CM) = 7.4 AT 20.4 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3890 AT 3.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -34.70 REFERENCE: TCR36

THE FOLLOWING PHYSICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG. C CC/MOLE ATM.
3497 364.16 440.78 30.99

DIFFUSION COEF. = .062 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 7.02-03 CENTIPOISE

END OF COMPOUND EA 1249 AT 40.0 DEGREES C. PAGE NUMBER B-114

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1251 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: OF FORMULA WEIGHT: 100.0 GENERAL REFERENCE: JACS 82 1986 3843
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.54440, B= 1577.80, C= 238.6 DETERMINED OVER THE
 TEMPERATURE RANGE 19.0 TO 99.0 DEG. CENT. REFERENCE: JACS 82 3843 1986
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .40+00
 ESTIMATED BOILING POINT(CENT.)= 99.7
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 9.9
 VOLATILITY(MG/METER CUBED)= .27+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .27+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.4806 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4060 - .00186 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.41890, B= -230.77, C= 171.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 2.171

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.3148 AT 25.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
 HEAT OF FUSION(KCAL/MOLE)= 2.84 AT -36.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
 FREEZING POINT (DEG. CENT.)= -36.86 REFERENCE: J RSCH NBS P+C V68A 1964 P367
 MELTING POINT DEPRESSION(DEG. C./MOLE)= 2.340 REFERENCE: JACS 82 3843 1960

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.4846	233.60	206.36	52.62

DIFFUSION COEF. = .054 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 7.77-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 3843 1986
 OXYGEN INDEX(UNITLESS)= 45.4 AT AMBIENT TEMPERATURE REFERENCE: N89253 P. 4

END OF COMPOUND EA 1251 AT -40.0 DEGREES C.

PAGE NUMBER 8-118

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1251 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: OF FORMULA WEIGHT: 100.0 GENERAL REFERENCE: JACS 82 1960 3843

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.54440, B= -1577.80, C= 238.8 DETERMINED OVER THE
TEMPERATURE RANGE 19.0 TO 99.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .21+01

ESTIMATED BOILING POINT(CENT.)= 99.7

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 9.7

VOLATILITY(MG/METER CUBED)= .13+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .13+03

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

* DENSITY(G/ML)= 1.4433 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4080 - .00166 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.41890, B= -230.77, C= 171.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 1.273

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.3148 AT 25.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
HEAT OF FUSION(KCAL/MOLE)= 2.84 AT -36.9 DEGREE CENT. REFERENCE: J RSCN NBS P+C V68A 1964 P367
FREEZING POINT (DEG. CENT.)= -36.86 REFERENCE: J RSCN NBS P+C V68A 1964 P367
MELTING POINT DEPRESSION(DEG. C./MOLE)= 2.340 REFERENCE: JACS 82 3843 1960

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1962)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4846 233.60 206.36 52.62

DIFFUSION COEF. = .065 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.52-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 3843 1960
OXYGEN INDEX(UNITLESS)= 45.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P. 4

END OF COMPOUND EA 1251 AT -20.0 DEGREES C. PAGE NUMBER 8-116

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1251 AT .0 DEGREES CENTIGRADE
COMMON NAME: DF FORMULA WEIGHT: 100.0 GENERAL REFERENCE: JACS 82 1960 3843

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.54440, B= 1577.80, C= 238.6 DETERMINED OVER THE TEMPERATURE RANGE 19.0 TO 99.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .85+01
ESTIMATED BOILING POINT(CENT.)= 99.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 9.5
VOLATILITY(MG/METER CUBED)= .50+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .50+03
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.4060 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4090 - .00198 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.41890, B= -230.77, C= 171.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82,3843 1960
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= .848

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.3148 AT 25.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
HEAT OF FUSION(KCAL/MOLE)= 2.84 AT -36.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
FREEZING POINT (DEG. CENT.)= -36.86 REFERENCE: J RSCH NBS P+C V68A 1964 P367
MELTING POINT DEPRESSION(DEG. C./MOLE)= 2.340 REFERENCE: JACS 82 3843 1960

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4846 233.60 206.36 52.62

DIFFUSION COEF. = .077 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 9.27-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 3843 1960
OXYGEN INDEX(UNITLESS)= 45.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P. 4

END OF COMPOUND EA 1251 AT .0 DEGREES C. PAGE NUMBER B-117

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1251 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: OF FORMULA WEIGHT: 100.0 GENERAL REFERENCE: JACS 82 1960 3843

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.54440, B= 1577.80, C= 238.6 DETERMINED OVER THE
TEMPERATURE RANGE 19.0 TO 99.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .28+02
ESTIMATED BOILING POINT(CENT.)= 99.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 9.3
VOLATILITY(MG/METER CUBED)= .15+06 VOLATILITY(MILLIMOLE/ METER CUBED)= .15+04
DENSITY(G/ML)= 1.3687 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4060 - .00166 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.41890, B= -230.77, C= 171.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82,3843 1960
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= .612

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.3148 AT 25.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
HEAT OF FUSION(KCAL/MOLE)= 2.84 AT -36.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
FREEZING POINT (DEG. CENT.)= -36.86 REFERENCE: J RSCH NBS P+C V68A 1964 P367
MELTING POINT DEPRESSION(DEG. C./MOLE)= 2.340 REFERENCE: JACS 82 3843 1960

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4846 233.60 206.36 52.62

DIFFUSION COEF. = .090 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 1.00-02 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 3843 1960
OXYGEN INDEX(UNITLESS)= 45.4 AT AMBIENT TEMPERATURE REFERENCE: N89253 P. 4

END OF COMPOUND EA 1251 AT 20.0 DEGREES C. PAGE NUMBER 8-118

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1251 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: DF FORMULA WEIGHT: 100.0 GENERAL REFERENCE: JACS 82 1860 3843

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.54440, B= 1577.80, C= 238.6 DETERMINED OVER THE TEMPERATURE RANGE 19.0 TO 99.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .36+02
ESTIMATED BOILING POINT(CENT.)= 99.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 9.2
VOLATILITY(MG/METER CUBED)= .19+06 VOLATILITY(MILLIMOLE/ METER CUBED)= .19+04
DENSITY(G/ML)= 1.3594 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4060 - .00186 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.41890, B= -230.77, C= 171.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOMES)= .570

REFRACTIVE INDEX(ND)= 1.3140 AT 25.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
HEAT OF FUSION(KCAL/MOLE)= 2.84 AT -36.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V88A 1964 P367
FREEZING POINT (DEG. CENT.)= -36.86 REFERENCE: J RSCH NBS P+C V88A 1964 P367
MELTING POINT DEPRESSION(DEG. C./MOLE)= 2.340 REFERENCE: JACS 82 3843 1960

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4846 233.60 206.36 52.62

DIFFUSION COEF. = .094 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE OVER CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 1.02-02 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 3843 1960
OXYGEN INDEX(UNITLESS)= 45.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P. 4

END OF COMPOUND EA 1251 AT 25.0 DEGREES C. PAGE NUMBER B-119

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1251 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: DF FORMULA WEIGHT: 100.0 GENERAL REFERENCE: JACS 82 1960 3843

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.54440, B= 1577.80, C= 238.6 DETERMINED OVER THE
TEMPERATURE RANGE 19.0 TO 99.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .76+02
ESTIMATED BOILING POINT(CENT.)= 99.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 9.1
VOLATILITY(MG/METER CUBED)= .33+08 VOLATILITY(MILLIMOLE/ METER CUBED)= .39+04
DENSITY(G/ML)= 1.3314 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4080 - .00186 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.41890, B= -230.77, C= 171.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82,3843 1960
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= .470

REFRACTIVE INDEX(ND)= 1.3140 AT 25.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
HEAT OF FUSION(KCAL/MOLE)= 2.84 AT -38.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
FREEZING POINT (DEG. CENT.)= -38.46 REFERENCE: J RSCH NBS P+C V68A 1964 P367
MELTING POINT DEPRESSION(DEG. C./MOLE)= 2.340 REFERENCE: JACS 82 3843 1960

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4848 233.60 208.36 52.62

DIFFUSION COEF. = .104 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 1.07-02 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 3843 1960
OXYGEN INDEX(UNITLESS)= 45.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P. 4

END OF COMPOUND EA 1251 AT 40.0 DEGREES C. PAGE NUMBER B-120

SUMMARY OF PROPERTIES OF EA 1253 AT THE MELTING POINT IN LIEU OF -40 DEG C
 COMMON NAME: DICI FORMULA WEIGHT: 132.9 GENERAL REFERENCE: JACS 82 1960 3843 CH3P(0)CL2
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING PCINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.24420, B= 1669.70, C= 216.1 DETERMINED OVER THE
 TEMPERATURE RANGE 39.0 TO 167.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .35+01
 ESTIMATED BOILING POINT(CENT.)= 166.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.5
 VOLATILITY(MG/METER CUBED)= .24+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .18+03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.4450 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4908 - .00138 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79780, B= -103.26, C= 84.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82,3843 1960
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.201

REFRACTIVE INDEX(ND)= 1.4569 AT 35.0 DEG. CENT. REFERENCE: JACS 82 1960 3843
 HEAT OF FUSION(KCAL/MOLE)= 4.32 AT 32.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
 FREEZING POINT.(DEG. CENT.)= 32.95 REFERENCE: J RSCH NBS P+C V68A 1964 P367
 MELTING POINT DEPRESSION(DEG. C./MOLE)= 3.440 REFERENCE: JACS 82 1960 3843

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .4728 392.88 281.10 50.78

DIFFUSION COEF. = .080 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.-18,23(1944) VISCOSITY OF VAPOR = 8.34-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 1960 3843

END OF COMPOUND EA 1253 AT 32.9 DEGREES C.

PAGE NUMBER B-121

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1253 AT THE MELTING POINT IN LIEU OF -20 DEG C
 COMMON NAME: DICI FORMULA WEIGHT: 132.9 GENERAL REFERENCE: JACS 82 1960 3843 CH3P(O)CL2
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.24420, B= 1669.70, C= 216.1 DETERMINED OVER THE
 TEMPERATURE RANGE 39.0 TO 167.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .35+01
 ESTIMATED BOILING POINT(CENT.)= 166.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.5
 VOLATILITY(MG/METER CUBED)= .24+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .18+03
 < ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.4450 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4906 - .00138 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79780, B= -103.28, C= 84.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82,3843 1960
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.201

REFRACTIVE INDEX(ND)= 1.4569 AT 35.0 DEG. CENT. REFERENCE: JACS 82 1960 3843
 HEAT OF FUSION(KCAL/MOLE)= 4.32 AT 32.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
 FREEZING POINT (DEG. CENT.)= 32.95 REFERENCE: J RSCH NBS P+C V68A 1964 P367
 MELTING POINT DEPRESSION(DEG. C./MOLE)= 3.440 REFERENCE: JACS 82 1960 3843

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .4728 392.88 281.10 50.78

DIFFUSION COEF. = .080 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 8.34-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 1960 3843

END OF COMPOUND EA 1253 AT 32.9 DEGREES C. PAGE NUMBER 8-122

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1253 AT THE MELTING POINT IN LIEU OF O DEG C
 COMMON NAME: DICI FORMULA WEIGHT: 132.9 GENERAL REFERENCE: JACS 82 1960 3843 CH3P(0)CL2
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.24420, B= 1689.70, C= 216.1 DETERMINED OVER THE
 TEMPERATURE RANGE 39.0 TO 167.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .35+01
 ESTIMATED BOILING POINT(CENT.)= 166.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.5
 VOLATILITY(MG/METER CUBED)= .24+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .18+03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.4450 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4908 - .00138 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79780, B= -103.26, C= 84.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82,3843 1960
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.201

REFRACTIVE INDEX(ND)= 1.4569 AT 35.0 DEG. CENT. REFERENCE: JACS 82 1960 3843
 HEAT OF FUSION(KCAL/MOLE)= 4.32 AT 32.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
 FREEZING POINT.(DEG. CENT.)= 32.95 REFERENCE: J RSCH NBS P+C V68A 1964 P367
 MELTING POINT DEPRESSION(DEG. C./MOLE)= 3.440 REFERENCE: JACS 82 1960 3843

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .4728 392.88 281.10 50.78

DIFFUSION COEF. = .080 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 8.34-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 1960 3843

END OF COMPOUND EA 1253 AT 32.9 DEGREES C.

PAGE NUMBER B-123

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1253 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: DICI FORMULA WEIGHT: 132.9
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.24420, B= 1669.70, C= 216.1 DETERMINED OVER THE
 TEMPERATURE RANGE 39.0 TO 167.0 DEG. CENT. REFERENCE: JACS 82 1960 3843 1960
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .15+01
 ESTIMATED BOILING POINT(CENT.)= 166.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.8
 VOLATILITY(MG/METER CUBED)= .11+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .81+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.4629 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4908 - .00138 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79780, B= -103.26, C= 84.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82, 3843 1960
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.541

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4569 AT 35.0 DEG. CENT. REFERENCE: JACS 82 1960 3843
 HEAT OF FUSION(KCAL/MOLE)= 4.32 AT 32.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
 FREEZING POINT (DEG. CENT.)= 32.95 REFERENCE: J RSCH NBS P+C V68A 1964 P367
 MELTING POINT DEPRESSION(DEG. C./MOLE)= 3.440 REFERENCE: JACS 82 1960 3843

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .4728 392.88 281.10 50.78

DIFFUSION COEF. = .072 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 7.94-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 1960 3843

END OF COMPOUND EA 1253 AT 20.0 DEGREES C. PAGE NUMBER B-124

SUMMARY OF PROPERTIES OF EA 1253 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: DICI FORMULA WEIGHT: 132.9
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

GENERAL REFERENCE: JACS 82 1960 3843 CH3P(0)CL2

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = 7.24420, B = 1669.70, C = 216.1 DETERMINED OVER THE
 TEMPERATURE RANGE 39.0 TO 167.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR) = .21+01
 ESTIMATED BOILING POINT(CENT.) = 166.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE) = 11.7
 VOLATILITY(MG/MEIER CUBED) = .15+05 VOLATILITY(MILLIMOLE/ METER CUBED) = .11+03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML) = 1.4560 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.4906 - .00138 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.79780, B = -103.26, C = 84.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82, 3843 1960
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 1.390

REFRACTIVE INDEX(ND) = 1.4569 AT 35.0 DEG. CENT. REFERENCE: JACS 82 1960 3843
 HEAT OF FUSION(KCAL/MOLE) = 4.32 AT 32.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
 FREEZING POINT (DEG. CENT.) = 32.95 REFERENCE: J RSCH NBS P+C V68A 1964 P367
 MELTING POINT DEPRESSION(DEG. C./MOLE) = 3.440 REFERENCE: JACS 82 1960 3843

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1962)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .4728 392.08 281.10 50.78

DIFFUSION COEF. = .075 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.10-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES) = 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 1960 3843

END OF COMPOUND EA 1253 AT 25.0 DEGREES C. PAGE NUMBER 3-125

SUMMARY OF PROPERTIES OF EA 1253 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: DICI FORMULA WEIGHT: 132.9 GENERAL REFERENCE: JACS 82 1960 3843 CH3P(O)CL2

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.24420, B= 1869.70, C= 216.1 DETERMINED OVER THE
TEMPERATURE RANGE 39.0 TO 167.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .53+01
ESTIMATED BOILING POINT(CENT.)= 166.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 11.4
VOLATILITY(MG/METER CUBED)= .36+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .27+03
DENSITY(G/ML)= 1.4352 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.4906 - .00138 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79780, B= -103.26, C= 84.8 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: JACS 82 3843 1960
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.071

REFRACTIVE INDEX(ND)= 1.4569 AT 35.0 DEG. CENT. REFERENCE: JACS 82 1960 3843
HEAT OF FUSION(KCAL/MOLE)= 4.32 AT 32.9 DEGREE CENT. REFERENCE: J RSCH NBS P+C V68A 1964 P367
FREEZING POINT (DEG. CENT.)= 32.95 REFERENCE: J RSCH NBS P+C V68A 1964 P367
MELTING POINT DEPRESSION(DEG. C./MOLE)= 3.440 REFERENCE: JACS 82 1960 3843

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.4728 392.88 281.10 50.78

DIFFUSION COEF. = .083 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.; J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.56-03 CENTIPOISE
DIPOLE MOMENT (DEBYES)= 3.4 AT AMBIENT TEMPERATURE REFERENCE: JACS 82 1960 3843

END OF COMPOUND EA 1253 AT 40.0 DEGREES C.

PAGE NUMBER B-128

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1255 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .12*01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.1329 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0909 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.46410, B = -794.03, C = 275.8 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR56 P.11
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 7.997

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.2 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE

G/CC DEG C CC/MOLE ATM.
.3486 374.19 442.21 31.37

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.93-03 CENTIPOISE

END OF COMPOUND EA 1255 AT -40.0 DEGREES C. PAGE NUMBER 8-127

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1255 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .12+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1119 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0909 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

*** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.46410, B= -794.03, C= 275.8 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR50 P.11
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 4.362

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.2 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.5486 374.19 442.21 31.37

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.44-03 CENTIPOISE

END OF COMPOUND EA 1255 AT -20.0 DEGREES C. PAGE NUMBER B-128

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1255 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .12*01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0909 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0909 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -2.46410, B= -794.03, C= 275.8 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR56 P.11
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.598

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 24.2 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3486 374.19 442.21 31.37

DIFFUSION COEF. = .046 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY-CHEM,46,23(1944) VISCOSITY OF VAPOR = 5.94-03 CENTIPOISE

END OF COMPOUND EA 1255 AT .0 DEGREES C. PAGE NUMBER B-129

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1255 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .12+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0599 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0909 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.46410, B= -794.03, C= 275.8 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR56 P.11
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.660

SURFACE TENSION (DYNES/CM) = 24.2 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3486 374.19 442.21 31.37

DIFFUSION COEF. = .054 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.44-03 CENTIPOISE

END OF COMPOUND EA 1255 AT 20.0 DEGREES C. PAGE NUMBER B-130

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1255 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

*** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .12+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0647 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0909 - .00105 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.46410, B= -794.03, C= 275.8 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR56 P.11
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.498

SURFACE TENSION (DYNES/CM) = 24.2 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G./CC DEG C CC/MOLE ATM.
.3486 374.19 442.21 31.37

DIFFUSION COEF. = .056 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLAND EQ., J.PHY.CHEM.49,23(1944) VISCOSITY OF VAPOR = 6.56-03 CENTIPOISE

END OF COMPOUND EA 1255 AT 25.0 DEGREES C. PAGE NUMBER B-131

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1255 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .12+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.0489 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0909 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A = -2.46410, B = -794.03, C = 275.8 DETERMINED OVER THE TEMPERATURE RANGE 10.0 TO 50.0 DEG. CENT. REFERENCE: TCR56 P.11
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.122

SURFACE TENSION (DYNES/CM) = 24.2 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3486	374.19	442.21	31.37

DIFFUSION COEF. = .062 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.94-03 CENTIPOISE

END OF COMPOUND EA 1255 AT 40.0 DEGREES C. PAGE NUMBER B-132

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1258 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .45+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.1401 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0977 - .00106 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36333, B= -762.65, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.13
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 8.084

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.7 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.3950 AT 23.5 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3510 372.50 439.19 31.50

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.96-03 CENTIPOISE

END OF COMPOUND EA 1258 AT -40.0 DEGREES C. PAGE NUMBER B-133

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1258 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .45+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.1189 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0977 - .00106 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36333, B= -762.65, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.13
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 4.459

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.9 AT 25.7 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.3950 AT 23.5 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3510 372.50 439.19 31.50

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.47-03 CENTIPOISE

END OF COMPOUND EA 1258 AT -20.0 DEGREES C. PAGE NUMBER B-134

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1258 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 VAPOR PRESSURE(TORR)= .45+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.0977 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0977 - .00106 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36333, B= -762.65, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.13
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 2.683

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 SURFACE TENSION (DYNES/CM) = 27.6 AT 25.7 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.3950 AT 23.5 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3510 372.50 439.19 31.50

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.98-03 CENTIPOISE

END OF COMPOUND EA 1258 AT .0 DEGREES C. PAGE NUMBER 8-135

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1258 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .45+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.0765 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0977 - .00106 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -2.36333, B= -762.65, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.13
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.730

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.7 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.3950 AT 23.5 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
G./CC	DEG C.	CC/MOLE	ATM.
.3510	372.50	439.19	31.50

DIFFUSION COEF. = .054 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 6.48-03 CENTIPOISE

END OF COMPOUND EA 1258 AT 20.0 DEGREES C. PAGE NUMBER 8-138

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1258 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .45+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= 1.0712 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0977 - .00106 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.36333, B= -762.65, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.13
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.565

SURFACE TENSION (DYNES/CM) = 27.6 AT 25.7 DEG. CENT. REFERENCE: TCR36
 REFRACTIVE INDEX(ND)= 1.3950 AT 23.5 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3510	372.50	439.19	31.50

DIFFUSION COEF. = .058 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.49,23(1944) VISCOSITY OF VAPOR = 8.61-03 CENTIPOISE

END OF COMPOUND EA 1258 AT 25.0 DEGREES C. PAGE NUMBER B-137

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1258 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 154.1 GENERAL REFERENCE: TCR36
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .45+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.0553 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0977 - .00106 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.36333, B = -762.65, C = 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.13
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.180

SURFACE TENSION (DYNES/CM) = 27.8 AT 25.7 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND) = 1.3950 AT 23.5 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3510 372.50 439.19 31.50

DIFFUSION COEF. = .062 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.98-03 CENTIPOISE

END OF COMPOUND EA 1258 AT 40.0 DEGREES C. PAGE NUMBER B-138

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1261 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 140.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .14+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1768 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1320 - .00112 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18302, B= -688.15, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.14
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 5.752

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 28.8 AT 24.3 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3870 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -52.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3639 360.23 385.11 35.25

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.23-03 CENTIPOISE

END OF COMPOUND EA 1261 AT -40.0 DEGREES C. PAGE NUMBER B-139

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1261 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 140.1
GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .14+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1544 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1320 - .00112 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18302, B= -886.15, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.14
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 3.368

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.3 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3870 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -52.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.2638 360.23 385.11 35.25

DIFFUSION COEF. = .043 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.77-03 CENTIPOISE

END OF COMPOUND EA 1261 AT -20.0 DEGREES C. PAGE NUMBER 8-140

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1261 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 140.1
GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE((TORR)) = .14+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.1320 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1320 - .00112 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18302, B= -886.15, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.14
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.132

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 29.8 AT 24.3 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND) = 1.3870 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -52.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3638 360.23 385.11 35.25

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.30-03 CENTIPOISE

END OF COMPOUND EA 1261 AT .0 DEGREES C. PAGE NUMBER B-141

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1261 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 140.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .14+01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1096 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1320 -
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 .00112 *TEMP.(C.) DETERMINED OVER

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18302, B= -886.15, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.14
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.437

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.3 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3870 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -52.00 REFERENCE: TCR38

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.

.3638 360.23 385.11 35.25

DIFFUSION COEF. = .059 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.83-03 CENTIPOISE

END OF COMPOUND EA 1261 AT 20.0 DEGREES C. PAGE NUMBER B-142

SUMMARY OF PROPERTIES OF EA 1261 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 140.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .1401 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.1040 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1320 - .00112 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18302, B= -686.15, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.14
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.313

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.3 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3870 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -52.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3638 360.23 385.11 35.25

DIFFUSION COEF. = .061 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.96-03 CENTIPOISE

END OF COMPOUND EA 1261 AT 25.0 DEGREES C.

PAGE NUMBER 8-143

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1261. AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 140.1 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .1401 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0872 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1320 -
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 .00112 *TEMP.(C.) DETERMINED OVER

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.18302, B= -686.15, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.14
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOMES) = 1.019

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.3 DEG. CENT. REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.3870 AT 22.2 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -52.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3638 360.23 385.11 35.25

DIFFUSION COEF. = .068 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 7.35-03 CENTIPOISE

END OF COMPOUND EA 1261 AT 40.0 DEGREES C. PAGE NUMBER 8-144

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1262 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 182.2
GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .80-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0841 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0485 - .00094 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.88490, B= -510.09, C= 200.0 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.15
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 20.082

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.0 DEG. CENT. REFERENCE: TCR36
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4050 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3297 410.84 552.53 26.53

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.45-03 CENTIPOISE

END OF COMPOUND EA 1262 AT -40.0 DEGREES C. PAGE NUMBER B-145

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1262 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .80-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0653 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0465 - .00094 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.88490, B= -510.09, C= 200.0 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.15
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 8.885

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 28.8 AT 24.0 DEG. CENT. REFERENCE: TCR36
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4050 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3297 410.84 552.53 26.53

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.91-03 CENTIPOISE

END OF COMPOUND EA 1262 AT -20.0 DEGREES C. PAGE NUMBER B-146

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1262 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TCR36

**** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .80-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0465 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0465 - .00094 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ****

THE FOLLOWING ANTOLINE CONSTANTS(EATR 4491): A= -1.88490, B= -510.09, C= 200.0 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.15
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 4.627

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ****

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.0 DEG. CENT. REFERENCE: TCR36
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4050 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3297 410.84 552.53 26.53

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.37-03 CENTIPOISE

END OF COMPOUND EA 1262 AT .0 DEGREES C. PAGE NUMBER B-147

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1262 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCES: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .80-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0277 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0455 - .00094 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.88429, B= -510.09, C= 200.0 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.15
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.713

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.0 DEG. CENT. REFERENCE: TCR36
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4050 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3297 410.84 552.53 26.53

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 5.82-03 CENTIPOISE

END OF COMPOUND EA 1262 AT 20.0 DEGREES C. PAGE NUMBER B-148

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1262 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOIL'G POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .80-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0230 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0465 - .00094.*TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.88490, B= -510.09, C= 200.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.15
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.410

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.0 DEG. CENT. REFERENCE: TCR36
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4050 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3297 410.84 552.53 26.53

DIFFUSION COEF. = .047 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLAND'S EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.94-03 CENTIPOISE

END OF COMPOUND EA 1262 AT 25.0 DEGREES C. PAGE NUMBER 8-149

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1262 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .80-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= 1.0089 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0465 - .00094 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTONE CONSTANTS(EATR 4491): A= -1.88490, B= -510.09, C= 200.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.15
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.739

SURFACE TENSION (DYNES/CM) = 26.8 AT 24.0 DEG. CENT. REFERENCE: TCR36
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: TCR36
REFRACTIVE INDEX(ND)= 1.4050 AT 23.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G3/CC DEG C CC/MOLE ATM.
.3297 410.84 552.53 26.53

DIFFUSION COEF. = .053 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.28-03 CENTIPOISE

END OF COMPOUND EA 1262 AT 40.0 DEGREES C.

PAGE NUMBER B-150

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1263 AT THE MELTING POINT IN LIEU OF -40 DEG C
 COMMON NAME: FORMULA WEIGHT: 238.3 GENERAL REFERENCE: TCR36
 ***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
 ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

VAPOR PRESSURE(TORR): -40-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML)= .9954 WAS CALCULATED FROM THE EQUATION: DENSITY= .9872 - .00082 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.15850, B= -663.14, C= 204.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.16
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 18.038

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 28.4 AT 26.3 DEG. CENT. REFERENCE: TCR36
 FREEZING POINT (DEG. CENT.) = -10.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .2064 455.57 777.59 20.08

DIFFUSION COEF. = .028 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.48-03 CENTIPOISE

END OF COMPOUND EA 1263 AT -10.0 DEGREES C. PAGE NUMBER 8-151

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1263 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 238.3 GENERAL REFERENCE: TCR36
 ***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

VAPOR PRESSURE(TORR) = .40-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY(G/ML) = 1.0036 WAS CALCULATED FROM THE EQUATION: DENSITY = .9872 - .00082 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.15850, B = -663.14, C = 204.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.16
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 27.641

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 28.4 AT 26.3 DEG. CENT. REFERENCE: TCR36
 FREEZING POINT (DEG. CENT.) = -10.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3064 455.57 777.59 20.08

DIFFUSION COEF. = .026 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.28-03 CENTIPOISE

END OF COMPOUND EA 1263 AT -20.0 DEGREES C. PAGE NUMBER B-152

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1263 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 238.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .40-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= .9872 WAS CALCULATED FROM THE EQUATION: DENSITY= .9872 - .00082 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.15850, B= -663.14, C= 204.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.16
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 12.273

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 28.4 AT 26.3 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -10.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3064 455.57 777.59 20.08

DIFFUSION COEF. = .030 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.68-03 CENTIPOISE

END OF COMPOUND EA 1263 AT .0 DEGREES C. PAGE NUMBER B-153

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1263 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 238.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .40-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= .9708 WAS CALCULATED FROM THE EQUATION: DENSITY= .9872 - .00082 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.15850, B= -663.14, C= 204.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.16
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 6.299

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 28.4 AT 26.3 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -10.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3064 455.57 777.59 20.08

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.09-03 CENTIPOISE

END OF COMPOUND EA 1263 AT 20.0 DEGREES C. PAGE NUMBER B-154

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1263 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 238.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR): .40-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML): .9667 WAS CALCULATED FROM THE EQUATION: DENSITY = .9872 - .00082 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.15850, B = -663.14, C = 204.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.16
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 5.429

SURFACE TENSION (DYNES/CM) = 28.4 AT 26.3 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -10.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G4/CC DEG C CC/MOLE ATM.
.3064 455.57 777.59 20.08

DIFFUSION COEF. = .037 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.19-03 CENTIPOISE

END OF COMPOUND EA 1263 AT 25.0 DEGREES C. PAGE NUMBER B-155

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1263 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 238.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .40-01 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= .9544 WAS CALCULATED FROM THE EQUATION: DENSITY= .9872 - .00082 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.15850, B= -663.14, C= 204.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36 P.16
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 3.606

SURFACE TENSION (DYNES/CM) = 28.4 AT 26.3 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -10.00 REFERENCE: TCR36

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3064 455.57 777.59 20.08

DIFFUSION COEF. = .041 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.49-03 CENTIPOISE

END OF COMPOUND EA 1263 AT 40.0 DEGREES C. PAGE NUMBER B-156

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1264 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .12+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = 1.0191 WAS CALCULATED FROM THE EQUATION: DENSITY = .9839 - .00088 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.85290, B = -444.97, C = 160.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P.17
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 69.853

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 25.1 AT 25.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3097 413.19 724.04 20.31

DIFFUSION COEF. = .022 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.11-03 CENTIPOISE

END OF COMPOUND EA 1264 AT -40.0 DEGREES C. PAGE NUMBER B-157

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1264 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE (TORR) = .12+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
 DENSITY (G/ML) = 1.0015 WAS CALCULATED FROM THE EQUATION: DENSITY = .9839 - .00088 * TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS (EATR 4491): A = -1.85290, B = -444.97, C = 160.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P.17
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY (CENTISTOKES) = 20.767

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 25.1 AT 25.0 DEG. CENT. REFERENCE: TCR36
 FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3097 413.19 724.04 20.31

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.54-03 CENTIPOISE

END OF COMPOUND EA 1264 AT -20.0 DEGREES C.

PAGE NUMBER 8-158

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1264 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .12+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= .9839 WAS CALCULATED FROM THE EQUATION: DENSITY= .9839 - .00088 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.85290, B= -444.97, C= 160.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P.17
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 8.355

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 25.1 AT 25.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
CM/CC	DEG C	CC/MOLE	ATM.
.3097	413.19	724.04	20.31

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.96-03 CENTIPOISE

END OF COMPOUND EA 1264 AT .0 DEGREES C. PAGE NUMBER 8-159

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1264 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .12+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML)= .9663 WAS CALCULATED FROM THE EQUATION: DENSITY= .9639 -
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.85280, B= -444.97, C= 160.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P.17
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 4.114

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 25.1 AT 25.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.)= -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. 112 KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3097 413.19 724.04 20.31

DIFFUSION COEF. = .037 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 9.38-03 CENTIPOISE

END OF COMPOUND EA 1264 AT 20.0 DEGREES C. PAGE NUMBER 6-160

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1264 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE (TORR) = .12+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY (G/ML) = .9619 WAS CALCULATED FROM THE EQUATION: DENSITY = .9839 - .00088 * TEMP. (C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS (EATR 4491): A = -1.85290, B = -444.97, C = 160.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 38 P.17
VISCOSITY (CENTISTOKES) = 3.529

SURFACE TENSION (DYNES/CM) = 25.1 AT 25.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3097 413.19 724.04 20.31

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM, 48, 23 (1944) VISCOSITY OF VAPOR = 5.49-03 CENTIPOISE

END OF COMPOUND EA 1264 AT 25.0 DEGREES C.

PAGE NUMBER B-161

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1264 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: TCR36

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .12+00 AT 25.0 DEG. CENT. REFERENCE: TCR36
DENSITY(G/ML) = .9487 WAS CALCULATED FROM THE EQUATION: DENSITY = .9839 - .00088 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR36

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.85290, B = -444.97, C = 160.4 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: TCR 36 P.17
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.333

SURFACE TENSION (DYNES/CM) = 25.1 AT 25.0 DEG. CENT. REFERENCE: TCR36
FREEZING POINT (DEG. CENT.) = -78.00 REFERENCE: TCR36 DID NOT FREEZE TO -78 C

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3037 413.19 724.04 20.31

DIFFUSION COEF. = .043 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.81-03 CENTIPOISE

END OF COMPOUND EA 1264 AT 40.0 DEGREES C. PAGE NUMBER 8-162

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1274 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55430, B= 2662.60, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE -29.0 TO 15.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .14-02
ESTIMATED BOILING POINT(CENT.)= 196.2
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.2
VOLATILITY(MG/METER CUBED)= .16+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .94-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1020 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0620 - .00100 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.70210, B= -885.12, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 12.424

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3378 385.55 497.64 28.37

DIFFUSION COEF. = .030 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.70-03 CENTIPOISE

END OF COMPOUND EA 1274 AT -40.0 DEGREES C. PAGE NUMBER 8-163

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1274 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 168.1
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55430, B= 2662.60, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE -29.0 TO 15.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .11-01
 ESTIMATED BOILING POINT(CENT.)= 196.2
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.2
 VOLATILITY(MG/METER CUBED)= .12+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .69+00
 DENSITY(G/ML)= 1.0820 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0820 - .00100 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.70210, B= -885.12, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 6.22R

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C. CC/MOLE ATM.
 .5378 385.55 497.64 28.37

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.19-03 CENTIPOISE

END OF COMPOUND EA 1274 AT -20.0 DEGREES C.

PAGE NUMBER B-164

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1274 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: ARCSL-TR-77001

***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55430, B= 2662.60, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE -29.0 TO 15.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .64-01
ESTIMATED BOILING POINT(CENT.)= 196.2
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.2
VOLATILITY(MG/METER CUBED)= .63+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .38+01
DENSITY(G/ML)= 1.0020 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0620 - .00100 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.70210, B= -885.12, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 3.454

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GA/CC	DEG C	CC/MOLE	ATM.
.3378	385.55	497.64	28.37

DIFFUSION COEF. = .042 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.67-03 CENTIPOISE

END OF COMPOUND EA 1274 AT .0 DEGREES C. PAGE NUMBER B-165

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1274 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55430, B= 2682.60, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -29.0 TO 15.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .30+00
 ESTIMATED BOILING POINT(CENT.)= 196.2
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.2
 VOLATILITY(MG/METER CUBED)= .27+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .16+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0420 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0620 - .00100 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.70210, B= -885.12, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 2.076

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3378 385.55 497.64 28.37

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.15-03 CENTIPOISE

END OF COMPOUND EA 1274 AT 20.0 DEGREES C. PAGE NUMBER B-166

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1274 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 168.1 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55430, B= 2662.60, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -29.0 TO 15.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .42+00
 ESTIMATED BOILING POINT(CENT.)= 196.2
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.2
 VOLATILITY(MG/METER CUBED)= .38+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .23+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.0370 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0620 - .00100 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.70210, B= -885.12, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.848

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 CM/CC DEG C CC/MOLE ATM.
 .3378 385.55 497.64 28.37

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 6.27-03 CENTIPOISE

END OF COMPOUND EA 1274 AT 25.0 DEGREES C. PAGE NUMBER B-167

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1274 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 158.1
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.55430, B= 2662.60, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -29.0 TO 15.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .11+01
 ESTIMATED BOILING POINT(CENT.)= 196.2
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.2
 VOLATILITY(MG/METER CUBED)= .87+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .58+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0220 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0620 - .00100 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.70210, B= -885.12, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1.332

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3378 385.55 497.64 28.37

DIFFUSION COEF. = .057 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.62-03 CENTIPOISE

END OF COMPOUND EA 1274 AT 40.0 DEGREES C. PAGE NUMBER B-168

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 1356 AT THE MELTING POINT IN LIEU OF -40 DEG C
COMMON NAME: FORMULA WEIGHT: 194.2 GENERAL REFERENCE: ARCSL-TR-77001
***** PLEASE NOTE: THE REQUESTED TEMPERATURE IS OVER 25 DEGREES BELOW MELTING POINT. THEREFORE THE PROPERTIES
ESTIMATED FOR LIQUIDS AND VAPORS ARE PROVIDED AT THE MELTING POINT OR FREEZING POINT. *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 9.13080, B= 3165.10, C= 278.8 DETERMINED OVER THE
TEMPERATURE RANGE -15.0 TO 180.0 DEG. CFMT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .24-02
ESTIMATED BOILING POINT(CENT.)= 227.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.9
VOLATILITY(MG/METER CUBED)= .28+02 VOLATILITY(MILLINGM/ METER CUBED)= .14+00
DENSITY(G/ML)= 1.1261 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1175 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ***

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -2.47160, B= -949.86, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 13.567

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 31.8 AT 25.0 DEG. CENT. REFERENCE: N83192
MELTING POINT (DEG. CENT.) = -9.6 REFERENCE: ARCSL-TR-77001
REFRACTIVE INDEX(ND) = 1.4342 AT 25.0 DEG. CENT. REFERENCE:
FREEZING POINT (DEG. CENT.) = -9.60 REFERENCE: N83392
SOLUBILITY(G/100G SOLVENT) .150+02 AT 25.0 DEGREE CENTIGRADE REFERENCE: >15 PROPYLENE GLYCOL, CWLR2093
SOLUBILITY(G/100G SOLVENT) .100+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER, EATR-4210

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.5449 474.18 563.02 28.45

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48:23(1944) VISCOSITY OF VAPOR = 4.94-03 CENTIPOISE

END OF COMPOUND EA 1356 AT -9.6 DEGREES C. PAGE NUMBER B-169

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 1356 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 194.2 GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.13080, B= 3165.10, C= 278.8 DETERMINED OVER THE
TEMPERATURE RANGE -15.0 TO 180.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .00-03
ESTIMATED BOILING POINT(CENT.)= 227.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8
VOLATILITY(MG/METER CUBED)= .98+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .51-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1355 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1175 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.47160, B= -949.86, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 19.079

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 31.8 AT 25.0 DEG. CENT. REFERENCE: NB3392
MELTING POINT (DEG. CENT.) = -9.6 REFERENCE: ARCSL-TR-77001
REFRACTIVE INDEX(ND)= 1.4342 AT 25.0 DEG. CENT. REFERENCE:
FREEZING POINT (DEG. CENT.)= -9.60 REFERENCE: NB3392
SOLUBILITY(G/100G SOLVENT) .150+02 AT 25.0 DEGREE CENTIGRADE REFERENCE: >15 PROPYLENE GLYCOL, CMLR2093
SOLUBILITY(G/100G SOLVENT) .100+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER, EATR-4210

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.7449 474.18 563.02 28.45

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.71-03 CENTIPOISE

END OF COMPOUND EA 1356 AT -20.0 DEGREES C. PAGE NUMBER B-170

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 1356 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 194.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.13080, B= 3165.10, C= 278.8 DETERMINED OVER THE
TEMPERATURE RANGE -15.0 TO 180.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .60-02

ESTIMATED BOILING POINT(CENT.)= 227.6

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.9

VOLATILITY(MG/METER CUBED)= .69+02

VOLATILITY(MILLIMOLE/ METER CUBED)= .35+00

DENSITY(G/ML)= 1.1175 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1175 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.47160, B= -949.86, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 10.135

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 31.8 AT 25.0 DEG. CENT. REFERENCE: N83392

MELTING POINT (DEG. CENT.) = -9.6 REFERENCE: ARCSL-TR-77001

REFRACTIVE INDEX(ND)= 1.4342 AT 25.0 DEG. CENT. REFERENCE:

FREEZING POINT (DEG. CENT.) = -9.60 REFERENCE: N83392

SOLUBILITY(G/100G SOLVENT) .150+02 AT 25.0 DEGREE CENTIGRADE

SOLUBILITY(G/100G SOLVENT) .100+01 AT 20.0 DEGREE CENTIGRADE

REFERENCE: >15 PROPYLENE GLYCOL, CWLR2093
REFERENCE: WATER, EATR-4210

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE

CG/CC DEG C CC/MOLE ATM.

.3449 474.18 563.02 28.45

DIFFUSION COEF. = .038 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48:23(1944) VISCOSITY OF VAPOR = 5.15-03 CENTIPOISE

END OF COMPOUND EA 1356 AT .0 DEGREES C. PAGE NUMBER B-171

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 1356 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 194.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.13080, B= 3165.10, C= 278.8 DETERMINED OVER THE
TEMPERATURE RANGE -15.0 TO 180.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .35-01
ESTIMATED BOILING POINT(CENT.)= 227.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.9
VOLATILITY(MG/METER CUBED)= .37+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .19+01
DENSITY(G/ML)= 1.0995 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1175 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

*** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ***

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.47160, B= -949.86, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 5.869

*** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ***

SURFACE TENSION(DYNES/CM) = 31.8 AT 25.0 DEG. CENT. REFERENCE: N83392
MELTING POINT (DEG. CENT.) = -9.6 REFERENCE: ARCSL-TR-77001
REFRACTIVE INDEX(D) = 1.4342 AT 25.0 DEG. CENT. REFERENCE:
FREEZING POINT (DEG. CENT.) = -9.60 REFERENCE: N83392
SOLUBILITY(G/100G SOLVENT) .150+02 AT 25.0 DEGREE CENTIGRADE REFERENCE: >15 PROPYLENE GLYCOL, CMLR2093
SOLUBILITY(G/100G SOLVENT) .100+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER, EATR-4210

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.8449 474.18 563.02 28.45

DIFFUSION COEF. = .045 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.60-03 CENTIPOISE

END OF COMPOUND EA 1356 AT 20.0 DEGREES C. PAGE NUMBER B-172

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 1356 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 194.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 9.13080, B= 3165.10, C= 276.8 DETERMINED OVER THE
TEMPERATURE RANGE -15.0 TO 130.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= 52.01
ESTIMATED BOILING POINT(CENT.)= 227.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.9
VOLATILITY(M³/METER CUBED)= .54+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .28+01
DENSITY(G/ML)= 1.0950 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1175 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -2.47160, B= -949.86, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 5.179

SURFACE TENSION (DYNES/CM) = 31.8 AT 25.0 DEG. CENT. REFERENCE: NB3392
MELTING POINT (DEG. CENT.) = -9.6 REFERENCE: ARCSL-TR-77001
REFRACTIVE INDEX(ND)= 1.4342 AT 25.0 DEG. CENT. REFERENCE:
FREEZING POINT (DEG. CENT.) = -9.60 REFERENCE: NB3392
SOLUBILITY(G/100G SOLVENT) .150+02 AT 25.0 DEGREE CENTIGRADE REFERENCE: >15 PROPYLENE GLYCOL, CMLR2093
SOLUBILITY(G/100G SOLVENT) .100+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER, EATR-4210

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963),
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
1.2419 474.18 563.02 28.45

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.71-03 CENTIPOISE

END OF COMPOUND EA 1356 AT 25.0 DEGREES C. PAGE NUMBER 8-173

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 1356 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 194.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTUINE CONSTANTS(EATR 44911): A= 9.13080, B= 3165.10, C= 278.8 DETERMINED OVER THE TEMPERATURE RANGE -15.0 TO 180.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .16+00
ESTIMATED BOILING POINT(CENT.)= 227.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.0
VOLATILITY(MG/METER CUBED)= .16+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .82+01
DENSITY(G/ML)= 1.0815 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1175 - .00090 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTUINE CONSTANTS(EATR 44911): A= -2.47160, B= -949.86, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 3.645

SURFACE TENSION (DYNES/CM) = 31.8 AT 25.0 DEG. CENT. REFERENCE: N83392
MELTING POINT (DEG. CENT.) = -9.6 REFERENCE: ARCSL-TR-77001
REFRACTIVE INDEX(ND)= 1.4342 AT 25.0 DEG. CENT. REFERENCE:
FREEZING POINT (DEG. CENT.)= -9.60 REFERENCE: N83392
SOLUBILITY(G/100G SOLVENT) .150+02 AT 25.0 DEGREE CENTIGRADE REFERENCE: >15 PROPYLENE GLYCOL, CWLR2093
SOLUBILITY(G/100G SOLVENT) .100+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: WATER, EATR-4210

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3449 474.18 563.02 28.45

DIFFUSION COEF. = .052 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR =6.05-03 CENTIPOISE

END OF COMPOUND EA 1356 AT 40.0 DEGREES C. PAGE NUMBER B-174

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1508 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: VG FORMULA WEIGHT: 269.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.1025 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0675 - .00087 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -83209, B = -187.39, C = 99.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 213.433

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 31.0 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
 REFRACTIVE INDEX(ND) = 1.4658 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 Gm/CC DEG C CC/MOLE ATM.
 .3305 463.50 814.71 19.38

DIFFUSION COEF. = .020 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 3.96-03 CENTIPOISE

END OF COMPOUND EA 1508 AT -40.0 DEGREES C. PAGE NUMBER 8-175

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1508 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: VG FORMULA WEIGHT: 269.3
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML): 1.0150 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0675 - .00087 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATH 4491): A= -83209, B= -187.39, C= 99.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 34.017

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 31.0 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
 REFRACTIVE INDEX(ND) = 1.4658 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3305 463.50 914.71 19.38

DIFFUSION COEF. = .025 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.37-03 CENTIPOISE

END OF COMPOUND EA 1508 AT -20.0 DEGREES C. PAGE NUMBER B-176

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1508 AT .0 DEGREES CENTIGRADE
COMMON NAME: VG FORMULA WEIGHT: 269.3 GENERAL REFERENCE: CWLR 2346
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
DENSITY(G/ML) = 1.0675 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0675 - .00087 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.83209, B = -187.39, C = 99.3 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 11.363
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
SURFACE TENSION (DYNES/CM) = 31.0 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
REFRACTIVE INDEX(ND) = 1.4658 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 20 (1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3305 463.50 814.71 19.38
DIFFUSION COEF. = .029 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.79-03 CENTIPOISE
END OF COMPOUND EA 1508 AT .0 DEGREES C.
PAGE NUMBER 8-177

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1508 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: VG FORMULA WEIGHT: 269.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPEROOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.0500 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0675 - .00087 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -83209, B= -187.39, C= 99.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 5.483

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 SURFACE TENSION (DYNES/CM) = 31.0 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
 REFRACTIVE INDEX(ND)= 1.4658 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3305 463.50 814.71 19.38

DIFFUSION COEF.= .034 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.20-03 CENTIPOISE

END OF COMPOUND EA 1508 AT 20.0 DEGREES C.

PAGE NUMBER B-178

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1508 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: VG FORMULA WEIGHT: 269.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0456 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0675 - .00087 * TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -83209, B = -187.39, C = 99.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 4.740

SURFACE TENSION (DYNES/CM) = 31.0 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
 REFRACTIVE INDEX(ND) = 1.4658 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3305 463.50 814.71 19.38

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.31-03 CENTIPOISE

END OF COMPOUND EA 1508 AT 25.0 DEGREES C. PAGE NUMBER 8-179

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1508 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: VG FORMULA WEIGHT: 269.3
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0325 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0675 - .00087 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.83209, B = -187.39, C = 99.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 3.261

SURFACE TENSION (DYNES/CM) = 31.0 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
 REFRACTIVE INDEX(ND) = 1.4658 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 CM/CC DEG C CC/MOLE ATM.
 .3305 463.50 814.71 19.38

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM, 48, 23(1944) VISCOSITY OF VAPOR = 5.62-03 CENTIPOISE

END OF COMPOUND EA 1508 AT 40.0 DEGREES C.

PAGE NUMBER B-180

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1511 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: VP FORMULA WEIGHT: 297.3
GENERAL REFERENCE: CWLR 2346
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0699 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0411 - .00072 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.26010, B = -282.41, C = 78.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = *****

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 30.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G./CC DEG C CC/MOLE ATM.
.3132 573.99 949.16 19.13

DIFFUSION COEF. = .018 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 3.39-03 CENTIPOISE

END OF COMPOUND EA 1511 AT -40.0 DEGREES C. PAGE NUMBER B-181

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1511 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: VP FORMULA WEIGHT: 297.3 GENERAL REFERENCE: CMLR 2346
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0555 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0411 - .00072 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.26010, B= -282.45, C= 78.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 3763.170

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 30.4 AT 25.0 DEG. CENT. REFERENCE: CMLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
G/CC	DEG C	CC/MOLE	ATM.
.3132	573.99	949.16	19.13

DIFFUSION COEF. = .022 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 3.76-03 CENTIPOISE

END OF COMPOUND EA 1511 AT -20.0 DEGREES C. PAGE NUMBER B-182

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1511 AT .0 DEGREES CENTIGRADE
 COMMON NAME: VP FORMULA WEIGHT: 297.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0411 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0411 - .00072 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.26010, B = -282.45, C = 78.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 219.852

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 30.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

CRITICAL TEMPERATURE	VOLUME PRESSURE
CC/CC	DEG C
3132	573.99
	949.16
	19.13

DIFFUSION COEF. = .026 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.12-03 CENTIPOISE

END OF COMPOUND EA 1511 AT .0 DEGREES C. PAGE NUMBER 8-183

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1511 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: VP FORMULA WEIGHT: 297.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0267 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0411 - .00072 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.26010, B= -282.45, C= 78.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 40.742

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 30.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3132 573.93 949.16 19.13

DIFFUSION COEF. = .030 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.49-03 CENTIPOISE

END OF COMPOUND EA 1511 AT 20.0 DEGREES C. PAGE NUMBER B-184

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1511 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: VP FORMULA WEIGHT: 297.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0231 WAS CALCULATED FROM THE EQUATION: DENSITY = $1.0411 - .00072 \cdot \text{TEMP. (C.)}$ DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.26010, B = -282.45, C = 78.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 29.598

SURFACE TENSION (DYNES/CM) = 30.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 CM/CC DEG C CC/MOLE ATM.
 .3132 573.99 949.16 19.13

DIFFUSION COEF. = .031 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM, 48, 23(1944) VISCOSITY OF VAPOR = 4.58-03 CENTIPOISE

END OF COMPOUND EA 1511 AT 25.0 DEGREES C. PAGE NUMBER 8-185

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1511 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: VP FORMULA WEIGHT: 297.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML) = 1.0123 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0411 - .00072 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.26010, B = -282.45, C = 78.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 13.343
 SURFACE TENSION (DYNES/CM) = 30.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GW/CC DEG C CC/MOLE ATM.
 .3132 573.99 949.16 19.13

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.: J.PHY-CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.86-03 CENTIPOISE

END OF COMPOUND EA 1511 AT 40.0 DEGREES C. PAGE NUMBER B-106

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1517 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: VE FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0739 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0395 - .00068 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -92983, B= -205.35, C= 98.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 391.193

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.8000 - .0895*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 35.4 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 157.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3224	457.93	785.61	19.94

DIFFUSION COEF. = .021 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 3.96-03 CENTIPOISE

END OF COMPOUND EA 1517 AT -40.0 DEGREES C. PAGE NUMBER 8-187

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1517 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: VE FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.0567 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0395 - .00086 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.92983, B= -205.35, C= 98.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 49.288

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.8000 - .0895*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 33.6 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 157.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KH.M. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3224	457.93	785.61	19.94

DIFFUSION COEF. = .025 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.37-03 CENTIPOISE

END OF COMPOUND EA 1517 AT -20.0 DEGREES C. PAGE NUMBER B-188

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1517 AT .0 DEGREES CENTIGRADE
 COMMON NAME: VE FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0395 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0395 - .00086 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.92983, B= -205.35, C= 98.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 14.426

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.8000 - .0895*TEMP.(C.) REFERENCE: CWLR 2346
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT.
 WERE USED TO CALCULATE THE SURFACE TENSION 31.8 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCORMAN-YOUNG(CENTIGRADE)= 157.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3224	457.93	785.61	19.94

DIFFUSION COEF. = .030 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.78-03 CENTIPOISE

END OF COMPOUND EA 1517 AT .0 DEGREES C. PAGE NUMBER B-189

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1517 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: VE FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0223 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0395 - .00086 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.92983, B= -205.35, C= 98.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 6.397

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.8000 - .0895*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 30.0 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 157.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3224	457.93	785.61	19.94

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.20-03 CENTIPOISE

END OF COMPOUND EA 1517 AT 20.0 DEGREES C.

PAGE NUMBER B-190

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1517 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: VE FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0180 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0395 - .00086 * TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.92883, B = -205.35, C = 98.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 5.440

THE EQUATION: SURFACE TENSION(DYNES/CM) = 31.8000 - .0895 * TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.6 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 157.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FI.I.PPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
G/CC	DEG C	CC/MOLE	ATM.
.3224	457.93	785.61	19.94

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.30-03 CENTIPOISE

END OF COMPOUND EA 1517 AT 25.0 DEGREES C. PAGE NUMBER B-191

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1517 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: VE FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0051 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0395 - .00086 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.92983, B= -205.35, C= 98.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 3.589

THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.8000 - .0895*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 28.2 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 157.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3224 457.93 785.61 19.94

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.61-03 CENTIPOISE

END OF COMPOUND EA 1517 AT 40.0 DEGREES C. PAGE NUMBER B-192

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1576 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 304.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.1383 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1042 - .00095 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING Antoine constants(EATR 4491): A= -1.01294, B= -259.43, C= 84.0 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 76612.679

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 32.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3382	500.99	893.65	18.44

DIFFUSION COEF. = .019 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 3.80-03 CENTIPOISE

PAGE NUMBER B-193

END OF COMPOUND EA 1576 AT -40.0 DEGREES C.

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1576 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 304.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPEROOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.1212 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1042 - .00085 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.01294, B= -259.43, C= 84.0 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 1099.475

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 32.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3382 500.99 899.65 18.44

DIFFUSION COEF. = .023 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.20-03 CENTIPOISE

END OF COMPOUND EA 1576 AT -20.0 DEGREES C.

PAGE NUMBER B-194

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1576 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 304.3
GENERAL REFERENCE: CWLR 2346
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.1042 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1042 - .00085 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.01294, B= -259.43, C= 84.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 119.077

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SURFACE TENSION (DYNES/CM) = 32.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3382	500.99	899.65	18.44

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48:23(1944) VISCOSITY OF VAPOR = 4.61-03 CENTIPOISE

END OF COMPOUND EA 1576 AT .0 DEGREES C. PAGE NUMBER 8-195

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1576 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: A WEIGHT: 304.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID APPROXIMATIONS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.0372 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1042 - .00085 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -1.01294, B= -259.43, C= 84.0 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 30.324
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 SURFACE TENSION (DYNES/CM) = 32.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3382 500.99 899.65 18.44
 DIFFUSION COEF. = .031 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.01-03 CENTIPOISE
 END OF COMPOUND EA 1576 AT 20.0 DEGREES C. PAGE NUMBER 8-196

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1576 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 304.3 GENERAL REFERENCE: CMLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0429 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1042 - .00085 *TEMP.(C.) DETERMINED OVER
 (THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346

THE FOLLOWING ANTIJUNE CONSTANTS(EATR 4491): A= -1.01294, B= -259.43, C= 84.0 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 23.299

SURFACE TENSION (DYNES/CM) = 32.4 AT 25.0 DEG. CENT. REFERENCE: CMLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3382 500.99 899.65 18.44

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 9.11-03 CENTIPOISE

END OF COMPOUND EA 1576 AT 25.0 DEGREES C.

PAGE NUMBER 8-197

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1576 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 304.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML) = 1.0701 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.1042 - .00085 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.01294, B = -259.43, C = 84.0 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 12.006
 SURFACE TENSION (DYNES/CM) = 32.4 AT 25.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3382 500.99 899.65 18.44
 DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM, 48:23(1944) VISCOSITY OF VAPOR = 5.41-03 CENTIPOISE

END OF COMPOUND EA 1576 AT 40.0 DEGREES C. PAGE NUMBER 8-198

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1622 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 253.3
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPEROOLDS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0829 WAS CALCULATED FROM THE EQUATION: DENSITY = $1.0461 - .00092 \times \text{TEMP. (C.)}$ DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.02159, B = -227.26, C = 100.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 522.261

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = $31.5000 - .0689 \times \text{TEMP. (C.)}$
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 34.3 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3283 421.97 771.53 19.31

DIFFUSION COEF. = .021 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.15-03 CENTIPOISE

END OF COMPOUND EA 1622 AT -40.0 DEGREES C.

PAGE NUMBER 8-199

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1622 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
DENSITY(G/ML)= 1.0645 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0461 - .00092 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02159, B= -227.28, C= 100.8 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 61.941
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.5000 - .0689*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WE USED TO CALCULATE THE SURFACE TENSION 32.9 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3283 421.97 771.53 19.31
DIFFUSION COEF. = .026 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.58-03 CENTIPOISE
END OF COMPOUND EA 1622 AT -20.0 DEGREES C. PAGE NUMBER 8-200

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1622 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0461 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0461 - .00092 * TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4431): A = -1.02159, B = -227.26, C = 100.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 17.123

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = 31.5000 - .0689 * TEMP.(C.) REFERENCE: CWLR 2346
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT.
 WERE USED TO CALCULATE THE SURFACE TENSION 31.5 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GW/CC	DEG C	CC/MOLE	ATM.
.3283	421.97	771.53	19.31

DIFFUSION COEF. = .030 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48, 23(1944) VISCOSITY OF VAPOR = 5.01-03 CENTIPOISE

END OF COMPOUND EA 1622 AT .0 DEGREES C. PAGE NUMBER B-201

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1622 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CMLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.0277 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0461 - .00092 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02159, B= -227.26, C= 100.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 7.247
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.5000 - .0669*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3283 421.97 771.53 19.31

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.44-03 CENTIPOISE

END OF COMPOUND EA 1622 AT 20.0 DEGREES C.

PAGE NUMBER B-202

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1622 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 253.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.0231 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0461 - .00092 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.02159, B= -227.26, C= 100.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 6.100
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.5000 - .0689*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.8 DYNES/CM
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .5283 421.97 771.53 19.31
 DIFFUSION COEF. = .037 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.55-03 CENTIPOISE
 END OF COMPOUND EA 1622 AT 25.0 DEGREES C. PAGE NUMBER B-203

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1622 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 253.3
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0093 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0461 - .00092 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.02159, B = -227.26, C = 100.8 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES) = 3.916

THE EQUATION: SURFACE TENSION(DYNES/CM) = 31.5000 - .0689*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 28.7 DYNES/CM

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GR/CC	DEG C	CC/MOLE	ATM.
.3283	421.97	771.53	19.31

DIFFUSION COEF. = .041 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM, 48,23(1944) VISCOSITY OF VAPOR = 5.87-03 CENTIPOISE

END OF COMPOUND EA 1622 AT 40.0 DEGREES C. PAGE NUMBER B-204

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1664 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: VM FORMULA WEIGHT: 239.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .21-02 AT 25.0 DEG. CENT. REFERENCE:
 DENSITY(G/ML) = 1.0840 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0495 - .00086 * TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.01361, B = -232.85, C = 106.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 318.945

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = 33.9315 - .1063 * TEMP.(C.) REFERENCE: CWLR2346
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT.
 WERE USED TO CALCULATE THE SURFACE TENSION 38.2 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 236.0 REFERENCE: NB 4612 P 79

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3252	461.57	735.94	21.39

DIFFUSION COEF. = .022 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.00-03 CENTIPOISE

END OF COMPOUND EA 1664 AT -40.0 DEGREES C. PAGE NUMBER B-205

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1664 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: VM FORMULA WEIGHT: 239.3
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .21-02 AT 25.0 DEG. CENT. REFERENCE:
 DENSITY(G/ML)= 1.0668 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0495 - .00086 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.01361, B= -232.85, C= 106.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 48.714

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.9315 - .1063*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
 WERE USED TO CALCULATE THE SURFACE TENSION 36.1 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 236.0 REFERENCE: NB 4612 P 79

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3252 461.57 735.94 21.39

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.42-03 CENTIPOISE

END OF COMPOUND EA 1664 AT -20.0 DEGREES C. PAGE NUMBER B-206

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1664 AT .0 DEGREES CENTIGRADE
 COMMON NAME: VM FORMULA WEIGHT: 239.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .21-02 AT 25.0 DEG. CENT. REFERENCE:
 DENSITY(G/ML)= 1.0495 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0495 - .00088 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.01361, B= -232.85, C= 106.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 15.099

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.9315 - .1063*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
 WERE USED TO CALCULATE THE SURFACE TENSION 33.9 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= .236.0 REFERENCE: NB 4612 P 79

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. F12 KHIM. 37. 201(1983)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3252 461.57 735.94 21.39

DIFFUSION COEF. = .031 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.84-03 CENTIPOISE

END OF COMPOUND EA 1664 AT .0 DEGREES C. PAGE NUMBER B-207

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1664 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: VM FORMULA WEIGHT: 239.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR) = .21-02 AT 25.0 DEG. CENT. REFERENCE:
 DENSITY(G/ML) = 1.0322 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0495 - .00066 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.01361, B = -232.85, C = 106.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 6.784

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = 33.9315 - .1063*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
 WERE USED TO CALCULATE THE SURFACE TENSION 31.8 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 236.0 REFERENCE: NB 4612 P 79

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3252	461.57	735.94	21.39

DIFFUSION COEF. = .037 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.28-03 CENTIPOISE

END OF COMPOUND EA 1664 AT 20.0 DEGREES C.

PAGE NUMBER 8-208

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1664 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: VM FORMULA WEIGHT: 239.3 GENERAL REFERENCE: CMLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE(TORR)= .21-02 AT 25.0 DEG. CENT. REFERENCE:
 DENSITY(G/ML)= 1.0279 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0495 - .00086 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.01361, B= -232.85, C= 108.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 5.770

THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.9315 - .1063*TEMP.(C.) REFERENCE: CMLR2346
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT.
 WERE USED TO CALCULATE THE SURFACE TENSION 31.3 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 236.0 REFERENCE: NB 4612 P 79

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3252 461.57 735.94 21.39
 DIFFUSION COEF. = .038 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.36-03 CENTIPOISE

END OF COMPOUND EA 1664 AT 25.0 DEGREES C. PAGE NUMBER 8-209

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1664 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: VM FORMULA WEIGHT: 239.3 GENERAL REFERENCE: CMLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID. *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

VAPOR PRESSURE (TORR) = .21-02 AT 25.0 DEG. CENT. REFERENCE:
 DENSITY (G/ML) = 1.0150 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0495 - .00086 * TEMP. (C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346

THE FOLLOWING ANTOIN CONSTANTS (EATR 4491): A = -1.01361, B = -232.85, C = 106.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY (CENTISTOKES) = 3.794

THE EQUATION: SURFACE TENSION (DYNES/CM) = 33.9315 - .1083 * TEMP. (C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.7 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG (CENTIGRADE) = 236.0 REFERENCE: NB 4612 P 79

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3252 461.57 735.91 21.39

DIFFUSION COEF. = .042 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48, 23 (1944) VISCOSITY OF VAPOR = 5.68-03 CENTIPOISE

END OF COMPOUND EA 1664 AT 40.0 DEGREES C. PAGE NUMBER B-210

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1677 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: VS FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCools TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.0533 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0215 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -79135, B= -190.74, C= 83.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 4194.138

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 35.6 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 168.0 REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .5134 494.72 897.75 18.33

DIFFUSION COEF. = .019 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 3.68-03 CENTIPOISE

END OF COMPOUND EA 1677 AT -40.0 DEGREES C. PAGE NUMBER B-211

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1677 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: VS FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CMLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0374 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0215 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOLINE CONSTANTS(EATR 4491): A = -.79135, B = -190.74, C = 83.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 168.294

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 34.0 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 168.0 REFERENCE: CMLR 2346

ZHURN., FIZ KHIM. 37. 201(1963)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3134	494.72	897.75	18.33

DIFFUSION COEF. = .023 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.07-03 CENTIPOISE

END OF COMPOUND EA 1677 AT -20.0 DEGREES C.

PAGE NUMBER 8-212

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1677 AT .0 DEGREES CENTIGRADE
 COMMON NAME: VS FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0215 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0215 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.79135, B= -190.74, C= 83.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 31.683

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 32.3000 - .0637*TEMP.(C.) REFERENCE: CWLR 2346
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT.
 WERE USED TO CALCULATE THE SURFACE TENSION 32.3 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 168.0 REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3134 494.72 897.75 18.33

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.46-03 CENTIPOISE

END OF COMPOUND EA 1677 AT .0 DEGREES C. PAGE NUMBER B-213

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1677 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: VS FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VAL: 5 CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0056 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0215 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.79135, B = -190.74, C = 83.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 11.394

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 30.6 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 168.0 REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3134	494.72	897.75	18.33

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.85-03 CENTIPOISE

END OF COMPOUND EA 1677 AT 20.0 DEGREES C. PAGE NUMBER B-214

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1677 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: VS FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0216 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0215 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.79135, B = -190.74, C = 83.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 9.360

THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 30.2 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 168.0 REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3134	494.72	897.75	18.33

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.95-03 CENTIPOISE

END OF COMPOUND EA 1677 AT 25.0 DEGREES C. PAGE NUMBER B-215

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1677 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: VS FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = .9897 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0215 - .00080 * TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.79135, B = -190.74, C = 83.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOES) = 5.711

THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.3000 - .0827 * TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.0 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 168.0 REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3134	494.72	897.75	18.33

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.24-03 CENTIPOISE

END OF COMPOUND EA 1677 AT 40.0 DEGREES C. PAGE NUMBER 8-216

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1694 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 225.2
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.1017 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0670 - .00087 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -80785, B= -186.71, C= 86.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 635.686

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 32.5000 - .0647*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 35.1 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3299	468.07	682.56	23.27

DIFFUSION COEF. = .023 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.08-03 CENTIPOISE

END OF COMPOUND EA 1694 AT -40.0 DEGREES C. PAGE NUMBER B-217

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1694 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 225.2 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOLLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML) = 1.0844 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0370 - .00087 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.80765, B = -166.71, C = 86.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 51.502

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.5000 - .0647*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 33.8 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3299 468.07 682.56 23.27

DIFFUSION COEF. = .028 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48:23(1944) VISCOSITY OF VAPOR = 4.48-03 CENTIPOISE

END OF COMPOUND EA 1694 AT -20.0 DEGREES C. PAGE NUMBER B-218

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1694 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 225.2 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0670 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0670 - .00087 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -80765, B = -166.71, C = 86.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 13.398

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.5000 - .0647*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 32.5 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GR/CC DEG C CC/MOLE ATM.
 .3299 468.07 682.56 23.27

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.91-03 CENTIPOISE

END OF COMPOUND EA 1694 AT .0 DEGREES C. PAGE NUMBER B-219

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1694 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 225.2
GENERAL REFERENCE: CWLR 2346
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0496 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0670 - .00087 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTONE CONSTANTS(EATR 4491): A= -60765, B= -166.71, C= 86.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 5.789

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 32.5000 - .0647*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE SURFACE TENSION 31.2 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3299 468.07 682.56 23.27

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.33-03 CENTIPOISE

END OF COMPOUND EA 1694 AT 20.0 DEGREES C.

PAGE NUMBER B-220

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1694 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 225.2 GENERAL REFERENCE: CMLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0453 WAS CALCULATED FROM THE EQUATION: $DENSITY = 1.0670 - .00087 \cdot TEMP.(C.)$ DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): $A = -80765$, $B = -166.71$, $C = 86.2$ DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 4.920

THE EQUATION: $SURFACE\ TENSION(DYNES/CM) = 32.5000 - .0647 \cdot TEMP.(C.)$
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 30.9 DYNES/CM

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3299	468.07	682.56	23.27

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.44-03 CENTIPOISE

END OF COMPOUND EA 1694 AT 25.0 DEGREES C. PAGE NUMBER 8-221

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1694 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 225.2 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0323 WAS CALCULATED FROM THE EQUATION: DENSITY = $1.0670 - .00087 * \text{TEMP. (C.)}$ DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -80765, B = -166.71, C = 86.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 3.263

THE EQUATION: SURFACE TENSION(DYNES/CM) = $32.5000 - .0647 * \text{TEMP. (C.)}$
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.9 DYNES/CM

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3299	468.07	682.56	23.27

DIFFUSION COEF. = .045 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.76-03 CENTIPOISE

END OF COMPOUND EA 1694 AT 40.0 DEGREES C. PAGE NUMBER 8-222

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1693 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 211.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.12770, B= 3230.30, C= 260.7 DETERMINED OVER THE
 TEMPERATURE RANGE -42.0 TO 180.0 DEG. CENT. REFERENCE: NB 9298
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .31-05
 ESTIMATED BOILING POINT(CENT.)= 256.4
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.5
 VOLATILITY(MG/METER CUBED)= .45-01 VOLATILITY(MILLIMOLE/ METER CUBED)= .21-03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1173 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0820 - .00088 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.03746, B= -226.22, C= 103.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 341.651

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.7000 - .0916*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
CM ³ /CC	DEG C	CC/MOLE	ATM.
.3348	406.14	631.18	25.10

DIFFUSION COEF. = .025 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.15-03 CENTIPOISE

END OF COMPOUND EA 1699 AT -40.0 DEGREES C. PAGE NUMBER 8-223

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1699 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 211.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.12770, B= 3230.30, C= 260.7 DETERMINED OVER THE
 TEMPERATURE RANGE 42.0 TO 180.0 DEG. CENT. REFERENCE: MB 9298
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .51-04
 ESTIMATED BOILING POINT(CENT.)= 256.4
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.3
 VOLATILITY(MG/METER CUBED)= .68+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .32-02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0997 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0820 - .00088 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.03746, B= -226.22, C= 103.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 47.500

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.7000 - .0916*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 35.5 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 2J1(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3349 463.14 631.18 25.10
 DIFFUSION COEF. = .030 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.58-03 CENTIPOISE
 END OF COMPOUND EA 1699 AT -20.0 DEGREES C. PAGE NUMBER 8-224

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1699 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 211.3
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.12770, B= 3230.30, C= 260.7 DETERMINED OVER THE
 TEMPERATURE RANGE 42.0 TO 180.0 DEG. CENT. REFERENCE: ~~MB~~ 9298
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .55-03
 ESTIMATED BOILING POINT(CENT.)= 256.4
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.2
 VOLATILITY(MG/METER CUBED)= .68+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .32-01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.0820 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0820 - .00088 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.03746, B= -226.22, C= 103.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 14.173
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.7000 - .0916*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 33.7 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GR/CC DEG C CC/MOLE ATM.
 .3348 466.14 631.18 25.10
 DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.02-03 CENTIPOISE
 END OF COMPOUND EA 1699 AT .0 DEGREES C. PAGE NUMBER B-225

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1699 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 211.3 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.12770, B= 3230.30, C= 260.7 DETERMINED OVER THE
 TEMPERATURE RANGE 42.0 TO 100.0 DEG. CENT. REFERENCE: MB 9298
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .42-02
 ESTIMATED BOILING POINT(CENT.)= 256.4
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.1
 VOLATILITY(MILLIMOLE/ METER CUBED)= .23+00
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0643 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0820 - .00088 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.03746, B= -226.22, C= 103.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 6.259

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.7000 - .0916*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 31.9 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3348	466.14	631.18	25.10

DIFFUSION COEF. = .041 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.45-03 CENTIPOISE

END OF COMPOUND EA 1699 AT 20.0 DEGREES C.

PAGE NUMBER B-226

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1699 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 211.3 GENERAL REFERENCE: CWLR 2346
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.12770, B= 3230.30, C= 260.7 DETERMINED OVER THE
TEMPERATURE RANGE 42.0 TO 180.0 DEG. CENT. REFERENCE: MB 9298
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .66-02
ESTIMATED BOILING POINT(CENT.)= 256.4
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.1
VOLATILITY(MG/METER CUBED)= .75+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .36+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.0599 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0820 - .00088 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.03746, B= -226.22, C= 103.3 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 5.310
THE EQUATION: SURFAC TENSION(DYNES/CM)= 33.7000 - .0916*TEMP.(C.)
DETERMINED OVER E TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE SURFACE TENSION 31.4 DYNES/CM
THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GR/CC DEG C CC/MOLE ATM.
.3348 466.14 631.18 25.10
DIFFUSION COEF. = .043 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.56-03 CENTIPOISE
END OF COMPOUND EA 1699 AT 25.0 DEGREES C.
PAGE NUMBER B-227

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1699 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 211.3 GENERAL REFERENCE: CMLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.12770, B= 3230.30, C= 260.7 DETERMINED OVER THE
 TEMPERATURE RANGE 42.0 TO 180.0 DEG. CENT. REFERENCE: MB 9298
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .24-01
 ESTIMATED BOILING POINT(CENT.)= 256.4
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.0
 VOLATILITY(MG/METER CUBED)= .26+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .12+01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0467 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0800 - .00088 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.03746, B= -226.22, C= 103.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 3.473

THE EQUATION: SURFACE TENSION(DYNES/CM)= 33.7000 - .0916*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 30.0 DYNES/CM

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE 4
 G/CC DEG C CC/MOLE ATM.
 .3348 466.14 631.18 25.10

DIFFUSION COEF. = .047 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.89-03 CENTIPOISE

END OF COMPOUND EA 1699 AT 40.0 DEGREES C.

PAGE NUMBER 8-228

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1701 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: VX FORMULA WEIGHT: 267.4 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.28100, B= 2072.10, C= 172.5 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 231.0 DEG. CENT. REFERENCE: EC-TR 76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .44-08
ESTIMATED BOILING POINT(CENT.)= 298.4
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 29.3
VOLATILITY(MG/METER CUBED)= .81-04 VOLATILITY(MILLIMOLE/ METER CUBED)= .30-06
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

* DENSITY(G/ML)= 1.0622 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0290 - .00083 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.90572, B= -189.38, C= 80.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 8524.939

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 34.6631 - .1326*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE SURFACE TENSION 40.0 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: -29 TO -60 CWLR2346
REFRACTIVE INDEX(ND)= 1.4774 AT 25.0 DEG. CENT. REFERENCE: CWLR2346
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 159.0 REFERENCE: CWLR 2346
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -318.50 AT 25.0 DEGREE CENT. REFERENCE: EST. BENSN. CHEM. R. NO3. P279.69
HEAT CAPACITY (KCAL/MOLE)= .1100 AT 25.0 DEGREE CENT. REFERENCE: TECH REF HB. CRDL-63-S-780
SOLUBILITY(G/100G SOLVENT) .500+01 AT 21.5 DEGREE CENTIGRADE REFERENCE: WATER, CHLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3177 473.27 841.66 19.00

DIFFUSION COEF. = .020 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48.23(1944) VISCOSITY OF VAPOR = 3.83-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 21.4 AT AMBIENT TEMPERATURE REFERENCE: N89283 P 4

END OF COMPOUND EA 1701 AT -40.0 DEGREES C. PAGE NUMBER B-229

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1701 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: VX FORMULA WEIGHT: 267.4 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.28100, B= 2072.10, C= 172.5 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 231.0 DEG. CENT. REFERENCE: EC-TR 76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .50-06
ESTIMATED BOILING POINT(CENT.)= 298.4
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 26.1
VOLATILITY(MG/METER CUBED)= .84-02 VOLATILITY(MILLIMOLE/ METER CUBED)= .31-04
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0456 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0290 - .00083 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.80572, B= -189.38, C= 80.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 224.618

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 34.6631 - .1326*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE SURFACE TENSION 37.3 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: -39 TO -60 CWLR2346
REFRACTIVE INDEX(ND)= 1.4774 AT 25.0 DEG. CENT. REFERENCE: CWLR2346
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 159.0 REFERENCE: CWLR 2346
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -318.50 AT 25.0 DEGREE CENT. REFERENCE: EST. BENSH. CHEM. R. NO3, P279.69
HEAT CAPACITY (KCAL/MOLE)= .1100 AT 25.0 DEGREE CENT. REFERENCE: TECH REF HB, CRDL-63-S-780
SOLUBILITY(G/100G SOLVENT) = .500+01 AT 21.5 DEGREE CENTIGRADE REFERENCE: WATER, CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3177 473.27 841.66 19.00

DIFFUSION COEF. = .024 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.. J. PHY. CHEM. 48, 23(1944) VISCOSITY OF VAPOR = 4.23-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 21.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1701 AT -20.0 DEGREES C. PAGE NUMBER B-230

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1701 AT .0 DEGREES CENTIGRADE
COMMON NAME: VX FORMULA WEIGHT: 267.4 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.26100, B= 2072.10, C= 172.5 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 231.0 DEG. CENT. REFERENCE: EC-1R 76058

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .19-04

ESTIMATED BOILING POINT(CENT.)= 298.4

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 23.7

VOLATILITY(MG/METER CUBED)= .29+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .11-02

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0290 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0290 - .00083 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -80572, B= -189.38, C= 80.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346

WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 36.474

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 34.6631 - .1326*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

WERE USED TO CALCULATE THE SURFACE TENSION 34.7 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: -39 TO -60 CWLR2346

REFRACTIVE INDEX(ND)= 1.4774 AT 25.0 DEG. CENT. REFERENCE: CWLR2346

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 159.0 REFERENCE: CWLR 2346

HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -318.50 AT 25.0 DEGREE CENT.

HEAT CAPACITY (KCAL/MOLE)= .1100 AT 25.0 DEGREE CENT. REFERENCE: TECH REF HB, CRDL-63-S-780

SOLUBILITY(G/100G SOLVENT) .500+01 AT 21.5 DEGREE CENTIGRADE REFERENCE: WATER,CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE

GM/CC DEG C CC/MOLE ATM.

.3177 473.27 841.66 19.00

DIFFUSION COEF. = .028 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.63-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 21.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1701 AT .0 DEGREES C. PAGE NUMBER 8-231

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1701 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: VX FORMULA WEIGHT: 267.4 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.28100, B= 2072.10, C= 172.5 DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 231.0 DEG. CENT. REFERENCE: EC-TR 78058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .33-03
ESTIMATED BOILING POINT(CENT.)= 298.4
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 22.0
VOLATILITY(MG/METER CUBED)= .48+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .18-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

* DENSITY(G/ML)= 1.0124 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0290 -
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.80572, B= -189.38, C= 80.0 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 12.258

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE EQUATION: SURFACE TENSION(DYNES/CM)= 34.6631 -
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CMLR 2346
WERE USED TO CALCULATE THE SURFACE TENSION 32.0 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: -39 TO -60 CMLR2346
REFRACTIVE INDEX(ND)= 1.4774 AT 25.0 DEG. CENT. REFERENCE: CMLR2346
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 159.0 REFERENCE: CMLR 2346
HEAT OF FUSION OF LIQUID (KCAL/MOLE)= -318.50 AT 25.0 DEGREE CENT.
HEAT CAPACITY (KCAL/MOLE)= .1100 AT 25.0 DEGREE CENT. REFERENCE: EST. BENSON, CHEM. R. NO3, P.279, 89
SOLUBILITY(G/1003 SOLVENT) .500+01 AT 21.5 DEGREE CENTIGRADE REFERENCE: TECH REF HB, CRDL-63-S-780
REFERENCE: WATER, CMLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. F12 KHIM. 37. 201(1983)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3177 473.27 841.65 19.00

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.03-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 21.4 AT AMBIENT TEMPERATURE REFERENCE: N89253 P 4

END OF COMPOUND EA 1701 AT 20.0 DEGREES C. PAGE NUMBER 8-232

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1701 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: VX FORMULA WEIGHT: 267.4 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.28100, B= 2072.10, C= 172.5 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 231.0 DEG. CENT. REFERENCE: EC-TR 76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .62-03
ESTIMATED BOILING POINT(CENT.)= 298.4
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 21.6
VOLATILITY(MG/METER CUBED)= .89+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .33-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0083 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0290 - .00083 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.80572, B= -189.38, C= 80.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 9.958

THE EQUATION: SURFACE TENSION(DYNES/CM)= 34.3631 - .1326*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE SURFACE TENSION 31.3 DYNES/CM
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: -39 TO -60 CWLR2346
REFRACTIVE INDEX(ND)= 1.4774 AT 25.0 DEG. CENT. REFERENCE: CWLR2346
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 159.0 REFERENCE: CWLR 2346
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -318.50 AT 25.0 DEGREE CENT.
HEAT CAPACITY (KCAL/MOLE)= .1100 AT 25.0 DEGREE CENT. REFERENCE: TECH REF MB, CRDL-83-S-780
SOLUBILITY(G/100G SOLVENT) = .500+01 AT 21.5 DEGREE CENTIGRADE REFERENCE: WATER,CWLR 2346
REFERENCE: EST.BENSN,CHEM.R.NO3,P279.89

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. F12 KNIM. 37. 201(1983)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3177	473.27	841.66	19.00

DIFFUSION COEF. = .034 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.13-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 21.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1701 AT 25.0 DEGREES C.

PAGE NUMBER B-233

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1701 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: VX FORMULA WEIGHT: 297.4 GENERAL REFERENCE: EATR4210

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.28100, B= 2072.10, C= 172.5 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 231.0 DEG. CENT. REFERENCE: EC-TR 76058

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .34-02
ESTIMATED BOILING POINT(CENT.)= 298.4
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 20.6
VOLATILITY(MG/METER CUBED)= .46+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .17+00
DENSITY(G/ML)= .9958 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0290 - .00083 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.80572, B= -189.38, C= 80.0 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR2346
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 5.924

THE EQUATION: SURFACE TENSION(DYNES/CM)= 34.6631 - .1326*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
WERE USED TO CALCULATE THE SURFACE TENSION 29.4 DYNES/CM
MELTING POINT (DEG. CENT.) = -50.0 REFERENCE: -39 TO -60 CWLR2346
REFRACTIVE INDEX(ND)= 1.4774 AT 25.0 DEG. CENT. REFERENCE: CWLR2346
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 159.0 REFERENCE: CWLR 2346
HEAT OF FORMATION OF LIQUID (KCAL/MOLE)= -318.50 AT 25.0 DEGREE CENT.
HEAT CAPACITY (KCAL/MOLE)= .1100 AT 25.0 DEGREE CENT. REFERENCE: TECH REF HB, CRDL-63-S-780
SOLUBILITY(G/100G SOLVENT) = .500+01 AT 21.5 DEGREE CENTIGRADE REFERENCE: WATER, CWLR 2346

REFERENCE: EST. BENSN. CHEM. R. NO3, P279.69
REFERENCE: TECH REF HB, CRDL-63-S-780
REFERENCE: WATER, CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3177	473.27	841.66	19.00

DIFFUSION COEF. = .038 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.43-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 3.6 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 21.4 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P 4

END OF COMPOUND EA 1701 AT 40.0 DEGREES C.

PAGE NUMBER B-234

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1724 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: QL FORMULA WEIGHT: 235.3 GENERAL REFERENCE: CWL TECH MEMO 31-42 12-9-57
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.52001, B= 1428.57, C= 147.8 DETERMINED OVER THE
 TEMPERATURE RANGE 112.6 TO 151.9 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 +NB8707
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .18-06
 ESTIMATED BOILING POINT(CENT.)= 244.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 30.6
 VOLATILITY(MG/METER CUBED)= .30-02 VOLATILITY(MILLIMOLE/ METER CUBED)= .13-04
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9671 WAS CALCULATED FROM THE EQUATION: DENSITY= .9307 - .00091 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE -53.9 TO 73.9 DEG. CENT. REFERENCE: FMC DA-11-173-AMC-308(A) 1-66

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00996, B= -201.21, C= 123.0 DETERMINED OVER THE TEMPERATURE
 RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTIFOISE)= 25.961

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 27.1630 - .0626*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
 WERE USED TO CALCULATE THE SURFACE TENSION 29.7 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4480 AT 20.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
 FLASH POINT, OPEN CUP(CENTIGRADE)= 95.0 REFERENCE: TAG DC. NB10112 P51
 AUTOIGNITION TEMPERATURE(CENTIGRADE)= 129.0 REFERENCE: NB9283 P81

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.2983	366.74	788.84	17.38

DIFFUSION COEF. = .021 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.18-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 1.9 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
 OXYGEN INDEX(UNITLESS)= 20.2 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P23

END OF COMPOUND EA 1724 AT -40.0 DEGREES C.

PAGE NUMBER B-235

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1724 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: QL FORMULA WEIGHT: 235.3
 GENERAL REFERENCE: CNL TECH MEMO 31-42 12-9-57

***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.52001, B= 1428.57, C= 147.8 DETERMINED OVER THE TEMPERATURE RANGE 112.8 TO 151.9 DEG. CENT. REFERENCE: CNL TECH MEMO 31-42 +NB8707
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .22-04
 ESTIMATED BOILING POINT(CENT.)= 244.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 25.6
 VOLATILITY(MG/METER CUBED)= .32+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .14-02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9489 WAS CALCULATED FROM THE EQUATION: DENSITY= .9307 - .00091 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -53.9 TO 73.9 DEG. CENT. REFERENCE: FMC DA-11-173-AMC-308(A) 1-68

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00990, B= -201.21, C= 123.0 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CNL TECH MEMO 31-42 12-9-57 WERE USED TO CALCULATE THE TEMPERATURE VISCOSITY(CENTIPOISE)= 8.782
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 27.1630 - .0628*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CNL TECH MEMO 31-42 12-9-57
 WERE USED TO CALCULATE THE SURFACE TENSION 28.4 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4480 AT 20.0 DEG. CENT. REFERENCE: CNL TECH MEMO 31-42 12-9-57
 FLASH POINT, OPEN CUP(CENTIGRADE)= 95.0 REFERENCE: TAG OC. NB10112 P51
 AUTOIGNITION TEMPERATURE(CENTIGRADE)= 129.0 REFERENCE: NB9283 P61

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.2983	366.74	788.84	17.38

DIFFUSION COEF. = .025 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.49,23(1944) VISCOSITY OF VAPOR = 4.60-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 1.9 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
 OXYGEN INDEX(UNITLESS)= 20.2 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P23

END OF COMPOUND EA 1724 AT -20.0 DEGREES C. PAGE NUMBER 8-236

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1724 AT .0 DEGREES CENTIGRADE
 COMMON NAME: QL FORMULA WEIGHT: 235.3
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.52001, B= 1428.57, C= 147.8 DETERMINED OVER THE
 TEMPERATURE RANGE 112.8 TO 151.9 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 +NB8707
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .71-03
 ESTIMATED BOILING POINT(CENT.)= 244.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 22.3
 VOLATILITY(MG/METER CUBED)= .98+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .42-01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9307 WAS CALCULATED FROM THE EQUATION: DENSITY= .9307 - .00091 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE -53.9 TO 73.9 DEG. CENT. REFERENCE: FMC DA-11-173-AMC-308(A) 1-66

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00990, B= -201.21, C= 123.0 DETERMINED OVER THE TEMPERATURE
 RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTIPOISE)= 4.226
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 27.1630 - .0626*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
 WERE USED TO CALCULATE THE SURFACE TENSION 27.2 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4480 AT 20.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
 FLASH POINT, OPEN CUP(CENTIGRADE)= 95.0 REFERENCE: TAG OC. NB10112 P51
 AUTOIGNITION TEMPERATURE(CENTIGRADE)= 129.0 REFERENCE: NB9283 P61

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .2983 386.74 788.84 17.38
 DIFFUSION COEF. = .030 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48, 23(1944) VISCOSITY OF VAPOR = 5.03-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 1.9 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
 OXYGEN INDEX(UNITLESS)= 20.2 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P23

END OF COMPOUND EA 1724 AT .0 DEGREES C. PAGE NUMBER B-237

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1724 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: QL FORMULA WEIGHT: 235.3 GENERAL REFERENCE: CWL TECH MEMO 31-42 12-9-57

***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.52001, B= 1428.57, C= 147.8 DETERMINED OVER THE TEMPERATURE RANGE 112.8 TO 151.9 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 +NB8707

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .10-01

ESTIMATED BOILING POINT(CENT.)= 244.8

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.9

VOLATILITY(MG/METER CUBED)= .13+03 VOLATILITY(MILLIMOLES/ METER CUBED)= .55+00

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9125 WAS CALCULATED FROM THE EQUATION: DENSITY= .9307 - .00091 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE -53.9 TO 73.9 DEG. CENT. REFERENCE: FMC DA-11-173-AMC-308(A) 1-86

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00990, B= -201.21, C= 123.0 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57 WERE USED TO CALCULATE THE VISCOSITY VISCOSITY(CENTIPOISE)= 2.496

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 27.1630 - .0626*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
WERE USED TO CALCULATE THE SURFACE TENSION 25.9 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

REFRACTIVE INDEX(ND)= 1.4480 AT 20.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
FLASH POINT, OPEN CUP(CENTIGRADE)= 95.0 REFERENCE: TAG OC. NB10112 P51
AUTOIGNITION TEMPERATURE(CENTIGRADE)= 129.0 REFERENCE: NB9283 P61

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.2983 366.74 789.84 17.38

DIFFUSION COEF. = .035 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.45-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 1.9 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 20.2 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P23

END OF COMPOUND EA 1724 AT 20.0 DEGREES C. PAGE NUMBER B-238

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1724 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: QL FORMULA WEIGHT: 235.3
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.52001, B= 1428.57, C= 147.8 DETERMINED OVER THE
 TEMPERATURE RANGE 112.8 TO 151.9 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 +NB8707
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .18-01
 ESTIMATED BOILING POINT(CENT.)= 244.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.4
 VOLATILITY(MG/METER CUBED)= .23+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .96+00
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9080 WAS CALCULATED FROM THE EQUATION: DENSITY= .9307 - .00091 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE -53.9 TO 73.9 DEG. CENT. REFERENCE: FMC DA-11-173-AMC-308(A) 1-66

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00990, B= -201.21, C= 123.0 DETERMINED OVER THE TEMPERATURE
 RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57 WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= 2.237
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 27.1630 - .0626*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
 WERE USED TO CALCULATE THE SURFACE TENSION 25.6 DYNES/CM
 REFRACTIVE INDEX(ND)= 1.4480 AT 20.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
 FLASH POINT, OPEN CUP(CENTIGRADE)= 95.0 REFERENCE: TAG DC. NB10112 P51
 AUTOIGNITION TEMPERATURE(CENTIGRADE)= 129.0 REFERENCE: NB9283 P61

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.2983	366.74	788.84	17.38

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM, 48,23(1944) VISCOSITY OF VAPOR = 5.55-03 CENTIPOISE
 DIPOLE MOMENT(DEBYES)= 1.9 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
 OXYGEN INDEX(UNITLESS)= 20.2 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P23

END OF COMPOUND EA 1724 AT 25.0 DEGREES C.

PAGE NUMBER B-239

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1724 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: QL FORMULA WEIGHT: 235.3
GENERAL REFERENCE: CWL TECH MEMO 31-42 12-9-57

***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.52001, B= 1428.57, C= 147.8 DETERMINED OVER THE
TEMPERATURE RANGE 112.8 TO 151.9 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 +NB8707

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= -82-01

ESTIMATED BOILING POINT(CENT.)= 244.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 18.2

VOLATILITY(MG/METER CUBED)= .98+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .42+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .8943 WAS CALCULATED FROM THE EQUATION: DENSITY= .9307 - .00091 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE -53.9 TO 73.9 DEG. CENT. REFERENCE: FMC DA-11-173-AMC-308(A) 1-68

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.00990, B= -201.21, C= 123.0 DETERMINED OVER THE TEMPERATURE
RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57 WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTIPOISE)= 1.677
THE EQUATION: SURFACE TENSION(DYNES/CM)= 27.1630 - .0626*TEMP.(C.)

DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
WERE USED TO CALCULATE THE SURFACE TENSION 24.7 DYNES/CM

REFRACTIVE INDEX(ND)= 1.4480 AT 20.0 DEG. CENT. REFERENCE: CWL TECH MEMO 31-42 12-9-57
FLASH POINT, OPEN CUP(CENTIGRADE)= 95.0 REFERENCE: TAG OC. NB10112 P51

AUTOIGNITION TEMPERATURE(CENTIGRADE)= 129.0 REFERENCE: NB92B3 P61

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.2983 366.74 788.84 17.38

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.87-03 CENTIPOISE
DIPOLE MOMENT(DEBYES)= 1.9 AT AMBIENT TEMPERATURE REFERENCE: NMR-CALC ARCSL-TR IN PROGRESS
OXYGEN INDEX(UNITLESS)= 20.2 AT AMBIENT TEMPERATURE REFERENCE: NB9253 P23

PAGE NUMBER 5-240

DATA IGNORED - IN CONTROL MODE
END OF COMPOUND EA 1724 AT 40.0 DEGREES C.

EOF
EOF IGNORED - IN CONTROL MODE

BRKPT PRINTS

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1728 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOLLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0419 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0099 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.94359, B= -222.82, C= 86.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 7250.587

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.3000 - .0810*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 34.5 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 170.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3108	484.40	905.43	17.93

DIFFUSION COEF. = .019 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 3.70-03 CENTIPOISE

END OF COMPOUND EA 1728 AT -40.0 DEGREES C. PAGE NUMBER B-241

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1728 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.0259 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0099 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -.94359, B = -222.82, C = 86.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 258.827

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM) = 31.3000 - .0810*TEMP.(C.) REFERENCE: CWLR 2346
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT.
 WERE USED TO CALCULATE THE SURFACE TENSION 32.9 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 170.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3108 484.40 905.43 17.93

DIFFUSION COEF. = .023 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.09-03 CENTIPOISE

END OF COMPOUND EA 1728 AT -20.0 DEGREES C. PAGE NUMBER 8-242

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1728 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0099 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0099 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING Antoine constants(EATR 4491): A= -94359, B= -222.82, C= 86.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 43.337

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.3000 - .0810*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 31.3 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 170.0 REFERENCE: CWLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3108	484.40	905.43	17.93

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.48-03 CENTIPOISE

END OF COMPOUND EA 1728 AT .0 DEGREES C. PAGE NUMBER B-243

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1728 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4
 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPEROOLDS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= .9339 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0099 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -.94359, B= -222.82, C= 86.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 14.155
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.3000 - .0810*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.7 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 170.0 REFERENCE: CWLR2346

ZHURN. FIZ KHIM. 37. 201(1963)

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3108	484.40	905.43	17.93

DIFFUSION COEF. = .031 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY-CHEM,48:23(1944) VISCOSITY OF VAPOR = 4.87-03 CENTIPOISE

END OF COMPOUND EA 1728 AT 20.0 DEGREES C.

PAGE NUMBER B-244

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1728 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CwLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= .9899 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0059 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CwLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.94359, B= -222.62, C= 86.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CwLR 2346

WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 11.400

THE EQUATION: SURFACE TENSION(DYNES/CM)= 31.3000 - .0810*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CwLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.3 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 170.0 REFERENCE: CwLR2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3108 484.40 905.43 17.93

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 4.96-03 CENTIPOISE

END OF COMPOUND EA 1728 AT 25.0 DEGREES C. PAGE NUMBER B-245

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1728 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY (G/ML) = .9779 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0099 - .00080 * TEMP. (C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS (EATR 4491): A = -.94359, B = -222.82, C = 86.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY (CENTISTOKES) = 6.599

THE EQUATION: SURFACE TENSION (DYNES/CM) = 31.3000 - .0810 * TEMP. (C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 28.1 DYNES/CM
 FLASH POINT, MCCUTCHAN-YOUNG (CENTIGRADE) = 170.0 REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3108	484.40	905.43	17.93

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48, 23 (1944) VISCOSITY OF VAPOR = 5.26-03 CENTIPOISE

END OF COMPOUND EA 1728 AT 40.0 DEGREES C. PAGE NUMBER B-246

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1763 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0198 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0175 - .00081 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.16101, B= -282.37, C= 102.5 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 2261.294

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 35.6 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SOLUBILITY(G/100G SOLVENT) .200+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: CWDL 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3133 482.88 898.28 18.04

DIFFUSION COEF. = .019 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 3.72-03 CENTIPOISE

END OF COMPOUND EA 1763 AT -40.0 DEGREES C.

PAGE NUMBER B-247

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 1763 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 201.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML) = 1.0337 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0175 - .00081 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.16101, B = -282.37, C = 102.5 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 182.054

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 34.0 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SOLUBILITY(G/100G SOLVENT) .200+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: CWOL 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3133	482.83	898.23	18.04

DIFFUSION COEF. = .023 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY-CHEM, 48, 23(1944) VISCOSITY OF VAPOR = 4.11-03 CENTIPOISE

END OF COMPOUND EA 1763 AT -20.0 DEGREES C.

PAGE NUMBER B-248

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1763 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.0175 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0175 - .00081 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.5101, B= -282.37, C= 102.5 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 39.163

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION: 32.3 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SOLUBILITY(G/100G SOLVENT) .200+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: CWDL 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3133	482.88	898.28	18.04

DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.51-03 CENTIPOISE

END OF COMPOUND EA 1763 AT .0 DEGREES C. PAGE NUMBER B-249

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1763 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOCIS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.0013 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0175 - .00081 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.16101, B= -282.37, C= 102.5 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 13.912

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 32.300C - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 30.6 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

SOLUBILITY(G/100G SOLVENT) .200+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: CWDL 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3133	482.88	898.29	18.04

DIFFUSION COEF. = .032 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.90-03 CENTIPOISE

END OF COMPOUND EA 1763 AT 20.0 DEGREES C. PAGE NUMBER 8-250

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1763 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = .9973 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0175 - .00081 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.16101, B = -282.37, C = 102.5 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 11.299

THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.3000 - .0837*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 30.2 DYNES/CM
 SOLUBILITY(G/100G SOLVENT) .200+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: CWLR 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3133 482.89 898.28 18.04

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.00-03 CENTIPOISE

END OF COMPOUND EA 1763 AT 25.0 DEGREES C. PAGE NUMBER B-251

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 1763 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 281.4 GENERAL REFERENCE: CWLR 2346
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCools TO SPECIFIED TEMPERATURE *****
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = .9352 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0175 - .00081 * TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.16101, B = -282.37, C = 102.5 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 6.608

THE EQUATION: SURFACE TENSION(DYNES/CM) = 32.3000 - .0837 * TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 50.0 DEG. CENT. REFERENCE: CWLR 2346
 WERE USED TO CALCULATE THE SURFACE TENSION 29.0 DYNES/CM
 SOLUBILITY(G/100G SOLVENT) .200+01 AT 20.0 DEGREE CENTIGRADE REFERENCE: CWDL 2346

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3133	482.88	898.28	18.04

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.29-03 CENTIPOISE

END OF COMPOUND EA 1763 AT 40.0 DEGREES C. PAGE NUMBER 8-252

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2261 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 210.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.41620, B= 2860.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE .0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .14-03
 ESTIMATED BOILING POINT(CENT.)= 243.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.1
 VOLATILITY(MG/METER CUBED)= .20+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .97-02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.0359 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0059 - .00075 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.13730, B= -709.95, C= 238.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 30.028
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 118.0 REFERENCE: ARCSL-TR-77001
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3063 523.30 686.19 24.87
 DIFFUSION COEF. = .023 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 3.71-03 CENTIPOISE
 END OF COMPOUND EA 2261 AT -40.0 DEGREES C. PAGE NUMBER B-253

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 2261 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 210.2
GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.41620, B= 2860.40, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE .0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .13-02
ESTIMATED BOILING POINT(CENT.)= 243.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.1
VOLATILITY(MG/METER CUBED)= .17+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .83-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.0709 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0059 - .00075 *TEMP.(C.). DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.13730, B= -709.95, C= 236.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 13.914
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 118.0 REFERENCE: ARCSL-TR-77001
THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3063 523.30 686.19 24.87
DIFFUSION COEF. = .028 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.10-03 CENTIPOISE
END OF COMPOUND EA 2261 AT -20.0 DEGREES C.
PAGE NUMBER B-254

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2261 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 210.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTONE CONSTANTS(EATR 4491): A= 8.41620, B= 2860.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE .0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .88-02
 ESTIMATED BOILING POINT(CENT.)= 243.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.1
 VOLATILITY(MG/METER CUBED)= .11+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .52+00
 DENSITY(G/ML)= 1.0059 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0059 - .00375 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTONE CONSTANTS(EATR 4491): A= -2.13730, B= -709.95, C= 236.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 7.343

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 118.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 CM/CC DEG C CC/MOLE ATM.
 .3063 523.30 686.19 24.87

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.FHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.50-03 CENTIPOISE

END OF COMPOUND EA 2261 AT .0 DEGREES C. PAGE NUMBER B-255

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2261 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 210.2
GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTONE CONSTANTS(EATR 4491): A= 8.41820, B= 2860.40, C= 273.2 TERMINED OVER THE
TEMPERATURE RANGE .0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .48-01
ESTIMATED BOILING POINT(CENT.)= 243.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.1
VOLATILITY(MG/METER CUBED)= .52+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .25+01
DENSITY(G/ML)= .9909 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0059 - .00078 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTONE CONSTANTS(EATR 4491): A= -2.13730, B= -709.95, C= 230.4 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 4.282
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 118.0 REFERENCE: ARCSL-TR-77001
THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZNAJN. FIZ. KHM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3063 523.30 686.18 24.87
DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.89-03 CENTIPOISE
END OF COMPOUND EA 2261 AT 20.0 DEGREES C. PAGE NUMBER 8-256

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 2261 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 210.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.41620, B= 2860.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE .0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .66-01
 ESTIMATED BOILING POINT(CENT.)= 243.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.1
 VOLATILITY(MG/METER CUBED)= .75+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .39+01
 DENSITY(G/ML)= .9872 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0059 - .00075 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.13730, B= -709.95, C= 236.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 3.790
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 118.0 REFERENCE: ARCSL-TR-77001
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHORN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G./CC DEG C CC/MOLE ATM.
 .3063 523.30 696.19 24.87
 DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.99-03 CENTIPOISE
 END OF COMPOUND EA 2261 AT 25.0 DEGREES C. PAGE NUMBER 8-257

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 2261 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 210.2
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.41620, B= 2850.40, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE .0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .19+00
 ESTIMATED BOILING POINT(CENT.)= 243.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.1
 VOLATILITY(MG/METER CUBED)= .21+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .98+01
 DENSITY(G/ML)= .9759 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0059 - .00075 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.13730, B= -709.95, C= 236.4 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 2.699
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 118.0 REFERENCE: ARCSL-TR-77001
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3063 523.30 686.19 24.87
 DIFFUSION COEF. = .045 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.29-03 CENTIPOISE
 END OF COMPOUND EA 2261 AT 40.0 DEGREES C. PAGE NUMBER 8-258

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2337 AT THE MELTING POINT IN LIEU OF -40 DEG C
COMMON NAME: FORMULA WEIGHT: 198.2
GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.85660, B= 2695.80, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE -27.0 TO 60.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .19-02
ESTIMATED BOILING POINT(CENT.)= 178.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.3
VOLATILITY(MG/METER CUBED)= .27+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .13+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0379 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0499 -.00095 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.27820, B= -313.12, C= 160.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 21.223

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -19.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 105.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3313	406.85	598.28	24.36

DIFFUSION COEF. = .026 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.42-03 CENTIPOISE

END OF COMPOUND EA 2337 AT -40.0 DEGREES C. PAGE NUMBER B-259

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2337 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 8.85660, B= 2696.80, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE -27.0 TO 60.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(LTORR)= .16-01
ESTIMATED BOILING POINT(CENT.)= 178.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.3
VOLATILITY(MG/METER CUBED)= .20+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .10+01
DENSITY(G/ML)= 1.0639 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0499 - .00095 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -1.27820, B= -313.12, C= 180.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 9.020

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -19.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 105.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV, ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CG/MOLE ATM.
1.0313 489.85 598.29 24.36

DIFFUSION COEF. = .031 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.87-03 CENTIPOISE

END OF COMPOUND EA 2337 AT -20.0 DEGREES C. PAGE NUMBER 8-260

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2337 AT 0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.05660, B= 2696.80, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE -27.0 TO 60.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(10RR) = .98-01
ESTIMATED BOILING POINT(CENT.) = 178.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE) = 12.3
VOLATILITY(MG/METER CUBED) = .11+04 VOLATILITY(MILLIMOLE/ METER CUBED) = .57+01
DENSITY(G/ML) = 1.0499 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0499 - .00095 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.27820, B= -313.12, C= 160.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 4.747

**** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE ****

MELTING POINT (DEG. CENT.) = -19.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 105.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3313 400.85 598.28 24.38

DIFFUSION COEF. = .037 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.33-03 CENTIPOISE

END OF COMPOUND EA 2337 AT 0 DEGREES C. PAGE NUMBER B-261

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2337 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.85680, B= 2896.80, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE -27.0 TO 60.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .45+00
ESTIMATED BOILING POINT(CENT.)= 178.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.3
VOLATILITY(MILLIMOLE/ METER CUBED)= .25+02
VOLATILITY(MG/METER CUBED)= .49+04
DENSITY(G/ML)= 1.0309 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0499 - .00095 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.27820, B= -313.12, C= 150.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.880

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.)= -19.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 105.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3313 406.85 598.28 24.36

DIFFUSION COEF. = .043 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.78-03 CENTIPOISE

END OF COMPOUND EA 2337 AT 20.0 DEGREES C. PAGE NUMBER 8-262

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2337 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTICINE CONSTANTS(EATR 4491): A = 8.85660, B = 2696.80, C = 273.2 DETERMINED OVER THE
TEMPERATURE RANGE -27.0 TO 60.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR) = .65+00
ESTIMATED BOILING POINT(CENT.) = 178.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE) = 12.3
VOLATILITY(MILLIMETER METER CUBED) = .35+02
DENSITY(G/ML) = 1.0262 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0499 - .00095 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTICINE CONSTANTS(EATR 4491): A = -1.27820, B = -313.12, C = 160.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.585

MELTING POINT (DEG. CENT.) = -19.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 105.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GR/CC	DEG C	CC/MOLE	ATM.
.3313	498.85	598.28	24.36

DIFFUSION COEFF. = .044 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.90-03 CENTIPOISE

END OF COMPOUND EA 2337 AT 25.0 DEGREES C. PAGE NUMBER B-263

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 2337 AT 40.3 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = 8.85650, B = 2896.80, C = 273.2 DETERMINED OVER THE
TEMPERATURE RANGE -27.0 TO 60.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(10RR) = .18401
ESTIMATED BOILING POINT(CENT.) = 178.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE) = 12.3
VOLATILITY(MG/METER CUBED) = .1805 VOLATILITY(MILLIMOLE/ METER CURED) = .90+02
DENSITY(G/ML) = 1.0119 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.0499 - .00095 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -1.27820, B = -313.12, C = 160.2 DETERMINED OVER THE
TEMPERATURE RANGE 15.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.931

MELTING POINT (DEG. CENT.) = -19.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE) = 105.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3313 406.85 598.28 24.36

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.24-03 CENTIPOISE

END OF COMPOUND EA 2337 AT 40.0 DEGREE PAGE NUMBER B-264

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2361 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.77900, B= 2778.10, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -25.0 TO 0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .73-03
 ESTIMATED BOILING POINT(CENT.)= 197.9
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.7
 VOLATILITY(MG/METER CUBED)= .92*01 VOLATILITY(MILLIMOLE/ METER CUBED)= .50-01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.2151 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1731 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.54720, B= -439.67, C= 212.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 10.095

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

FLASH POINT, MCJUTCHAN-YOUNG(CENTIGRADE)= 98.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3694 412.79 493.30 29.8*

DIFFUSION COEF. = .029 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.79-03 CENTIPOISE

END OF COMPOUND EA 2361 AT -40.0 DEGREES C. PAGE NUMBER B-265

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2361 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 182.2
 WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALU'S BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.77900, B= 2778.10, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(DDHR)= .84-02
 ESTIMATED BOILING POINT(CENT.)= 197.3
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.7
 VOLATILITY(G/METER CUBED)= .74+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .40+00
 DENSITY(G/ML)= 1.1941 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1731 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.54720, B= -439.37, C= 212.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 5.480

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 96.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 CM/CC DEG C CC/MOLE ATM.
 .5694 412.79 493.30 29.80

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.28-03 CENTIPOISE
 END OF COMPOUND EA 2361 AT -20.0 DEGREES C.

PAGE NUMBER 8-266

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2361 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.77900, B= 2778.10, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -25.0 TO .0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TOPR)= .41-01
 ESTIMATED BOILING POINT(CENT.)= 197 °
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.7
 VOLATILITY(MG/METER CUBED)= .43+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .24+01
 DENSITY(G/ML)= 1.1731 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1731 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.54720, B= -439.67, C= 212.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 3.338

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 98.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3694 412.79 493.30 29.80

DIFFUSION COEF. = .042 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.78-03 CENTIPOISE

END OF COMPOUND EA 2361 AT .0 DEGREES C. PAGE NUMBER B-267

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2361 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOLDS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4.91): A= 8.77900, B= 2778.10, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE -25.0 TO 0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .20+00
 ESTIMATED BOILING POINT(CENT.)= 197.9
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.7
 VOLATILITY(MG/METER CUBED)= .20+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .11+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.1521 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1731 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.54720, B= -439.67, C= 212.3 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 2.214
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 96.0 REFERENCE: ARCSL-TR-77001
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)
 DENSITY EMPEERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3694 412.79 493.30 29.80
 DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 8.27+03 CENTIPOISE
 END OF COMPOUND EA 2361 AT 20.0 DEGREES C. PAGE NUMBER 8-268

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 2361 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 182.2
 WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS (EATR 4491): A= 2.77900, B= 2778.10, C= 273.2 DETERMINED OVER THE TEMPERATURE RANGE -25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE (TORR)= 23+00
 ESTIMATED BOILING POINT (CENT.)= 187.9
 HEAT OF VAPORIZATION (KILOCALORIES/MOLE)= 12.7
 VOLATILITY (MG/METER CUBED)= 28+04 VOLATILITY (MILLIMOLE/ METER CUBED)= 18+02
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY (G/ML)= 1.1468 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1731 - .00108 *TEMP.(C.) (ETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001)
 THE FOLLOWING ANTOINE CONSTANTS (EATR 4491): A= -1.54720, B= -439.67, C= 212.3 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY (CENTISTOKES)= 2.020

FLASH POINT, MCCUTCHAN-YOUNG (CENTIGRADE)= 96.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GR/CC DEG C CC/MOLE ATM.
 .3694 412.79 493.30 29.80

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48.23 (1944) VISCOSITY OF VAPOR = 8.38-03 CENTIPOISE
 END OF COMPOUND EA 2361 AT 25.0 DEGREES C.

PAGE NUMBER B-269

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 2361 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 182.2 GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.77900, B= 2778.10, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE -25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .81+00
ESTIMATED BOILING POINT(CENT.)= 197.9
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.7
VOLATILITY(MG/METER CUBED)= .75+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .41+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1311 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1731 - .00105 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.54720, B= -419.67, C= 212.3 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 1.568

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 96.C REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3694 412.79 493.30 29.80

DIFFUSION COEF. = .057 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.76-03 CENTIPOISE

END OF COMPOUND EA 2361 AT 40.0 DEGREES C. PAGE NUMBER R-270

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 3307 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 219.2
GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCJLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.70650, B= 3114.70, C= 251.8 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 55.0 DEG. CENT. REFERENCE ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .10-04
ESTIMATED BOILING POINT(CENT.)= 204.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 17.2
VOLATILITY(MG/METER CUBED)= .15+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .69-03
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-271

END OF COMPOUND EA 3307 AT -40.0 DEGREES C.

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3307 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 219.2 GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(STR 4491): A= 9.70650, B= 3114.70, C= 251.8 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 55.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .19-03
ESTIMATED BOILING POINT(CENT.)= 204.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 17.0
VOLATILITY(MG/METER CUBED)= .26+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .12-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

END OF COMPOUND EA 3307 AT -20.0 DEGREES C.

PAGE NUMBER 8-272

Appendix B

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 3307 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 219.2 GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.70850, B= 3114.70, C= 251.8 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 55.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .22-02
ESTIMATED BOILING POINT(CENT.)= 204.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
VOLATILITY(MG/METER CUBED)= .28+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .13+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER 8-273

.0 DEGREES C.

END OF COMPOUND EA 3307 AT

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3307 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 219.2
GENERAL REFERENCE: ARCSL-TR-77001
WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTIZINE CONSTANTS(EATR 4491): A= 9.70650, B= 3114.70, C= 251.8 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 55.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .18-01
ESTIMATED BOILING POINT(CENT.)= 204.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.8
VOLATILITY(MG/METER CUBED)= .21+03

VOLATILITY(MILLIMOLE/ METER CUBED)= .97+00

END OF COMPOUND EA 3307 AT 20.0 DEGREES C.

PAGE NUMBER 8-274

Appendix B

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3307 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 219.2 GENERAL REFERENCE: ARCSL-TR-77001
WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE ***
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.70650, B= 3114.70, C= 251.8 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 55.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .29-01
ESTIMATED BOILING POINT(CENT.)= 204.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.5
VOLATILITY(MG/METER CUBED)= .34+03
VOLATILITY(MILLIMOLE/ METER CUBED)= .18+01
END OF COMPOUND EA 3307 AT 25.0 DEGREES C.
PAGE NUMBER B-275

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3307 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 219.2 GENERAL REFERENCE: ARCSL-TR-77001
WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE ***
THE FOLLOWING ANFOIME CONSTANT(S) (EATR 44911) A= 9.70859, B= 3114.70, C= 251.8 DETERMINED OVER THE
TEMPERATURE RANGE 10.0 TO 55.0 DEC. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .11+86
ESTIMATED BOILING POINT(CENT.)= 204.5
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.4
VOLATILITY(MG/METER CUBED)= .12+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .55+01

PAGE NUMBER B-270

END OF COMPOUND EA 3307 AT -40.0 DEGREES C.

Appendix B

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 3430 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 180.2
 WARNING: THE REQUESTED TEMPERATURE IS BELOW THE MELTING POINT. THEREFORE THE LIQUID PROPERTIES ARE
 VALID ONLY FOR SUPERCOOLED LIQUID AND NOT THE SOLID *****

DENSITY(G/ML)= 1.2091 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1671 - .00103 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.19770, B= -781.80, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 14.306

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -37.9 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 20 (1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3678 403.97 489.90 29.88

DIFFUSION COEF. = .030 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.: J.PHY.CHEM. 19,23(1944) VISCOSITY OF VAPOR = 4.80-03 CENTIPOISE

END OF COMPOUND EA 3430 AT -40.0 DEGREES C.

PAGE NUMBER B-277

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3430 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 180.2 GENERAL REFERENCE: ARCSL-TR-77001

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.1461 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.1671 - .00105 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS (EATR 4481): A = -2.19770, B = -781.80, C = 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 7.773

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -37.8 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY TEMPERATURE VOLUME PRESSURE ZHURN. FIZ KHIM. 37. 201(1963)
G4/CC DEG C CC/MOLE ATM.
.3678 409.97 489.90 39.88

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.29-03 CENTIPOISE

END OF COMPOUND EA 3430 AT -20.0 DEGREES C.

PAGE NUMBER 8-278

UNCLASSIFIED

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 3430 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 180.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
 DENSITY(G/ML)= 1.1671 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1971 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -2.19770, B= -781.80, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 4.818

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 MELTING POINT (DEG. CENT.) = -37.8 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF LIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 G/CC DEG C CC/MOLE ATM.
 .3878 409.97 89.90 29.88

DIFFUSION COEF. = .042 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ. J. PHY. CHEM. 48.23(1944) VISCOSITY OF VAPOR = 5.79-03 CENTIPOISE

END OF COMPOUND EA 3430 AT .0 DEGREES C. PAGE NUMBER 8-279

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3439 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA HEIGHT: 180.2
GENERAL REFERENCE: ARCSL-TR-77001

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL
DENSITY(G/ML) = 1.1481 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.1671 - 00105 * TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.18770, B = -781.80, C = 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOES) = 2.946

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -37.8 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201 (1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3678 409.97 489.80 20.48

DIFFUSION COEF. = .049 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48, 23 (1944) VISCOSITY OF VAPOR = 6.28-03 CENTIPOISE

END OF COMPOUND EA 3439 AT 20.0 DEGREES C.

PAGE NUMBER B-280

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3430 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 100.2 GENERAL REFERENCE: ARCSL-TR-77001

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML) = 1.1408 WAS CALCULATED FROM THE EQUATION: DENSITY = 1.1671 - .00108 * TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A = -2.19770, B = -781.80, C = 273.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.658

MELTING POINT (DEG. CENT.) = -37.8 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3672 409.97 489.90 29.68

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF E VAPOR WAS ESTIMATE USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 8.40-03 CENTIPOISE

END OF COMPOUND EA 3430 AT 25.0 DEGREES C.

PAGE NUMBER 8-281

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 3430 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA HEIGHT: 180.2 GENERAL REFERENCE: ARCSL-TR-77001

***** WARNING: SINCE THERE IS NO BOILING POINT DATA FOR THIS COMPOUND AND THERE IS NO VAPOR PRESSURE DATA TO ESTIMATE
 A BOILING POINT, THE VALUES CALCULATED ABOVE THE DATA RANGES MAY BE ABOVE BOILING POINT AND NOT MEANINGFUL

DENSITY(G/ML)= 1.1251 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1671 - .00105 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -2.19770, B= -781.90, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 1.990

MELTING POINT (DEG. CENT.) = -37.8 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE	VOLUME	PRESSURE
CM/CC	DEG C	ATM.
0.678	409.97	489.90
		29.88

DIFFUSION COEF. = .057 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 68, 23(1944) VISCOSITY OF VAPOR = 6.77-03 CENTIPOISE

END OF COMPOUND EA 3430 AT 40.0 DEGREES C. PAGE NUMBER 8-282

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4349 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 208.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOL TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.00900, B= 1714.70, C= 188.1 DETERMINED OVER THE
 TEMPERATURE RANGE 15.0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .29-05
 ESTIMATED BOILING POINT(CENT.)= 354.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 19.4
 VOLATILITY(MG/METER CUBED)= .41-01 VOLATILITY(MILLIMOLE/ METER CUBED)= .26-03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1145 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1285 - .00090 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.33200, B= -360.96, C= 145.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 125.744

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 20 (1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3477 480.21 598.78 26.96

DIFFUSION COEF. = .026 CM-SQ /SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J-PHY-CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.21-03 CENTIPOISE

END OF COMPOUND EA 4349 AT -40.0 DEGREES C. PAGE NUMBER B-283

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4349 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 208.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.03900, B= 1714.70, C= 198.1 DETERMINED OVER THE
 TEMPERATURE RANGE 15.0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .69-04
 ESTIMATED BOILING POINT(CENT.)= 354.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 17.8
 VOLATILITY(MG/METER CUBED)= .91+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .44-C2
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.1465 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1285 - .00090 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.33200, B= -360.96, C= 145.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 35.586
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3477 480.21 598.78 26.96
 DIFFUSION COEF. = .031 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.65-03 CENTIPOISE
 END OF COMPOUND EA 4349 AT -20.0 DEGREES C. PAGE NUMBER B-284

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4349 AT 0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 208.2 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.03900 B= 1714.70, C= 188.1 DETERMINED OVER THE
 TEMPERATURE RANGE 15.0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .84-03
 ESTIMATED BOILING POINT(CENT.)= 354.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.5
 VOLATILITY(MG/METER CUBED)= .10+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .49-01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.1285 WAS CALCULATED FROM THE EQUATION: DENSITY= .1285 + .00090 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.33200, B= -360.96, C= 145.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 14.260
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 301(1983)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3477 420.21 598.78 26.96
 DIFFUSION COEF. = .037 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48.23(1944) VISCOSITY OF VAPOR = 5.09-03 CENTIPOISE
 END OF COMPOUND EA 4349 AT 0 DEGREES C. PAGE NUMBER B-285

UNCLASSIFIED

Appendix B

SUMMARY OF PROPERTIES OF EA 4349 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 208.2
 GENERAL REFERENCE: ARCSL-TR-77001
 WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.03900, B= 1714.70, C= 188.1 DETERMINED OVER THE
 TEMPERATURE RANGE 15.0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .63-C2
 ESTIMATED BOILING POINT(CENT.)= 354.3
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.6
 VOLATILITY(MG/METER CUBED)= .72+C2 VOLATILITY(MILLINQLE/ METER CUBED)= .34+00
 DENSITY(G/ML)= 1.1195 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1285 - .00090 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.33200, B= -350.96, C= 145.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 7.130

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV.

DENSITY TEMPERATURE VOLUME PRESSURE
 GAY/CC DEG C CC/MOLE ATM.
 13477 480.21 598.78 26.96

DIFFUSION COEF. = .043 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.54-03 CENTIPOISE

END OF COMPOUND EA 4349 AT 20.0 DEGREES C.

PAGE NUMBER 8-286

ZHURN. FIZ KHIM. 37. 201(1963)

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4349 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 208.2
 ** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.03900, B= 1714.70, C= 138.1 DETERMINED OVER THE TEMPERATURE RANGE 15.0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .98-02
 ESTIMATED BOILING POINT(CENT.)= 354.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.3
 VOLATILITY(MG/METER CUBED)= .11+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .53+00
 DENSITY(G/ML)= 1.1060 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1285 - .00090 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.33200, B= -360.96, C= 145.2 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 6.151

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3477	480.21	598.78	26.96

DIFFUSION COEF. = .044 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.49.23(1944) VISCOSITY OF VAPOR = 5.65-03 CENTIPOISE

END OF COMPOUND EA 4349 AT 25.0 DEGREES C. PAGE NUMBER 8-287

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4349 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 208.2
 GENERAL REFERENCE: ARCSL-TR-77001
 WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 6.02900, B= 1714.70, C= 108.1 DETERMINED OVER THE
 TEMPERATURE RANGE 15.0 TO 50.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .33-31
 ESTIMATED BOILING POINT(CENT.)= 354.0
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.8
 VOLATILITY(MILLIMOLE/ METER CUBED)= .17-01
 DENSITY(G/ML)= 1.0925 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1285 - .00090 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -1.33200, B= -380.98, C= 145.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 4.141

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3477 480.21 598.78 26.96

DIFFUSION COEF. = .049 CM.²/SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48, 23(1944) VISCOSITY OF VAPOR = 5.98-03 CENTIPOISE

END OF COMPOUND EA 4349 AT 40.0 DEGREES C. PAGE NUMBER 0-268

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4923 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: GENERAL REFERENCE: MRC-DA-263 DEC 70

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.36642, B= 1710.85, C= 212.8 DETERMINED OVER THE
TEMPERATURE RANGE 45.0 TO 174.0 DEG. CENT. REFERENCE: MRC-DA-263ANB8343 P50 COMB.EQU
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .25-02
ESTIMATED BOILING POINT(CENT.)= 173.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.2
VOLATILITY(MG/METER CUBED)= .21+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .17+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0289 WAS CALCULATED FROM THE EQUATION: DENSITY= .9937 - .00088 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -90640, B= -148.99, C= 112.8 DETERMINED OVER THE
TEMPERATURE RANGE .5 TO 50.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 13.775

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 36.7171 - .1146*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
WERE USED TO CALCULATE THE SURFACE TENSION 41.3 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -103.0 REFERENCE: MRC-DA-263 12/70 APPROXIMATE
REFRACTIVE INDEX(ND)= 1.5626 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5434 - .00048*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
25.0 TO 60.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
FLASH POINT, OPEN CUP(CENTIGRADE)= 56.0 REFERENCE: MRC-DA-263 12/70
MELTING POINT DEPRESSION(DEG. C./MOLE)= -103.000 REFERENCE: MRC-DA-263 DEC 70 APPROX

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 20:(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3122 418.69 391.08 37.91

DIFFUSION COEF. = .036 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY-CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.55-03 CENTIPOISE

END OF COMPOUND EA 4923 AT -40.0 DEGREES C.

PAGE NUMBER B-280

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4923 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 122.1 GENERAL REFERENCE: MRC-DA-263 DEC 70

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 7.30642, B= 1710.85, C= 212.8 DETERMINED OVER THE TEMPERATURE RANGE 45.0 TO 174.0 DEG. CENT. REFERENCE: MRC-DA-263&N88343 P50 COMB.EQU WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .27-01
ESTIMATED BOILING POINT(CEM)= 173.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.5
VOLATILITY(MG/METER CUBED)= .21+03 VOLATILITY(MILLIMOLES/ METER CUBED)= .17+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)* 1.0113 WAS CALCULATED FROM THE EQUATION: DENSITY= .9937 - .00088 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= -.90640, B= -148.99, C= 112.8 DETERMINED OVER THE TEMPERATURE RANGE .5 TO 50.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70 WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 4.994

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 36.7171 - .1146*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70 WERE USED TO CALCULATE THE SURFACE TENSION 39.0 DYNES/CM

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -103.0 REFERENCE: MRC-DA-263 12/70 APPROXIMATE
REFRACTIVE INDEX(ND)= 1.5530 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5434 - .00048*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 60.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
FLASH POINT, OPEN CUP(CENTIGRADE)= 56.0 REFERENCE: MRC-DA-263 12/70
MELTING POINT DEPRESSION(DEG. C./MOLE)= -103.000 REFERENCE: MRC-DA-263 DEC 70 APROX

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV, ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE	VOLUME PRESSURE
CM/CC	DEG C
.3122	418.69
	91.08
	37.91

DIFFUSION COEF. = .043 CM.SQ./SEC. CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.02-03 CENTIPOISE

END OF COMPOUND EA 4923 AT -20.0 DEGREES C. PAGE NUMBER B-290

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4923 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 122.1 GENERAL REFERENCE: MRC-DA-263 DEC 70

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.30642, B= 1710.85, C= 212.8 DETERMINED OVER THE TEMPERATURE RANGE 43.0 TO 174.0 DEG. CENT. REFERENCE: MRC-DA-263&NB8343 P50 COMB.EQU WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .18+00
ESTIMATED BOILING POINT(CENT.)= 173.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.9
VOLATILITY(MG/METER CUBED)= .13+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .11+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9937 WAS CALCULATED FROM THE EQUATION: DENSITY= .9937 - .00088 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.90640, B= -148.99, C= 112.8 DETERMINED OVER THE TEMPERATURE RANGE .5 TO 50.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70 WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 2.594

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE EQUATION: SURFACE TENSION(DYNES/CM)= 36.7171 - .1146*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70 WERE USED TO CALCULATE THE SURFACE TENSION 36.7 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.)= -103.0 REFERENCE: MRC-DA-263 12/70 APPROXIMATE
REFRACTIVE INDEX(ND)= 1.5434 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5434 - .00048*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 60.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
FLASH POINT, OPEN CUP(CENTIGRADE)= 56.0 REFERENCE: MRC-DA-263 12/70
MELTING POINT DEPRESSION(DEG. C./MOLE)= -103.000 REFERENCE: MRC-DA-263 DEC 70 APROX

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3122	418.69	391.08	37.91

DIFFUSION COEF. = .051 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.49-03 CENTIPOISE

END OF COMPOUND EA 4923 AT .0 DEGREES C. PAGE NUMBER B-291

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4923 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 122.1 GENERAL REFERENCE: MRC-DA-263 DEC 70

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.30642, B= 1710.85, C= 212.8 DETERMINED OVER THE
 TEMPERATURE RANGE 45.0 TO 174.0 DEG. CENT. REFERENCE: MRC-DA-2634N8343 P50 COMB.EQU
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TOPR)= .9100
 ESTIMATED BOILING POINT(CENT.)= 173.8
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.4
 VOLATILITY(MG/METER CUBED)= .3104 VOLATILITY(MILLIMOLE/ METER CUBED)= .5002
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9761 WAS CALCULATED FROM THE EQUATION: DENSITY= .9937 - .00088 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 30.0 TO 85.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.90640, B= -148.99, C= 112.8 DETERMINED OVER THE
 TEMPERATURE RANGE .5 TO 50.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES) = 1.641

THE EQUATION: SURFACE TENSION(DYNES/CM)= 36.7171 - .1146*TEMP.(C.)
 DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
 WERE USED TO CALCULATE THE SURFACE TENSION 34.4 DYNES/CM
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -103.0 REFERENCE: MRC-DA-263 12/70 APPROXIMATE
 REFRACTIVE INDEX(ND)= 1.5338 WAS CALCULATED FROM THE EQUATION:
 REFRACTIVE INDEX(ND)= 1.5434 - .00048*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
 25.0 TO 60.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
 FLASH POINT, OPEN CUP(CENTIGRADE)= 58.0 REFERENCE: MRC-DA-263 12/70
 MELTING POINT DEPRESSION(DEG. C./MOLE)= -103.000 REFERENCE: MRC-DA-263 DEC 70 APROX

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 3, 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3122 418.69 391.08 37.91

DIFFUSION COEF. = .059 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1941) VISCOSITY OF VAPOR = 5.98-03 CENTIPOISE

END OF COMPOUND EA 4923 AT 20.0 DEGREES C. PAGE NUMBER B-292

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4923 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 122.1 GENERAL REFERENCE: MRC-DA-263 DEC 70

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.30642, B= 1710.85, C= 212.8 DETERMINED OVER THE TEMPERATURE RANGE 45.0 TO 174.0 DEG. CENT. REFERENCE: MRC-DA-263&NB8343 P50 COMB.EQU WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .13+01
ESTIMATED BOILING POINT(CENT.)= 173.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.3
VOLATILITY(MG/METER CUBED)= .85+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .70+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9717 WAS CALCULATED FROM THE EQUATION: DENSITY= .9937 - .00088 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.90640, B= -148.99, C= 112.8 DETERMINED OVER THE TEMPERATURE RANGE .5 TO 50.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70 WERE USED TO CALCULATE THE VISCOSITY VISCOSITY(CENTISTOKES)= 1.495

THE EQUATION: SURFACE TENSION(DYNES/CM)= 36.7171 - .1146*TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70 WERE USED TO CALCULATE THE SURFACE TENSION 33.9 DYNES/CM
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -103.0 REFERENCE: MRC-DA-263 12/70 APPROXIMATE
REFRACTIVE INDEX(ND)= 1.5314 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5434 - .00048*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 60.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
FLASH POINT, OPEN CUP(CENTIGRADE)= 56.0 REFERENCE: MRC-DA-263 12/70
MELTING POINT DEPRESSION(DEG. C./MOLE)= -103.000 REFERENCE: MRC-DA-263 DEC 70 APPROX

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1933)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3122 418.69 391.08 37.91

DIFFUSION COEF. = .062 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 8.08-03 CENTIPOISE

END OF COMPOUND EA 4923 AT 25.0 DEGREES C. PAGE NUMBER 8-293

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 4923 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 122.1
GENERAL REFERENCE: MRC-DA-263 DEC 70

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.30642, B= 1710.85, C= 212.8 DETERMINED OVER THE
TEMPERATURE RANGE 45.0 TO 174.0 DEG. CENT. REFERENCE: MRC-DA-263&NB8343 P50 COMB.EQU
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .35+01
ESTIMATED BOILING POINT(CENT.)= 173.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 12.0
VOLATILITY(MG/METER CUBED)= .22+05 VOLATILITY(MILLIMOLE/ METER CUBED)= .18+03
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= .9585 WAS CALCULATED FROM THE EQUATION: DENSITY= .9937 - .00088 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.90640, B= -148.99, C= 112.8 DETERMINED OVER THE
TEMPERATURE RANGE .5 TO 50.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 1.171

THE EQUATION: SURFACE TENSION(DYNES/CM)= 36.7171 - .1146*TEMP.(C.)
DETERMINED OVER THE TEMPERATURE RANGE 30.0 TO 65.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
WERE USED TO CALCULATE THE SURFACE TENSION
MELTING POINT (DEG. CENT.) = -103.0 REFERENCE: MRC-DA-263 12/70 APPROXIMATE
REFRACTIVE INDEX(ND)= 1.5242 WAS CALCULATED FROM THE EQUATION:
REFRACTIVE INDEX(ND)= 1.5434 - .00048*TEMPERATURE(C.) DETERMINED OVER THE TEMPERATURE RANGE
25.0 TO 60.0 DEG. CENT. REFERENCE: MRC-DA-263 12/70
FLASH POINT, OPEN CUP(CENTIGRADE)= 56.0 REFERENCE: MRC-DA-263 12/70
MELTING POINT DEPRESSION(DEG. C./MOLE)= -103.000 REFERENCE: MRC-DA-263 DEC 70 APROX

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963).

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3122 418.69 391.08 37.91

DIFFUSION COEF. = .069 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY-CHEM.48,23(1944) VISCOSITY OF VAPOR = 6.43-03 CENTIPOISE

END OF COMPOUND EA 4923 AT 40.0 DEGREES C. PAGE NUMBER B-294

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5265 AT -40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 219.2
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOLLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 10.75150, B= 3658.20, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .12-04
 ESTIMATED BOILING POINT(CENT.)= 191.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
 VOLATILITY(MG/METER CUBED)= .17+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .79-03
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0670 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0350 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -3.10540, B=-1153.22, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 69.320

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1983)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
G/CC	DEG C	CC/MOLE	ATM.
.3171	499.88	691.18	23.97

DIFFUSION COEF. = .023 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48:23(1944) VISCOSITY OF VAPOR = 3.85-03 CENTIPOISE

END OF COMPOUND EA 5265 AT -40.0 DEGREES C. PAGE NUMBER B-295

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5265 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 219.2 GENERAL REFERENCE: ARCSL-TR-77001
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 10.75150, B= 3658.20, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .20-03
ESTIMATED BOILING POINT(CENT.)= 191.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
VOLATILITY(MG/METER CUBED)= .28+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .13-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.0510 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0352 - .00080 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -3.10540, B=-1153.22, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 28.189
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
CM/CC DEG C CC/MOLE ATM.
.3171 499.88 691.18 23.97
DIFFUSION COEF. = .028 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR
THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ.. J.PHY-CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.26-03 CENTIPOISE
END OF COMPOUND EA 5265 AT -20.0 DEGREES C. PAGE NUMBER B-296

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5265 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 219.2
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4481): A= 10.75150, B= 3658.20, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .23-02
 ESTIMATED BOILING POINT(CENT.)= 191.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
 VOLATILITY(MG/METER CUBED)= .28+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .13+00
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0350 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0350 - .0080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -3.10540, B=-1153.22, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: AKCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 13.078

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3171	495.88	691.18	23.97

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.66-03 CENTIPOISE

END OF COMPOUND EA 5265 AT .0 DEGREES C. PAGE NUMBER B-297

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5265 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 219.2
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPEROOLDS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 10.75150, B= 3658.20, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .19-01
 ESTIMATED BOILING POINT(CENT.)= 191.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
 VOLATILITY(MG/METER CUBED)= .22+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .10+01
 DENSITY(G/ML)= 1.0190 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0350 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -3.10540, B=-1153.22, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 6.737

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3171 499.08 691.18 23.97

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY.CHEM.48:26(1944) VISCOSITY OF VAPOR = 5.07-03 CENTIPOISE

END OF COMPOUND EA 5265 AT 20.0 DEGREES C. PAGE NUMBER B-238

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5265 AT 25.0 DEGREES CE TIGRADE
 COMMON NAME: FORMULA WEIGHT: 219.2
 GENERAL REFERENCE: ARCSL-TR-77001
 WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 10.75150, B= 3658.20, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TOPRI)= .30-01
 ESTIMATED BOILING POINT(CENT.)= 191.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
 VOLATILITY(MG/METER CUBED)= .36+03 VOLATILITY(MILLING/ METER CUBED)= .16+01
 DENSITY(G/ML)= 1.0150 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0350 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -3.10540, B=-1153.22, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 5.788

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GR/CC DEG C CC/MOLE ATM.
 .3171 499.88 691.18 23.97

DIFFUSION COEF. = .040 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.17-03 CENTIPOISE

END OF COMPOUND EA 5265 AT 25.0 DEGREES C. PAGE NUMBER B-299

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5265 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 219.2
 GENERAL REFERENCE: ARCSL-TR-77001
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(ATTR 4431): A= 10.75150, B= 3658.20, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 20.0 TO 30.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .12+00
 ESTIMATED BOILING POINT(CENT.)= 191.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.7
 VOLATILITY(MILLIMOLE/ METER CUBED)= .13+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .60+01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.0030 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0350 - .00080 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 THE FOLLOWING ANTOINE CONSTANTS(ATTR 4491): A= -3.10540, B=-1153.22, C= 273.2 DETERMINED OVER THE
 TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
 WERE USED TO CALCULATE THE VISCOSITY
 VISCOSITY(CENTISTOKES)= 3.778

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
 DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3171 499.88 691.18 23.97
 DIFFUSION COEF. = .044 CM.SQ./SEC CALCULA D FOR VAPOR IN AIR
 THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,20(1944) VISCOSITY OF VAPOR = 5.48-03 CENTIPOISE
 END OF COMPOUND EA 5265 AT 40.0 DEGREES C. PAGE NUMBER B-300

UNCLASSIFIED

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5365 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: EC-TR-76058
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOLDS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(STR 4491): A= 8.68720, B= 2773.90, C= 253.0 DETERMINED OVER THE
TEMPERATURE RANGE 30.0 TO 146.0 DEG. CENT. REFERENCE: EC-TR-76058
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .44-04
ESTIMATED BOILING POINT(CENT.)= 225.6
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.2
VOLATILITY(MG/METER CUBED)= .60+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .30-02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
DENSITY(G/ML)= 1.2147 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1755 -.00098 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: N88484 SUPENDED SOLIDS LIQ
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3651 453.36 542.84 28.68
DIFFUSION COEF. = .027 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.50-03 CENTIPOISE

END OF COMPOUND EA 5365 AT -40.0 DEGREES C. PAGE NUMBER B-301

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5365 AT -20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: EC-TR-76058
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.68720, B= 2778.90, C= 253.0 DETERMINED OVER THE
 TEMPERATURE RANGE 30.0 TO 146.0 DEG. CENT. REFERENCE: EC-TR-76058
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .58-03
 ESTIMATED BOILING POINT(CENT.)= 225.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.0
 VOLATILITY(MG/METER CUBED)= .73+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .37-01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1951 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1755 - .00098 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: N88484 SUPENDED SOLIDS LIQ

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3651 453.36 542.84 28.68

DIFFUSION COEF. = .033 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 4.97-03 CENTIPOISE

END OF COMPOUND EA 5365 AT -20.0 DEGREES C. PAGE NUMBER B-302

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5365 AT .0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: EC-TR-76058
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.68720, B= 2778.90, C= 253.0 DETERMINED OVER THE
 TEMPERATURE RANGE 30.0 TO 146.0 DEG. CENT. REFERENCE: EC-TR-76058
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .51-02
 ESTIMATED BOILING POINT(CENT.)= 225.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.8
 VOLATILITY(MG/METER CUBED)= .59+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .30+00
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1755 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1755 - .00098 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: NB8484 SUPENDED SOLIDS LIQ

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
 GM/CC DEG C CC/MOLE ATM.
 .3651 453.36 542.84 28.68

DIFFUSION COEF. = .039 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.44-03 CENTIPOISE

END OF COMPOUND EA 5365 AT .0 DEGREES C. PAGE NUMBER B-303

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5365 AT 20.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 198.2
 GENERAL REFERENCE: EC-TR-76058
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUP-COOLES TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.66720, B= 2778.90, C= 253.0 DETERMINED OVER THE
 TEMPERATURE RANGE 30.0 TO 145.0 DEG. CENT. REFERENCE: EC-TR-76058
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TQRR)= .32-01
 ESTIMATED BOILING POINT(CENT.)= 225.3
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.3
 VOLATILITY(MG/METER CUBED)= .35+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .19+01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.1559 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1755 - .00098 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 40.0 DEG. CENT. REFERENCE: NBB484 SUPENDED SOLIDS LIQ

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37, 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3681	453.36	542.84	28.68

DIFFUSION COEF. = .046 CM-SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODEL OF SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.91-03 CENTIPOISE

END OF COMPOUND EA 5365 AT 20.0 DEGREES C. PAGE NUMBER B-304

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5365 AT 25.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 198.2
 GENERAL REFERENCE: EC-TR-76058
 ***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 44911): A= 8.68720, B= 2778.90, C= 253.0 DETERMINED OVER THE
 TEMPERATURE RANGE 30.0 TO 146.0 DEG. CENT. REFERENCE: EC-TR-76058
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .49-01
 ESTIMATED BOILING POINT(CENT.)= 225.0
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.6
 VOLATILITY(MG/METER CUBED)= .53+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .27+01
 ***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****
 DENSITY(G/ML)= 1.1510 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1755 - .00098 (TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: N80484 SUPENDED SOLIDS LIQ

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.5651	453.35	542.84	23.68

DIFFUSION COEF. = .048 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ.. J.PHY-CHEM.48.23(1944) VISCOSITY OF VAPOR = 6.02-03 CENTIPOISE

END OF COMPOUND EA 5365 AT 25.0 DEGREES C. PAGE NUMBER B-305

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5365 AT 40.0 DEGREES CENTIGRADE
 COMMON NAME: FORMULA WEIGHT: 198.2 GENERAL REFERENCE: EC-TR-76058
 *** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
 BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
 THE FOLLOWING ANTOINE CONSTANTS(EATR 4/91): A= 8.68720, B= 2779.90, C= 253.0 DETERMINED OVER THE
 TEMPERATURE RANGE 30.0 TO 146.0 DEG. CENT. REFERENCE: EC-TR-76058
 WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
 VAPOR PRESSURE(TORR)= .16+00
 ESTIMATED BOILING POINT(CENT.)= 225.6
 HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.5
 VOLATILITY(MG/METER CUBED)= .16+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .82+01
 DENSITY(G/ML)= 1.1363 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.1755 - .00098 *TEMP.(C.) DETERMINED OVER
 THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: N88484 SUPENDED SOLIDS LIQ

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3651	453.33	542.84	28.68

DIFFUSION COEF. = .053 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
 MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.38-03 CENTIPOISE

END OF COMPOUND EA 5365 AT 40.0 DEGREES C.

PAGE NUMBER B-306

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5389 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: GENERAL REFERENCE: ARCSL-TR-77001
FORMULA WEIGHT: 224.3

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.19050, B= 2118.40, C= 222.5 DETERMINED OVER THE
TEMPERATURE RANGE 3.0 TO 64.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .38-04
ESTIMATED BOILING POINT(CENT.)= 389.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.8
VOLATILITY(MILLIMOLE/ METER CUBED)= .59+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .26-02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1262 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0002 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4401): A= -.36660, B= -74.13, C= 47.9 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= *****

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -67.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 136.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. TRUCK. FIZ KHIM. 37. 201(1993)

DENSITY	TEMPERATURE	VOLUME	PRESSURE
GM/CC	DEG C	CC/MOLE	ATM.
.3380	459.20	663.59	23.65

DIFFUSION COEF. = .024 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 4.16-03 CENTIPOISE

END OF COMPOUND EA 5389 AT -40.0 DEGREES C. PAGE NUMBER B-307

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5389 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.19050, B= 2118.40, C= 222.5 DETERMINED OVER THE
TEMPERATURE RANGE 3.0 TO 64.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .53-03

ESTIMATED BOILING POINT(CENT.)= 269.1

HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.1

VOLATILITY(MG/METER CUBED)= .76+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .34-01

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.1082 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0902 - .0090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.36660, B= -74.13, C= 47.9 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

WERE USED TO CALCULATE THE VISCOSITY

VISCOSITY(CENTISTOKES)= 195.224

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -67.0 REFERENCE: ARCSL-TR-77001

FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 136.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE

GM/CC DEG C CC/MOLE ATM.

.3380 459.20 663.59 23.65

DIFFUSION COEF. = .029 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,43,23(1944) VISCOSITY OF VAPOR = 4.60-03 CENTIPOISE

END OF COMPOUND EA 5389 AT -20.0 DEGREES C. PAGE NUMBER B-308

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5389 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.19050, B= 2118.40, C= 222.5 DETERMINED OVER THE
TEMPERATURE RANGE 3.0 TO 64.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .47-02
ESTIMATED BOILING POINT(CENT.)= 269.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.6
VOLATILITY(MG/METER CUBED)= .61+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .27+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

DENSITY(G/ML)= 1.0902 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0902 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.36660, B= -74.13, C= 47.9 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 15.173

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -67.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 136.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
.3880 459.20 663.59 23.65

DIFFUSION COEF. = .634 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM.48,23(1944) VISCOSITY OF VAPOR = 5.03-03 CENTIPOISE

END OF COMPOUND EA 5389 AT .0 DEGREES C. PAGE NUMBER B-309

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5389 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.19050, B= 2118.40, C= 222.5 DETERMINED OVER THE
TEMPERATURE RANGE 3.0 TO 64.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .28-01
ESTIMATED BOILING POINT(CENT.)= 269.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.2
VOLATILITY(MG/METER CUBED)= .35+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .16+01
DENSITY(G/ML)= 1.0722 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0902 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.36660, B= -74.13, C= 47.9 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 5.311

***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

MELTING POINT (DEG. CENT.) = -67.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 136.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)

DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3380 459.20 663.59 25.65

DIFFUSION COEF. = .040 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1941) VISCOSITY OF VAPOR = 5.47-03 CENTIPOISE

END OF COMPOUND EA 5389 AT 20.0 DEGREES C. PAGE NUMBER B-310

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5389 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.19050, B= 2118.40, C= 222.5 DETERMINED OVER THE
TEMPERATURE RANGE 3.0 TO 64.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .43-01
ESTIMATED BOILING POINT(CENT.)= 269.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.1
VOLATILITY(MG/METER CUBED)= .52+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .23+01
DENSITY(G/ML)= 1.0877 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0902 - .00090 *TEMP.(C.) DETERMINED OVER
THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -.36660, B= -74.13, C= 47.9 DETERMINED OVER THE
TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES)= 4.470

MELTING POINT (DEG. CENT.) = -67.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 136.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 201(1963)
DENSITY TEMPERATURE VOLUME PRESSURE
G/CC DEG C CC/MOLE ATM.
.3380 459.20 663.59 23.65

DIFFUSION COEF. = .041 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE
MODIFIED SUTHERLANDS EQ., J.PHY.CHEM,48,23(1944) VISCOSITY OF VAPOR = 5.58-03 CENTIPOISE

END OF COMPOUND EA 5389 AT 25.0 DEGREES C. PAGE NUMBER B-311

UNCLASSIFIED

UNCLASSIFIED

SUMMARY OF PROPERTIES OF EA 5389 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 224.3 GENERAL REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 7.19050, B= 2118.40, C= 222.5 DETERMINED OVER THE TEMPERATURE RANGE 3.0 TO 64.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:

VAPOR PRESSURE(TORR)= .13+00
ESTIMATED BOILING POINT(CENT.)= 269.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8
VOLATILITY(MG/METER CUBED)= .10+64 VOLATILITY(MILLIMOLE/ METER CUBED)= .67+01
DENSITY(G/ML)= 1.0542 WAS CALCULATED FROM THE EQUATION: DENSITY= 1.0902 - .00090 *TEMP.(C.) DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001

THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= -36860, B= -74.13, C= 47.9 DETERMINED OVER THE TEMPERATURE RANGE 25.0 TO 45.0 DEG. CENT. REFERENCE: ARCSL-TR-77001
WERE USED TO CALCULATE THE VISCOSITY
VISCOSITY(CENTISTOKES) = 2.998

MELTING POINT (DEG. CENT.) = -67.0 REFERENCE: ARCSL-TR-77001
FLASH POINT, MCCUTCHAN-YOUNG(CENTIGRADE)= 138.0 REFERENCE: ARCSL-TR-77001

THE FOLLOWING CRITICAL PROPERTIES WERE ESTIMATED USING THE METHOD OF FILIPPOV. ZHURN. FIZ KHIM. 37. 23. (1963)

DENSITY TEMPERATURE VOLUME PRESSURE
GM/CC DEG C CC/MOLE ATM.
1.3880 459.20 663.59 23.65

DIFFUSION COEF. = .046 CM.SQ./SEC CALCULATED FOR VAPOR IN AIR

THE VISCOSITY OF THE VAPOR WAS ESTIMATED USING THE ABOVE CRITICAL PROPERTIES AND THE MODIFIED SUTHERLANDS EQ., J. PHY. CHEM. 48. 23(1944) VISCOSITY OF VAPOR = 5.90-03 CENTIPOISE

END OF COMPOUND EA 5389 AT 40.0 DEGREES C. PAGE NUMBER B-312

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5403 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.88792, B= 2946.07, C= 269.7 DETERMINED OVER THE
TEMPERATURE RANGE 60.0 TO 153.0 DEG. CENT. REFERENCE: FATR-4710, B CORRECTED N88343
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .12-03
ESTIMATED BOILING POINT(CENT.)= 223.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.0
VOLATILITY(MG/MEIER CUBED)= .17+01 VOLATILITY(MILLIMOLE/ MEIER CUBED)= .79-02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER 8-213

END OF COMPOUND EA 5403 AT -40.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5403 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2
GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.08792, B= 2946.07, C= 269.7 DETERMINED OVER THE
TEMPERATURE RANGE 60.0 TO 150.0 DEG. CENT. REFERENCE: EATR-4710, B CORRECTED NBB343
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .12-02
ESTIMATED BOILING POINT(CENT.)= 220.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8
VOLATILITY(MG/METER CUBED)= .17+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .78-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-314

END OF COMPOUND EA 5403 AT -20.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5403 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.08792, B= 2946.07, C= 269.7 DETERMINED OVER THE
TEMPERATURE RANGE 00.0 TO 150.0 DEG. CENT. REFERENCE: EATR-4710, B CORRECTED NB7343
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .92-02
ESTIMATED BOILING POINT(CENT.)= 220.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8
VOLATILITY(MG/METER CUBED)= .11+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .54+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER 8-315

.0 DEGREES C.

END OF COMPOUND EA 5403 AT

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5403 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.88792, B= 2946.07, C= 269.7 DETERMINED OVER THE
TEMPERATURE RANGE 60.0 TO 150.0 DEG. CENT. REFERENCE: EATR-4710, B CORRECTED NB8343
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .52-01
ESTIMATED BOILING POINT(CENT.)= 220.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8
VOLATILITY(MILLIMOLE/ METER CUBED)= .29+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-316

END OF COMPOUND EA 5403 AT 20.0 DEGREES C.

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5403 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.03792, B= 2946.07, C= 269.7 DETERMINED OVER THE
TEMPERATURE RANGE 60.0 TO 150.0 DEG. CENT. REFERENCE: EATR-4710, B CORRECTED N88343
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .78-01
ESTIMATED BOILING POINT(CENT.)= 220.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8
VOLATILITY(MG/METER CUBED)= .89+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .42+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER 8-317

END OF COMPOUND EA 5403 AT 25.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5403 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.88792, B= 2946.07, C= 269.7 DETERMINED OVER THE
TEMPERATURE RANGE 60.0 TO 150.0 DEG. CENT. REFERENCE: EATR-4710, B CORRECTED, NB8343
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .24+00
ESTIMATED BOILING POINT(CENT.)= 220.7
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 13.8
VOLATILITY(MG/METER CUBED)= .26+04 VOLATILITY(MILLIMOLE/ METER CUBED)= .12+02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-318

END OF COMPOUND EA 5403 AT 40.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5414 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.70800, B= 3320.35, C= 262.4 DETERMINED OVER THE
TEMPERATURE RANGE 60.0 TO 155.0 DEG. CENT. REFERENCE: EATR 4710
BEFORE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .59-05
ESTIMATED BOILING POINT(CENT.)= 224.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 15.7
VOLATILITY(MILLIMOLE/ METER CUBED)= .97-01 VOLATILITY(MILLIMOLE/ METER CUBED)= .41-03
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER 8-319

END OF COMPOUND EA 5414 AT -40.0 DEGREES C.

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5414 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOL TO SPECIFIED TEMPERATURE *****
THE FOLLOWING Antoine Constant (EATR 4711): A= 9.70600, B= 2320.35, C= 262.4 DETERMINED OVER THE
TEMPERATURE RANGE 80.0 TO 155.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE (TORR) = 10-03
ESTIMATED BOILING POINT (CENT.) = 224.1
HEAT OF VAPORIZATION (KILOCALORIES/MOLE) = 10.8
VOLATILITY (CC/METER CUBED) = .14+01 VOLATILITY (MILLIMOLE/ METER CUBED) = .64-02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-320

END OF COMPOUND EA 5414 AT -20.0 DEGREES C.

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5414 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 9.70600, B= 3320.35, C= 262.4 DETERMINED OVER THE
TEMPERATURE RANGE 80.0 TO 155.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .11-02
ESTIMATED BOILING POINT(CENT.)= 324.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.4
VOLATILITY(MG/METER CUBED)= .14+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .66-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER D-321

.0 DEGREES C.

END OF COMPOUND EA 5414 AT

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5414 AT 20.0 DEGREES CELSIUS
COMMON NAME: FORMULA WEIGHT: 212.2 REFERENCE: EATP-471C
WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE ***
THE FOLLOWING Antoine constants(EATP 471C): A= 9.70800, B= 3320.35, C= 182.6 DETAINED OVER THE
TEMPERATURE RANGE 80.0 TO 155.0 DEG. CENT. REFERENCE: EATP 471C
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .08-02
ESTIMATED BOILING POINT(CENT.)= 224.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.4
VOLATILITY(MILLIMOLE/METER CUBED)= .10+03 VOLATILITY(MILLIMOLE/METER CUBED)= .10+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-322

END OF COMPOUND EA 5414 AT 20.0 DEGREES C.

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5414 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 (GENERAL REFERENCE: EATR-4710)
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOLLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTIGINE CONSTANTS(EATR 4491): A= 9.70600, B= 3320.35, C= 262.4 DETERMINED OVER THE
TEMPERATURE RANGE 80.0 TO 155.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TOHR)= .14-01
ESTIMATED BOILING POINT(CENT.)= 224.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.3
VOLATILITY(MG/METER CUBED)= .16+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .70+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER 8-323

END OF COMPOUND EA 5414 AT 25.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5414 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 212.2 GENERAL REFERENCE: EATR-4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4451): A= 9.70600, B= 3320.35, C= 262.4 DETERMINED OVER THE
TEMPERATURE RANGE 80.0 TO 155.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .53-01
ESTIMATED BOILING POINT(CENT.)= 224.1
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 16.3
VOLATILITY(MG/METER CUBED)= .58+03 VOLATILITY(MILLIMOLE/ METER CUBED)= .37+01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-324

END OF COMPOUND EA 5414 AT 40.0 DEGREES C.

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5488 AT -40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 236.2 GENERAL REFERENCE: EATR 4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.46292, B= 3226.38, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 130.0 TO 215.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .12-05
ESTIMATED BOILING POINT(CENT.)= 304.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.7
VOLATILITY(M3/METER CUBED)= .68-01 VOLATILITY(MILLIMOLE/ METER CUBED)= .29-03
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

END OF COMPOUND EA 5488 AT -40.0 DEGREES C. PAGE NUMBER B-325

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5488 AT -20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 236.2 GENERAL REFERENCE: EATR 4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4710): A= 8.46277, B= 3226.38, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 130.0 TO 215.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .52-04
ESTIMATED BOILING POINT(CENT.)= 304.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.7
VOLATILITY(MG/METER CUBED)= .78+00 VOLATILITY(MILLIMOLE/ METER CUBED)= .33-02
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-326

END OF COMPOUND EA 5488 AT -20.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5488 AT .0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 236.2 GENERAL REFERENCE: EATR 4710
..... WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.46292, B= 3226.38, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 130.0 TO 215.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .45-03
ESTIMATED BOILING POINT(CENT.)= 304.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.7
VOLATILITY(MG/METER CUBED)= .62+01 VOLATILITY(MILLIMOLE/ METER CUBED)= .26-01
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-327

.0 DEGREES C

END OF COMPOUND EA 5488 AT

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5488 AT 20.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 236.2 GENERAL REFERENCE: EATR 4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.46292, B= 3226.38, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 130.0 TO 215.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .29-02
ESTIMATED BOILING POINT(CENT.)= 304.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.7
VOLATILITY(MG/METER CUBED)= .37+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .16+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-328

END OF COMPOUND EA 5488 AT 20.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5488 AT 25.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 236.2 GENERAL REFERENCE: EATR 4710
***** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPEROOLDS TO SPECIFIED TEMPERATURE *****
THE FOLLOWING ANTOINE CONSTANTS(EATR 4491): A= 8.46292, B= 3226.38, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 130.0 TO 215.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .44-02
ESTIMATED BOILING POINT(CENT.)= 304.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.7
VOLATILITY(MG/METER CUBED)= .56+02 VOLATILITY(MILLIMOLE/ METER CUBED)= .24+00
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-329

END OF COMPOUND EA 5488 AT 25.0 DEGREES C.

Appendix B

CONFIDENTIAL

CONFIDENTIAL

SUMMARY OF PROPERTIES OF EA 5488 AT 40.0 DEGREES CENTIGRADE
COMMON NAME: FORMULA WEIGHT: 236.2 GENERAL REFERENCE: EATR 4710
*** WARNING: SINCE THERE IS NO MELTING POINT FOR THIS COMPOUND, CALCULATION OF VALUES BELOW DATA RANGE MAY NOT
BE VALID UNLESS LIQUID SUPERCOOLS TO SPECIFIED TEMPERATURE ***
THE FOLLOWING Antoine constants(EATR 4491): A= 8.46292, B= 3226.38, C= 273.2 DETERMINED OVER THE
TEMPERATURE RANGE 130.0 TO 215.0 DEG. CENT. REFERENCE: EATR 4710
WERE USED TO CALCULATE THE FOLLOWING FOUR PROPERTIES:
VAPOR PRESSURE(TORR)= .14-01
ESTIMATED BOILING POINT(CENT.)= 304.8
HEAT OF VAPORIZATION(KILOCALORIES/MOLE)= 14.7
VOLATILITY(MG/METER CUBED)= .17+03 VOLATILITY(MILLIMOLE/ METER CUBED)* .74+06
***** WARNING: THE ABOVE VALUES ARE EXTRAPOLATED OUT OF THE DATA TEMPERATURE RANGE *****

PAGE NUMBER B-330

END OF COMPOUND EA 5488 AT 40.0 DEGREES C.

CONFIDENTIAL

UNCLASSIFIED

APPENDIX C

**USE OF THE ANTOINE EQUATION TO
FIT VAPOR PRESSURE DATA (U)**

UNCLASSIFIED

UNCLASSIFIED

Blank

UNCLASSIFIED

UNCLASSIFIED

APPENDIX C

USE OF THE ANTOINE EQUATION TO FIT VAPOR PRESSURE DATA (U)

(U) Vapor pressure data plays an important role in the development of defense against chemical agents; some areas where vapor pressure plays a critical role are listed in Table C-1.

Table C-1. (U) Areas in Which Vapor Pressures Play a Critical Role in Chemical Defense

Percutaneous toxicity
Fabric penetration by vapor transfer
Inhalation toxicity
Persistency and threat calculations
Chemical decontamination activity coefficients of kinetic equations
Dissemination
Munition design
Doctrine studies
Jet exhaust decontamination

UNCLASSIFIED

(U) The Antoine equation¹ is defined as follows:

$$\text{Log}_{10} P = A - B/(t+C) \quad (\text{C-1})$$

where P = vapor pressure,
 t = temperature in centigrade, and

$A, B, \text{ \& } C$ = constants.

A & B are constants that vary widely for different compounds. C is a constant that does not vary greatly from compound to compound and is frequently close to 230.

(U) A recent data compilation questions the use of the Antoine equation which is used extensively in this report. In reference 2, it is stated that the Antoine equation fits the data well "but gives unrealistically high values at higher temperatures." No justification for this opinion is provided.

Appendix C

UNCLASSIFIED

UNCLASSIFIED

(U) Table C-2 lists the reasons why the Antoine equation has been chosen for correlating and extrapolating vapor pressure data. Some problems dealing with fitting data to the Antoine equation do occur with the current computer program;³ see table C-3. However, studies are being conducted on these problems and preliminary results have been reported by Celmins.⁴

Table C-2. (U) Advantages of Using the Antoine Equation for Extrapolations

1. Numerous comparisons with other equations have been reported in published literature.
2. The Antoine equation:
 - accurately fits the data of hundreds of compounds over a wide range of temperatures.
 - is close to the Clausius-Clapeyron equation.
 - has only three parameters.
 - contains no polynomials.

UNCLASSIFIED

Table C-3. (U) Problems in Using the Antoine Equation

1. Current computer program³ gives an estimate of the quality of fit, but does not give an estimate of error of specific vapor pressures.
2. While the program fits the data very well, there are some logical problems in the routine (not in the Antoine equation) that might reduce the quality of extrapolations.
3. Antoine equation extrapolations close to the critical point tend to be low.

UNCLASSIFIED

(U) The Antoine equation was chosen for use at CSL after a careful study of the literature and in-house testing of many equations. A number of physical chemists participated in the decision. A more recent study tends to confirm the correctness of this decision. Trump⁵ states, "In each case the Antoine equation gave a closer fit... and was therefore the preferred correlating equation. The Chebyshev equation produced deviations about twice as large."

(U) The consensus⁶ in the chemical literature is that the Antoine equation gives good fits at low temperatures; but, the extrapolations up to a reduced temperature of 0.75 with the Antoine equation result in low values. Therefore, equations 1 and 2 (reference 2) which give even lower values cannot provide superior extrapolations as reported. The errors introduced from the use of such equations are quite large. Figure C-1 shows

UNCLASSIFIED

UNCLASSIFIED

that equation 1 (reference 2) does not pass through any of the data points and that equation 2 passes through only the top two points, an insufficient number for the extrapolation of a curving line. Equation 2 actually goes through a maximum vapor pressure at the highest temperatures.




Figure C-1. (U) Comparison of Antoine Equation With Other Equations.

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

Blank

UNCLASSIFIED

UNCLASSIFIED

LITERATURE CITED (U)

1. Antoine, M. C. Thermodynamics-Vapor Pressures: A New Relation Between Pressures and Temperatures. Comptes Rendus. 107, 681 (1888).
2. Tomlinson, G. J., and Samuel, A. H. Chemical Systems Laboratory Contract Report CR-80051. Literature Survey of Physical and Chemical Properties of Agents VX, GD, HD and HL. Vol. I. Battelle, Washington Operations. July 1980. UNCLASSIFIED Report.
3. Penski, E. C., and Latour, L. J. Edgewood Arsenal Technical Report EATR 4491. Conversational Computation Method for Fitting the Antoine Equation to Vapor Pressure-Temperature Data. February 1971. UNCLASSIFIED Report.
4. Celmins, A. Ballistic Research Laboratory Interim Memorandum Report 741. Error Analysis of Vapor Pressure Measurements. April 1982. UNCLASSIFIED Report.
5. Trump, W. N. Comparison of the Antoine Equation and a 3 Term Chebyshev Equation for Correlation of Vapor Pressures. Computers and Chemistry. 4, 117 (1980).
6. Ambrose, D. The Correlation and Estimation of Vapor Pressures, p 193. Proceedings of the National Physics Laboratory, Conference on Chemical Thermodynamic Data on Fluids and Fluid Mixtures. IPC Science Tech Press, Guilford England.

UNCLASSIFIED

UNCLASSIFIED

Blank

UNCLASSIFIED

UNCLASSIFIED

DISTRIBUTION LIST 2

Names	Copies	Names	Copies
CHEMICAL RESEARCH AND DEVELOPEMNT CENTER		Federal Emergency Management Agency	
ATTN: DRSMC-CLB (A)	1	Office of Research/NPP	
ATTN: DRSMC-CLB-C (A)	1	ATTN: David W. Bensen	1
ATTN: DRSMC-CLB-PO (A)	1	Washington, DC 20472	
ATTN: DRSMC-CLB-R (A)	1	HQDA (DAMA-CSS-C)	1
ATTN: DRSMC-CLB-R(M) (A)	1	Washington, DC 20310	
ATTN: DRSMC-CLB-R(S) (A)	1	HQ Sixth US Army	
ATTN: DRSMC-CLB-T (A)	1	ATTN: AFKC-OP-NBC	1
ATTN: DRSMC-CLC-B (A)	1	Presidio of San Francisco, CA 94129	
ATTN: DRSMC-CLC-C (A)	1	Commander	
ATTN: DRSMC-CLC-E (A)	1	DARCOM, STITEUR	
ATTN: DRSMC-CLJ-IL (A)	2	ATTN: DRXST-STI	1
ATTN: DRSMC-CLJ-IR (A)	1	Box 48, APO New York 09710	
ATTN: DRSMC-CLJ-M (A)	1	Commander	
ATTN: DRSMC-CLN (A)	1	USASTCFEO	
ATTN: DRSMC-CLT (A)	1	ATTN: MAJ Mikeworth	1
ATTN: DRSMC-CLW-C (A)	1	APO San Francisco 96328	
ATTN: DRSMC-CLW-P (A)	1	Commander	
ATTN: DRSMC-CLY-A (A)	1	USA Nuclear & Chemical Agency	
ATTN: DRSMC-CLY-R (A)	6	ATTN: MONA-WE	1
COPIES FOR AUTHOR(S)		7500 Backlick Rd, Bldg 2073	
ATTN: DRSMC-CLB-CP	13	Springfield, VA 22150	
RECORD COPY: DRSMC-CLB-A (A)	1		
DEPARTMENT OF DEFENSE		Army Research Office	
Administrator		ATTN: DRXRO-CB (Dr. R. Ghirardelli)	1
Defense Technical Information Center		P.O. Box 12211	
ATTN: DTIC-DDA-2	2	Research Triangle Park, NC 27709	
Cameron Station, Building 5			
Alexandria, VA 22314		OFFICE OF THE SURGEON GENERAL	
Director		Commander	
Defense Intelligence Agency		USA Medical Bioengineering Research	
ATTN: DB-4G1	1	and Development Laboratory	
Washington, DC 20301		ATTN: SGRD-UBD-AL, Bldg 568	1
Commander		Fort Detrick, Frederick, MD 21701	
USASED, USAINSCOM		Commander	
ATTN: IAFM-SED-III	1	USA Medical Research Institute of	
Fort Meade, MD 20755		Chemical Defense	
		ATTN: SGRD-UV-L	1
DEPARTMENT OF THE ARMY		Aberdeen Proving Ground, MD 21010	
HQDA (DAMO-NCC)	1		
WASH DC 20310			

UNCLASSIFIED

UNCLASSIFIED

Commander
US Army Environmental Hygiene Agency
ATTN: HSHB-O (B. Donovan) 1
Aberdeen Proving Ground, MD 21010

US ARMY MATERIEL DEVELOPMENT AND
READINESS COMMAND

Commander
HQ, DARCOM
ATTN: DRCEB (BG Robinson) 1
3001 Eisenhower Ave
Alexandria, VA 22333

Commander
USA Materiel Development and
Readiness Command
ATTN: DRCSF-P 1
3001 Eisenhower Ave
Alexandria, VA 22333

Project Manager Smoke/Obscurants
ATTN: DRCPM-SMK-S 3
Aberdeen Proving Ground, MD 21005

Commander
USA Foreign Science & Technology Center
ATTN: DRXST-MT3 1
220 Seventh St., NE
Charlottesville, VA 22901

Director
USA Materiel Systems Analysis Activity
ATTN: DRXSY-MP 1
ATTN: DRXSY-CR (Mr. Metz) 1
Aberdeen Proving Ground, MD 21005

Commander
USA Missile Command
Redstone Scientific Information Center
ATTN: DRSMI-RPR (Documents) 1
Redstone Arsenal, AL 35898

Director
DARCOM Field Safety Activity
ATTN: DRXOS-C 1
Charlestown, IN 47111

Commander
USA Natlck Research and Development
Laboratories

ATTN: DRDNA-O 1
ATTN: DRDNA-IC 1
ATTN: DRDNA-IM 1
ATTN: DRDNA-ITF (Dr. Roy W. Roth) 2
Natlck, MA 01760

US ARMY ARMAMENT, MUNITIONS AND
CHEMICAL COMMAND

Commander
USA Armament, Munitions and
Chemical Command
ATTN: DRCSM-ASN (R) 1
ATTN: DRCSM-IRW (R) 1
Rock Island, IL 61299

Commander
USA Dugway Proving Ground
ATTN: Technical Library (Docu Sect) 1
Dugway, UT 84022

US ARMY ARMAMENT RESEARCH AND
DEVELOPMENT CENTER

Commander
USA Armament Research and
Development Center
ATTN: DRSMC-LCA-L (D) 1
ATTN: DRSMC-LCE-C (D) 1
ATTN: DRSMC-LCU-CE (D) 1
ATTN: DRSMC-SCA-T (D) 1
ATTN: DRSMC-SCM (D) 1
ATTN: DRSMC-SCP (D) 1
ATTN: DRSMC-SCS (D) 1
ATTN: DRSMC-TOC (D) (Dr. D. Gyrog) 1
ATTN: DRSMC-TSS (D) 2
ATTN: DRCPM-CAWS-AM (D) 1
Dover, NJ 07801

USA Armament Research and
Development Center
Resident Operations Office
ATTN: DRSMC-TSE-OA (Robert Thresher) 1
National Space Technology Laboratories
NSTL Station, Mississippi 39529

Commander
AMMCOM
ATTN: DRSMC-QAC-E (A) 1
Aberdeen Proving Ground, MD 21010

UNCLASSIFIED

UNCLASSIFIED

Commander
USA Technical Detachment
US Naval EOD Technology Center
Indian Head, MD 20640

US ARMY TRAINING & DOCTRINE COMMAND

Commandant
USA Infantry School
ATTN: CTDD, CSD, NBC Branch
Fort Benning, GA 31905

Commandant
USA Missile & Munitions Center
and School
ATTN: ATSK-CM
ATTN: ATSK-TME
Redstone Arsenal, AL 35898

Commander
USA Logistics Center
ATTN: ATCL-MG
ATTN: DLSIE
Fort Lee, VA 23801

Commandant
USA Chemical School
ATTN: ATZN-CM-C
ATTN: ATZN-CM-AFL
ATTN: ATZN-CM-TPC
Fort McClellan, AL 36205

Commander
USAAVNC
ATTN: ATZQ-D-MS
Fort Rucker, AL 36362

Commander
USA Infantry Center
ATTN: ATSH-CD-MS-C
Fort Benning, GA 31905

Commander
USA Training and Doctrine Command
ATTN: ATCD-N
Fort Monroe, VA 23651

Commander
USA Armor Center
ATTN: ATZK-CD-MS
ATTN: ATZK-PPT-PO-C
Fort Knox, KY 40121

Commander
USA Combined Arms Center and
Fort Leavenworth
ATTN: ATZL-CAM-IM
Fort Leavenworth, KS 66027

US ARMY TEST & EVALUATION COMMAND

Commander
USA Test & Evaluation Command
ATTN: DRSTE-CT-T
Aberdeen Proving Ground, MD 21095

DEPARTMENT OF THE NAVY

Chief of Naval Research
ATTN: Code 441
800 N. Quincy Street
Arlington, VA 22217

Project Manager
Theatre Nuclear Warfare Project Office
ATTN: PM-23 (Dr. Patton)
ATTN: TN-09C
Navy Department
Washington, DC 20360

Commander
Naval Explosive Ordnance Disposal
Technology Center
ATTN: AC-3
Indian Head, MD 20640

Commander
Naval Surface Weapons Center
Code G51
Dahlgren, VA 22448

Chief, Bureau of Medicine & Surgery
Department of the Navy
ATTN: MED 3C33
Washington, DC 20372

Commander
Naval Air Development Center
ATTN: Code 2012 (Dr. Robert Helmbold)
Warminster, PA 18974

US MARINE CORPS

Commandant
HQ, US Marine Corps
ATTN: Code LMW-50
Washington, DC 20300

UNCLASSIFIED

CONFIDENTIAL

(This page is unclassified)

UNCLASSIFIED

Commanding General
Marine Corps Development and
Education Command
ATTN: Fire Power Division, D091 1
Quantico, VA 22134

DEPARTMENT OF THE AIR FORCE

Department of the Air Force
Headquarters Foreign Technology Division
ATTN: TQTR 1
Wright-Patterson AFB, OH 45433

ASD/AESD 1
Wright-Patterson AFB, OH 45433

AFAMRL/TS
ATTN: COL Johnson 1
Wright-Patterson AFB, OH 45433

AFAMRL/HE
ATTN: Dr. Clyde Reploggle 1
Wright-Patterson AFB, OH 45433

AFWAL/FIEEC (Wendell Banks)
Wright-Patterson AFB, OH 45433 1

HQ AFSC/SDZ 1
ATTN: CPT D. Riediger
Andrews AFB, MD 20334

HQ, AFSC/SDNE 1
Andrews AFB, MD 20334

HQ, AFSC/SGB 1
Andrews AFB, DC 20334

HQ, NORAD
ATTN: J-3TU 1
Peterson AFB, CO 80914

HQ AFTEC/TEL 1
Kirtland AFB, NM 87117

USAF TAWC/THL 1
Eglin AFB, FL 32542

AFATL/DLV 1
Eglin AFB, FL 32542

USAF SC
ATTN: AD/YQ 1
ATTN: AD/YQO (MAJ Owens) 1
Eglin AFB, FL 32542

AD/XRO 1
Eglin AFB, FL 32542

USAFSAM/VN
Deputy for Chemical Defense
ATTN: Dr. F. Wesley Baumgardner 1
Brooks AFB, TX 78235

AMD/RDTK
ATTN: LTC T. Kingery 1
Brooks AFB, TX 78235

AMD/RDSM 1
Brooks AFB, TX 78235

AMD/RDSX 1
Brooks AFB, TX 78235

OUTSIDE AGENCIES

Battelle, Columbus Laboratories
ATTN: TACTEC 1
505 King Avenue
Columbus, OH 43201

Toxicology Information Center, JH 652
National Research Council 1
2101 Constitution Ave., NW
Washington, DC 20418

Center for Disease Control
ATTN: Logging Control Officer
Mrs. M. Brocato (W.L. Webb) 1
Atlanta, GA 30333

Director
Central Intelligence Agency
ATTN: AMR/ORD/DD/S&T 1
Washington, DC 20505

ADDITIONAL ADDRESSEE

Commandant
Academy of Health Sciences, US Army
ATTN: HSHA-CDH 1
ATTN: HSHA-IPM 2
Fort Sam Houston, TX 78234

UNCLASSIFIED**CONFIDENTIAL**

(This page is unclassified)

UNCLASSIFIED

CONFIDENTIAL

(This page is unclassified)

Commander		AFATL/DLV (Dr. J. Carnette)	1
Chemical Research and Development Center		Eglin AFB, FL 32542	
ATTN: DRSMC-CLB-CP	1		
ATTN: DRSMC-CLB-P	1	AD/DLV (Lt E. Frazer)	1
ATTN: DRSMC-CLC	1	Eglin AFB, FL 32542	
ATTN: DRSMC-CLD	1		
ATTN: DRSMC-CLN-D	1	Commanding Officer	1
ATTN: DRSMC-CLP	1	Naval Intelligence Support Center	
ATTN: DRSMC-CLW	1	4301 Sultland Road	
Aberdeen Proving Ground, MD 21010		Washington, DC 20390	
Commander		Chief of Naval Research	
US Army Armament Research and		ATTN: Code 443	1
Development Center		800 N. Quincy St.	
ATTN: DRSMC-RAI-C (A) (Mr. A. Pfister)	2	Arlington, VA 22217	
Aberdeen Proving Ground, MD 21010			
Director		Commander	
USA Armament Research and		Naval Weapons Center	
Development Center (BRL)		ATTN: Code 343 (Tech Library)	1
AMCCOM		China Lake, CA 93555	
ATTN: DRSMC-TSB-B	1		
Aberdeen Proving Ground, MD 21005			

UNCLASSIFIED

CONFIDENTIAL

(This page is unclassified)

REQUEST FOR/OR NOTIFICATION OF REGRADING ACTION

For use of this form, see AR 380-5; the proponent agency is OACSI.

DATE
28 November 2001

FILE

READ INSTRUCTIONS ON REVERSE SIDE BEFORE COMPLETING THIS FORM

TO: (Include ZIP Code)
Defense Technical Information Center (DTIC)
8725 John J. Kingman Road, Suite 0944
Fort Belvoir, Va 22060-6218

FROM: (Include ZIP Code)
Commander, U.S. Army Soldier and Biological Chemical
Commander, ATTN: AMSSB-SIS (Mr. McClain)
Blackhawk Road, Aberdeen Proving Ground, MD
21010-5424

- ☒ THE DOCUMENT(S) DESCRIBED BELOW HAS/HAVE BEEN REVIEWED FOR REGRADING AND ACTION HAS BEEN TAKEN AS INDICATED. APPROPRIATE ACTION SHOULD BE TAKEN TO MARK YOUR COPIES AND NOTIFY ALL RECIPIENTS TO WHOM ADDITIONAL DISTRIBUTION WAS FURNISHED IN ACCORDANCE WITH AR 380-5. DOCUMENTS CONCERNING THIS SAME SUBJECT SHOULD BE REVIEWED FOR POSSIBLE REGRADING.
- ☐ REQUEST DOCUMENT(S) DESCRIBED BELOW BE REVIEWED TO DETERMINE WHETHER THEY CAN BE DOWNGRADED OR DECLASSIFIED AT THIS TIME. (Include justification in the "REMARKS" section of this form.)
- ☐ REQUEST APPROPRIATE CLASSIFICATION/REGRADING INSTRUCTIONS FOR DOCUMENTS DESCRIBED BELOW.

CONTROL NUMBER	DESCRIPTION (TYPE, FILE REFERENCE, UNCLASSIFIED SUBJECT OR SHORT TITLE, INDORSEMENTS, INCLOSURES)	CLASSIFICATION/ REGRADING INSTRUCTIONS	
		OLD	NEW
ARCSL-SP-83015 ADE 033491	Physical Properties of Standard Agents, Candidate Agents, and Related Compounds at Several Temperatures	C	U

PRINTED OR TYPED NAME AND TITLE OF OFFICER
Marlin Julian
Chief, Edgewood Area Security Team

SIGNATURE



REMARKS

Even though these documents are not classified, they are not cleared for public release. The following statement should apply. This information is subject to EXPORT CONTROL LAWS. These documents contain technical data whose export is restricted by the Arms Export Control Act (Title 22 U. S. C Sec. 2751, et. seq) or Executive Order 12470. Violators of these export laws are subject to severe criminal penalties.

ACTION TAKEN OR RECOMMENDED BY RECIPIENT**INSTRUCTIONS**

1. Prepare sufficient number of copies to furnish one copy to each addressee of the original document and one copy for retention. Entries on form may be printed in ink.

2. Care will be taken to completely identify the document(s) being regraded to prevent error by the recipient. All inclosures being regraded will be accounted for. When covering document only is being regraded and there are inclosures (*classified or unclassified*) which are not being regraded, the symbol "n/c" will be entered in the OLD/NEW columns. The regrading form will contain unclassified information only. Short titles will consist of the first letter of each word in the subject or title except when a formal short title has been assigned.

3. The abbreviations authorized by DoD 5200.1-R and AR 380-5 will be used to indicate the old and new classifications and regrading instructions. Include declassification dates.

4. When the document(s) will be regraded upon the occurrence of an event, the classification will be followed by an asterisk (*) and the event described at the bottom of the form or in the "REMARKS" section, above.

5. When the form is used as a request for review, the need for a lower classification for the document or documents will be shown.



DEPARTMENT OF THE ARMY
US ARMY RESEARCH, DEVELOPMENT AND ENGINEERING COMMAND
EDGEWOOD CHEMICAL BIOLOGICAL CENTER
5183 BLACKHAWK ROAD
ABERDEEN PROVING GROUND, MD 21010-5424

REPLY TO
ATTENTION OF

RDCB-DPC-RS

FEB 18 2016

MEMORANDUM THRU Director, Edgewood Chemical Biological Center, (RDCB-D/Dr. Joseph L. Corriveau), 5183 Blackhawk Road, Aberdeen Proving Ground, Maryland 21010-5424

FOR Defense Technical Information Center (DTIC), 8725 John J. Kingman Road, Ft Belvoir, VA 22060-6218

SUBJECT: Request for Change in Distribution

1. This action is in response to an Edgewood Chemical Biological Center (ECBC) internal request for a Change in Distribution for the attached listed documents.
2. The listed documents have current distribution statements or classifications which limit their release. ECBC Subject Matter Experts have reviewed the documents and deem them all suitable for the change in distribution to read "Distribution A: Approved for public release; distribution unlimited."
3. The point of contact is Adana Eilo, ECBC Security Specialist, (410) 436-2063 or adana.l.eilo.civ@mail.mil.

Encl


RONALD L. STAFFORD
Security Manager

1. *Report on Properties of War Gases*, Volume 1, G-Agents (U), Chemical Corps Board, Army Chemical Center, MD, **1956**, CONFIDENTIAL Report, (AD-108 456).
2. Rueggeberg, W. H. C.; Ginsburg, A. *The Synthesis of MCE, Cyano (Dimethylamino) Ethoxyphosphine Oxide*, Chemical Warfare Service Technical Data Memorandum Report 1138, **1945** (ADB968799) Dist. "D"
3. Doyle, W. L., et al. *Informal Monthly Progress Report on Toxicity and Irritancy of Chemical Agents*, No. N.S. 3, The University of Chicago Toxicity Laboratory in cooperation with The Medical Division, Chemical Warfare Service, U.S. Army and the Bureau of Medicine and Surgery, U.S. Navy, **1945**. (CBRNIAC-CB-068173) Dist. "E"
4. Panariello, V. Monthly Intelligence Report, 40th Chemical Laboratory Company, April **1945**. (HDIAC-2075468) Dist. "E"
5. Snyder, Jr., H. L.; Hudgin, D. E.; Schlesinger, A. *Captured Material Technical Report #60, New German Chemical Warfare Agent, A Cyano Phosphate*, 44th Chemical Laboratory Company, APO 298, US Army, **1945**. (HDIAC-2075719) Dist. "E"
6. Reuggeberg, W.H.C. *German Agent MCE, Letter Report of Visit to University of Chicago and University of Illinois*, Chemical Division, Edgewood Arsenal, MD, **1945**. (CBRNIAC-CB-114805) Dist. "E"
7. Samuel, J. B.; Penski, E. C.; Callahan, J. J. *Physical Properties of Standard Agents, Candidate Agents, and Related Compounds at Several Temperatures*, UNCLASSIFIED Special Publication ARCSL-SP-83015, U.S. Army Chemical Systems Laboratory, Aberdeen Proving Ground, MD, **1983**, (ADC033491) Dist. "E"
8. Abercrombie, P.L. *Physical Property Data Review of Selected Chemical Agents and Related Compounds: Updating Field Manual 3-9 (FM 3-9)*; ECBC TR-294; U.S. Army Edgewood Chemical Biological Center: Aberdeen Proving Ground, MD, **2003**; Report (ADB294480) Dist. "D"
9. Chemical Agent Data Sheets, Volume 1, EO-SR-74001, Department of the Army, Headquarters, Edgewood Arsenal, Aberdeen Proving Ground, Maryland, **1974**. (CBRNIAC-CB-007206) Dist. C (export controlled)
10. War Department Memorandum, Subject: New German Gas, MCE, Preliminary Report, 19 June **1945**. (CBRNIAC-CB-093876)

Encl