

UNCLASSIFIED

AD NUMBER: AD0248343

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to US Government Agencies and their Contractors; Administrative/Operational Use; 1 May 1959. Other requests shall be referred to the Advisory Group for Aeronautical Research and Development, APO, AE, 09777.

AUTHORITY

Per AGARD ltr dtd 24 Apr 1970

UNCLASSIFIED

AD 248 343

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

REPORT 240

ASTIA
CATALOG

AS AD NO. 248343

10800
ADVISORY GROUP FOR AERONAUTICAL
RESEARCH AND DEVELOPMENT

REPORT 240

**PHYSIOLOGICAL INSTRUMENTATION
OF PILOTS FOR TEST AND OPERATIONAL
FLIGHTS IN NAVY HIGH PERFORMANCE
JET AIRCRAFT**

PHASE I - PRELIMINARY INVESTIGATIONS

by
FRANK H. AUSTIN

MAY 1959



XEROX
61-1-5

NORTH ATLANTIC TREATY ORGANIZATION
PALAIS DE CHAILLOT, PARIS 16

NORTH ATLANTIC TREATY ORGANIZATION
ADVISORY GROUP FOR AERONAUTICAL RESEARCH AND DEVELOPMENT

PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND
OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE
JET AIRCRAFT

PHASE I - PRELIMINARY INVESTIGATIONS

by

Frank H. Austin

This Report was presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

SUMMARY

The need for more precise monitoring of the pilot's physiological and psychological status in flight has long been realized. Projects are being conducted at the Naval Air Test Center to measure certain of these functions during stressful test flights and correlate changes in the pilot with recorded acceleration forces and rates of attitude change. Initial investigations have been made with available instrumentation and criteria are being laid down for new equipment to be developed.

The over-all Navy In-flight Physiological Instrumentation Program has a dual goal, first to develop a useful research tool for gathering data to feed back into laboratory simulators such as the centrifuge, low-pressure chamber and disorientation simulator, and secondly to discover the measuring of which physiological parameters can best be adapted to operational flight to aid pilot safety and effectiveness.

This Report presents information on the electrocardiogram and respiratory rate during spin tests of a supersonic carrier fighter airplane. Also presented are the accelerations encountered by a pilot, measured concurrently on the airplane seat frame and on his helmet during catapult launch, rapid accelerations and decelerations and rolls and under actual instrument flight conditions. Analysis of accelerations during actual instrument approaches may lead to better understanding and solution of the vertigo accident problem.

An oximeter pick-up based on a new concept of operation and packaged with a miniaturized tape recorder for in-flight data link, now under development for flight test, is described.

613.69:612.014.4

3g2b2

SOMMAIRE

On s'est depuis longtemps rendu compte de la nécessité des observations plus précises en vol des réactions physiologiques et psychologiques du pilote. Des projets en cours au centre d'essais américain de l'Aéronavale ont pour but de mesurer certaines de ces réactions au cours des vols d'essai soumis à des sollicitations et de faire une corrélation entre les modifications d'ordre physique se produisant dans le pilote avec les forces d'accélération et les vitesses de variation d'assiette enregistrées. Des études initiales ont été effectuées à l'aide des instruments actuellement disponibles, et on cherche à établir les critères permettant la mise au point d'instruments de type nouveau.

Le programme d'instrumentation global pour les mesures physiologiques à effectuer par l'Aéronavale américaine vise deux buts; en premier lieu, de mettre au point un outil de recherche utile permettant d'obtenir des résultats pouvant être introduits dans les simulateurs de laboratoire, tels que la centrifugeuse, la chambre basse pression et le simulateur de désorientation, et deuxièmement de déterminer lesquels des paramètres physiques mesurés s'adaptent le mieux aux conditions opérationnelles de vol, en vue d'une amélioration de la sécurité et des capacités du pilote.

613.69:612.014.4

3g2b2

CONTENTS

| | Page |
|-------------------------|-----------|
| SUMMARY | 11 |
| 1. INTRODUCTION | 1 |
| 2. CONCLUSION | 2 |
| ACKNOWLEDGEMENTS | 3 |
| DISTRIBUTION | |

PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT

PHASE I - PRELIMINARY INVESTIGATIONS

Frank H. Austin*

1. INTRODUCTION

Engineers have begrudgingly admitted that at the present time and for some time in the future, man must usually be included in the control link of experimental and operational aircraft. Man has been looked upon as the weak link due to his physical and psychological sensitivity to the abnormal situations and even the usual sensations of flight. Whether man is the weakest link in our current series of high performance jet airplanes can certainly be a point of conjecture, especially when one reviews the numerous accidents caused by material failure or mal-maintenance and mal-servicing of the highly complex systems encountered in modern aircraft.

The job of Aviation Medicine has always been to assure that an aviator was pre-selected with regard to his health and prowess, maintained in this peak condition and restrained from flying when he failed physically or psychologically, and was as well protected from the physical stresses of flight and emergency escape as personal equipment development would allow. We readily admit that we have by necessity applied the 'art of medicine' to many situations regarding an aviator's physical state, and we continue to suffer from a dearth of specific information concerning the pilot and his responses during actual flight.

We are interested today in the aspect of measuring some of the stresses in flight so that they can be more accurately simulated in the research laboratories and in concurrently measuring some pilot's physiological parameters to determine, first, those stresses which are most detrimental to him and, secondly, which parameters it might be best to monitor for test and operational flight. To be more specific on this latter point, it would be of little use to us to bother measuring, for example, the pilot's pulse rate, if it was found to remain normal while he went unconscious, lost control of his airplane and crashed. Likewise, if the pulse goes to what classically might be considered pathologically rapid rates prior to the pilot's encountering some unusually stressful condition in flight, or during his control of the situation, even when he continues to function superbly, the pulse rate as an index becomes worthless.

From our general knowledge concerning the physiological parameters it is evident that we must measure several of these simultaneously in order to cover the field. Some are much more difficult to record than others, particularly during flight. For example, the problem of obtaining a useful electroencephalogram on a pilot wearing normal flight equipment and performing his usual activities during flight appears nearly unsurmountable. Considerably improved techniques of instrumentation will be required before useful curves, with all insignificant interferences filtered out, can be obtained.

*Head, Aero-Medical Branch, Service Test Division, Naval Air Test Center, Maryland, U.S.A.

In the project at the Naval Air Test Center, we have approached the problem of in-flight physiological instrumentation from two aspects: first, the measurement of the pilot's environment and stresses, and secondly, the measurement of the pilot's physiological parameters. From the first, we can determine end-points from our general knowledge of human limitations. From the latter, we can read the body's actual response, then interpret, we hope accurately, the degree of pilot proficiency deficit. A third phase of this project will be an attempt to measure directly a pilot's alertness and proficiency, and when this can be done accurately, and without interference with the primary mission, then our problem should be solved.

A primary obstacle to the project was the prevailing concept that physiological monitoring of current test programs would be of little value. Successful programs have been conducted for years without it. Also, aeronautical engineers are most jealous of their instrumentation channels and never seem to have enough to go around. However, once the program was introduced, enthusiasm for it grew rapidly. In the first phase we used standard available instrumentation equipment and measured the accelerations during catapult launch, arrested landings and spins of Navy high performance jet aircraft, and the accelerations of low order encountered during approaches under actual instrument flight conditions. These various acceleration stresses are those that can lead to loss of control during take-off, decompression fractures of the spine during high sink landings, disorientation and the inability to recover from uncontrolled flight and serious vertigo under actual instrument flight conditions. During the spins we recorded the pilot's electrocardiogram and respirations and have attempted to correlate these with the linear and radial accelerations encountered.

2. CONCLUSION

Additional work is required using the instrumentation available, to correlate fully many of the acceleration phenomena encountered with the pilot's physiological parameters. This is particularly true of accelerations during actual instrument flight which might be conducive to vertigo. When significant repetitive patterns are detected these will be introduced into the disorientation simulator located at the School of Aviation Medicine, Pensacola, Florida. The acceleration patterns obtained from catapult launching, arrested landings and spins are being studied by the Naval Medical Acceleration Laboratory, Johnsville, Pennsylvania. They will be used during simulated flight with the human centrifuge and for the purpose of extrapolating the 'g' patterns encountered to those higher 'g' values anticipated for some future aircraft. In these studies the ability of the pilot to perform adequately under the accelerations will be investigated and methods of improving his protection and providing him with more suitable flight instrument presentations and controls will be developed.

We will continue to seek more suitable instrumentation to measure the pilot's environment and his physiological parameters in flight. We hope soon to make simultaneous measurements of temperatures and pressures in the cockpit and within the full pressure suit, the pilot's temperature, his state of oxygenation, his respiratory rate and volume, electrocardiogram, electroencephalogram and perhaps skin resistance and other phenomena to detect over-all stress response. These findings will be tape-recorded in a compact, pilot-carried package, or telemetered for appropriate in-flight monitoring. A American Electronics Laboratory oximeter should soon be available for test flight. The concept of a pilot-carried miniaturized package has been

used in this development in the hope that even should ejection from a crippled plane become necessary, the physiological data will continue to be recorded.

Our ultimate goal in this work is to have the test pilot as fully instrumented for in-flight monitoring and post-flight analysis, as we now have our airplanes. In this way the physiological build-up in the test program can be as significant to flight safety and gains of knowledge as are the structural, aerodynamic and engine function envelopes at present. From this we hope to acquire the know-how for easily instrumenting the operational pilot, to monitor him and assure peak performance for his mission and help prevent costly aircraft accidents with attendant loss of life and fantastically expensive hardware.

ACKNOWLEDGEMENTS

This work has been made possible by the excellent cooperation and assistance of the following personnel:

- a. The National Naval Medical Institute, Strato-Lab Team, under the direction of Capt. Norman Barr, MC, USN; for providing the miniaturized electrocardiograph of their design and production.
- b. The F8U-2 Flight Test Engineering Team of Chance Vought Aircraft Company; particularly Mr. Don Shultz, who enthusiastically acted as a flying subject and Mr. Thomas Owens who provided excellent instrumentation services.
- c. The Instrumentation Section of Service Test, NATC; Mr. Bob Hughes and Mr. Frank Kalinchak, for providing numerous invaluable instrumentation services.
- d. The Douglas Aircraft Company; for providing movies and acceleration data for the F4D-1 spins.
- e. The Carrier Suitability Branch of Flight Test; NATC; particularly Mr. Allan F. Benzanson, for excellent gathering and reporting of acceleration data.
- f. The American Electronics Laboratories of Philadelphia; Mr. John Busser, for Technical data on the miniaturized instrumentation package development.

DISTRIBUTION

Copies of AGARD publications may be obtained in the various countries at the addresses given below.

On peut se procurer des exemplaires des publications de l'AGARD aux adresses suivantes.

| | |
|----------------------|--|
| BELGIUM BELGIQUE | Centre National d'Etudes et de Recherches Aéronautiques 11, rue d'Egmont Bruxelles. |
| CANADA | Director of Scientific Information Services, Defence Research Board Department of National Defence 'A' Building Ottawa, Ontario. |
| DENMARK DANEMARK | Military Research Board Defence Staff Kastellet Copenhagen Ø. |
| FRANCE | O.N.E.R.A. (Direction) 25, avenue de la Division-Leclerc Châtillon-sous-Bagneux (Seine) |
| GERMANY ALLEMAGNE | Wissenschaftliche Gesellschaft für Luftfahrt Zentralstelle der Luftfahrt-dokumentation München 64, Flughafen Attn: Dr. H.J. Rautenberg |
| GREECE GRECE | Greek Nat. Def. Gen. Staff B. MEO Athens. |
| ICELAND ISLANDE | Director of Aviation C/o Flugrad Reykjavik Iceland |
| ITALY / ITALIE | Centro Consultivo Studi e Ricerche Ministero Difesa - Aeronautica Rome. |

| | | | |
|--|------------------------------------|--|------------------------------------|
| <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> <p>This Report describes briefly projects being conducted at the Naval Air Test Center on pilot physiological and psychological reactions in flight. As a result of initial investigations already made, criteria are being developed for new equipment.</p> <p>P. T. O.</p> | <p>613.69:612.014.4 3g2b2</p> | <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> <p>This Report describes briefly projects being conducted at the Naval Air Test Center on pilot physiological and psychological reactions in flight. As a result of initial investigations already made, criteria are being developed for new equipment.</p> <p>P. T. O.</p> | <p>613.69:612.014.4 3g2b2</p> |
| <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> <p>This Report describes briefly projects being conducted at the Naval Air Test Center on pilot physiological and psychological reactions in flight. As a result of initial investigations already made, criteria are being developed for new equipment.</p> <p>P. T. O.</p> | <p>613.69:612.014.4 3g2b2</p> | <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> <p>This Report describes briefly projects being conducted at the Naval Air Test Center on pilot physiological and psychological reactions in flight. As a result of initial investigations already made, criteria are being developed for new equipment.</p> <p>P. T. O.</p> | <p>613.69:612.014.4 3g2b2</p> |

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

| | | | |
|--|------------------------------------|--|------------------------------------|
| <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> | <p>613.69:612.014.4 362b2</p> | <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> | <p>613.69:612.014.4 362b2</p> |
| <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> <p>This Report describes briefly projects being conducted at the Naval Air Test Center on pilot physiological and psychological reactions in flight. As a result of initial investigations already made, criteria are being developed for new equipment.</p> <p>P. T. O.</p> | <p>613.69:612.014.4 362b2</p> | <p>AGARD REPORT 240 North Atlantic Treaty Organisation, Advisory Group for Aeronautical Research and Development PHYSIOLOGICAL INSTRUMENTATION OF PILOTS FOR TEST AND OPERATIONAL FLIGHTS IN NAVY HIGH PERFORMANCE JET AIRCRAFT PHASE I - PRELIMINARY INVESTIGATIONS Frank H. Austin 1959 3 pages.</p> <p>This Report describes briefly projects being conducted at the Naval Air Test Center on pilot physiological and psychological reactions in flight. As a result of initial investigations already made, criteria are being developed for new equipment.</p> <p>P. T. O.</p> | <p>613.69:612.014.4 362b2</p> |

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

the ultimate goal being to have the test pilot as fully instrumented for in-flight monitoring as the airplane itself.

Presented at the Fourteenth Meeting of the Flight Test Techniques and Instrumentation Panel, held 11-15th May 1959, in Athens, Greece

LUXEMBURG
LUXEMBOURG

Luxemburg Delegation to NATO
Palais de Chaillot
Paris 16.

NETHERLANDS
PAYS BAS

Netherlands Delegation to AGARD
10 Kanaalstraat
Delft, Holland.

NORWAY
NORVEGE

Chief Engineering Division
Royal Norwegian Air Force
Deputy Chief of Staff/Material
Myntgaten 2
Oslo, Norway
Attn: Lt. Col. S. Heglund

PORTUGAL

Subsecretariado da Estado da
Aeronautica
Av. da Liberdade 252
Lisbon.
Attn: Lt. Col. Jose Pereira do
Nascimento

TURKEY
TURQUIE

M. M. Vekaleti
Erkaniharbiyei Umumiye Riyaseti
Ilmi Istisare Kurulu Mudurlugu
Ankara, Turkey
Attn: Brigadier General Fuat Ulug

UNITED KINGDOM
ROYAUME UNI

Ministry of Aviation
TIL, Room 009A
First Avenue House
High Holborn
London, W.C.1.

UNITED STATES
ETATS UNIS

National Aeronautics and Space
Administration
1512 H Street, N.W.
Washington 25, D.C.



UNCLASSIFIED

UNCLASSIFIED