

AD-701719

USAF

*Technical Applications Center*  
ENVIRONMENTAL

ETAC

WORLDWIDE AIRFIELD CLIMATIC DATA

VOLUME VIII PART 6

United States of America  
(Southeast Region)

THIS DOCUMENT HAS BEEN APPROVED FOR  
PUBLIC RELEASE AND SALE: ITS DISTRIBUTION  
IS UNLIMITED.

79 07 23 010

FEBRUARY 1970

Published volumes of World-Wide Airfield Summaries are available for the following areas:

<u>Volume</u>	<u>Name</u>	<u>Clearinghouse Accession Number</u>
Volume I	Southeast Asia	AD-656-092
Volume II (Parts 1 & 2)	Middle East <b>A002162-A002163</b>	<del>AD-662-427</del> <b>AD-662-427</b>
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including So. Pacific Is.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD-664-829
Volume VII	Central America	AD-671-845
Volume VIII	United States of America	
Part 1	West Coast, Western Mtns. and Great Basin	AD-688-472
Part 2	Rocky Mtns. and Northwest Basin	AD-689-792
Part 3	Central Plains	AD-693-491
Part 4	Great Lakes	
Part 5	Mississippi Valley	
Part 6	Southeastern Region	
Part 7	East Coast and Appalachian Region	
Part 8	Alaska and Hawaii	
Volume IX	Africa	
Part 1	Northern Half	AD <del>682-915</del> <b>686 433</b>
Part 2	Southern Half	AD 682 915

An additional volume is planned for Europe (Volume X).

## WORLDWIDE AIRFIELD CLIMATIC DATA

### FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the USAF Environmental Technical Applications Center (ETAC), Building 159, Navy Yard Annex, Washington, D. C. 20333. This series is also being published by the U. S. Naval Weather Service, Navy Yard, Washington, D. C. 20390, under the title "U. S. Naval Weather Service World-Wide Airfield Summaries." Copies of this document are obtainable from the Federal Clearinghouse for Scientific and Technical Information (CFSTI), Springfield, Virginia 22151, at a cost of \$3.00 per copy.

WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME VIII

UNITED STATES OF AMERICA PART 6 SOUTHEASTERN REGION

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in the United States. Summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. The climatic areas are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.



## GLOSSARY OF GENERAL TERMS

### AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

### CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

### LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

### AIRFIELD PARAMETERS

#### ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

**MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.**

The average of all the daily maximum (minimum) temperatures observed in the specified month.

**MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.**

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

**MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).**

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

**MEAN DEW POINT TEMPERATURE-DEG. F.**

The average of all hourly dew point temperatures observed in the specified month.

**MEAN RELATIVE HUMIDITY-PERCENT**

The average of all hourly relative humidity values observed in a specified month.

**MEAN PRESSURE ALTITUDE-FEET**

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

**MEAN MONTHLY PRECIPITATION-INCHES**

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

**MEAN MONTHLY SNOWFALL-INCHES**

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING GREATER THAN 1,000 FEET (GREATER THAN 2,500 FEET, GREATER THAN 6,000 FEET, ETC.) AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, etc.) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING GREATER THAN 2,000 FEET AND VISIBILITY GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND GREATER THAN 16 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be greater than 16 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F. AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

## DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

# SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatological Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatological Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- |  |  |
|--|--|
| 28 British Meteorological Tables   | 44 India Meteorological Department -<br>India Weather Review   |
| 29 Statistical Estimate  | 45 Batavia - Rainfall in Indonesia<br>(Verhandeligen No. 37)   |
| 30 Interpolation   | 46 Turkey-Yillik Meteoroloji Bulteni   |
| 31 Professional Subjective Estimate  | 47 Rainfall Statistics of the British Borneo<br>Territories  |
| 32 Climatic Norms (Clino) WMD  | 48 Ceylon Meteorological Report - December<br>1938 - 1949  |
| 33 CB Climatological Briefs  | 49 Kuwait, Arabia - Climatological Data Annual   |
| 34 CDC WB Climatic Data Card   | 50 Ace Data, computed, derived or substituted<br>from data available 1964  |
| 35 N Summary   | 51 Promedios Climatologicos de Venes Uela<br>Perido - 1951 - 1960  |
| 36 Climatological Summaries, Niger, Africa   | 52 Chile Servicio Meteorologico, Anu Ario<br>Meteorologico, Publication No. 73                                   |
| 37 Cape Verdi Islands Servicos de Estatistica<br>Meteorologia E. Climatologia                            | 53 Climate of Ecuador  |
| 38 Malaya-Meteorological Service Summary of<br>Observations  | 54 Peru Direction General de Meteorologia<br>Boletin Annual Meteorologico  |
| 39 Revolutionary Government of the Union of<br>Burma Meteorological Department<br>Climatological Summary | 55 Brazil Normais Climatologicas da Area da<br>Sudene  |
| 40 Vietnam - Direction de La Meteorologie<br>Resume Mensuel du Temps                                     | 56 Climatologia de Caille, Fasciculo Valores<br>Normales de 36 Estaciones Seleceionadas,<br>Perido - 1916 - 1945 |
| 41 Afghanistan Meteorological Institute<br>Monthly Weather Bulletins                                     | 57 H. O. Pub No. 527 Weather Summary-Brazil  |
| 42 Lebanon - Service de Climatologie Bulletin<br>Climatologique Mensuel                                  | 58 H. O. Pub No. 529 Weather Summary-South<br>America - - Southern Part  |
| 43 Climatological Tables of Observations in<br>India (red book)  |  |



- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico-2WG
- 65 Climatological Studies Weather and Climate of West Indies-2WG
- 66 H. O. Pub. No. 528 Weather Summary-South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America-2WG
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H. O. Pub. No. 531 Weather Summary Central America-For Use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H. O. Pub. No. 532 Weather Summary Mexico
- 73 H. O. Pub. No. 264 Weather Summary-South Africa
- 74 H. O. Pub No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H. O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H. O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951 - 1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 81 Authentic Data, but source unknown.
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13-years 1962 thru 1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019  
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901 - 1950  
Pub. B No. 1 and 1941 - 1950 Pub B No. 3
- 89 Anuario Meteorologico 1952, 53, 54  
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944  
al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern  
Sinaloa, Baja, Calif., Univ. of Ariz.,  
Tech. Rpt. Nos. 14, 15, 1 Oct 1964
- 93 Avg. Climatic Water Balance Data of the  
Continents, Part IV, Australia, New Zealand  
and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall,  
Melbourne, 1951
- 95 Climatological Studies, Wea. and Clin.  
Pacific Islands, Hqs, 2nd Wea Gp F-8
- 96 Climate of the Morow Henua Lowlands New
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office Y.O. Nos. W-270,  
W-271, 272, 273, 275, 276, 526, yrs. 1943-4
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly  
precip ETAC computed from mean monthly  
snowfall with water equivalent basis of  
10 ins of snow equal 1 in of precip).
- 102 Anare Data Reports, Series D, Meteorology,  
No. 81, XIII, XII, Melbourne, 1963-5.
- 103 Meteorological and Radiational Regimes of  
Antarctica, U.S. Dept. of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II,  
1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes  
in the Northwest Territories during the  
period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during  
1951-1960 for selected Canadian Arctic  
stations, 1963
- 110 Canada Met. Branch, Temperature Extremes,  
1966
- 111 Avg. Climatic Water Balance Data of the  
Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, OPNAV P03-3. March 1956
- 124 Temperatures in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanju Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanganyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2WW 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruket, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Mauer, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met Office, London, M.O. 421, 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. 446, 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. 635, 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-60 M.O. 735, 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris, 1904
- 154 Monographies de la Meteorologie Nationale No. 30. Valeurs Normales des Temperatures en France (1921-1950). Paris, 1962

INDEX

# STATION INDEX

## WORLD-WIDE AIRFIELD SUMMARIES - VOLUME VIII

### UNITED STATES OF AMERICA - PART 6

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
SOUTHEAST REGION (Climatic Area 15)			
72226 Montgomery/Dannelly	Ala 01	73206/ Ft Lauderdale/Broward County Intl	Fla 57
73212/ Anniston Mun	Ala 03	73207/ Vero Beach Mun	Fla 59
73219/ Dothan Mun	Ala 05	73208/ Daytona Beach	Fla 61
73285/ Fort Rucker/Cairns AAF	Ala 07	73224/ Crestview	Fla 63
73287/ Montgomery/Maxwell AFB	Ala 09	73266/ Mayport NS	Fla 65
73390/ Andalusia Mun	Ala 11	73267/ Jacksonville/Cecil Field NAS	Fla 67
73765/ Elmore	Ala 13	73268/ Sanford NAS	Fla 69
73772/ Auburn-Opelika	Ala 15	73269/ Tampa/Macdill AFB	Fla 71
73799/ Jacksonville/Reilly Fld	Ala 17	73270/ Orlando/McCoy AFB	Fla 73
73800/ Talladega Mun	Ala 19	73271/ Homestead/Homestead AFB	Fla 75
73801/ Alexander City/Thomas C Russell	Ala 21	73282/ Milton/Whiting Field NAS	Fla 77
75258/ Gadsden Mun	Ala 23	73283/ Valparaiso/Hurlburt Fld Eglin No 9	Fla 79
75259/ Fort Rucker/Lowe AAF	Ala 25	73284/ Panama City/Tyndall AFB	Fla 81
72201 Key West Intl	Fla 27	73378/ Pensacola/Saufley NAAS	Fla 83
72202 Miami Intl	Fla 29	73384/ Marianna	Fla 85
72203 Palm Beach Intl	Fla 31	73387/ Pensacola/Ellyson Fld ALF	Fla 87
72204 Melbourne-Eau Gallie	Fla 33	73388/ Valparaiso/Eglin AF Aux 3	Fla 89
72205 Orlando-Herndon	Fla 35	73472/ Boca Raton Mun	Fla 91
72206 Jacksonville/Imeson	Fla 37	73473/ Avon Park AF Aux	Fla 93
72210 Ft Myers/Page Fld	Fla 39	73474/ Avon Park Mun	Fla 95
72211 Tampa Intl	Fla 41	73475/ Sebring Air Term	Fla 97
72212 Ocala Mun	Fla 43	73476/ Lakeland Mun	Fla 99
72214 Tallahassee Mun	Fla 45	73477/ Lake Wales Mun	Fla 101
72220 Apalachicola Mun	Fla 47	73478/ Bartow Mun	Fla 103
72221 Valparaiso/Eglin AFB	Fla 49	73479/ Crystal River	Fla 105
73203/ Cross City	Fla 51	73480/ Tampa/Peter O'Knight	Fla 107
73204/ Gainesville	Fla 53	73481/ St Petersburg-Clearwater	Fla 109
73205/ St Petersburg CG	Fla 55	73482/ Kissimmee Mun	Fla 111

STATION NO./NAME		PAGE NO.		STATION NO./NAME		PAGE NO.	
SOUTHEAST REGION (Climatic Area 15)				73585/	Key West/NAS	Fla	177
73483/	Bradenton/Ellenton	Fla	113	73586/	Marathon/Flight	Fla	179
73484/	Sarasota-Bradenton	Fla	115	73783/	Perry-Foley	Fla	181
73485/	Keystone Hgts/Keystone	Fla	117	73784/	Panama City/Fannin	Fla	183
	Airpark			73817/	Crestview/Bob Sikes	Fla	185
73486/	Brooksville Mun	Fla	119	73819/	Milton/Santa Rosa OLF	Fla	187
73487/	Leesburg	Fla	121	73820/	Jacksonville/Craig Mun	Fla	189
73488/	Venice Mun	Fla	123	73828/	Pensacola Mun	Fla	191
73489/	Bunnell	Fla	125	74794	Cape Canaveral	Fla	193
73490/	St Augustine/Fairchild	Fla	127	74795	Cocoa Beach/Patrick AFB	Fla	195
73491/	Palatka/Kay Larkin	Fla	129	75127/	Boyd	Fla	197
73492/	New Smyrna Beach	Fla	131	75148/	Pensacola/Bronson OLF	Fla	199
73493/	Cape Coral	Fla	133	75149/	Pensacola/Chevalier NAS	Fla	201
73494/	Punta Gorda/Charlotte	Fla	135	75153/	Jacksonville/Herlong	Fla	203
	County			75154/	Jacksonville/NAS	Fla	205
73495/	Everglades	Fla	137	75155/	Baldwin/Whitehouse OLF	Fla	207
73496/	Immokalee	Fla	139	75156/	Lake City	Fla	209
73497/	Plant City Mun	Fla	141	75157/	Milton T Fld	Fla	211
73568/	Hollywood/North Perry	Fla	143	75321/	Valparaiso/Eglin	Fla	213
73569/	Miami/Opa Locka	Fla	145		AF Aux 2		
73570/	Pompano Beach	Fla	147	75322/	Fernandina Beach	Fla	215
73571/	Winter Haven/Gilbert Fld	Fla	149	75323/	Naples/America	Fla	217
73572/	Zephyrhills Mun	Fla	151	75324/	Okeechobee/County	Fla	219
73573/	Sebastian Mun	Fla	153	75325/	Titusville/Ti-Co	Fla	221
73574/	Felsmere/Sottile Groves	Fla	155	75326/	Williston Mun	Fla	223
73575/	Ft Pierce/St Lucie County	Fla	157	75580/	Milton/Whiting Fld S	Fla	225
73576/	Clewiston/Airglades State	Fla	159	72216	Albany Mun	Ga	227
73577/	Belle Glade/State	Fla	161	72217	Macon Mun	Ga	229
73578/	St Lucie/Circle T Ranch	Fla	163	72218	Augusta/Bush Fld	Ga	231
73579/	Clewiston	Fla	165	72219	Atlanta	Ga	233
73580/	Pahokee/Palm Beach	Fla	167	72227	Marietta/Dobbins AFB	Ga	235
	County-Glades			72311	Athens/Ben Epps	Ga	237
73581/	Boynton Beach/Palm	Fla	169	73200/	Atlanta/Fulton County	Ga	239
	Beach County			73202/	Valdosta Mun	Ga	241
73582/	Stuart/Witham Fld	Fla	171	73210/	Alma/43 Mia-Atl	Ga	243
73583/	De Land	Fla	173	73263/	Valdosta/Moody AFB	Ga	245
73584/	Ft Lauderdale/Executive	Fla	175	73265/	Brunswick/Glynco NAS	Ga	247
				73289/	Columbus/Lawson AAF	Ga	249



STATION NO./NAME PAGE NO.

SOUTHEAST REGION (Climatic Area 15)


73290/	Albany/Turner AFB	Ga	251
73291/	Warner Robins/Robins AFB	Ga	253
73386/	La Grange/Galloway	Ga	255
73696/	Cairo/Grady County	Ga	257
73760/	Cordele	Ga	259
73761/	Tifton/Myers	Ga	261
73763/	Bainbridge	Ga	263
73767/	Savannah/Hunter AFB	Ga	265
73773/	Americus/Souther Fld	Ga	267
73779/	Moultrie/Spence AF Aux	Ga	269
73789/	Thomasville Mun	Ga	271
73790/	Hinesville/Liberty AAF	Ga	273
73793/	Douglas Mun	Ga	275
73794/	Dublin Mun	Ga	277
73795/	Waycross/Ware County	Ga	279
73796/	Ackworth/McCollum	Ga	281
73797/	Homerville Flt Strip	Ga	283
73802/	Toccoa-Stephens County	Ga	285
73803/	Winder	Ga	287
73804/	Atlanta/Morris AAF	Ga	289
73806/	Augusta/Daniel Fld	Ga	291
73808/	Brunswick/McKinnon	Ga	293
73823/	Macon/Smart	Ga	295
75125/	Rome/Russell	Ga	297
75128/	Adel/Cook County	Ga	299
75159/	Columbus/Muscogee County	Ga	301
75228/	Marietta/Atlanta NAS	Ga	303
75229/	Gainesville	Ga	305
75327/	Carrollton Mun	Ga	307
75328/	Bainbridge/Commodore- Decatur	Ga	309
75329/	Swainsboro/Emanuel County	Ga	311
75330/	Jasper/Pickens County	Ga	313
75331/	Thomaston/Reginald Grant Mun	Ga	315
75332/	Sylvania/Rowan	Ga	317

STATION NO./NAME


PAGE NO.

75333/	St Marys	Ga	319
75334/	Statesboro Mun	Ga	321
75335/	Sunset	Ga	323
72208	Charleston Mun	SC	325
72310	Columbia	SC	327
73308/	Anderson Mun	SC	329
73348/	Myrtle Beach/Myrtle Beach AFB	SC	331
73352/	Eastover/McEntire ANGB	SC	333
73385/	Barnwell/County	SC	335
73656/	Myrtle Beach	SC	337
73785/	Orangeburg Mun	SC	339
73786/	Sumter/Shaw AFB	SC	341
73787/	Camden/Woodward Fld	SC	343
73805/	Aiken Mun	SC	345
73809/	Georgetown/County	SC	347
73810/	Charleston/Johns Island	SC	349
73816/	Columbia/Owens	SC	351
75151/	Beaufort/MCAS	SC	353
75160/	Greenwood/County	SC	355
75506/	Abbeville/Hester Memorial	SC	357
75507/	Sumter Mun	SC	359
	Climat		361





See inside front cover for additional information concerning titles, AD numbers and areal coverage.



## MONTGOMERY/DANNELLY, ALABAMA

STA NO. 72226 (IN AREA NUMBER 15)

LATITUDE 3218N

LONGITUDE 08623W

ELEVATION(FT) 00221

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	83	89	90	98	105	105	104	101	100	85	83	105	16	-113
MEAN MAX TMP (F)	60	63	68	77	85	91	92	92	87	79	67	60	77	16	-113
MEAN MIN TMP (F)	39	41	46	53	61	69	71	71	66	54	42	37	54	16	-113
ABS MIN TMP (F)	8	10	20	31	42	49	59	57	44	26	13	16	8	16	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	9.0	19.0	25.0	26.0	14.0	2.0	0.0	0.0	95.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	11.0	6.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.0	10.0	35.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	42	43	45	53	61	68	71	70	65	55	44	41	55	12	-73287
MEAN REL HUM (PCT)	74	69	66	65	66	68	72	70	71	69	68	73	69	12	-73287
MEAN PRESS ALT (FT)	14	44	88	115	144	163	120	142	151	105	46	16	96	0	-50
MEAN PRECIP (IN)	3.78	4.08	5.90	5.20	4.04	3.92	5.44	3.36	4.91	2.19	3.77	4.24	50.8	16	-113
MEAN SNOW FALL (IN)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	7.5	7.4	7.2	6.8	6.7	8.2	6.1	7.5	3.9	6.0	7.8	82.3	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	2.0	1.3	1.0	1.0	0.8	0.9	0.7	1.5	1.6	4.0	4.0	22.4	12	-73287
MEAN NO DYS TSTMS	1.0	2.0	4.0	4.0	6.0	10.0	11.0	9.0	4.0	1.0	1.0	1.0	54.0	79	-24
P FREQ WND SPD = OR GTR 17 KTS	3.7	3.5	5.3	3.3	1.3	0.8	0.4	0.5	0.7	1.0	2.8	3.0	2.2	12	-73287
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73287
P FREQ LES 5000 FT A/D LES 5 MI	42.8	36.8	31.8	23.9	21.2	18.2	21.5	15.5	22.5	23.6	32.5	36.8	27.3	12	-73287
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.1	16.1	11.8	7.1	5.3	3.9	5.8	3.0	8.4	8.0	15.6	18.8	10.6	12	-73287
03-05 LST	27.1	23.3	17.8	14.0	13.4	8.5	11.8	9.1	13.7	15.9	24.1	23.6	16.9	12	-73287
06-08 LST	32.8	28.1	21.5	15.6	16.7	12.8	16.6	11.5	16.6	18.7	27.8	28.6	20.6	12	-73287
09-11 LST	27.4	19.0	13.4	6.9	4.3	5.1	6.0	4.7	10.9	9.5	17.0	23.9	12.3	12	-73287
12-14 LST	14.9	9.4	9.3	3.0	1.8	2.1	1.9	1.2	5.7	4.1	9.0	12.4	6.2	12	-73287
15-17 LST	13.7	9.6	5.8	2.3	2.3	2.0	3.0	1.3	4.0	2.8	7.7	10.9	5.5	12	-73287
18-20 LST	12.6	9.6	6.2	2.9	1.3	1.0	1.6	1.0	3.9	2.7	7.8	10.1	5.1	12	-73287
21-23 LST	16.9	10.7	7.2	4.3	2.3	1.5	2.0	1.9	4.5	5.1	10.6	13.0	6.7	12	-73287
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	2.5	1.5	1.3	0.4	0.8	0.8	0.0	0.9	2.1	4.1	5.5	2.0	12	-73287
03-05 LST	6.7	4.0	2.7	2.8	2.5	1.5	1.7	1.3	2.2	3.9	6.9	7.7	3.7	12	-73287
06-08 LST	7.9	4.3	2.0	1.3	1.6	0.6	1.1	0.9	2.2	2.5	6.2	8.4	3.3	12	-73287
09-11 LST	2.6	1.6	0.8	0.2	0.0	0.1	0.2	0.1	0.1	0.4	1.5	3.1	0.9	12	-73287
12-14 LST	0.9	0.3	0.2	0.3	0.4	0.1	0.3	0.1	0.3	0.0	0.8	1.1	0.4	12	-73287
15-17 LST	2.0	1.1	0.2	0.1	0.5	0.3	0.6	0.4	0.4	0.1	0.7	0.8	0.6	12	-73287
18-20 LST	1.4	1.0	0.2	0.1	0.3	0.1	0.2	0.2	0.4	0.1	1.1	1.3	0.6	12	-73287
21-23 LST	3.0	1.8	0.2	0.4	0.3	0.1	0.1	0.0	0.3	0.9	2.4	3.7	1.1	12	-73287

# MONTGOMERY/DANNELLY, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.0	29.3	29.3	30.7	29.6	30.6	30.6	29.3	30.7	28.3	29.1	351.5	12	-73287
	00 LST	26.7	24.9	28.6	29.1	30.3	29.5	30.3	30.6	29.1	29.7	27.1	26.9	342.8	12	-73287
	06 LST	23.5	21.6	25.1	26.5	27.8	26.8	27.2	28.3	26.7	25.6	22.5	24.2	305.8	12	-73287
	12 LST	27.4	26.1	29.5	29.7	30.7	29.5	30.7	30.9	29.3	30.3	28.1	28.2	350.4	12	-73287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.8	20.9	21.5	24.7	28.4	26.9	27.7	29.1	26.3	27.7	23.3	22.6	300.9	12	-73287
	00 LST	19.8	20.1	22.3	25.1	29.7	28.6	29.3	29.2	26.4	27.3	22.5	21.1	301.4	12	-73287
	06 LST	16.6	15.8	18.6	22.1	23.6	24.4	24.9	26.8	23.1	22.6	17.7	18.7	254.9	12	-73287
	12 LST	14.8	13.3	14.4	17.4	22.3	22.6	25.0	25.6	20.5	22.8	17.3	16.2	232.2	12	-73287
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.5	1.5	0.7	0.1	0.2	0.2	0.1	0.2	0.4	0.6	0.6	5.3	12	-73287
	00 LST	0.2	0.4	0.8	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.9	2.8	12	-73287
	06 LST	0.6	0.7	0.8	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.5	0.5	3.8	12	-73287
	12 LST	2.3	1.6	3.4	2.5	0.8	0.6	0.2	0.1	0.3	0.5	1.7	1.6	15.6	12	-73287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.4	15.7	16.8	16.6	16.7	13.2	16.6	15.4	14.8	14.9	16.0	16.7	190.8	12	-73287
	00 LST	14.5	13.8	16.3	13.7	12.8	12.8	11.8	11.3	14.3	14.4	14.0	15.2	164.9	12	-73287
	06 LST	13.9	13.6	15.6	14.8	14.3	11.6	14.3	12.2	15.4	14.3	14.9	15.0	169.9	12	-73287
	12 LST	16.7	15.1	14.5	17.6	17.4	9.1	9.4	7.7	16.0	19.4	18.3	17.5	178.7	12	-73287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.2	8.2	8.4	10.0	8.4	7.0	4.1	6.5	9.3	16.4	14.2	12.3	114.0	12	-73287
	00 LST	11.4	11.6	12.1	16.8	17.5	16.1	16.9	18.3	17.4	19.7	15.7	13.9	187.4	12	-73287
	06 LST	6.0	6.4	7.4	10.7	9.3	9.2	7.9	10.4	10.7	12.3	8.9	8.9	108.1	12	-73287
	12 LST	6.1	7.1	7.8	8.6	5.2	3.7	2.0	4.7	6.5	11.0	10.7	9.1	82.3	12	-73287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.6	24.3	27.2	27.9	29.9	29.3	30.2	30.0	27.7	29.3	26.1	26.1	333.6	12	-73287
	00 LST	22.0	22.6	25.2	26.8	29.7	29.0	29.5	29.6	27.3	27.7	24.3	23.8	317.5	12	-73287
	06 LST	18.2	17.2	20.9	23.5	24.4	24.8	24.9	26.8	24.2	23.1	19.1	20.9	268.0	12	-73287
	12 LST	22.0	22.7	26.2	26.6	28.6	28.0	28.3	28.9	25.7	28.1	24.9	24.1	314.1	12	-73287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.1	21.1	23.2	24.7	26.9	26.3	26.7	27.9	25.1	25.7	23.2	23.0	294.9	12	-73287
	00 LST	18.7	19.1	22.2	24.4	28.5	28.1	27.9	28.6	26.3	26.1	22.7	21.2	293.8	12	-73287
	06 LST	14.0	15.3	17.6	20.4	22.4	23.5	23.5	25.6	22.3	20.7	16.7	16.8	238.9	12	-73287
	12 LST	16.6	16.9	20.5	20.6	20.2	19.5	17.8	20.6	19.2	21.9	20.5	20.0	234.3	12	-73287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.7	21.0	23.5	25.0	24.6	24.3	26.1	23.6	24.3	21.8	21.0	273.1	12	-73287
	00 LST	17.6	17.5	20.7	23.1	27.1	27.0	27.2	27.7	25.1	24.8	21.4	19.4	278.6	12	-73287
	06 LST	12.4	13.4	15.9	19.3	21.1	22.3	22.5	24.4	21.0	19.6	15.4	15.1	222.4	12	-73287
	12 LST	14.7	15.5	19.1	19.6	19.1	19.3	17.2	20.2	18.6	21.6	19.7	18.4	222.7	12	-73287

## ANNISTON MUNICIPAL, ALABAMA

STA NO. 73212 (IN AREA NUMBER 15)

LATITUDE 3335N

LONGITUDE 08551W

ELEVATION(FT) 00611

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	80	80	85	93	96	102	104	102	101	99	85	80	104	13	-613
MEAN MAX TMP (F)	57	60	65	75	84	90	92	92	86	76	64	57	75	13	-113
MEAN MIN TMP (F)	35	37	41	49	57	65	68	67	61	49	37	34	50	13	-113
ABS MIN TMP (F)	11	4	14	29	34	43	51	50	39	22	5	10	4	13	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.7	18.6	19.8	19.0	7.4	1.6	0.0	0.0	71.3	8	2677
MEAN NO DYS TMP = DR LES 32(F)	13.4	8.2	7.8	1.5	0.0	0.0	0.0	0.0	0.0	2.3	13.8	16.7	63.7	8	2677
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	26.7
MEAN DEW PT TMP (F)	39	40	43	50	59	67	70	69	62	52	39	37	52	8	63412
MEAN REL HUM (PCT)	78	74	70	69	72	75	77	78	75	74	73	77	74	7	63411
MEAN PRESS ALT (FT)	391	430	486	517	531	548	520	525	498	454	419	392	476	0	-50
MEAN PRECIP (IN)	4.97	5.03	5.69	4.34	3.26	4.27	3.93	3.55	4.03	2.19	3.72	4.30	49.3	13	-113
MEAN SNOW FALL (IN)	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	13	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.6	7.4	7.0	6.3	7.1	6.7	6.3	6.3	3.9	5.9	7.8	81.9	13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2531
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.3	0.5	0.5	1.3	1.7	0.3	1.3	2.0	1.4	1.1	2.7	15.3	8	2647
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	11.0	12.0	10.0	5.0	1.0	1.0	1.0	60.0	45	-24
P FREQ WND SPD = DR GTR 17 KTS	2.6	3.7	5.1	2.3	0.7	0.4	0.1	0.2	0.4	0.7	1.6	2.8	1.7	8	63411
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	63411
P FREQ LES 5000 FT A/D LES 5 MI	37.9	33.7	29.5	22.0	19.1	15.8	21.4	17.2	19.7	22.3	27.1	36.1	25.2	8	63405
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	15.4	16.8	11.2	6.3	7.1	3.2	7.7	8.3	11.1	10.6	8.8	17.1	10.3	8	7927
03-05 LST	23.7	19.8	14.5	11.8	11.7	12.2	13.4	11.7	13.5	15.4	10.5	19.8	14.8	8	7938
06-08 LST	29.6	23.8	17.6	13.6	14.0	9.8	13.1	10.6	12.5	16.1	17.8	22.3	16.7	8	7933
09-11 LST	21.4	17.1	12.6	6.4	3.5	1.9	4.2	4.0	6.2	7.4	15.5	20.6	10.1	8	7931
12-14 LST	15.3	11.9	9.1	3.3	1.2	0.5	2.0	1.8	2.9	4.8	8.6	13.9	6.3	8	7940
15-17 LST	11.8	10.3	6.9	4.0	1.7	0.8	2.2	0.9	2.5	4.9	6.5	14.7	5.6	8	7939
18-20 LST	10.3	11.2	6.5	3.8	2.0	1.0	1.4	2.0	3.4	4.9	6.8	13.3	5.6	8	7915
21-23 LST	14.4	12.8	6.7	4.3	1.4	0.8	2.6	3.2	4.9	7.9	7.2	16.3	6.9	8	7924
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.2	0.9	0.9	0.1	1.8	0.8	0.5	1.5	3.2	1.9	0.5	3.4	1.4	8	7927
03-05 LST	2.7	1.5	1.5	1.3	3.2	4.0	1.8	3.1	3.3	3.9	1.3	3.1	2.6	8	7938
06-08 LST	3.9	3.1	1.7	0.8	2.0	1.0	0.5	0.9	1.6	3.4	3.0	2.3	2.1	8	7933
09-11 LST	1.4	1.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.3	0.6	8	7931
12-14 LST	0.5	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.5	0.3	0.2	8	7940
15-17 LST	0.5	0.7	0.5	0.1	0.2	0.2	0.0	0.2	0.2	0.0	0.3	0.8	0.3	8	7939
18-20 LST	0.6	1.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.2	0.0	2.2	0.4	8	7915
21-23 LST	1.2	0.7	0.0	0.1	0.3	0.0	0.0	0.2	0.3	0.9	0.0	4.0	0.6	8	7924

0003

## ANNISTON MUNICIPAL, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. URS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	25.8	29.6	29.4	30.7	29.7	30.6	30.7	28.4	30.6	29.0	28.0	352.3	8	2650
	00 LST	29.3	25.5	29.1	29.5	30.0	29.6	29.9	30.0	28.4	29.4	28.4	27.2	346.3	8	2649
	06 LST	24.0	23.7	26.8	27.9	28.3	27.6	28.3	28.4	27.8	27.0	26.4	26.3	322.5	8	2649
	12 LST	27.5	25.6	28.7	29.3	30.8	30.0	30.8	30.6	29.3	30.1	27.8	28.0	348.5	8	2649
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	20.9	22.7	25.2	28.7	28.8	29.7	29.5	27.4	28.3	24.7	21.7	310.7	8	2650
	00 LST	19.9	17.7	22.5	24.9	28.4	28.8	28.6	28.6	25.7	25.4	23.7	20.2	294.4	8	2649
	06 LST	16.4	16.1	20.5	21.0	24.0	24.3	24.4	26.3	23.6	23.0	20.3	16.8	256.7	8	2649
	12 LST	13.6	11.5	14.7	15.4	21.5	25.1	24.7	26.7	21.6	22.0	16.1	13.9	226.8	8	2649
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.0	0.5	1.1	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1	3.4	8	2591
	00 LST	0.6	1.1	0.9	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.1	3.7	8	2577
	06 LST	0.6	0.9	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	3.3	8	2568
	12 LST	1.7	1.4	2.2	1.8	0.7	0.1	0.0	0.0	0.1	0.3	1.0	1.8	11.1	8	2593
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	11.8	12.0	14.1	13.5	9.6	9.5	8.1	7.4	8.2	8.7	11.1	13.4	127.4	8	2591
	00 LST	12.2	13.0	11.3	15.0	8.3	8.7	6.8	8.1	10.3	10.9	11.2	10.6	125.4	8	2577
	06 LST	9.7	11.0	14.6	17.0	12.1	12.8	11.8	10.1	13.2	13.2	10.8	10.0	146.3	8	2568
	12 LST	15.8	14.3	14.8	15.9	16.9	11.6	12.0	11.7	16.6	16.6	16.7	16.1	181.0	8	2593
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.6	10.6	8.7	11.1	11.4	10.4	6.7	7.4	14.4	18.1	16.0	12.1	137.7	8	2650
	00 LST	12.5	11.3	11.7	15.5	17.5	18.3	16.7	18.1	17.0	19.3	16.6	11.7	186.2	8	2649
	06 LST	8.6	8.9	8.5	11.7	10.6	11.1	10.1	13.0	13.6	15.7	12.1	8.0	129.9	8	2649
	12 LST	6.6	7.5	8.2	10.4	7.3	4.0	2.5	4.7	7.8	12.1	11.1	8.0	90.2	8	2649
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.0	23.5	27.5	27.6	29.4	29.6	29.4	30.0	27.6	29.5	26.7	25.1	332.5	8	2650
	00 LST	24.0	21.4	25.7	27.4	28.7	29.0	28.6	28.7	26.0	26.6	26.6	23.1	315.8	8	2649
	06 LST	18.4	18.5	23.1	23.7	24.6	24.3	24.4	26.4	24.3	24.0	22.4	21.5	275.6	8	2649
	12 LST	22.8	22.2	25.7	27.1	29.1	29.1	29.4	29.7	27.7	28.1	25.4	22.8	319.1	8	2649
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.0	22.7	24.0	26.8	27.1	26.8	26.3	25.0	24.8	24.1	22.1	292.7	8	2650
	00 LST	19.8	19.1	21.9	23.6	27.0	28.6	27.3	27.6	24.8	24.8	23.6	19.4	287.5	8	2649
	06 LST	15.3	16.0	18.8	20.7	22.7	22.6	24.0	24.4	22.8	22.7	20.1	17.5	247.6	8	2649
	12 LST	17.2	17.9	20.5	20.7	21.7	20.7	17.5	20.0	20.6	21.9	21.6	18.4	238.7	8	2649
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.1	18.8	20.2	22.4	25.7	25.8	25.5	24.7	23.6	25.5	23.3	20.8	274.9	8	2650
	00 LST	18.8	18.3	20.9	21.4	25.7	27.6	26.0	26.8	23.9	23.8	21.6	17.8	272.6	8	2649
	06 LST	13.5	14.1	16.9	18.8	21.1	22.0	22.7	23.1	21.8	22.1	18.8	15.6	230.5	8	2649
	12 LST	16.5	16.4	19.2	19.1	20.4	20.3	17.0	19.7	19.7	20.7	20.1	17.1	228.2	8	2649



# DOTHAN MUNICIPAL, ALABAMA

STA NO. 73219 (IN AREA NUMBER 19)

LATITUDE 3114N

LONGITUDE 08527W

ELEVATION(FT) 00330

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	89	95	104	104	103	103	100	98	88	82	104	22	-613
MEAN MAX TMP (F)	62	65	70	79	87	91	91	92	88	80	69	62	78	22	-113
MEAN MIN TMP (F)	41	43	48	55	63	70	71	71	67	56	45	41	56	22	-113
ABS MIN TMP (F)	10	12	21	31	44	49	62	60	47	30	17	7	7	22	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.7	12.9	20.4	21.7	23.6	13.8	1.8	0.0	0.0	94.9	10	3280
MEAN NO DYS TMP = DR LES 32(F)	5.8	5.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.9	9.4	25.8	10	3280
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3280
MEAN DEW PT TMP (F)	48	46	47	54	61	70	72	72	67	57	43	42	57	6	52545
MEAN REL HUM (PCT)	77	73	69	70	68	73	79	77	77	72	70	73	73	6	52545
MEAN PRESS ALT (FT)	119	131	197	226	249	268	230	248	247	202	148	120	200	0	-50
MEAN PRECIP (IN)	4.13	4.77	5.97	4.56	3.21	4.37	5.99	5.14	9.05	1.97	2.90	4.35	52.4	39	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	8.3	7.5	7.0	6.3	7.2	8.7	7.9	7.6	3.6	4.9	7.9	84.3	39	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3270
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.2	4.8	1.6	3.0	3.0	1.8	2.7	1.1	1.5	2.1	3.3	5.0	37.1	6	2190
MEAN NO DYS TSTMS	1.4	2.1	4.0	5.7	6.4	9.7	14.2	11.3	4.5	1.3	1.7	1.6	63.9	10	3279
P FREQ WND SPD = DR GTR 17 KTS	3.4	4.7	5.4	2.8	1.3	0.6	0.5	0.4	0.6	0.8	2.7	3.2	2.2	6	52544
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	52544
P FREQ LES 5000 FT A/D LES 5 MI	36.0	32.8	28.4	22.2	18.7	16.4	17.9	17.1	23.2	20.5	21.6	34.5	24.1	6	52502
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.5	22.4	23.7	15.2	10.8	3.9	5.4	4.5	8.9	6.6	12.0	22.7	13.7	6	6561
03-05 LST	32.1	27.7	26.6	20.2	20.9	10.6	12.2	11.3	15.2	15.6	12.4	29.0	19.5	6	6561
06-08 LST	33.9	31.8	24.8	17.6	20.4	13.3	14.9	13.6	17.6	20.6	15.6	32.1	21.4	6	6567
09-11 LST	24.7	22.5	12.2	7.6	5.9	6.1	5.2	6.8	10.9	9.1	10.0	23.5	12.0	6	6564
12-14 LST	10.9	9.7	8.2	5.0	1.4	1.9	2.7	2.5	5.2	2.7	6.7	14.6	6.0	6	6566
15-17 LST	5.7	7.5	7.3	3.3	0.4	2.4	3.0	1.8	5.4	3.2	5.6	11.5	4.8	6	6567
18-20 LST	7.7	8.3	6.1	2.0	0.7	2.4	2.5	2.0	5.0	3.9	5.8	12.5	4.9	6	6557
21-23 LST	15.8	13.4	13.8	4.3	3.0	1.5	2.5	2.7	5.0	5.9	6.7	17.9	7.7	6	6559
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.4	6.9	5.6	3.3	2.5	0.7	1.8	1.4	1.7	1.4	4.3	9.2	4.3	6	6561
03-05 LST	17.1	9.9	6.3	6.7	6.8	3.9	4.1	4.1	5.4	6.1	5.6	12.1	7.3	6	6561
06-08 LST	14.9	10.1	2.3	1.9	2.3	0.2	1.1	1.6	1.9	4.1	5.7	10.3	4.7	6	6567
09-11 LST	3.9	1.8	0.4	0.4	0.0	0.0	0.2	0.0	0.0	0.2	0.9	2.3	0.8	6	6564
12-14 LST	0.0	1.0	0.5	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.9	0.3	6	6566
15-17 LST	0.5	0.4	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.2	1.6	0.3	6	6567
18-20 LST	0.4	1.0	0.7	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.4	1.8	0.4	6	6557
21-23 LST	2.9	2.2	1.4	0.2	0.2	0.0	0.5	0.2	0.0	0.4	1.3	4.9	1.2	6	6559

# DOTHAN MUNICIPAL, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	26.7	29.5	29.8	30.7	29.5	30.7	31.0	29.3	30.3	29.0	28.1	353.9	6	2190
	00 LST	23.8	22.8	25.8	26.6	29.3	29.6	29.8	30.0	28.5	30.0	27.3	25.0	328.5	6	2190
	06 LST	21.3	20.4	24.1	24.8	24.6	26.3	26.2	27.5	25.1	24.5	25.3	21.9	292.0	6	2190
	12 LST	28.3	25.7	29.1	29.5	31.0	30.0	31.0	30.7	28.7	30.7	28.8	27.0	350.5	6	2190
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	24.0	20.0	21.5	23.5	24.0	26.6	27.0	28.5	26.0	27.2	24.7	22.1	295.1	6	2190
	00 LST	18.8	18.0	20.0	22.3	27.3	28.5	29.0	29.1	27.0	27.5	23.3	19.4	290.2	6	2190
	06 LST	16.2	15.1	18.8	18.8	20.6	24.2	23.8	25.1	22.5	21.1	21.3	17.1	244.6	6	2190
	12 LST	12.2	10.1	12.0	15.7	18.7	23.6	23.7	24.5	21.0	19.7	15.5	14.7	211.4	6	2190
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.5	0.8	0.5	0.2	0.3	0.2	0.2	0.0	0.2	0.3	0.3	4.3	6	2153
	00 LST	0.3	0.3	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	3.8	6	2158
	06 LST	0.3	0.5	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6	2152
	12 LST	2.9	3.0	4.1	2.2	1.1	0.7	0.0	0.2	0.2	0.3	2.6	2.0	19.3	6	2167
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.6	19.3	20.1	22.4	20.8	19.3	19.9	19.0	19.0	17.9	17.7	19.9	236.9	6	2153
	00 LST	19.5	19.0	21.4	20.3	18.4	17.7	18.3	15.7	17.8	17.7	16.8	19.4	212.0	6	2158
	06 LST	19.5	17.3	19.6	19.5	19.7	20.8	22.7	18.8	18.6	18.3	18.5	18.4	231.7	6	2152
	12 LST	18.7	16.0	17.0	18.9	17.7	9.3	9.8	8.3	17.2	19.0	18.8	18.8	189.5	6	2167
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.3	11.9	10.7	12.2	11.0	7.7	3.0	5.5	9.7	17.1	17.3	12.7	190.1	6	2190
	00 LST	14.8	13.6	13.5	16.5	21.0	18.8	16.6	19.7	17.3	21.3	19.1	12.7	204.9	6	2190
	06 LST	9.6	8.3	9.8	11.6	12.8	11.3	10.1	13.5	9.7	14.8	13.3	9.4	134.2	6	2190
	12 LST	8.2	8.6	9.1	9.5	7.2	4.5	1.6	2.5	4.5	12.2	13.1	7.5	88.5	6	2190
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.0	24.5	28.0	28.3	30.2	29.2	30.0	29.8	27.5	29.6	28.0	25.8	338.9	6	2190
	00 LST	21.8	21.2	24.1	25.3	28.5	29.5	29.3	29.6	27.2	28.3	25.8	22.8	313.4	6	2190
	06 LST	19.3	18.0	22.0	23.3	22.8	25.3	25.1	26.2	23.6	22.5	23.8	14.7	271.6	6	2190
	12 LST	23.8	22.2	27.8	27.5	29.6	28.1	28.0	28.8	26.0	28.0	27.0	24.1	320.9	6	2190
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.0	24.8	25.7	27.0	27.0	26.5	27.2	24.5	27.2	25.8	22.9	303.9	6	2190
	00 LST	20.0	18.9	22.3	24.0	27.0	28.8	28.8	29.0	26.2	26.8	24.2	20.8	296.8	6	2190
	06 LST	15.8	14.7	20.0	21.2	22.0	24.5	24.6	25.6	22.3	21.1	21.5	17.9	291.2	6	2190
	12 LST	18.5	17.9	21.6	19.3	22.5	19.1	18.0	19.8	18.7	23.3	23.6	19.3	241.6	6	2190
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.6	20.7	22.7	23.5	25.1	24.2	23.8	24.6	22.0	25.1	24.7	20.8	277.8	6	2190
	00 LST	18.8	17.4	20.5	21.8	26.3	28.1	28.1	28.6	24.8	26.3	23.3	17.9	281.9	6	2190
	06 LST	14.7	13.2	18.5	19.8	20.2	23.0	23.3	24.0	20.2	20.3	20.0	16.6	233.8	6	2190
	12 LST	17.3	16.0	20.2	18.7	21.5	18.5	16.6	19.0	17.5	22.8	22.3	17.6	228.0	6	2190



# FORT RUCKER/CAIRNS AAF, ALABAMA

STA NO. 73285 (IN AREA NUMBER 15)

LATITUDE 3116N

LONGITUDE 08543W

ELEVATION(FT) 00305

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	85	89	91	98	101	97	101	98	92	86	80	101	12	3967
MEAN MAX TMP (F)	58	64	69	78	86	89	90	90	86	78	69	61	77	12	3967
MEAN MIN TMP (F)	38	43	48	56	64	70	72	71	68	56	47	40	56	12	3967
ABS MIN TMP (F)	8	16	24	35	45	52	64	60	49	34	22	7	7	12	3967
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	11.0	13.6	18.6	19.7	10.2	0.5	0.0	0.0	73.9	12	3967
MEAN NO DYS TMP = DR LES 32(F)	10.0	5.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	8.6	28.5	12	3967
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3967
MEAN DEW PT TMP (F)	38	42	46	54	61	68	72	71	67	55	46	40	55	12	95192
MEAN REL HUM (PCT)	71	70	67	67	68	74	80	78	76	71	70	70	72	12	95192
MEAN PRESS ALT (FT)	94	126	173	201	225	244	205	223	223	178	124	95	176	0	-50
MEAN PRECIP (IN)	4.45	5.43	4.99	5.68	3.39	4.84	5.23	4.45	5.94	2.67	2.37	3.74	53.2	11	3666
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3666
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.4	7.2	5.6	6.0	7.4	9.3	7.5	6.2	3.9	4.3	3.9	78.0	11	3666
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3666
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.2	4.6	3.9	3.7	4.4	3.0	3.9	3.3	3.1	2.4	4.6	4.1	46.2	12	3969
MEAN NO DYS TSTMS	1.6	2.2	4.1	4.9	7.3	11.0	16.4	12.3	5.0	1.6	1.1	1.1	68.6	12	3969
P FREQ WND SPD = DR GTR 17 KTS	0.9	2.0	2.5	0.8	0.1	0.1	0.1	0.1	0.3	0.2	0.6	0.8	0.7	12	95252
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	95252
P FREQ LES 5000 FT A/D LES 5 MI	34.6	36.7	33.9	27.0	19.9	21.7	20.8	16.3	22.8	19.5	23.9	29.8	25.6	12	95213
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.6	26.2	27.8	17.6	8.6	6.6	6.2	4.7	10.7	11.0	16.2	19.8	14.9	12	11899
03-05 LST	27.2	28.0	32.0	26.8	20.5	17.4	16.0	13.5	19.1	16.5	21.2	23.0	21.8	12	11900
06-08 LST	30.0	32.2	33.5	25.8	22.7	19.8	17.9	15.7	25.0	18.8	23.3	23.3	24.0	12	11901
09-11 LST	23.9	25.7	21.0	10.6	7.3	5.6	7.4	5.4	13.9	12.5	16.7	17.8	14.0	12	11903
12-14 LST	17.0	12.5	9.8	6.4	2.7	2.8	2.8	2.1	8.9	7.4	7.3	10.7	7.5	12	11903
15-17 LST	12.8	9.4	8.3	5.1	2.6	2.2	1.6	1.9	6.1	6.9	6.0	8.3	5.9	12	11899
18-20 LST	13.6	11.3	10.0	4.1	1.2	2.1	2.2	1.7	6.1	6.9	6.7	10.4	6.4	12	11903
21-23 LST	17.5	17.3	16.7	7.3	2.4	2.5	2.7	1.7	6.2	9.0	11.3	15.0	9.1	12	11903
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.7	8.5	4.5	4.0	2.7	1.5	1.9	1.7	2.8	3.9	7.8	7.2	4.5	12	11899
03-05 LST	10.5	11.8	9.3	9.7	9.3	6.8	7.9	5.7	7.0	6.3	10.4	10.5	8.8	12	11900
06-08 LST	13.2	12.2	9.0	6.4	4.7	4.0	4.5	4.6	5.3	4.2	10.1	8.9	7.3	12	11901
09-11 LST	4.8	4.4	1.6	0.3	0.0	0.1	0.0	0.0	0.3	0.4	2.0	2.7	1.4	12	11903
12-14 LST	1.2	1.3	0.5	0.6	0.1	0.2	0.1	0.2	0.6	0.2	0.4	1.0	0.5	12	11903
15-17 LST	0.7	1.3	0.9	0.3	0.0	0.3	0.3	0.4	0.4	0.4	0.8	1.1	0.6	12	11899
18-20 LST	2.7	1.5	0.9	0.0	0.1	0.1	0.3	0.2	1.6	0.5	1.4	1.3	0.9	12	11903
21-23 LST	3.7	3.0	1.7	0.2	0.3	0.3	0.3	0.3	1.7	1.4	2.7	3.2	1.6	12	11903

# FORT RUCKER/CAIRNS AAF, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.9	26.0	28.6	29.2	30.5	29.6	30.6	30.6	28.5	29.3	28.5	28.6	347.9	12	3969
	00 LST	25.2	22.1	24.8	26.8	29.7	29.0	29.5	30.1	27.8	28.5	25.9	26.8	326.2	12	3969
	06 LST	23.1	20.8	22.4	22.9	22.9	23.8	24.9	25.5	23.2	25.4	23.4	24.5	282.8	12	3969
	12 LST	28.1	25.2	29.4	28.8	30.3	29.2	30.6	30.6	28.0	29.5	28.4	29.0	347.1	12	3969
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.8	20.1	21.5	23.9	26.4	27.1	29.3	29.5	26.8	28.2	26.3	29.5	308.4	12	3969
	00 LST	21.0	18.5	20.7	23.5	28.7	28.3	29.2	29.8	26.3	27.5	23.9	23.1	300.5	12	3969
	06 LST	19.2	16.9	18.0	20.4	21.4	22.5	24.2	25.0	22.2	23.6	21.2	20.9	255.5	12	3969
	12 LST	17.4	13.4	15.5	17.3	24.9	24.6	27.1	27.8	22.9	23.2	18.6	18.4	251.1	12	3969
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.1	0.3	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	1.2	12	3908
	00 LST	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	12	3895
	06 LST	0.1	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.9	12	3907
	12 LST	0.2	1.0	1.8	0.7	0.2	0.0	0.0	0.0	0.4	0.1	0.6	0.6	5.6	12	3901
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.5	16.7	17.7	19.8	20.0	17.1	14.6	12.6	12.6	13.7	15.9	16.4	192.6	12	3895
	00 LST	13.2	15.0	17.3	14.7	14.5	10.7	7.0	7.1	10.1	13.1	14.3	14.1	153.1	12	3907
	06 LST	13.0	13.0	17.2	15.4	14.8	13.7	9.3	8.2	12.6	15.5	15.6	13.4	161.7	12	3901
	12 LST	19.4	17.0	19.0	21.3	19.0	15.8	12.8	12.9	17.6	22.6	20.0	20.0	217.4	12	3969
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	8.0	9.4	8.3	7.3	5.5	1.7	4.6	7.0	15.8	13.5	12.3	102.9	12	3969
	00 LST	12.2	11.0	11.8	14.7	19.3	15.3	14.7	15.5	16.0	21.2	15.3	14.8	181.8	12	3969
	06 LST	9.1	7.6	7.6	7.9	8.1	7.6	5.3	8.3	8.5	14.7	11.6	10.1	106.4	12	3969
	12 LST	7.4	6.6	8.0	7.2	5.2	2.7	1.0	2.3	4.0	13.1	10.4	9.1	77.0	12	3969
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	23.6	26.9	28.1	30.1	28.9	29.9	30.1	27.7	28.1	27.1	28.4	332.1	12	3969
	00 LST	22.6	19.3	22.4	24.7	29.0	28.2	29.2	29.6	26.7	27.9	24.5	24.4	308.5	12	3969
	06 LST	19.8	18.3	19.0	21.2	21.8	22.4	24.1	25.0	22.3	23.8	21.8	21.9	261.4	12	3969
	12 LST	22.5	21.6	24.8	26.0	28.3	26.8	27.7	28.6	24.7	26.8	24.5	24.8	307.1	12	3969
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.4	23.0	24.5	27.4	25.5	25.5	28.0	24.5	25.5	24.5	23.3	292.8	12	3969
	00 LST	20.5	17.2	20.7	23.2	28.6	26.5	28.3	29.1	25.5	27.1	22.7	21.9	291.3	12	3969
	06 LST	17.4	14.8	17.2	19.4	20.8	21.2	23.7	24.6	22.0	22.6	20.2	19.3	243.2	12	3969
	12 LST	20.0	17.4	19.2	19.5	20.6	18.5	18.9	20.8	19.3	23.7	21.8	21.3	241.0	12	3969
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.6	17.4	21.4	22.9	25.7	23.2	22.6	25.4	22.5	24.0	22.3	21.3	269.3	12	3969
	00 LST	18.7	16.2	19.0	22.4	27.3	25.2	27.6	27.9	24.5	25.9	21.8	20.4	276.9	12	3969
	06 LST	15.6	13.9	15.2	17.2	19.8	19.6	22.3	22.9	20.3	21.8	18.1	17.4	224.1	12	3969
	12 LST	17.5	15.1	18.1	18.0	19.4	17.5	17.8	20.0	18.3	22.4	20.6	19.8	224.5	12	3969

## MONTGOMERY/MAXWELL AFB, ALABAMA

STA NO. 73207 (IN AREA NUMBER 15)

LATITUDE 3222N

LONGITUDE 08622W

ELEVATION(FT) 00169

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	81	85	88	90	98	104	104	103	100	96	84	82	104	12	4382
MEAN MAX TMP (F)	60	64	69	78	85	91	92	93	86	78	66	60	77	12	4382
MEAN MIN TMP (F)	42	44	48	55	64	71	73	72	67	57	45	41	57	12	4382
ABS MIN TMP (F)	10	12	24	36	48	52	62	61	48	33	14	20	10	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	8.8	19.7	23.2	24.1	10.6	0.8	0.0	0.0	87.4	12	4382
MEAN NO DYS TMP = OR LES 32(F)	6.7	3.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.9	19.0	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	42	43	45	53	61	68	71	70	65	55	44	41	55	12	104715
MEAN REL HUM (PCT)	74	69	66	65	66	68	72	70	71	69	68	73	69	12	104709
MEAN PRESS ALT (FT)	-37	-7	36	63	92	111	68	90	99	53	-3	-35	44	0	-50
MEAN PRECIP (IN)	3.88	4.13	5.45	4.40	3.74	4.45	5.79	3.58	3.76	1.36	4.38	4.51	49.4	11	3865
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3865
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	6.7	7.5	6.2	5.9	6.5	8.1	4.5	4.4	3.2	6.0	6.8	72.3	11	3865
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3865
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	2.0	1.3	1.0	1.0	0.8	0.9	0.7	1.5	1.6	4.0	4.0	22.4	12	4369
MEAN NO DYS TSTMS	1.0	1.6	4.0	4.7	6.7	8.0	10.6	7.6	3.0	1.6	1.5	1.1	51.4	12	4382
P FREQ WND SPD = OR GTR 17 KTS	3.7	3.6	5.3	3.3	1.3	0.8	0.4	0.5	0.7	1.0	2.8	3.0	2.2	12	104808
P FREQ WND SPD = OR GTR 20 KTS	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	104808
P FREQ LES 5000 FT A/D LES 5 MI	42.8	36.8	31.8	23.9	21.2	18.2	21.5	15.5	22.5	23.6	32.5	36.8	27.3	12	104799
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.1	16.1	11.8	7.1	5.3	3.9	5.8	3.0	8.4	8.0	15.6	18.8	10.6	12	13095
03-05 LST	27.1	23.3	17.8	14.0	13.4	8.5	11.8	9.1	13.7	15.9	24.1	23.6	16.9	12	13096
06-08 LST	32.8	28.1	21.5	15.6	16.7	12.8	16.6	11.5	16.6	18.7	27.8	28.6	20.6	12	13104
09-11 LST	27.4	19.0	13.4	8.9	4.3	5.1	5.0	4.7	10.9	9.5	17.0	23.9	12.3	12	13102
12-14 LST	14.9	9.4	9.3	3.0	1.8	2.1	1.9	1.2	5.7	4.1	9.0	12.4	6.2	12	13105
15-17 LST	13.7	9.6	5.8	2.3	2.3	2.0	3.0	1.3	4.0	2.8	7.7	10.9	5.5	12	13101
18-20 LST	12.6	9.6	6.2	2.9	1.3	1.0	1.6	1.0	3.9	2.7	7.8	10.1	5.1	12	13101
21-23 LST	16.9	12.7	7.2	4.3	2.3	1.5	2.0	1.9	4.5	5.1	10.6	13.0	6.7	12	13096
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	2.5	1.5	1.3	0.4	0.8	0.8	0.0	0.9	2.1	4.1	3.5	2.0	12	13095
03-05 LST	6.7	4.0	2.7	2.8	2.5	1.5	1.7	1.3	2.2	3.9	6.9	7.7	3.7	12	13096
06-08 LST	7.9	4.3	2.0	1.3	1.6	0.6	1.1	0.9	2.2	2.5	6.2	8.4	3.3	12	13104
09-11 LST	2.6	1.6	0.8	0.2	0.0	0.1	0.2	0.1	0.1	0.4	1.5	3.1	0.9	12	13102
12-14 LST	0.9	0.3	0.2	0.3	0.4	0.1	0.3	0.1	0.3	0.0	0.8	1.1	0.4	12	13105
15-17 LST	2.0	1.1	0.2	0.1	0.5	0.3	0.6	0.4	0.4	0.1	0.7	0.8	0.6	12	13101
18-20 LST	1.4	1.0	0.2	0.1	0.3	0.1	0.2	0.2	0.4	0.1	1.1	1.5	0.6	12	13101
21-23 LST	3.0	1.5	0.2	0.4	0.3	0.1	0.1	0.0	0.3	0.9	2.4	3.7	1.1	12	13096

0009

# MONTGOMERY/MAXWELL AFB, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.1	29.3	29.3	30.7	29.6	30.6	30.6	29.3	30.7	28.3	29.1	351.5	12	4369
	00 LST	26.7	24.5	28.6	29.1	30.3	29.5	30.3	30.6	29.1	29.7	27.1	26.9	342.8	12	4369
	06 LST	23.5	21.6	25.1	26.5	27.8	26.8	27.2	28.3	26.7	25.6	22.5	24.2	305.8	12	4370
	12 LST	27.4	26.1	29.5	29.7	30.7	29.5	30.7	30.9	29.3	30.3	28.1	28.2	350.4	12	4369
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.8	20.9	21.5	24.7	28.4	26.9	27.7	29.1	26.3	27.7	23.3	22.6	300.9	12	4369
	00 LST	19.8	20.1	22.3	25.1	29.7	28.6	29.3	29.2	26.4	27.3	22.5	21.1	301.4	12	4369
	06 LST	16.6	15.8	18.6	22.1	23.6	24.4	24.9	26.8	23.1	22.6	17.7	18.7	254.9	12	4370
	12 LST	14.8	13.3	14.4	17.4	22.3	22.6	25.0	25.6	20.5	22.8	17.3	16.2	232.2	12	4369
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.5	1.5	0.7	0.1	0.2	0.2	0.1	0.2	0.4	0.6	0.6	5.5	12	4310
	00 LST	0.2	0.4	0.8	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.9	2.8	12	4297
	06 LST	0.8	0.7	0.8	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.5	0.5	3.8	12	4298
	12 LST	2.3	1.6	3.4	2.5	0.8	0.6	0.2	0.1	0.3	0.5	1.7	1.6	15.6	12	4297
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.4	15.7	16.8	16.6	16.7	13.2	16.6	15.4	14.8	14.9	16.0	16.7	190.8	12	4310
	00 LST	14.5	13.8	16.3	13.7	12.8	12.8	11.8	11.3	14.3	14.4	14.0	15.2	164.9	12	4296
	06 LST	13.9	13.6	15.6	14.8	14.3	11.6	14.3	12.2	15.4	14.3	14.9	15.0	169.9	12	4298
	12 LST	16.7	15.1	14.5	17.6	17.4	9.1	9.4	7.7	16.0	19.4	18.3	17.5	178.7	12	4297
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.2	8.2	8.4	10.0	8.4	7.0	4.1	6.5	9.3	16.4	14.2	12.3	114.0	12	4369
	00 LST	11.4	11.6	12.1	16.8	17.5	16.1	16.9	18.3	17.4	19.7	15.7	13.9	187.4	12	4369
	06 LST	6.0	6.4	7.4	10.7	9.3	9.2	7.9	10.4	10.7	12.3	8.9	8.9	108.1	12	4370
	12 LST	6.1	7.1	7.8	8.6	5.2	3.7	2.0	4.7	6.5	11.0	10.7	9.1	82.5	12	4369
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.6	24.3	27.2	27.9	29.9	29.3	30.2	30.0	27.7	29.3	26.1	26.1	333.6	12	4369
	00 LST	22.0	22.6	25.2	26.8	29.7	29.0	29.5	25.6	27.3	27.7	24.3	23.8	317.5	12	4369
	06 LST	18.2	17.2	20.9	23.5	24.4	24.8	24.9	26.8	24.2	23.1	19.1	20.9	268.0	12	4370
	12 LST	22.0	22.7	26.2	26.6	28.6	28.0	28.3	28.9	25.7	28.1	24.9	24.1	314.1	12	4369
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.1	21.1	23.2	24.7	26.9	26.3	26.7	27.9	25.1	25.7	23.2	23.0	294.9	12	4369
	00 LST	18.7	19.1	22.2	24.4	28.5	28.1	27.9	28.6	26.3	26.1	22.7	21.2	293.8	12	4369
	06 LST	14.0	13.3	17.6	20.4	22.4	23.6	23.5	25.6	22.3	20.7	16.7	16.8	238.9	12	4370
	12 LST	16.6	16.9	20.5	20.6	20.2	19.5	17.8	20.6	19.2	21.9	20.5	20.0	234.3	12	4369
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.7	21.0	23.5	25.0	24.6	24.3	26.1	23.6	24.3	21.8	21.0	273.1	12	4369
	00 LST	17.6	17.5	20.7	23.1	27.1	27.0	27.2	27.7	25.1	24.8	21.4	19.4	278.6	12	4369
	06 LST	12.4	13.4	15.9	19.3	21.1	22.3	22.5	24.4	21.0	19.6	15.4	15.1	222.4	12	4370
	12 LST	14.7	15.5	19.1	19.6	19.1	19.0	17.2	20.2	18.6	21.6	19.7	18.4	222.7	12	4369

# ANDALUSIA MUNICIPAL, ALABAMA

STA NO. 73390 (IN AREA NUMBER 15)

LATITUDE 3118N

LONGITUDE 08623W

ELEVATION(FT) 00330

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	87	89	97	100	105	105	105	101	99	87	84	105	18	-113
MEAN MAX TMP (F)	62	65	71	79	87	92	92	93	88	81	70	63	79	18	-113
MEAN MIN TMP (F)	40	42	48	55	62	69	71	70	66	56	45	40	55	19	-113
ABS MIN TMP (F)	12	11	18	30	41	51	60	58	44	31	16	15	11	19	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	2.0	12.0	22.0	27.0	28.0	16.0	3.0	0.0	0.0	110.0	9	-113
MEAN NO DYS TMP = DR LES 32(F)	10.0	5.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	9.0	30.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	38	42	46	54	61	68	72	71	67	55	46	40	55	12	-73285
MEAN REL HUM (PCT)	71	70	67	67	68	74	63	78	76	71	70	70	72	12	-73285
MEAN PRESS ALT (FT)	119	151	199	227	252	272	232	259	250	204	150	121	202	0	-50
MEAN PRECIP (IN)	4.34	4.59	6.54	6.35	4.73	4.29	6.78	4.92	5.12	1.71	3.38	5.12	57.9	21	-113
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	19	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	8.2	7.7	7.6	7.1	7.1	9.4	7.7	7.7	3.3	5.5	8.7	87.9	21	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.2	4.6	3.9	3.7	4.4	3.0	3.9	3.3	3.1	2.4	4.6	4.1	46.2	12	-73285
MEAN NO DYS TSTMS	1.6	2.2	4.1	4.9	7.3	11.0	16.4	12.3	5.0	1.6	1.1	1.1	68.6	12	-73285
P FREQ WND SPD = DR GTR 17 KTS	0.9	2.0	2.5	0.8	0.1	0.1	0.1	0.1	0.3	0.2	0.6	0.8	0.7	12	-73285
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73285
P FREQ LES 5000 FT A/D LES 5 MI	34.6	36.7	33.9	27.0	19.9	21.7	20.8	16.3	22.8	19.5	23.9	29.8	25.6	12	-73285
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.6	26.2	27.8	17.6	8.6	6.6	6.2	4.7	10.7	11.0	16.2	19.8	14.9	12	-73285
03-05 LST	27.2	28.0	32.0	26.8	20.5	17.4	16.0	13.5	19.1	16.5	21.2	23.0	21.8	12	-73285
06-08 LST	30.0	32.2	33.5	25.8	22.7	19.8	17.9	15.7	25.0	18.8	23.3	23.3	24.0	12	-73285
09-11 LST	23.9	25.7	21.0	10.6	7.3	5.6	7.4	5.4	13.9	12.5	16.7	17.8	14.0	12	-73285
12-14 LST	17.0	12.5	9.8	6.4	2.7	2.8	2.8	2.1	8.9	7.4	7.3	10.7	7.5	12	-73285
15-17 LST	12.8	9.4	8.3	5.1	2.6	2.2	1.6	1.9	6.1	6.9	6.0	8.3	5.9	12	-73285
18-20 LST	13.6	11.3	10.0	4.1	1.2	2.1	2.2	1.7	6.1	6.9	6.7	10.4	6.4	12	-73285
21-23 LST	17.5	17.3	16.7	7.3	2.4	2.5	2.7	1.7	6.2	9.0	11.3	15.0	9.1	12	-73285
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.7	8.5	4.5	4.0	2.7	1.5	1.9	1.7	2.8	3.9	7.8	7.2	4.5	12	-73285
03-05 LST	10.5	11.8	9.3	9.7	9.3	6.8	7.9	5.7	7.0	6.3	10.4	10.5	8.8	12	-73285
06-08 LST	13.2	12.2	9.0	6.4	4.7	4.0	4.5	4.6	5.3	4.2	10.1	8.9	7.3	12	-73285
09-11 LST	4.8	4.4	1.6	0.3	0.0	0.1	0.0	0.0	0.3	0.4	2.0	2.7	1.4	12	-73285
12-14 LST	1.2	1.3	0.5	0.6	0.1	0.2	0.1	0.2	0.6	0.2	0.4	1.0	0.5	12	-73285
15-17 LST	0.7	1.3	0.9	0.3	0.0	0.3	0.3	0.4	0.4	0.4	0.8	1.1	0.6	12	-73285
18-20 LST	2.7	1.5	0.9	0.0	0.1	0.1	0.3	0.2	1.6	0.5	1.4	1.3	0.9	12	-73285
21-23 LST	3.7	3.0	1.7	0.2	0.3	0.3	0.3	0.3	1.7	1.4	2.7	3.2	1.6	12	-73285

# ANDALUSIA MUNICIPAL, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.9	26.0	28.6	29.2	30.5	29.6	30.6	30.6	28.5	29.3	28.5	28.6	347.9	12	-73285
	00 LST	25.2	22.1	24.8	26.8	29.7	29.0	29.5	30.1	27.8	28.5	25.9	26.8	326.2	12	-73285
	06 LST	23.1	20.8	22.4	22.9	22.9	23.8	24.9	25.5	23.2	25.4	23.4	24.5	282.8	12	-73285
	12 LST	28.1	25.2	29.4	28.8	30.3	29.2	30.6	30.6	28.0	29.5	28.4	29.0	347.1	12	-73285
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.8	20.1	21.5	23.9	26.4	27.1	29.3	29.5	26.8	28.2	26.3	25.5	308.4	12	-73285
	00 LST	21.0	18.5	20.7	23.5	28.7	28.3	29.2	29.8	26.3	27.5	23.9	23.1	300.5	12	-73285
	06 LST	19.2	16.9	18.0	20.4	21.4	22.5	24.2	25.0	22.2	23.6	21.2	20.9	255.5	12	-73285
	12 LST	17.4	13.4	15.5	17.3	24.9	24.6	27.1	27.8	22.9	23.2	18.6	18.4	251.1	12	-73285
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.1	0.3	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	1.2	12	-73285
	00 LST	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	12	-73285
	06 LST	0.1	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.9	12	-73285
	12 LST	0.2	1.0	1.8	0.7	0.2	0.0	0.0	0.0	0.4	0.1	0.6	0.6	5.6	12	-73285
SFC WND 4-10 KTS AND THP 33-89 DFG F AND NO PRECIP.	18 LST	15.5	16.7	17.7	19.8	20.0	17.1	14.6	12.6	12.6	13.7	15.9	16.4	192.6	12	-73285
	00 LST	15.2	15.0	17.3	14.7	14.5	10.7	7.0	7.1	10.1	13.1	14.3	14.1	153.1	12	-73285
	06 LST	13.0	13.0	17.2	15.4	14.8	13.7	9.3	8.2	12.6	15.5	15.6	13.4	161.7	12	-73285
	12 LST	19.4	17.0	19.0	21.3	19.0	15.8	12.8	12.9	17.6	22.6	20.0	20.0	217.4	12	-73285
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	8.0	9.4	8.3	7.3	5.5	1.7	4.6	7.0	15.8	13.5	12.3	102.9	12	-73285
	00 LST	12.2	11.0	11.8	14.7	19.3	15.3	14.7	15.5	16.0	21.2	15.3	14.8	181.8	12	-73285
	06 LST	9.1	7.6	7.6	7.9	8.1	7.6	5.3	8.3	8.5	14.7	11.6	10.1	106.4	12	-73285
	12 LST	7.4	6.6	8.0	7.2	5.2	2.7	1.0	2.3	4.0	13.1	10.4	9.1	77.0	12	-73285
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	23.6	26.9	28.1	30.1	28.9	29.9	30.1	27.7	28.1	27.1	26.4	332.1	12	-73285
	00 LST	22.6	19.3	22.4	24.7	29.0	28.2	29.2	29.6	26.7	27.9	24.5	24.4	308.5	12	-73285
	06 LST	19.8	18.3	19.0	21.2	21.8	22.4	24.1	25.0	22.3	23.8	21.8	21.9	261.4	12	-73285
	12 LST	22.5	21.6	24.8	26.0	28.3	26.8	27.7	28.6	24.7	26.8	24.5	24.8	307.1	12	-73285
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.4	23.0	24.5	27.4	25.5	25.5	28.0	24.5	25.5	24.5	23.3	292.8	12	-73285
	00 LST	20.5	17.2	20.7	23.2	28.6	26.5	28.3	29.1	25.5	27.1	22.7	21.9	291.3	12	-73285
	06 LST	17.4	14.8	17.2	19.4	20.8	21.2	23.7	24.6	27.0	22.6	20.2	19.4	243.2	12	-73285
	12 LST	20.0	17.4	19.2	19.5	20.6	18.5	18.9	20.8	19.3	23.7	21.8	21.3	241.0	12	-73285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.6	17.4	21.4	22.9	25.7	23.2	22.6	25.4	22.5	24.0	23.3	21.3	269.3	12	-73285
	00 LST	18.7	16.2	19.0	22.4	27.3	25.2	27.6	27.9	24.5	25.9	21.8	20.4	276.9	12	-73285
	06 LST	15.6	13.9	15.2	17.2	19.8	19.6	22.3	22.9	20.3	21.8	18.1	17.4	224.1	12	-73285
	12 LST	17.5	15.1	18.1	18.0	19.4	17.5	17.8	20.0	18.3	22.4	20.6	19.8	224.5	12	-73285



# ELMORE, ALABAMA

STA NO. 73765 (IN AREA NUMBER 15)

LATITUDE 3231N

LONGITUDE 08619W

ELEVATION(FT) 00196

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	85	88	90	98	104	104	103	100	96	84	82	104	12	-73287
MEAN MAX TMP (F)	60	64	69	78	85	91	92	93	86	78	66	60	77	12	-73287
MEAN MIN TMP (F)	42	44	48	55	64	71	73	72	67	57	45	41	57	12	-73287
ABS MIN TMP (F)	10	12	24	36	48	52	62	61	48	33	14	20	10	12	-73287
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	8.8	19.7	23.2	24.1	10.6	0.8	0.0	0.0	87.4	12	-73287
MEAN NO DYS TMP = OR LES 32(F)	6.7	3.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.9	19.0	12	-73287
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73287
MEAN DEW PT TMP (F)	42	43	45	53	61	68	71	70	65	55	44	41	55	12	-73287
MEAN REL HUM (PCT)	74	69	66	65	66	68	72	70	71	69	68	73	69	12	-73287
MEAN PRESS ALT (FT)	-10	19	62	89	119	138	95	117	128	82	22	-7	71	0	-50
MEAN PRECIP (IN)	3.88	4.13	5.45	4.40	3.74	4.45	5.79	3.58	3.76	1.36	4.38	4.51	49.4	11	-73287
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-73287
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	6.7	7.5	6.2	5.9	6.5	8.1	4.5	4.4	3.2	6.0	6.8	72.3	11	-73287
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	11	-73287
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	2.0	1.3	1.0	1.0	0.8	0.9	0.7	1.5	1.6	4.0	4.0	22.4	12	-73287
MEAN NO DYS TSTMS	1.0	1.6	4.0	4.7	6.7	8.0	10.6	7.6	3.0	1.6	1.5	1.1	51.4	12	-73287
P FREQ WND SPD = OR GTR 17 KTS	3.7	3.6	5.3	3.3	1.3	0.8	0.4	0.5	0.7	1.0	2.8	3.0	2.2	12	-73287
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73287
P FREQ LES 5000 FT A/D LES 5 MI	42.8	36.8	31.8	23.9	21.2	18.2	21.5	15.5	22.5	23.6	32.5	36.8	27.3	12	-73287
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.1	14.1	11.8	7.1	5.3	3.9	5.8	3.0	8.4	8.0	15.6	18.8	10.6	12	-73287
03-05 LST	27.1	23.3	17.8	14.0	13.4	8.5	11.8	9.1	13.7	15.9	24.1	23.6	16.9	12	-73287
06-08 LST	32.8	28.1	24.5	15.6	16.7	12.8	16.6	11.5	16.6	18.7	27.8	28.6	20.6	12	-73287
09-11 LST	27.4	19.0	13.4	6.9	4.3	5.1	6.0	4.7	10.9	9.5	17.0	23.9	12.3	12	-73287
12-14 LST	14.9	9.4	9.3	3.0	1.8	2.1	1.9	1.2	5.7	4.1	9.0	12.4	6.2	12	-73287
15-17 LST	13.7	9.6	5.8	2.3	2.3	2.0	3.0	1.3	4.0	2.8	7.7	10.9	5.5	12	-73287
18-20 LST	12.6	9.6	6.2	2.9	1.3	1.0	1.6	1.0	3.9	2.7	7.8	10.1	5.1	12	-73287
21-23 LST	16.2	10.7	7.2	4.3	2.3	1.5	2.0	1.9	4.5	5.1	10.6	13.0	6.7	12	-73287
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	2.3	1.5	1.3	0.4	0.8	0.8	0.0	0.9	2.1	4.1	5.5	2.0	12	-73287
03-05 LST	6.7	4.0	2.7	2.8	2.5	1.5	1.7	1.3	2.2	3.9	6.9	7.7	3.7	12	-73287
06-08 LST	7.9	4.3	2.0	1.3	1.6	0.6	1.1	0.9	2.2	2.5	6.2	8.4	3.3	12	-73287
09-11 LST	2.6	1.6	0.8	0.2	0.0	0.1	0.2	0.1	0.1	0.4	1.5	3.1	0.9	12	-73287
12-14 LST	0.9	0.3	0.2	0.3	0.4	0.1	0.3	0.1	0.3	0.0	0.8	1.1	0.4	12	-73287
15-17 LST	2.0	1.1	0.2	0.1	0.3	0.3	0.6	0.4	0.4	0.1	0.7	0.8	0.6	12	-73287
18-20 LST	1.4	1.0	0.2	0.1	0.3	0.1	0.2	0.2	0.4	0.1	1.1	1.8	0.6	12	-73287
21-23 LST	3.0	1.5	0.2	0.4	0.3	0.1	0.1	0.0	0.3	0.9	2.4	3.7	1.1	12	-73287

# ELMORE, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.0	29.3	29.3	30.7	29.6	30.6	30.6	29.3	30.7	28.3	29.1	351.5	12	-73287
	00 LST	26.7	24.9	28.6	29.1	30.3	29.5	30.3	30.6	29.1	29.7	27.1	26.9	342.8	12	-73287
	06 LST	23.5	21.6	25.1	26.5	27.8	26.8	27.2	28.3	26.7	25.6	22.5	24.2	305.8	12	-73287
	12 LST	27.4	26.1	29.5	29.7	30.7	29.5	30.7	30.9	29.3	30.3	28.1	28.2	350.4	12	-73287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.8	20.9	21.5	24.7	28.4	26.9	27.7	29.1	26.3	27.7	23.3	22.8	300.9	12	-73287
	00 LST	19.8	20.1	22.3	25.1	29.7	28.6	29.3	29.2	26.4	27.3	22.5	21.1	301.4	12	-73287
	06 LST	16.6	15.8	18.6	22.1	23.6	24.4	24.9	26.8	23.1	22.6	17.7	18.7	254.9	12	-73287
	12 LST	14.8	13.3	14.4	17.4	22.3	22.6	25.0	25.6	20.5	22.8	17.3	16.2	232.2	12	-73287
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.5	1.5	0.7	0.1	0.2	0.2	0.1	0.2	0.4	0.6	0.6	5.5	12	-73287
	00 LST	0.2	0.4	0.8	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.9	2.8	12	-73287
	06 LST	0.8	0.7	0.8	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.5	0.5	3.8	12	-73287
	12 LST	2.3	1.6	3.4	2.5	0.8	0.6	0.2	0.1	0.3	0.5	1.7	1.6	15.6	12	-73287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.4	15.7	16.8	16.6	16.7	13.2	16.6	15.4	14.8	14.9	16.0	16.7	190.8	12	-73287
	00 LST	14.5	13.8	16.3	13.7	12.8	12.8	11.8	11.3	14.3	14.4	14.0	15.2	164.9	12	-73287
	06 LST	13.9	13.6	15.6	14.8	14.3	11.6	14.3	12.2	15.4	14.3	14.9	15.0	169.9	12	-73287
	12 LST	16.7	15.1	14.5	17.6	17.4	9.1	9.4	7.7	16.0	19.4	18.3	17.5	178.7	12	-73287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.2	8.2	8.4	10.0	8.4	7.0	4.1	6.5	9.3	16.4	14.2	12.3	114.0	12	-73287
	00 LST	11.4	11.6	12.1	16.8	17.5	16.1	16.9	18.3	17.4	19.7	15.7	13.9	187.4	12	-73287
	06 LST	6.0	6.4	7.4	10.7	9.3	9.2	7.9	10.4	10.7	12.3	8.9	8.9	108.1	12	-73287
	12 LST	6.1	7.1	7.8	8.6	5.2	3.7	2.0	4.7	6.5	11.0	10.7	9.1	82.5	12	-73287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.6	24.3	27.2	27.9	29.9	29.3	30.2	30.0	27.7	29.3	26.1	26.1	333.6	12	-73287
	00 LST	22.0	22.6	25.2	26.8	29.7	29.0	29.5	29.6	27.3	27.7	24.3	23.8	317.5	12	-73287
	06 LST	18.2	17.2	20.9	23.5	24.4	24.8	24.9	26.8	24.2	23.1	19.1	20.9	268.0	12	-73287
	12 LST	22.0	22.7	26.2	26.6	28.6	28.0	28.3	28.9	25.7	28.1	24.9	24.1	314.1	12	-73287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.1	21.1	23.2	24.7	26.9	26.3	26.7	27.9	25.1	25.7	23.2	23.0	294.9	12	-73287
	00 LST	18.7	19.1	22.2	24.4	28.5	28.1	27.9	28.6	26.3	26.1	22.7	21.2	293.8	12	-73287
	06 LST	14.0	15.3	17.6	20.4	22.4	23.6	23.5	25.6	22.3	20.7	16.7	16.8	238.9	12	-73287
	12 LST	16.6	16.9	20.5	20.6	20.2	19.5	17.8	20.6	19.2	21.9	20.5	20.0	234.3	12	-73287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.7	21.0	23.5	25.0	24.6	24.3	26.1	23.6	24.3	21.8	21.0	273.1	12	-73287
	00 LST	17.6	17.5	20.7	23.1	27.1	27.0	27.2	27.7	25.1	24.8	21.4	19.4	278.6	12	-73287
	06 LST	12.4	13.4	15.9	19.3	21.1	22.3	22.5	24.4	21.0	19.6	15.4	15.1	222.4	12	-73287
	12 LST	14.7	15.5	19.1	19.6	17.1	19.0	17.2	20.2	18.6	21.6	19.7	18.4	222.7	12	-73287



## AUBURN-OPELIKA, ALABAMA

STA NO. 73772 (IN AREA NUMBER 15)

LATITUDE 3236N

LONGITUDE 08526W

ELEVATION(FT) 00774

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CBS
ABS MAX TMP (F)	81	81	89	94	98	107	108	106	108	98	90	84	108	65	-113
MEAN MAX TMP (F)	59	61	67	76	83	90	90	90	87	78	67	59	76	64	-113
MEAN MIN TMP (F)	38	40	45	53	60	67	70	69	65	54	44	39	54	63	-113
ABS MIN TMP (F)	4	7	13	27	35	39	56	53	42	25	9	9	4	66	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.0	19.0	22.0	25.0	13.0	2.0	0.0	0.0	88.3	10	-113
MEAN NO DYS TMP = DP ES 32(F)	14.0	8.0	7.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	14.0	92.0	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66	-29
MEAN DEW PT TMP (F)	41	42	44	52	61	68	71	70	65	55	43	39	54	12	-73289
MEAN REL HUM (PCT)	75	72	68	68	70	71	76	74	74	73	72	74	72	12	-73289
MEAN PRESS ALT (FT)	567	597	638	665	694	713	671	693	705	661	599	569	648	0	-50
MEAN PRECIP (IN)	4.76	5.26	6.06	4.48	5.61	4.08	5.41	4.51	3.38	2.55	3.44	5.08	52.6	82	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	64	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	8.9	7.5	7.0	6.6	6.9	8.2	7.3	5.5	4.4	5.6	8.7	84.9	82	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	4.9	2.6	2.8	1.7	1.4	2.3	1.9	2.5	6.1	6.2	4.8	42.0	12	-73289
MEAN NO DYS TSTMS	1.2	2.1	3.2	4.8	6.7	8.9	13.0	9.3	2.3	1.1	1.1	0.8	54.5	12	-73289
P FREQ WND SPD = DR GTR 17 KTS	4.1	5.8	7.2	5.0	1.7	0.9	0.5	0.4	0.6	1.1	2.8	3.4	2.8	12	-73289
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73289
P FREQ LES 5000 FT A/D LES 5 MI	39.4	37.3	33.7	24.2	22.4	23.5	26.3	19.6	26.1	30.8	29.2	34.9	29.0	12	-73289
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	21.1	16.6	15.1	7.1	3.2	4.6	4.8	3.9	10.2	18.2	16.6	19.1	11.7	12	-73289
03-05 LST	29.4	27.3	23.4	15.2	11.4	9.7	16.9	10.9	18.3	29.7	28.1	26.7	20.6	12	-73289
06-08 LST	31.7	34.8	29.5	22.8	19.4	17.2	22.7	21.4	25.4	36.1	33.1	29.1	26.9	12	-73289
09-11 LST	27.0	26.6	19.7	13.1	10.2	8.9	14.2	9.5	15.6	16.9	19.4	22.7	17.0	12	-73289
12-14 LST	16.0	15.1	13.2	5.6	2.6	2.2	3.5	2.2	6.9	8.2	9.2	13.0	8.1	12	-73289
15-17 LST	10.5	9.8	10.5	3.3	1.8	1.9	2.9	1.4	6.5	6.0	5.2	9.3	5.8	12	-73289
18-20 LST	11.9	10.5	8.5	3.2	2.3	1.4	2.4	1.1	6.7	6.6	5.1	10.2	5.8	12	-73289
21-23 LST	12.3	13.0	11.1	4.3	2.2	1.4	2.2	1.7	6.9	7.6	7.7	12.5	6.9	12	-73289
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.7	3.1	2.0	0.8	0.6	1.4	0.9	0.5	2.4	5.3	6.1	6.5	2.9	12	-73289
03-05 LST	9.4	7.5	5.7	4.5	3.0	2.0	3.9	3.1	4.4	11.9	12.7	9.3	6.5	12	-73289
06-08 LST	11.7	11.5	8.6	6.0	3.5	2.0	4.4	4.6	6.0	13.7	15.4	9.4	8.1	12	-73289
09-11 LST	5.4	3.3	1.1	0.6	0.2	0.2	0.3	0.1	0.4	0.9	2.2	2.9	1.5	12	-73289
12-14 LST	1.2	0.7	0.5	0.3	0.0	0.2	0.2	0.0	0.3	0.0	0.4	1.1	0.4	12	-73289
15-17 LST	0.8	0.3	0.7	0.0	0.1	0.4	0.7	0.3	0.3	0.1	0.6	0.5	0.4	12	-73289
18-20 LST	0.6	0.5	0.9	0.1	0.4	0.1	0.4	0.3	0.3	0.4	0.6	1.0	0.5	12	-73289
21-23 LST	1.7	1.6	0.7	0.6	0.2	0.0	0.4	0.0	0.5	0.4	2.5	3.3	1.0	12	-73289

## AUBURN-OPELIKA, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.4	26.0	29.4	29.3	30.4	29.5	30.3	30.5	28.8	29.8	29.3	28.8	290.5	12	-73289
	00 LST	27.0	25.4	27.9	29.0	30.2	29.2	30.1	30.4	28.1	28.1	26.6	26.6	238.6	12	-73289
	06 LST	23.3	21.1	23.3	23.4	26.0	25.6	24.4	24.4	22.9	20.6	22.1	24.0	281.1	12	-73289
	12 LST	27.2	25.0	27.9	28.7	30.7	29.7	30.4	30.7	28.9	29.1	27.8	27.7	343.8	12	-73289
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.1	18.2	17.7	19.7	24.4	24.6	26.3	27.2	25.3	26.2	24.7	23.9	280.3	12	-73289
	00 LST	21.3	19.8	21.5	25.0	28.6	28.1	29.0	29.7	26.2	25.1	23.6	22.3	300.2	12	-73289
	06 LST	17.3	15.2	16.8	19.4	23.3	23.6	22.5	22.4	19.8	17.6	17.6	19.3	235.2	12	-73289
	12 LST	15.2	11.6	12.9	15.8	20.2	21.8	24.8	26.1	20.4	20.4	16.8	17.0	223.0	12	-73289
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.5	3.6	1.3	0.7	0.4	0.2	0.2	0.2	0.6	0.3	0.6	10.3	12	-73289
	00 LST	0.4	0.8	0.6	0.6	0.0	0.1	0.0	0.1	0.0	0.2	0.4	0.7	3.9	12	-73289
	06 LST	0.3	0.8	0.8	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.6	3.0	12	-73289
	12 LST	2.7	3.3	4.7	3.2	1.3	0.3	0.3	0.2	0.2	0.7	1.8	2.4	21.1	12	-73289
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.7	11.8	13.4	13.6	12.4	9.6	8.3	8.1	9.9	7.9	8.1	10.2	124.0	12	-73289
	00 LST	7.5	7.4	10.0	5.8	3.9	2.8	2.3	2.2	4.2	5.0	6.0	6.0	63.1	12	-73289
	06 LST	6.6	5.9	7.6	4.7	2.0	2.0	1.7	1.2	4.7	4.0	4.7	5.9	51.0	12	-73289
	12 LST	12.9	11.7	13.1	14.3	14.8	10.6	8.3	9.3	14.0	15.1	11.0	13.0	148.1	12	-73289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	6.9	8.6	10.8	8.5	6.2	3.0	6.7	8.1	13.6	13.9	11.0	105.5	12	-73289
	00 LST	13.1	12.0	14.1	17.3	17.5	15.8	15.1	17.1	15.2	18.1	16.1	13.5	184.9	12	-73289
	06 LST	9.1	9.0	8.8	9.1	9.2	8.3	6.9	9.5	8.5	10.0	12.0	12.0	112.4	12	-73289
	12 LST	7.8	7.1	8.4	9.8	7.1	5.4	3.9	7.0	6.2	12.6	13.2	9.9	98.4	12	-73289
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	23.8	27.4	28.5	29.6	28.7	29.6	29.5	27.6	28.3	27.8	26.0	332.7	12	-73289
	00 LST	24.1	22.3	24.8	27.8	29.3	28.6	29.6	29.8	26.6	25.9	24.9	24.1	317.8	12	-73289
	06 LST	19.4	17.2	19.4	20.3	23.4	23.1	22.1	22.7	19.9	17.8	19.3	21.0	245.6	12	-73289
	12 LST	22.5	20.3	23.9	26.4	27.2	26.4	26.0	27.8	24.8	25.1	24.8	23.4	298.6	12	-73289
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	19.8	23.3	24.1	24.7	23.5	23.7	24.6	25.0	24.4	24.9	22.2	280.7	12	-73289
	00 LST	19.9	19.2	22.5	25.2	27.6	27.1	28.2	28.3	25.5	24.1	22.4	20.8	290.8	12	-73289
	06 LST	15.2	14.7	16.6	17.8	21.2	21.5	21.5	22.1	18.8	15.5	17.3	18.4	220.6	12	-73289
	12 LST	18.7	17.4	19.4	20.5	20.7	17.5	17.2	22.5	18.9	22.1	23.2	20.0	238.1	12	-73289
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.5	17.6	22.1	22.9	23.3	22.1	22.6	23.4	22.9	23.4	23.3	20.8	263.9	12	-73289
	00 LST	18.9	17.7	20.7	24.0	25.7	25.9	27.4	27.2	24.1	22.7	21.4	20.0	275.7	12	-73289
	06 LST	14.1	13.2	15.4	16.1	20.0	20.5	20.1	21.1	17.1	14.4	16.1	17.5	205.6	12	-73289
	12 LST	17.6	16.3	18.2	19.5	20.1	17.1	16.5	21.8	18.3	21.5	22.1	17.9	226.9	12	-73289

## JACKSONVILLE/REILLY FIELD, ALABAMA

STA NO. 73799 (IN AREA NUMBER 19)

LATITUDE 3343N

LONGITUDE 08547W

ELEVATION(FT) 60752

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (%)	NO. OBS
ABS MAX TMP (F)	80	80	85	93	96	102	101	102	101	99	85	80	104	13	-73212
MEAN MAX TMP (F)	57	60	65	75	84	90	92	92	86	76	64	57	75	13	-73212
MEAN MIN TMP (F)	35	37	41	49	57	65	68	67	61	49	37	34	50	13	-73212
ABS MIN TMP (F)	11	4	14	29	34	43	51	50	39	22	5	10	4	13	-73212
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.7	18.6	19.8	19.0	7.4	1.6	0.0	0.0	71.3	8	-73212
MEAN NO DYS TMP = JR LES 32(F)	13.4	8.2	7.8	1.5	0.0	0.0	0.0	0.0	0.0	2.3	13.8	16.7	63.7	8	-73212
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-73212
MEAN DEW PT TMP (F)	39	40	43	50	59	67	70	69	62	52	39	37	52	8	-73212
MEAN REL HUM (PCT)	78	74	70	69	72	75	77	78	75	74	73	77	74	8	-73212
MEAN PRESS ALT (FT)	532	571	627	657	672	689	661	666	640	596	560	534	617	0	-50
MEAN PRECIP (IN)	4.97	5.03	5.69	4.34	3.26	4.27	3.93	3.55	4.03	2.19	3.72	4.30	49.3	13	-73212
MEAN SNOW FALL (IN)	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	13	-73212
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.6	7.4	7.0	6.3	7.1	6.7	6.3	6.3	3.9	5.9	7.8	81.9	13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-73212
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.3	0.5	0.5	1.3	1.7	0.3	1.3	2.0	1.4	1.1	2.7	15.3	8	-73212
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	11.0	12.0	10.0	5.0	1.0	1.0	1.0	60.0	45	-73212
P FREQ WND SPD = DR GTR 17 KTS	2.6	3.7	5.1	2.3	0.7	0.4	0.1	0.2	0.4	0.7	1.6	2.8	1.7	8	-73212
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-73212
P FREQ LES 5000 FT A/D LES 5 MI	37.9	33.7	29.5	22.0	19.1	15.8	21.4	17.2	19.7	22.3	27.1	36.1	25.2	8	-73212
P FREQ LES 1500 FT A/J LES 3 MI															
FOR 00-02 LST	15.4	16.8	11.2	6.3	7.1	3.2	7.7	8.3	11.1	10.6	8.8	17.1	10.3	8	-73212
03-05 LST	23.7	19.8	14.5	11.8	11.7	12.2	13.4	11.7	13.5	15.4	10.5	19.8	14.8	8	-73212
06-08 LST	29.4	23.8	17.6	13.6	14.0	9.8	13.1	10.6	12.5	16.1	17.8	22.3	16.7	8	-73212
09-11 LST	21.4	17.1	12.6	6.4	3.5	1.9	4.2	4.0	6.2	7.4	15.5	20.4	10.1	8	-73212
12-14 LST	15.3	11.9	9.1	3.3	1.2	0.5	2.0	1.8	2.9	4.8	8.6	13.9	6.3	8	-73212
15-17 LST	11.8	10.3	6.9	4.0	1.7	0.8	2.2	0.9	2.5	4.9	6.5	14.7	5.6	8	-73212
18-20 LST	10.3	11.2	6.5	3.8	2.0	1.0	1.4	2.0	3.4	4.9	6.8	13.3	5.6	8	-73212
21-23 LST	14.4	12.8	6.7	4.3	1.4	0.8	2.6	3.2	4.9	7.9	7.2	16.3	6.9	8	-73212
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.9	0.9	0.1	1.8	0.8	0.5	1.5	3.2	1.9	0.5	3.4	1.4	8	-73212
03-05 LST	2.7	1.5	1.5	1.3	3.2	4.0	1.8	3.1	3.3	3.9	1.3	3.4	2.6	8	-73212
06-08 LST	3.9	3.1	1.7	0.8	2.0	1.0	0.5	0.9	1.6	3.4	3.0	3.3	2.1	8	-73212
09-11 LST	1.4	1.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.3	0.6	8	-73212
12-14 LST	0.5	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.5	0.3	0.2	8	-73212
15-17 LST	0.5	0.7	0.5	0.1	0.2	0.2	0.0	0.2	0.2	0.0	0.3	0.8	0.3	8	-73212
18-20 LST	0.6	1.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.2	0.0	2.2	0.4	8	-73212
21-23 LST	1.2	0.7	0.0	0.1	0.3	0.0	0.0	0.2	0.3	0.9	0.0	4.0	0.6	8	-73212

## JACKSONVILLE/REILLY FIELD, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	25.8	29.6	29.4	30.7	29.7	30.6	30.7	29.4	30.6	29.0	28.0	332.8	8	-73212
	00 LST	29.3	25.5	29.1	29.5	30.0	29.6	29.9	30.0	28.4	29.4	28.4	27.2	346.3	8	-73212
	06 LST	24.0	23.7	26.8	27.9	28.3	27.6	28.3	28.4	27.8	27.0	26.4	26.3	322.5	8	-73212
	12 LST	27.5	25.6	28.7	29.3	30.8	30.0	30.8	30.6	29.3	30.1	27.8	28.0	343.5	8	-73212
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	20.9	22.7	25.2	28.7	28.8	29.7	29.5	27.4	28.3	24.7	21.7	310.7	8	-73212
	00 LST	19.9	17.7	22.5	24.9	28.4	28.8	28.6	28.6	25.7	25.4	23.7	20.2	294.4	8	-73212
	06 LST	16.4	16.1	20.5	21.0	24.0	24.3	24.4	26.3	23.6	23.0	20.3	16.8	256.7	8	-73212
	12 LST	13.6	11.5	14.7	15.4	21.5	25.1	24.7	26.7	21.6	22.0	16.1	13.9	226.8	8	-73212
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.0	0.5	1.1	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1	3.4	8	-73212
	00 LST	0.6	1.1	0.9	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.1	3.7	8	-73212
	06 LST	0.6	0.9	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	3.3	8	-73212
	12 LST	1.7	1.4	2.2	1.8	0.7	0.1	0.0	0.0	0.1	0.3	1.0	1.8	11.1	8	-73212
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	11.8	12.0	14.1	13.5	9.6	9.5	8.1	7.4	8.2	8.7	11.1	13.4	127.4	8	-73212
	00 LST	12.2	13.0	11.3	15.0	8.3	8.7	6.8	8.1	10.3	10.9	11.2	10.6	126.4	8	-73212
	06 LST	9.7	11.0	14.6	17.0	12.1	12.8	11.8	10.1	13.2	13.2	10.8	10.0	146.3	8	-73212
	12 LST	15.8	14.3	14.8	15.9	16.9	11.6	12.0	11.7	16.6	18.6	16.7	16.1	181.0	8	-73212
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.6	10.8	8.7	11.1	11.4	10.4	6.7	7.4	14.4	18.1	16.0	12.1	137.7	8	-73212
	00 LST	12.5	11.3	11.7	15.5	17.5	18.3	16.7	18.1	17.0	19.3	16.6	11.7	186.2	8	-73212
	06 LST	8.6	6.9	8.5	11.7	10.6	11.1	10.1	13.0	13.6	15.7	12.1	8.0	129.9	8	-73212
	12 LST	6.6	7.5	8.2	10.4	7.3	4.0	2.5	4.7	7.8	12.1	11.1	8.0	90.2	8	-73212
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.6	23.5	27.5	27.6	29.4	29.6	29.4	30.0	27.6	29.5	26.7	25.1	332.5	8	-73212
	00 LST	24.0	21.4	25.7	27.4	28.7	29.0	28.6	28.7	26.0	26.6	26.6	23.1	315.8	8	-73212
	06 LST	18.4	18.5	23.1	23.7	24.6	24.3	24.4	26.4	24.3	24.0	22.4	21.5	275.6	8	-73212
	12 LST	22.8	22.2	25.7	27.1	29.1	29.1	29.4	29.7	27.7	28.1	25.4	22.8	319.1	8	-73212
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.0	22.7	24.0	26.8	27.1	26.8	26.3	25.0	26.8	24.1	22.1	292.7	8	-73212
	00 LST	19.8	19.1	21.9	23.6	27.0	28.6	27.3	27.6	24.8	24.8	23.6	19.4	287.5	8	-73212
	06 LST	15.3	16.0	18.8	20.7	22.7	22.6	24.0	24.4	22.8	22.7	20.1	17.5	247.6	8	-73212
	12 LST	17.2	17.9	20.5	20.7	21.7	20.7	17.5	20.0	20.6	21.9	21.6	18.4	238.7	8	-73212
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.1	18.8	20.2	22.4	25.7	25.8	25.5	24.7	23.6	25.5	23.3	20.3	274.9	8	-73212
	00 LST	18.8	18.3	20.9	21.4	25.7	27.6	26.0	26.8	23.9	23.8	21.6	17.8	272.6	8	-73212
	06 LST	13.5	14.1	16.9	18.8	21.1	22.0	22.7	23.1	21.8	22.1	18.8	15.6	230.5	8	-73212
	12 LST	16.5	16.4	19.2	19.1	20.4	20.3	17.0	19.7	19.7	20.7	20.1	17.1	226.2	8	-73212

## TALLADEGA MUNICIPAL, ALABAMA

STA NO. 73800 (IN AREA NUMBER 15)

LATITUDE 3334N

LONGITUDE 08603W

ELEVATION(FT) 00527

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	90	97	98	109	109	107	109	99	86	80	109	64	-113
MEAN MAX TMP (F)	57	60	67	76	84	90	92	92	87	77	66	57	73	64	-113
MEAN MIN TMP (F)	36	37	43	50	58	66	69	68	63	51	40	35	51	63	-113
ABS MIN TMP (F)	-5	-10	10	25	33	45	51	46	36	23	5	7	-10	63	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	7.0	17.0	24.0	24.0	10.0	2.0	0.0	0.0	84.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	14.0	11.0	10.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	11.0	19.0	64.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		63	-29
MEAN DEW PT TMP (F)	39	40	43	50	59	67	70	69	62	52	39	37	52	8	-73212
MEAN REL HUM (PCT)	78	74	70	69	72	75	77	78	75	74	73	77	74	8	-73212
MEAN PRESS ALT (FT)	307	346	402	433	448	464	437	442	414	370	335	309	392	0	-50
MEAN PRECIP (IN)	5.02	5.56	6.25	4.64	3.75	4.49	5.02	4.54	3.12	2.64	3.36	4.86	53.3	69	-113
MEAN SNOW FALL (IN)	0.7	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.8	64	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.6	9.2	7.6	7.1	6.7	7.3	7.8	7.3	5.1	4.5	5.5	8.4	85.1	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	64	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.3	0.5	0.5	1.3	1.7	0.3	1.3	2.0	1.4	1.1	2.7	15.3	8	-73212
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	11.0	12.0	10.0	5.0	1.0	1.0	1.0	60.0	45	-73212
P FREQ WND SPD = OR GTR 17 KTS	2.6	3.7	5.1	2.3	0.7	0.4	0.1	0.2	0.4	0.7	1.6	2.8	1.7	8	-73212
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-73212
P FREQ LES 5000 FT A/D LES 5 MI	37.9	33.7	29.5	22.0	19.1	15.8	21.4	17.2	19.7	22.3	27.1	36.1	25.2	8	-73212
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.4	16.8	11.2	6.3	7.1	3.2	7.7	8.3	11.1	10.6	8.8	17.1	10.3	8	-73212
03-05 LST	23.7	19.8	14.5	11.8	11.7	12.2	13.4	11.7	13.5	15.4	10.5	19.8	14.8	8	-73212
06-08 LST	29.6	23.8	17.6	13.6	14.0	9.8	13.1	10.6	12.5	16.1	17.8	22.3	16.7	8	-73212
09-11 LST	21.4	17.1	12.6	6.4	3.3	1.9	4.2	4.0	6.2	7.4	15.3	20.6	10.1	8	-73212
12-14 LST	15.3	11.9	9.1	3.3	1.2	0.5	2.0	1.8	2.9	4.8	8.6	13.9	6.3	8	-73212
15-17 LST	11.8	10.3	6.9	4.0	1.7	0.8	2.2	0.9	2.5	4.9	6.3	14.7	5.6	8	-73212
18-20 LST	10.3	11.2	6.5	3.8	2.0	1.0	1.4	2.0	3.4	4.9	6.8	13.3	5.6	8	-73212
21-23 LST	14.4	12.8	6.7	4.3	1.4	0.8	2.6	3.2	4.9	7.9	7.2	16.3	6.9	8	-73212
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.9	0.9	0.1	1.8	0.8	0.5	1.5	3.2	1.9	0.5	3.4	1.4	8	-73212
03-05 LST	2.7	1.5	1.5	1.3	3.2	4.0	1.8	3.1	3.3	3.9	1.3	3.4	2.6	8	-73212
06-08 LST	3.9	3.1	1.7	0.8	2.0	1.0	0.5	0.9	1.6	3.4	3.0	3.3	2.1	8	-73212
09-11 LST	1.4	1.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.3	0.6	8	-73212
12-14 LST	0.5	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.5	0.3	0.2	8	-73212
15-17 LST	0.5	0.7	0.5	0.1	0.2	0.2	0.0	0.2	0.2	0.0	0.3	0.8	0.3	8	-73212
18-20 LST	0.6	1.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.2	0.0	2.2	0.4	8	-73212
21-23 LST	1.2	0.7	0.0	0.1	0.3	0.0	0.0	0.2	0.3	0.9	0.0	4.0	0.6	8	-73212

## TALLADEGA MUNICIPAL, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	25.8	29.6	29.4	30.7	29.7	30.6	30.7	29.4	30.6	29.0	26.0	332.8	8	-73212
	00 LST	29.3	25.5	29.1	29.5	30.0	29.6	29.9	30.0	28.4	29.4	28.4	27.2	346.3	8	-73212
	06 LST	24.0	23.7	26.8	27.9	28.3	27.6	28.3	28.4	27.8	27.0	26.4	26.3	322.5	8	-73212
	12 LST	27.5	25.6	28.7	29.3	30.8	30.0	30.8	30.6	29.3	30.1	27.8	26.0	348.5	8	-73212
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	20.9	22.7	25.2	28.7	28.8	29.7	29.5	27.4	28.3	24.7	21.7	310.7	8	-73212
	00 LST	19.9	17.7	22.5	24.9	28.4	28.8	28.6	28.6	25.7	25.4	23.7	20.2	294.4	8	-73212
	06 LST	16.4	16.1	20.5	21.0	24.0	24.3	24.4	26.3	23.6	23.0	20.3	16.8	256.7	8	-73212
	12 LST	13.6	11.5	14.7	15.4	21.5	25.1	24.7	26.7	21.6	22.6	16.1	13.9	226.8	8	-73212
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.0	0.5	1.1	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1	3.4	8	-73212
	00 LST	0.6	1.1	0.9	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.1	3.7	8	-73212
	06 LST	0.6	0.9	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	3.3	8	-73212
	12 LST	1.7	1.4	2.2	1.8	0.7	0.1	0.0	0.0	0.1	0.3	1.0	1.8	11.1	8	-73212
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	11.8	12.0	14.1	13.5	9.6	9.5	8.1	7.4	8.2	8.7	11.1	13.4	127.4	8	-73212
	00 LST	12.2	13.0	11.3	15.0	8.3	8.7	6.8	8.1	10.3	10.9	11.2	10.6	126.4	8	-73212
	06 LST	9.7	11.0	14.6	17.0	12.1	12.8	11.8	10.1	13.2	13.2	10.8	10.0	146.3	8	-73212
	12 LST	15.8	14.3	14.8	15.9	16.9	11.6	12.0	11.7	16.6	18.6	16.7	16.1	181.0	8	-73212
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.6	10.8	8.7	11.1	11.4	10.4	6.7	7.4	14.4	18.1	16.0	12.1	137.7	8	-73212
	00 LST	12.5	11.3	11.7	15.5	17.5	18.3	16.7	18.1	17.0	19.3	16.6	11.7	186.2	8	-73212
	06 LST	8.6	6.9	8.5	11.7	10.6	11.1	10.1	13.0	13.6	15.7	12.1	8.0	129.9	8	-73212
	12 LST	6.6	7.5	8.2	10.4	7.3	4.0	2.5	4.7	7.8	12.1	11.1	8.0	90.2	8	-73212
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.6	23.5	27.5	27.6	29.4	29.6	29.4	30.0	27.6	29.5	26.7	25.1	332.5	8	-73212
	00 LST	24.0	21.4	25.7	27.4	28.7	29.0	28.6	28.7	26.0	26.6	26.6	23.1	315.8	8	-73212
	06 LST	18.4	18.5	23.1	23.7	24.6	24.3	24.4	26.4	24.3	24.0	22.4	21.5	275.6	8	-73212
	12 LST	22.8	22.2	25.7	27.1	29.1	29.1	29.4	29.7	27.7	28.1	25.4	22.8	319.1	8	-73212
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.0	22.7	24.0	26.8	27.1	26.8	26.3	25.0	26.8	24.1	22.1	292.7	8	-73212
	00 LST	19.8	19.1	21.9	23.6	27.0	28.6	27.3	27.6	24.8	24.8	23.6	19.4	287.5	8	-73212
	06 LST	15.3	16.0	18.8	20.7	22.7	22.6	24.0	24.4	22.8	22.7	20.1	17.5	247.6	8	-73212
	12 LST	17.2	17.9	20.5	20.7	21.7	20.7	17.5	20.0	20.6	21.9	21.6	18.4	238.7	8	-73212
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.1	18.8	20.2	22.4	25.7	25.8	25.5	24.7	23.6	25.5	23.3	20.3	274.9	8	-73212
	00 LST	18.8	18.3	20.9	21.4	25.7	27.6	26.0	26.8	23.9	23.8	21.6	17.8	272.6	8	-73212
	06 LST	13.5	14.1	16.9	18.8	21.1	22.0	22.7	23.1	21.8	22.1	18.8	15.6	230.5	8	-73212
	12 LST	16.5	16.4	19.2	19.1	20.4	20.3	17.0	19.7	19.7	20.7	20.1	17.1	226.2	8	-73212



ALEXANDER CITY/THOMAS C RUSSELL, ALABAMA

STA NO. 73801 (IN AREA NUMBER 15)

LATITUDE 3255N

LONGITUDE 08558W

ELEVATION(FT) 00685

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	83	86	90	96	102	104	102	100	98	84	78	104	16	-113
MEAN MAX TMP (F)	60	63	68	82	84	90	91	91	86	77	67	59	77	18	-113
MEAN MIN TMP (F)	35	37	41	49	57	64	67	66	61	49	38	34	50	17	-113
ABS MIN TMP (F)	9	4	11	24	31	39	50	50	40	19	5	9	4	16	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	6.0	16.0	22.0	24.0	10.0	1.0	0.0	0.0	79.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	14.0	11.0	10.0	3.0	0.3	0.0	0.0	0.0	0.0	4.0	13.0	17.0	72.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	39	40	43	50	59	67	70	69	62	52	39	37	52	8	-73212
MEAN REL HUM (PCT)	78	74	70	69	72	75	77	78	75	74	73	77	74	8	-73212
MEAN PRESS ALT (FT)	463	504	562	593	606	622	597	599	566	523	492	465	549	0	-50
MEAN PRECIP (IN)	5.41	5.00	7.14	6.19	3.73	4.28	4.96	3.50	4.14	2.18	4.09	4.21	54.8	16	-113
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.0	8.6	8.0	7.5	6.7	7.1	7.7	6.2	6.5	3.9	6.4	7.7	85.3	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.3	0.5	0.5	1.3	1.7	0.3	1.3	2.0	1.4	1.1	2.7	15.3	8	-73212
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	11.0	12.0	10.0	5.0	1.0	1.0	1.0	60.0	45	-73212
P FREQ WND SPD = OR GTR 17 KTS	2.6	3.7	5.1	2.3	0.7	0.4	0.1	0.2	0.4	0.7	1.6	2.8	1.7	8	-73212
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-73212
P FREQ LES 5000 FT A/D LES 5 MI	37.9	33.7	29.5	22.0	19.1	15.8	21.4	17.2	19.7	22.3	27.1	36.1	25.2	8	-73212
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.4	16.8	11.2	6.3	7.1	3.2	7.7	8.3	11.1	10.6	8.8	17.1	10.3	8	-73212
03-05 LST	23.7	19.8	14.5	11.8	11.7	12.2	13.4	11.7	13.5	15.4	10.5	19.8	14.8	8	-73212
06-08 LST	29.6	23.8	17.6	13.6	14.0	9.8	13.1	10.6	12.5	16.1	17.8	22.3	16.7	8	-73212
09-11 LST	21.4	17.1	12.6	6.4	3.5	1.9	4.2	4.0	6.2	7.4	15.5	20.6	10.1	8	-73212
12-14 LST	15.3	11.9	9.1	3.3	1.2	0.5	2.0	1.8	2.9	4.8	8.6	13.9	6.3	8	-73212
15-17 LST	11.8	10.3	6.9	4.0	1.7	0.8	2.2	0.9	2.5	4.9	6.5	14.7	5.6	8	-73212
18-20 LST	10.3	11.2	6.5	3.8	2.0	1.0	1.4	2.0	3.4	4.9	6.8	13.3	5.6	8	-73212
21-23 LST	14.4	12.8	6.7	4.3	1.4	0.8	2.6	3.2	4.9	7.9	7.2	16.3	6.9	8	-73212
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.9	0.9	0.1	1.8	0.8	0.5	1.5	3.2	1.9	0.5	3.4	1.4	8	-73212
03-05 LST	2.7	1.5	1.5	1.3	3.2	4.0	1.8	3.1	3.3	3.9	1.3	3.4	2.6	8	-73212
06-08 LST	3.9	3.1	1.7	0.8	2.0	1.0	0.5	0.9	1.6	3.4	3.0	3.3	2.1	8	-73212
09-11 LST	1.4	1.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.3	0.6	8	-73212
12-14 LST	0.5	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.5	0.3	0.2	8	-73212
15-17 LST	0.5	0.7	0.5	0.1	0.2	0.2	0.0	0.2	0.2	0.0	0.3	0.8	0.3	8	-73212
18-20 LST	0.6	1.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.2	0.0	2.2	0.4	8	-73212
21-23 LST	1.2	0.7	0.0	0.1	0.3	0.0	0.0	0.2	0.3	0.9	0.0	4.0	0.6	8	-73212



# ALEXANDER CITY/THOMAS C RUSSELL, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	25.8	29.5	29.4	30.7	29.7	30.6	30.7	29.4	30.6	29.0	28.0	332.8	8	-73212
	00 LST	29.3	25.5	29.1	29.5	30.0	29.6	29.9	30.0	28.4	29.4	28.4	27.2	346.3	8	-73212
	06 LST	24.0	23.7	26.8	27.9	28.3	27.6	28.3	28.4	27.8	27.0	26.4	26.3	322.3	8	-73212
	12 LST	27.5	25.6	28.7	29.3	30.8	30.0	30.8	30.6	29.3	30.1	27.8	28.0	348.5	8	-73212
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	20.9	22.7	25.2	28.7	28.8	29.7	29.5	27.4	28.3	24.7	21.7	310.7	8	-73212
	00 LST	19.9	17.7	22.5	24.9	28.4	28.8	28.6	28.6	25.7	25.4	23.7	20.2	294.4	8	-73212
	06 LST	16.4	16.1	20.5	21.0	24.0	24.3	24.4	26.3	23.6	23.0	20.3	16.8	256.7	8	-73212
	12 LST	13.6	11.5	14.7	15.4	21.5	25.1	24.7	26.7	21.6	22.0	16.1	13.9	226.8	8	-73212
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.0	0.5	1.1	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1	3.4	8	-73212
	00 LST	0.6	1.1	0.9	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.1	3.7	8	-73212
	06 LST	0.6	0.9	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	3.3	8	-73212
	12 LST	1.7	1.4	2.2	1.8	0.7	0.1	0.0	0.0	0.1	0.3	1.0	1.8	11.1	8	-73212
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	11.8	12.0	14.1	13.5	9.6	9.5	8.1	7.4	8.2	8.7	11.1	13.4	127.4	8	-73212
	00 LST	12.2	13.0	11.3	15.0	8.3	8.7	6.8	8.1	10.3	10.9	11.2	10.6	126.4	8	-73212
	06 LST	9.7	11.0	14.6	17.0	12.1	12.8	11.8	10.1	13.2	13.2	10.8	10.0	146.3	8	-73212
	12 LST	15.8	14.3	14.8	15.9	16.9	11.6	12.0	11.7	16.6	18.6	16.7	16.1	181.0	8	-73212
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.6	10.8	8.7	11.1	11.4	10.4	6.7	7.4	14.4	18.1	16.0	12.1	137.7	8	-73212
	00 LST	12.5	11.3	11.7	15.5	17.5	18.3	16.7	18.1	17.0	19.3	16.6	11.7	186.2	8	-73212
	06 LST	8.6	6.9	8.5	11.7	10.6	11.1	10.1	13.0	13.6	15.7	12.1	8.0	129.9	8	-73212
	12 LST	6.6	7.5	8.2	10.4	7.3	4.0	2.5	4.7	7.8	12.1	11.1	8.0	90.2	8	-73212
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.6	23.5	27.5	27.6	29.4	29.6	29.4	30.0	27.6	29.5	26.7	25.1	332.5	8	-73212
	00 LST	24.0	21.4	25.7	27.4	28.7	29.0	28.6	28.7	26.0	26.6	26.6	23.1	315.8	8	-73212
	06 LST	18.4	18.5	23.1	23.7	24.6	24.3	24.4	26.4	24.3	24.0	22.4	21.5	275.6	8	-73212
	12 LST	22.8	22.2	25.7	27.1	29.1	29.1	29.4	29.7	27.7	28.1	25.4	22.8	319.1	8	-73212
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.0	22.7	24.0	26.8	27.1	26.8	26.3	25.0	26.8	24.1	22.1	292.7	8	-73212
	00 LST	19.8	19.1	21.9	23.6	27.0	28.6	27.3	27.6	24.8	24.8	23.6	19.4	287.5	8	-73212
	06 LST	15.3	16.0	18.8	20.7	22.7	22.6	24.0	24.4	22.8	22.7	20.1	17.5	247.6	8	-73212
	12 LST	17.2	17.9	20.5	20.7	21.7	20.7	17.5	20.0	20.6	21.9	21.6	18.4	238.7	8	-73212
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.1	18.8	20.2	22.4	25.7	25.8	25.5	24.7	23.6	25.5	23.3	20.3	274.9	8	-73212
	00 LST	18.8	18.3	20.9	21.4	25.7	27.6	26.0	26.8	23.9	23.8	21.6	17.8	272.6	8	-73212
	06 LST	13.5	14.1	16.9	18.8	21.1	22.0	22.7	23.1	21.8	22.1	18.8	15.6	230.5	8	-73212
	12 LST	16.5	16.4	19.2	19.1	20.4	20.3	17.0	19.7	19.7	20.7	20.1	17.1	226.4	8	-73212

# GADSDEN MUNICIPAL, ALABAMA

STA NO. 75258 (IN AREA NUMBER 15)

LATITUDE 3358N

LONGITUDE 08605W

ELEVATION(FT) 00564

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	78	84	91	95	102	103	105	102	96	84	76	105	8	-113
MEAN MAX TMP (F)	53	58	62	76	82	89	92	92	87	75	64	55	74	8	-113
MEAN MIN TMP (F)	33	36	40	50	57	64	68	66	61	49	37	33	50	8	-113
ABS MIN TMP (F)	11	2	11	27	33	42	56	52	41	23	15	10	2	7	-113
MEAN NO DYS TMP = OR GTR 90 F)	0.0	0.0	0.0	0.3	6.0	15.0	22.0	24.0	11.0	1.0	0.0	0.0	79.3	8	-113
MEAN NO DYS TMP = OR LES 30 F)	16.0	11.0	10.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	12.0	16.0	68.0	7	-113
MEAN NO DYS TMP = OR LES 0 F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	39	40	43	50	59	67	70	69	62	52	39	37	52	8	-73212
MEAN REL HUM (PCT)	78	74	70	69	72	75	77	78	75	74	73	77	74	8	-73212
MEAN PRESS ALT (FT)	345	383	438	469	484	501	472	479	455	411	373	346	430	0	-50
MEAN PRECIP (IN)	4.69	5.15	4.91	4.55	3.54	3.78	3.70	3.07	3.57	2.42	3.91	4.07	47.4	7	-113
MEAN SNOW FALL (IN)	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	8.8	7.2	7.0	6.5	6.5	6.4	5.7	5.7	4.2	6.2	7.6	80.1	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.3	0.5	0.5	1.3	1.7	0.3	1.3	2.0	1.4	1.1	2.7	15.3	8	-73212
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	11.0	12.0	10.0	9.0	1.0	1.0	1.0	60.0	45	-73212
P FREQ WND SPD = OR GTR 17 KTS	2.6	3.7	5.1	2.3	0.7	0.4	0.1	0.2	0.4	0.7	1.6	2.8	1.7	8	-73212
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-73212
P FREQ LES 5000 FT A/D LES 5 MI	37.9	33.7	29.5	22.0	19.1	15.8	21.4	17.2	19.7	22.3	27.1	36.1	25.2	8	-73212
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.4	16.8	11.2	6.3	7.1	3.2	7.7	8.3	11.1	10.6	8.8	17.1	10.3	8	-73212
03-05 LST	23.7	19.8	14.5	11.8	11.7	12.2	13.4	11.7	13.5	15.4	10.5	19.8	14.8	8	-73212
06-08 LST	29.6	23.8	17.6	13.6	14.0	9.8	13.1	10.6	12.5	16.1	17.8	22.3	16.7	8	-73212
09-11 LST	21.4	17.1	12.6	6.4	3.5	1.9	4.2	4.0	6.2	7.4	15.5	20.6	10.1	8	-73212
12-14 LST	15.3	11.9	9.1	3.3	1.2	0.5	2.0	1.8	2.9	4.8	8.6	13.9	6.3	8	-73212
15-17 LST	11.8	10.3	6.9	4.0	1.7	0.8	2.2	0.9	2.5	4.9	6.5	14.7	5.6	8	-73212
18-20 LST	10.3	11.2	6.5	3.8	2.0	1.0	1.4	2.0	3.4	4.9	6.8	13.3	5.6	8	-73212
21-23 LST	14.4	12.8	6.7	4.3	1.4	0.8	2.6	3.2	4.9	7.9	7.2	16.3	6.9	8	-73212
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.9	0.9	0.1	1.6	0.8	0.5	1.5	3.2	1.9	0.5	3.4	1.4	8	-73212
03-05 LST	2.7	1.5	1.5	1.3	3.2	4.0	1.8	3.1	7.3	3.9	1.3	3.4	2.6	8	-73212
06-08 LST	3.9	3.1	1.7	0.8	2.0	1.0	0.5	0.9	1.6	3.4	3.0	3.3	2.1	8	-73212
09-11 LST	1.4	1.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.3	0.6	8	-73212
12-14 LST	0.5	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.5	0.3	0.2	8	-73212
15-17 LST	0.5	0.7	0.5	0.1	0.2	0.2	0.0	0.2	0.2	0.0	0.3	0.8	0.3	8	-73212
18-20 LST	0.6	1.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.2	0.0	2.2	0.4	8	-73212
21-23 LST	1.2	0.7	0.0	0.1	0.3	0.0	0.0	0.2	0.3	0.9	0.0	4.0	0.6	8	-73212

# GADSDEN MUNICIPAL, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	25.8	29.3	29.4	30.7	29.7	30.6	30.7	29.4	30.6	29.0	28.0	352.8	8	-73212
	00 LST	29.3	25.5	29.1	29.5	30.0	29.6	29.9	30.0	28.4	29.4	28.4	27.2	346.3	8	-73212
	06 LST	24.0	23.7	26.8	27.9	28.3	27.6	28.3	28.4	27.8	27.0	26.4	26.3	322.5	8	-73212
	12 LST	27.5	25.6	28.7	29.3	30.8	30.0	30.8	30.6	29.3	30.1	27.8	28.0	348.5	8	-73212
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	20.9	22.7	25.2	28.7	28.8	29.7	29.5	27.4	28.3	24.7	21.7	310.7	8	-73212
	00 LST	19.9	17.7	22.5	24.9	28.4	28.8	28.6	28.6	25.7	25.4	23.7	20.2	294.4	8	-73212
	06 LST	16.4	16.1	20.5	21.0	24.0	24.3	24.4	26.3	23.6	23.0	20.3	16.8	256.7	8	-73212
	12 LST	13.6	11.5	14.7	15.4	21.5	25.1	24.7	26.7	21.6	22.0	16.1	13.9	226.8	8	-73212
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.0	0.5	1.1	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1	3.4	8	-73212
	00 LST	0.6	1.1	0.9	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.1	3.7	8	-73212
	06 LST	0.6	0.9	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	3.3	8	-73212
	12 LST	1.7	1.4	2.2	1.8	0.7	0.1	0.0	0.0	0.1	0.3	1.0	1.8	11.1	8	-73212
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	11.8	12.0	14.1	13.5	9.6	9.5	8.1	7.4	8.2	8.7	11.1	13.4	127.4	8	-73212
	00 LST	12.2	13.0	11.3	15.0	8.3	8.7	6.8	8.1	10.3	10.9	11.2	10.6	126.4	8	-73212
	06 LST	9.7	11.0	14.6	17.0	12.1	12.8	11.8	10.1	13.2	13.2	10.8	10.0	146.3	8	-73212
	12 LST	15.8	14.3	14.8	15.9	16.9	11.6	12.0	11.7	16.6	18.6	16.7	16.1	181.0	8	-73212
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.6	10.8	8.7	11.1	11.4	10.4	6.7	7.4	14.4	18.1	16.0	12.1	137.7	8	-73212
	00 LST	12.5	11.3	11.7	15.5	17.5	18.3	16.7	18.1	17.0	19.3	16.6	11.7	186.2	8	-73212
	06 LST	8.6	6.9	8.5	11.7	10.6	11.1	10.1	13.0	13.6	15.7	12.1	8.0	129.9	8	-73212
	12 LST	6.6	7.5	8.2	10.4	7.3	4.0	7.5	4.7	7.8	12.1	11.1	8.0	90.2	8	-73212
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.6	23.5	27.5	27.6	29.4	29.6	29.4	30.0	27.6	29.5	26.7	25.1	332.5	8	-73212
	00 LST	24.0	21.4	25.7	27.4	28.7	29.0	28.6	28.7	26.0	26.6	26.6	23.1	315.8	8	-73212
	06 LST	18.4	18.5	23.1	23.7	24.6	24.3	24.4	26.4	24.3	24.0	22.4	21.5	275.6	8	-73212
	12 LST	22.8	22.2	25.7	27.1	29.1	29.1	29.4	29.7	27.7	28.1	25.4	22.8	319.1	8	-73212
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.0	22.7	24.0	26.8	27.1	26.8	26.3	25.0	26.8	24.1	22.1	292.7	8	-73212
	00 LST	19.8	19.1	21.9	23.6	27.0	28.6	27.3	27.6	24.9	24.8	23.6	19.4	287.5	8	-73212
	06 LST	15.3	16.0	18.8	20.7	22.7	22.6	24.0	24.4	22.8	22.7	20.1	17.5	247.6	8	-73212
	12 LST	17.2	17.9	20.5	20.7	21.7	20.7	17.5	20.0	20.6	21.9	21.6	18.4	238.7	8	-73212
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.1	18.8	20.2	22.4	25.7	25.8	25.5	24.7	23.6	25.5	23.3	20.3	274.9	8	-73212
	00 LST	18.8	18.3	20.9	21.4	25.7	27.6	26.0	26.8	23.9	23.8	21.6	17.8	272.6	8	-73212
	06 LST	13.5	14.1	16.9	18.8	21.1	22.0	22.7	23.1	21.8	22.1	18.8	15.6	230.5	8	-73212
	12 LST	16.5	16.4	19.2	19.1	20.4	20.3	17.0	19.7	19.7	20.7	20.1	17.1	226.2	8	-73212

# PORT RUCKER/LOWE AAF, ALABAMA

STA NO. 75239 (IN AREA NUMBER 15)

LATITUDE 3121N

LONGITUDE 08545W

ELEVATION(FT) 00244


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
ABS MAX TMP (F)	81	85	89	91	98	101	97	101	98	92	86	80	101	12	-73285
MEAN MAX TMP (F)	58	64	69	78	86	89	90	90	86	78	69	61	77	12	-73285
MEAN MIN TMP (F)	38	43	48	56	64	70	72	71	68	56	47	40	56	12	-73285
ABS MIN TMP (F)	8	16	24	35	45	52	64	60	49	34	22	7	7	12	-73285
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	11.0	13.6	18.6	19.7	10.2	0.5	0.0	0.0	73.9	12	-73285
MEAN NO DYS TMP = OR LES 32(F)	10.0	5.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	8.6	28.5	12	-73285
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73285
MEAN DEW PT TMP (F)	38	42	46	54	61	68	72	71	67	55	46	40	55	12	-73285
MEAN REL HUM (PCT)	71	70	67	67	68	74	80	78	76	71	70	70	72	12	-73285
MEAN PRESS ALT (FT)	29	62	109	138	161	180	142	159	157	112	59	31	112	0	-50
MEAN PRECIP (IN)	4.45	5.43	4.99	5.68	3.39	4.84	5.23	4.45	5.94	2.67	2.37	3.74	53.2	11	-73285
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-73285
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	7.4	7.2	5.6	6.0	7.4	9.3	7.5	6.2	3.9	4.3	5.9	78.0	11	-73285
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-73285
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.2	4.6	3.9	3.7	4.4	3.0	3.9	3.3	3.1	2.4	4.6	4.1	46.2	12	-73285
MEAN NO DYS TSTMS	1.6	2.2	4.1	4.9	7.3	11.0	16.4	12.3	5.0	1.6	1.1	1.1	68.6	12	-73285
P FREQ WND SPD = OR GTR 17 KTS	0.9	2.0	2.5	0.8	0.1	0.1	0.1	0.1	0.3	0.2	0.6	0.8	0.7	12	-73285
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73285
P FREQ LES 5000 FT A/D LES 5 MI	34.6	36.7	33.9	27.0	19.9	21.7	20.8	16.3	22.8	19.5	23.9	29.8	25.6	12	-73285
P FREQ LES 1500 FT A/D LES 3 MI	23.6	26.2	27.8	17.6	8.6	6.6	6.2	4.7	10.7	11.0	16.2	19.8	14.9	12	-73285
FOR 00-02 LST	27.2	28.0	32.0	26.8	20.5	17.4	16.0	13.5	19.1	16.5	21.2	23.0	21.8	12	-73285
03-05 LST	30.0	32.2	33.5	25.8	22.7	19.8	17.9	15.7	25.0	18.8	23.3	23.3	24.0	12	-73285
06-08 LST	23.9	25.7	21.0	10.6	7.3	5.6	7.4	5.4	13.9	12.5	16.7	17.8	14.0	12	-73285
09-11 LST	17.0	12.3	9.8	6.4	2.7	2.8	2.8	2.1	8.9	7.4	7.3	10.7	7.5	12	-73285
12-14 LST	12.8	9.4	8.3	5.1	2.6	2.2	1.6	1.9	6.1	6.9	6.0	8.3	5.9	12	-73285
15-17 LST	13.6	11.3	10.0	4.1	1.2	2.1	2.2	1.7	6.1	6.9	6.7	10.4	6.4	12	-73285
18-20 LST	17.5	17.3	16.7	7.3	2.4	2.5	2.7	1.7	6.2	9.0	11.3	15.0	9.1	12	-73285
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	7.7	8.5	4.5	4.0	2.7	1.5	1.9	1.7	2.8	3.9	7.8	7.2	4.5	12	-73285
FOR 00-02 LST	10.5	11.8	9.3	9.7	9.3	6.8	7.9	5.7	7.0	6.3	10.4	10.5	8.8	12	-73285
03-05 LST	13.2	12.2	9.0	6.4	4.7	4.0	4.5	4.6	5.3	4.2	10.1	8.9	7.3	12	-73285
06-08 LST	4.8	4.4	1.6	0.3	0.0	0.1	0.0	0.0	0.3	0.4	2.0	2.7	1.4	12	-73285
09-11 LST	1.2	1.3	0.5	0.6	0.1	0.2	0.1	0.2	0.6	0.2	0.4	1.0	0.5	12	-73285
12-14 LST	0.7	1.3	0.9	0.3	0.0	0.3	0.3	0.4	0.4	0.4	0.8	1.1	0.6	12	-73285
15-17 LST	2.7	1.5	0.9	0.0	0.1	0.1	0.3	0.2	1.6	0.5	1.4	1.3	0.9	12	-73285
18-20 LST	3.7	3.0	1.7	0.2	0.3	0.3	0.3	0.3	1.7	1.4	2.7	3.2	1.6	12	-73285
21-23 LST															

# FORT RUCKER/LOWE AAF, ALABAMA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.9	26.0	28.6	29.2	30.5	29.6	30.6	30.6	28.5	28.3	28.5	28.6	347.9	12	-73285
	00 LST	25.2	22.1	24.8	26.8	29.7	29.0	29.5	30.1	27.8	28.5	25.9	26.8	326.2	12	-73285
	06 LST	22.1	20.8	22.4	22.9	22.9	23.8	24.9	25.5	23.2	25.4	23.4	24.5	282.8	12	-73285
	12 LST	26.1	25.2	29.4	28.8	30.3	29.2	30.6	30.6	28.0	29.5	28.4	29.0	347.1	12	-73285
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.8	20.1	21.5	23.9	26.4	27.1	29.3	29.5	26.8	28.2	26.3	25.5	308.4	12	-73285
	00 LST	21.0	18.5	20.7	23.5	28.7	28.3	29.2	29.8	26.3	27.5	23.9	23.1	300.5	12	-73285
	06 LST	19.2	16.9	18.0	20.4	21.4	22.5	24.2	25.0	22.2	23.6	21.2	20.9	255.9	12	-73285
	12 LST	17.4	13.4	15.5	17.3	24.9	24.6	27.1	27.8	22.9	23.2	18.6	18.4	251.1	12	-73285
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.1	0.3	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	1.2	12	-73285
	00 LST	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	12	-73285
	06 LST	0.1	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.9	12	-73285
	12 LST	0.2	1.0	1.8	0.7	0.2	0.0	0.0	0.0	0.4	0.1	0.6	0.6	5.6	12	-73285
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.5	16.7	17.7	19.8	20.0	17.1	14.6	12.6	12.6	13.7	15.9	16.4	192.6	12	-73285
	00 LST	15.2	15.0	17.3	14.7	14.5	10.7	7.0	7.1	10.1	13.1	14.3	14.1	193.1	12	-73285
	06 LST	13.0	13.0	17.2	15.4	14.8	13.7	9.3	8.2	12.6	15.5	15.6	13.4	161.7	12	-73285
	12 LST	19.4	17.0	19.0	21.3	19.0	15.8	12.8	12.9	17.6	22.6	20.0	20.0	217.4	12	-73285
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	8.0	9.4	8.3	7.3	5.5	1.7	4.6	7.0	15.8	13.5	12.3	102.9	12	-73285
	00 LST	12.2	11.0	11.8	14.7	19.3	15.3	14.7	15.5	16.0	21.2	15.3	14.8	181.8	12	-73285
	06 LST	9.1	7.6	7.6	7.9	8.1	7.6	5.3	8.3	8.5	14.7	11.6	10.1	106.4	12	-73285
	12 LST	7.4	6.6	8.0	7.2	5.2	2.7	1.0	2.3	4.0	13.1	10.4	9.1	77.0	12	-73285
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	23.6	26.9	28.1	30.1	28.9	29.9	30.1	27.7	28.1	27.1	26.4	332.1	12	-73285
	00 LST	22.6	19.3	22.4	24.7	29.0	28.2	29.2	29.6	26.7	27.9	24.5	24.4	308.5	12	-73285
	06 LST	19.8	18.3	19.0	21.2	21.8	22.4	24.1	25.0	22.3	23.8	21.8	21.9	261.4	12	-73285
	12 LST	22.5	21.6	24.8	26.0	28.3	26.8	27.7	28.6	24.7	26.8	24.5	24.8	307.1	12	-73285
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.4	23.0	24.5	27.4	25.5	25.5	28.0	24.5	25.5	24.5	23.3	292.8	12	-73285
	00 LST	20.5	17.2	20.7	23.2	28.6	26.5	28.3	29.1	25.5	27.1	22.7	21.9	291.3	12	-73285
	06 LST	17.4	14.8	17.2	19.4	20.8	21.2	23.7	24.6	22.0	22.6	20.2	19.3	243.2	12	-73285
	12 LST	20.0	17.4	19.2	19.5	20.6	18.5	18.9	20.8	19.3	23.7	21.8	21.3	241.0	12	-73285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.6	17.4	21.4	22.9	25.7	23.2	22.6	25.4	22.5	24.0	23.3	21.3	269.3	12	-73285
	00 LST	18.7	16.2	19.0	22.4	27.3	25.2	27.6	27.9	24.5	25.9	21.8	20.4	276.9	12	-73285
	06 LST	15.6	13.9	15.2	17.2	19.8	19.6	22.3	22.9	20.3	21.8	18.1	17.4	224.1	12	-73285
	12 LST	17.5	15.1	18.1	18.0	19.4	17.5	17.8	20.0	18.3	22.4	20.6	19.8	224.5	12	-73285

FLORIDA





## KEY WEST INT'L., FLORIDA

STA NO. 72201 (IN AREA NUMBER 19)

LATITUDE 2439N

LONGITUDE 08145W

ELEVATION(FT) 00004

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	87	89	91	93	100	100	100	97	92	91	88	100	70	-28
MEAN MAX TMP (F)	75	76	78	81	84	87	89	89	90	83	78	75	82	74	-28
MEAN MIN TMP (F)	65	66	68	71	74	77	78	78	77	75	70	66	72	74	-28
ABS MIN TMP (F)	41	44	48	54	63	65	68	68	69	59	51	44	41	70	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	4.0	18.0	26.0	28.0	19.0	2.0	0.0	0.0	97.3	7	-113
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN DEW PT TMP (F)	61	63	64	67	70	73	74	75	74	70	67	62	68	13	-73585
MEAN REL HUM (PCT)	78	76	73	70	71	73	71	72	75	75	76	78	74	18	-28
MEAN PRESS ALT (FT)	-127	-111	-87	-62	-27	-22	-62	-36	6	3	-65	-106	-57	0	-50
MEAN PRECIP (IN)	1.77	1.58	1.44	1.71	3.26	4.16	3.66	4.48	6.54	5.82	2.37	1.73	38.5	90	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73585
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	3.9	3.8	4.3	6.3	7.0	6.4	7.3	9.5	8.6	4.1	4.2	69.6	90	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73585
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.2	0.4	0.2	0.1	0.3	0.3	0.0	0.4	0.4	0.3	0.2	0.2	3.0	13	-73585
MEAN NO DYS TSTMS	1.0	1.0	2.0	2.0	4.0	8.0	11.0	12.0	10.0	4.0	1.0	1.0	57.0	68	-24
P FREQ WND SPD = OR GTR 17 KTS	8.7	9.6	9.7	13.0	6.7	4.0	2.1	1.6	6.5	8.0	6.1	6.5	6.9	13	-73585
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.0	0.1	13	-73585
P FREQ LES 5000 FT A/D LES 5 MI	15.8	15.1	12.5	10.0	11.6	11.0	7.4	7.8	10.8	8.4	10.8	16.6	11.5	13	-73585
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.7	1.1	2.4	1.5	1.7	1.8	0.6	0.5	1.6	1.5	2.3	3.7	1.9	13	-73585
03-05 LST	3.2	2.3	1.9	1.0	1.4	1.4	0.6	0.3	1.6	1.3	2.1	3.1	1.7	13	-73585
06-08 LST	4.6	4.0	2.9	2.2	3.2	1.8	1.2	0.6	2.2	2.2	3.1	3.5	2.6	13	-73585
09-11 LST	4.8	4.8	4.6	1.7	2.8	1.9	1.1	1.3	2.3	3.0	4.4	6.1	3.2	13	-73585
12-14 LST	5.2	2.7	3.4	1.5	2.7	1.9	1.4	1.8	2.9	2.6	4.1	5.6	3.0	13	-73585
15-17 LST	5.8	4.4	2.5	0.9	3.1	1.3	0.4	1.5	2.3	2.0	4.2	3.9	2.7	13	-73585
18-20 LST	6.0	4.5	2.1	0.8	2.1	2.8	1.2	0.6	3.4	1.6	2.4	3.4	2.6	13	-73585
21-23 LST	4.0	4.1	2.6	0.5	2.2	1.5	0.8	0.4	1.7	1.4	2.5	3.0	2.1	13	-73585
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.2	0.0	0.4	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.4	0.1	13	-73585
03-05 LST	0.3	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.2	0.0	0.3	0.1	13	-73585
06-08 LST	0.8	0.5	0.1	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.3	0.2	13	-73585
09-11 LST	0.8	0.4	0.1	0.0	0.3	0.0	0.2	0.4	0.5	0.1	0.3	0.3	0.3	13	-73585
12-14 LST	0.6	0.1	0.2	0.0	0.3	0.1	0.4	0.1	0.6	0.2	0.4	0.1	0.3	13	-73585
15-17 LST	0.7	0.1	0.0	0.1	0.0	0.4	0.0	0.2	0.3	0.2	0.2	0.1	0.2	13	-73585
18-20 LST	0.3	0.3	0.0	0.0	0.1	0.3	0.1	0.0	0.3	0.0	0.0	0.0	0.1	13	-73585
21-23 LST	0.1	0.7	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.0	0.4	0.2	13	-73585



# KEY WEST INT'L., FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.8	27.2	30.7	30.0	30.9	29.8	30.9	30.8	29.5	30.8	29.8	30.5	360.7	13	-73585
	01 LST	30.3	27.9	30.8	30.0	30.8	29.9	30.9	30.9	29.7	30.7	29.7	30.4	362.0	13	-73585
	07 LST	29.9	27.2	30.5	29.9	30.6	29.7	30.9	31.0	29.6	30.8	29.8	30.7	360.6	13	-73585
	13 LST	29.7	27.6	30.2	29.8	30.7	29.6	30.7	30.9	29.5	30.7	29.6	30.1	359.1	13	-73585
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.5	13.7	14.5	11.8	15.5	18.3	21.5	22.3	19.1	16.2	16.0	15.3	200.7	13	-73585
	01 LST	16.4	13.4	13.5	12.3	15.0	18.1	20.8	22.2	17.5	15.4	15.8	14.0	194.4	13	-73585
	07 LST	14.9	11.7	13.7	13.4	17.8	20.8	21.0	23.3	19.4	16.6	15.0	13.8	201.4	13	-73585
	13 LST	12.1	7.5	8.6	9.3	13.3	17.1	17.2	18.2	15.2	11.6	10.0	8.7	148.8	13	-73585
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.5	1.9	2.2	4.3	2.5	0.8	0.6	0.6	1.4	2.2	2.0	1.7	22.7	13	-73585
	01 LST	2.2	1.7	2.7	3.0	1.5	0.7	0.3	0.1	1.3	1.8	1.2	1.9	18.4	13	-73585
	07 LST	1.8	2.5	3.3	2.5	1.1	1.0	0.2	0.2	1.7	1.8	1.5	1.8	19.4	13	-73585
	13 LST	3.3	3.1	3.1	5.1	2.4	1.4	0.9	0.4	2.3	3.5	1.7	2.4	29.6	13	-73585
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	17.6	15.4	15.7	14.5	16.5	20.5	20.5	19.2	16.7	17.6	18.0	16.2	208.4	13	-73585
	01 LST	18.4	16.0	14.8	14.3	16.9	19.5	20.0	20.0	18.9	17.9	19.3	17.1	213.1	13	-73585
	07 LST	17.3	15.0	15.2	15.5	16.6	20.0	21.5	21.0	18.6	18.3	17.5	16.9	213.5	13	-73585
	13 LST	16.1	11.9	12.8	12.2	17.8	18.9	18.8	17.8	17.1	14.8	14.0	14.5	186.7	13	-73585
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.1	11.7	12.6	9.3	7.3	2.3	1.4	1.1	1.4	8.1	9.6	11.2	89.1	13	-73585
	01 LST	16.3	14.8	16.6	14.7	12.9	9.0	7.8	7.2	5.3	12.2	15.4	13.8	146.0	13	-73585
	07 LST	9.9	7.6	8.5	6.3	6.3	1.7	1.3	2.1	1.2	6.9	8.2	7.2	67.2	13	-73585
	13 LST	10.8	9.7	10.6	8.3	6.1	1.4	1.3	1.3	1.1	7.0	9.2	9.4	76.2	13	-73585
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.3	29.1	28.9	28.3	26.9	29.5	28.9	27.3	29.2	27.8	29.1	338.4	13	-73585
	01 LST	28.6	26.0	29.4	28.7	28.4	28.0	29.5	29.3	26.8	29.5	28.3	28.5	341.0	13	-73585
	07 LST	27.7	23.4	28.5	27.3	27.3	26.6	27.8	28.7	27.1	28.0	27.2	27.3	326.9	13	-73585
	13 LST	28.0	25.1	28.5	27.1	27.2	26.6	27.2	27.8	25.5	27.5	27.3	27.7	325.8	13	-73585
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.7	27.2	27.5	27.3	26.3	29.2	28.9	27.2	28.5	26.7	26.6	324.8	13	-73585
	01 LST	26.6	24.7	27.3	27.4	27.7	27.6	29.5	29.1	26.6	29.1	27.2	26.2	329.0	13	-73585
	07 LST	23.9	21.2	26.1	25.8	26.7	26.1	27.8	28.6	26.9	27.2	25.5	23.6	309.4	13	-73585
	13 LST	25.5	23.7	26.7	25.8	26.7	26.1	26.9	27.2	25.1	27.1	25.9	24.8	311.5	13	-73585
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.0	22.3	25.7	26.3	26.2	25.0	28.9	28.0	26.1	27.3	25.7	24.5	310.0	13	-73585
	01 LST	25.5	23.7	26.1	26.6	26.7	27.1	29.2	29.1	25.9	28.1	26.3	24.9	319.2	13	-73585
	07 LST	21.9	20.0	23.9	24.4	25.5	25.1	27.1	28.4	25.5	26.2	23.9	21.9	293.8	13	-73585
	13 LST	23.5	21.7	25.6	25.0	25.4	25.1	26.4	26.7	23.7	26.1	24.8	23.3	297.3	13	-73585

# MIAMI INT'L., FLORIDA

STA NO. 72202 (IN AREA NUMBER 19)

LATITUDE 2547N

LONGITUDE 08017W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	89	90	93	94	95	96	98	95	91	89	86	98	47	-113
MEAN MAX TMP (F)	74	75	77	79	82	85	87	87	86	83	78	75	81	47	-113
MEAN MIN TMP (F)	62	62	65	68	72	75	76	77	76	72	67	63	70	47	-113
ABS MIN TMP (F)	31	27	34	42	50	65	65	66	67	52	36	30	27	47	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.6	2.7	10.0	14.9	21.3	10.1	0.7	0.0	0.0	60.5	12	4383
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	57	58	60	63	68	72	73	73	73	69	63	58	66	12	105112
MEAN REL HUM (PCT)	72	72	70	70	73	76	76	76	78	77	74	73	74	12	105111
MEAN PRESS ALT (FT)	-170	-144	-126	-100	-63	-59	-106	-68	-30	-45	-115	-192	-97	0	-50
MEAN PRECIP (IN)	2.10	1.89	2.26	3.45	6.54	6.58	5.44	5.90	8.24	7.97	3.03	1.75	95.1	48	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	4.4	5.2	4.5	7.7	9.2	8.2	8.6	11.5	11.2	5.0	4.2	86.5	48	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	0.7	0.6	0.5	0.2	0.0	0.0	0.2	0.4	1.0	0.7	6.1	12	4382
MEAN NO DYS TSTMS	0.7	1.2	1.9	3.4	7.3	11.9	15.0	16.0	11.3	6.5	1.3	0.6	77.1	12	4383
P FREQ WND SPD = OR GTR 17 KTS	3.2	4.1	4.3	5.2	2.1	1.3	0.9	0.7	2.3	3.3	2.0	2.0	2.6	12	105112
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	12	105112
P FREQ LES 5000 FT A/D LES 5 MI	17.2	18.0	15.1	14.7	11.8	8.9	7.3	6.2	9.2	15.0	13.9	16.2	12.8	12	105100
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.0	2.9	2.7	0.7	1.4	0.5	0.5	0.1	0.6	3.3	2.7	4.3	1.9	12	13142
03-05 LST	6.7	4.8	4.9	2.7	2.4	0.3	0.4	0.4	1.2	3.8	5.9	4.9	3.2	12	13141
06-08 LST	7.4	5.8	5.2	4.2	3.4	1.0	0.7	0.3	2.1	3.9	7.5	6.0	4.0	12	13141
09-11 LST	3.2	3.1	2.7	1.7	1.3	1.9	0.3	0.2	1.9	3.3	4.0	3.3	2.2	12	13126
12-14 LST	2.7	0.9	1.3	1.7	1.2	1.8	0.9	0.4	1.7	2.9	2.2	2.4	1.7	12	13135
15-17 LST	3.4	1.1	1.0	1.5	1.4	1.1	0.8	1.0	1.9	2.8	1.9	2.2	1.7	12	13135
18-20 LST	2.8	2.3	1.3	1.2	1.3	0.8	0.7	0.5	1.0	2.2	1.7	1.7	1.5	12	13140
21-23 LST	1.5	2.5	1.5	0.9	0.6	0.7	0.3	0.1	1.1	2.7	1.2	1.6	1.2	12	13140
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.2	0.4	0.0	0.3	0.0	0.0	0.0	0.1	0.4	0.2	1.1	0.3	12	13142
03-05 LST	2.2	1.2	1.2	0.6	0.7	0.0	0.0	0.2	0.3	0.3	2.0	1.5	0.9	12	13141
06-08 LST	2.8	2.0	1.7	1.0	0.9	0.1	0.0	0.0	0.6	0.4	2.8	2.0	1.2	12	13141
09-11 LST	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.2	0.3	0.1	0.1	12	13126
12-14 LST	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.4	0.0	0.1	0.0	0.1	12	13135
15-17 LST	0.1	0.0	0.2	0.0	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.1	12	13135
18-20 LST	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0	0.1	12	13140
21-23 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.1	12	13140

# MIAMI INT'L., FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.9	30.8	29.9	30.7	29.7	31.0	30.9	29.8	30.9	29.7	30.7	302.5	12	4382
	01 LST	30.3	27.2	30.7	29.9	30.9	30.0	30.9	30.9	29.9	30.5	29.4	30.1	300.7	12	4382
	07 LST	28.7	26.4	29.4	29.0	29.7	30.0	30.8	30.9	29.2	30.0	27.8	29.3	351.2	12	4382
	13 LST	30.4	27.9	30.9	29.6	30.9	29.6	30.6	30.9	29.5	30.3	29.5	30.5	360.6	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.2	20.6	23.1	18.2	19.7	22.5	25.9	27.2	24.5	23.8	23.4	23.9	277.0	12	4382
	01 LST	22.7	19.6	23.0	23.6	25.5	27.6	29.5	29.9	27.1	25.2	23.8	23.8	301.3	12	4382
	07 LST	22.9	20.5	22.7	20.6	22.7	26.3	27.3	29.2	26.0	25.1	23.0	23.6	289.9	12	4382
	13 LST	9.4	8.1	8.4	8.1	10.4	12.0	11.7	15.3	12.4	12.4	10.9	9.9	129.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.3	0.2	0.3	0.2	0.2	0.1	0.0	0.4	0.6	0.3	0.2	2.9	12	4333
	01 LST	0.1	0.2	0.3	0.2	0.3	0.2	0.0	0.0	0.2	0.2	0.0	0.2	1.9	12	4335
	07 LST	0.2	0.1	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.7	0.0	0.1	1.9	12	4345
	13 LST	3.2	3.3	3.7	4.4	1.9	1.3	0.8	0.7	1.3	2.2	1.0	2.5	26.3	12	4339
SFC WND 4-10 KTS AND TNP 33-89 DEG F AND NO PRECIP.	19 LST	22.1	19.8	23.9	22.1	23.5	23.2	25.8	24.4	21.2	20.9	21.3	23.0	271.2	12	4333
	01 LST	20.0	17.2	19.7	19.6	20.1	18.2	17.0	17.3	18.2	19.0	19.5	20.6	226.4	12	4335
	07 LST	19.7	17.8	18.4	19.2	18.8	18.0	18.4	17.1	17.4	17.2	19.5	20.7	222.2	12	4345
	13 LST	12.9	10.5	11.9	11.4	13.8	13.4	14.8	11.8	14.0	10.5	13.6	13.7	158.3	12	4339
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.3	13.0	12.9	8.9	8.0	3.7	4.5	2.5	4.3	8.5	12.3	17.3	106.2	12	4382
	01 LST	16.7	14.0	16.2	14.9	14.8	12.2	12.6	13.2	10.5	12.5	15.0	14.7	167.3	12	4382
	07 LST	12.1	10.2	11.4	10.0	10.6	5.7	5.2	7.2	5.3	7.8	10.4	12.1	108.0	12	4382
	13 LST	8.1	5.3	5.6	5.5	5.1	3.5	1.2	1.1	1.3	3.7	5.3	7.3	93.0	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	27.1	29.9	28.5	29.5	28.6	30.4	30.5	28.6	29.2	29.3	30.0	351.2	12	4382
	01 LST	29.2	26.4	29.0	28.9	29.9	29.4	30.4	30.6	29.3	28.5	28.6	28.6	348.8	12	4382
	07 LST	27.2	25.7	28.4	28.0	28.3	29.7	30.2	30.5	28.1	28.1	27.2	28.3	339.7	12	4382
	13 LST	29.1	26.0	28.6	27.4	28.7	28.4	29.6	30.2	28.4	28.2	28.1	28.6	341.3	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.9	27.8	25.6	28.0	27.0	29.8	29.0	27.2	26.8	25.7	25.2	321.7	12	4382
	01 LST	26.1	22.6	25.7	26.3	28.5	28.2	29.6	30.2	28.4	26.0	25.9	25.2	322.7	12	4382
	07 LST	23.7	22.0	26.0	25.7	27.2	29.1	29.7	29.9	27.5	25.5	24.9	24.0	315.2	12	4382
	13 LST	24.1	20.4	22.9	21.9	24.5	25.8	26.7	26.9	25.3	23.7	24.1	23.6	289.9	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.8	22.0	26.9	24.8	27.1	26.5	29.5	28.6	26.4	25.0	24.0	23.4	308.0	12	4382
	01 LST	24.6	21.5	24.3	23.4	27.7	27.8	29.5	30.1	27.9	24.8	24.5	23.2	311.3	12	4382
	07 LST	22.6	20.4	24.6	24.8	26.5	28.1	29.5	29.7	27.2	24.0	23.5	22.4	303.3	12	4382
	13 LST	22.3	19.2	21.6	21.1	23.7	25.1	26.2	26.5	24.6	22.7	22.1	22.5	277.6	12	4382

## PALM BEACH INT'L., FLORIDA

STA NO. 72203 (IN AREA NUMBER 15)

LATITUDE 2641N

LONGITUDE 0800SW

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	92	95	96	98	97	97	96	95	90	88	98	18	-613
MEAN MAX TMP (F)	76	77	80	83	87	90	91	91	89	85	81	77	84	18	-113
MEAN MIN TMP (F)	58	58	61	66	70	73	74	75	75	71	64	59	67	18	-113
ABS MIN TMP (F)	31	34	41	47	54	65	68	65	67	51	36	31	31	18	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.8	1.1	5.0	15.6	25.5	26.6	15.9	2.5	0.1	0.0	93.1	12	4383
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	74	69	62	57	66	12	105143
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	105143
MEAN PRESS ALT (FT)	-153	-128	-113	-86	-49	-44	-93	-54	-13	-23	-92	-131	-81	0	-50
MEAN PRECIP (IN)	2.30	2.19	3.07	3.61	4.90	7.06	6.60	7.02	10.24	8.29	2.51	2.63	60.4	18	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	5.0	6.2	6.6	7.2	9.6	9.2	9.6	13.7	11.6	4.3	5.6	93.7	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	4383
MEAN NO DYS TSTMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	4383
P FREQ WND SPD = OR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.5	12	105143
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	105143
P FREQ LES 5000 FT A/D LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	15.5	14.8	20.5	21.8	17.4	12	105126
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.8	12	13139
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	13144
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.9	4.6	12	13143
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	5.3	3.2	12	13141
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	13142
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	13136
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.5	12	13141
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	13140
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	13139
03-05 LST	1.7	2.3	2.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	13144
06-08 LST	2.2	2.3	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	13143
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	13141
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.5	0.1	0.0	0.2	0.0	0.1	0.1	12	13142
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	13136
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	13141
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	13140

# PALM BEACH INT'L., FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	302.1	12	4383
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.8	30.7	301.0	12	4383
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	300.7	12	4383
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	300.2	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.0	254.2	12	4383
	01 LST	19.5	17.2	21.4	19.2	24.3	25.1	28.2	28.6	23.5	21.3	19.2	19.2	266.7	12	4383
	07 LST	20.0	17.1	19.2	16.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	253.7	12	4383
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	105.7	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	4343
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	4358
	07 LST	1.6	1.3	1.2	1.3	0.5	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	4357
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	51.0	12	4338
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	235.0	12	4343
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	4358
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	4357
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	13.0	11.2	124.8	12	4338
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	6.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	4383
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	198.7	12	4383
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	4383
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.9	348.6	12	4383
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	4383
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.5	27.9	28.8	26.9	28.5	337.3	12	4383
	13 LST	28.5	25.5	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	4383
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	4383
	07 LST	23.1	20.4	24.8	25.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	4383
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	263.4	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	4383
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	4383
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	4383
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.5	249.5	12	4383

## MELBOURNE-EAU GALLIE, FLORIDA

STA NO. 72204 (IN AREA NUMBER 15)

LATITUDE 2806N

LONGITUDE 08030W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	91	91	94	97	100	99	100	97	96	89	90	100	21	-613
MEAN MAX TMP (F)	72	73	77	81	85	88	90	90	88	83	77	73	81	21	-113
MEAN MIN TMP (F)	52	54	57	63	67	71	73	73	73	68	59	54	64	21	-113
ABS MIN TMP (F)	22	28	31	38	50	62	66	65	57	41	30	26	22	21	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.8	5.4	12.3	12.1	13.9	5.7	0.8	0.0	0.0	51.2	7	2466
MEAN NO DYS TMP = OR LES 32(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	7	2467
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2467
MEAN DEW PT TMP (F)	57	57	59	62	66	72	73	74	73	68	59	58	65	6	43174
MEAN REL HUM (PCT)	80	78	75	75	74	79	82	82	82	79	77	81	79	6	43173
MEAN PRESS ALT (FT)	-168	-139	-112	-87	-58	-52	-91	-58	-35	-62	-133	-163	-96	0	-50
MEAN PRECIP (IN)	2.06	2.52	3.52	2.78	3.59	5.84	6.25	5.13	8.74	6.29	2.57	1.88	51.2	22	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2333
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.5	6.5	5.9	6.6	8.6	8.9	7.9	12.1	9.2	4.4	4.4	84.7	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2333
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.3	2.3	1.9	1.8	0.5	0.7	0.7	0.8	1.1	1.5	1.7	3.2	20.3	7	2168
MEAN NO DYS TSTMS	1.0	1.1	3.0	5.9	8.0	13.0	18.4	17.3	10.6	4.0	1.3	1.0	84.6	7	2451
P FREQ WND SPD = OR GTR 17 KTS	1.6	1.4	3.0	2.5	1.8	1.4	0.5	1.1	2.8	4.7	2.9	4.3	2.3	7	51829
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.3	0.6	0.4	0.0	0.0	0.1	7	51829
P FREQ LES 5000 FT A/D LES 5 MI	24.9	20.2	20.7	17.3	15.8	15.5	9.6	10.3	17.7	17.7	15.5	25.0	17.3	7	51813
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.5	4.3	3.7	2.2	3.8	2.0	0.9	1.3	1.1	2.9	4.1	7.5	3.8	7	6464
03-05 LST	17.7	8.6	10.1	5.8	8.8	5.4	1.6	3.6	5.0	4.5	7.2	12.0	7.5	7	6477
06-08 LST	19.9	12.7	10.7	7.4	7.6	7.2	1.1	4.7	4.2	6.5	8.5	13.3	8.7	8	7153
09-11 LST	5.4	6.3	5.7	4.2	2.3	2.5	0.4	4.0	3.5	4.9	4.6	8.5	4.2	8	8460
12-14 LST	3.1	2.5	3.7	1.0	1.3	3.6	0.8	2.4	3.1	5.1	1.5	5.3	2.8	8	8460
15-17 LST	2.9	2.6	4.6	1.3	2.9	3.8	2.1	1.9	4.4	3.4	1.0	4.4	2.9	8	7236
18-20 LST	3.2	3.0	2.7	2.5	0.7	2.6	1.1	0.5	5.6	2.9	0.9	2.9	2.4	7	6608
21-23 LST	6.8	3.1	2.0	3.2	1.8	1.5	1.4	0.9	2.6	2.0	1.7	5.1	2.7	7	6602
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	0.0	1.0	0.4	1.4	0.0	0.5	0.0	0.2	0.2	1.7	2.7	1.2	7	6464
03-05 LST	10.2	3.9	2.9	2.1	2.3	0.9	1.3	1.6	1.1	1.3	2.8	5.1	3.0	7	6477
06-08 LST	10.2	6.9	4.2	2.8	1.8	1.0	0.2	0.8	1.0	2.0	2.2	7.3	3.4	8	7153
09-11 LST	1.1	0.3	0.0	0.0	0.1	0.6	0.3	0.1	1.0	0.8	0.1	1.3	0.3	8	8460
12-14 LST	0.3	0.3	0.2	0.3	0.1	0.3	0.0	0.7	0.7	0.4	0.0	0.3	0.3	8	8460
15-17 LST	0.3	0.0	0.2	0.2	0.5	0.7	0.3	0.2	1.2	0.2	0.3	0.0	0.3	8	7236
18-20 LST	0.7	0.0	0.2	0.2	0.2	0.0	0.4	0.2	0.7	0.4	0.0	0.2	0.3	7	6608
21-23 LST	3.1	0.2	0.0	0.5	0.0	0.4	0.0	0.4	0.0	0.0	0.2	1.3	0.5	7	6602

# MELBOURNE-EAU GALLIE, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.2	27.3	30.0	29.6	30.8	29.5	30.7	31.0	28.7	30.7	29.8	30.3	358.6	7	2214
	01 LST	27.8	26.8	30.5	29.6	29.8	29.5	30.8	30.5	29.6	30.2	29.3	29.5	353.9	7	2212
	07 LST	24.7	23.5	27.7	28.1	29.0	28.1	30.8	30.1	29.5	29.2	27.7	27.1	335.5	8	2829
	13 LST	30.3	27.6	30.0	29.6	30.6	28.9	30.7	30.3	29.3	30.1	29.9	30.0	357.3	8	2829
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.8	22.2	19.7	19.4	19.0	22.0	26.5	25.5	18.3	19.2	21.7	23.1	261.4	7	2214
	01 LST	23.7	23.0	23.5	24.1	23.8	26.6	30.8	28.8	23.6	22.5	22.8	20.8	294.0	7	2212
	07 LST	19.8	18.9	19.6	19.5	21.9	23.6	28.0	26.4	21.5	18.2	19.8	19.7	256.9	8	2829
	13 LST	10.7	8.3	7.4	8.7	8.2	8.9	8.6	10.6	8.4	7.6	10.3	11.2	108.9	8	2829
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.0	0.3	0.6	0.8	0.2	0.0	0.0	0.7	0.8	0.2	0.8	4.7	7	2187
	01 LST	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.8	1.0	3.9	7	2192
	07 LST	0.1	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.2	1.0	0.6	0.2	3.0	8	2803
	13 LST	1.3	1.0	3.0	1.6	0.5	0.5	0.6	0.4	1.5	2.4	1.3	1.9	16.0	8	2804
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.6	22.0	21.5	20.5	20.6	22.4	22.3	22.3	16.9	21.2	20.3	19.2	291.8	6	1829
	01 LST	15.0	16.4	18.5	18.9	20.2	19.2	14.8	15.7	16.3	17.5	17.2	15.5	206.2	6	1832
	07 LST	13.9	13.6	16.8	18.0	21.1	20.1	17.7	19.7	16.5	15.9	15.1	17.8	206.2	8	2443
	13 LST	16.9	12.4	11.7	12.2	12.3	11.3	12.3	13.2	14.9	13.1	14.2	14.6	159.1	7	2444
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.2	13.7	13.0	9.8	9.6	8.4	5.6	3.8	6.4	12.2	15.5	14.3	128.5	6	1939
	01 LST	15.8	15.6	16.1	15.8	19.4	16.8	15.8	15.4	13.4	15.2	18.2	14.9	192.4	6	1937
	07 LST	10.0	10.2	10.0	11.7	13.7	11.7	7.8	11.1	6.8	10.6	13.4	10.9	127.9	7	2354
	13 LST	7.1	7.2	9.7	9.1	8.7	5.0	3.0	3.4	2.1	5.0	8.9	9.0	78.2	7	2354
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.8	26.7	29.6	29.0	30.7	28.5	29.8	30.2	27.0	29.0	29.5	29.0	348.8	7	2214
	01 LST	27.2	26.3	29.3	29.0	29.3	28.7	30.7	30.5	28.5	29.1	28.7	27.5	344.8	7	2212
	07 LST	23.6	22.2	26.0	26.6	27.0	26.9	30.2	29.6	28.0	27.0	26.5	25.2	318.8	8	2829
	13 LST	29.4	26.0	29.1	28.7	29.6	28.1	29.6	29.5	27.2	27.2	27.7	27.7	339.8	8	2829
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.6	23.7	26.3	26.1	27.8	27.0	28.0	28.5	25.1	25.5	26.7	24.8	315.1	7	2214
	01 LST	22.8	23.5	25.2	27.2	28.6	28.0	30.5	29.6	26.6	26.5	26.8	24.6	319.9	7	2212
	07 LST	18.8	18.1	22.8	24.6	25.7	26.1	24.9	29.6	26.3	24.1	24.3	20.1	290.4	8	2829
	13 LST	22.1	21.2	22.0	23.9	25.5	22.6	25.9	24.6	22.2	22.8	23.2	22.7	278.7	8	2829
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.8	22.7	25.5	24.3	26.3	25.7	26.5	27.5	24.2	24.8	25.4	23.1	300.8	7	2214
	01 LST	21.8	22.9	24.4	26.5	27.8	27.5	29.8	29.3	26.3	25.6	25.1	23.4	310.4	7	2212
	07 LST	17.4	17.2	21.3	22.7	25.0	25.2	28.9	29.2	25.4	21.7	23.0	18.9	275.9	8	2829
	13 LST	19.6	20.4	20.8	22.4	24.9	21.8	24.7	23.9	21.4	20.4	21.3	20.6	262.2	8	2829



# ORLANDO-HERNDON, FLORIDA

STA NO. 72205 (IN AREA NUMBER 19)

LATITUDE 2832N

LONGITUDE 08120W

ELEVATION(FT) 00113

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	89	92	96	102	100	100	99	97	94	89	90	102	18	-613
MEAN MAX TMP (F)	72	74	78	83	88	91	92	92	89	83	78	73	83	18	-113
MEAN MIN TMP (F)	50	52	55	61	66	71	73	73	72	65	56	50	62	18	-113
ABS MIN TMP (F)	26	28	31	39	49	60	66	64	56	43	29	24	24	18	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	1.1	12.7	21.1	25.1	24.6	16.1	3.3	0.0	0.1	104.3	12	4383
MEAN NO DYS TMP = OR LES 32(F)	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	3.1	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	50	52	54	58	65	70	72	73	72	65	57	52	62	12	105132
MEAN REL HUM (PCT)	75	74	71	70	71	76	79	80	81	79	76	77	76	12	105132
MEAN PRESS ALT (FT)	-84	-55	-28	-2	28	37	-4	26	51	23	-47	-77	-10	0	-50
MEAN PRECIP (IN)	1.95	2.23	3.57	3.48	3.16	6.33	9.05	7.08	7.79	4.76	1.54	1.78	52.7	18	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	5.0	6.6	6.5	6.2	9.0	11.7	9.7	11.0	7.3	3.0	4.3	84.9	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.9	3.9	2.1	0.7	1.4	0.9	0.6	0.7	1.1	1.7	3.1	3.8	25.9	12	4382
MEAN NO DYS TSTMS	1.0	1.3	2.9	4.3	8.2	13.1	18.5	15.3	8.3	2.6	0.9	0.6	77.0	12	4383
P FREQ WND SPD = OR GTR 17 KTS	4.7	7.5	6.3	4.9	3.1	2.1	1.6	1.4	2.8	3.1	3.1	3.6	3.7	12	105131
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.1	12	105131
P FREQ LES 5000 FT A/D LES 5 MI	23.1	23.6	20.6	16.1	15.2	14.7	13.2	14.1	20.1	19.1	18.3	22.1	18.4	12	105128
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.3	9.0	6.2	4.4	2.9	2.6	0.9	1.5	4.2	5.8	9.4	11.5	5.8	12	13144
03-05 LST	20.4	14.1	13.6	7.2	7.8	5.9	2.8	3.7	3.6	9.9	15.0	16.6	10.2	12	13140
06-08 LST	23.8	24.1	20.8	11.6	9.9	7.6	2.7	4.7	10.0	13.8	18.1	18.1	13.8	12	13143
09-11 LST	11.7	19.3	10.5	4.5	1.9	1.9	1.2	1.1	5.2	7.9	10.5	11.2	6.9	12	13140
12-14 LST	5.5	5.9	4.8	2.1	1.4	1.2	1.1	1.3	3.6	4.7	4.6	5.6	3.5	12	13138
15-17 LST	3.0	4.6	4.7	1.8	1.0	2.0	2.6	1.9	3.7	4.5	3.2	6.0	3.3	12	13142
18-20 LST	4.0	6.6	4.6	1.2	1.5	1.3	1.6	1.3	3.9	5.2	4.4	5.9	3.5	12	13140
21-23 LST	5.6	7.8	4.3	3.0	1.3	1.8	0.4	0.9	4.3	4.7	6.1	7.8	4.0	12	13141
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.0	2.5	0.9	0.2	0.5	0.1	0.1	0.2	0.1	1.0	2.7	5.3	1.6	12	13144
03-05 LST	13.2	5.6	4.2	1.4	3.0	1.7	0.9	1.3	1.6	2.8	7.6	9.7	4.4	12	13140
06-08 LST	13.4	11.0	5.5	1.8	2.2	1.6	0.8	0.8	2.7	4.0	7.5	9.1	5.0	12	13143
09-11 LST	1.8	1.3	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.4	0.9	1.4	0.5	12	13140
12-14 LST	0.0	0.0	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.2	0.0	0.0	0.2	12	13138
15-17 LST	0.0	0.2	0.0	0.1	0.0	0.2	0.4	0.4	0.0	0.4	0.0	0.0	0.1	12	13142
18-20 LST	0.0	0.1	0.3	0.0	0.1	0.0	0.1	0.3	0.3	0.1	0.0	0.5	0.2	12	13140
21-23 LST	1.3	0.7	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.0	0.4	12	13141

# ORLANDO-HERNDON, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.9	26.7	29.7	29.8	30.7	29.6	30.6	30.8	29.2	30.2	29.1	29.5	355.8	12	4382
	01 LST	28.2	26.0	29.7	29.0	30.7	29.5	30.8	30.7	28.9	30.1	27.5	27.7	348.8	12	4382
	07 LST	23.6	21.4	24.3	27.2	28.2	27.9	29.9	29.4	26.6	26.1	24.0	25.2	313.8	12	4382
	13 LST	30.0	26.6	29.8	29.8	30.7	29.9	30.7	30.7	29.4	29.9	29.5	29.7	356.7	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.4	17.4	16.8	16.6	15.2	16.6	22.2	25.1	23.3	25.3	24.0	23.7	250.6	12	4382
	01 LST	22.6	20.1	24.5	25.1	28.3	26.6	29.6	29.6	27.7	27.0	23.6	21.7	306.4	12	4382
	07 LST	17.1	16.2	19.0	21.7	23.7	24.2	28.6	27.9	25.1	22.7	19.6	19.9	265.7	12	4382
	13 LST	11.7	9.3	9.3	11.0	14.9	18.0	19.7	19.5	13.1	12.2	12.2	12.4	163.3	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.5	0.8	0.8	0.2	0.5	0.3	0.2	0.2	0.1	0.2	0.2	0.6	4.6	12	4309
	01 LST	0.4	0.7	0.7	0.3	0.0	0.1	0.0	0.0	0.2	0.0	0.2	0.2	2.8	12	4344
	07 LST	0.7	0.9	0.2	0.7	0.0	0.1	0.0	0.0	0.2	0.2	0.4	0.2	3.6	12	4342
	13 LST	4.1	4.4	4.3	3.3	2.1	1.0	1.0	1.1	1.8	2.5	2.3	3.9	31.8	12	4323
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.6	20.1	21.9	21.2	20.8	19.9	22.8	24.0	24.5	25.0	23.8	23.1	264.7	12	4309
	01 LST	17.3	18.6	20.1	20.3	19.8	18.4	19.3	19.2	17.8	22.0	19.1	18.5	230.4	12	4344
	07 LST	16.3	15.4	18.1	19.8	21.8	20.9	20.6	20.3	18.8	21.6	18.3	18.5	230.4	12	4342
	13 LST	13.8	12.1	12.1	12.2	14.8	12.5	9.5	9.5	13.1	14.2	14.4	15.4	193.6	12	4323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.1	13.6	14.1	12.4	11.2	5.7	5.0	4.6	6.8	14.8	15.9	15.3	135.5	12	4382
	01 LST	18.4	16.0	17.6	18.8	21.2	17.3	18.1	17.6	15.2	18.2	16.7	15.3	210.4	12	4382
	07 LST	10.1	10.2	10.7	12.7	14.9	12.0	13.6	13.7	10.5	11.7	12.1	12.7	144.9	12	4382
	13 LST	8.8	8.3	8.8	7.2	5.6	3.0	1.3	1.0	1.5	5.1	9.2	8.5	68.3	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.2	25.4	29.1	29.4	30.2	29.3	29.9	30.1	28.1	28.6	28.0	28.8	346.1	12	4382
	01 LST	27.0	24.4	28.8	28.7	29.7	29.0	30.7	30.2	28.2	28.9	26.7	26.5	338.8	12	4382
	07 LST	21.8	19.9	23.3	26.0	27.4	27.5	29.7	29.1	26.0	25.2	23.4	24.6	303.9	12	4382
	13 LST	28.5	25.3	28.3	28.9	30.2	29.1	30.4	30.2	27.6	29.0	28.0	28.4	343.9	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.4	25.4	26.7	27.0	26.1	25.6	25.6	24.7	25.5	25.9	25.8	307.4	12	4382
	01 LST	25.6	22.2	26.2	26.8	28.6	28.3	30.2	29.7	27.0	27.3	24.3	24.1	320.3	12	4382
	07 LST	19.1	17.3	21.1	24.0	25.8	27.1	29.6	28.6	25.0	23.2	21.1	21.3	283.4	12	4382
	13 LST	22.7	20.7	22.1	21.8	21.6	20.2	20.6	19.4	17.3	21.7	22.7	23.0	253.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.5	21.4	24.2	25.7	26.4	24.6	25.1	25.0	23.7	24.7	24.5	24.6	294.4	12	4382
	01 LST	24.1	21.3	25.1	25.9	28.2	28.1	30.1	29.5	26.5	26.7	23.3	23.1	311.9	12	4382
	07 LST	17.8	16.6	19.7	23.3	25.6	26.6	29.0	28.5	24.4	22.1	20.2	20.2	274.0	12	4382
	13 LST	21.6	19.5	21.4	20.7	21.1	19.7	20.4	19.4	16.8	20.2	21.8	21.9	244.5	12	4382

## JACKSONVILLE/IMESON, FLORIDA

STA NO. 72206 (IN AREA NUMBER 15)

LATITUDE 3029N

LONGITUDE 08139W

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	90	94	102	103	105	102	100	96	87	84	105	23	-613
MEAN MAX TMP (F)	66	69	74	80	87	91	92	92	88	80	73	66	80	23	-113
MEAN MIN TMP (F)	44	47	51	58	65	71	73	73	71	61	51	45	59	23	-113
ABS MIN TMP (F)	16	19	25	34	41	57	62	64	54	38	22	17	16	23	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.7	11.3	18.7	24.5	23.0	11.5	1.1	0.0	0.0	90.9	12	4383
MEAN NO DYS TMP = DR LES 32(F)	4.6	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.9	12.3	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	45	47	49	55	63	69	72	72	70	62	52	46	59	12	105133
MEAN REL HUM (PCT)	73	70	67	67	69	72	75	76	78	77	75	74	73	12	105133
MEAN PRESS ALT (FT)	-157	-124	-84	-57	-41	-27	-59	-42	-46	-85	-134	-158	-84	0	-50
MEAN PRECIP (IN)	2.50	2.92	3.02	3.54	3.97	5.64	7.82	6.95	8.51	9.11	1.71	2.53	94.2	23	-113
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3644
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.4	6.1	6.6	6.5	6.4	8.4	10.4	9.5	11.8	7.7	3.3	3.5	87.6	23	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3644
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.1	2.8	2.9	2.4	1.7	0.6	0.3	1.1	0.9	3.5	4.9	4.6	30.8	12	4383
MEAN NO DYS TSTMS	0.6	1.1	2.1	3.3	5.5	9.1	14.1	10.2	6.1	1.7	0.3	0.3	54.4	12	4383
P FREQ WND SPD = DR GTR 17 KTS	2.9	5.0	3.6	4.0	3.0	2.8	1.3	1.5	4.7	5.1	2.3	2.9	3.3	12	105133
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	12	105133
P FREQ LES 5000 FT A/D LES 5 MI	28.6	27.7	23.5	17.1	15.1	13.6	12.4	14.3	23.8	30.3	24.8	29.9	21.8	12	105123
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	17.3	12.5	7.3	4.9	2.5	1.6	3.0	6.5	13.6	18.0	18.0	10.2	12	13139
03-05 LST	23.2	20.4	17.9	11.8	11.3	5.7	3.9	5.9	11.1	19.4	22.6	20.3	14.3	12	13137
06-08 LST	26.8	25.4	22.6	14.9	12.5	7.2	6.0	8.6	15.9	24.0	25.3	24.3	17.8	12	13143
09-11 LST	20.1	16.8	13.9	6.6	3.9	2.5	2.2	4.3	8.4	16.8	15.6	18.4	10.8	12	13145
12-14 LST	8.9	9.4	7.4	3.5	1.9	2.1	2.2	2.7	5.4	10.0	7.7	12.8	6.2	12	13140
15-17 LST	8.5	8.4	7.0	3.7	2.6	2.3	2.9	2.6	6.1	9.8	6.4	12.3	6.1	12	13141
18-20 LST	11.2	10.4	7.3	5.1	3.4	2.4	1.4	3.0	5.0	10.5	8.7	13.1	6.8	12	13138
21-23 LST	12.5	10.5	8.3	4.4	3.0	1.6	1.4	2.2	4.3	10.0	12.4	15.5	7.2	12	13140
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.3	3.4	3.3	1.5	0.8	0.4	0.0	0.3	0.1	3.3	8.8	7.0	3.0	12	13139
03-05 LST	10.3	6.6	3.5	4.9	5.1	1.6	0.7	1.9	2.4	7.0	11.9	9.6	5.6	12	13137
06-08 LST	11.7	8.3	6.1	4.9	4.0	0.7	1.1	2.3	3.4	7.8	12.5	10.1	6.1	12	13143
09-11 LST	4.6	2.1	1.0	0.0	0.0	0.0	0.1	0.2	0.0	0.7	2.4	3.0	1.2	12	13145
12-14 LST	0.6	0.1	0.2	0.1	0.1	0.4	0.4	0.2	0.3	0.0	0.0	0.9	0.3	12	13140
15-17 LST	0.4	0.5	0.2	0.1	0.4	0.3	0.4	0.1	0.3	0.3	0.1	1.3	0.4	12	13141
18-20 LST	2.7	1.3	0.7	0.1	0.1	0.2	0.2	0.2	0.2	0.7	0.4	3.9	0.9	12	13138
21-23 LST	3.9	2.2	2.0	0.5	0.0	0.0	0.1	0.0	0.0	2.2	3.4	6.6	1.7	12	13140

# JACKSONVILLE/IMESON, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.5	29.0	28.6	30.4	29.6	30.7	30.1	29.3	28.7	28.2	28.0	346.2	12	4383
	01 LST	26.3	23.7	28.1	28.3	29.7	29.7	30.8	30.2	28.7	27.9	25.1	26.2	334.7	12	4383
	07 LST	23.5	21.4	24.3	23.9	27.7	28.1	29.4	28.6	25.5	24.0	22.6	24.1	305.1	12	4383
	13 LST	29.1	26.4	29.6	29.2	30.6	29.5	30.4	30.6	28.9	29.4	28.5	28.4	350.6	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.0	18.1	20.6	20.0	18.2	17.8	20.8	23.3	21.4	23.1	24.6	23.9	255.8	12	4383
	01 LST	22.0	17.8	23.3	23.6	27.2	27.2	29.4	28.7	24.5	23.1	21.2	20.8	288.8	12	4383
	07 LST	18.9	16.4	18.6	20.6	23.4	24.2	27.4	26.5	21.5	18.5	18.6	18.8	252.4	12	4383
	13 LST	12.4	8.4	10.9	8.7	12.6	13.1	17.0	16.2	10.6	11.6	12.5	12.6	146.6	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.9	0.4	0.6	0.3	0.8	0.4	0.0	0.7	0.5	0.4	0.4	5.6	12	4317
	01 LST	0.3	0.7	0.2	0.1	0.0	0.3	0.0	0.0	0.2	0.7	0.2	0.7	3.4	12	4325
	07 LST	0.4	0.4	0.0	0.5	0.1	0.2	0.0	0.0	0.2	0.2	0.2	0.4	2.6	12	4323
	13 LST	3.2	2.9	3.3	3.5	2.2	1.7	0.7	1.2	3.2	3.7	1.6	2.9	30.1	12	4321
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.5	20.0	24.1	23.9	21.7	19.5	20.3	24.1	22.1	22.9	21.3	21.7	264.1	12	4317
	01 LST	19.2	17.8	23.7	21.5	23.7	22.6	20.6	20.9	19.5	20.4	20.9	19.7	250.5	12	4325
	07 LST	17.3	17.4	22.6	19.7	23.3	21.8	22.7	20.6	19.7	21.9	20.4	17.8	245.2	12	4323
	13 LST	15.2	12.6	14.5	12.2	10.4	7.1	6.3	7.1	10.0	14.8	15.8	18.1	144.1	12	4321
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	12.0	10.8	12.3	9.9	5.1	4.5	6.7	6.6	12.6	13.5	12.2	118.4	12	4383
	01 LST	13.8	12.5	13.6	15.8	16.0	13.2	12.4	13.0	11.9	14.7	14.2	12.9	164.0	12	4383
	07 LST	10.6	8.0	7.5	10.7	11.2	9.3	9.1	9.9	6.5	10.1	11.1	9.4	113.4	12	4383
	13 LST	8.5	9.7	8.7	8.5	6.0	2.8	1.5	1.9	1.8	7.2	9.4	9.5	75.5	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.1	28.0	28.1	29.5	28.4	29.7	29.6	27.2	26.5	27.0	25.9	330.8	12	4383
	01 LST	24.8	22.1	26.4	27.0	29.0	28.8	30.2	29.6	27.1	26.2	23.6	24.7	319.5	12	4383
	07 LST	22.1	19.7	22.4	24.8	26.3	27.2	28.6	27.6	23.6	21.8	21.2	22.0	287.3	12	4383
	13 LST	26.9	24.2	27.6	27.8	29.3	28.3	29.1	29.3	25.5	24.4	26.2	25.9	324.5	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.5	25.7	26.4	28.1	26.6	28.3	28.1	24.3	23.5	25.4	23.2	306.7	12	4383
	01 LST	22.7	19.8	24.8	25.6	28.1	28.1	29.8	28.7	24.8	23.7	22.0	22.3	300.4	12	4383
	07 LST	19.7	17.9	20.0	23.1	25.3	25.9	28.0	27.2	21.9	19.6	19.7	19.5	267.8	12	4383
	13 LST	23.3	20.6	22.7	24.1	24.8	22.9	22.5	23.2	19.8	20.4	23.7	22.2	270.2	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	21.1	23.7	24.8	27.4	25.6	27.2	27.1	23.6	22.5	23.9	21.6	291.4	12	4383
	01 LST	21.4	18.1	23.4	24.8	27.2	27.6	29.2	28.2	24.1	22.8	21.0	20.3	288.1	12	4383
	07 LST	17.8	16.4	18.7	22.0	24.7	24.9	27.2	25.7	20.7	18.2	18.4	17.9	232.6	12	4383
	13 LST	21.9	19.4	21.4	23.3	23.9	22.3	22.2	22.2	18.8	19.3	21.8	20.9	257.4	12	4383

# FT MYERS/PAGE FIELD, FLORIDA

STA NO. 72210 (IN AREA NUMBER 19)

LATITUDE 2634N

LONGITUDE 08192W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	91	93	95	99	100	101	100	96	94	91	88	101	20	-613
MEAN MAX TMP (F)	75	77	80	85	89	91	91	92	90	85	80	76	84	20	-113
MEAN MIN TMP (F)	52	53	57	62	66	71	73	74	73	67	59	54	63	20	-113
ABS MIN TMP (F)	31	30	34	39	50	61	66	65	63	45	34	26	26	20	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.8	3.6	18.3	22.6	25.0	27.3	20.0	2.8	0.1	0.0	120.7	11	3592
MEAN NO DYS TMP = DR LES 32(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	11	3592
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3592
MEAN DEW PT TMP (F)	56	57	59	61	66	72	73	74	73	68	60	57	65	7	61274
MEAN REL HUM (PCT)	77	75	73	72	72	78	81	80	82	79	77	78	77	7	61273
MEAN PRESS ALT (FT)	-156	-130	-170	-80	-40	-34	-83	-51	-9	-28	-101	-137	-84	0	-50
MEAN PRECIP (IN)	1.49	1.87	2.74	2.39	3.86	8.60	9.50	7.25	9.08	4.37	1.25	1.49	34.1	20	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3587
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	4.4	5.8	5.7	6.7	11.2	12.2	9.8	12.5	6.8	2.6	3.7	85.1	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3587
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.4	3.5	2.4	1.1	1.4	0.6	0.6	0.1	0.6	0.7	2.0	4.3	21.7	7	2556
MEAN NO DYS TSTMS	1.0	1.5	1.3	4.3	7.6	17.2	23.4	21.7	12.2	3.3	0.8	0.3	94.8	11	3592
P FREQ WND SPD = DR GTR 17 KTS	1.2	2.4	4.1	3.4	0.9	0.6	0.4	0.9	1.8	1.0	0.7	1.3	1.6	7	61276
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	7	61276
P FREQ LES 5000 FT A/D LES 5 MI	16.5	17.2	15.1	15.3	10.8	13.7	10.4	10.8	14.5	14.8	14.0	19.2	14.4	7	61271
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	6.1	7.4	5.8	2.9	0.6	0.6	0.6	0.0	2.5	4.1	5.2	11.1	3.9	7	7661
03-05 LST	15.2	14.5	15.4	7.3	6.0	3.3	0.8	1.2	2.9	7.5	11.0	17.0	8.3	7	7663
06-08 LST	19.4	14.3	13.5	8.4	5.1	4.1	1.4	1.8	3.9	10.8	12.5	18.5	9.6	7	7662
09-11 LST	6.3	4.0	4.2	3.3	1.1	2.2	0.8	0.9	3.0	5.7	5.7	6.3	3.6	7	7659
12-14 LST	3.2	1.7	1.5	0.8	0.5	1.9	2.5	1.7	3.5	4.0	2.4	2.3	2.2	7	7657
15-17 LST	1.4	2.4	2.6	1.7	0.2	4.6	2.9	1.4	3.7	2.5	1.6	0.9	2.2	7	7654
18-20 LST	1.4	2.3	1.5	0.8	0.5	2.9	1.4	0.8	2.7	3.7	1.9	2.3	1.9	7	7659
21-23 LST	2.5	2.4	2.3	1.4	0.3	1.1	0.5	0.5	3.3	4.6	1.6	7.0	2.3	7	7656
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	3.4	3.4	0.5	0.3	0.0	0.0	0.0	0.0	0.3	1.1	4.6	1.4	7	7561
03-05 LST	10.0	7.6	6.8	2.4	1.7	0.5	0.2	0.9	0.5	0.8	4.9	8.8	3.8	7	7663
06-08 LST	9.7	8.3	5.5	2.1	2.0	0.3	0.2	0.3	1.1	1.2	5.2	9.4	3.8	7	7662
09-11 LST	0.8	0.2	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.2	0.5	0.6	0.2	7	7659
12-14 LST	0.2	0.0	0.0	0.0	0.2	0.0	1.1	0.3	0.3	0.0	0.2	0.0	0.2	7	7657
15-17 LST	0.2	0.0	0.0	0.0	0.0	1.3	0.3	0.2	0.8	0.3	0.0	0.0	0.3	7	7654
18-20 LST	0.3	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.6	0.2	0.2	0.2	0.2	7	7659
21-23 LST	0.8	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.5	0.3	7	7656

FT MYERS/PAGE FIELD, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.8	30.8	29.9	31.0	29.3	30.7	30.8	29.6	30.1	29.4	30.6	300.8	7	2556
	01 LST	29.4	26.2	29.1	29.4	30.8	30.0	31.0	31.0	29.7	30.1	29.4	27.5	352.6	7	2556
	07 LST	24.6	23.3	26.6	28.3	29.9	29.4	30.7	30.8	28.7	28.3	26.6	24.8	332.0	7	2556
	13 LST	30.6	27.7	30.7	30.0	30.7	29.7	30.6	30.7	29.4	30.7	29.6	30.7	361.1	7	2556
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	27.4	23.5	23.8	22.7	26.0	24.8	28.3	28.6	25.6	24.6	24.7	26.5	306.5	7	2556
	01 LST	26.4	23.2	25.1	27.0	30.3	29.0	30.7	30.7	27.8	27.0	26.4	24.7	328.3	7	2556
	07 LST	22.3	20.2	21.0	22.4	26.1	27.8	30.0	28.8	25.6	22.4	22.7	20.8	290.1	7	2556
	13 LST	14.3	11.9	11.3	10.4	11.0	14.1	20.0	19.8	18.0	14.4	13.4	11.7	170.3	7	2556
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.0	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	1.1	7	2528
	01 LST	0.1	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	7	2543
	07 LST	0.1	0.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	1.3	7	2537
	13 LST	1.1	2.4	4.0	2.9	0.8	0.6	0.3	0.6	1.0	1.1	0.8	1.3	16.9	7	2538
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.9	19.9	24.0	21.3	26.1	22.2	20.8	21.8	23.0	24.1	20.4	21.5	265.0	7	2528
	01 LST	16.9	16.0	19.4	18.5	16.6	14.1	15.7	14.6	18.8	21.6	18.9	19.2	210.3	7	2543
	07 LST	18.4	15.2	21.2	22.3	22.7	21.1	24.4	21.5	23.0	22.7	21.0	18.2	251.7	7	2537
	13 LST	19.2	14.3	13.1	13.7	10.7	8.7	10.2	9.0	12.7	17.7	18.3	14.8	162.4	7	2538
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.6	13.4	14.8	10.7	11.3	4.1	0.8	2.1	3.1	12.8	13.8	16.3	121.8	7	2556
	01 LST	20.8	18.4	19.3	18.1	22.7	17.9	14.0	17.3	19.7	19.7	19.1	18.4	221.4	7	2556
	07 LST	13.7	12.6	13.3	16.4	16.4	12.3	10.4	9.0	10.1	13.5	12.7	11.5	151.9	7	2556
	13 LST	8.6	8.5	8.7	7.8	6.3	2.6	0.4	0.1	0.8	4.3	6.4	9.9	64.4	7	2556
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.4	27.4	30.0	29.3	30.4	28.1	29.7	29.9	28.1	28.7	28.8	30.0	350.8	7	2556
	01 LST	28.8	25.7	28.4	29.1	30.6	29.4	31.0	30.8	29.0	29.7	28.1	26.7	347.3	7	2556
	07 LST	23.7	22.3	25.4	26.9	29.9	28.7	30.3	30.0	27.6	26.7	26.0	24.4	321.9	7	2556
	13 LST	29.7	26.7	29.9	28.8	29.7	27.7	29.3	29.5	26.6	27.8	28.4	29.0	343.1	7	2556
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	24.3	28.4	25.4	27.1	25.3	27.1	25.7	25.0	26.6	26.4	26.3	315.3	7	2556
	01 LST	27.4	23.3	26.6	27.0	29.5	29.0	30.7	30.8	27.6	28.3	26.6	24.5	331.3	7	2556
	07 LST	21.3	20.6	24.3	25.6	29.4	28.1	30.0	29.9	26.9	26.1	23.3	21.8	307.3	7	2556
	13 LST	25.5	23.0	26.8	23.3	26.4	21.4	23.4	23.1	22.0	24.6	26.0	25.5	291.0	7	2556
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.4	23.3	27.7	24.3	26.8	24.1	26.6	25.0	24.1	25.9	24.6	23.2	305.0	7	2556
	01 LST	26.4	22.9	25.9	26.4	29.5	28.7	30.7	30.7	27.6	27.8	25.0	23.3	324.9	7	2556
	07 LST	20.8	19.7	23.1	24.7	28.8	28.0	29.3	29.9	26.4	25.7	21.1	20.4	297.9	7	2556
	13 LST	24.8	22.5	25.0	22.6	26.3	20.9	23.3	23.0	22.0	23.7	25.0	24.5	283.6	7	2556



## TAMPA INT'L., FLORIDA

STA NO. 72211 (IN AREA NUMBER 15)

LATITUDE 2758N

LONGITUDE 08231W

ELEVATION(FT) 00027

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	92	93	96	98	98	97	96	95	90	86	98	58	-328
MEAN MAX TMP (F)	70	71	76	81	86	89	89	90	88	83	76	71	81	58	-28
MEAN MIN TMP (F)	52	54	58	62	68	72	74	74	72	66	58	53	64	58	-28
ABS MIN TMP (F)	23	22	31	38	52	59	64	66	54	42	29	19	19	58	-328
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.4	8.0	16.4	20.6	21.0	14.3	3.0	0.1	0.0	83.8	12	4383
MEAN NO DYS TMP = DR LES 32(F)	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.8	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	51	53	55	59	66	70	72	73	72	64	57	52	62	12	105163
MEAN REL HUM (PCT)	74	73	72	70	71	74	78	79	79	76	74	75	75	12	105163
MEAN PRESS ALT (FT)	-174	-144	-112	-85	-56	-41	-83	-56	-37	-72	-141	-171	-97	0	-50
MEAN PRECIP (IN)	2.60	2.70	2.70	2.00	3.00	7.20	8.70	8.60	6.30	2.80	1.70	2.30	50.6	72	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS PRCP = DR 'TR 0.1 IN	5.6	5.7	5.8	4.8	6.1	9.8	11.3	11.2	9.2	4.7	3.2	5.1	82.5	72	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.7	3.2	2.7	1.6	0.6	0.0	0.1	0.2	0.6	1.2	2.6	4.4	22.9	12	4382
MEAN NO DYS TSTMS	1.0	1.0	3.0	3.0	7.0	15.0	20.0	19.0	11.0	3.0	1.0	1.0	85.0	61	-24
P FREQ WND SPD = DR GTR 17 KTS	3.5	4.6	4.9	5.3	2.1	1.8	0.6	0.6	2.5	3.0	2.1	3.4	2.9	12	105163
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.1	12	105163
P FREQ LES 5000 FT A/D LES 5 MI	24.7	23.5	22.2	17.3	13.6	13.3	11.7	13.4	19.1	16.5	18.6	23.6	18.1	12	105157
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	15.1	12.2	11.1	6.9	1.8	1.0	0.8	0.5	5.5	5.6	8.2	13.4	6.8	12	13144
03-05 LST	17.8	16.2	17.2	9.6	5.5	3.2	1.6	2.2	7.4	10.4	16.1	17.7	10.4	12	13144
06-08 LST	24.6	22.1	21.0	13.5	7.2	3.1	3.4	5.4	10.9	15.7	19.5	20.9	13.9	12	13144
09-11 LST	13.6	12.4	11.2	5.6	2.9	1.4	2.2	1.9	6.1	6.3	11.7	14.1	7.5	12	13145
12-14 LST	4.6	3.9	5.0	2.5	0.4	0.9	1.6	1.2	1.9	3.3	3.3	5.8	2.9	12	13145
15-17 LST	3.0	3.4	5.0	1.4	0.6	1.0	1.4	1.9	3.5	2.6	1.8	4.2	2.5	12	13144
18-20 LST	5.2	7.0	6.3	2.4	0.9	1.6	2.2	1.3	3.0	3.3	2.5	5.3	3.4	12	13145
21-23 LST	10.9	8.5	7.3	4.3	0.9	1.1	0.4	0.5	3.8	3.2	5.3	8.6	4.6	12	13146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.8	3.5	3.9	1.4	0.2	0.0	0.0	0.0	0.2	0.6	2.2	6.3	2.2	12	13144
03-05 LST	11.2	5.6	6.3	3.3	1.2	0.1	0.1	0.5	1.0	2.3	6.5	8.3	3.9	12	13144
06-08 LST	12.1	8.2	6.1	3.9	1.2	0.1	0.3	1.2	1.9	4.0	8.1	10.6	4.8	12	13144
09-11 LST	3.4	2.2	1.3	0.3	0.0	0.1	0.2	0.2	0.1	0.1	1.0	2.5	1.0	12	13145
12-14 LST	0.0	0.3	0.3	0.0	0.1	0.0	0.2	0.2	0.1	0.1	0.0	0.2	0.1	12	13145
15-17 LST	0.0	0.1	0.2	0.0	0.1	0.1	0.3	0.5	0.7	0.1	0.0	0.0	0.2	12	13144
18-20 LST	1.3	0.5	0.3	0.1	0.1	0.0	0.2	0.1	0.1	0.0	0.0	0.7	0.3	12	13145
21-23 LST	5.4	1.2	1.1	0.7	0.0	0.0	0.0	0.0	0.4	0.0	1.0	3.0	1.1	12	13146



# TAMPA INT'L., FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.3	27.2	29.5	29.4	30.9	29.6	30.6	30.6	29.4	30.3	29.7	30.0	357.5	12	4382
	00 LST	27.2	25.7	28.6	28.6	30.7	29.9	30.8	30.7	28.6	30.1	28.8	28.1	347.8	12	4382
	06 LST	25.1	23.6	25.2	26.2	27.6	29.1	30.3	29.6	27.3	26.7	25.0	25.6	321.3	12	4382
	12 LST	29.5	27.3	29.6	29.5	30.9	29.9	30.6	30.6	29.6	30.2	29.3	29.1	356.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.6	17.8	16.6	14.9	12.5	16.7	22.4	23.6	21.6	23.3	24.4	24.1	241.5	12	4382
	00 LST	22.9	20.9	22.0	23.6	27.2	27.2	30.0	29.3	26.2	26.1	24.1	22.5	302.0	12	4382
	06 LST	19.5	18.4	20.2	21.8	25.1	26.8	29.3	28.9	25.3	22.0	20.5	19.3	277.1	12	4382
	12 LST	12.3	10.1	9.9	11.8	13.9	15.8	21.2	21.7	18.1	15.2	13.1	11.5	174.6	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	1.1	1.0	1.3	1.1	0.5	0.2	0.2	0.6	0.8	0.1	0.7	8.2	12	4303
	00 LST	0.4	0.5	0.5	0.6	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.6	3.0	12	4334
	06 LST	0.3	0.4	0.4	0.3	0.1	0.1	0.0	0.0	0.2	0.1	0.2	0.3	2.4	12	4340
	12 LST	2.7	3.2	3.5	2.9	1.1	1.1	0.2	0.2	1.0	2.8	2.0	1.9	22.6	12	4326
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	24.5	19.7	20.1	18.7	17.1	18.4	23.0	24.1	22.2	24.4	25.0	23.4	260.6	12	4303
	00 LST	23.5	21.1	22.5	21.5	22.2	20.9	23.6	22.3	23.8	23.4	24.4	22.7	271.9	12	4334
	06 LST	22.6	20.9	23.6	22.6	22.7	21.0	23.3	22.4	23.6	23.7	24.2	23.5	274.1	12	4340
	12 LST	16.1	13.2	14.0	14.7	17.7	15.6	20.8	18.8	18.3	17.3	16.2	15.7	198.9	12	4326
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	14.2	11.4	12.6	9.8	11.2	5.8	1.7	3.2	5.1	12.0	13.5	12.2	112.7	12	4382
	00 LST	14.7	14.4	15.3	15.8	17.8	13.8	10.9	11.7	12.7	17.4	18.2	15.0	177.7	12	4382
	06 LST	14.1	11.2	9.7	12.8	12.0	9.7	10.1	13.3	10.9	13.6	13.7	13.0	144.1	12	4382
	12 LST	11.9	10.2	10.4	8.3	7.6	4.1	2.3	1.9	2.6	7.1	11.5	10.5	88.4	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.8	28.3	29.1	30.4	29.3	29.7	29.6	28.2	29.5	28.9	28.7	346.6	12	4382
	00 LST	26.2	24.4	27.7	27.7	30.2	29.0	30.3	30.2	27.8	29.1	27.8	27.1	337.5	12	4382
	06 LST	23.9	22.0	23.7	24.8	26.9	28.2	29.6	28.6	26.2	25.8	24.1	24.5	308.3	12	4382
	12 LST	28.1	25.4	27.7	28.2	30.0	29.0	29.4	29.1	28.1	28.6	27.6	27.1	338.3	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.9	22.8	26.1	25.9	27.0	26.1	25.6	27.2	24.6	26.4	26.3	24.7	308.6	12	4382
	00 LST	23.0	22.1	25.2	25.5	27.9	27.8	28.9	29.6	26.9	27.3	25.5	23.7	313.4	12	4382
	06 LST	21.0	19.2	21.0	23.3	25.8	27.8	29.0	27.7	25.1	24.6	22.0	21.4	287.9	12	4382
	12 LST	25.3	21.4	23.9	22.7	23.4	22.7	24.4	22.0	19.3	22.7	24.7	23.0	275.5	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.7	20.9	24.7	23.9	25.6	25.1	24.9	25.6	22.8	25.1	24.0	22.1	288.4	12	4382
	00 LST	21.2	20.8	24.0	23.8	26.7	27.0	28.1	28.9	26.5	25.6	24.1	21.9	298.6	12	4382
	06 LST	19.7	18.2	19.1	21.9	25.3	27.0	28.6	27.3	24.2	23.6	20.1	19.7	274.7	12	4382
	12 LST	23.3	20.5	22.4	21.8	22.8	22.2	24.1	21.5	19.0	21.9	23.6	21.9	265.0	12	4382

# OCALA MUNICIPAL, FLORIDA

STA NO. 72212 (IN AREA NUMBER 15)

LATITUDE 2910N

LONGITUDE 08213W

ELEVATION(FT) 00081

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	89	97	96	102	105	104	103	101	96	94	90	105	56	-113
MEAN MAX TMP (F)	70	72	78	83	89	91	92	92	89	83	76	70	82	56	-113
MEAN MIN TMP (F)	47	48	53	57	64	69	71	71	70	62	52	47	59	56	-113
ABS MIN TMP (F)	17	12	25	30	44	51	62	60	53	34	22	17	12	56	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	3.0	17.0	23.0	26.0	26.0	18.0	5.0	0.3	0.0	118.6	10	-113
MEAN NO DYS TMP = OR LES 32(F)	4.0	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	10.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56	-29
MEAN DEW PT TMP (F)	45	49	50	56	64	70	73	72	71	62	53	46	59	13	-73204
MEAN REL HUM (PCT)	75	73	71	70	72	76	79	80	82	78	77	76	76	13	-73204
MEAN PRESS ALT (FT)	-111	-83	-55	-28	4	15	-19	0	27	-1	-72	-103	-35	0	-50
MEAN PRECIP (IN)	2.38	3.01	3.55	3.04	3.98	7.30	8.40	7.82	6.77	3.27	1.75	2.68	93.9	65	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73204
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	6.2	6.5	6.1	6.8	9.9	10.9	10.4	9.8	5.3	3.3	5.7	86.2	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73204
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	4.2	4.8	4.2	2.9	1.1	2.4	2.1	2.3	3.2	5.6	6.8	44.7	13	-73204
MEAN NO DYS TSTMS	0.5	1.4	2.3	4.9	7.6	11.0	16.5	12.9	8.3	2.4	0.3	0.4	68.5	13	-73204
P FREQ WND SPD = OR GTR 17 KTS	1.9	3.3	2.2	2.3	0.7	0.6	0.3	0.2	0.9	1.3	1.0	1.3	1.3	13	-73204
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73204
P FREQ LES 5000 FT A/D LES 5 MI	38.7	38.0	33.5	29.8	31.4	31.7	30.0	30.4	34.0	33.1	33.5	38.8	33.6	13	-73204
P FREQ LES 1500 FT A/D LES 3 MI	23.3	20.3	16.1	10.7	8.8	4.8	3.1	3.6	6.1	14.6	22.1	24.0	13.1	13	-73204
FOR 00-02 LST	28.3	28.9	24.1	19.7	19.0	11.5	10.6	10.0	12.7	21.1	28.8	27.3	20.2	13	-73204
03-05 LST	34.7	39.0	30.1	26.4	24.4	14.0	14.5	19.7	26.0	28.8	35.3	36.2	27.4	13	-73204
06-08 LST	25.4	21.7	18.4	10.1	6.6	5.6	5.2	7.7	14.1	16.8	19.1	21.9	14.4	13	-73204
09-11 LST	14.4	10.2	10.0	5.3	2.3	2.9	3.9	4.9	10.1	11.2	8.4	13.8	8.1	13	-73204
12-14 LST	10.6	9.8	9.9	4.3	3.4	4.8	5.6	6.3	8.7	9.0	6.9	12.5	7.7	13	-73204
15-17 LST	12.8	9.7	10.4	6.6	4.6	6.3	4.3	5.3	7.6	9.6	9.3	15.9	8.5	13	-73204
18-20 LST	14.7	10.9	10.7	7.1	5.1	3.0	2.0	3.6	5.5	9.6	13.3	19.7	8.8	13	-73204
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	8.8	5.3	5.2	2.7	1.0	0.5	0.5	0.4	1.0	5.0	10.7	10.4	4.2	13	-73204
FOR 00-02 LST	12.0	9.5	9.0	8.8	7.3	3.0	3.3	2.5	4.3	7.8	14.1	13.2	7.9	13	-73204
03-05 LST	14.4	13.3	8.6	8.6	7.6	2.9	4.7	5.1	6.7	9.7	15.1	13.8	9.2	13	-73204
06-08 LST	6.0	3.6	1.1	0.4	0.4	0.1	0.2	0.1	0.1	1.0	3.2	4.4	1.7	13	-73204
09-11 LST	1.0	0.6	0.6	0.0	0.1	0.1	0.3	0.2	0.6	0.5	0.0	1.3	0.4	13	-73204
12-14 LST	1.1	0.5	0.9	0.1	0.7	0.7	0.6	0.6	0.5	0.2	0.4	1.2	0.6	13	-73204
15-17 LST	1.3	1.2	2.9	0.3	0.3	0.2	0.8	0.3	0.3	0.4	0.8	4.5	1.1	13	-73204
18-20 LST	4.3	1.0	2.8	0.8	0.1	0.2	0.2	0.2	0.2	1.9	3.6	7.7	1.9	13	-73204
21-23 LST															

# OCALA MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANH	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.5	25.3	28.3	28.4	30.4	28.4	30.0	29.7	28.3	28.6	28.1	27.0	340.0	13	-73204
	01 LST	24.1	22.9	26.7	27.3	29.0	29.0	30.2	30.3	28.5	27.1	23.8	23.7	322.6	13	-73204
	07 LST	20.2	16.8	21.9	21.7	24.4	26.5	26.7	25.0	22.1	21.2	18.6	19.7	264.8	13	-73204
	13 LST	27.9	26.0	28.7	29.2	30.6	29.5	30.3	30.2	28.1	29.1	28.2	27.9	345.7	13	-73204
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.7	20.6	21.8	22.3	25.8	24.2	26.3	27.7	24.8	25.8	23.5	24.1	292.6	13	-73204
	01 LST	21.1	19.0	24.0	24.9	27.7	28.2	30.1	29.5	26.9	25.2	21.4	20.9	298.9	13	-73204
	07 LST	17.2	14.0	18.1	19.6	23.2	23.1	26.2	24.1	20.2	19.5	16.8	16.8	240.8	13	-73204
	13 LST	15.6	13.2	14.2	15.5	20.7	21.9	25.1	23.8	18.2	18.1	17.6	16.5	220.4	13	-73204
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.5	0.2	0.3	0.1	0.1	0.1	0.0	0.1	0.2	0.0	0.2	2.0	13	-73204
	01 LST	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.9	13	-73204
	07 LST	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.9	13	-73204
	13 LST	2.3	2.7	1.8	2.2	0.3	0.4	0.1	0.2	0.9	1.0	0.9	1.1	13.9	13	-73204
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.6	18.5	23.3	22.9	24.2	20.4	18.7	19.9	18.2	14.6	17.0	17.4	134.8	13	-73204
	01 LST	15.4	14.1	17.0	13.3	11.3	10.3	7.5	7.8	9.7	13.4	13.8	12.7	146.3	13	-73204
	07 LST	14.1	13.1	14.8	14.2	14.7	14.5	9.9	9.4	11.0	14.6	13.7	12.5	156.5	13	-73204
	13 LST	17.5	14.7	16.9	18.4	16.6	12.1	9.3	9.2	14.9	18.0	19.4	17.6	184.6	13	-73204
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.6	10.2	9.4	9.2	7.8	4.3	2.4	3.5	4.6	12.0	13.4	11.8	99.2	11	-73204
	01 LST	13.4	12.4	13.5	15.9	17.9	14.4	14.8	15.0	13.1	16.7	14.3	14.7	176.1	11	-73204
	07 LST	8.3	6.6	6.5	8.3	10.4	7.6	6.6	7.3	3.8	8.8	8.7	8.8	91.7	11	-73204
	13 LST	7.4	7.6	7.1	7.4	4.4	1.3	0.3	0.7	1.4	5.9	7.3	8.9	59.7	11	-73204
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.3	23.6	27.1	26.7	28.8	26.2	28.2	27.4	25.3	26.2	26.3	25.5	317.6	13	-73204
	01 LST	22.3	20.7	24.7	26.4	28.1	28.0	29.6	29.5	27.3	26.3	22.2	22.7	307.8	13	-73204
	07 LST	18.0	15.0	17.4	20.3	23.6	25.6	26.0	24.0	20.5	20.3	17.6	17.9	248.2	13	-73204
	13 LST	23.4	22.0	25.9	25.9	26.3	25.4	26.7	24.8	21.8	24.1	25.3	24.4	296.0	13	-73204
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.1	21.6	24.4	24.6	25.2	23.4	24.3	24.6	22.8	24.6	24.5	22.7	286.8	13	-73204
	01 LST	21.4	18.6	23.3	25.1	27.4	27.3	29.2	28.8	26.5	25.6	20.8	20.8	294.8	13	-73204
	07 LST	16.1	13.2	17.1	19.2	22.4	24.3	25.6	23.3	19.7	18.9	16.3	16.5	232.6	13	-73204
	13 LST	19.2	15.9	19.0	17.1	13.6	10.2	8.3	11.4	10.4	15.3	20.7	20.6	181.7	13	-73204
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	20.6	22.7	23.8	24.0	22.0	21.6	22.6	20.6	22.9	23.3	21.5	268.5	13	-73204
	01 LST	20.0	17.5	22.4	24.4	26.7	26.6	28.4	27.9	25.3	24.5	19.7	20.4	283.8	13	-73204
	07 LST	14.5	12.2	15.7	18.2	22.0	23.0	24.7	22.3	18.5	17.6	15.1	14.9	218.7	13	-73204
	13 LST	18.2	14.9	18.1	16.8	13.4	9.1	7.9	10.9	9.2	14.8	18.7	19.1	171.1	13	-73204

## TALLAHASSEE MUNICIPAL, FLORIDA

STA NO. 72214 (IN AREA NUMBER 15)

LATITUDE 3023N

LONGITUDE 08421W

ELEVATION (FT) 00091

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	88	92	102	103	100	99	98	94	88	83	103	21	-613
MEAN MAX TMP (F)	65	67	72	79	87	90	90	91	87	80	71	65	79	21	-113
MEAN MIN TMP (F)	42	44	49	56	63	70	72	72	69	59	48	43	57	21	-113
ABS MIN TMP (F)	15	18	23	32	43	56	62	63	50	33	19	17	15	21	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	8.0	16.9	19.8	19.7	10.6	1.3	0.0	0.0	76.6	12	4383
MEAN NO DYS TMP = OR LES 32(F)	6.4	3.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	6.6	19.6	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	43	46	48	54	62	69	72	72	69	58	48	43	57	12	104445
MEAN REL HUM (PCT)	73	72	69	70	71	76	80	79	79	73	72	73	74	12	104445
MEAN PRESS ALT (FT)	-132	-98	-50	-22	-3	15	-19	-4	-11	-36	-105	-133	-51	0	-50
MEAN PRECIP (IN)	3.15	4.00	3.92	4.61	4.18	6.64	8.39	6.44	5.85	2.68	2.71	3.62	58.2	21	-113
MEAN SNOW FALL (IN)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	4381
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	7.5	7.5	7.1	6.9	9.3	10.9	9.1	8.6	4.6	4.6	7.0	89.5	21	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4381
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.2	5.9	5.0	2.7	5.0	2.5	1.0	0.8	0.9	1.3	4.4	4.7	41.6	12	4369
MEAN NO DYS TSTMS	1.4	2.4	4.0	5.3	8.8	13.9	19.5	15.4	8.2	2.1	1.2	1.1	83.3	12	4383
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.8	1.2	1.1	0.2	0.2	0.2	0.2	0.4	0.3	0.4	0.5	0.5	12	104445
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	104445
P FREQ LES 5000 FT A/D LES 5 MI	33.5	37.4	32.3	24.2	22.9	20.8	19.3	16.6	25.0	21.2	24.9	32.2	25.9	12	104441
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.0	24.1	24.6	14.4	9.2	5.3	2.6	1.8	7.7	9.4	16.1	18.7	13.2	12	13043
03-05 LST	30.1	31.3	28.5	19.7	22.6	13.1	7.0	7.1	13.9	13.1	20.0	24.2	19.2	12	13074
06-08 LST	32.1	34.9	29.2	22.6	28.0	18.1	9.7	11.4	22.6	18.1	22.4	27.8	23.1	12	13038
09-11 LST	25.1	23.7	20.7	11.6	7.9	6.5	4.8	8.2	14.6	11.6	16.8	22.8	14.5	12	13071
12-14 LST	11.6	13.4	9.7	4.9	1.5	2.1	2.4	3.6	5.5	5.9	8.0	13.6	6.9	12	13046
15-17 LST	7.3	10.9	7.4	4.4	2.2	2.7	1.8	1.6	4.7	6.1	5.6	9.6	5.4	12	13076
18-20 LST	9.9	14.4	9.3	5.2	2.0	1.3	0.9	1.4	4.8	4.5	6.9	11.9	6.0	12	13042
21-23 LST	17.5	19.0	16.3	7.0	2.8	2.0	1.8	1.2	5.5	6.5	9.7	14.6	8.7	12	13065
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.2	10.7	9.4	3.8	3.1	0.7	0.6	0.1	0.5	3.1	7.8	8.5	5.0	12	13043
03-05 LST	16.8	14.8	10.4	8.0	12.1	4.5	1.8	2.0	1.8	4.0	10.6	10.1	8.1	12	13074
06-08 LST	17.2	14.5	9.6	6.5	9.3	4.7	1.5	2.0	3.0	3.7	10.0	11.1	7.8	12	13038
09-11 LST	5.0	3.9	1.1	0.3	0.0	0.1	0.0	0.3	0.0	0.5	2.5	4.3	1.5	12	13071
12-14 LST	0.4	0.9	0.4	0.3	0.0	0.0	0.4	0.3	0.4	0.2	0.1	0.5	0.3	12	13046
15-17 LST	0.3	0.8	0.1	0.2	0.1	0.1	0.4	0.4	0.5	0.0	0.0	0.4	0.3	12	13076
18-20 LST	1.8	1.7	0.5	0.1	0.0	0.1	0.2	0.0	0.0	0.1	1.1	1.8	0.6	12	13042
21-23 LST	6.7	6.3	3.2	0.6	0.2	0.0	0.2	0.1	0.0	0.6	3.5	4.0	2.1	12	13065

## TALLAHASSEE MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.8	29.3	29.3	30.7	29.8	30.8	30.8	28.9	29.7	28.7	28.0	350.9	12	4370
	00 LST	24.8	23.3	25.0	27.2	29.9	29.1	30.5	30.7	29.0	28.7	25.9	26.6	330.7	12	4370
	06 LST	22.9	20.5	23.8	24.5	22.3	25.0	28.1	27.7	25.0	26.6	24.2	23.7	294.3	12	4370
	12 LST	27.7	24.9	29.0	28.7	30.7	29.6	30.6	30.3	28.7	29.5	28.1	27.5	345.3	12	4370
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	24.7	19.0	19.0	20.3	24.1	25.5	27.8	28.9	26.7	28.1	25.9	25.0	295.0	12	4370
	00 LST	21.4	20.0	21.1	24.7	29.0	28.1	30.1	30.6	27.1	26.7	22.8	22.8	304.4	12	4370
	06 LST	18.6	16.6	19.4	21.3	20.7	24.1	27.6	27.0	22.0	23.7	21.3	20.0	262.3	12	4370
	12 LST	15.8	13.5	15.1	16.1	23.3	24.3	27.1	26.3	21.5	21.1	18.0	17.1	239.2	12	4370
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.2	0.4	0.3	0.1	0.0	0.1	0.0	0.2	0.1	0.0	0.1	1.5	12	4311
	00 LST	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.9	12	4313
	06 LST	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.7	12	4288
	12 LST	0.6	0.3	0.7	0.6	0.0	0.2	0.1	0.0	0.2	0.1	0.2	0.3	3.5	12	4301
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.9	21.7	22.0	22.7	23.3	20.1	19.4	19.5	19.1	17.5	16.6	18.4	242.2	12	4311
	00 LST	13.4	12.1	13.6	11.6	11.2	10.4	7.9	9.5	13.8	14.1	13.4	13.7	144.7	12	4313
	06 LST	11.9	13.0	14.1	12.5	11.5	8.1	7.5	7.8	14.2	15.2	14.0	13.5	143.3	12	4288
	12 LST	19.4	17.3	19.6	17.6	20.9	17.3	18.0	17.6	20.9	22.6	20.9	22.1	234.2	12	4301
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.6	9.4	9.6	11.3	8.6	4.7	2.5	4.6	5.4	14.1	12.5	10.4	102.7	12	4370
	00 LST	12.7	12.5	11.7	15.1	17.5	14.2	12.1	13.1	13.2	18.2	14.3	13.8	168.4	12	4370
	06 LST	11.1	10.1	9.4	10.7	8.4	7.1	5.5	9.4	8.7	15.7	13.8	11.7	121.6	12	4370
	12 LST	8.6	8.2	8.5	7.7	6.7	3.5	0.7	3.3	4.1	11.0	10.7	9.5	82.5	12	4370
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.8	23.0	27.3	27.8	29.6	29.1	30.4	30.0	27.4	29.1	26.9	25.9	333.3	12	4370
	00 LST	23.1	21.3	23.3	25.9	29.1	28.3	30.2	30.4	27.2	27.6	24.9	24.6	315.9	12	4370
	06 LST	20.7	18.1	21.2	22.6	21.0	23.6	27.3	27.0	23.1	24.9	22.7	21.8	274.0	12	4370
	12 LST	24.5	21.7	25.1	26.0	28.8	27.9	28.1	27.8	25.3	27.0	24.9	23.6	310.7	12	4370
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.5	21.6	24.9	25.1	26.2	26.1	26.2	27.7	24.2	26.9	24.4	22.5	300.3	12	4370
	00 LST	21.5	19.2	21.7	24.1	28.0	27.0	29.3	29.6	25.7	26.3	23.6	21.8	297.8	12	4370
	06 LST	18.7	16.2	19.4	20.8	20.0	22.7	26.2	26.1	22.1	23.3	21.9	19.4	256.8	12	4370
	12 LST	20.6	18.1	20.6	20.5	21.1	19.6	19.1	20.3	17.1	23.3	22.8	20.3	243.4	12	4370
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.9	20.0	23.4	24.5	25.1	25.3	25.5	27.0	23.4	25.6	23.6	21.3	287.6	12	4370
	00 LST	20.6	17.7	19.3	23.3	26.9	26.0	28.6	28.8	24.9	24.9	22.5	20.7	284.2	12	4370
	06 LST	17.2	14.5	17.8	20.3	18.6	21.2	25.6	25.6	21.3	21.9	20.3	17.2	241.5	12	4370
	12 LST	18.7	16.7	19.6	19.6	20.4	18.9	18.4	20.0	16.5	22.7	21.8	19.0	232.3	12	4370

# APALACHICOLA MUNICIPAL, FLORIDA

STA NO. 72220 (IN AREA NUMBER 19)

LATITUDE 2943N

LONGITUDE 08501W

ELEVATION(PT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	80	85	90	98	101	102	99	96	93	87	82	102	38	-613
MEAN MAX TMP (F)	62	64	68	74	81	86	88	88	85	78	70	63	76	38	-113
MEAN MIN TMP (F)	48	50	54	61	68	74	75	75	73	64	54	49	62	38	-113
ABS MIN TMP (F)	18	19	26	37	50	58	66	66	52	39	24	23	18	38	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	1.6	9.0	13.6	16.8	7.8	0.2	0.0	0.0	49.1	12	4384
MEAN NO DYS TMP = OR LES 32(F)	1.8	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	6.1	12	4384
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4384
MEAN DEW PT TMP (F)	47	49	51	59	66	72	74	74	70	61	51	46	60	12	99040
MEAN REL HUM (PCT)	77	76	73	75	75	76	77	77	77	72	73	74	75	12	99040
MEAN PRESS ALT (FT)	-167	-140	-107	-78	-41	-29	-78	-54	-20	-56	-127	-157	-87	0	-50
MEAN PRECIP (IN)	3.27	3.96	4.84	4.44	2.76	5.38	7.52	7.54	8.41	2.71	2.32	3.07	56.4	38	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4384
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	7.4	7.1	7.0	5.8	8.1	10.1	10.1	11.7	4.6	4.3	6.3	89.0	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4384
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.6	6.8	6.7	5.9	2.7	1.0	0.6	0.7	0.6	1.1	4.8	4.9	43.4	12	4383
MEAN NO DYS TSTMS	1.5	2.4	3.7	4.1	4.7	9.2	14.2	15.2	5.1	1.8	1.4	1.4	84.7	12	4384
P FREQ WND SPD = OR GTR 17 KTS	4.8	6.4	9.0	7.1	2.3	1.4	2.1	1.4	3.2	2.5	3.6	4.4	4.0	12	99149
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.2	0.1	0.0	0.1	0.0	0.1	0.4	0.0	0.0	0.0	0.1	12	99149
P FREQ LES 5000 FT A/D LES 5 MI	31.5	29.8	28.1	22.3	16.3	12.6	11.5	11.2	16.9	14.8	19.4	27.1	20.1	12	99143
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	24.1	21.1	18.6	8.4	3.3	1.6	2.9	5.4	6.3	13.4	17.1	12.1	12	12389
03-05 LST	24.0	26.3	25.3	24.4	16.1	5.3	2.1	3.7	8.0	8.6	16.2	19.3	14.9	12	12404
06-08 LST	24.2	25.7	24.1	19.1	11.8	7.0	5.1	4.5	11.7	11.8	16.1	20.3	15.1	12	12407
09-11 LST	15.1	16.8	13.8	8.4	4.1	3.8	2.8	3.8	7.3	7.3	10.1	12.6	8.8	12	12400
12-14 LST	8.8	9.2	10.7	7.6	3.9	3.1	2.9	2.6	4.9	4.5	4.8	8.2	5.9	12	12401
15-17 LST	8.3	8.4	10.2	7.1	2.9	3.1	1.1	1.8	4.3	4.5	4.3	6.9	5.2	12	12405
18-20 LST	12.5	13.4	14.4	9.7	4.4	3.9	1.1	1.1	3.3	5.2	7.3	8.0	7.0	12	12390
21-23 LST	18.0	17.0	17.8	12.1	5.1	3.1	0.7	1.5	3.7	5.3	11.4	13.7	9.1	12	12349
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	15.0	13.7	12.3	8.8	3.0	0.1	0.1	0.3	0.3	1.0	8.0	9.0	6.0	12	12389
03-05 LST	15.6	15.3	14.4	13.6	6.6	0.9	0.3	0.6	1.0	2.0	8.3	9.8	7.4	12	12404
06-08 LST	13.1	12.5	9.0	6.5	2.4	0.9	0.3	0.8	0.8	2.8	6.5	7.3	5.3	12	12407
09-11 LST	3.7	3.4	1.6	1.6	0.1	0.2	0.1	0.2	0.1	0.6	1.5	2.5	1.3	12	12400
12-14 LST	1.6	2.3	1.3	1.1	0.1	0.4	0.3	0.4	0.3	0.4	0.3	0.9	0.8	12	12401
15-17 LST	2.2	2.7	2.3	1.5	0.2	0.4	0.0	0.4	0.2	0.4	0.9	0.7	1.0	12	12405
18-20 LST	5.0	5.0	5.3	2.4	0.3	0.4	0.3	0.2	0.2	0.9	2.5	3.1	2.1	12	12390
21-23 LST	9.9	9.5	8.2	4.3	0.6	0.1	0.2	0.3	0.2	1.2	4.9	5.5	3.8	12	12349



# APALACHICOLA MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.4	25.1	27.5	28.2	30.6	29.5	30.9	30.8	29.2	30.2	28.8	29.3	348.5	12	4383
	00 LST	24.6	22.1	25.7	26.0	29.6	29.6	31.0	30.7	28.8	29.7	26.5	26.6	330.9	12	4383
	06 LST	23.9	20.9	23.3	24.4	27.7	29.1	30.3	29.6	27.6	27.7	25.8	25.0	315.3	12	4383
	12 LST	28.7	25.8	28.1	28.5	30.2	29.4	30.7	30.1	29.3	30.0	28.7	28.6	348.1	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.2	17.4	17.7	18.8	23.3	22.9	25.3	26.2	24.8	25.7	24.5	24.3	271.1	12	4383
	00 LST	16.9	15.2	17.5	20.2	25.9	25.1	27.1	28.4	23.5	23.4	20.1	18.7	262.0	12	4383
	06 LST	16.3	12.5	13.8	16.7	21.9	23.5	25.7	26.5	21.6	21.5	18.7	16.8	235.5	12	4383
	12 LST	15.0	12.3	10.7	11.4	13.5	13.7	17.6	19.1	17.7	19.6	17.8	17.9	186.3	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.9	1.8	0.3	0.2	0.2	0.4	0.6	0.2	0.6	1.1	8.9	12	4320
	00 LST	0.8	1.0	2.2	1.1	0.2	0.2	0.1	0.0	0.8	0.4	1.0	0.9	8.7	12	4337
	06 LST	0.6	1.1	2.7	1.0	0.2	0.0	0.3	0.2	0.2	0.7	0.8	1.1	8.9	12	4318
	12 LST	3.4	2.9	4.1	3.5	1.4	0.7	1.1	0.7	1.5	1.0	1.4	1.8	23.5	12	4310
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.0	15.7	18.7	19.2	23.4	23.1	19.9	19.1	16.4	16.6	16.2	14.6	218.9	12	4320
	00 LST	14.3	12.5	14.3	13.7	16.3	14.5	13.6	12.0	14.2	15.3	13.7	13.8	168.2	12	4337
	06 LST	15.2	12.5	16.0	16.5	17.8	16.0	13.8	14.0	16.1	16.6	15.9	14.2	184.6	12	4318
	12 LST	17.6	16.0	15.5	16.0	18.8	17.0	15.1	13.7	17.9	21.7	20.0	18.1	207.4	12	4310
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.6	9.0	9.7	11.6	9.7	6.2	1.8	4.5	6.9	15.1	14.6	12.4	113.1	12	4383
	00 LST	12.2	11.3	12.7	15.4	17.8	15.2	11.9	14.3	13.7	19.7	16.8	13.7	174.7	12	4383
	06 LST	10.3	7.7	8.2	9.4	9.2	8.1	4.2	7.0	8.8	14.5	11.7	8.8	107.9	12	4383
	12 LST	10.0	8.5	8.6	9.2	9.6	5.2	2.7	4.5	5.4	13.3	11.2	9.3	97.5	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.0	23.4	25.5	27.5	29.0	28.2	29.5	30.2	27.3	28.6	27.6	27.7	330.5	12	4383
	00 LST	22.7	20.3	24.8	25.4	28.6	28.6	30.4	29.5	27.8	28.5	25.6	25.0	317.2	12	4383
	06 LST	21.1	18.7	20.8	22.3	25.5	27.8	27.6	28.6	25.5	26.5	24.1	22.8	291.3	12	4383
	12 LST	25.5	23.0	26.3	26.6	28.6	27.8	28.1	28.4	28.6	26.8	26.3	26.3	322.1	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.7	20.6	23.2	25.3	27.7	27.0	28.0	28.4	25.3	26.1	25.7	23.4	303.4	12	4383
	00 LST	20.2	17.7	21.6	24.1	27.0	26.9	28.8	28.5	26.1	26.5	24.2	22.0	293.6	12	4383
	06 LST	17.7	16.1	18.7	20.3	23.9	26.2	26.2	27.3	24.2	24.7	21.3	19.2	265.8	12	4383
	12 LST	21.6	21.0	24.0	24.3	26.5	24.8	24.8	25.5	23.3	26.6	24.2	22.1	288.7	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.2	18.7	21.3	23.7	27.0	25.9	26.7	26.8	23.3	24.7	24.2	21.8	285.3	12	4383
	00 LST	18.7	16.2	19.8	22.8	26.0	25.9	28.2	27.7	24.4	25.7	22.7	20.2	278.5	12	4383
	06 LST	16.7	14.7	17.5	19.4	22.6	25.0	25.3	26.6	23.2	23.9	20.3	17.3	252.5	12	4383
	12 LST	20.1	18.5	22.5	23.7	25.7	23.9	24.0	24.6	21.9	25.5	22.8	20.2	273.4	12	4383



## VALPARAISO/EGLIN AFB, FLORIDA

STA NO. 72221 (IN AREA NUMBER 15)

LATITUDE 3029N

LONGITUDE 08630W

ELEVATION(FT) 00085

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	79	83	92	102	102	100	102	97	92	89	79	102	12	4383
MEAN MAX TMP (F)	62	65	69	76	84	89	91	91	87	79	69	63	77	12	4383
MEAN MIN TMP (F)	44	47	50	57	66	72	74	74	70	59	48	43	59	12	4383
ABS MIN TMP (F)	21	12	28	36	43	55	69	64	57	33	21	18	12	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	3.9	15.1	20.5	21.2	10.7	0.7	0.0	0.0	72.3	12	4383
MEAN NO DYS TMP = OR LES 32(F)	5.3	2.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.8	15.7	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	45	47	49	56	64	70	73	73	69	58	48	44	58	12	105095
MEAN REL HUM (PCT)	76	75	70	72	72	73	75	76	77	71	71	73	73	12	105095
MEAN PRESS ALT (FT)	-128	-94	-43	-14	7	26	-10	5	-1	-48	-98	-126	-43	0	-50
MEAN PRECIP (IN)	2.85	3.39	4.98	4.66	3.32	4.71	5.81	7.28	6.91	3.39	2.48	4.32	54.1	12	4350
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4353
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	5.9	5.9	4.9	4.7	6.6	9.0	9.0	7.4	3.4	3.8	6.1	70.9	12	4350
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4353
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	7.7	6.1	6.1	6.4	3.2	1.7	0.7	0.4	1.1	1.2	4.2	5.5	44.3	12	4382
MEAN NO DYS TSTMS	1.3	2.3	3.8	4.6	5.6	9.7	16.1	14.1	7.0	1.8	0.9	1.6	68.8	12	4383
P FREQ WND SPD = OR GTR 17 KTS	4.0	4.1	5.0	4.4	1.9	2.5	1.4	1.0	1.9	2.5	2.6	2.6	2.8	12	105143
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	12	105143
P FREQ LES 5000 FT A/D LES 5 MI	38.1	36.9	33.6	29.4	21.9	15.7	12.2	11.4	17.1	15.5	23.5	32.6	24.0	12	105143
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.0	24.9	23.5	26.2	14.5	4.7	2.0	1.4	5.5	7.0	15.9	21.1	14.7	12	13138
03-05 LST	31.0	27.3	27.8	28.9	20.5	9.3	4.3	3.2	8.8	9.2	17.3	21.7	17.4	12	13146
06-08 LST	29.8	29.4	27.4	23.5	19.4	8.7	3.6	3.5	13.0	11.0	15.4	22.8	17.3	12	13144
09-11 LST	19.5	20.7	20.2	15.0	9.1	4.8	3.4	2.5	8.8	8.4	10.4	14.7	11.5	12	13146
12-14 LST	15.3	14.9	15.4	13.1	6.1	3.7	2.2	2.8	6.2	3.9	6.1	13.0	8.6	12	13142
15-17 LST	14.5	13.9	16.9	11.2	5.1	2.9	1.4	1.9	4.8	3.9	7.3	13.1	8.1	12	13144
18-20 LST	18.1	16.1	17.6	17.0	8.4	2.6	1.0	2.1	5.1	4.6	10.6	16.6	10.0	12	13143
21-23 LST	23.4	20.4	21.3	20.4	8.5	3.0	1.0	1.3	4.4	6.1	13.5	19.1	11.9	12	13140
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.9	12.5	12.6	9.3	3.4	0.7	0.4	0.0	0.9	0.9	7.5	8.6	6.0	12	13138
03-05 LST	16.1	13.5	13.4	12.3	7.8	3.3	0.9	0.5	1.6	1.8	8.4	9.4	7.4	12	13146
06-08 LST	19.1	11.8	10.4	6.7	2.8	1.6	0.4	0.3	1.5	2.4	6.5	8.0	5.6	12	13144
09-11 LST	4.0	4.1	3.0	1.1	0.1	0.1	0.4	0.4	0.9	0.5	1.0	3.1	1.6	12	13146
12-14 LST	1.3	2.2	2.3	0.6	0.4	0.5	0.4	0.8	0.7	0.0	0.2	1.2	0.9	12	13142
15-17 LST	2.1	3.0	3.0	0.9	0.2	0.2	0.4	0.6	0.5	0.2	0.8	2.2	1.2	12	13144
18-20 LST	5.7	4.2	5.6	2.0	0.1	0.3	0.2	0.4	0.6	0.0	2.7	4.3	2.2	12	13143
21-23 LST	11.8	8.3	8.3	4.0	0.1	0.0	0.0	0.2	0.3	0.5	5.2	7.0	3.8	12	13140

## VALPARAISO/EGLIN AFB, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.4	24.3	26.3	26.6	30.0	29.6	30.7	30.7	28.8	30.3	27.4	27.2	338.3	12	4382
	00 LST	23.4	22.0	23.9	23.7	28.6	29.3	30.7	30.8	28.8	29.7	26.3	25.2	322.4	12	4382
	06 LST	22.2	20.9	21.9	23.1	26.0	27.4	30.1	30.3	26.6	28.4	25.3	24.4	306.6	12	4382
	12 LST	27.3	24.9	27.7	27.6	30.1	29.4	30.6	30.6	28.8	30.3	29.3	28.5	345.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.7	18.1	17.7	19.0	20.5	20.0	22.8	24.6	23.8	24.9	22.8	22.5	256.4	12	4382
	00 LST	18.0	16.8	17.5	19.1	24.2	25.7	28.5	29.2	24.3	24.6	21.5	20.3	269.7	12	4382
	06 LST	16.0	14.9	15.5	17.2	19.7	23.1	27.7	27.3	21.8	22.4	20.3	18.0	243.9	12	4382
	12 LST	13.2	10.2	10.2	9.2	10.6	11.6	15.0	16.9	15.7	17.3	15.5	16.8	162.2	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.7	1.1	0.9	0.4	0.2	0.2	0.0	0.1	0.3	0.5	0.2	5.4	12	4323
	00 LST	0.7	0.5	0.7	0.8	0.1	0.0	0.1	0.1	0.2	0.3	0.3	0.8	4.6	12	4318
	06 LST	0.7	0.7	0.7	0.7	0.0	0.2	0.1	0.1	0.4	0.7	0.5	0.6	5.4	12	4320
	12 LST	1.9	1.9	3.1	2.8	1.5	2.2	0.8	0.4	0.9	1.1	1.7	1.6	19.9	12	4335
SFC WND 4-10 KTS AND TMP 33-59 DEG F AND NO PRECIP.	18 LST	16.8	16.7	20.9	22.2	24.1	20.6	20.4	21.1	18.7	16.3	14.5	15.7	228.0	12	4323
	00 LST	16.6	13.5	18.0	16.5	18.2	15.4	14.5	15.3	14.4	15.7	14.6	16.4	189.1	12	4318
	06 LST	13.1	14.2	17.4	19.1	19.0	17.0	15.9	19.0	17.8	17.2	14.5	16.5	200.7	12	4320
	12 LST	18.0	16.2	16.6	14.8	14.8	10.2	10.0	10.1	15.4	20.7	17.6	19.2	183.1	12	4335
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.6	8.1	9.0	9.6	9.1	6.9	1.6	4.3	7.4	16.0	13.5	11.2	106.3	12	4382
	00 LST	11.2	11.3	12.3	13.7	17.1	16.2	15.3	17.5	17.4	20.3	16.4	13.7	182.4	12	4382
	06 LST	8.5	8.2	7.4	8.4	7.9	7.7	4.2	9.1	9.4	15.2	11.2	9.7	106.9	12	4382
	12 LST	8.1	7.5	9.4	9.8	6.7	5.1	1.5	2.4	4.5	13.3	10.8	9.1	88.2	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.5	23.6	25.0	27.8	28.4	29.8	29.8	27.4	28.6	25.8	24.9	317.2	12	4382
	00 LST	21.3	20.3	22.4	22.4	26.2	28.1	30.1	30.2	28.1	28.5	24.8	23.3	305.7	12	4382
	06 LST	18.8	18.3	20.6	21.2	22.4	26.2	29.0	29.1	25.1	26.8	23.6	21.3	282.4	12	4382
	12 LST	23.7	20.3	24.5	24.3	27.2	27.1	28.3	29.0	25.7	27.7	26.6	24.9	309.3	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.9	19.3	21.2	23.1	26.4	26.2	28.0	27.7	25.2	26.9	23.9	21.9	289.7	12	4382
	00 LST	18.9	17.7	20.2	20.9	23.1	26.7	29.1	29.1	27.4	27.2	23.3	20.8	286.4	12	4382
	06 LST	16.8	15.1	18.3	19.6	20.8	25.1	27.5	27.7	23.4	25.3	21.2	19.0	259.8	12	4382
	12 LST	20.7	17.6	21.4	22.8	23.6	23.6	24.1	23.3	22.7	25.6	22.7	20.6	268.7	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.5	18.3	19.6	22.2	25.0	25.1	26.3	26.6	23.1	26.2	22.7	19.5	273.1	12	4382
	00 LST	17.7	16.7	18.5	20.5	24.1	25.6	28.6	28.6	25.3	26.1	22.2	18.9	272.8	12	4382
	06 LST	15.6	13.6	16.6	18.2	20.0	23.8	26.7	26.7	21.6	24.6	19.6	17.1	244.1	12	4382
	12 LST	18.8	15.4	20.3	22.1	22.7	22.8	22.9	22.2	21.2	25.1	21.6	18.6	253.7	12	4382

# CROSS CITY, FLORIDA

STA NO. 73203 (IN AREA NUMBER 15)

LATITUDE 2937N

LONGITUDE 08306W

ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
ABS MAX TMP (F)	86	87	96	97	101	103	102	100	100	95	88	86	103	18	-113
MEAN MAX TMP (F)	69	71	75	82	88	91	91	92	89	82	74	69	81	18	-113
MEAN MIN TMP (F)	42	43	49	55	62	69	71	72	70	59	48	43	57	18	-113
ABS MIN TMP (F)	17	17	25	30	43	52	61	61	49	30	20	15	15	18	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	11.0	20.0	25.0	24.0	17.0	3.0	0.0	0.0	101.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	9.0	4.0	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	3.0	7.0	26.6	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	49	5	54	60	66	71	73	73	72	63	55	50	62	0	-50
MEAN REL HUM (PCT)	80	64	77	76	76	76	79	76	80	79	82	82	79	12	-29
MEAN PRESS ALT (FT)	-147	-119	-89	-62	-27	-13	-61	-34	-4	-35	-107	-137	-69	0	-50
MEAN PRECIP (IN)	2.52	3.24	4.79	3.38	3.85	7.76	10.74	7.48	6.94	3.65	2.52	2.47	59.3	19	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	6.3	7.1	6.4	6.7	10.3	14.0	10.0	10.0	5.8	4.3	5.4	92.0	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				18	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CROSS CITY, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	18 LST													0	0
3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND	18 LST													0	0
NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST													0	0
DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

# GAINESVILLE, FLORIDA

STA NO. 73204 (IN AREA NUMBER 19)

LATITUDE 2941N

LONGITUDE 08216W

ELEVATION(FT) 00159

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	89	96	95	101	104	102	100	99	96	90	87	104	60	-613
MEAN MAX TMP (F)	69	71	76	81	87	90	91	91	89	83	75	69	81	60	-113
MEAN MIN TMP (F)	47	48	53	58	64	69	71	71	70	61	52	47	59	60	-113
ABS MIN TMP (F)	14	6	24	32	43	54	60	60	48	33	22	12	6	60	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.9	9.9	14.5	21.8	19.5	11.1	0.9	0.0	0.0	78.6	13	3915
MEAN NO DYS TMP = OR LES 32(F)	4.7	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.8	12.0	13	3915
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3915
MEAN DEW PT TMP (F)	45	49	50	56	64	70	73	72	71	62	53	46	59	13	97438
MEAN REL HUM (PCT)	75	73	71	70	72	76	79	80	82	78	77	76	76	13	97432
MEAN PRESS ALT (FT)	-34	-6	20	47	81	92	46	76	106	79	7	-23	41	0	-50
MEAN PRECIP (IN)	2.95	3.02	3.41	2.89	3.20	6.72	7.33	7.08	5.48	3.29	1.85	3.00	50.2	64	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3642
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	6.2	6.4	6.0	6.3	9.3	9.9	9.7	8.2	5.4	3.4	6.2	83.1	64	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3642
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	5.1	4.2	4.8	4.2	2.9	1.1	2.4	2.1	2.3	3.2	5.6	6.8	44.7	13	4120
MEAN NO DYS TSTMS	0.5	1.4	2.3	4.9	7.6	11.0	16.5	12.9	8.3	2.4	0.3	0.4	68.3	13	3915
P FREQ WND SPD = OR GTR 17 KTS	1.9	3.3	2.2	2.3	0.7	0.6	0.3	0.2	0.9	1.3	1.0	1.3	1.3	13	97417
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	97417
P FREQ LES 5000 FT A/D LES 5 MI	38.7	38.0	33.5	29.8	31.4	31.7	30.0	30.4	34.0	33.1	33.5	38.8	33.6	13	97464
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.3	20.3	16.1	10.7	8.8	4.8	3.1	3.6	6.1	14.6	22.1	24.0	13.1	13	11750
03-05 LST	28.3	28.9	24.1	19.7	19.0	11.5	10.6	10.0	12.7	21.1	28.8	27.3	20.2	13	12363
06-08 LST	34.7	39.0	30.1	26.4	24.4	14.0	14.5	19.7	26.0	28.8	35.3	36.2	27.4	13	12813
09-11 LST	25.4	21.7	18.4	10.1	6.6	5.6	5.2	7.7	14.1	16.8	19.1	21.9	14.4	13	12849
12-14 LST	14.4	10.2	10.0	5.3	2.3	2.9	3.9	4.9	10.1	11.2	8.4	13.8	8.1	13	12849
15-17 LST	10.6	9.8	9.9	4.3	3.4	4.8	5.6	6.3	8.7	9.0	6.9	12.3	7.7	13	12843
18-20 LST	12.8	9.7	10.4	6.6	4.6	6.3	4.3	5.3	7.6	9.6	9.3	15.9	8.5	13	12307
21-23 LST	14.7	10.9	10.7	7.1	5.1	3.0	2.0	3.6	5.5	9.6	13.3	19.7	6.8	13	11917
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.8	5.3	5.2	2.7	1.0	0.5	0.5	0.4	1.0	5.0	10.0	10.4	4.2	13	11750
03-05 LST	12.0	9.5	9.0	8.8	7.3	3.0	3.3	2.5	4.3	7.8	14.1	13.2	7.9	13	12363
06-08 LST	14.4	13.3	8.6	8.6	7.6	2.9	4.7	5.1	6.7	9.7	15.1	13.8	9.2	13	12813
09-11 LST	6.0	3.6	1.1	0.4	0.4	0.1	0.2	0.1	0.1	1.0	3.2	4.4	1.7	13	12849
12-14 LST	1.0	0.6	0.6	0.0	0.1	0.1	0.3	0.2	0.6	0.5	0.0	1.3	0.4	13	12849
15-17 LST	1.1	0.5	0.9	0.1	0.7	0.7	0.6	0.6	0.5	0.2	0.4	1.2	0.6	13	12843
18-20 LST	1.3	1.2	2.9	0.3	0.3	0.2	0.8	0.3	0.3	0.4	0.8	4.5	1.1	13	12307
21-23 LST	4.3	1.0	2.8	0.8	0.1	0.2	0.2	0.2	0.2	1.9	3.6	7.7	1.9	13	11917

# GAINESVILLE, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.5	25.3	28.3	28.4	30.4	28.4	30.0	29.7	28.3	28.6	28.1	27.0	340.0	13	4283
	01 LST	24.1	22.9	26.7	27.3	29.0	29.0	30.2	30.3	28.5	27.1	23.8	23.7	322.6	13	3949
	07 LST	20.2	16.8	21.9	21.7	24.4	26.5	26.7	25.0	22.1	21.2	18.6	19.7	264.8	13	4284
	13 LST	27.9	26.0	28.7	29.2	30.6	29.5	30.3	30.2	28.1	29.1	28.2	27.9	345.7	13	4284
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.7	20.6	21.8	22.3	25.8	24.2	26.3	27.7	24.8	25.8	25.5	24.1	292.6	13	4282
	01 LST	21.1	19.0	24.0	24.9	27.7	28.2	30.1	29.5	26.9	25.2	21.4	20.9	298.9	13	3949
	07 LST	17.2	14.0	18.1	19.6	23.2	25.1	26.2	24.1	20.2	19.5	16.8	16.8	240.8	13	4283
	13 LST	15.6	13.2	14.2	15.5	20.7	21.9	25.1	23.8	18.2	18.1	17.6	16.5	220.4	13	4283
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.5	0.2	0.3	0.1	0.1	0.1	0.0	0.1	0.2	0.0	0.2	2.0	13	4204
	01 LST	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.9	13	3896
	07 LST	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.9	13	4223
	13 LST	2.3	2.7	1.8	2.2	0.3	0.4	0.1	0.2	0.9	1.0	0.9	1.1	13.9	13	4235
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.6	18.6	23.3	22.9	24.2	20.4	18.7	19.9	18.2	14.6	17.0	17.4	234.8	13	4204
	01 LST	15.4	14.1	17.0	13.3	11.3	10.3	7.5	7.8	9.7	13.4	13.8	12.7	146.3	13	3896
	07 LST	14.1	13.1	14.8	14.2	14.7	14.5	9.9	9.4	11.0	14.6	13.7	12.5	156.5	13	4223
	13 LST	17.5	14.7	16.9	18.4	16.6	12.1	9.3	9.2	14.9	18.0	19.4	17.6	184.6	13	4234
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.6	10.2	9.4	9.2	7.8	4.3	2.4	3.5	4.6	12.0	13.4	11.8	99.2	11	4016
	01 LST	13.4	12.4	13.5	15.9	17.9	14.4	14.8	15.0	13.1	16.7	14.3	14.7	176.1	11	3682
	07 LST	8.3	6.6	6.5	8.3	10.4	7.6	6.6	7.3	3.8	8.8	8.7	8.8	91.7	11	4017
	13 LST	7.4	7.6	7.1	7.4	4.4	1.3	0.3	0.7	1.4	5.9	7.3	8.9	59.7	11	4017
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.3	23.6	27.1	26.7	28.8	26.2	28.2	27.4	25.3	26.2	26.3	25.5	317.6	13	4283
	01 LST	22.3	20.7	24.7	26.4	28.1	28.0	29.6	29.5	27.3	26.3	22.2	22.7	307.8	13	3949
	07 LST	18.0	15.0	19.4	20.3	23.6	25.6	26.0	24.0	20.5	20.3	17.6	17.9	248.2	13	4284
	13 LST	23.4	22.0	25.9	25.9	26.3	25.4	26.7	24.8	21.8	24.1	25.3	24.4	296.0	13	4284
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.1	21.6	24.4	24.6	25.2	23.4	24.3	24.6	22.8	24.6	24.5	22.7	286.8	13	4283
	01 LST	21.4	18.6	23.3	25.1	27.4	27.3	29.2	28.8	26.5	25.6	20.8	20.8	294.8	13	3949
	07 LST	16.1	13.2	17.1	19.2	22.4	24.3	25.6	23.3	19.7	18.9	16.3	16.5	232.6	13	4284
	13 LST	19.2	15.9	19.0	17.1	13.6	10.2	8.3	11.4	10.4	15.3	20.7	20.6	181.7	13	4284
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	20.6	22.7	23.8	24.0	22.0	21.6	22.6	20.6	22.9	23.3	21.5	268.5	13	4283
	01 LST	20.0	17.5	22.4	24.4	26.7	26.6	28.4	27.9	25.3	24.5	19.7	20.4	283.8	13	3949
	07 LST	14.5	12.2	15.7	18.2	22.0	23.0	24.7	22.3	18.5	17.6	15.1	14.9	218.7	13	4284
	13 LST	18.2	14.9	18.1	16.8	13.4	9.1	7.9	10.9	9.2	14.8	18.7	19.1	171.1	13	4284

## ST PETERSBURG COAST GUARD, FLORIDA

STA NO. 73205 (IN AREA NUMBER 15)

LATITUDE 2745N

LONGITUDE 08238W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	85	89	92	96	98	97	96	96	96	92	91	90	30	-113
MEAN MAX TMP (F)	72	73	76	81	87	90	90	90	89	84	77	73	82	30	-113
MEAN MIN TMP (F)	55	56	60	65	70	74	75	76	74	69	61	56	66	30	-113
ABS MIN TMP (F)	28	32	30	45	56	64	63	65	62	47	35	30	28	30	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	8.0	14.0	20.0	20.0	14.0	2.0	0.0	0.0	78.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	51	54	56	60	66	71	73	73	72	64	58	51	62	12	-73269
MEAN REL HUM (PCT)	75	75	72	69	70	73	75	76	77	72	73	74	73	12	-73269
MEAN PRESS ALT (FT)	-195	-166	-133	-106	-77	-61	-103	-76	-59	-96	-163	-193	-118	0	-50
MEAN PRECIP (IN)	2.47	2.77	3.18	2.89	2.82	5.88	8.88	8.90	8.02	3.72	1.85	2.29	53.7	50	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.4	5.8	6.3	6.0	5.9	8.6	11.5	11.5	11.3	3.9	3.4	5.1	86.7	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.4	3.2	2.5	1.0	0.2	0.2	0.0	0.4	0.2	0.8	2.3	3.3	19.5	12	-73269
MEAN NO DYS TSTMS	1.1	1.9	2.6	4.2	5.9	13.1	19.3	18.2	12.1	2.8	1.1	0.7	83.0	12	-73269
P FREQ WND SPD = OR GTR 17 KTS	3.9	4.7	4.9	3.8	1.1	0.9	1.0	0.5	1.3	1.4	1.5	2.0	2.3	12	-73269
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	-73269
P FREQ LES 5000 FT A/D LES 5 MI	24.7	25.2	20.8	15.1	10.1	11.1	10.9	10.0	14.6	12.0	15.4	21.1	15.9	12	-73269
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.3	12.7	9.3	4.4	1.3	1.1	0.6	0.8	4.4	3.9	5.7	10.7	5.8	12	-73269
03-05 LST	16.6	16.5	13.7	7.8	3.2	1.6	1.7	1.1	7.0	7.2	11.7	13.4	8.5	12	-73269
06-08 LST	20.7	19.5	17.9	11.1	7.1	3.6	2.0	4.0	8.3	9.5	14.9	13.6	11.2	12	-73269
09-11 LST	15.7	12.9	12.2	5.2	1.8	2.4	1.5	1.4	5.2	5.0	11.1	12.1	7.2	12	-73269
12-14 LST	5.3	5.5	5.0	2.3	0.7	1.2	1.5	0.6	2.6	4.3	3.3	5.2	3.1	12	-73269
15-17 LST	4.4	4.3	5.1	1.3	0.9	1.3	2.0	1.6	3.4	2.4	3.2	3.1	2.8	12	-73269
18-20 LST	5.7	7.6	6.2	1.5	1.3	2.0	1.4	1.8	3.9	2.7	3.6	5.7	3.6	12	-73269
21-23 LST	8.6	7.8	6.8	2.3	0.6	0.9	0.6	0.9	1.9	2.8	4.7	7.3	3.8	12	-73269
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.7	3.2	1.9	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.9	4.0	1.5	12	-73269
03-05 LST	8.3	6.1	4.2	1.2	0.4	0.0	0.0	0.0	0.0	0.3	3.9	5.3	2.5	12	-73269
06-08 LST	11.2	6.8	6.3	2.4	1.0	0.2	0.1	0.5	0.7	1.2	5.1	6.8	3.5	12	-73269
09-11 LST	4.5	2.6	0.9	0.5	0.0	0.1	0.0	0.1	0.3	0.3	1.7	2.8	1.2	12	-73269
12-14 LST	0.7	0.6	0.3	0.0	0.0	0.2	0.1	0.2	0.4	0.4	0.1	0.5	0.3	12	-73269
15-17 LST	0.2	0.3	0.6	0.1	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.3	0.2	12	-73269
18-20 LST	1.1	1.2	0.5	0.0	0.1	0.3	0.1	0.2	0.2	0.2	0.0	0.8	0.4	12	-73269
21-23 LST	3.5	0.6	0.9	0.4	0.0	0.0	0.2	0.0	0.2	0.0	0.4	1.9	0.7	12	-73269



## ST PETERSBURG COAST GUARD, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.2	26.4	29.6	29.6	30.7	29.7	30.7	30.6	29.6	30.6	29.4	29.7	355.8	12	-73269
	00 LST	26.9	25.3	28.4	29.3	30.9	29.8	30.9	30.8	29.2	30.1	28.7	28.2	348.5	12	-73269
	06 LST	24.6	23.0	26.0	27.3	29.2	29.3	30.6	29.8	27.7	27.9	25.7	26.6	327.7	12	-73269
	12 LST	29.6	26.7	30.2	29.6	30.8	29.8	30.8	30.8	29.5	30.3	29.3	29.6	357.0	12	-73269
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.3	19.4	20.2	20.5	22.9	22.7	27.2	27.6	24.8	23.5	24.4	24.4	280.9	12	-73269
	00 LST	20.2	19.3	21.1	23.7	28.4	27.5	29.4	29.6	25.7	24.1	22.8	23.3	295.1	12	-73269
	06 LST	17.8	16.8	19.5	20.5	25.7	26.3	27.8	28.0	24.1	22.4	21.4	21.4	271.7	12	-73269
	12 LST	16.5	15.2	14.3	16.1	20.6	21.7	23.3	25.5	23.6	21.1	19.7	20.2	237.8	12	-73269
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.9	0.8	0.8	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.7	5.4	12	-73269
	00 LST	0.7	0.5	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	3.5	12	-73269
	06 LST	0.4	0.5	0.8	0.3	0.1	0.2	0.0	0.0	0.3	0.3	0.3	0.1	3.3	12	-73269
	12 LST	2.6	2.8	2.8	2.6	0.6	0.4	0.5	0.3	0.2	0.8	0.8	1.0	15.4	12	-73269
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	18.1	21.2	22.2	23.0	21.3	19.5	18.4	18.7	21.3	18.9	17.7	239.1	12	-73269
	00 LST	16.0	15.4	17.5	19.0	16.1	13.4	13.1	12.1	15.0	18.5	17.2	15.1	188.4	12	-73269
	06 LST	18.4	15.7	17.8	18.5	18.7	17.4	15.0	12.7	16.3	17.1	18.7	16.3	202.6	12	-73269
	12 LST	17.8	16.2	17.3	18.2	18.3	16.1	11.7	12.4	15.0	19.9	20.8	20.3	204.2	12	-73269
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.4	9.5	10.4	9.8	9.6	4.1	1.1	1.9	3.5	12.2	14.5	11.7	99.7	12	-73269
	00 LST	14.5	13.6	15.8	16.9	20.3	15.2	11.7	13.5	12.2	19.4	18.2	16.0	187.3	12	-73269
	06 LST	10.4	8.1	8.3	10.6	11.6	7.2	6.1	8.6	7.1	14.4	11.7	11.0	115.1	12	-73269
	12 LST	9.6	8.7	8.6	8.3	8.7	2.8	0.7	1.2	1.7	7.0	9.2	9.4	75.9	12	-73269
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.1	24.4	28.3	28.9	29.6	27.8	29.1	29.1	27.5	29.2	28.2	28.6	338.8	12	-73269
	00 LST	25.6	23.4	27.3	28.6	30.4	29.3	30.5	30.4	28.3	29.3	27.7	26.6	337.4	12	-73269
	06 LST	23.0	20.8	24.4	25.4	28.1	28.7	29.7	29.0	26.6	27.5	24.5	25.5	313.2	12	-73269
	12 LST	28.1	25.3	28.1	28.7	29.9	28.8	29.1	29.3	28.2	28.9	27.8	28.6	340.8	12	-73269
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.1	21.2	24.9	25.3	26.3	23.6	25.6	25.1	22.9	27.5	27.2	25.1	299.8	12	-73269
	00 LST	22.7	21.3	24.7	26.3	29.1	28.2	29.9	29.7	27.8	28.1	25.8	23.8	317.4	12	-73269
	06 LST	19.9	17.1	21.6	23.6	27.1	27.8	28.9	28.3	25.4	26.2	22.7	21.6	290.2	12	-73269
	12 LST	24.8	21.8	24.8	25.7	27.1	25.2	25.8	26.8	24.7	26.2	26.1	25.1	304.1	12	-73269
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.6	19.4	23.7	24.2	25.5	22.4	24.6	23.5	20.9	25.6	25.1	22.6	281.1	12	-73269
	00 LST	21.2	19.6	23.4	25.0	28.7	27.7	29.3	29.1	26.7	26.9	24.5	22.5	304.6	12	-73269
	06 LST	18.9	15.8	19.8	22.7	25.7	26.7	28.3	27.7	24.8	25.1	21.0	20.5	277.0	12	-73269
	12 LST	23.1	20.9	23.4	24.5	26.7	24.7	25.1	26.1	23.9	25.4	24.5	23.7	292.0	12	-73269

FT LAUDERDALE/BROWARD COUNTY INT'L., FLORIDA

STA NO. 73206 (IN AREA NUMBER 15)

LATITUDE 2604N

LONGITUDE 08009W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	88	90	94	97	96	97	99	100	99	95	91	90	100	45	-613
MEAN MAX TMP (F)	78	78	80	83	86	89	90	91	89	86	81	78	84	45	-113
MEAN MIN TMP (F)	59	59	61	65	69	72	73	74	73	70	64	60	67	45	-113
ABS MIN TMP (F)	30	28	32	40	49	57	65	66	63	44	35	29	28	45	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.4	2.8	9.9	12.3	20.1	9.6	0.6	0.0	0.0	36.1	12	4158
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4153
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4153
MEAN DEW PT TMP (F)	57	59	61	63	68	72	73	73	73	69	63	59	66	12	93627
MEAN REL HUM (PCT)	73	72	71	70	73	76	76	77	78	77	74	74	74	12	93619
MEAN PRESS ALT (FT)	-167	-141	-124	-98	-61	-57	-104	-65	-27	-40	-109	-147	-94	0	-50
MEAN PRECIP (IN)	2.45	1.97	2.81	4.21	5.86	7.34	5.99	6.75	8.83	9.15	3.52	2.70	61.6	46	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3774
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.4	4.6	5.9	6.9	7.4	9.9	8.7	9.4	12.2	12.3	5.7	5.7	94.3	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3774
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	0.9	0.6	1.2	0.5	0.0	0.0	0.2	0.5	1.0	0.9	7.6	12	3931
MEAN NO DYS TSTHS	0.6	1.3	1.8	3.3	8.2	11.2	14.9	15.2	10.3	6.2	1.3	0.8	75.1	12	3934
P FREQ WND SPD = OR GTR 17 KTS	3.6	4.6	4.5	4.8	2.1	1.5	1.0	0.8	2.4	3.1	2.0	1.8	2.7	12	3669
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	12	93669
P FREQ LES 5000 FT A/D LES 5 MI	18.3	17.9	13.5	14.9	13.7	9.7	7.6	6.4	9.0	15.3	14.1	18.4	13.4	12	93636
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	3.0	0.6	1.3	0.3	0.9	0.2	0.7	3.7	3.2	4.8	2.1	12	11439
03-05 LST	6.7	4.2	5.6	2.8	3.6	1.0	0.8	0.6	1.0	4.4	6.2	5.7	3.6	12	11553
06-08 LST	7.0	5.6	5.5	4.9	5.8	2.3	0.7	0.4	1.2	4.5	7.0	7.4	4.4	12	12503
09-11 LST	2.4	2.7	2.6	1.6	2.4	2.1	0.3	0.4	1.4	4.0	3.8	3.8	2.3	12	12629
12-14 LST	2.5	1.0	1.0	1.6	1.6	1.7	1.3	0.5	1.2	2.8	2.2	2.6	1.7	12	12624
15-17 LST	3.4	1.3	1.0	1.6	1.9	1.9	1.1	1.1	1.5	2.9	1.9	2.9	1.9	12	12619
18-20 LST	2.7	2.3	1.4	1.2	1.5	1.5	0.7	0.4	0.7	2.4	1.7	2.0	1.5	12	12399
21-23 LST	2.1	1.9	1.4	0.3	1.2	1.9	0.3	0.3	0.9	2.7	1.4	1.8	1.4	12	11922
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.1	0.3	0.4	0.0	0.3	0.0	0.0	0.0	0.3	0.5	0.2	1.2	0.4	12	11439
03-05 LST	2.2	1.3	1.5	0.9	1.4	0.5	0.0	0.2	0.3	0.3	2.1	1.8	1.0	12	11553
06-08 LST	2.9	2.2	2.1	1.3	3.2	1.2	0.0	0.0	0.0	0.5	2.3	2.4	1.5	12	12503
09-11 LST	0.3	0.1	0.1	0.0	0.4	0.2	0.0	0.0	0.1	0.2	0.2	0.2	0.2	12	12629
12-14 LST	0.1	0.0	0.0	0.2	0.3	0.5	0.2	0.0	0.1	0.0	0.1	0.0	0.1	12	12624
15-17 LST	0.1	0.0	0.2	0.3	0.5	0.1	0.1	0.2	0.3	0.1	0.0	0.0	0.2	12	12619
18-20 LST	0.0	0.0	0.0	0.1	0.1	0.4	0.3	0.0	0.3	0.1	0.0	0.0	0.1	12	12399
21-23 LST	0.1	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.4	0.2	0.0	0.0	0.1	12	11922

FT LAUDERDALE/BROWARD COUNTY INT'L., FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.9	30.8	29.9	30.7	29.6	31.0	30.9	29.9	30.7	29.7	30.7	362.3	12	4211
	01 LST	30.3	27.3	30.6	29.9	30.8	29.6	30.8	30.9	29.9	30.5	29.3	29.9	359.8	12	3938
	07 LST	28.6	26.5	29.2	28.5	29.0	29.4	30.8	30.9	29.5	29.8	27.9	28.9	349.0	12	4219
	13 LST	30.4	27.9	30.9	29.6	30.7	29.6	30.7	30.9	29.7	30.4	29.5	30.5	360.8	12	4220
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.9	19.6	22.0	18.5	19.4	22.4	25.9	27.0	25.0	23.8	23.1	23.7	274.3	12	4210
	01 LST	21.8	19.5	23.6	24.0	25.5	26.9	29.1	29.7	27.0	24.7	23.7	23.1	298.6	12	3538
	07 LST	21.6	19.5	20.6	20.6	22.2	24.8	27.7	29.0	25.6	24.5	22.4	22.7	281.2	12	4218
	13 LST	8.3	7.3	7.0	8.3	9.0	10.9	12.2	15.9	13.4	13.0	10.9	10.7	126.9	12	4219
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.4	0.2	0.2	0.2	0.2	0.1	0.0	0.3	0.4	0.4	0.1	2.6	12	4164
	01 LST	0.2	0.4	0.3	0.2	0.2	0.2	0.0	0.0	0.3	0.2	0.0	0.2	2.2	12	3905
	07 LST	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.8	0.2	0.1	2.5	12	4183
	13 LST	3.5	3.4	3.6	3.6	1.8	1.4	0.8	0.7	1.2	1.8	1.0	2.2	25.0	12	4179
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.3	19.3	24.0	22.4	23.8	22.8	25.0	24.3	21.3	20.7	20.9	23.0	269.8	12	4164
	01 LST	20.1	16.9	19.5	19.5	19.7	17.2	15.9	16.1	17.8	19.1	18.7	19.7	220.2	12	3905
	07 LST	20.5	17.5	18.3	19.4	19.5	17.3	17.2	17.1	17.3	17.7	19.7	21.3	222.8	12	4182
	13 LST	12.6	9.7	10.5	11.7	12.9	12.8	15.5	12.9	14.9	17.0	14.3	14.8	159.6	12	4178
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.4	13.6	13.2	9.1	7.9	4.3	4.5	2.1	4.3	8.5	12.2	15.6	107.7	10	3651
	01 LST	16.2	14.2	16.8	15.1	14.5	12.7	13.3	13.9	10.6	12.8	15.0	15.0	170.1	10	3651
	07 LST	11.8	10.5	11.7	10.6	10.6	6.3	5.4	8.0	5.1	7.9	10.5	11.8	110.2	10	3651
	13 LST	8.2	5.2	5.9	5.4	4.9	4.1	1.0	0.8	1.5	3.8	5.5	7.7	54.0	10	3651
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.5	27.0	29.6	28.5	29.3	28.2	30.2	29.9	28.4	28.3	28.8	29.6	347.3	12	4211
	01 LST	28.8	26.6	29.1	29.3	29.7	28.8	30.3	30.4	29.2	28.2	28.3	28.1	346.8	12	3938
	07 LST	27.1	25.7	28.0	27.7	27.9	29.2	30.0	30.3	28.4	27.7	27.4	27.7	337.1	12	4219
	13 LST	28.9	26.5	29.0	27.4	28.2	28.2	29.3	29.8	28.3	28.1	28.4	28.3	340.4	12	4220
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.8	27.4	25.7	27.2	26.6	29.9	28.6	27.1	26.3	25.2	24.8	318.0	12	4211
	01 LST	25.5	22.7	25.8	27.1	28.3	27.6	29.5	29.8	28.2	25.5	25.7	24.7	320.4	12	3938
	07 LST	22.8	21.8	25.4	25.7	26.8	28.4	29.5	29.7	27.7	25.5	24.7	23.3	311.3	12	4219
	13 LST	23.5	21.3	23.1	22.1	24.3	26.3	26.5	26.2	25.3	24.4	24.4	23.3	290.7	12	4220
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	21.9	26.6	25.0	26.5	25.9	29.0	27.9	26.1	24.6	23.6	23.2	303.8	12	4211
	01 LST	24.1	21.4	24.6	26.5	27.5	27.2	29.0	29.7	27.7	24.3	24.3	22.4	308.7	12	3938
	07 LST	21.8	20.3	24.1	25.1	26.0	27.5	28.6	29.4	27.3	23.9	23.2	21.7	298.9	12	4219
	13 LST	21.7	20.1	21.9	21.3	23.9	25.8	25.5	25.7	24.3	23.4	22.2	22.3	278.1	12	4220

VERO BEACH MUNICIPAL, FLORIDA

STA NO. 73207 (IN AREA NUMBER 15)

LATITUDE 2739N

LONGITUDE 08024W

ELEVATION(FT) 00024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	91	95	98	100	98	98	97	92	88	86	100	18	-613
MEAN MAX TMP (F)	73	74	77	80	85	88	89	89	87	83	77	73	81	18	-113
MEAN MIN TMP (F)	54	56	59	64	68	72	74	74	74	69	62	56	65	18	-113
ABS MIN TMP (F)	29	30	34	44	52	63	67	66	64	48	33	26	26	18	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.5	0.2	4.7	12.0	13.0	16.6	7.7	1.0	0.0	0.0	55.7	6	2190
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2190
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2190
MEAN DEW PT TMP (F)	58	57	59	62	67	72	74	74	73	69	59	56	65	6	52177
MEAN REL HUM (PCT)	78	76	74	74	75	79	80	81	81	80	76	78	78	6	52177
MEAN PRESS ALT (FT)	-179	-150	-122	-97	-69	-64	-101	-69	-67	-75	-147	-176	-107	0	-50
MEAN PRECIP (IN)	2.12	2.18	3.54	3.48	3.55	5.09	5.76	6.01	5.10	7.11	2.44	1.60	52.0	18	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2187
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	4.9	6.5	6.5	6.5	7.9	8.5	8.7	12.5	10.2	4.2	3.9	85.1	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2187
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.0	1.6	0.5	0.5	0.0	0.0	0.3	0.2	0.3	1.1	1.8	8.5	6	2177
MEAN NO DYS TSTMS	0.3	1.3	2.0	3.8	7.3	12.3	15.5	17.5	9.7	3.5	1.1	0.5	76.8	6	2190
P FREQ WND SPD = OR GTR 17 KTS	2.8	3.9	5.7	4.5	3.7	1.4	1.0	2.4	2.8	5.7	2.9	4.8	3.3	6	52209
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.1	6	52209
P FREQ LES 5000 FT A/D LES 5 MI	21.1	18.1	15.6	13.5	11.7	11.5	9.9	10.2	14.0	20.7	15.1	20.5	15.2	6	52198
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.7	3.8	2.7	2.0	0.7	0.2	0.2	0.7	0.7	1.6	1.5	4.2	1.8	6	6523
03-05 LST	7.1	5.8	6.5	3.7	3.1	1.3	0.5	1.6	1.7	4.3	5.0	6.3	3.9	6	6519
06-08 LST	11.8	8.1	12.4	5.7	3.2	3.7	1.4	2.0	2.6	8.6	7.6	10.1	6.4	6	6524
09-11 LST	4.2	5.7	4.1	2.6	0.9	2.8	0.0	0.5	2.0	6.5	6.3	6.5	3.5	6	6526
12-14 LST	2.9	2.6	1.8	1.3	0.5	3.3	1.3	0.9	1.5	5.4	3.1	3.8	2.4	6	6529
15-17 LST	1.2	2.2	1.2	1.1	0.9	2.8	1.1	0.5	1.7	5.0	1.5	2.9	1.9	6	6528
18-20 LST	0.8	1.4	2.3	0.6	0.4	0.9	0.7	1.3	1.3	1.6	1.9	3.8	1.4	6	6525
21-23 LST	1.5	2.4	1.1	0.9	0.4	0.6	0.0	0.7	0.6	1.4	1.3	3.6	1.2	6	6524
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	0.6	0.5	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.9	0.4	6	6523
03-05 LST	3.5	1.4	2.3	0.4	1.1	0.2	0.4	0.5	0.4	0.9	1.7	3.2	1.3	6	6519
06-08 LST	4.2	3.0	3.2	1.3	0.9	0.2	0.4	0.5	0.0	1.1	1.7	4.7	1.8	6	6524
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	6	6526
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.2	0.4	0.0	0.1	6	6529
15-17 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.1	6	6528
18-20 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.1	6	6525
21-23 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	6	6524

# VERO BEACH MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.7	30.5	29.6	30.8	30.0	31.0	30.8	30.0	30.8	29.5	30.3	302.0	6	2177
	01 LST	30.3	27.5	30.5	30.0	30.8	30.0	30.8	30.8	30.0	30.8	29.6	30.5	301.6	6	2177
	07 LST	26.5	25.3	27.2	29.0	30.3	29.6	30.7	30.3	29.8	29.6	27.8	27.3	303.4	6	2177
	13 LST	30.3	27.5	30.8	29.8	30.8	29.5	31.0	30.8	29.3	30.5	29.2	30.3	309.8	6	2177
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	26.3	21.0	20.6	21.3	20.8	24.8	26.2	26.5	22.8	20.5	23.2	23.8	277.8	6	2177
	01 LST	24.5	21.2	25.0	24.3	27.2	28.0	30.2	29.3	26.0	23.3	24.5	23.8	307.3	6	2177
	07 LST	19.9	20.4	20.3	20.3	24.1	25.8	28.8	27.5	25.1	19.8	21.5	19.7	273.2	6	2177
	13 LST	8.4	6.6	7.3	6.7	6.7	9.5	12.6	11.8	9.7	8.2	11.2	10.0	108.7	6	2177
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.1	0.3	0.5	0.2	0.0	0.0	0.2	0.0	1.0	0.7	1.2	4.4	6	2157
	01 LST	0.3	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.8	3.2	6	2164
	07 LST	0.2	0.5	0.7	0.5	0.2	0.0	0.0	0.2	0.3	1.3	0.2	0.7	4.8	6	2164
	13 LST	2.7	3.2	5.3	4.2	3.5	1.3	1.6	3.0	2.2	3.3	2.0	3.3	35.6	6	2160
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.4	22.0	19.9	23.1	23.6	23.9	22.7	22.9	19.7	18.2	18.4	255.1	6	2157
	01 LST	17.5	18.8	21.9	19.9	20.4	18.2	16.6	18.1	17.2	19.4	19.0	20.3	227.3	6	2164
	07 LST	17.1	18.4	19.7	18.7	21.3	20.1	17.8	19.3	16.2	18.2	20.0	17.5	224.3	6	2163
	13 LST	12.2	10.5	11.8	10.1	11.4	13.4	13.3	11.5	14.0	14.6	16.1	15.0	193.9	6	2160
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	17.4	13.1	14.5	10.3	11.2	6.8	7.8	6.8	7.0	11.0	16.3	16.1	138.3	6	2177
	01 LST	17.9	16.4	19.5	16.8	21.1	18.8	19.7	19.0	13.1	15.3	19.1	18.3	215.0	6	2177
	07 LST	11.1	11.4	10.3	11.0	14.5	10.7	9.1	9.6	7.5	9.8	11.3	10.4	126.7	6	2177
	13 LST	6.3	8.0	10.8	8.3	10.5	6.2	1.8	2.1	2.3	6.1	9.3	9.2	80.9	6	2177
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.7	26.8	29.8	29.5	29.6	29.3	29.8	29.1	28.5	29.6	29.2	29.0	349.9	6	2177
	01 LST	29.7	26.5	29.8	29.2	30.5	29.0	29.4	30.7	29.3	29.0	29.3	29.8	353.6	6	2177
	07 LST	25.4	24.3	26.8	27.8	29.8	28.7	30.5	30.2	28.8	27.8	26.3	25.8	332.4	6	2177
	13 LST	29.2	26.7	29.6	28.8	30.3	27.8	30.0	29.1	26.6	25.1	27.7	27.8	338.7	6	2177
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.9	26.8	27.0	26.7	25.7	28.0	26.5	26.8	25.5	27.0	25.3	315.9	6	2177
	01 LST	25.1	23.2	28.3	27.3	29.0	28.7	30.7	30.3	27.5	26.3	26.8	25.9	329.1	6	2177
	07 LST	19.9	20.4	24.1	24.0	28.1	28.5	29.5	29.1	27.0	24.8	24.3	20.3	300.0	6	2177
	13 LST	22.6	21.9	24.3	25.0	26.3	25.5	25.1	24.6	21.8	21.1	23.2	23.4	284.8	6	2177
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.0	22.5	25.8	25.1	25.6	24.5	26.8	24.8	25.5	23.8	24.7	23.8	298.9	6	2177
	01 LST	23.5	21.4	28.0	26.3	28.0	28.3	30.7	29.8	27.3	25.0	26.2	24.6	319.1	6	2177
	07 LST	18.8	18.9	22.8	22.8	27.8	27.8	28.0	29.0	26.3	23.3	22.8	19.3	287.6	6	2177
	13 LST	20.8	21.2	23.7	24.2	26.0	24.5	24.3	24.1	20.5	18.5	20.6	21.8	270.2	6	2177

# DAYTONA BEACH, FLORIDA

STA NO. 73208 (IN AREA NUMBER 15)

LATITUDE 2910N

LONGITUDE 08103W

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	89	92	93	100	102	99	101	99	95	89	86	102	26	-613
MEAN MAX TMP (F)	70	71	75	80	85	89	90	90	87	82	75	70	80	26	-113
MEAN MIN TMP (F)	48	49	53	59	64	69	71	72	71	65	55	49	60	26	-113
ABS MIN TMP (F)	18	24	29	32	40	57	63	63	52	39	25	21	18	25	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.8	5.7	9.5	16.1	15.2	5.3	0.9	0.0	0.0	53.7	12	4383
MEAN NO DYS TMP = OR LES 32(F)	2.9	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7.7	7.3	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	49	52	54	58	65	70	72	73	72	64	57	51	61	12	105148
MEAN REL HUM (PCT)	77	74	74	73	75	79	80	81	81	78	78	78	78	12	105147
MEAN PRESS ALT (FT)	-159	-130	-105	-80	-47	-40	-83	-50	-22	-46	-117	-149	-85	0	-50
MEAN PRECIP (IN)	1.89	2.91	3.53	2.83	2.96	5.74	7.04	6.45	7.25	5.85	2.18	2.01	50.2	26	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	6.1	6.5	5.9	5.6	8.5	9.6	9.1	10.3	8.6	3.9	4.7	83.2	26	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.6	3.9	3.1	1.8	2.1	1.9	1.1	1.7	1.2	2.0	3.2	5.3	33.9	12	4382
MEAN NO DYS TSTMS	0.8	1.6	3.3	4.1	8.8	14.0	17.6	15.8	9.3	4.2	1.2	0.3	61.0	12	4383
P FREQ WND SPD = OR GTR 17 KTS	6.3	9.2	7.6	9.1	5.0	2.3	1.5	1.0	4.3	7.3	5.4	5.4	5.4	12	105148
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.1	12	105148
P FREQ LES 5000 FT A/D LES 5 MI	26.6	24.3	21.3	15.3	14.6	13.9	10.3	12.4	15.2	20.4	22.0	24.6	18.5	12	105145
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.6	11.6	8.4	4.2	2.9	2.9	1.3	3.0	2.4	5.2	9.4	13.3	6.6	12	13142
03-05 LST	19.4	16.0	13.5	8.5	8.5	8.4	3.7	7.1	4.8	6.1	14.0	16.6	10.6	12	13145
06-08 LST	23.5	21.3	19.0	9.7	9.5	8.5	3.8	6.5	6.3	9.3	17.6	18.7	12.8	12	13146
09-11 LST	13.5	12.4	11.5	4.7	3.5	3.8	1.9	2.1	3.6	6.5	11.0	12.4	7.2	12	13143
12-14 LST	6.9	5.4	6.1	2.8	1.0	1.9	1.5	1.7	2.3	3.9	5.9	7.7	3.9	12	13141
15-17 LST	5.0	6.2	5.4	2.5	2.1	2.4	1.4	1.2	3.1	5.8	6.5	6.7	4.0	12	13144
18-20 LST	6.5	6.7	5.6	2.2	1.8	0.9	0.8	1.2	3.4	4.5	6.8	8.0	4.0	12	13142
21-23 LST	9.3	8.4	5.6	2.9	1.9	1.0	0.7	1.3	2.7	3.1	6.9	8.5	4.4	12	13142
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.6	4.2	2.0	1.1	1.2	1.2	0.6	1.2	0.4	1.3	3.7	5.8	2.4	12	13142
03-05 LST	11.5	7.7	5.5	2.9	3.9	4.3	2.6	3.7	1.8	2.8	5.6	10.5	5.2	12	13145
06-08 LST	13.4	8.5	5.5	3.1	2.6	2.6	1.8	2.8	2.6	3.4	7.2	10.9	5.4	12	13146
09-11 LST	2.1	1.4	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.6	2.6	0.6	12	13143
12-14 LST	0.1	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	0.0	0.2	0.1	12	13141
15-17 LST	0.3	0.2	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.2	0.2	12	13144
18-20 LST	1.3	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.4	1.7	0.3	12	13142
21-23 LST	3.3	1.3	0.4	0.2	0.4	0.0	0.4	0.4	0.1	0.3	1.1	4.0	1.0	12	13142

# DAYTONA BEACH, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.1	26.6	29.7	29.7	30.6	30.0	30.9	30.9	29.9	30.1	28.7	29.5	355.7	12	4382
	01 LST	27.1	24.8	28.9	29.2	30.1	29.4	30.7	30.2	29.6	29.7	27.7	27.2	344.6	12	4382
	07 LST	23.7	22.3	25.1	27.7	28.3	28.1	30.1	29.1	28.4	28.1	24.9	25.3	321.1	12	4382
	13 LST	29.5	26.7	29.6	29.8	30.8	29.7	30.7	30.7	29.6	30.2	29.1	29.1	355.5	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.4	17.5	19.1	17.6	19.5	21.7	23.1	26.4	21.9	21.5	22.6	22.5	255.8	12	4382
	01 LST	19.7	18.0	22.4	23.1	26.2	26.9	29.8	28.0	24.5	23.4	21.6	20.7	284.3	12	4382
	07 LST	17.9	15.8	18.4	21.2	22.4	24.6	28.4	27.4	23.5	21.7	19.0	20.3	260.6	12	4382
	13 LST	8.9	5.6	4.9	3.7	4.2	8.6	9.0	8.7	6.8	7.8	7.9	8.2	83.7	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	1.4	0.9	1.0	0.3	0.4	0.1	0.1	0.8	1.1	0.3	0.8	8.0	12	4382
	01 LST	1.0	1.0	0.5	0.8	0.3	0.0	0.0	0.0	0.5	0.6	0.5	0.5	5.7	12	4338
	07 LST	0.4	0.8	1.1	0.8	0.3	0.6	0.1	0.0	0.5	1.3	0.5	0.7	7.1	12	4329
	13 LST	5.9	6.6	5.2	7.3	3.6	2.3	0.8	0.9	3.3	4.7	4.4	4.5	49.5	12	4329
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.1	21.7	20.5	22.8	23.6	24.6	24.8	22.2	20.5	20.3	20.1	260.2	12	4324
	01 LST	20.1	18.3	22.0	20.3	21.0	20.3	20.3	18.7	17.9	18.7	19.2	18.8	235.6	12	4338
	07 LST	19.8	17.1	21.5	18.3	20.8	18.9	20.0	18.9	13.8	18.7	19.9	19.7	227.4	12	4329
	13 LST	11.7	8.7	9.4	7.1	7.4	10.8	9.7	11.7	9.9	10.7	11.5	12.5	121.1	12	4329
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.8	12.8	12.9	12.3	10.2	5.3	5.7	5.3	7.1	12.6	14.8	14.5	128.3	12	4382
	01 LST	15.2	15.4	16.5	16.6	19.1	16.5	18.3	17.0	14.5	15.9	16.6	15.5	197.1	12	4382
	07 LST	9.7	8.4	9.1	11.3	12.9	10.1	11.3	10.7	8.6	10.9	11.0	9.8	123.8	12	4382
	13 LST	10.0	8.7	9.9	9.0	8.8	4.9	2.6	2.7	2.8	6.7	9.4	8.7	84.2	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.2	26.0	28.8	29.0	29.5	29.4	30.3	30.4	28.1	28.1	27.5	27.8	343.1	12	4382
	01 LST	25.7	23.6	27.8	28.2	29.4	28.7	30.7	29.8	28.6	28.3	26.3	26.0	333.1	12	4382
	07 LST	21.7	20.7	23.7	26.6	27.7	27.0	29.8	28.8	27.2	26.6	22.7	24.2	306.7	12	4382
	13 LST	27.5	25.3	27.8	28.3	29.4	28.1	29.9	28.4	27.7	27.4	27.0	26.9	333.7	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.9	23.7	25.5	27.1	27.4	27.2	29.1	29.6	26.6	25.6	25.7	24.7	317.1	12	4382
	01 LST	22.8	21.6	25.2	26.6	27.8	27.7	30.2	29.4	27.2	25.5	23.9	22.7	310.6	12	4382
	07 LST	19.0	18.4	21.7	24.0	25.9	26.3	29.1	28.0	25.9	24.2	20.0	21.0	283.5	12	4382
	13 LST	23.7	20.9	23.6	25.3	25.5	23.8	23.6	23.3	23.6	22.6	23.6	22.3	281.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.1	21.3	24.1	25.8	26.5	26.2	28.2	28.1	24.8	24.0	24.7	22.8	299.6	12	4382
	01 LST	21.7	20.4	24.1	25.7	27.2	27.1	29.8	29.1	26.6	24.2	22.9	21.0	299.8	12	4382
	07 LST	17.6	16.7	20.4	22.7	25.4	25.5	28.6	27.4	24.6	22.9	19.1	19.7	270.6	12	4382
	13 LST	21.4	19.2	22.1	24.2	25.1	22.6	22.7	22.7	22.0	20.2	21.9	19.8	263.9	12	4382



# CRESTVIEW, FLORIDA

STA NO. 73224 (IN AREA NUMBER 15)

LATITUDE 3048N

LONGITUDE 08634W

ELEVATION(FT) 00272

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	82	85	90	100	103	102	100	98	94	86	83	103	7	2557
MEAN MAX TMP (F)	67	68	71	78	86	92	91	92	87	81	69	64	79	7	2557
MEAN MIN TMP (F)	45	46	49	55	63	70	72	71	67	57	45	43	57	7	2557
ABS MIN TMP (F)	17	10	28	32	43	57	64	64	49	32	18	21	10	7	2557
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	8.1	22.3	19.8	24.1	11.0	2.0	0.0	0.0	87.4	7	2557
MEAN NO DYS TMP = OR LES 32(F)	4.4	2.4	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.4	5.1	16.8	7	2557
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2557
MEAN DEW PT TMP (F)	47	48	49	55	63	70	72	71	67	57	46	45	58	7	61337
MEAN REL HUM (PCT)	78	75	72	72	72	76	81	78	77	71	71	76	75	7	61332
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.74	3.11	8.90	5.77	2.94	5.64	8.29	5.34	6.16	2.14	4.04	3.78	59.8	5	1658
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1659
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	6.3	10.0	6.2	3.8	7.8	12.7	7.2	7.7	3.7	6.5	6.7	85.2	5	1658
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1659
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.8	7.8	1.8	7.4	5.5	2.4	0.7	1.1	1.3	3.0	3.7	3.1	31.6	7	2557
MEAN NO DYS TSTMS	1.6	2.2	5.1	7.0	5.4	13.7	19.4	14.0	6.4	1.0	2.3	2.4	80.5	7	2557
P FREQ WND SPD = OR GTR 17 KTS	1.5	1.9	2.5	1.5	0.4	0.1	0.0	0.3	0.9	0.6	1.3	1.5	1.0	7	61338
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	7	61338
P FREQ LES 3000 FT A/D LES 5 MI	44.1	40.3	38.2	30.4	22.4	19.4	20.3	16.6	22.6	17.9	24.9	37.5	27.9	7	61321
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	35.8	34.5	31.5	30.5	17.5	3.2	4.8	4.6	7.6	11.7	18.6	27.0	19.1	7	7665
03-05 LST	39.8	39.9	31.4	27.9	25.5	12.6	8.3	6.6	13.2	13.8	16.3	28.7	22.0	7	7664
06-08 LST	41.4	40.7	31.5	22.5	20.8	10.8	9.8	7.4	15.4	14.6	16.2	31.0	21.8	7	7663
09-11 LST	26.9	25.6	21.0	10.3	5.1	4.5	5.8	4.6	11.0	6.3	11.1	24.6	13.1	7	7668
12-14 LST	15.1	12.7	13.1	4.9	1.7	2.4	2.5	3.1	6.7	2.2	7.8	17.1	7.4	7	7664
15-17 LST	11.5	11.0	11.8	4.4	1.7	2.2	2.6	2.5	5.4	3.2	7.9	15.8	6.7	7	7663
18-20 LST	23.3	17.0	21.7	8.9	2.8	0.8	1.4	1.7	4.0	3.4	10.2	21.7	9.7	7	7666
21-23 LST	33.2	25.3	27.4	20.2	6.6	1.3	0.8	2.3	4.3	5.5	14.3	26.3	14.0	7	7668
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.1	16.2	10.2	13.3	9.4	2.1	0.9	1.2	2.1	5.8	8.4	10.0	8.1	7	7665
03-05 LST	19.0	19.7	11.5	13.5	15.4	6.2	2.5	2.8	4.1	7.5	6.2	14.3	10.2	7	7664
06-08 LST	15.7	16.0	6.1	5.2	4.2	2.1	0.8	0.5	1.9	4.3	3.2	8.9	5.7	7	7663
09-11 LST	2.9	2.4	1.2	0.2	0.2	0.0	0.5	0.0	0.6	0.0	0.0	2.8	0.9	7	7668
12-14 LST	0.6	0.5	0.5	0.2	0.2	0.0	0.2	0.3	0.5	0.0	0.6	0.8	0.4	7	7664
15-17 LST	0.6	0.7	0.6	0.3	0.0	0.0	0.2	0.6	0.0	0.0	1.0	0.8	0.4	7	7663
18-20 LST	3.5	3.2	2.5	0.3	0.2	0.2	0.0	0.0	0.0	0.8	1.3	4.3	1.4	7	7666
21-23 LST	12.9	9.4	7.4	5.4	0.9	0.0	0.0	0.2	0.0	2.2	5.1	7.2	4.2	7	7668

# CRESTVIEW, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (VRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	25.1	27.1	29.0	30.8	29.7	30.8	30.7	28.8	30.4	28.3	27.0	244.4	7	2557
	00 LST	21.0	19.5	22.7	22.3	26.7	29.4	30.4	30.0	28.4	28.4	25.3	24.3	308.4	7	2557
	06 LST	20.1	16.4	22.8	23.6	24.7	27.1	28.3	28.8	26.0	27.3	25.7	22.4	293.2	7	2557
	12 LST	28.0	25.0	28.4	29.1	30.7	29.7	30.6	30.4	28.6	30.7	28.0	26.7	345.9	7	2557
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	20.2	20.8	25.6	28.1	28.1	29.5	29.9	27.3	28.7	24.6	21.9	306.7	7	2557
	00 LST	17.3	16.5	17.7	19.6	23.7	28.3	30.0	29.4	26.9	26.4	21.6	19.1	278.5	7	2557
	06 LST	15.3	12.7	18.3	19.7	23.0	25.0	27.0	27.7	23.3	24.7	21.7	18.0	256.4	7	2557
	12 LST	15.0	11.6	14.4	17.6	23.0	23.7	25.0	26.6	20.4	21.4	17.7	14.0	230.4	7	2557
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	1.5	7	2507
	00 LST	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.3	1.1	7	2516
	06 LST	0.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.2	7	2514
	12 LST	0.7	0.8	2.0	0.4	0.1	0.0	0.0	0.1	0.0	0.1	1.3	1.0	6.5	7	2522
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.2	17.5	19.9	18.9	19.6	17.3	15.6	13.1	13.1	12.2	15.2	19.7	200.3	7	2507
	00 LST	16.7	16.4	17.6	12.3	11.4	10.9	8.2	8.0	13.6	15.6	14.8	17.8	163.3	7	2516
	06 LST	16.6	17.1	17.2	17.1	16.3	13.7	12.1	11.7	15.8	17.9	15.4	19.7	190.6	7	2514
	12 LST	19.8	17.4	17.3	21.3	21.1	10.7	11.3	9.7	15.7	21.7	18.2	22.0	206.2	7	2522
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.3	9.9	7.8	11.3	9.7	6.7	2.3	4.3	8.6	18.1	14.7	10.6	114.3	7	2557
	00 LST	12.3	10.9	11.8	14.3	18.3	18.6	16.3	18.3	16.4	19.6	16.8	12.0	185.6	7	2557
	06 LST	8.7	6.9	9.1	10.8	11.8	9.7	8.3	13.0	10.0	15.0	12.1	8.1	123.8	7	2557
	12 LST	8.8	7.1	8.7	9.7	6.0	2.6	0.8	2.9	4.7	10.9	12.1	6.9	81.2	7	2559
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.2	22.8	26.7	29.4	29.1	29.9	29.9	28.0	29.1	25.8	23.7	320.0	7	2557
	00 LST	19.4	17.9	20.3	20.1	25.9	29.0	30.0	29.5	27.4	27.8	22.8	21.5	291.6	7	2557
	06 LST	16.8	15.1	20.0	21.1	23.3	25.6	26.6	27.6	24.6	26.4	23.6	20.0	270.7	7	2557
	12 LST	22.0	20.8	23.7	26.1	28.4	28.3	28.4	28.4	25.1	28.8	25.8	20.8	306.6	7	2557
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	20.8	20.6	24.1	27.3	26.1	26.3	27.1	24.1	27.0	23.9	21.3	290.1	7	2557
	00 LST	18.1	16.2	19.0	19.3	25.4	28.1	29.0	29.1	26.1	27.0	21.7	19.3	278.3	7	2557
	06 LST	13.7	13.1	18.0	20.0	22.0	24.3	25.5	27.0	22.4	25.3	21.4	17.5	250.2	7	2557
	12 LST	16.1	15.7	18.0	19.0	19.0	15.7	15.8	17.1	17.1	21.7	21.1	17.0	213.3	7	2557
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.8	19.2	19.3	23.3	26.0	24.6	24.1	26.1	22.6	23.9	22.8	19.6	273.3	7	2557
	00 LST	17.3	14.8	17.9	18.7	24.7	27.6	28.7	28.7	25.7	26.1	20.9	17.5	268.6	7	2557
	06 LST	12.7	12.3	15.8	18.7	20.8	23.0	24.3	26.6	20.4	24.3	19.8	16.3	235.0	7	2557
	12 LST	14.7	14.4	17.1	18.4	18.3	15.3	15.1	16.7	16.0	20.8	20.0	15.7	202.5	7	2557

## MAYFORT NS, FLORIDA

STA NO. 73266 (IN AREA NUMBER 15)

LATITUDE 3024N

LONGITUDE 08125W

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	88	87	90	98	98	98	96	94	91	86	82	98	9	2145
MEAN MAX TMP (F)	61	64	68	75	81	84	87	86	84	78	70	62	75	9	2145
MEAN MIN TMP (F)	45	48	53	60	67	72	74	75	74	66	57	47	62	9	2145
ABS MIN TMP (F)	23	29	30	44	54	61	69	68	59	48	30	15	15	9	2145
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	3.2	3.7	7.0	5.4	1.9	0.5	0.0	0.0	22.0	9	2145
MEAN NO DYS TMP = OR LES 32(F)	3.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.7	6.5	9	2145
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2145
MEAN DEW PT TMP (F)	46	48	52	58	66	71	74	74	72	65	57	47	61	10	48669
MEAN REL HUM (PCT)	79	78	76	75	77	82	83	84	80	79	80	77	79	10	48669
MEAN PRESS ALT (FT)	-190	-156	-117	-90	-75	-61	-93	-76	-79	-118	-167	-190	-117	0	-50
MEAN PRECIP (IN)	3.04	4.41	3.02	2.34	2.12	6.66	6.27	6.07	4.41	2.19	2.73	2.06	45.3	7	2127
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2130
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	6.2	5.0	3.7	3.7	9.0	10.7	8.6	7.3	5.3	5.6	3.3	74.5	7	2127
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2130
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.9	4.1	2.3	1.8	0.2	0.8	1.0	0.7	1.5	1.3	3.1	4.1	24.8	10	2180
MEAN NO DYS TSTMS	0.7	1.8	2.1	4.0	5.1	11.8	14.7	11.0	4.8	2.1	0.5	0.7	59.3	9	2145
P FREQ WND SPD = OR GTR 17 KTS	2.4	6.2	4.8	2.3	1.5	1.2	0.4	0.2	7.8	2.1	4.4	3.9	3.1	10	48662
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.1	0.0	0.1	10	48662
P FREQ LES 5000 FT A/D LES 5 MI	31.0	29.6	23.6	17.9	20.4	18.2	14.6	15.0	28.5	21.3	30.9	30.0	23.4	10	48669
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.6	15.6	9.3	5.4	4.2	2.1	0.4	2.9	5.6	7.4	16.5	15.1	8.3	10	6040
03-05 LST	16.8	17.7	12.1	6.0	7.3	3.8	1.4	2.2	6.1	9.8	19.0	18.1	10.0	10	6064
06-08 LST	22.8	28.8	19.5	14.5	9.0	6.2	4.5	7.4	8.4	15.8	22.7	21.7	15.1	11	9301
09-11 LST	21.2	20.1	15.4	6.0	6.0	6.0	3.1	5.4	6.7	11.8	14.1	19.2	11.3	11	10515
12-14 LST	16.5	12.6	9.6	4.6	4.1	3.3	4.1	4.2	6.3	9.4	10.3	15.2	8.4	11	10512
15-17 LST	14.1	11.6	10.8	6.4	5.7	5.6	4.0	4.2	8.6	10.4	11.8	15.6	9.1	11	10486
18-20 LST	14.5	12.5	9.2	5.7	6.4	4.6	3.2	4.9	7.5	13.3	14.1	16.9	9.4	11	7609
21-23 LST	11.0	11.7	7.1	4.8	4.7	2.9	0.8	3.3	5.1	7.8	14.2	15.0	7.4	10	6104
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.6	4.8	2.6	1.0	0.2	0.0	0.0	0.0	0.6	1.4	2.4	5.1	1.8	10	6040
03-05 LST	5.2	4.8	3.2	2.5	0.6	0.6	0.4	0.6	0.8	2.3	5.7	6.1	2.7	10	6064
06-08 LST	7.3	9.1	3.8	3.2	0.9	0.6	0.7	0.7	2.5	3.1	7.5	6.9	3.9	11	9301
09-11 LST	6.3	4.3	1.3	0.2	0.0	0.4	0.0	0.2	0.5	1.1	2.0	5.2	1.8	11	10515
12-14 LST	3.0	1.6	0.6	0.1	0.0	0.6	0.8	0.4	0.5	0.4	0.1	2.7	0.9	11	10512
15-17 LST	2.5	2.3	0.7	1.0	0.2	1.0	0.6	0.6	0.7	0.3	0.7	4.6	1.3	11	10486
18-20 LST	2.7	2.3	1.8	0.8	0.5	0.3	0.0	0.5	0.3	0.7	1.2	5.2	1.4	11	7609
21-23 LST	3.0	1.8	1.0	1.0	0.4	0.0	0.0	0.0	0.6	0.5	1.3	5.1	1.2	10	6104

0065

## MAYPORT NS, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.4	25.0	28.3	28.7	29.7	29.0	30.4	30.2	28.8	28.3	27.7	26.5	340.0	11	3621
	01 LST	27.3	24.7	28.5	28.5	30.5	29.5	30.8	30.6	29.3	29.6	26.3	26.8	342.4	10	2165
	07 LST	25.5	21.1	25.8	25.6	28.8	28.5	29.6	29.5	28.1	26.8	23.4	24.3	317.0	11	3647
	13 LST	27.6	25.2	28.7	29.1	30.4	29.6	30.3	30.4	28.7	29.1	28.0	27.9	345.0	11	3647
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.6	16.1	16.4	17.1	18.0	19.0	20.5	20.9	17.6	17.9	20.1	19.8	222.0	11	3621
	01 LST	20.6	17.2	22.5	23.0	26.4	26.8	28.8	28.7	20.7	22.5	18.8	21.0	277.0	10	2165
	07 LST	15.1	13.4	16.9	18.2	23.3	24.1	26.7	25.9	20.7	17.2	16.2	16.0	233.7	11	3647
	13 LST	13.4	10.3	10.4	9.7	13.7	13.6	17.0	20.3	14.1	11.4	14.4	14.1	162.4	11	3647
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.3	2.1	1.9	1.6	0.6	0.5	0.4	0.9	2.2	1.6	1.5	1.4	16.0	11	3517
	01 LST	0.9	1.0	0.3	0.3	0.0	0.2	0.2	0.0	1.7	0.0	1.1	1.0	6.7	10	2127
	07 LST	1.3	1.4	1.3	0.9	0.3	0.4	0.0	0.2	1.9	1.2	1.6	1.2	11.7	11	3577
	13 LST	3.1	3.7	4.1	2.5	1.3	0.5	0.5	0.4	1.9	3.1	2.1	3.6	26.8	11	3599
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	16.8	18.6	19.0	19.7	23.0	21.0	21.5	22.0	18.9	17.1	17.6	15.9	231.1	11	3517
	01 LST	15.9	16.3	19.3	17.9	19.0	15.8	18.4	14.1	15.1	18.2	15.7	16.6	202.3	10	2127
	07 LST	16.1	15.6	16.3	17.3	19.0	19.4	20.0	15.0	14.8	17.1	16.5	16.8	203.9	11	3577
	13 LST	16.9	14.8	15.3	15.1	18.5	18.4	20.9	21.3	18.0	17.1	16.9	17.5	210.7	11	3599
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.6	9.2	8.9	10.1	8.7	4.2	3.4	4.4	4.1	9.6	12.4	11.2	95.8	11	3621
	01 LST	11.7	13.1	14.7	14.6	17.4	11.0	10.9	12.7	9.1	17.0	14.7	14.4	161.3	10	2165
	07 LST	9.5	7.6	8.9	10.1	11.1	7.9	8.1	7.5	5.3	9.7	10.0	9.2	104.9	11	3647
	13 LST	9.5	8.5	8.3	9.5	9.3	4.2	2.1	3.9	3.7	9.1	9.4	9.2	86.7	11	3647
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	25.2	22.9	26.6	26.6	27.4	27.0	28.8	28.9	26.0	24.2	24.2	24.1	311.9	11	3621
	01 LST	25.4	21.9	27.2	26.6	29.5	28.1	30.3	29.9	25.7	27.7	23.8	24.6	320.7	10	2165
	07 LST	22.3	18.3	23.0	24.0	27.2	27.8	28.9	28.1	24.3	24.2	20.7	21.8	290.6	11	3647
	13 LST	24.4	22.5	26.1	27.2	27.9	26.2	26.6	27.6	25.1	25.4	24.8	24.6	308.4	11	3647
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.4	20.9	24.1	24.4	25.0	24.6	27.3	27.0	23.4	22.4	22.9	21.7	287.1	11	3621
	01 LST	21.6	20.4	24.8	25.2	28.3	26.8	29.6	29.3	23.5	26.8	21.8	23.2	301.3	10	2165
	07 LST	19.5	16.8	20.7	22.4	25.6	26.6	28.0	27.3	22.7	21.9	19.1	19.3	269.9	11	3647
	13 LST	21.7	19.5	23.0	24.6	25.5	23.6	23.7	25.0	21.8	22.0	22.4	21.3	274.1	11	3647
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.5	19.5	22.8	23.5	23.9	21.9	24.4	25.0	21.8	20.4	20.7	20.3	263.7	11	3621
	01 LST	19.4	18.5	23.2	22.6	27.3	26.0	28.5	29.1	22.4	25.5	19.1	22.2	283.8	10	2165
	07 LST	17.8	15.2	19.1	21.2	25.3	25.2	26.7	26.5	21.3	19.9	16.5	17.3	252.0	11	3647
	13 LST	20.4	18.7	21.5	23.7	24.7	22.3	22.5	24.1	20.0	20.7	20.8	19.8	259.2	11	3647

JACKSONVILLE/CECIL FIELD NAS, FLORIDA

STA NO. 73267 (IN AREA NUMBER 15)

LATITUDE 3013N

LONGITUDE 0813W

ELEVATION(FT) 00080

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	89	89	93	101	100	100	100	96	94	88	84	101	14	4432
MEAN MAX TMP (F)	65	69	73	80	86	89	91	91	87	79	73	66	79	14	4432
MEAN MIN TMP (F)	43	47	51	57	65	70	73	72	70	61	52	44	59	14	4432
ABS MIN TMP (F)	22	23	29	38	49	58	64	65	54	37	26	12	12	14	4432
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.8	9.5	15.0	21.6	19.8	9.8	0.7	0.0	0.0	77.2	14	4432
MEAN NO DYS TMP = DR LES 32(F)	5.2	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.4	12.3	14	4432
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4432
MEAN DEW PT TMP (F)	45	49	50	56	64	70	73	72	71	62	53	46	59	13	92144
MEAN REL HUM (PCT)	75	73	70	70	71	76	79	79	81	79	77	76	76	13	92143
MEAN PRESS ALT (FT)	-130	-96	-55	-28	-13	2	-29	-14	-19	-59	-107	-131	-56	0	-50
MEAN PRECIP (IN)	2.84	3.49	3.56	3.23	3.39	5.78	8.17	5.74	7.19	3.81	1.76	2.42	51.4	12	4373
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4373
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.1	5.8	5.1	4.9	4.9	8.6	12.0	8.8	8.9	5.2	4.0	4.5	77.8	12	4373
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4373
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	3.8	4.7	4.4	2.8	1.1	2.4	2.1	2.5	3.6	6.2	6.6	45.2	13	3933
MEAN NO DYS TSTMS	0.7	1.5	2.2	4.6	7.2	11.3	16.6	12.8	7.3	2.3	0.2	0.7	67.4	14	4432
P FREQ WND SPD = DR GTR 17 KTS	2.0	3.4	2.3	2.4	0.8	0.7	0.3	0.2	1.0	1.3	1.1	1.5	1.4	13	92132
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	92132
P FREQ LES 5000 FT A/D LES 5 MI	36.1	35.0	32.7	29.5	31.1	32.9	29.7	30.5	35.1	35.7	33.1	36.0	33.1	13	92185
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.4	17.7	14.8	10.9	8.6	5.1	3.3	4.0	6.7	17.0	22.2	21.4	12.8	13	10865
03-05 LST	26.3	26.4	23.7	20.0	19.1	12.0	10.6	10.5	13.9	23.6	29.4	24.5	20.0	13	12098
06-08 LST	32.5	37.3	29.8	26.4	23.8	14.9	14.2	19.3	27.5	32.7	34.6	33.3	27.2	13	13022
09-11 LST	23.3	20.1	18.5	9.9	6.2	5.6	5.2	7.4	14.8	21.6	18.4	21.7	14.4	13	13137
12-14 LST	13.5	10.4	9.3	5.2	2.3	3.2	3.9	4.9	10.8	13.5	8.2	14.2	8.3	13	13140
15-17 LST	9.2	10.2	9.3	4.4	3.3	4.7	5.5	6.6	9.6	11.4	6.6	12.8	7.8	13	13124
18-20 LST	11.7	9.5	10.2	6.1	4.4	6.3	4.4	5.3	8.1	11.0	9.0	13.7	8.5	13	11700
21-23 LST	13.3	10.1	10.7	6.8	4.9	3.1	2.2	4.0	5.9	11.4	13.1	19.4	8.7	13	11099
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.6	4.9	4.5	2.8	0.9	0.6	0.5	0.4	1.1	5.8	11.5	10.0	4.3	13	10865
03-05 LST	12.1	8.7	8.5	9.2	7.3	3.4	3.4	2.6	4.8	9.6	15.4	12.3	8.1	13	12098
06-08 LST	14.2	13.2	8.4	9.2	7.2	3.4	4.5	5.3	7.3	11.0	15.7	12.9	9.4	13	13022
09-11 LST	5.9	3.3	1.1	0.4	0.4	0.2	0.1	0.1	0.2	1.5	3.1	4.6	1.7	13	13137
12-14 LST	0.7	0.8	0.4	0.0	0.1	0.1	0.3	0.2	0.6	0.7	0.0	1.2	0.4	13	13140
15-17 LST	0.8	0.6	0.9	0.2	0.6	0.6	0.6	0.7	0.5	0.3	0.4	1.4	0.6	13	13124
18-20 LST	1.1	1.3	3.0	0.3	0.3	0.2	0.9	0.3	0.3	0.8	0.8	4.8	1.2	13	11700
21-23 LST	4.4	1.0	2.8	0.7	0.1	0.2	0.3	0.2	0.2	2.3	4.0	8.0	2.0	13	11099

# JACKSONVILLE/CECIL FIELD NAS, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.9	25.3	28.4	28.4	30.5	28.4	30.1	29.7	28.1	28.2	28.1	27.2	340.3	13	4372
	01 LST	24.8	23.7	27.2	27.3	29.1	29.0	30.1	30.3	28.4	26.4	23.8	24.4	324.5	13	3669
	07 LST	21.0	17.4	22.1	21.8	24.6	26.3	26.8	24.9	21.5	20.0	19.0	20.9	266.3	13	4381
	13 LST	28.1	26.0	29.0	29.2	30.7	29.4	30.3	30.2	28.1	28.8	28.3	27.8	345.9	13	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	20.6	21.7	22.1	25.3	23.6	25.7	27.3	24.1	24.6	24.4	23.3	286.8	13	4371
	01 LST	21.6	19.5	24.4	24.9	27.8	28.1	30.0	29.5	26.6	24.3	21.2	21.4	299.3	13	3669
	07 LST	18.0	14.5	18.4	19.8	23.3	25.1	26.2	24.2	19.6	18.0	17.3	17.8	242.2	13	4380
	13 LST	15.4	13.9	14.4	15.8	20.6	21.4	24.7	23.1	17.9	17.4	17.6	16.1	218.3	13	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.4	0.2	0.2	0.2	0.1	0.1	0.0	0.1	0.2	0.0	0.2	1.9	13	4270
	01 LST	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	1.0	13	3621
	07 LST	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	1.2	13	4320
	13 LST	2.4	2.7	2.0	2.1	0.6	0.4	0.1	0.2	0.9	0.9	1.3	1.3	14.9	13	4375
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.2	18.9	23.6	22.8	23.8	20.9	19.2	21.4	19.4	17.0	18.2	18.1	242.5	13	4268
	01 LST	14.7	13.6	17.1	13.4	11.7	10.7	8.1	8.3	10.5	14.3	14.3	13.4	150.1	13	3621
	07 LST	12.7	12.1	14.4	13.8	15.0	14.3	10.5	9.5	11.4	15.9	13.0	13.0	155.6	13	4320
	13 LST	17.1	14.9	16.7	18.5	16.7	11.9	9.4	9.4	14.7	18.1	19.1	18.3	184.8	13	4334
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.8	10.2	9.3	9.2	8.0	4.1	2.4	3.6	4.4	11.7	13.7	11.6	99.0	13	4372
	01 LST	13.7	12.5	13.9	15.9	18.1	14.4	14.8	14.9	13.0	16.4	14.2	14.9	176.7	13	3669
	07 LST	8.5	6.6	6.6	8.3	10.5	7.6	6.6	7.2	3.9	8.0	9.0	8.3	91.1	13	4381
	13 LST	7.2	7.7	7.2	7.1	4.7	1.3	0.4	0.7	1.3	5.4	7.7	8.7	59.4	13	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.7	27.1	26.8	28.9	26.1	28.2	27.4	25.0	25.4	26.4	25.4	317.1	13	4372
	01 LST	23.0	21.6	25.1	26.4	28.2	27.9	29.6	29.5	27.0	25.5	22.2	23.5	309.5	13	3669
	07 LST	19.0	15.6	19.7	20.5	23.8	25.5	25.8	24.1	19.9	18.9	17.9	19.2	249.9	13	4381
	13 LST	23.7	22.2	26.1	26.0	26.6	25.1	26.5	24.6	21.4	22.2	25.4	24.0	293.8	13	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.3	21.8	24.5	24.8	25.1	23.1	24.6	24.8	22.4	23.7	24.8	22.7	286.6	13	4372
	01 LST	22.1	19.6	23.6	25.0	27.6	27.3	29.4	29.3	26.2	24.8	20.7	21.5	297.1	13	3669
	07 LST	16.6	13.7	17.3	19.0	22.6	24.2	25.6	23.6	19.2	17.5	16.7	17.4	233.4	13	4381
	13 LST	19.4	16.4	19.3	17.2	14.0	9.7	8.7	10.7	10.2	14.5	20.3	20.2	180.6	13	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.0	20.8	22.8	23.9	24.0	22.1	22.3	23.0	20.4	21.9	23.4	21.7	287.2	13	4372
	01 LST	20.7	18.8	22.8	24.3	26.9	26.6	28.9	28.6	25.0	23.7	19.7	21.2	287.2	13	3669
	07 LST	15.2	12.6	16.2	17.9	22.2	23.0	25.0	22.9	18.0	16.3	15.7	15.4	220.4	13	4381
	13 LST	18.3	15.6	18.5	16.9	13.7	8.7	8.2	10.4	9.2	14.1	18.8	18.7	171.1	13	4382

# SANFORD NAS, FLORIDA

STA NO. 73268 (IN AREA NUMBER 15)

LATITUDE 2847N

LONGITUDE 08114W

ELEVATION(FT) 00057

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	88	89	95	96	103	103	101	100	98	97	91	89	103	29	-613
MEAN MAX TMP (F)	72	73	78	82	88	91	92	92	89	84	77	73	83	29	-113
MEAN MIN TMP (F)	50	51	55	60	65	70	72	72	71	65	57	51	62	29	-113
ABS MIN TMP (F)	20	25	29	36	46	54	61	64	55	41	27	22	20	29	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.6	11.1	17.2	24.8	21.7	14.0	2.4	0.1	0.0	92.1	13	4187
MEAN NO DYS TMP = OR LES 32(F)	1.0	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	2.6	13	4187
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4187
MEAN DEW PT TMP (F)	49	51	55	59	66	71	73	73	72	66	59	52	62	11	62596
MEAN REL HUM (PCT)	76	74	74	71	74	77	79	80	81	78	78	77	77	11	62596
MEAN PRESS ALT (FT)	-138	-110	-83	-58	-26	-18	-60	-28	-2	-29	-100	-131	-64	0	-50
MEAN PRECIP (IN)	2.09	2.32	3.42	3.14	3.58	7.10	8.33	6.78	6.77	4.89	1.76	2.22	52.4	52	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3634
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	5.2	6.4	6.2	6.6	9.7	10.9	9.4	9.8	7.4	3.3	5.0	84.7	52	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3634
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.8	3.1	1.6	0.7	2.1	2.3	1.2	0.8	1.1	1.8	4.3	4.1	28.7	11	2621
MEAN NO DYS TSTMS	1.0	3.5	3.3	4.1	8.2	14.9	17.3	16.0	8.6	4.1	0.7	0.8	82.5	11	2622
P FREQ WND SPD = OR GTR 17 KTS	2.0	2.5	3.6	2.4	1.2	0.8	0.7	0.3	1.9	1.4	0.9	1.3	1.6	11	62658
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	11	62658
P FREQ LES 3000 FT A/D LES 5 MI	29.0	30.2	28.0	19.4	24.7	25.3	22.6	22.4	23.6	22.0	26.0	25.5	24.9	11	62673
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.6	14.8	10.9	3.3	3.9	2.0	0.4	2.6	3.4	4.3	11.1	10.0	6.9	11	7787
03-05 LST	21.5	18.4	15.1	6.0	9.4	7.6	3.1	4.1	4.8	7.5	17.4	16.7	11.0	11	7787
06-08 LST	28.3	27.7	21.6	14.6	12.1	12.0	4.8	7.6	9.8	13.7	23.2	25.2	16.7	13	12589
09-11 LST	16.9	16.5	14.7	6.4	3.5	4.1	2.6	3.0	4.8	8.5	13.2	15.4	9.1	13	13143
12-14 LST	8.3	8.2	7.4	2.8	1.5	2.2	1.6	2.4	4.0	4.9	5.7	8.1	4.8	13	13145
15-17 LST	5.0	8.0	5.8	1.9	1.7	4.0	4.4	3.1	3.7	5.0	4.7	5.6	4.6	13	13140
18-20 LST	7.2	8.4	7.6	1.4	2.1	3.5	2.7	2.8	4.8	5.1	6.8	6.4	4.9	13	11499
21-23 LST	9.4	12.1	6.2	1.3	2.4	1.3	0.9	1.3	2.9	4.3	8.2	9.1	5.0	11	8095
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.4	4.0	2.2	0.0	0.6	0.3	0.1	0.0	0.7	0.5	3.2	5.1	1.9	11	7787
03-05 LST	10.0	5.9	3.8	1.4	3.5	2.2	1.0	1.0	1.5	2.2	7.0	7.7	3.9	11	7787
06-08 LST	15.0	11.0	6.8	2.9	4.0	3.3	2.1	2.3	2.2	4.2	9.7	13.5	6.4	13	12589
09-11 LST	3.9	2.3	0.7	0.0	0.0	0.0	0.1	0.1	0.0	0.3	1.2	3.3	1.0	13	13143
12-14 LST	0.3	0.6	0.6	0.1	0.0	0.3	0.4	0.3	0.4	0.1	0.0	0.2	0.3	13	13145
15-17 LST	0.5	0.1	0.3	0.0	0.5	0.5	1.0	0.5	0.7	0.5	0.2	0.2	0.4	13	13140
18-20 LST	0.9	0.6	0.3	0.1	0.1	0.2	0.1	0.1	0.6	0.1	0.3	0.7	0.3	13	11499
21-23 LST	2.5	1.1	0.7	0.1	0.0	0.1	0.0	0.1	0.2	0.0	1.7	2.5	0.8	11	8095



# SANFORD NAS, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.4	26.0	28.9	30.0	30.6	29.4	30.3	30.1	29.2	30.2	28.8	29.7	352.6	13	4380
	01 LST	26.4	24.6	28.3	29.0	30.0	29.6	31.0	30.6	29.4	29.9	27.2	28.4	344.4	11	2609
	07 LST	22.2	20.2	23.3	25.7	27.7	26.3	29.6	28.5	26.6	26.2	22.7	23.1	302.1	13	4382
	13 LST	29.1	26.3	29.4	29.5	30.7	29.8	30.7	30.5	29.2	30.2	28.9	29.3	333.6	13	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	19 LST	23.9	19.2	21.2	18.8	19.4	21.2	23.3	25.7	24.4	24.9	24.2	25.5	271.7	13	4380
	01 LST	21.0	20.5	23.1	26.3	28.7	28.4	30.6	29.8	28.3	28.0	23.6	23.3	311.6	11	2609
	07 LST	17.3	16.2	19.2	21.5	26.2	24.9	29.2	28.1	24.9	24.1	18.8	18.3	268.7	13	4382
	13 LST	14.6	12.8	14.3	12.7	18.2	20.5	21.2	20.8	16.7	15.7	16.1	14.4	198.0	13	4382
SPC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.5	0.4	0.2	0.1	0.1	0.2	0.1	0.0	0.1	0.1	0.3	2.2	13	4296
	01 LST	0.0	0.3	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.5	11	2577
	07 LST	0.2	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.3	1.7	13	4353
	13 LST	1.7	2.0	1.9	1.7	0.7	0.6	0.1	0.6	2.2	1.9	0.8	1.2	15.4	13	4345
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.6	23.9	23.6	23.0	21.5	23.1	21.7	22.2	22.4	22.3	21.0	265.6	13	4295
	01 LST	15.4	17.2	19.2	17.6	17.9	13.3	13.5	11.2	10.4	14.7	15.4	15.2	181.0	11	2577
	07 LST	18.4	16.7	20.0	20.0	18.6	17.6	16.8	15.2	14.7	19.3	19.4	19.3	216.0	13	4333
	13 LST	17.9	14.9	18.7	15.2	15.3	11.7	7.5	8.2	10.9	16.2	18.6	17.9	173.0	13	4345
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.2	9.7	10.2	9.6	6.8	3.8	1.7	2.6	3.9	11.5	13.2	13.6	98.0	13	4380
	01 LST	14.2	13.1	14.3	16.3	17.0	15.0	15.3	12.5	13.1	16.3	14.6	13.9	175.6	11	2609
	07 LST	8.2	7.2	7.8	9.5	11.4	8.2	7.6	8.6	6.7	9.6	8.3	8.8	101.9	13	4382
	13 LST	7.3	6.9	6.9	5.7	3.9	1.5	0.2	0.1	0.7	4.7	7.0	7.2	52.1	13	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.0	24.8	27.7	29.1	29.3	27.3	29.1	28.7	26.6	27.7	27.3	28.1	332.7	13	4380
	01 LST	25.1	22.6	26.1	28.1	29.3	29.0	30.6	29.9	28.6	29.0	26.2	26.3	330.8	11	2609
	07 LST	20.3	18.5	22.0	24.3	27.3	25.4	29.4	28.0	25.6	25.3	21.5	21.8	289.4	13	4382
	13 LST	25.7	23.7	26.7	27.2	27.9	25.1	26.3	26.2	23.0	26.1	26.4	26.7	311.0	13	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.4	21.3	24.6	26.2	25.0	23.8	24.7	26.4	23.8	25.1	25.3	24.6	295.2	13	4380
	01 LST	22.4	20.9	23.7	26.4	28.4	28.3	30.0	29.4	27.3	27.4	23.3	22.8	310.3	11	2609
	07 LST	18.1	16.5	20.2	22.7	26.0	24.3	29.0	27.7	24.5	24.1	18.6	19.3	271.0	13	4382
	13 LST	20.4	18.0	19.8	18.6	16.7	14.6	12.7	14.1	12.8	19.5	20.6	20.7	208.5	13	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.1	23.5	25.0	33.7	22.0	23.6	23.7	21.8	23.7	24.2	23.0	277.8	13	4380
	01 LST	21.3	20.4	22.4	25.1	28.1	28.1	28.6	29.0	26.9	26.0	22.4	22.4	300.7	11	2609
	07 LST	17.1	14.8	18.1	21.9	25.2	23.1	28.4	27.2	23.6	23.0	17.5	17.3	257.2	13	4382
	13 LST	19.1	16.4	18.2	17.6	16.1	13.9	11.7	13.6	12.1	17.2	19.3	19.2	194.4	13	4382

TAMPA/MACDILL AFB, FLORIDA

STA NO. 73269 (IN AREA NUMBER 19)

LATITUDE 2750N

LONGITUDE 08230W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	85	86	93	96	98	98	96	97	93	90	86	98	12	4381
MEAN MAX TMP (F)	69	72	75	81	87	89	90	90	89	83	76	70	81	12	4381
MEAN MIN TMP (F)	53	56	59	65	71	75	76	76	75	68	60	53	66	12	4381
ABS MIN TMP (F)	32	33	37	48	58	68	70	68	65	43	34	20	20	12	4381
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	7.9	13.8	20.4	20.3	15.2	2.5	0.1	0.0	80.5	12	4381
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	12	4381
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN DEW PT TMP (F)	51	54	56	60	66	71	73	73	72	64	58	51	62	12	105146
MEAN REL HUM (PCT)	75	75	72	69	70	73	75	76	77	72	73	74	73	12	105146
MEAN PRESS ALT (FT)	-189	-159	-127	-100	-71	-56	-97	-71	-52	-88	-156	-186	-112	0	-50
MEAN PRECIP (IN)	2.08	3.05	3.53	2.05	2.76	4.13	7.17	6.50	5.88	2.89	2.17	2.30	44.5	12	4383
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	4.7	4.9	3.6	4.3	7.0	10.7	11.0	9.9	4.2	3.3	3.6	71.1	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.4	3.2	2.5	1.0	0.2	0.2	0.0	0.4	0.2	0.8	2.3	3.3	19.5	12	4383
MEAN NO DYS TSTMS	1.1	1.9	2.6	4.2	5.9	13.1	19.3	18.2	12.1	2.8	1.1	0.7	83.0	12	4383
P FREQ WND SPD = OR GTR 17 KTS	3.9	4.7	4.9	3.8	1.1	0.9	1.0	0.5	1.3	1.4	1.5	2.0	2.3	12	105186
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	105186
P FREQ LES 5000 FT A/D LES 5 MI	24.7	25.2	20.8	19.1	10.1	11.1	10.9	10.0	14.6	12.0	15.4	21.1	15.9	12	105179
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	14.3	12.7	9.3	4.4	1.3	1.1	0.6	0.8	4.4	3.9	5.7	10.7	5.8	12	13146
03-05 LST	16.6	16.5	13.7	7.8	3.2	1.6	1.7	1.1	7.0	7.2	11.7	13.4	8.5	12	13146
06-08 LST	20.7	19.5	17.9	11.1	7.1	3.6	2.0	4.0	8.3	9.5	14.9	15.6	11.2	12	13149
09-11 LST	15.7	12.9	12.2	5.2	1.8	2.4	1.5	1.4	5.2	3.0	11.1	12.1	7.2	12	13148
12-14 LST	5.3	5.5	5.0	2.3	0.7	1.2	1.5	0.6	2.6	4.3	3.3	5.4	3.1	12	13149
15-17 LST	4.4	4.3	5.1	1.3	0.9	1.3	2.0	1.6	3.4	2.4	3.2	3.1	2.8	12	13146
18-20 LST	5.7	7.6	6.2	1.5	1.3	2.0	1.4	1.8	3.9	2.7	3.6	5.7	3.6	12	13148
21-23 LST	8.6	7.8	6.8	2.3	0.6	0.9	0.6	0.9	1.9	2.8	4.7	7.3	3.8	12	13147
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.7	3.2	1.9	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.9	4.0	1.5	12	13146
03-05 LST	8.3	6.1	4.2	1.2	0.4	0.0	0.0	0.0	0.0	0.3	3.9	5.3	2.5	12	13146
06-08 LST	11.2	6.8	6.3	2.4	1.0	0.2	0.1	0.5	0.7	1.2	5.1	6.8	3.5	12	13149
09-11 LST	4.5	2.6	0.9	0.5	0.0	0.1	0.0	0.1	0.3	0.3	1.7	2.8	1.2	12	13148
12-14 LST	0.7	0.6	0.3	0.0	0.0	0.2	0.1	0.2	0.4	0.4	0.1	0.5	0.3	12	13149
15-17 LST	0.2	0.3	0.6	0.1	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.3	0.2	12	13146
18-20 LST	1.1	1.2	0.5	0.0	0.1	0.3	0.1	0.2	0.2	0.2	0.0	0.4	0.4	12	13148
21-23 LST	3.5	0.6	0.9	0.4	0.0	0.0	0.2	0.0	0.2	0.0	0.4	1.9	0.7	12	13147

0071

## TAMPA/MACDILL AFB, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.2	26.4	29.6	29.6	30.7	29.7	30.7	30.6	29.6	30.6	29.4	29.7	255.8	12	4383
	00 LST	26.9	25.3	28.4	29.3	30.9	29.8	30.9	30.8	29.2	30.1	28.7	28.2	248.5	12	4383
	06 LST	24.6	23.0	26.0	27.3	29.2	29.3	30.6	29.8	27.7	27.9	25.7	26.6	227.7	12	4383
	12 LST	29.6	26.7	30.2	29.6	30.8	29.8	30.8	30.8	29.5	30.3	29.3	29.6	257.0	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	18 LST	23.3	19.4	20.2	20.5	22.9	22.7	27.2	27.6	24.8	23.5	24.4	24.4	280.9	12	4383
	00 LST	20.2	19.3	21.1	23.7	28.4	27.5	29.4	29.6	25.7	24.1	22.8	23.2	295.1	12	4383
	06 LST	17.8	16.8	19.5	20.5	25.7	26.3	27.8	28.0	24.1	22.4	21.4	21.4	271.7	12	4383
	12 LST	16.5	15.2	14.3	16.1	20.6	21.7	23.3	25.5	23.6	21.1	19.7	20.2	237.8	12	4383
SPC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.9	0.8	0.8	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.7	5.4	12	4334
	00 LST	0.7	0.5	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	3.5	12	4342
	06 LST	0.4	0.5	0.8	0.3	0.1	0.2	0.0	0.0	0.3	0.3	0.3	0.1	3.3	12	4356
	12 LST	2.6	2.8	2.8	7.6	0.6	0.4	0.5	0.3	0.2	0.3	0.8	1.0	15.4	12	4341
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	18.1	21.2	22.2	23.0	21.3	19.5	18.4	18.7	21.3	18.9	17.7	239.1	12	4334
	00 LST	16.0	15.4	17.5	19.0	16.1	13.4	13.1	12.1	13.0	18.5	17.2	15.1	188.4	12	4342
	06 LST	18.4	15.7	17.8	18.5	18.7	17.4	15.0	12.7	16.3	17.1	18.7	16.3	202.6	12	4356
	12 LST	17.8	16.2	17.3	18.2	18.5	16.1	11.7	12.4	13.0	19.9	20.8	20.3	204.2	12	4341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.4	9.5	10.4	9.8	9.6	4.1	1.1	1.9	3.5	12.2	14.5	11.7	99.7	12	4383
	00 LST	14.5	13.6	15.8	16.9	20.3	15.2	11.7	13.5	12.2	19.4	18.2	16.0	187.3	12	4383
	06 LST	10.4	8.1	8.3	10.6	11.6	7.2	6.1	8.6	7.1	14.4	11.7	11.0	115.1	12	4383
	12 LST	9.6	8.7	8.6	8.3	8.7	2.8	0.7	1.2	1.7	7.0	9.2	9.4	75.9	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.1	24.4	28.3	28.9	29.6	27.8	29.1	29.1	27.5	29.2	28.2	28.6	238.8	12	4383
	00 LST	25.6	23.4	27.3	28.6	30.4	29.3	30.5	30.4	28.3	29.3	27.7	26.6	237.4	12	4383
	06 LST	23.0	20.8	24.4	25.4	28.1	28.7	29.7	29.0	26.6	27.5	24.5	25.5	213.2	12	4383
	12 LST	28.1	25.3	28.1	28.7	29.9	28.8	29.1	29.3	28.2	28.9	27.8	28.6	240.8	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.1	21.2	24.9	25.3	26.3	23.6	25.6	25.1	22.9	27.5	27.2	25.1	299.8	12	4383
	00 LST	22.7	21.3	24.7	26.3	29.1	28.2	29.9	29.7	27.8	28.1	25.8	23.8	217.4	12	4383
	06 LST	19.9	17.1	21.6	23.6	27.1	27.8	28.9	28.3	25.4	26.2	22.7	21.6	290.2	12	4383
	12 LST	24.8	21.8	24.8	25.7	27.1	25.2	25.8	26.8	24.7	26.2	26.1	25.1	304.1	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.6	19.4	23.7	24.2	25.5	22.4	24.6	23.5	20.9	25.6	25.1	22.6	281.1	12	4383
	00 LST	21.2	19.6	23.4	25.0	28.7	27.7	29.3	29.1	26.7	26.9	24.5	22.5	304.8	12	4383
	06 LST	18.9	15.8	19.8	22.7	25.7	26.7	28.3	27.7	24.8	25.1	21.0	20.5	277.0	12	4383
	12 LST	23.1	20.9	23.4	24.5	26.7	24.7	25.1	26.1	23.9	25.4	24.5	23.7	292.0	12	4383

# ORLANDO/MC COY AFB, FLORIDA

STA NO. 73270 (IN AREA NUMBER 15)

LATITUDE 2827N

LONGITUDE 08120W

ELEVATION(FT) 00096

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	89	89	95	100	97	98	97	95	95	88	85	100	13	4367
MEAN MAX TMP (F)	70	72	76	81	87	89	90	90	88	82	76	70	81	13	4367
MEAN MIN TMP (F)	49	53	56	62	67	72	73	74	73	66	58	51	63	13	4367
ABS MIN TMP (F)	27	29	34	47	51	61	69	65	60	45	33	21	21	13	4367
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.8	8.6	14.0	19.3	19.3	11.1	1.6	0.0	0.0	74.7	13	4367
MEAN NO DYS TMP = DR LES 32(F)	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	13	4367
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4367
MEAN DEW PT TMP (F)	49	52	54	59	65	70	72	73	72	64	57	50	61	13	104760
MEAN REL HUM (PCT)	74	73	70	70	72	76	79	81	81	77	75	74	75	13	104760
MEAN PRESS ALT (FT)	-101	-73	-45	-19	10	19	-21	9	33	5	-65	-95	-28	0	-50
MEAN PRECIP (IN)	2.08	2.58	4.00	2.68	2.66	6.41	7.06	4.91	6.01	3.70	1.88	1.70	45.7	13	4364
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4368
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	4.5	5.0	4.1	5.1	9.1	11.1	9.4	10.1	5.6	2.6	3.2	73.5	13	4364
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4368
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.9	3.4	3.1	2.1	2.4	2.0	0.6	1.5	1.5	2.7	3.1	3.1	33.4	13	4368
MEAN NO DYS TSTMS	0.8	1.9	2.9	4.1	7.9	12.0	17.1	16.3	9.2	3.0	0.6	0.4	76.2	13	4368
P FREQ WND SPD = DR GTR 17 KTS	2.1	3.7	2.6	2.7	1.5	1.2	1.1	0.8	1.6	1.8	1.1	1.5	1.8	13	104820
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	13	104820
P FREQ LES 5000 FT A/D LES 5 MI	25.3	25.3	21.6	18.1	17.6	18.3	15.0	16.0	19.6	16.6	19.7	22.4	19.6	13	104819
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	12.8	10.5	7.9	4.4	3.4	1.7	0.8	1.4	5.0	4.5	11.4	11.7	6.3	13	13104
03-05 LST	23.8	17.3	14.2	9.6	9.6	5.8	1.7	2.4	6.8	8.3	16.6	17.8	11.2	13	13105
06-08 LST	27.2	25.1	21.3	13.7	11.7	6.7	3.7	6.2	11.1	11.0	19.8	21.1	14.9	13	13121
09-11 LST	14.9	16.7	9.7	4.0	2.0	1.5	1.2	1.0	4.6	6.3	12.5	11.2	7.1	13	13119
12-14 LST	6.9	6.3	4.7	1.2	0.6	1.9	1.7	1.9	3.6	3.7	4.9	4.9	3.5	13	13122
15-17 LST	3.6	4.9	4.0	1.9	1.4	2.1	2.0	2.2	4.4	3.9	4.0	4.2	3.2	13	13119
18-20 LST	3.9	6.3	4.7	0.8	1.0	1.9	1.2	1.8	2.9	3.8	5.2	4.4	3.2	13	13102
21-23 LST	5.6	7.4	4.5	2.2	1.1	1.3	0.2	0.9	3.1	3.5	6.4	5.7	3.5	13	13101
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	4.2	2.0	0.7	0.6		0.1	0.5	0.8	1.2	3.5	5.2	2.0	13	13104
03-05 LST	12.1	6.0	6.1	3.4	3.5		1.4	1.3	1.9	3.2	7.3	11.3	4.9	13	13105
06-08 LST	14.3	9.6	7.5	4.1	4.3		0.9	2.2	2.3	4.6	8.3	12.5	6.0	13	13121
09-11 LST	2.7	1.8	0.5	0.0	0.0		0.0	0.0	0.2	0.3	1.3	2.0	0.7	13	13119
12-14 LST	0.1	0.0	0.5	0.1	0.2		0.6	0.4	0.6	0.4	0.2	0.0	0.3	13	13122
15-17 LST	0.1	0.2	3.4	0.0	0.3	0.7	0.4	0.4	0.4	0.4	0.0	0.1	0.3	13	13119
18-20 LST	0.0	0.2	0.5	0.0	0.0	0.4	0.3	0.5	0.3	0.5	0.0	0.2	0.2	13	13102
21-23 LST	1.1	1.3	6.3	0.1	0.1	0.1	0.1	0.2	0.1	0.7	0.6	1.3	0.5	13	13101

# ORLANDO/MC COY AFB, FLORIDA

STA NO. 73270 (IN AREA NUMBER 15)

LATITUDE 2827N

LONGITUDE 08120W

ELEVATION(FT) 00096

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	86	89	89	95	100	97	98	97	95	95	88	85	100	13	4367
MEAN MAX TMP (F)	70	72	76	81	87	89	90	90	88	82	76	70	81	13	4367
MEAN MIN TMP (F)	49	53	56	62	67	72	73	74	73	66	58	51	63	13	4367
ABS MIN TMP (F)	27	29	34	47	51	61	69	65	60	45	33	21	21	13	4367
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.8	8.8	14.0	19.3	19.3	11.1	1.6	0.0	0.0	74.7	13	4367
MEAN NO DYS TMP = DR LES 32(F)	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	13	4367
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4367
MEAN DEW PT TMP (F)	49	52	54	59	65	70	72	73	72	64	57	50	61	13	104760
MEAN REL HUM (PCT)	74	73	70	70	72	76	79	81	81	77	75	74	75	13	104760
MEAN PRESS ALT (FT)	-101	-73	-45	-19	10	19	-21	9	33	5	-65	-95	-28	0	-50
MEAN PRECIP (IN)	2.08	2.58	4.00	2.68	2.66	6.41	7.06	4.91	6.01	3.70	1.88	1.70	45.7	13	4364
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4368
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	4.5	5.0	4.1	5.1	9.1	11.1	9.4	10.1	5.6	2.6	3.2	73.5	13	4364
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4368
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.9	3.4	3.1	2.1	2.4	2.0	0.6	1.5	1.5	2.7	3.1	5.1	33.4	13	4368
MEAN NO DYS TSTMS	0.8	1.9	2.9	4.1	7.9	12.0	17.1	16.3	9.2	3.0	0.6	0.4	76.2	13	4368
P FREQ WND SPD = DR GTR 17 KTS	2.1	3.7	2.6	2.7	1.5	1.2	1.1	0.8	1.6	1.8	1.1	1.5	1.8	13	104820
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	13	104820
P FREQ LES 5000 FT A/D LES 5 MI	25.3	25.3	21.6	18.1	17.6	18.3	15.0	16.0	19.6	16.6	19.7	22.4	19.6	13	104819
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	12.8	10.5	7.9	4.4	3.4	1.7	0.8	1.4	5.0	4.5	11.4	11.7	6.3	13	13104
03-05 LST	23.8	17.3	14.2	9.6	9.6	5.8	1.7	2.4	6.8	8.3	16.6	17.8	11.2	13	13105
06-08 LST	27.2	25.1	21.3	13.7	11.7	6.7	3.7	6.2	11.1	11.0	19.8	21.1	14.9	13	13121
09-11 LST	14.9	16.7	9.7	4.0	2.0	1.5	1.2	1.0	4.6	6.3	12.5	11.2	7.1	13	13119
12-14 LST	6.9	6.3	4.7	1.2	0.6	1.9	1.7	1.9	3.6	3.7	4.9	4.9	3.5	13	13122
15-17 LST	3.6	4.9	4.0	1.9	1.4	2.1	2.0	2.2	4.4	3.9	4.0	4.2	3.2	13	13119
18-20 LST	3.9	6.3	4.7	0.8	1.0	1.9	1.2	1.8	2.9	3.8	5.2	4.4	3.2	13	13102
21-23 LST	5.6	7.4	4.5	2.2	1.1	1.3	0.2	0.9	3.1	3.5	6.4	5.7	3.5	13	13101
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	4.2	2.0	0.7	0.6	0.4	0.1	0.5	0.8	1.2	3.5	5.2	2.0	13	13104
03-05 LST	12.1	6.0	6.1	3.4	3.5	1.9	0.4	1.3	1.9	3.2	7.3	11.3	4.9	13	13105
06-08 LST	14.3	9.6	7.5	4.1	4.3	1.9	0.9	2.2	2.3	4.6	8.3	12.5	6.0	13	13121
09-11 LST	2.7	1.8	0.5	0.0	0.1	0.0	0.0	0.0	0.2	0.3	1.3	2.0	0.7	13	13119
12-14 LST	0.1	0.0	0.5	0.1	0.2	0.4	0.6	0.4	0.6	0.4	0.2	0.0	0.3	13	13122
15-17 LST	0.1	0.2	0.4	0.0	0.3	0.7	0.4	0.4	0.4	0.4	0.0	0.1	0.3	13	13119
18-20 LST	0.0	0.2	0.5	0.0	0.0	0.4	0.3	0.5	0.3	0.5	0.0	0.2	0.2	13	13102
21-23 LST	1.1	1.3	0.3	0.1	0.1	0.1	0.1	0.2	0.1	0.7	0.6	1.3	0.5	13	13101

# ORLANDO/MC COY AFB, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.2	26.7	30.0	29.9	30.6	29.6	30.8	30.7	29.4	30.2	28.7	30.1	356.9	13	4371
	01 LST	27.4	25.6	28.8	29.1	30.0	29.6	30.8	30.7	28.9	29.8	27.0	27.8	345.5	13	4369
	07 LST	22.3	21.0	24.3	26.4	27.7	28.1	29.8	29.1	26.9	27.3	23.5	24.1	310.5	13	4374
	13 LST	29.9	27.2	30.1	29.8	30.9	29.5	30.6	30.4	29.6	30.3	29.4	29.8	357.5	13	4374
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	25.0	20.9	20.3	22.2	22.7	22.7	26.3	27.8	26.8	26.7	24.5	26.7	292.6	13	4371
	01 LST	23.2	21.1	24.6	25.2	28.5	28.7	30.5	30.2	27.3	27.7	24.2	23.7	314.9	13	4369
	07 LST	17.0	16.4	19.6	22.9	24.6	26.7	29.3	28.2	25.0	24.6	19.7	20.2	274.2	13	4374
	13 LST	14.1	11.9	14.2	14.4	19.4	21.0	24.1	23.4	19.6	16.8	16.4	16.5	211.0	13	4374
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.5	0.2	0.2	0.1	0.3	0.2	0.1	0.0	0.2	0.2	0.2	2.4	13	4315
	01 LST	0.0	0.4	0.4	0.2	0.1	0.0	0.1	0.0	0.0	0.2	0.0	0.4	1.8	13	4328
	07 LST	0.2	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	1.3	13	4326
	13 LST	2.2	2.6	1.7	1.7	1.2	0.8	0.7	0.6	1.2	1.2	1.2	1.3	16.4	13	4328
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	20.6	18.1	22.8	23.1	24.1	22.0	21.7	19.8	19.6	20.8	18.9	19.6	251.1	13	4315
	01 LST	18.3	16.4	16.9	18.7	15.7	12.8	13.0	11.2	12.1	15.9	16.7	15.9	183.6	13	4327
	07 LST	17.9	15.1	17.3	17.5	17.5	16.1	13.8	10.7	12.8	17.5	17.3	15.7	189.2	13	4326
	13 LST	16.8	15.3	18.7	16.9	17.4	14.8	13.1	12.5	14.6	19.3	17.8	17.1	194.3	13	4328
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.6	11.6	10.8	10.4	8.2	4.2	2.6	2.7	4.7	12.0	14.3	13.3	107.4	13	4371
	01 LST	14.6	13.1	15.7	16.1	19.8	15.7	15.1	14.5	13.1	17.2	16.1	15.8	186.8	13	4369
	07 LST	9.3	8.5	8.4	9.4	11.6	9.1	8.4	10.1	8.0	10.6	10.7	9.6	112.9	13	4374
	13 LST	7.8	7.3	7.7	5.4	3.6	1.6	0.2	0.4	0.8	4.9	7.5	8.2	55.4	13	4374
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.1	25.5	28.8	29.7	30.2	29.0	29.8	30.1	28.6	29.3	27.9	29.1	347.1	13	4371
	01 LST	25.7	24.0	28.1	28.2	29.6	29.1	30.5	30.5	27.9	29.2	26.1	26.6	335.5	13	4369
	07 LST	20.5	19.3	22.7	25.7	26.6	27.7	29.6	28.8	25.9	27.1	22.6	23.6	300.1	13	4374
	13 LST	27.6	25.0	28.1	28.5	30.1	28.5	29.4	29.0	26.7	28.3	27.2	28.1	336.5	13	4374
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.9	22.6	25.6	26.6	26.5	24.4	26.8	26.9	26.2	26.3	26.0	26.6	310.4	13	4371
	01 LST	23.8	22.0	25.5	26.4	28.7	28.7	30.5	30.4	27.1	28.4	24.0	23.7	319.2	13	4369
	07 LST	17.8	16.9	20.9	24.4	25.9	26.7	29.4	28.3	25.4	25.6	20.6	21.6	283.5	13	4374
	13 LST	21.5	19.2	22.0	21.0	20.7	18.2	19.3	17.8	17.6	22.0	22.8	23.1	245.3	13	4374
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.2	20.5	24.1	25.2	25.1	23.0	25.3	25.3	24.0	25.1	24.9	25.0	291.7	13	4371
	01 LST	22.4	20.9	24.2	25.2	27.7	27.0	30.0	29.9	26.5	26.9	22.7	22.4	305.8	13	4369
	07 LST	16.4	15.3	19.3	23.1	24.6	26.0	29.0	27.9	24.3	24.2	18.9	20.4	269.4	13	4374
	13 LST	20.3	18.1	21.1	20.6	20.5	17.8	19.2	17.1	17.0	20.4	21.8	21.6	235.5	13	4374

# HOMESTEAD/HOMESTEAD AFB, FLORIDA

STA NO. 73271 (IN AREA NUMBER 15)

LATITUDE 2529N

LONGITUDE 08023W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	92	93	95	96	100	100	98	96	95	91	89	100	30	-613
MEAN MAX TMP (F)	78	79	82	84	87	89	90	91	89	86	81	79	85	30	-113
MEAN MIN TMP (F)	54	54	57	61	65	69	70	71	71	67	60	55	63	30	-113
ABS MIN TMP (F)	27	26	26	39	47	56	63	64	61	42	30	26	26	30	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.4	0.8	5.5	7.4	10.5	4.2	0.6	0.0	0.0	29.4	12	3874
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3874
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3874
MEAN DEW PT TMP (F)	58	59	61	64	68	72	74	74	73	69	64	58	66	12	92914
MEAN REL HUM (PCT)	78	76	73	73	75	78	77	79	79	77	76	76	76	12	92896
MEAN PRESS ALT (FT)	-174	-147	-128	-103	-66	-62	-108	-71	-35	-50	-121	-157	-101	0	-50
MEAN PRECIP (IN)	1.79	1.77	2.21	3.69	6.73	8.47	8.20	7.99	9.72	8.66	2.73	1.35	63.3	50	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3105
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.3	4.2	5.2	6.6	7.7	11.0	10.7	10.5	13.2	12.0	4.6	3.5	93.3	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3105
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.4	1.7	0.8	0.8	3.4	0.1	0.0	0.4	0.2	1.6	1.4	12.7	12	3874
MEAN NO DYS TSTMS	0.3	1.1	2.0	2.7	6.1	10.4	13.9	14.5	11.0	4.8	1.3	0.6	68.7	12	3872
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.9	5.6	4.6	2.8	1.1	0.3	0.9	2.2	2.5	1.4	1.4	2.3	12	92896
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	12	92896
P FREQ LES 5000 FT A/D LES 5 MI	21.9	21.4	20.9	18.2	17.0	14.6	10.7	11.5	12.8	12.7	14.5	17.3	16.1	12	92916
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	6.8	5.9	2.7	0.7	2.4	0.8	0.4	0.5	0.5	0.9	4.2	5.9	2.6	12	11613
03-05 LST	10.8	10.6	5.8	3.8	2.7	1.4	0.3	0.1	1.5	1.6	6.6	7.6	4.4	12	11615
06-08 LST	13.3	12.2	7.2	4.6	5.3	1.9	0.9	0.4	2.0	4.1	8.9	8.9	5.6	12	11950
09-11 LST	4.9	5.2	4.5	2.0	2.2	1.9	0.8	0.4	1.8	1.7	3.7	4.4	2.8	12	11979
12-14 LST	4.7	1.9	2.3	1.1	2.3	2.4	1.9	0.8	1.5	2.1	2.0	2.9	2.2	12	11975
15-17 LST	2.2	2.5	2.2	0.6	2.6	2.2	1.2	0.6	2.3	2.0	2.4	2.7	2.0	12	11948
18-20 LST	2.5	2.9	1.5	0.6	2.1	1.8	1.4	0.7	1.3	0.8	1.3	2.7	1.6	12	11620
21-23 LST	2.4	2.4	0.9	0.4	1.9	1.3	0.5	0.7	1.3	0.9	1.3	2.3	1.4	12	11616
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.2	1.9	0.9	0.1	0.6	0.0	0.0	0.0	0.2	0.1	0.9	1.5	0.8	12	11613
03-05 LST	6.3	6.1	2.2	1.2	0.7	0.1	0.0	0.0	0.6	0.2	2.7	2.3	1.9	12	11615
06-08 LST	6.0	5.2	2.4	1.7	1.3	0.1	0.1	0.1	1.1	0.1	3.4	2.8	2.0	12	11950
09-11 LST	0.8	0.8	0.0	0.0	0.2	0.1	0.1	0.0	0.4	0.0	0.1	0.5	0.3	12	11979
12-14 LST	0.6	0.0	0.0	0.0	0.3	1.1	0.2	0.1	0.4	0.4	0.1	0.2	0.3	12	11975
15-17 LST	0.2	0.2	0.0	0.3	0.8	0.2	0.2	0.1	0.2	0.6	0.2	0.0	0.3	12	11948
18-20 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.3	0.1	0.0	0.2	0.1	12	11620
21-23 LST	0.4	0.5	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.0	0.2	0.2	12	11616



# HOMESTEAD/HOMESTEAD AFB, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.6	30.7	30.0	30.4	29.5	30.6	30.7	29.7	30.9	29.9	30.4	300.9	12	3973
	01 LST	29.3	26.4	30.1	30.0	30.4	29.8	30.9	30.9	29.9	30.8	29.1	29.6	357.2	12	3876
	07 LST	26.6	24.5	28.7	29.0	29.5	29.4	30.7	31.0	29.4	29.9	27.2	28.0	343.9	12	3994
	13 LST	30.3	27.8	30.7	29.9	30.6	29.5	30.4	30.8	29.8	30.3	29.6	30.3	360.0	12	3994
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	26.0	21.9	22.4	19.1	21.9	24.7	27.7	28.3	25.2	26.1	24.2	25.8	293.3	12	3972
	01 LST	23.5	21.1	23.5	21.3	24.6	27.3	29.3	28.7	26.4	26.4	24.3	24.0	300.4	12	3876
	07 LST	21.9	19.7	22.0	18.8	24.2	26.2	28.5	29.0	26.1	25.1	22.4	23.3	287.2	12	3994
	13 LST	11.5	8.6	6.2	7.5	9.5	11.6	16.6	18.9	15.9	15.5	12.1	11.4	145.3	12	3993
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.4	0.9	0.5	0.4	0.2	0.1	0.0	0.3	0.3	0.1	0.4	3.9	12	3944
	01 LST	0.1	0.2	0.6	0.4	0.7	0.0	0.0	0.0	0.1	0.2	0.1	0.1	2.5	12	3849
	07 LST	0.2	0.3	0.7	0.4	0.4	0.2	0.0	0.2	0.1	0.2	0.0	0.0	2.7	12	3976
	13 LST	2.3	2.9	5.0	3.5	2.3	1.2	0.1	0.4	1.4	2.0	1.5	1.0	23.6	12	3968
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.1	19.7	20.2	19.3	21.4	21.0	19.7	18.7	16.8	17.6	16.3	18.2	228.0	12	3944
	01 LST	18.2	15.4	19.4	17.0	14.9	13.7	11.7	10.7	12.7	16.4	15.5	18.3	183.9	12	3849
	07 LST	17.7	16.6	18.1	15.8	16.6	12.3	10.4	11.5	12.2	16.4	17.0	18.4	183.0	12	3976
	13 LST	16.0	12.5	10.7	12.1	15.1	16.0	20.2	16.8	18.5	19.5	16.4	15.1	188.9	12	3968
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	10.2	8.2	6.5	4.9	1.4	1.6	1.3	0.7	7.1	10.2	11.0	73.8	9	3219
	01 LST	15.9	14.8	14.1	14.9	12.6	8.8	11.5	9.2	7.3	12.9	15.8	15.1	192.9	9	3122
	07 LST	6.9	9.7	8.1	6.2	7.3	3.5	3.2	3.8	2.8	6.9	7.4	9.6	75.4	9	3231
	13 LST	5.2	4.6	4.0	3.5	4.4	1.0	0.8	0.3	0.7	3.8	5.0	6.1	39.4	9	3231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.8	26.6	29.2	29.0	28.8	28.2	29.6	29.0	26.8	28.7	28.8	29.8	344.3	12	3973
	01 LST	28.3	25.7	28.9	28.9	29.5	28.8	30.4	29.9	29.2	29.5	28.7	28.6	346.4	12	3876
	07 LST	25.5	23.2	26.7	27.0	28.6	28.1	29.9	30.1	28.3	28.4	26.3	27.2	329.3	12	3994
	13 LST	27.2	24.4	26.4	27.0	27.7	25.3	27.4	28.6	25.9	27.5	26.9	28.7	323.0	12	3994
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.3	23.8	26.4	25.3	26.4	26.6	28.8	27.8	25.9	27.2	26.0	26.3	315.8	12	3973
	01 LST	24.6	23.2	25.9	27.0	27.7	27.9	30.0	29.1	28.5	27.7	26.2	25.5	323.3	12	3876
	07 LST	20.9	20.0	23.8	24.7	26.3	26.9	29.3	29.8	27.4	26.7	24.1	23.2	303.1	12	3994
	13 LST	21.2	19.8	19.8	20.1	22.6	21.4	23.3	24.1	23.3	25.5	24.5	25.4	271.0	12	3994
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.2	22.8	25.1	24.5	24.8	24.6	28.3	26.9	24.5	25.4	24.3	24.2	298.6	12	3973
	01 LST	23.0	22.5	24.4	26.2	26.4	26.9	29.8	29.0	27.7	26.2	24.8	24.4	311.3	12	3876
	07 LST	19.7	18.8	22.8	23.7	25.1	25.4	29.3	29.2	26.1	24.6	22.0	21.1	287.8	12	3994
	13 LST	20.2	18.0	19.0	19.1	21.5	20.3	22.8	23.6	22.4	23.5	23.1	23.5	297.0	12	3994

## MILTON/WHITING FIELD NAS, FLORIDA

STA NO. 73202 (IN AREA NUMBER 15)

LATITUDE 3049N

LONGITUDE 08701W

ELEVATION (FT) 00200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	81	84	91	99	103	104	100	97	93	86	79	104	12	4324
MEAN MAX TMP (F)	62	65	69	76	83	88	89	90	86	78	68	62	76	12	4324
MEAN MIN TMP (F)	44	47	50	57	65	71	73	73	69	59	48	43	50	12	4325
ABS MIN TMP (F)	20	12	26	39	46	55	66	62	53	33	26	20	12	12	4325
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	2.7	11.5	14.4	17.7	7.5	0.8	0.0	0.0	54.8	12	4324
MEAN NO DYS TMP = OR LES 32(F)	4.8	2.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4.3	14.4	12	4325
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4325
MEAN D'W PT TMP (F)	45	46	48	55	63	69	72	71	68	57	47	44	57	12	102546
MEAN REL HUM (PCT)	75	73	70	72	73	75	79	77	77	70	71	74	74	12	102545
MEAN PRESS ALT (FT)	-12	20	72	102	125	144	105	121	116	70	18	-9	73	0	-50
MEAN PRECIP (IN)	3.12	4.31	4.61	4.70	4.20	6.65	7.03	4.98	7.69	2.23	2.32	4.27	30.1	12	4318
MEAN SNOW FALL (IN)	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	4269
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.9	6.0	6.8	5.7	6.3	9.3	10.9	8.0	8.3	3.3	3.8	6.7	80.0	12	4318
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4269
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	6.4	4.6	5.8	4.6	2.0	0.5	0.8	2.1	2.3	3.4	5.2	44.6	12	4308
MEAN NO DYS TSTHS	1.5	2.0	3.8	5.3	5.2	10.2	14.2	11.8	6.2	1.5	1.0	1.5	64.2	12	4147
P FREQ WND SPD = OR GTR 17 KTS	5.5	6.2	7.7	4.9	1.7	1.1	0.6	0.5	1.7	1.6	4.1	3.9	3.3	12	102415
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	102415
P FREQ LES 5000 FT A/D LES 5 MI	41.8	42.7	37.7	33.6	29.2	25.5	21.9	19.5	24.8	20.2	25.9	36.7	30.0	12	102519
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.4	28.1	25.8	28.9	15.3	4.5	1.3	1.2	7.5	8.9	16.5	21.7	15.8	12	12593
03-05 LST	34.1	33.2	30.6	33.8	24.1	12.8	6.2	5.1	11.3	12.3	18.1	24.7	20.5	12	12418
06-08 LST	37.4	38.2	34.0	31.1	24.9	15.0	5.8	6.5	18.4	18.2	21.8	28.2	23.3	12	13036
09-11 LST	28.7	26.9	21.8	15.2	10.0	6.4	6.7	4.9	14.5	11.9	14.9	20.8	15.2	12	13041
12-14 LST	18.5	17.8	15.4	9.9	5.6	5.7	4.4	3.9	10.4	6.7	8.8	16.2	10.3	12	13032
15-17 LST	16.0	16.0	14.9	8.0	4.7	4.9	4.7	1.6	7.3	5.6	7.7	15.7	8.9	12	13023
18-20 LST	18.0	18.5	20.4	12.5	4.6	3.1	2.4	1.9	5.5	6.5	9.1	18.3	10.1	12	12969
21-23 LST	24.6	23.2	22.0	19.6	6.3	3.2	1.3	0.6	5.8	7.3	13.3	19.7	12.2	12	12949
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.9	10.8	8.7	9.4	5.4	1.2	0.3	0.1	1.5	2.3	7.4	9.3	5.6	12	12593
03-05 LST	16.3	13.9	10.7	14.9	12.3	4.6	1.6	0.7	3.1	4.2	8.5	11.3	8.5	12	12418
06-08 LST	15.3	14.6	8.8	9.3	6.6	2.8	0.7	0.8	3.4	5.0	7.0	9.8	7.0	12	13036
09-11 LST	3.7	2.5	1.4	0.5	0.4	0.6	0.4	0.5	1.0	0.3	1.0	3.4	1.3	12	13041
12-14 LST	0.4	1.2	0.8	0.6	0.4	0.6	0.4	0.3	0.8	0.5	0.3	1.6	0.7	12	13032
15-17 LST	1.0	1.3	0.9	0.2	0.1	0.6	0.8	0.5	1.0	0.3	0.4	0.9	0.7	12	13023
18-20 LST	2.6	3.0	1.9	0.6	0.1	0.3	0.3	0.5	0.4	0.2	1.0	2.8	1.1	12	12969
21-23 LST	6.2	6.2	5.2	2.0	0.2	0.3	0.0	0.3	0.9	1.2	3.8	6.0	2.7	12	12949

MILTON/WHITING FIELD NAS, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.2	24.5	27.4	28.0	30.3	29.4	30.6	30.6	28.8	29.6	28.3	27.2	341.9	12	4343
	00 LST	23.2	21.4	24.6	23.6	28.1	29.3	30.9	30.9	28.3	29.1	25.5	25.3	320.2	12	4328
	06 LST	21.0	19.0	21.3	20.4	23.2	25.8	29.2	28.9	25.1	25.5	24.6	23.3	287.3	12	4347
	12 LST	27.2	24.7	27.9	28.0	30.0	29.3	30.2	30.2	27.9	29.6	28.6	27.8	341.4	12	4348
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.3	16.4	16.7	17.1	20.1	20.0	25.4	26.9	24.9	25.9	24.0	21.0	257.7	12	4342
	00 LST	16.7	15.5	17.4	18.6	25.2	27.7	29.9	30.0	25.5	24.4	19.2	18.0	268.1	12	4327
	06 LST	14.6	12.5	14.5	15.2	19.1	23.5	28.1	27.5	21.0	21.6	18.2	16.1	231.9	12	4347
	12 LST	11.8	8.4	10.0	10.4	15.6	18.8	22.6	21.9	17.6	17.2	14.6	13.3	182.2	12	4347
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.1	2.4	1.3	0.2	0.2	0.2	0.0	0.4	0.2	0.7	0.2	7.8	12	4275
	00 LST	1.1	0.9	1.4	0.8	0.1	0.1	0.0	0.0	0.0	0.2	0.9	1.2	6.7	12	4260
	06 LST	0.9	1.2	1.0	0.9	0.0	0.1	0.1	0.1	0.1	0.2	0.6	0.9	6.1	12	4282
	12 LST	2.6	3.9	4.2	2.7	1.6	0.4	0.5	0.2	0.4	1.2	2.3	2.2	22.2	12	4285
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	23.1	20.9	19.8	22.2	22.8	21.5	22.2	22.8	23.4	23.3	22.1	23.7	267.8	12	4274
	00 LST	20.8	17.8	18.2	18.4	17.8	17.3	14.2	15.3	18.3	20.0	20.1	18.1	216.3	12	4259
	06 LST	18.1	15.8	18.9	18.7	18.6	17.4	16.3	17.1	18.9	20.2	19.4	18.1	217.5	12	4282
	12 LST	15.6	12.2	13.3	14.5	18.1	15.1	14.6	13.4	17.1	19.6	15.2	18.5	187.2	12	4284
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	6.9	8.2	11.3	8.2	6.8	2.4	3.9	6.2	15.7	12.9	10.6	101.5	12	4343
	00 LST	10.7	11.6	13.1	13.6	18.1	17.7	16.3	18.3	15.7	20.7	16.0	12.1	183.9	12	4328
	06 LST	8.2	8.1	8.1	8.1	8.2	7.9	6.2	9.6	8.4	15.0	11.0	8.8	107.6	12	4347
	12 LST	7.3	6.9	8.8	8.6	4.9	2.5	1.1	1.7	4.0	11.7	10.4	9.3	77.2	12	4348
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	21.3	23.0	25.6	28.3	28.3	28.4	29.4	26.3	28.1	25.8	24.3	312.1	12	4343
	00 LST	20.8	18.8	22.2	21.1	26.7	28.1	30.2	30.7	27.3	27.8	23.9	22.9	300.5	12	4328
	06 LST	17.6	15.5	18.7	17.9	20.7	24.0	27.9	27.6	23.2	24.4	21.9	19.9	259.3	12	4347
	12 LST	20.7	19.1	22.6	22.7	24.6	24.2	25.0	26.5	22.6	26.1	23.7	23.2	281.0	12	4348
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.6	18.4	21.4	24.2	26.4	25.9	26.1	26.9	24.7	26.3	24.2	21.0	286.1	12	4343
	00 LST	19.2	17.3	20.6	20.3	25.6	27.2	29.7	30.5	26.5	26.4	22.7	20.7	286.7	12	4328
	06 LST	15.9	13.5	17.1	16.9	19.6	23.2	27.2	26.5	22.5	23.1	20.3	17.0	242.8	12	4347
	12 LST	17.7	15.3	18.7	18.2	17.0	14.7	13.9	14.8	15.7	22.0	20.0	19.6	207.6	12	4348
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.4	17.3	19.3	22.8	24.8	24.4	23.9	24.4	22.6	25.3	22.5	19.4	265.1	12	4343
	00 LST	17.3	16.5	18.9	19.6	24.4	26.3	29.0	29.4	25.1	25.9	21.5	18.4	272.3	12	4328
	06 LST	14.5	12.2	15.7	15.6	18.4	21.7	25.3	25.4	21.3	21.7	18.1	15.2	225.1	12	4347
	12 LST	15.6	13.6	17.2	17.3	15.9	13.9	12.6	13.5	15.1	21.2	18.5	17.5	191.9	12	4348

## VALPARAISO/HURLBURT FIELD, EGLIN NO. 9, FLORIDA

STA NO. 73283 (IN AREA NUMBER 19)

LATITUDE 3025N

LONGITUDE 08641W

ELEVATION(FT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. JBS
ABS MAX TMP (F)	78	76	80	88	94	97	98	95	91	87	82	78	98	11	3689
MEAN MAX TMP (F)	60	63	68	76	83	86	88	87	83	74	67	60	75	11	3619
MEAN MIN TMP (F)	42	45	51	59	66	72	74	73	67	54	47	42	58	11	3689
ABS MIN TMP (F)	12	20	30	35	46	61	64	58	42	30	24	10	10	11	3689
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	4.4	7.8	6.9	1.3	0.0	0.0	0.0	21.4	11	3689
MEAN NO DYS TMP = OR LES 32(F)	6.8	3.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.4	7.8	22.2	11	3689
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3689
MEAN DEW PT TMP (F)	41	46	49	58	65	70	73	72	69	58	50	44	58	11	88295
MEAN REL HUM (PCT)	75	76	76	77	77	78	79	78	78	73	75	75	76	11	88295
MEAN PRESS ALT (FT)	-178	-144	-92	-83	-41	-22	-80	-44	-32	-98	-148	-176	-92	0	-50
MEAN PRECIP (IN)	4.48	4.60	6.00	2.95	4.11	5.20	7.63	6.25	7.66	3.09	2.71	4.76	55.4	10	3362
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	3377
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.4	6.0	6.9	4.1	4.3	7.7	9.7	7.4	6.8	3.6	4.0	6.2	74.1	10	3362
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3377
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	5.4	7.5	4.5	2.4	0.4	0.0	0.5	0.8	0.8	3.6	3.4	33.7	11	3683
MEAN NO DYS TSTMS	2.1	2.7	4.5	3.5	6.3	12.0	16.4	12.6	4.7	1.3	1.3	2.1	69.5	11	3689
P FREQ WND SPD = OR GTR 17 KTS	2.0	2.1	1.6	0.9	0.2	0.8	0.1	0.3	1.3	1.2	1.4	1.2	1.1	11	88297
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	11	88297
P FREQ LES 5000 FT A/D LES 5 MI	32.9	36.6	33.1	26.7	14.0	10.5	8.2	8.8	14.6	15.0	22.5	30.6	21.1	11	88155
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.6	23.9	25.6	22.4	7.4	2.6	0.6	0.6	4.4	6.8	14.0	19.1	12.4	11	10997
03-05 LST	25.9	27.0	29.4	29.0	13.4	5.2	2.2	1.7	5.7	8.8	16.9	19.7	11.4	11	11044
06-08 LST	23.2	30.4	27.9	23.0	14.0	7.2	2.2	4.9	13.4	12.3	16.6	19.9	16.3	11	11103
09-11 LST	18.7	22.4	20.8	14.3	4.7	4.3	2.5	2.8	9.4	8.4	13.2	17.1	11.6	11	11098
12-14 LST	16.2	17.3	15.0	11.1	2.2	3.0	1.8	2.0	5.2	5.9	9.4	11.2	8.4	11	11091
15-17 LST	14.0	16.3	16.4	10.7	2.4	1.1	0.4	2.1	5.5	4.4	9.2	11.3	7.8	11	11047
18-20 LST	14.7	19.2	16.6	13.1	4.2	1.2	1.0	0.6	4.9	5.4	9.3	14.4	8.7	11	11040
21-23 LST	18.0	20.1	19.8	16.9	3.8	0.7	0.3	0.2	4.7	4.9	11.9	16.6	9.8	11	10998
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.7	10.8	15.9	9.2	1.8	0.7	0.1	0.0	0.5	0.2	5.9	3.7	4.9	11	10997
03-05 LST	10.5	11.7	15.9	11.9	6.3	2.1	0.6	0.3	1.2	1.0	7.4	7.0	6.3	11	11044
06-08 LST	10.1	12.6	12.1	7.1	2.6	1.6	0.2	0.9	0.8	1.9	6.8	6.5	5.3	11	11103
09-11 LST	4.5	6.4	6.4	2.1	0.0	0.2	0.0	0.3	0.1	0.3	1.1	1.9	1.9	11	11098
12-14 LST	1.4	4.2	3.8	1.3	0.0	0.3	0.1	0.3	0.5	0.0	0.1	1.0	1.1	11	11091
15-17 LST	2.2	4.2	5.0	2.4	0.1	0.1	0.0	0.0	0.5	0.1	0.7	1.3	1.4	11	11047
18-20 LST	4.9	6.4	7.6	3.1	0.0	0.1	0.1	0.3	0.1	0.0	1.2	3.7	2.3	11	11040
21-23 LST	7.4	9.8	9.9	4.8	0.1	0.0	0.0	0.0	0.0	0.1	3.3	5.3	3.4	11	10998

## VALPARAISO/HURLBURT FIELD, EGLIN NO. 9, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	23.5	26.2	27.0	30.3	29.8	30.9	30.8	28.9	30.0	28.0	27.8	340.6	11	3685
	00 LST	26.1	22.7	24.2	24.9	29.9	29.7	30.9	30.8	29.0	29.8	26.7	26.7	331.4	11	3668
	06 LST	24.7	20.8	22.7	22.7	26.2	28.3	30.8	29.7	27.1	27.9	25.5	25.9	312.3	11	3704
	12 LST	26.7	24.0	27.2	27.3	30.6	29.6	30.9	30.6	29.2	30.2	27.8	27.7	341.8	11	3704
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.7	18.2	19.6	22.2	25.5	24.0	27.2	28.2	26.2	26.6	24.9	22.8	288.1	11	3685
	00 LST	19.7	17.7	20.3	21.7	28.0	27.8	30.0	30.0	25.8	27.0	23.7	21.5	293.2	11	3668
	06 LST	19.0	15.3	18.5	19.4	24.1	26.6	29.1	28.5	23.5	24.6	20.8	21.0	270.4	11	3704
	12 LST	14.6	12.3	13.0	11.9	16.5	17.8	19.7	22.4	17.9	21.3	18.4	16.5	202.3	11	3704
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.4	0.4	0.0	0.1	0.2	0.0	0.2	0.5	0.3	0.3	0.2	3.2	11	3629
	00 LST	0.3	0.6	0.3	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.3	0.2	2.2	11	3619
	06 LST	0.3	0.3	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.3	0.5	2.2	11	3651
	12 LST	0.8	0.9	0.6	0.7	0.1	0.6	0.0	0.1	0.9	0.5	0.3	0.5	6.2	11	3652
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.4	16.2	19.3	23.7	26.3	23.7	21.7	18.4	13.5	13.4	12.9	11.6	215.1	11	3629
	00 LST	14.0	13.9	16.5	14.2	11.8	9.7	8.6	5.6	11.4	14.2	15.8	14.4	150.1	11	3619
	06 LST	14.3	14.0	16.1	16.7	14.3	13.8	10.8	11.7	15.4	17.0	16.1	13.6	173.8	11	3651
	12 LST	20.6	18.8	19.9	20.2	24.6	22.9	20.8	21.4	20.6	23.8	21.1	21.3	256.0	11	3652
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	7.8	9.9	9.8	10.3	6.1	2.3	4.7	7.7	15.9	13.1	11.7	108.8	11	3685
	00 LST	12.2	10.8	12.4	13.1	18.7	15.2	12.6	16.9	16.8	19.9	15.6	13.9	178.1	11	3669
	06 LST	10.7	8.2	8.9	7.5	8.9	8.3	4.8	8.6	10.2	15.7	11.6	10.0	113.4	11	3704
	12 LST	8.3	7.9	9.6	9.5	7.8	5.2	2.4	4.4	5.9	13.7	10.4	11.0	96.1	11	3704
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.3	21.4	24.4	25.4	28.8	28.0	29.8	30.1	27.9	28.0	26.3	25.3	320.7	11	3685
	00 LST	23.6	20.3	22.7	23.3	28.6	28.8	30.3	30.4	28.6	28.6	25.2	24.2	314.6	11	3668
	06 LST	21.5	18.4	20.7	20.7	24.6	27.0	29.5	28.6	25.4	26.4	22.3	23.0	288.1	11	3704
	12 LST	23.3	21.4	25.2	25.4	29.6	27.7	29.1	29.2	26.5	27.9	25.6	24.9	315.8	11	3704
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.1	18.9	22.3	23.5	28.1	27.0	28.8	28.5	26.2	26.8	24.7	21.5	297.4	11	3685
	00 LST	21.1	17.4	20.0	22.1	27.4	27.9	29.6	30.0	27.4	26.8	24.1	21.0	294.8	11	3668
	06 LST	18.8	15.3	18.3	18.8	23.7	25.7	28.1	27.2	24.4	25.0	20.0	18.6	263.9	11	3704
	12 LST	20.2	19.1	22.1	23.4	27.4	26.2	27.1	26.4	24.2	26.7	23.6	21.3	287.7	11	3704
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.3	17.7	20.1	22.5	27.2	24.4	27.2	27.1	24.3	25.8	22.8	19.9	277.3	11	3685
	00 LST	19.4	16.5	17.8	21.3	26.8	27.2	29.4	29.6	26.9	26.2	23.1	19.9	284.1	11	3668
	06 LST	17.2	13.8	16.8	17.5	22.9	24.5	26.2	25.9	22.6	23.4	18.6	17.6	247.0	11	3704
	12 LST	18.5	17.1	20.5	22.7	26.8	24.4	25.9	25.3	22.2	25.7	21.6	19.6	270.3	11	3704

PANAMA CITY/TYNDALL AFB, FLORIDA

STA NO. 73284 (IN AREA NUMBER 15)

LATITUDE 3004N

LONGITUDE 08534W

ELEVATION(FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	83	86	90	98	98	97	99	95	88	82	79	99	12	4383
MEAN MAX TMP (F)	65	68	72	80	86	89	89	88	83	73	65	63	77	12	4383
MEAN MIN TMP (F)	48	53	57	66	72	76	76	73	67	55	47	46	61	12	4383
ABS MIN TMP (F)	19	29	31	47	52	67	70	59	50	31	24	25	19	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	5.0	13.1	16.4	11.7	2.1	0.0	0.0	0.0	48.5	12	4383
MEAN NO DYS TMP = OR LES 32(F)	2.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	1.6	6.2	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	47	49	51	58	66	72	74	74	70	60	51	46	60	12	104880
MEAN REL HUM (PCT)	76	76	73	74	75	76	77	77	77	72	73	74	75	12	104880
MEAN PRESS ALT (FT)	-197	-162	-111	-81	-62	-43	-78	-64	-75	-120	-168	-195	-112	0	-50
MEAN PRECIP (IN)	3.00	4.70	5.94	2.31	4.85	5.08	6.35	7.05	5.34	2.88	3.33	2.64	53.5	12	4383
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.2	5.9	5.8	3.2	5.6	7.3	9.1	7.8	4.1	3.7	4.9	4.8	67.4	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.5	6.9	6.8	6.0	2.7	1.3	0.6	0.8	0.7	1.2	5.1	4.7	44.3	12	4383
MEAN NO DYS TSTMS	2.4	3.1	4.3	3.9	7.6	11.2	15.7	8.5	3.0	1.1	1.4	1.1	63.3	12	4383
P FREQ WND SPD = OR GTR 17 KTS	4.7	6.3	8.7	6.9	2.2	1.4	1.9	1.3	2.9	2.4	3.5	4.1	3.9	12	104988
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.2	0.1	0.0	0.1	0.0	0.1	0.3	0.0	0.0	0.0	0.1	12	104988
P FREQ LES 5000 FT A/D LES 5 MI	30.8	30.2	27.8	21.8	16.5	12.5	10.8	11.1	16.0	14.0	18.9	26.8	19.8	12	104988
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	24.1	21.0	18.3	8.9	3.9	1.5	2.8	5.1	6.4	13.2	17.0	12.0	12	13119
03-05 LST	23.5	26.7	25.2	24.2	16.2	6.0	2.1	4.0	7.5	8.2	15.7	19.4	14.9	12	13134
06-08 LST	23.9	26.1	24.6	19.1	12.4	7.3	4.8	4.6	11.4	11.5	16.2	20.9	15.2	12	13136
09-11 LST	14.9	16.7	14.5	8.4	4.4	4.0	2.6	4.2	6.8	6.9	10.1	13.0	8.9	12	13131
12-14 LST	9.1	9.3	10.3	7.5	4.4	3.1	2.9	3.0	4.6	4.2	4.6	8.6	6.0	12	13131
15-17 LST	8.5	8.9	5.5	6.9	3.2	3.0	1.3	1.9	4.1	4.1	4.3	7.6	5.3	12	13134
18-20 LST	12.5	14.2	14.7	10.2	5.0	3.7	1.1	1.1	3.2	4.8	6.9	8.0	7.1	12	13123
21-23 LST	17.3	17.3	17.5	12.5	5.6	2.9	0.7	1.4	3.5	5.0	10.9	13.5	9.0	12	13078
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.4	13.9	12.8	8.3	2.9	0.4	0.1	0.4	0.5	1.5	8.0	8.4	6.0	12	13119
03-05 LST	15.1	15.7	15.0	13.1	6.5	1.0	0.3	0.4	0.9	2.0	8.4	9.2	7.3	12	13134
06-08 LST	12.7	13.0	10.1	6.9	2.4	1.0	0.4	0.5	0.9	2.6	6.4	7.3	5.4	12	13136
09-11 LST	3.5	3.1	1.8	1.9	0.1	0.2	0.1	0.3	0.1	0.5	1.3	2.2	1.3	12	13131
12-14 LST	1.5	2.3	1.4	1.1	0.2	0.4	0.3	0.4	0.5	0.4	0.3	0.8	0.8	12	13131
15-17 LST	2.1	2.5	2.3	1.5	0.1	0.4	0.1	0.4	0.2	0.4	0.8	0.6	1.0	12	13134
18-20 LST	4.8	5.1	5.7	2.5	0.3	0.4	0.3	0.2	0.2	0.8	2.2	2.7	2.1	12	13123
21-23 LST	9.4	9.8	8.4	4.1	0.5	0.1	0.2	0.4	0.2	1.3	4.6	4.8	3.7	12	13078

PANAMA CITY/TYNDALL AFB, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.2	25.1	27.3	26.0	30.4	29.5	30.9	30.8	29.2	30.2	28.9	29.3	347.8	12	4382
	00 LST	24.6	22.1	25.9	25.7	29.4	29.6	31.0	30.7	28.8	29.6	26.6	26.7	330.7	12	4382
	06 LST	23.9	20.8	23.3	24.1	27.5	28.8	30.3	29.8	27.4	27.7	25.6	25.0	314.2	12	4382
	12 LST	28.6	25.9	28.3	28.4	30.1	29.4	30.7	30.1	29.3	30.0	28.7	28.5	348.0	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	17.4	17.4	18.2	22.7	22.7	25.1	26.0	25.2	25.6	25.0	24.3	269.9	12	4382
	00 LST	17.1	15.4	17.8	19.7	25.6	25.1	27.4	28.5	24.5	23.7	20.8	18.9	264.3	12	4382
	06 LST	16.2	12.6	14.4	16.4	21.6	23.3	26.1	26.7	22.0	21.6	18.9	16.8	236.6	12	4382
	12 LST	14.7	11.8	10.6	11.1	13.6	13.5	17.6	19.3	17.8	20.4	18.0	17.3	185.7	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.9	1.9	1.9	0.4	0.2	0.2	0.4	0.4	0.2	0.6	0.9	8.8	12	4326
	00 LST	0.7	0.9	2.2	1.2	0.2	0.2	0.1	0.0	0.7	0.4	0.9	0.9	8.4	12	4331
	06 LST	0.6	1.2	2.5	1.0	0.2	0.0	0.2	0.2	0.2	0.6	0.8	1.1	8.6	12	4319
	12 LST	3.3	3.2	4.2	3.4	1.5	0.7	1.1	0.7	1.5	1.0	1.4	1.8	23.8	12	4326
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.8	16.0	18.4	19.0	23.3	22.9	20.6	18.8	16.3	15.7	15.8	15.3	217.9	12	4326
	00 LST	13.8	12.6	14.0	13.6	15.5	14.2	13.4	12.5	14.4	14.7	13.8	13.7	166.2	12	4331
	06 LST	14.7	12.0	15.8	15.9	17.3	16.1	14.0	13.5	15.7	16.2	16.5	14.1	181.8	12	4319
	12 LST	17.2	15.7	15.0	15.6	18.8	17.1	15.6	13.3	17.9	21.7	20.2	17.6	205.7	12	4326
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.6	9.0	9.8	11.3	9.5	6.1	1.8	4.1	6.5	15.0	13.4	12.2	109.3	12	4382
	00 LST	11.7	11.4	13.1	15.1	17.4	14.7	11.5	13.9	13.7	19.7	16.3	13.6	172.1	12	4382
	06 LST	10.0	7.8	7.9	9.2	8.2	7.0	4.0	6.4	8.5	14.5	11.6	8.8	103.9	12	4382
	12 LST	9.6	8.6	8.9	8.9	9.0	4.7	2.4	4.2	4.8	13.0	11.2	9.3	94.6	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	23.4	25.5	27.2	28.8	28.1	29.5	30.2	27.5	28.7	27.8	27.9	330.5	12	4382
	00 LST	23.0	20.9	25.0	25.1	28.2	28.5	30.5	29.5	28.0	28.6	25.7	25.0	318.0	12	4382
	06 LST	21.5	18.8	20.9	22.2	25.0	27.4	27.7	28.6	25.6	26.5	24.0	22.9	291.1	12	4382
	12 LST	25.7	23.0	26.5	26.6	28.3	27.8	28.1	27.8	26.3	28.7	26.9	26.2	321.9	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.7	20.7	22.8	25.1	27.7	27.0	27.9	28.6	25.3	26.4	25.7	24.1	304.0	12	4382
	00 LST	20.6	18.1	22.1	24.1	26.9	27.1	29.1	28.6	26.7	26.9	24.5	22.5	297.2	12	4382
	06 LST	18.2	16.2	18.9	20.4	23.6	25.8	26.5	27.3	24.4	25.1	21.4	19.7	267.5	12	4382
	12 LST	21.9	21.2	24.1	24.7	26.2	25.1	25.0	25.7	23.1	26.9	24.9	22.5	291.3	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.1	21.2	23.5	26.5	26.0	26.5	27.1	23.3	25.1	24.0	22.4	285.8	12	4382
	00 LST	18.8	16.6	20.4	22.9	25.7	25.9	28.6	27.8	25.1	26.2	23.1	20.5	281.6	12	4382
	06 LST	17.1	14.7	17.4	19.5	22.2	24.6	25.6	26.5	23.4	24.4	20.3	17.7	253.4	12	4382
	12 LST	20.4	18.8	22.8	24.0	25.2	24.2	24.3	24.6	21.7	25.6	23.3	20.6	275.5	12	4382



# PENSACOLA/SAUFLEY NAAS, FLORIDA

STA NO. 73378 (IN AREA NUMBER 15)

LATITUDE 3028N LONGITUDE 08720W ELEVATION(FT) 00065

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	79	85	92	103	103	107	102	98	93	85	80	107	11	3651
MEAN MAX TMP (F)	62	65	69	76	83	89	90	91	87	79	69	63	77	11	3651
MEAN MIN TMP (F)	45	48	51	59	67	73	75	74	70	60	49	46	60	11	3647
ABS MIN TMP (F)	23	13	27	39	46	56	68	62	56	34	27	21	13	11	3647
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	2.9	12.0	17.2	20.0	9.0	1.0	0.0	0.0	62.4	11	3651
MEAN NO DYS TMP = OR LES 32(F)	4.2	2.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.2	12.3	11	3647
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	66467
MEAN DEW PT TMP (F)	44	50	51	57	65	70	73	72	69	59	50	46	59	12	66466
MEAN REL HUM (PCT)	75	76	72	72	73	74	76	74	75	70	70	74	73	0	-50
MEAN PRESS ALT (FT)	-127	-94	-41	-10	12	30	-8	7	0	-45	-96	-125	-40	9	2407
MEAN PRECIP (IN)	3.44	4.57	3.94	4.37	3.32	5.19	5.48	4.57	8.02	3.88	2.67	4.10	53.5	9	2584
MEAN SNOW FALL (IN)	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9	2407
MEAN NO DYS PRCP = DP GTR 0.1 IN	5.2	6.7	5.0	4.9	6.4	6.7	8.9	8.2	6.2	4.6	4.0	6.6	73.4	9	2584
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	3190
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	4.4	4.9	4.1	2.1	1.1	0.4	0.4	0.2	1.3	1.6	3.2	27.7	10	1337
MEAN NO DYS TSTMS	1.5	2.1	2.0	4.3	5.6	9.2	13.2	12.2	3.5	2.9	1.3	2.2	60.3	12	66384
P FREQ WND SPD = OR GTR 17 KTS	7.1	7.5	6.5	4.9	1.6	0.8	0.6	0.4	2.8	2.3	4.6	5.6	3.7	12	66384
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.2	0.1	12	66464
P FREQ LES 5000 FT A/O LES 3 MI	39.2	41.7	36.7	32.0	28.3	23.5	21.1	20.2	22.6	18.9	23.9	34.6	28.6	10	4612
P FREQ LES 1500 FT A/O LES 3 MI	23.8	23.3	24.8	22.1	10.9	1.4	1.2	0.6	7.6	2.7	11.9	14.9	11.9	11	5563
FOR 00-02 LST	27.0	29.5	29.1	31.5	21.9	10.8	4.3	4.9	12.4	11.1	15.0	18.3	18.0	12	12637
03-05 LST	31.1	35.7	27.7	28.5	21.5	10.9	5.4	7.4	15.0	17.5	19.5	26.3	20.5	12	12954
06-08 LST	24.7	27.1	20.9	17.9	10.4	7.6	4.2	5.2	11.8	9.2	12.9	22.3	14.5	12	12978
09-11 LST	20.0	20.9	16.9	13.4	7.1	5.1	3.5	3.2	6.4	5.4	9.1	16.6	10.6	12	12958
12-14 LST	17.6	18.4	17.7	12.0	5.6	3.1	2.7	2.3	5.5	4.0	8.6	14.9	9.4	12	11439
15-17 LST	18.8	19.2	18.7	13.6	6.1	2.1	2.1	1.2	5.3	4.6	9.9	14.3	9.7	12	9843
18-20 LST	23.5	20.6	19.6	16.1	5.4	1.2	1.3	0.2	5.7	5.8	11.0	14.3	10.4		
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI	7.9	6.9	11.1	4.1	1.4	0.0	0.0	0.3	0.3	0.8	1.9	4.7	3.3	10	4612
FOR 00-02 LST	10.7	11.0	11.3	8.5	6.2	2.6	0.2	0.7	1.2	3.3	3.4	6.7	5.5	11	5563
03-05 LST	10.0	12.6	7.8	5.8	2.2	1.2	0.3	0.9	1.8	2.8	6.1	7.7	4.9	12	12637
06-08 LST	3.2	2.2	2.4	0.6	0.2	0.3	0.0	0.4	0.9	0.3	1.2	1.8	1.1	12	12954
09-11 LST	1.4	0.6	0.6	0.4	0.4	0.0	0.1	0.3	0.5	0.1	0.2	0.7	0.4	12	12978
12-14 LST	1.4	2.0	0.6	0.3	0.0	0.1	0.4	0.2	0.6	0.3	0.6	0.4	0.6	12	12958
15-17 LST	3.5	4.3	2.9	0.8	0.1	0.1	0.1	0.0	0.4	0.0	1.0	1.8	1.3	12	11439
18-20 LST	5.7	7.0	7.3	3.1	0.2	0.1	0.1	0.0	0.2	0.6	2.2	3.4	2.5	12	9843
21-23 LST															

# PENSACOLA/SAUFLEY NAAS, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	23.7	25.9	27.4	30.5	29.7	30.7	30.8	28.7	30.2	27.5	27.4	339.3	12	4374
	00 LST	24.6	22.8	25.1	25.2	29.4	29.7	30.8	31.0	28.7	29.3	26.0	26.9	329.5	12	3538
	06 LST	22.7	19.3	23.3	22.0	25.2	27.2	29.7	29.2	26.6	25.5	24.7	24.9	300.3	12	4373
	12 LST	26.5	24.1	27.7	27.6	30.0	29.5	30.4	30.1	28.7	30.2	28.2	27.2	340.2	12	4377
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.2	17.1	19.4	20.6	24.5	25.6	27.2	27.4	25.2	26.2	22.6	22.4	278.4	12	4374
	00 LST	18.4	16.8	19.2	20.4	26.7	28.2	30.0	29.7	24.8	25.0	20.5	21.6	281.3	12	3535
	06 LST	15.7	12.7	16.2	16.2	19.8	24.3	27.8	27.2	21.9	20.4	17.9	18.5	238.6	12	4371
	12 LST	11.4	9.6	10.5	11.5	17.1	20.2	22.2	22.9	18.0	16.7	13.1	13.3	186.5	12	4377
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.9	1.8	0.9	0.4	0.2	0.3	0.2	0.5	0.3	0.6	1.0	8.0	12	4303
	00 LST	0.6	0.9	1.0	0.8	0.1	0.0	0.0	0.0	0.2	0.2	0.6	1.3	5.7	12	3430
	06 LST	1.2	1.3	1.1	0.3	0.3	0.0	0.0	0.0	0.2	0.5	0.7	1.0	6.6	12	4277
	12 LST	3.6	4.6	4.0	2.2	1.0	0.3	0.5	0.1	0.8	1.8	2.8	3.3	25.0	12	4321
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.5	19.0	21.2	22.0	24.2	21.3	19.0	18.8	19.7	18.3	17.9	18.2	238.1	12	4303
	00 LST	16.5	17.1	19.0	17.2	17.1	14.0	13.8	16.1	15.7	17.7	17.1	16.5	197.8	12	3429
	06 LST	15.5	14.8	19.1	17.0	16.4	15.4	15.7	17.2	17.6	18.9	18.1	17.1	202.8	12	4277
	12 LST	14.8	14.4	14.5	17.1	20.1	17.5	12.5	11.3	16.1	18.9	16.2	15.6	189.0	12	4321
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	7.6	8.4	10.8	9.6	7.2	2.7	4.6	7.0	15.2	13.1	11.4	106.6	12	4374
	00 LST	11.8	12.1	12.4	14.5	16.6	15.2	13.3	17.2	17.3	21.0	15.9	13.9	181.2	12	3537
	06 LST	9.7	7.1	7.8	8.1	8.3	7.7	4.7	8.4	9.0	14.1	10.2	9.8	104.9	12	4373
	12 LST	8.8	6.5	8.8	8.6	6.3	3.2	0.8	2.1	4.8	11.4	9.4	9.3	80.0	12	4377
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	20.7	24.1	24.8	28.1	27.6	29.2	29.4	27.0	28.6	26.0	25.1	314.0	12	4374
	00 LST	22.5	19.9	22.8	23.0	27.5	28.0	30.3	30.6	26.9	28.2	24.8	24.4	308.9	12	3538
	06 LST	19.7	16.0	20.3	19.0	21.8	25.1	28.3	27.7	23.9	23.4	22.0	21.6	268.8	12	4373
	12 LST	20.8	18.7	23.0	22.3	23.7	24.0	24.5	25.8	23.2	26.0	23.8	22.0	277.8	12	4377
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	17.4	21.5	23.9	26.4	26.3	27.7	27.7	24.5	27.2	24.2	22.0	289.3	12	4374
	00 LST	20.4	18.3	20.5	22.2	26.8	27.1	29.7	30.1	28.6	27.6	23.5	21.1	293.9	12	3538
	06 LST	16.6	13.4	18.7	17.9	20.5	23.5	27.5	26.2	22.9	22.8	19.8	18.6	248.4	12	4373
	12 LST	18.2	15.6	19.4	19.5	19.2	17.6	16.7	17.6	17.4	23.1	20.7	18.9	223.9	12	4377
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.1	16.2	19.4	22.5	24.6	24.2	25.3	26.1	22.7	25.6	22.3	19.9	267.9	12	4374
	00 LST	18.7	17.1	19.2	21.7	25.8	26.1	28.5	29.3	26.0	27.1	22.6	19.6	281.7	12	3538
	06 LST	15.2	12.4	16.9	15.7	18.7	22.1	25.8	24.5	21.3	21.9	17.2	17.0	228.7	12	4373
	12 LST	16.6	14.4	18.1	18.5	18.1	16.7	15.6	16.8	16.5	22.2	19.7	17.5	210.7	12	4377

# MARIANNA, FLORIDA

STA NO. 73384 (IN AREA NUMBER 15)

LATITUDE 3050N

LONGITUDE 08511W

ELEVATION(FT) 00113

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	85	86	94	97	103	106	106	103	106	99	90	85	106	57	-613
MEAN MAX TMP (F)	65	67	74	80	87	91	91	92	89	81	72	66	80	57	-113
MEAN MIN TMP (F)	42	47	49	54	62	68	71	71	67	57	46	42	56	57	-113
ABS MIN TMP (F)	13	13	21	31	41	51	58	56	45	28	19	15	13	57	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.4	9.2	23.6	22.4	25.0	14.2	2.6	0.0	0.0	96.4	5	1826
MEAN NO DYS TMP = OR LES 32(F)	4.6	3.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.2	9.0	22.4	5	1826
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1826
MEAN DEW PT TMP (F)	48	46	49	54	62	70	72	71	68	56	44	43	57	5	43783
MEAN REL HUM (PCT)	77	74	70	70	69	74	77	76	76	70	72	76	73	5	43779
MEAN PRESS. ALT (FT)	-99	-65	-18	9	31	50	13	30	26	-18	-70	-98	-16	0	-50
MEAN PRECIP (IN)	3.99	4.59	4.96	4.43	3.99	5.02	7.17	5.85	5.43	2.60	3.00	4.58	55.6	69	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1825
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.5	8.2	7.2	7.0	6.8	7.8	9.7	8.6	8.1	4.5	5.0	8.1	88.5	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1825
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.8	4.4	3.0	3.4	3.4	1.2	1.0	1.6	1.2	1.6	2.6	4.4	34.8	5	1825
MEAN NO DYS TSTMS	1.6	2.8	3.4	5.2	6.5	9.2	16.2	13.2	5.4	1.4	1.0	1.4	17.6	5	1825
P FREQ WND SPD = OR GTR 17 KTS	4.2	5.2	6.5	2.8	1.6	1.0	0.8	0.6	1.0	1.2	3.2	4.1	2.7	5	43780
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0	5	43780
P FREQ LES 5000 FT A/D LES 5 MI	31.0	28.6	26.7	18.5	16.9	11.5	11.3	13.0	19.7	16.6	20.2	31.1	20	5	43769
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.1	19.9	21.7	10.0	11.0	2.9	1.9	3.9	6.7	4.1	11.6	19.7	11.6	5	5467
03-05 LST	29.2	22.9	22.4	16.5	19.8	10.9	5.0	7.8	11.8	9.2	14.4	22.7	16.1	5	5468
06-08 LST	31.2	27.9	23.4	16.9	15.5	8.4	6.7	9.5	16.4	15.3	15.6	27.3	17.8	5	5474
09-11 LST	19.8	17.7	11.8	4.7	3.7	2.0	1.9	5.0	9.1	7.3	10.4	22.1	9.6	5	5471
12-14 LST	8.0	6.9	5.2	2.0	0.9	1.1	2.4	2.6	4.7	3.7	6.9	12.1	4.7	5	5475
15-17 LST	3.4	5.9	4.7	2.7	1.5	1.1	1.1	1.7	3.8	2.4	4.0	10.6	3.6	5	5472
18-20 LST	4.5	5.7	6.7	3.1	0.4	1.1	1.1	2.4	3.8	2.4	6.7	10.6	4.0	5	5470
21-23 LST	15.3	8.7	13.5	4.4	3.9	2.9	0.4	2.4	3.8	2.8	8.9	13.9	6.7	5	5472
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.7	6.4	5.6	2.4	2.2	1.1	0.4	1.3	0.4	0.9	3.8	10.0	3.7	5	5467
03-05 LST	16.6	10.9	7.5	6.9	7.1	3.1	1.3	2.8	5.4	2.4	6.0	12.1	6.6	5	5468
06-08 LST	16.8	10.2	3.7	3.6	3.0	0.2	1.3	1.5	2.0	3.0	5.6	10.2	5.1	5	5474
09-11 LST	2.2	2.4	0.0	0.4	0.2	0.0	0.6	0.0	0.0	0.0	0.7	2.4	0.7	5	5471
12-14 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.4	0.2	0.4	0.0	0.7	0.4	0.2	5	5475
15-17 LST	0.2	0.0	0.4	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.7	0.9	0.2	5	5472
18-20 LST	0.2	0.0	0.4	0.0	0.0	0.0	0.4	0.2	0.7	0.0	0.7	1.1	0.3	5	5470
21-23 LST	1.5	0.5	0.6	0.2	0.2	0.0	0.0	0.0	0.0	0.2	2.2	3.5	0.7	5	5472

# MARIANNA, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.8	26.2	29.4	29.6	30.8	29.6	30.6	30.4	29.2	30.6	28.8	28.8	354.8	5	1825
	00 LST	24.4	24.2	25.8	28.2	30.4	29.2	30.6	30.4	28.8	30.6	27.6	25.8	336.0	5	1825
	06 LST	22.2	22.2	24.2	25.4	26.2	27.8	29.2	28.6	25.4	25.8	25.6	23.7	306.3	5	1825
	12 LST	29.2	26.6	30.0	29.8	30.8	29.8	30.6	30.8	28.4	30.2	28.8	27.6	352.6	5	1825
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.6	18.1	18.6	22.8	24.6	22.6	27.4	27.6	25.2	27.2	23.8	21.7	283.2	5	1825
	00 LST	18.4	19.0	20.4	24.6	28.4	28.4	29.2	30.0	27.2	27.8	23.4	19.9	296.7	5	1825
	06 LST	17.2	16.5	19.2	20.6	23.4	24.4	26.6	26.8	23.4	23.0	21.8	18.1	261.0	5	1825
	12 LST	13.0	9.9	11.8	16.2	18.6	22.2	22.8	23.4	18.8	18.0	16.0	12.9	203.6	5	1825
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	1.4	0.8	1.0	0.0	0.0	0.0	0.2	0.2	0.0	0.4	0.6	5.2	5	1803
	00 LST	0.4	0.0	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.2	3.4	5	1804
	06 LST	0.4	0.8	0.6	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.2	0.2	2.8	5	1803
	12 LST	3.6	3.4	3.5	1.6	1.0	0.4	0.6	0.4	0.8	1.4	2.4	2.9	22.0	5	1806
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.8	17.1	17.5	19.0	19.8	17.5	20.3	18.4	18.3	16.0	15.1	17.6	214.4	5	1803
	00 LST	15.1	13.8	16.0	10.4	15.6	12.7	15.6	14.0	13.7	12.7	11.1	13.3	164.0	5	1804
	06 LST	12.1	13.9	15.1	11.9	15.0	15.8	15.9	14.8	13.5	12.6	11.2	13.1	164.9	5	1803
	12 LST	16.6	12.9	17.4	17.7	16.4	8.8	8.4	6.2	12.0	17.2	17.9	15.3	166.8	5	1806
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	14.4	14.1	12.0	13.2	11.6	7.4	4.0	4.4	8.4	20.4	16.6	13.9	140.0	5	1825
	00 LST	13.8	15.7	13.6	18.4	21.4	19.6	16.4	20.2	18.0	22.0	18.6	13.7	211.4	5	1825
	06 LST	9.6	10.1	10.6	13.8	12.8	11.4	10.2	13.6	11.4	16.6	14.0	10.3	144.4	5	1825
	12 LST	9.2	9.9	11.0	11.0	8.6	5.6	2.8	4.8	5.6	15.2	13.8	9.5	107.0	5	1825
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.6	25.4	26.8	28.2	30.4	29.0	30.6	29.8	28.0	30.0	27.8	25.9	340.5	5	1825
	00 LST	22.4	21.8	23.0	26.4	28.0	29.0	30.0	30.0	27.6	29.2	25.8	23.7	316.9	5	1825
	06 LST	20.2	19.5	22.2	24.0	25.0	26.2	28.2	27.6	24.4	24.2	23.6	20.7	285.8	5	1825
	12 LST	25.4	23.4	27.2	27.6	30.2	29.0	29.4	29.0	26.6	28.6	27.4	23.3	327.1	5	1825
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.2	22.0	23.8	25.2	28.0	28.0	29.0	26.4	24.2	27.6	26.0	23.5	308.9	5	1825
	00 LST	20.8	20.2	21.8	25.6	27.2	29.0	29.8	29.4	26.4	28.0	24.8	20.7	303.7	5	1825
	06 LST	16.2	16.5	20.6	22.0	23.4	25.4	27.6	27.2	22.8	23.0	21.2	17.9	263.8	5	1825
	12 LST	20.8	19.9	21.6	22.0	23.0	23.8	22.4	22.8	19.6	24.2	22.8	19.5	262.4	5	1825
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	24.2	20.6	22.6	24.4	26.4	25.4	27.6	25.0	22.4	26.4	24.0	22.1	291.1	5	1825
	00 LST	19.4	19.0	20.4	25.2	26.6	28.2	29.6	28.8	25.8	27.6	23.2	18.7	292.5	5	1825
	06 LST	14.4	15.7	19.2	20.4	23.0	24.0	27.0	25.6	21.2	22.0	20.2	15.3	248.0	5	1825
	12 LST	19.2	18.3	20.0	20.6	21.8	23.2	21.2	22.0	17.4	22.8	21.2	18.5	246.2	5	1825

PENSACOLA/ELLYSON FIELD ALF, FLORIDA

STA NO. 73387 (IN AREA NUMBER 13)

LATITUDE 3032N

LONGITUDE 08712W

ELEVATION(FT) 00115

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	79	85	92	103	103	107	102	98	93	85	80	107	11	-73378
MEAN MAX TMP (F)	62	65	69	76	83	89	90	91	87	79	69	63	77	11	-73378
MEAN MIN TMP (F)	45	48	51	59	67	73	75	74	70	60	49	46	60	11	-73378
ABS MIN TMP (F)	23	13	27	39	46	56	68	62	56	34	27	21	13	11	-73378
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.9	12.0	17.2	20.0	9.0	1.0	0.0	0.0	62.4	11	-73378
MEAN NO DYS TMP = DR LES 32(F)	4.2	2.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.2	12.3	11	-73378
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-73378
MEAN DEW PT TMP (F)	44	50	51	57	65	70	73	72	69	59	50	46	59	12	-73378
MEAN REL HUM (PCT)	75	76	72	72	73	74	76	74	75	70	70	74	73	12	-73378
MEAN PRESS ALT (FT)	-97	-64	-11	18	42	60	21	37	30	-15	-66	-94	-11	0	-50
MEAN PRECIP (IN)	3.44	4.57	3.94	4.37	3.32	5.19	5.48	4.57	8.02	3.88	2.67	4.10	53.5	9	-73378
MEAN SNOW FALL (IN)	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9	-73378
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	6.7	5.0	4.9	6.4	6.7	3.9	8.2	6.2	4.6	4.0	6.6	73.4	9	-73378
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	9	-73378
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	4.4	4.9	4.1	2.1	1.1	0.4	0.4	0.2	1.3	1.6	2.2	27.7	12	-73378
MEAN NO DYS YSTMS	1.5	2.2	2.0	4.5	5.6	9.2	13.2	12.2	3.5	2.9	1.3	2.2	60.3	10	-73378
P FREQ WND SPD = DR GTR 17 KTS	7.1	7.5	6.5	4.9	1.6	0.8	0.6	0.4	2.8	2.3	4.6	5.6	3.7	12	-73378
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.2	0.1	12	-73378
P FREQ LES 5000 FT A/D LES 5 MI	39.2	41.7	36.7	32.0	28.3	23.5	21.1	20.2	22.6	18.9	23.9	34.6	28.6	12	-73378
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.8	23.3	24.8	22.1	10.9	1.4	1.2	0.6	7.6	2.7	11.9	12.9	11.9	10	-73378
03-05 LST	27.0	29.5	29.1	31.5	21.9	10.8	4.3	4.9	12.4	11.1	15.0	18.3	18.0	11	-73378
06-08 LST	31.1	35.7	27.7	28.5	21.5	10.9	5.4	7.4	15.0	17.5	19.5	26.2	20.5	12	-73378
09-11 LST	24.7	27.1	20.9	17.9	10.4	7.6	4.2	5.2	11.8	9.2	12.9	22.5	14.5	12	-73378
12-14 LST	20.0	20.9	16.9	13.4	7.1	5.1	3.5	3.2	6.4	5.4	9.1	16.6	10.6	12	-73378
15-17 LST	17.6	18.4	17.7	12.0	5.6	3.1	2.7	2.3	5.5	4.0	8.6	14.9	9.4	12	-73378
18-20 LST	18.8	19.2	18.7	13.6	6.1	2.1	2.1	1.2	5.3	4.6	9.9	14.3	9.7	12	-73378
21-23 LST	23.5	20.6	19.6	16.1	5.4	1.2	1.3	0.2	5.7	5.8	11.0	14.3	10.4	12	-73378
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	6.9	11.1	4.1	1.4	0.0	0.0	0.3	0.3	0.8	1.9	4.7	3.3	10	-73378
03-05 LST	10.7	11.0	11.8	8.5	6.2	2.6	0.2	0.7	1.2	3.3	3.4	6.7	5.5	11	-73378
06-08 LST	10.0	12.6	7.8	5.8	2.2	1.2	0.3	0.9	1.8	2.8	6.1	7.7	4.9	12	-73378
09-11 LST	3.2	2.2	2.4	0.6	0.2	0.3	0.0	0.4	0.9	0.3	1.2	1.8	1.1	12	-73378
12-14 LST	1.4	0.6	0.6	0.4	0.4	0.0	0.1	0.3	0.5	0.1	0.2	0.7	0.4	11	-73378
15-17 LST	1.4	2.0	0.6	0.3	0.0	0.1	0.4	0.2	0.6	0.3	0.6	0.4	0.6	12	-73378
18-20 LST	3.5	4.3	2.9	0.8	0.1	0.1	0.1	0.0	0.4	0.0	1.0	1.8	1.3	12	-73378
21-23 LST	5.7	1.0	7.3	3.1	0.2	0.1	0.1	0.0	0.2	0.6	2.2	3.4	2.5	12	-73378

PENSACOLA/ELLYSON FIELD ALF, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	23.7	25.9	27.4	30.5	29.7	30.7	30.8	28.7	30.2	27.5	27.4	339.3	12	-73378
	00 LST	24.6	22.8	25.1	25.2	29.4	29.7	30.8	31.0	28.7	29.3	26.0	26.9	329.5	12	-73378
	06 LST	22.7	19.3	23.3	22.0	25.2	27.2	29.7	29.2	26.6	25.5	24.7	24.9	300.3	12	-73378
	12 LST	26.5	24.1	27.7	27.6	30.0	29.5	30.4	30.1	28.7	30.2	28.2	27.2	340.2	12	-73378
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.2	17.1	19.4	20.6	24.5	25.6	27.2	27.4	25.2	26.2	22.6	22.4	276.4	12	-73378
	00 LST	18.4	16.8	19.2	20.4	26.7	28.2	30.0	29.7	24.8	25.0	20.5	21.6	281.3	12	-73378
	06 LST	15.7	12.7	16.2	16.2	19.8	24.3	27.8	27.2	21.9	20.4	17.9	18.5	238.6	12	-73378
	12 LST	11.4	9.4	10.5	11.5	17.1	20.2	22.2	22.9	18.0	16.7	13.1	13.3	186.5	12	-73378
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.9	1.8	0.9	0.4	0.2	0.3	0.2	0.5	0.3	0.6	1.0	8.0	12	-73378
	00 LST	0.6	0.9	1.0	0.8	0.1	0.0	0.0	0.0	0.2	0.2	0.6	1.3	5.7	12	-73378
	06 LST	1.2	1.3	1.1	0.3	0.3	0.0	0.0	0.0	0.2	0.5	0.7	1.0	6.6	12	-73378
	12 LST	3.6	4.6	4.0	2.2	1.0	0.3	0.5	0.1	0.8	1.8	2.8	3.3	25.0	12	-73378
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.5	19.0	21.2	22.0	24.2	21.3	19.0	18.8	19.7	18.3	17.9	18.2	239.1	12	-73378
	00 LST	16.5	17.1	19.0	17.2	17.1	14.0	13.8	16.1	15.7	17.7	17.1	16.5	197.8	12	-73378
	06 LST	15.5	14.8	19.1	17.0	16.4	15.4	15.7	17.2	17.6	18.9	18.1	17.1	202.8	12	-73378
	12 LST	14.8	14.4	14.5	17.1	20.1	17.5	12.5	11.3	16.1	18.9	16.2	15.6	189.0	12	-73378
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	7.6	8.4	10.8	9.6	7.2	4.7	4.6	7.0	15.2	13.1	11.4	106.6	12	-73378
	00 LST	11.8	12.1	12.4	14.5	16.6	15.2	13.3	17.2	17.3	21.0	15.9	13.9	181.2	12	-73378
	06 LST	9.7	7.1	7.8	8.1	8.3	7.7	4.7	8.4	9.0	14.1	10.2	9.8	104.9	12	-73378
	12 LST	8.8	6.5	8.8	8.6	6.3	3.2	0.8	2.1	4.8	11.4	9.4	9.3	80.0	12	-73378
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	20.7	24.1	24.8	28.1	27.6	29.2	29.4	27.0	28.6	26.0	25.1	314.0	12	-73378
	00 LST	22.5	19.9	22.8	23.0	27.5	28.0	30.3	30.6	26.9	28.2	24.8	24.4	308.9	12	-73378
	06 LST	19.7	16.0	20.3	19.0	21.8	25.1	28.3	27.7	23.9	23.4	22.0	21.6	268.8	12	-73378
	12 LST	20.8	18.7	23.0	22.3	23.7	24.0	24.5	25.8	23.2	26.0	23.8	22.0	277.8	12	-73378
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	17.4	21.5	23.9	26.4	26.3	27.7	27.7	24.5	27.2	24.2	22.0	289.3	12	-73378
	00 LST	20.4	18.3	20.5	22.2	26.8	27.1	29.7	30.1	26.6	27.6	23.5	21.1	293.9	12	-73378
	06 LST	16.6	13.4	18.7	17.9	20.5	23.5	27.5	26.2	22.9	22.8	19.8	18.6	248.4	12	-73378
	12 LST	18.2	15.6	19.4	19.5	19.2	17.6	16.7	17.6	17.4	23.1	20.7	18.9	223.9	12	-73378
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.1	16.2	19.4	22.5	24.6	24.2	25.3	26.1	22.7	25.6	22.3	19.9	267.9	12	-73378
	00 LST	18.7	17.1	19.2	21.7	25.8	26.1	28.5	29.3	26.0	27.1	22.6	19.6	281.7	12	-73378
	06 LST	15.2	12.4	16.9	15.7	18.7	22.1	25.8	24.5	21.3	21.9	17.2	17.0	228.7	12	-73378
	12 LST	16.6	14.4	18.1	18.5	18.1	16.7	15.6	16.8	16.5	22.2	19.7	17.5	210.7	12	-73378

## VALPARAISO/EGLIN AF AUXILIARY 3, FLORIDA

STA NO. 73388 (IN AREA NUMBER 15)

LATITUDE 3039N

LONGITUDE 08631W

ELEVATION(FT) 00192

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	79	83	92	102	102	100	102	97	92	89	79	102	12	-72221
MEAN MAX TMP (F)	62	65	69	76	84	89	91	91	87	79	69	63	77	12	-72221
MEAN MIN TMP (F)	44	47	50	57	66	72	74	74	70	59	48	43	59	12	-72221
ABS MIN TMP (F)	21	12	28	36	43	55	69	64	57	33	21	18	12	12	-72221
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	3.9	15.1	20.5	21.2	10.7	0.7	0.0	0.0	72.3	12	-72221
MEAN NO DYS TMP = DR LES 32(F)	5.3	2.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.8	15.7	12	-72221
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72221
MEAN DEW PT TMP (F)	45	47	49	56	64	70	73	73	69	58	48	44	58	12	-72221
MEAN REL HUM (PCT)	76	75	70	72	72	73	75	76	77	71	71	73	73	12	-72221
MEAN PRESS ALT (FT)	-21	12	63	92	115	134	95	112	106	60	9	-18	63	0	-50
MEAN PRECIP (IN)	2.85	3.39	4.98	4.66	3.32	4.71	5.81	7.28	6.91	3.39	2.48	4.32	54.1	12	-72221
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72221
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.2	5.9	5.9	4.9	4.7	6.6	9.0	9.0	7.4	3.4	3.8	6.1	70.9	12	-72221
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72221
MEAN NO DYS W/DCUR VSOBY LES 1/2 MI	7.7	6.1	6.1	6.4	3.2	1.7	0.7	0.4	1.1	1.2	4.2	5.5	44.3	12	-72221
MEAN NO DYS TSTMS	1.3	2.3	3.8	4.6	5.6	9.7	16.1	14.1	7.0	1.8	0.9	1.6	68.8	12	-72221
P FREQ WND SPD = DR GTR 17 KTS	4.0	4.1	5.0	4.4	1.9	2.5	1.4	1.0	1.9	2.5	2.6	2.6	2.8	12	-72221
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	12	-72221
P FREQ LES 5000 FT A/D LES 5 MI	38.1	36.9	33.6	29.4	21.9	15.7	12.2	11.4	17.1	15.5	23.5	32.6	24.0	12	-72221
P FREQ LES 1500 FT A/D LES 3 MI	28.0	24.9	25.5	26.2	14.5	4.7	2.0	1.4	5.5	7.0	15.9	21.1	14.7	12	-72221
FOR 00-02 LST	31.0	27.3	27.8	28.9	20.5	9.3	4.3	3.2	8.8	9.2	17.3	21.7	17.4	12	-72221
03-05 LST	29.8	29.4	27.4	23.5	19.8	8.7	3.6	3.5	13.0	11.0	15.4	22.8	17.3	12	-72221
06-08 LST	19.5	20.7	20.2	15.0	9.1	4.8	3.4	2.5	8.8	8.4	10.4	14.7	11.5	12	-72221
09-11 LST	15.3	14.9	15.4	13.1	6.1	3.7	2.2	2.8	6.2	3.9	6.1	13.0	8.6	12	-72221
12-14 LST	14.5	13.9	16.9	11.2	5.1	2.9	1.4	1.9	4.8	3.9	7.3	13.1	8.1	12	-72221
15-17 LST	18.1	16.1	17.6	17.0	8.4	2.6	1.0	2.1	5.1	4.6	10.6	16.6	10.0	12	-72221
18-20 LST	23.4	20.4	21.3	20.4	8.5	3.0	1.0	1.3	4.4	6.1	13.5	19.1	11.9	12	-72221
21-23 LST	14.9	12.5	12.6	9.3	3.4	0.7	0.4	0.0	0.9	0.9	7.5	8.6	6.0	12	-72221
P FREQ LES 300 FT A/D LES 1 MI	16.1	13.5	13.4	12.3	7.8	3.3	0.9	0.5	1.6	1.8	8.4	9.4	7.4	12	-72221
FOR 00-02 LST	15.1	11.8	10.4	6.7	2.8	1.6	0.4	0.3	1.5	2.4	6.5	8.0	5.6	12	-72221
03-05 LST	4.0	4.1	3.0	1.1	0.1	0.1	0.4	0.4	0.9	0.5	1.0	3.1	1.6	12	-72221
06-08 LST	1.3	2.2	2.3	0.6	0.4	0.5	0.4	0.8	0.7	0.0	0.2	1.2	0.9	12	-72221
09-11 LST	2.1	3.0	3.0	0.9	0.2	0.2	0.4	0.6	0.5	0.2	0.8	2.2	1.2	12	-72221
12-14 LST	5.7	4.2	5.6	2.0	0.1	0.3	0.2	0.4	0.6	0.0	2.7	4.3	2.2	12	-72221
15-17 LST	11.8	8.3	8.3	4.0	0.1	0.0	0.0	0.2	0.3	0.5	5.2	7.0	3.8	12	-72221
18-20 LST															
21-23 LST															



## VALPARAISO/EGLIN A.F AUXILIARY 3, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.4	24.3	26.3	26.6	30.0	29.6	30.7	30.7	28.8	30.3	27.4	27.2	338.3	12	-72221
	00 LST	23.4	22.0	23.9	23.7	28.6	29.3	30.7	30.8	28.8	29.7	26.3	25.2	322.4	12	-72221
	06 LST	22.2	20.9	21.9	23.1	26.0	27.4	30.1	30.3	26.6	28.4	25.3	24.4	306.6	12	-72221
	12 LST	27.3	24.9	27.7	27.6	30.1	29.4	30.6	30.6	28.8	30.3	29.3	28.5	345.1	12	-72221
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.7	18.1	17.7	19.0	20.5	20.0	22.8	24.6	23.8	24.9	22.8	22.5	256.4	12	-72221
	00 LST	18.0	16.8	17.5	19.1	24.2	25.7	28.5	29.2	24.3	24.6	21.5	20.3	269.7	12	-72221
	06 LST	16.0	14.9	15.5	17.2	19.7	23.1	27.7	27.3	21.8	22.4	20.3	18.0	243.9	12	-72221
	12 LST	13.2	10.2	10.2	9.2	10.6	11.6	15.0	16.9	15.7	17.3	15.5	16.8	162.2	12	-72221
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.7	1.1	0.9	0.4	0.2	0.2	0.0	0.1	0.3	0.5	0.2	5.4	12	-72221
	00 LST	0.7	0.5	0.7	0.8	0.1	0.0	0.1	0.1	0.2	0.3	0.3	0.8	4.6	12	-72221
	06 LST	0.7	0.7	0.7	0.7	0.0	0.2	0.1	0.1	0.4	0.7	0.5	0.6	5.4	12	-72221
	12 LST	1.9	1.9	3.1	2.8	1.5	2.2	0.8	0.4	0.9	1.1	1.7	1.6	19.9	12	-72221
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.8	16.7	20.9	22.2	24.1	20.6	20.4	21.1	18.7	16.3	14.5	15.7	228.0	12	-72221
	00 LST	16.6	13.5	18.0	16.5	18.2	15.4	14.5	15.3	14.4	15.7	14.6	16.4	189.1	12	-72221
	06 LST	13.1	14.2	17.4	19.1	19.0	17.0	15.9	19.0	17.8	17.2	14.5	16.5	200.7	12	-72221
	12 LST	18.0	16.2	16.6	14.8	14.8	10.2	10.0	10.1	15.4	20.2	17.6	19.2	183.1	12	-72221
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.6	8.1	9.0	9.6	9.1	6.9	1.6	4.3	7.4	16.0	13.5	11.2	106.3	12	-72221
	00 LST	11.2	11.3	12.3	13.7	17.1	16.2	13.3	17.5	17.4	20.3	16.4	13.7	182.4	12	-72221
	06 LST	8.5	8.2	7.4	8.4	7.9	7.7	4.2	9.1	9.4	15.2	11.2	9.7	106.9	12	-72221
	12 LST	8.1	7.5	9.4	9.8	6.7	5.1	1.5	2.4	4.5	13.3	10.8	9.1	88.2	12	-72221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.5	23.6	25.0	27.8	28.4	29.8	29.8	27.4	28.6	25.8	24.9	317.2	12	-72221
	00 LST	21.3	20.3	22.4	22.4	26.2	28.1	30.1	30.2	28.1	28.5	24.8	23.3	305.7	12	-72221
	06 LST	18.8	18.3	20.6	21.2	22.4	26.2	29.0	29.1	25.1	26.8	23.6	21.3	282.4	12	-72221
	12 LST	23.7	20.3	24.5	24.3	27.2	27.1	28.3	29.0	25.7	27.7	26.6	24.9	309.3	12	-72221
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.9	19.3	21.2	23.1	26.4	26.2	28.0	27.7	25.2	26.9	23.9	21.9	289.7	12	-72221
	00 LST	18.9	17.7	20.2	20.9	25.1	26.7	29.1	29.1	27.4	27.2	23.3	20.8	286.4	12	-72221
	06 LST	16.8	15.1	18.3	19.6	20.8	25.1	27.5	27.7	23.4	25.3	21.2	19.0	259.8	12	-72221
	12 LST	20.7	17.6	21.4	22.8	23.6	23.6	24.1	23.3	22.7	25.6	22.7	20.6	268.7	12	-72221
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.5	18.3	19.6	22.2	25.0	25.1	26.3	26.6	23.1	26.2	22.7	19.3	273.1	12	-72221
	00 LST	17.7	16.7	18.5	20.5	24.1	25.6	28.6	28.6	25.3	26.1	22.2	18.9	272.8	12	-72221
	06 LST	15.6	13.6	16.6	18.2	20.0	23.8	26.7	26.7	21.6	24.6	19.6	17.1	244.1	12	-72221
	12 LST	18.8	15.4	20.3	22.1	22.7	22.8	22.9	22.1	21.2	25.1	21.6	18.6	253.7	12	-72221

## BOCA RATON MUNICIPAL, FLORIDA

STA NO. 73472 (IN AREA NUMBER 15)

LATITUDE 2622N

LONGITUDE 08006W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
ABS MAX TMP (F)	86	87	89	92	96	99	96	95	95	91	88	87	99	6	1779
MEAN MAX TMP (F)	77	77	80	83	85	88	89	89	88	84	80	77	83	6	1779
MEAN MIN TMP (F)	59	56	62	67	69	72	73	74	74	70	64	58	67	6	1779
ABS MIN TMP (F)	37	32	39	41	51	64	62	67	68	46	43	35	32	6	1779
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.4	1.4	6.6	11.6	13.0	6.7	1.0	0.0	0.0	41.7	6	1779
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6	1779
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1779
MEAN DEW PT TMP (F)	60	57	61	66	68	72	73	74	74	68	64	60	66	6	40580
MEAN REL HUM (PCT)	77	73	73	74	74	77	81	80	80	77	77	78	77	6	40574
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.97	1.03	2.83	1.95	5.45	8.79	9.63	6.62	8.14	8.43	4.22	1.66	60.7	6	1779
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	654
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.0	2.4	3.5	4.0	7.0	9.6	12.2	10.6	9.9	10.4	4.8	3.6	82.0	6	1779
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	654
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	1.8	2.0	2.4	1.4	2.0	0.8	0.6	0.6	1.0	0.8	2.0	18.2	6	1776
MEAN NO DYS TSTMS	0.4	0.2	1.7	2.2	6.6	7.0	12.4	12.2	6.2	3.1	0.4	0.8	53.2	6	1779
P FREQ WND SPD = OR GTR 17 KTS	1.8	3.7	5.1	5.4	4.7	0.7	0.6	0.6	4.0	7.3	4.6	4.2	3.6	6	42592
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.0	0.1	6	42592
P FREQ LES 5000 FT A/D LES 5 MI	28.0	26.4	25.6	24.8	25.5	21.7	19.3	19.1	21.8	24.9	25.7	32.8	24.6	6	42587
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	4.5	3.8	3.8	6.0	4.7	1.3	0.2	2.0	3.6	1.2	4.3	3.2	6	5324
03-05 LST	8.4	9.9	5.6	8.4	13.5	9.6	3.7	1.1	3.1	4.7	4.7	9.3	6.8	6	5331
06-08 LST	9.9	16.1	12.1	10.2	11.6	6.7	2.8	1.7	3.8	6.0	8.0	10.8	8.3	6	5330
09-11 LST	5.4	3.1	5.6	0.4	4.1	4.0	2.2	0.6	3.1	4.7	3.1	4.1	3.4	6	5332
12-14 LST	2.8	1.7	3.0	2.2	4.1	5.8	2.6	1.7	2.9	4.9	2.4	4.1	3.2	6	5334
15-17 LST	1.9	0.7	3.0	2.4	4.1	5.3	3.2	2.8	3.6	4.0	2.4	4.3	3.1	6	5333
18-20 LST	1.7	0.9	3.2	2.5	1.7	4.4	1.1	0.2	4.0	3.6	3.3	3.0	2.5	6	5329
21-23 LST	1.5	0.7	1.3	1.8	3.7	3.6	0.4	0.6	1.8	2.7	1.7	1.1	1.7	6	5329
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	1.7	1.1	1.3	1.7	1.6	0.2	0.0	0.7	0.7	0.0	2.2	1.1	6	5324
03-05 LST	4.5	5.7	2.2	4.9	6.9	4.2	0.2	0.0	0.4	1.3	1.4	5.7	3.1	6	5331
06-08 LST	5.6	6.9	3.2	4.9	2.8	2.7	0.2	0.4	0.2	1.6	3.3	4.3	3.0	6	5330
09-11 LST	0.6	0.2	0.3	0.0	0.6	0.4	0.4	0.0	1.3	0.9	0.0	0.2	0.4	6	5332
12-14 LST	0.0	0.0	0.3	0.7	0.9	1.8	1.3	0.2	0.9	0.4	0.2	0.2	0.6	6	5334
15-17 LST	0.0	0.0	0.3	0.7	1.3	1.3	0.6	0.6	1.1	0.2	0.2	0.0	0.5	6	5333
18-20 LST	0.2	0.0	0.0	0.7	0.0	0.9	0.4	0.0	0.7	0.0	0.0	0.0	0.2	6	5329
21-23 LST	0.0	0.2	0.0	0.0	0.0	0.7	0.0	0.4	0.7	0.4	0.2	0.2	0.2	6	5329

## BOCA RATON MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.6	27.8	30.2	29.6	30.4	28.6	31.0	31.0	29.8	30.2	29.8	30.6	309.6	6	1778
	01 LST	30.4	26.8	30.0	29.0	29.4	28.8	30.6	31.0	29.8	29.9	30.0	29.6	305.3	6	1779
	07 LST	27.8	22.0	27.7	27.4	27.6	28.8	30.8	30.8	29.2	30.2	28.1	27.8	308.2	6	1778
	13 LST	30.2	27.8	30.5	29.6	30.2	28.6	30.6	30.2	29.6	29.9	29.3	30.2	306.7	6	1780
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.6	22.0	23.5	19.0	21.2	23.0	27.8	27.2	20.5	21.8	20.4	22.5	273.5	6	1778
	01 LST	23.4	19.7	21.0	20.8	22.0	26.4	29.8	28.0	23.0	21.1	21.7	21.1	278.0	6	1779
	07 LST	22.0	14.5	18.7	15.6	18.8	23.4	27.0	27.0	22.1	21.6	19.4	20.7	250.8	6	1778
	13 LST	14.0	8.5	8.7	5.8	7.0	10.6	14.6	14.8	12.6	11.6	11.5	11.8	131.5	6	1780
SPC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.2	1.0	1.0	0.4	0.0	0.0	0.0	0.8	2.3	0.4	1.0	7.3	6	1765
	01 LST	0.2	0.8	0.5	0.6	0.8	0.0	0.0	0.0	0.8	1.7	0.6	1.0	7.0	6	1767
	07 LST	0.0	0.6	0.7	1.0	0.4	0.2	0.0	0.0	0.8	1.9	1.1	0.8	7.9	6	1766
	13 LST	1.2	3.2	3.2	4.8	2.6	0.6	0.4	0.2	2.4	3.2	1.7	1.8	25.3	6	1763
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.8	20.4	22.5	20.4	21.9	21.0	18.2	18.1	18.2	16.6	18.6	20.1	234.8	6	1765
	01 LST	18.7	15.7	17.4	19.2	18.9	17.2	13.7	12.9	14.2	14.2	15.2	16.5	193.8	6	1766
	07 LST	20.1	17.0	18.1	17.4	19.0	17.0	14.9	15.4	12.7	14.8	15.1	18.5	200.0	6	1766
	13 LST	17.8	13.5	14.5	11.0	13.9	15.4	17.3	16.2	15.7	16.6	16.4	16.1	164.4	6	1763
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.0	12.5	16.0	8.0	4.5	1.0	1.3	2.5	2.5	10.0	10.0	9.0	90.0	2	652
	01 LST	13.0	12.5	18.0	15.5	14.5	7.5	10.0	11.5	10.1	11.9	12.3	9.0	145.8	2	653
	07 LST	7.0	8.5	10.0	9.0	5.0	0.5	2.0	3.5	4.1	7.8	4.7	4.0	66.1	2	652
	13 LST	2.5	7.5	11.0	5.5	4.0	0.5	0.5	0.0	0.5	2.8	1.2	3.0	39.0	2	653
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.2	26.2	28.5	27.4	28.6	26.0	29.4	28.0	25.4	26.4	26.4	28.4	329.9	6	1778
	01 LST	28.8	26.0	28.2	27.6	27.8	26.2	29.4	29.8	26.4	28.9	27.4	28.4	334.9	6	1779
	07 LST	25.4	19.5	25.0	25.2	26.0	25.8	29.6	29.6	27.8	27.2	25.7	25.4	312.2	6	1778
	13 LST	27.8	25.0	27.7	27.2	27.8	26.0	28.0	26.8	25.4	24.7	24.2	26.4	317.0	6	1780
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.4	24.7	24.4	24.4	24.6	27.0	26.8	22.7	24.7	23.0	22.3	291.6	6	1778
	01 LST	25.6	22.8	25.2	25.8	25.2	25.6	28.6	28.6	25.1	27.1	24.5	23.1	307.2	6	1779
	07 LST	20.0	15.3	21.7	20.0	23.2	24.4	28.0	27.8	26.0	24.7	22.1	19.3	272.5	6	1778
	13 LST	17.4	19.3	20.5	20.8	22.4	23.0	22.8	20.0	21.0	18.5	18.9	18.4	243.2	6	1780
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.6	21.6	24.5	23.6	23.0	23.4	25.6	26.2	22.5	23.5	21.9	20.9	280.3	6	1778
	01 LST	24.6	22.4	25.0	25.2	25.0	25.4	28.6	28.6	25.1	25.8	23.8	21.1	300.6	6	1779
	07 LST	19.6	14.9	20.7	18.8	23.0	24.0	27.8	27.4	25.8	23.3	20.6	18.1	264.0	6	1778
	13 LST	16.2	18.3	20.2	20.4	21.6	22.8	22.4	20.0	21.0	17.7	18.1	16.4	235.1	6	1780

# AVON PARK AF AUXILIARY, FLORIDA

STA NO. 73473 (IN AREA NUMBER 19)

LATITUDE 2739N

LONGITUDE 08120W

ELEVATION(FT) 00068

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
ABS MAX TMP (F)	85	88	90	97	103	102	99	98	97	92	89	86	103	4	1142
MEAN MAX TMP (F)	73	77	81	85	88	92	91	92	90	83	78	73	84	4	1142
MEAN MIN TMP (F)	50	52	57	62	65	71	72	73	72	61	55	51	62	4	1142
ABS MIN TMP (F)	36	27	28	43	49	66	67	68	65	43	40	34	27	4	1142
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.7	7.7	14.0	25.3	21.7	26.7	18.9	1.3	0.0	0.0	116.2	4	1142
MEAN NO DYS TMP = OR LES 32(F)	0.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4	1142
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1142
MEAN DEW PT TMP (F)	52	53	58	61	64	71	72	73	72	63	56	53	62	4	26720
MEAN REL HUM (PCT)	77	70	72	71	71	78	81	80	81	78	76	77	76	4	26699
MEAN PRESS. ALT (FT)	-135	-106	-76	-90	-22	-12	-31	-21	-1	-33	-103	-132	-61	0	-50
MEAN PRECIP (IN)	1.84	0.38	1.31	3.35	3.34	11.35	9.12	4.13	6.58	2.33	0.91	0.94	45.6	4	954
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	1.0	2.6	4.7	5.4	11.6	16.5	8.8	7.9	3.4	1.5	2.6	67.4	4	954
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.7	7.2	5.6	5.6	2.0	3.0	1.3	0.6	1.7	2.0	1.7	8.2	42.6	4	1117
MEAN NO DYS TSTMS	0.7	0.0	2.0	3.0	3.3	13.7	10.7	12.3	6.7	0.7	0.3	0.3	61.7	4	1115
P FREQ WND SPD = OR GTR 17 KTS	2.3	4.0	5.2	6.8	3.5	1.7	0.5	1.5	2.9	4.1	1.9	4.3	3.2	4	26745
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.5	0.1	0.1	0.0	0.0	0.6	0.3	0.0	0.0	0.1	4	26745
P FREQ LES 5000 FT A/D LES 5 MI	33.8	38.3	37.5	34.5	35.0	37.6	28.1	27.0	28.0	23.6	23.8	34.2	31.8	4	26738
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.3	6.3	7.5	4.1	2.5	5.2	0.7	1.0	4.9	5.4	5.6	15.6	6.0	4	3352
03-05 LST	26.4	37.3	26.5	19.0	13.4	16.7	1.8	2.7	9.8	15.2	14.9	23.4	17.4	4	3347
06-08 LST	35.5	53.3	36.9	26.4	24.5	12.6	3.9	6.6	11.3	24.7	23.8	37.1	24.7	4	3419
09-11 LST	14.7	16.1	11.6	5.2	5.0	8.1	1.4	2.4	7.7	8.6	8.9	18.8	9.0	4	3425
12-14 LST	8.6	3.5	3.4	0.7	0.4	8.2	4.3	2.8	5.2	5.7	5.2	9.1	5.1	4	3416
15-17 LST	1.4	3.9	2.9	2.2	1.4	10.4	7.2	3.9	5.9	3.6	0.4	4.7	4.0	4	3402
18-20 LST	2.2	10.2	1.4	4.1	4.3	8.9	2.5	1.9	4.3	3.2	1.5	4.8	4.1	4	3372
21-23 LST	7.9	8.7	1.8	3.7	3.2	4.1	0.0	0.3	2.2	3.9	1.9	7.0	3.7	4	3344
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.5	1.6	1.4	1.5	0.0	2.6	0.4	0.0	0.3	1.4	1.7	9.8	1.9	4	3352
03-05 LST	10.9	17.6	12.2	9.3	3.9	7.4	0.4	0.0	2.8	4.3	3.3	13.9	7.2	4	3347
06-08 LST	12.9	23.9	12.2	8.9	7.9	3.0	0.7	0.5	4.0	8.0	7.4	20.0	9.1	4	3419
09-11 LST	1.4	0.8	0.4	0.4	0.0	1.5	0.0	0.0	0.9	0.4	0.7	2.2	0.7	4	3425
12-14 LST	0.0	0.0	0.4	0.0	0.0	1.9	0.7	0.3	0.3	0.0	1.1	0.7	0.5	4	3416
15-17 LST	0.0	0.0	0.0	0.4	0.0	2.2	1.4	0.3	0.6	0.0	0.0	0.0	0.4	4	3402
18-20 LST	0.0	0.8	0.0	0.0	0.4	1.1	0.4	0.3	0.0	0.4	0.0	0.4	0.3	4	3372
21-23 LST	1.1	0.4	0.0	0.4	0.0	0.7	0.0	0.0	0.0	1.1	0.0	3.3	0.6	4	3344

# AVON PARK AF AUXILIARY, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	25.3	30.7	28.7	29.6	28.0	30.7	30.2	29.4	30.7	29.6	30.7	354.3	4	1138
	01 LST	28.0	27.0	29.3	29.3	30.0	28.7	30.7	30.7	29.2	30.0	28.0	25.3	346.2	4	1119
	07 LST	18.0	11.2	19.7	22.3	24.3	26.3	30.3	29.5	27.5	22.0	22.7	18.8	272.6	4	1144
	13 LST	30.0	26.7	29.3	30.0	31.0	28.3	30.0	30.5	28.9	29.6	29.0	29.6	352.9	4	1142
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.6	19.1	17.6	12.7	16.6	20.6	28.3	26.6	23.9	24.3	24.3	22.8	261.4	4	1138
	01 LST	24.0	23.4	26.0	26.0	29.0	28.7	30.0	30.3	27.8	26.3	24.0	21.2	316.3	4	1119
	07 LST	12.0	8.5	14.3	17.3	20.3	23.3	24.3	28.2	26.1	19.7	19.0	12.8	230.8	4	1144
	13 LST	14.0	14.5	9.3	13.0	17.3	20.0	23.3	22.8	19.4	17.6	15.0	16.5	202.7	4	1142
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.3	0.7	1.3	0.7	0.0	0.0	0.2	0.3	0.0	0.0	0.7	4.2	4	1124
	01 LST	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.3	0.7	0.3	1.0	2.9	4	1114
	07 LST	0.3	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	2.3	4	1136
	13 LST	1.6	3.3	4.4	4.7	1.6	0.3	0.3	1.2	1.7	2.0	1.7	4.7	27.5	4	1137
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	20.0	19.7	21.0	18.3	20.3	19.9	16.7	17.8	16.7	17.2	23.6	16.3	227.5	4	1124
	01 LST	19.0	17.4	17.6	21.0	14.0	8.5	7.3	7.9	10.4	13.8	18.0	12.8	167.7	4	1114
	07 LST	18.2	13.2	16.2	15.7	17.3	12.4	10.3	13.3	14.9	13.8	15.3	12.2	172.8	4	1135
	13 LST	17.0	14.5	14.5	13.7	14.3	5.8	9.4	7.1	9.2	19.9	18.3	15.8	159.5	4	1137
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.3	23.7	29.3	26.6	28.6	25.3	28.6	27.6	26.9	30.0	29.3	29.0	334.2	4	1138
	01 LST	27.0	25.3	27.0	28.3	30.0	28.7	30.0	30.7	28.3	29.3	27.3	24.2	336.1	4	1119
	07 LST	16.6	10.2	17.6	21.3	23.7	25.7	29.6	28.7	27.2	22.0	22.0	16.8	261.4	4	1144
	13 LST	25.0	23.7	26.0	27.3	30.0	24.0	25.6	28.2	25.3	26.3	26.6	24.9	312.9	4	1142
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.3	21.7	23.0	21.3	23.0	18.7	22.0	23.7	21.9	27.0	26.6	25.3	280.7	4	1138
	01 LST	23.3	22.4	25.3	25.3	28.6	28.0	30.0	29.1	27.8	27.7	25.7	21.9	315.1	4	1119
	07 LST	14.7	7.9	15.0	19.7	23.0	25.0	29.0	28.2	26.7	21.3	20.6	14.1	245.2	4	1144
	13 LST	17.3	17.1	14.3	14.6	12.3	9.3	9.6	11.4	12.2	18.7	20.0	19.5	176.3	4	1142
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.1	21.3	20.3	22.0	15.3	16.0	19.8	19.4	25.6	25.0	24.5	255.6	4	1138
	01 LST	22.3	21.7	23.7	24.7	27.3	27.0	29.3	28.1	26.7	27.3	25.0	21.5	304.6	4	1119
	07 LST	12.6	6.9	14.0	17.6	21.6	24.0	26.0	26.4	25.6	20.6	19.7	13.1	228.1	4	1144
	13 LST	16.6	16.8	13.0	13.7	11.7	9.0	8.3	10.7	10.8	18.0	19.0	19.2	166.8	4	1142

# AVON PARK MUNICIPAL, FLORIDA

STA NO. 73474 (IN AREA NUMBER 13)

LATITUDE 2735N

LONGITUDE 08132W

ELEVATION(FT) 00156

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	94	96	99	102	103	102	102	101	98	92	90	103	58	-113
MEAN MAX TMP (F)	75	76	81	85	89	91	92	92	90	85	79	75	84	58	-113
MEAN MIN TMP (F)	52	53	56	61	66	70	72	72	72	66	58	53	63	59	-113
ABS MIN TMP (F)	22	23	28	36	46	54	60	61	59	40	30	21	21	59	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.0	3.0	19.0	26.0	27.0	28.0	22.0	7.0	1.0	0.0	134.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	3.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59	-29
MEAN DEW PT TMP (F)	52	53	58	61	64	71	72	73	72	63	56	53	62	4	-73473
MEAN REL HUM (PCT)	77	70	72	71	71	78	81	80	81	78	76	77	76	4	-73473
MEAN PRESS ALT (FT)	-48	-18	12	38	66	76	37	66	86	53	-16	-45	26	0	-50
MEAN PRECIP (IN)	2.14	2.51	2.58	2.93	4.33	8.57	8.37	7.64	7.26	4.07	1.62	1.77	53.8	62	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			59	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.9	5.5	5.6	6.0	7.0	11.1	10.9	10.2	10.4	6.4	3.1	4.2	85.3	62	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			59	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.7	7.2	5.6	5.6	2.0	3.0	1.3	0.6	1.7	2.0	1.7	8.2	42.6	4	-73473
MEAN NO DYS TSTMS	0.7	0.0	2.0	3.0	3.3	13.7	18.7	12.3	6.7	0.7	0.3	0.3	61.7	4	-73473
P FREQ WND SPD = OR GTR 17 KTS	2.3	4.0	5.2	6.8	3.5	1.7	0.5	1.5	2.9	4.1	1.9	4.3	3.2	4	-73473
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.5	0.1	0.1	0.0	0.0	0.6	0.3	0.0	0.0	0.1	4	-73473
P FREQ LES 3000 FT A/D LES 3 MI	33.8	38.3	37.5	34.5	35.0	37.6	28.1	27.0	28.0	23.6	23.8	34.2	31.8	4	-73473
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	13.3	6.3	7.5	4.1	2.5	5.2	0.7	1.0	4.9	5.4	5.6	15.6	6.0	4	-73473
03-05 LST	26.4	37.3	26.5	19.0	15.4	16.7	1.8	2.7	9.8	15.2	14.9	23.4	17.4	4	-73473
06-08 LST	35.5	53.3	36.9	26.4	24.5	12.6	3.9	6.6	11.3	24.7	23.8	37.1	24.7	4	-73473
09-11 LST	14.7	16.1	11.6	5.2	3.0	8.1	1.4	2.4	7.7	8.6	8.9	18.8	9.0	4	-73473
12-14 LST	8.6	5.5	5.4	0.7	0.4	8.2	4.3	2.8	5.2	5.7	5.2	9.1	5.1	4	-73473
15-17 LST	1.4	3.9	2.9	2.2	1.4	10.4	7.2	3.9	3.9	3.6	0.4	4.7	4.0	4	-73473
18-20 LST	2.2	10.2	1.4	4.1	4.3	8.9	2.5	1.9	4.3	3.2	1.5	4.8	4.1	4	-73473
21-23 LST	7.9	8.7	1.8	3.7	3.2	4.1	0.0	0.3	2.2	3.9	1.9	7.0	3.7	4	-73473
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.5	1.6	1.4	1.5	0.0	2.6	0.4	0.0	0.3	1.4	0.7	9.8	1.9	4	-73473
03-05 LST	10.9	17.6	12.2	9.3	3.9	7.4	0.4	0.0	2.8	4.3	3.3	13.9	7.2	4	-73473
06-08 LST	12.9	23.9	12.2	8.9	7.9	3.0	0.7	0.3	4.0	8.0	7.4	20.0	9.1	4	-73473
09-11 LST	1.4	0.8	0.4	0.4	0.0	1.5	0.0	0.0	0.9	0.4	0.7	2.2	0.7	4	-73473
12-14 LST	0.0	0.0	0.4	0.0	0.0	1.9	0.7	0.3	0.3	0.0	1.1	0.7	0.3	4	-73473
15-17 LST	0.0	0.0	0.0	0.4	0.0	2.2	1.4	0.3	0.6	0.0	0.0	0.0	0.4	4	-73473
18-20 LST	0.0	0.8	0.0	0.0	0.4	1.1	0.4	0.3	0.0	0.4	0.0	0.4	0.3	4	-73473
21-23 LST	1.1	0.4	0.0	0.4	0.0	0.7	0.0	0.0	0.0	1.1	0.0	3.3	0.6	4	-73473

# AVON PARK MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	25.3	30.7	28.7	29.6	28.0	30.7	30.2	29.4	30.7	29.6	30.7	354.3	4	-73473
	01 LST	28.0	27.0	29.3	29.3	30.0	28.7	30.7	30.7	29.2	30.0	28.0	25.3	346.2	4	-73473
	07 LST	18.0	11.2	19.7	22.3	24.3	26.3	30.3	29.5	27.5	22.0	22.7	18.8	272.6	4	-73473
	13 LST	30.0	26.7	29.3	30.0	31.0	28.3	30.0	30.5	28.9	29.6	29.0	29.6	352.9	4	-73473
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.6	19.1	17.6	12.7	16.6	20.6	28.3	26.6	23.9	24.3	24.3	22.8	261.4	4	-73473
	01 LST	24.0	23.4	26.0	26.0	29.0	28.3	30.0	30.3	27.8	26.3	24.0	21.2	316.3	4	-73473
	07 LST	12.0	8.5	14.3	17.3	20.3	23.3	29.3	28.2	26.1	19.7	19.0	12.8	230.8	4	-73473
	13 LST	14.0	14.5	9.3	13.0	17.3	20.0	23.3	22.8	19.4	17.6	15.0	16.5	202.7	4	-73473
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.3	0.7	1.3	0.7	0.0	0.0	0.2	0.3	0.0	0.0	0.7	4.2	4	-73473
	01 LST	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.3	0.7	0.3	1.0	2.9	4	-73473
	07 LST	0.3	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	2.3	4	-73473
	13 LST	1.6	3.3	4.4	4.7	1.6	0.3	0.3	1.2	1.7	2.0	1.7	4.7	27.5	4	-73473
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	20.0	19.7	21.0	18.3	20.3	19.9	16.7	17.8	16.7	17.2	23.6	16.3	227.5	4	-73473
	01 LST	19.0	17.4	17.6	21.0	14.0	8.5	7.3	7.9	10.4	13.8	18.0	12.8	167.7	4	-73473
	07 LST	18.2	13.2	16.2	15.7	17.3	12.4	10.3	13.3	14.9	13.8	15.3	12.2	172.8	4	-73473
	13 LST	17.0	14.5	14.5	13.7	14.3	5.8	9.4	7.1	9.2	19.9	18.3	15.8	159.5	4	-73473
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.3	23.7	29.3	26.6	28.6	25.3	28.6	27.6	26.9	30.0	29.3	29.0	334.2	4	-73473
	01 LST	2.0	25.3	27.0	28.3	30.0	28.7	30.0	30.7	28.3	29.3	27.3	24.2	336.1	4	-73473
	07 LST	16.6	10.2	17.6	21.3	23.7	25.7	29.6	28.7	27.2	22.0	22.0	16.8	261.4	4	-73473
	13 LST	25.0	23.7	26.0	27.3	30.0	24.0	25.6	28.2	25.3	26.3	26.6	24.9	312.9	4	-73473
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.3	21.7	23.0	21.3	23.0	18.7	22.0	23.7	21.9	27.0	26.6	25.5	280.7	4	-73473
	01 LST	23.3	22.4	25.3	25.3	28.6	28.0	30.0	29.1	27.8	27.7	25.7	21.9	315.1	4	-73473
	07 LST	14.7	7.9	15.0	19.7	23.0	25.0	29.0	28.2	26.7	21.3	20.6	14.1	245.2	4	-73473
	13 LST	17.3	17.1	14.3	14.6	12.3	9.3	9.6	11.4	12.2	18.7	20.0	19.3	176.3	4	-73473
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.1	21.3	20.3	22.0	15.3	16.0	19.8	19.4	23.6	25.0	24.5	255.6	4	-73473
	01 LST	22.3	21.7	23.7	24.7	27.3	27.0	29.3	28.1	26.7	27.3	25.0	21.5	304.6	4	-73473
	07 LST	12.6	6.9	14.0	17.6	21.6	24.0	26.0	26.4	25.6	20.6	19.7	13.1	228.1	4	-73473
	13 LST	16.6	16.8	13.0	13.7	11.7	9.0	8.3	10.7	10.8	18.0	19.0	19.2	166.8	4	-73473



## SEBRING AIR TERMINAL, FLORIDA

STA NO. 73475 (IN AREA NUMBER 15)

LATITUDE 2727N

LONGITUDE 08120W

ELEVATION(FT) 00063

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	89	91	100	102	99	101	98	99	95	88	86	102	4	1371
MEAN MAX TMP (F)	75	79	82	85	89	92	93	93	91	85	79	75	85	4	1371
MEAN MIN TMP (F)	51	53	58	62	65	71	73	73	72	65	57	52	63	4	1371
ABS MIN TMP (F)	40	30	31	42	53	64	66	68	68	46	40	34	30	4	1371
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.0	6.8	19.5	25.0	26.5	27.0	23.0	5.7	0.0	0.0	134.5	4	1371
MEAN NO DYS TMP = OR LES 32(F)	0.0	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4	1371
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1371
MEAN DEW PT TMP (F)	53	53	58	60	64	71	73	73	73	65	57	54	63	4	32765
MEAN REL HUM (PCT)	76	69	71	70	69	76	79	79	80	77	74	76	75	4	32741
MEAN PRESS ALT (FT)	-142	-112	-81	-56	-28	-18	-56	-27	-8	-41	-111	-139	-67	0	-50
MEAN PRECIP (IN)	1.76	0.27	2.09	3.01	1.29	6.20	9.46	5.25	4.78	3.41	0.47	1.49	41.5	4	1371
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	0.3	2.7	4.5	5.2	8.7	12.5	10.0	9.8	4.7	1.2	2.7	64.6	4	1371
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.3	5.9	2.7	2.0	1.5	1.5	1.0	0.7	1.5	0.7	2.0	3.5	29.3	4	1370
MEAN NO DYS TSTMS	0.7	0.0	1.6	2.3	4.2	10.2	12.0	8.2	5.0	1.5	0.2	0.7	46.6	4	1368
P FREQ WND SPD = OR GTR 17 KTS	2.3	3.8	6.9	5.2	4.3	2.0	1.1	2.1	4.1	5.4	4.9	4.7	3.9	4	32841
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.4	0.6	0.1	0.0	0.1	4	32841
P FREQ LES 5000 FT A/D LES 5 MI	35.2	35.2	29.2	29.3	32.4	33.1	24.4	19.7	25.7	21.3	17.4	31.9	27.9	4	32827
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.8	5.9	7.2	2.2	1.3	6.7	0.8	0.8	2.5	2.7	3.1	14.1	4.8	4	4100
03-05 LST	24.5	23.5	12.6	13.9	13.4	13.1	1.9	1.6	3.9	4.3	6.4	20.1	11.6	4	4105
06-08 LST	33.5	39.6	22.3	16.4	16.4	15.9	1.6	2.2	6.4	10.2	11.1	24.4	16.7	4	4103
09-11 LST	15.4	12.3	12.2	3.9	2.7	6.9	1.1	0.5	1.7	6.8	5.3	10.8	6.7	4	4106
12-14 LST	5.4	2.4	4.3	1.1	1.6	6.4	2.7	0.8	3.9	5.7	1.9	3.7	3.5	4	4103
15-17 LST	0.4	2.0	2.5	1.7	1.6	5.3	4.6	2.2	4.4	4.3	1.4	3.3	2.8	4	4105
18-20 LST	2.2	1.6	3.6	4.7	2.2	7.5	3.0	1.3	2.5	3.5	1.1	3.5	3.1	4	4103
21-23 LST	6.1	2.7	3.2	1.7	2.2	3.9	1.3	1.1	1.7	2.2	1.4	6.0	2.8	4	4102
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.0	1.2	2.5	0.3	0.0	0.8	0.0	0.0	0.0	0.8	1.7	7.9	1.7	4	4100
03-05 LST	11.5	11.4	5.0	5.0	3.5	2.8	0.3	0.5	0.6	2.2	2.8	12.7	4.9	4	4105
06-08 LST	13.3	20.8	9.7	4.4	4.3	2.8	0.3	1.1	1.1	2.2	3.6	14.4	6.5	4	4103
09-11 LST	3.6	2.7	1.4	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	1.9	0.9	4	4106
12-14 LST	0.0	0.0	0.4	0.3	0.0	0.3	0.5	0.0	0.8	0.3	0.0	0.3	0.2	4	4103
15-17 LST	0.0	0.0	0.0	0.3	0.0	1.4	0.8	0.5	0.6	0.5	0.0	0.0	0.3	4	4105
18-20 LST	0.7	0.0	0.0	0.6	0.3	1.4	0.0	0.3	0.3	0.0	0.0	0.3	0.3	4	4103
21-23 LST	1.8	0.0	1.1	0.3	0.5	0.3	0.0	0.0	0.0	0.0	0.0	2.7	0.6	4	4102

## SEBRING AIR TERMINAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	28.0	30.0	28.7	30.5	28.5	31.0	30.7	29.7	30.5	29.7	30.7	359.7	4	1370
	01 LST	28.0	27.3	29.0	29.5	30.7	28.7	31.0	30.7	29.3	30.5	29.3	27.5	351.5	4	1370
	07 LST	19.3	16.1	24.6	26.3	26.7	26.5	31.0	30.5	28.5	28.7	26.3	22.4	306.9	4	1370
	13 LST	30.7	27.3	29.6	30.0	30.7	28.2	30.5	31.0	29.3	30.0	30.0	31.0	358.3	4	1370
	19 LST	22.7	15.8	12.3	12.2	16.7	21.5	26.0	25.7	21.8	21.2	20.5	24.2	240.6	4	1370
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	22.7	24.4	24.0	27.2	29.0	27.0	30.7	30.0	27.0	25.7	25.0	23.2	315.9	4	1370
	07 LST	13.6	10.9	16.6	20.3	21.5	24.5	30.0	27.2	25.5	24.2	20.3	16.1	250.7	4	1370
	13 LST	13.6	12.2	7.7	9.8	14.5	17.0	21.5	15.5	14.7	13.5	10.2	13.6	163.8	4	1359
	19 LST	0.3	0.3	0.3	1.5	1.0	0.2	0.0	0.2	0.0	0.2	0.8	0.5	5.3	4	1362
	01 LST	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.5	0.2	1.7	4	1362
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.9	4	1365
	13 LST	2.3	3.6	6.3	4.2	2.7	1.3	0.5	2.3	3.0	3.8	4.5	5.5		4	1359
	19 LST	23.7	20.4	20.6	19.7	21.0	22.9	24.7	25.2	24.2	23.6	23.2	22.9	272.1	4	1361
	01 LST	22.2	18.4	23.0	18.6	13.7	14.9	13.0	18.5	18.2	20.7	21.0	18.4	220.6	4	1362
	07 LST	23.2	17.4	20.0	22.4	21.5	16.6	18.7	20.5	21.2	22.4	22.2	17.8	243.9	4	1365
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	18.0	15.5	12.0	13.2	13.2	5.8	8.2	5.0	7.2	16.0	15.8	16.1	146.0	4	1365
	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														4	1370
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	30.3	26.7	29.3	27.2	29.0	26.3	28.2	29.7	27.2	28.2	29.7	30.0	341.8	4	1370
	01 LST	26.7	25.3	28.3	29.0	30.5	27.8	30.7	30.5	29.0	29.7	28.7	26.4	342.6	4	1370
	07 LST	17.3	14.5	23.3	24.8	26.7	25.5	30.7	30.2	28.2	27.2	25.2	20.2	293.8	4	1370
	13 LST	26.0	26.7	27.0	28.5	30.0	25.7	28.2	30.0	27.2	25.7	27.5	25.9	329.4	4	1370
	19 LST	26.0	25.7	26.7	24.2	23.0	20.3	22.7	22.5	24.0	26.2	27.2	26.7	295.2	4	1370
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	24.3	24.0	26.3	27.2	28.7	27.0	30.0	29.0	28.5	28.7	27.2	23.7	324.6	4	1370
	07 LST	15.3	12.8	21.6	22.7	25.5	24.8	30.7	30.0	27.5	26.2	23.0	17.9	278.0	4	1370
	13 LST	17.3	20.1	15.0	15.2	14.2	10.7	13.2	16.2	11.3	16.7	20.0	22.7	192.6	4	1370
	19 LST	24.6	23.7	24.0	22.2	21.0	18.2	20.2	19.5	21.8	25.0	26.3	24.9	271.4	4	1370
	01 LST	23.7	23.7	23.3	26.0	27.5	26.0	29.7	28.5	27.8	27.2	25.2	21.4	310.0	4	1370
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	12.6	11.5	19.0	20.5	24.0	23.7	29.5	21.2	26.3	23.3	20.7	16.1	255.4	4	1370
	13 LST	16.3	18.4	14.3	14.5	12.7	9.8	12.2	15.7	10.2	15.2	18.8	21.7	179.8	4	1370

# LAKELAND MUNICIPAL, FLORIDA

STA NO. 73476 (IN AREA NUMBER 19)

LATITUDE 2759N

LONGITUDE 08200W

ELEVATION(FT) 00142

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	85	88	91	97	103	102	101	98	97	94	89	86	103	20	-613
MEAN MAX TMP (F)	71	73	77	82	87	90	90	91	88	83	76	72	82	20	-113
MEAN MIN TMP (F)	52	53	56	62	67	71	73	73	72	66	58	53	63	20	-113
ABS MIN TMP (F)	28	27	28	37	49	63	66	63	61	43	30	25	25	20	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		4.6	11.7	16.2	16.8	18.7	12.8	5.9	0.0	0.0		20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.0	4	1142
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1142
MEAN DEW PT TMP (F)	51	52	58	61	64	71	73	73	72	62	56	52	62	4	26603
MEAN REL HUM (PCT)	76	72	74	72	72	78	83	82	82	77	76	78	77	4	26586
MEAN PRESS ALT (FT)	-59	-29	0	27	56	68	28	56	76	43	-25	-35	16	0	-50
MEAN PRECIP (IN)	2.20	2.27	4.45	3.33	3.18	6.67	8.74	6.88	6.54	3.32	1.74	2.13	51.4	20	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.1	7.0	6.4	6.3	9.3	11.3	9.5	9.5	5.4	3.3	4.9	83.0	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.3	7.2	4.7	3.0	3.0	4.0	1.3	1.9	1.9	2.4	2.6	9.5	49.8	4	1117
MEAN NO DYS TSTMS	1.3	0.0	3.0	3.7	6.7	13.7	19.3	12.0	8.0	0.3	0.7	0.3	69.0	4	1115
P FREQ WND SPD = OR GTR 17 KTS	3.0	5.3	5.9	7.2	3.2	1.9	0.7	1.3	2.2	2.4	1.5	2.7	3.1	4	26748
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.3	0.0	0.1	0.1	0.0	0.5	0.0	0.0	0.0	0.1	4	26748
P FREQ LES 5000 FT A/O LES 5 MI	34.8	40.0	33.2	34.8	35.8	40.1	28.5	28.0	27.9	22.1	23.2	33.8	31.9	4	26718
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	18.1	19.6	11.8	6.3	3.6	5.9	0.7	1.4	4.6	5.4	5.6	17.4	8.4	4	3350
03-05 LST	32.6	36.2	19.0	21.6	21.1	20.0	2.9	3.7	9.5	17.4	16.5	26.9	19.0	4	3341
06-08 LST	43.7	54.5	35.1	27.9	25.2	14.4	3.9	7.9	11.9	26.9	24.9	43.3	26.6	4	3420
09-11 LST	15.1	16.9	12.3	5.9	5.0	8.1	1.4	2.7	7.4	5.8	10.8	20.7	9.3	4	3422
12-14 LST	7.2	4.7	5.0	0.7	0.7	7.8	4.7	2.8	5.2	5.1	5.9	9.1	4.9	4	3415
15-17 LST	2.5	4.3	2.9	1.9	2.5	10.0	7.2	3.4	4.9	2.5	0.4	5.8	4.0	4	3400
18-20 LST	5.1	9.8	2.2	2.2	4.3	9.3	2.5	2.2	4.9	3.2	2.6	4.8	4.4	4	3374
21-23 LST	9.0	10.6	4.0	3.7	3.2	4.8	0.0	0.3	2.8	4.3	3.7	8.5	4.6	4	3344
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.8	11.0	5.0	1.1	0.0	3.0	0.4	0.3	0.0	1.4	0.7	10.5	3.3	4	3350
03-05 LST	15.0	18.1	9.3	10.0	5.7	9.3	0.4	1.0	2.4	5.4	5.3	16.4	8.2	4	3341
06-08 LST	17.9	23.1	12.9	8.9	7.9	4.1	0.7	1.6	4.6	9.8	8.9	22.9	10.3	4	3420
09-11 LST	2.5	1.2	0.7	0.4	0.0	1.5	0.0	0.0	0.9	0.0	0.7	1.8	0.8	4	3422
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.3	0.3	0.0	1.1	0.7	0.4	4	3415
15-17 LST	0.0	0.0	0.0	0.0	0.7	2.2	1.4	0.6	0.3	0.0	0.0	0.0	0.4	4	3400
18-20 LST	0.0	0.8	0.0	0.0	0.7	1.1	0.4	0.6	0.0	0.0	0.0	0.0	0.3	4	3374
21-23 LST	0.7	2.4	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	3.0	0.6	4	3344

# LAKELAND MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.3	24.7	30.3	29.3	29.6	27.7	30.7	30.2	29.4	30.7	29.6	30.7	353.2	4	1138
	01 LST	26.7	23.7	27.3	29.3	29.6	28.7	30.7	30.7	29.2	30.0	28.3	24.9	339.1	4	1119
	07 LST	14.7	10.5	20.0	21.7	24.6	26.0	30.7	29.5	26.7	21.9	22.3	14.8	263.4	4	1143
	13 LST	30.3	26.7	30.0	30.0	30.7	28.3	29.6	30.5	28.9	30.0	28.7	29.6	353.3	4	1141
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.3	17.1	20.3	15.0	17.3	22.7	28.0	27.9	23.6	24.0	25.7	23.8	269.7	4	1138
	01 LST	22.7	20.1	23.0	26.0	28.6	28.3	30.0	30.3	27.5	27.7	24.7	21.2	310.1	4	1119
	07 LST	11.0	7.6	14.0	17.6	21.3	22.7	29.0	28.0	23.9	19.9	19.3	10.8	227.1	4	1143
	13 LST	13.0	12.5	13.0	13.0	18.3	19.3	23.3	23.1	20.0	17.9	16.0	15.5	204.9	4	1141
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.0	1.0	1.0	0.7	0.3	0.0	0.2	0.3	0.3	0.3	0.7	5.1	4	1124
	01 LST	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	1.9	4	1116
	07 LST	0.3	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.9	4	1134
	13 LST	1.6	4.9	4.4	5.0	1.6	0.7	0.3	0.7	0.5	1.3	1.3	3.3	25.6	4	1136
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	19.3	20.6	19.3	20.6	20.2	14.6	16.4	17.1	17.2	22.0	18.4	226.7	4	1124
	01 LST	17.0	13.5	17.3	21.7	14.7	9.5	6.0	7.9	9.3	12.8	16.7	14.8	161.2	4	1116
	07 LST	13.8	12.5	16.5	17.3	17.3	16.2	13.0	13.3	14.6	12.4	16.8	15.2	178.9	4	1133
	13 LST	18.0	12.5	16.7	11.6	15.3	7.5	10.4	8.4	10.0	19.2	19.0	17.5	166.1	4	1136
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.6	24.0	29.0	28.0	28.6	25.7	29.0	27.9	27.2	30.0	19.0	29.3	336.3	4	1138
	01 LST	25.0	22.4	27.0	28.0	29.6	28.7	29.6	30.7	28.3	29.3	27.3	23.9	329.8	4	1119
	07 LST	12.3	9.5	18.3	21.0	24.0	23.3	29.6	28.7	26.4	21.2	21.3	13.1	250.7	4	1143
	13 LST	27.0	24.4	26.3	28.7	29.0	24.7	24.6	27.4	25.3	27.3	27.0	25.6	317.3	4	1141
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.7	24.3	23.0	20.3	20.0	21.6	22.9	22.5	28.0	27.3	25.9	282.8	4	1138
	01 LST	22.0	20.4	24.3	25.7	28.3	27.7	29.0	29.4	27.5	28.3	25.3	22.2	310.1	4	1119
	07 LST	10.3	7.6	16.6	19.3	23.3	25.0	29.6	28.2	25.9	19.9	20.3	11.4	237.4	4	1143
	13 LST	22.3	18.1	14.0	14.0	12.0	8.3	10.0	10.7	13.1	19.9	21.0	19.5	182.9	4	1141
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.1	23.0	22.3	19.7	17.3	16.0	20.3	19.7	26.7	25.7	23.5	260.6	4	1138
	01 LST	21.3	19.1	23.0	25.3	26.7	26.3	28.0	27.8	27.0	27.3	24.0	21.9	297.7	4	1119
	07 LST	8.6	6.6	15.3	17.0	22.0	24.0	27.7	26.4	25.0	18.8	19.3	10.8	221.5	4	1143
	13 LST	20.3	18.1	12.6	13.0	11.0	7.3	8.3	10.1	11.9	19.9	20.0	18.5	171.0	4	1141

# LAKE WALES MUNICIPAL, FLORIDA

STA NO. 73477 (IN AREA NUMBER 15)

LATITUDE 2753N

LONGITUDE 08137W

ELEVATION(FT) 00125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	85	88	91	97	103	102	101	98	97	94	89	86	103	20	-73476
MEAN MAX TMP (F)	71	73	77	82	87	90	90	91	88	83	76	72	82	20	-73476
MEAN MIN TMP (F)	52	53	56	62	67	71	73	73	72	66	58	53	63	20	-73476
ABS MIN TMP (F)	28	27	28	37	49	63	66	63	61	43	30	23	23	20	-73476
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0		4.6	11.7	16.2	16.8	18.7	12.8	5.9	0.0	0.0		20	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.0	4	-73476
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73476
MEAN DEW PT TMP (F)	51	52	58	61	64	71	73	73	72	62	56	52	62	4	-73476
MEAN REL HUM (PCT)	76	72	74	72	72	78	83	82	82	77	76	78	77	4	-73476
MEAN PRESS ALT (FT)	-76	-47	-17	8	37	48	8	37	58	25	-43	-73	-2	0	-50
MEAN PRECIP (IN)	2.20	2.27	4.45	3.33	3.18	6.67	8.74	6.88	6.54	3.32	1.74	2.13	51.4	20	-73476
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	5.1	7.0	6.4	6.3	9.3	11.3	9.5	9.5	5.4	3.3	4.9	83.0	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.3	7.2	4.7	5.0	3.0	4.0	1.3	1.9	1.9	2.4	2.6	9.3	49.8	4	-73476
MEAN NO DYS TSYMS	1.3	0.0	3.0	3.7	6.7	13.7	19.3	12.0	8.0	0.3	0.7	0.3	69.0	4	-73476
P FREQ WND SPD = DR GTR 17 KTS	3.0	5.3	5.9	7.2	3.2	1.9	0.7	1.3	2.2	2.4	1.5	2.7	3.1	4	-73476
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.0	0.3	0.0	0.1	0.1	0.0	0.5	0.0	0.0	0.0	0.1	4	-73476
P FREQ LES 5000 FT A/D LES 5 MI	34.8	40.0	33.2	34.8	35.8	40.1	28.5	28.0	27.9	22.1	23.2	33.8	31.9	4	-73476
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.1	19.6	11.8	6.3	3.6	3.9	0.7	1.4	4.6	5.4	5.6	17.4	8.4	4	-73476
03-05 LST	32.6	36.2	19.0	21.6	21.1	20.0	2.9	3.7	9.5	17.4	16.5	26.9	19.0	4	-73476
06-08 LST	43.7	34.5	35.1	27.9	25.2	14.4	3.9	7.9	11.9	26.9	24.9	43.3	26.6	4	-73476
09-11 LST	15.1	16.9	12.3	5.9	5.0	8.1	1.4	2.7	7.4	5.8	10.8	20.7	9.3	4	-73476
12-14 LST	7.2	4.7	5.0	0.7	0.7	7.8	4.7	2.8	5.2	5.1	5.9	9.1	4.9	4	-73476
15-17 LST	2.5	4.3	2.9	1.9	2.5	10.0	7.2	3.4	4.9	2.5	0.4	5.8	4.0	4	-73476
18-20 LST	5.1	9.8	2.2	2.2	4.3	9.3	2.5	2.2	4.9	3.2	2.6	4.8	4.4	4	-73476
21-23 LST	9.0	10.6	4.0	3.7	3.2	4.8	0.0	0.3	2.8	4.3	3.7	8.5	4.6	4	-73476
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	11.0	5.0	1.1	0.0	3.0	0.4	0.3	0.0	1.4	0.7	10.5	3.3	4	-73476
03-05 LST	15.0	18.1	9.3	10.0	3.7	9.3	0.4	1.0	2.4	5.4	5.3	16.4	8.2	4	-73476
06-08 LST	17.9	23.1	12.9	8.9	7.9	4.1	0.7	1.6	4.6	9.8	8.9	22.9	10.3	4	-73476
09-11 LST	2.5	1.2	0.7	0.4	0.0	1.5	0.0	0.0	0.9	0.0	0.7	1.8	0.8	4	-73476
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.3	0.3	0.0	1.1	0.7	0.4	4	-73476
15-17 LST	0.0	0.0	0.0	0.0	0.7	2.2	1.4	0.6	0.3	0.0	0.0	0.0	0.4	4	-73476
18-20 LST	0.0	0.8	0.0	0.0	0.7	1.1	0.4	0.6	0.0	0.0	0.0	0.0	0.3	4	-73476
21-23 LST	0.7	2.4	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	3.0	0.6	4	-73476

# LAKE WALES MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.3	24.7	30.3	29.3	29.6	27.7	30.7	30.2	29.4	30.7	29.6	30.7	333.2	4	-73476
	01 LST	26.7	23.7	27.3	29.3	29.6	28.7	30.7	30.7	29.2	30.0	28.3	24.9	339.1	4	-73476
	07 LST	14.7	10.5	20.0	21.7	24.6	26.0	30.7	29.5	26.7	21.9	22.3	14.8	263.4	4	-73476
	13 LST	30.3	27.7	30.0	30.0	30.7	28.3	29.6	30.5	28.9	30.0	28.7	29.6	353.3	4	-73476
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.3	17.1	20.3	15.0	17.3	22.7	28.0	27.9	23.6	24.0	25.7	23.8	269.7	4	-73476
	01 LST	22.7	20.1	23.0	26.0	28.6	28.3	30.0	30.3	27.5	27.7	24.7	21.2	310.1	4	-73476
	07 LST	11.0	7.6	14.0	17.6	21.3	22.7	29.0	28.0	25.9	19.9	19.3	10.8	227.1	4	-73476
	13 LST	13.0	12.5	13.0	13.0	18.3	19.3	23.3	23.1	20.0	17.9	16.0	15.3	204.9	4	-73476
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.0	1.0	1.0	0.7	0.3	0.0	0.2	0.3	0.3	0.3	0.7	5.1	4	-73476
	01 LST	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	1.9	4	-73476
	07 LST	0.3	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.9	4	-73476
	13 LST	1.6	4.9	4.4	5.0	1.6	0.7	0.3	0.7	0.5	1.3	1.3	3.3	25.6	4	-73476
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	19.3	20.6	19.3	20.6	20.2	14.6	16.4	17.1	17.2	22.0	18.4	226.7	4	-73476
	01 LST	17.0	12.5	17.3	21.7	14.7	9.5	6.0	7.9	9.3	12.8	16.7	14.8	161.2	4	-73476
	07 LST	13.8	12.5	16.5	17.3	17.3	16.2	13.0	13.3	14.6	12.4	16.8	15.2	178.9	4	-73476
	13 LST	18.0	12.5	16.7	11.6	19.3	7.5	10.4	8.4	10.0	19.2	19.0	17.5	166.1	4	-73476
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.6	24.0	29.0	28.0	28.6	25.7	29.0	27.9	27.2	30.0	29.0	29.3	336.3	4	-73476
	01 LST	25.0	22.4	27.0	28.0	29.6	28.7	29.6	30.7	28.3	29.3	27.3	23.9	329.8	4	-73476
	07 LST	12.3	9.5	18.3	21.0	24.0	25.3	29.6	28.7	26.4	21.2	21.3	13.1	250.7	4	-73476
	13 LST	27.0	24.4	26.3	28.7	29.0	24.7	24.6	27.4	25.3	27.3	27.0	25.6	317.3	4	-73476
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.7	24.3	23.0	26.3	20.0	21.6	22.9	22.5	28.0	27.3	25.9	282.8	4	-73476
	01 LST	22.0	20.4	24.3	25.7	28.3	27.7	29.0	29.4	27.5	28.3	25.3	22.2	310.1	4	-73476
	07 LST	10.3	7.6	16.6	19.3	23.3	25.0	29.6	28.2	25.8	19.9	20.3	11.4	237.4	4	-73476
	13 LST	22.3	18.1	14.0	14.0	12.0	8.3	10.0	10.7	13.1	19.9	21.0	19.5	182.9	4	-73476
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.1	23.0	22.3	19.7	17.3	16.0	20.3	19.7	26.7	25.7	23.5	260.6	4	-73476
	01 LST	21.3	19.1	23.0	23.3	26.7	26.3	28.0	27.8	27.0	27.3	24.0	21.9	297.7	4	-73476
	07 LST	8.6	6.6	15.3	17.0	22.0	24.0	27.7	26.4	25.0	18.8	19.3	10.8	221.5	4	-73476
	13 LST	20.3	18.1	12.6	13.0	11.0	7.3	8.3	10.1	11.9	19.9	20.0	18.5	171.0	4	-73476

## BARTOW MUNICIPAL, FLORIDA

STA NO. 73478 (IN AREA NUMBER 15)

LATITUDE 2756N

LONGITUDE 08147W

ELEVATION(FT) 00130

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	91	97	99	102	102	102	100	98	97	91	89	102	67	-613
MEAN MAX TMP (F)	73	75	80	84	89	91	92	92	90	85	78	73	84	68	-113
MEAN MIN TMP (F)	50	51	55	59	65	70	72	72	71	64	56	50	61	68	-113
ABS MIN TMP (F)	18	22	28	34	45	53	60	61	53	38	28	20	18	67	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0			6.9	15.0	18.0	20.5	20.5	16.2	8.6		0.0		68	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	578
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	578
MEAN DEW PT TMP (F)	47	50	55	62	62	70	72	73	72	63	57	47	61	6	19807
MEAN REL HUM (PCT)	69	66	64	67	66	72	77	79	78	73	71	70	71	6	19779
MEAN PRESS ALT (FT)	-7)	-42	-11	14	43	54	14	13	63	31	-38	-67	3	0	-50
MEAN PRECIP (IN)	2.35	2.73	3.07	2.83	4.62	8.35	8.30	7.67	7.78	3.46	1.76	2.07	55.0	74	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1043
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.2	5.8	6.2	5.9	7.1	10.9	10.8	10.2	11.0	5.6	3.3	4.8	86.8	74	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1043
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.3	5.2	3.6	3.6	3.5	1.3	0.2	1.0	1.5	1.1	2.7	8.2	38.2	8	1541
MEAN NO DYS TSTMS	1.0	0.0	0.0	4.6	6.5	14.0	18.5	15.3	9.5	0.5	0.0	0.0	69.9	3	578
P FREQ WND SPD = OR GTR 17 KTS	2.5	3.3	3.7	2.4	1.3	1.7	0.4	0.3	1.6	2.3	0.8	2.1	1.9	8	29761
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.1	8	29761
P FREQ LES 3000 FT A/D LES 3 MI	27.3	33.0	21.6	28.0	27.8	26.6	19.9	21.6	24.8	16.5	18.1	25.0	24.2	8	30031
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.1	13.1	5.4	4.3	2.7	4.4	0.5	2.0	2.5	1.6	2.6	22.6	6.3	6	1757
03-05 LST	24.6	33.0	19.3	25.9	23.5	22.1	3.5	6.4	7.7	11.3	26.5	32.9	19.7	8	3285
06-08 LST	31.5	34.8	31.1	27.1	19.7	15.4	3.5	6.4	13.4	16.2	29.7	28.2	21.4	8	6157
09-11 LST	15.9	20.9	12.8	6.8	3.1	3.5	1.9	2.6	6.3	7.3	14.2	11.9	8.9	8	6162
12-14 LST	6.4	7.4	6.5	4.0	0.5	1.9	1.9	2.4	3.1	5.3	3.9	6.3	4.1	8	6145
15-17 LST	3.7	5.0	5.0	3.2	2.6	3.7	4.7	3.0	3.5	3.8	2.4	4.8	3.8	8	6036
18-20 LST	3.9	4.7	0.7	3.5	2.7	1.8	1.3	2.0	2.5	1.3	0.0	1.7	2.2	8	4216
21-23 LST	6.6	5.3	1.1	0.8	0.3	1.9	0.3	1.4	1.4	1.1	0.6	2.6	2.0	8	2859
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	4.8	3.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	15.1	2.4	6	1757
03-05 LST	14.0	16.3	8.4	10.8	9.1	4.9	0.6	1.8	1.5	2.2	6.8	24.3	8.4	8	3285
06-08 LST	16.8	14.5	9.1	8.0	6.4	3.2	0.0	1.4	2.3	5.6	12.6	14.2	7.8	8	6157
09-11 LST	3.4	2.5	0.4	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.9	3.6	1.0	8	6162
12-14 LST	0.2	0.2	0.6	0.2	0.2	0.5	0.2	0.0	0.4	0.5	0.0	0.6	0.3	8	6145
15-17 LST	0.4	0.5	0.2	0.4	0.7	0.9	0.5	1.2	0.6	0.5	0.0	1.0	0.6	8	6036
18-20 LST	0.4	0.7	0.0	0.0	0.5	0.9	0.2	0.3	0.5	0.0	0.0	0.0	0.3	8	4216
21-23 LST	1.2	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	1.8	0.3	8	2859



# BARTOW MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.1	27.0	30.0	29.6	30.5	29.0	30.8	30.7	29.5	30.7	29.8	29.4	337.1	8	1970
	01 LST	28.1	24.3	29.4	29.0	30.6	28.9	30.7	30.6	30.0	30.5	29.3	24.0	345.6	8	732
	07 LST	20.6	17.4	21.4	23.0	25.3	25.7	30.7	29.1	26.6	25.9	20.6	22.1	288.4	8	2057
	13 LST	30.2	26.6	29.3	28.6	31.0	29.5	30.8	31.0	29.0	29.4	29.4	29.9	354.7	8	2056
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	19 LST	18.8	15.7	17.5	15.8	17.5	19.0	26.0	24.6	22.5	24.0	23.7	21.4	246.5	8	1955
	01 LST	23.3	22.7	28.6	25.6	30.2	28.6	30.1	30.3	29.2	27.3	27.1	24.0	327.0	3	732
	07 LST	13.3	14.1	17.0	17.0	21.9	23.2	28.6	28.1	24.2	21.2	16.4	16.7	242.2	8	2053
	13 LST	12.2	11.0	12.5	12.3	18.5	20.1	21.7	20.3	17.1	16.1	14.9	14.4	191.1	8	2055
SPC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.7	1.9	0.3	0.3	0.3	0.2	0.0	0.4	0.5	0.0	0.7	7.9	8	1857
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	727
	07 LST	0.4	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	1.6	8	2034
	13 LST	3.3	2.9	2.9	1.5	0.6	0.8	0.2	0.2	0.5	1.1	1.4	3.1	18.5	8	2028
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.3	17.2	18.6	19.8	20.5	16.8	20.0	18.7	19.8	21.0	23.0	22.8	236.5	8	1516
	01 LST	10.7	13.5	11.7	15.2	12.7	10.7	11.4	7.9	9.4	11.6	13.2	16.0	144.0	8	685
	07 LST	17.4	17.4	19.9	21.3	19.4	18.0	16.8	18.8	16.6	15.4	17.6	18.0	216.6	8	1349
	13 LST	16.2	15.1	17.1	16.4	17.6	9.2	10.4	10.5	12.2	19.9	19.3	18.6	182.5	8	1348
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.5	11.8	12.3	12.2	8.3	5.6	2.2	3.2	5.5	12.5	16.4	15.0	119.5	6	1395
	01 LST	31.0	21.0	23.3	26.3	24.8	18.8	21.4	19.5	16.1	10.3	0.0			6	157
	07 LST	9.0	6.7	9.3	9.5	12.4	10.4	10.1	15.3	11.6	10.4	11.8	9.2	125.7	6	1483
	13 LST	10.7	5.7	6.0	5.5	4.5	1.6	0.7	0.2	0.9	5.1	10.3	8.4	59.6	6	1482
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.8	25.5	29.4	27.9	29.7	27.9	29.7	29.3	28.4	29.5	28.5	29.1	343.7	8	1970
	01 LST	23.3	24.3	29.4	27.6	30.6	28.6	30.7	30.6	29.7	29.6	29.3	24.0	337.4	8	732
	07 LST	18.8	16.6	20.4	22.1	24.9	25.5	29.9	29.7	28.5	24.6	19.8	21.0	278.8	8	2057
	13 LST	28.0	23.9	26.6	27.4	30.3	29.2	29.7	29.5	26.8	27.8	27.9	28.2	335.3	8	2056
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.5	21.4	26.3	25.2	24.7	22.6	25.7	26.0	25.9	26.5	27.5	26.5	304.8	8	1970
	01 LST	20.3	21.9	27.8	27.6	29.8	27.8	30.7	30.6	28.7	28.7	27.8	21.0	322.7	8	732
	07 LST	16.4	12.9	18.9	20.3	23.6	25.2	29.5	28.6	26.0	23.1	18.1	17.4	260.0	8	2057
	13 LST	22.4	17.4	20.6	17.4	19.0	19.7	18.8	19.5	17.1	22.6	22.4	23.8	240.7	8	2056
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.6	19.4	24.7	24.3	23.3	21.3	24.4	24.2	24.7	25.0	26.3	25.5	288.7	8	1970
	01 LST	19.4	19.2	27.8	26.1	29.4	27.8	29.8	29.9	28.7	28.2	27.1	20.0	313.4	8	732
	07 LST	15.8	11.8	16.6	19.1	22.9	24.3	29.4	28.4	25.3	21.2	16.9	16.6	248.3	8	2057
	13 LST	21.2	15.6	20.0	17.0	18.5	19.2	18.3	19.3	17.1	22.3	21.7	22.4	232.6	8	2056

## CRYSTAL RIVER, FLORIDA

STA NO. 73479 (IN AREA NUMBER 15)

LATITUDE 2852N

LONGITUDE 08235W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	85	86	93	96	98	98	96	97	93	90	86	98	12	-73269
MEAN MAX TMP (F)	69	72	75	81	87	89	90	90	89	83	76	70	81	12	-73269
MEAN MIN TMP (F)	53	56	59	65	71	75	76	76	75	68	60	53	66	12	-73269
ABS MIN TMP (F)	32	33	37	48	58	68	70	68	65	43	34	20	20	12	-73269
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	7.9	13.8	20.4	20.3	15.2	2.5	0.1	0.0	80.5	12	-73269
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	12	-73269
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN DEW PT TMP (F)	51	54	56	60	66	71	73	73	72	64	58	51	62	12	-73269
MEAN REL HUM (PCT)	75	75	72	69	70	73	75	76	77	72	73	74	73	12	-73269
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.08	3.05	3.53	2.05	2.76	4.13	7.17	6.50	5.88	2.89	2.17	2.30	44.5	12	-73269
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	4.7	4.9	3.6	4.3	7.0	10.7	11.0	9.9	4.2	3.3	3.6	71.1	12	-73269
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.4	3.2	2.5	1.0	0.2	0.2	0.0	0.4	0.2	0.8	2.3	3.3	19.5	12	-73269
MEAN NO DYS TSTMS	1.1	1.9	2.6	4.2	5.9	13.1	19.3	18.2	12.1	2.8	1.1	0.7	83.0	12	-73269
P FREQ WND SPD = OR GTR 17 KTS	3.9	4.7	4.9	3.8	1.1	0.9	1.0	0.5	1.3	1.4	1.5	2.0	2.3	12	-73269
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	-73269
P FREQ LES 5000 FT A/D LES 5 MI	24.7	25.2	20.8	15.1	10.1	11.1	10.9	10.0	14.6	12.0	15.4	21.1	15.9	12	-73269
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	14.3	12.7	9.3	4.4	1.3	1.1	0.6	0.8	4.4	3.9	5.7	10.7	5.8	12	-73269
03-05 LST	16.6	16.5	13.7	7.8	3.2	1.6	1.7	1.1	7.0	7.2	11.7	13.4	8.5	12	-73269
06-08 LST	20.7	19.5	17.9	11.1	7.1	3.6	2.0	4.0	8.3	9.5	14.9	15.6	11.2	12	-73269
09-11 LST	15.7	12.9	12.2	5.2	1.8	2.4	1.5	1.4	5.2	5.0	11.1	12.1	7.2	12	-73269
12-14 LST	5.3	5.5	5.0	2.3	0.7	1.2	1.5	0.6	2.6	4.3	3.3	5.2	3.1	12	-73269
15-17 LST	4.4	4.3	5.1	1.3	0.9	1.3	2.0	1.6	3.4	2.4	3.2	3.1	2.8	12	-73269
18-20 LST	5.7	7.6	6.2	1.5	1.3	2.0	1.4	1.8	3.9	2.7	3.6	5.7	3.6	12	-73269
21-23 LST	8.6	7.8	6.8	2.3	0.6	0.9	0.6	0.9	1.9	2.8	4.7	7.3	3.8	12	-73269
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.7	3.2	1.9	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.9	4.0	1.5	12	-73269
03-05 LST	8.3	6.1	4.2	1.2	0.4	0.0	0.0	0.0	0.0	0.3	3.9	5.3	2.5	12	-73269
06-08 LST	11.2	6.8	6.3	2.4	1.0	0.2	0.1	0.5	0.7	1.2	5.1	6.8	3.5	12	-73269
09-11 LST	4.5	2.6	0.9	0.5	0.0	0.1	0.0	0.1	0.3	0.3	1.7	2.8	1.2	12	-73269
12-14 LST	0.7	0.6	0.3	0.0	0.0	0.2	0.1	0.2	0.4	0.4	0.1	0.5	0.3	12	-73269
15-17 LST	0.2	0.3	0.6	0.1	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.3	0.2	12	-73269
18-20 LST	1.1	1.2	0.5	0.0	0.1	0.3	0.1	0.2	0.2	0.2	0.0	0.8	0.4	12	-73269
21-23 LST	3.5	0.6	0.9	0.4	0.0	0.0	0.2	0.0	0.2	0.0	0.4	1.9	0.7	12	-73269

## CRYSTAL RIVER, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.2	26.4	29.6	29.6	30.7	29.7	30.7	30.6	29.6	30.6	29.4	29.7	335.8	12	-73269
	00 LST	26.9	25.3	28.4	29.3	30.9	29.8	30.9	30.8	29.2	30.1	28.7	28.2	348.5	12	-73269
	06 LST	24.6	23.0	26.0	27.3	29.2	29.3	30.6	29.8	27.7	27.9	25.7	26.6	327.7	12	-73269
	12 LST	29.6	26.7	30.2	29.6	30.8	29.8	30.8	30.8	29.5	30.3	29.3	29.6	337.0	12	-73269
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.3	19.4	20.2	20.5	22.9	22.7	27.2	27.6	24.8	23.5	24.4	24.4	280.9	12	-73269
	00 LST	20.2	19.3	21.1	23.7	28.4	27.5	29.4	29.6	25.7	24.1	22.8	23.3	295.1	12	-73269
	06 LST	17.8	16.8	19.5	20.5	25.7	26.3	27.8	28.0	24.1	22.4	21.4	21.4	271.7	12	-73269
	12 LST	16.5	15.2	14.3	16.1	20.6	21.7	23.3	25.5	23.6	21.1	19.7	20.2	237.8	12	-73269
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.9	0.8	0.8	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.7	5.4	12	-73269
	00 LST	0.7	0.5	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	3.3	12	-73269
	06 LST	0.4	0.5	0.8	0.3	0.1	0.2	0.0	0.0	0.3	0.3	0.3	0.1	3.3	12	-73269
	12 LST	2.6	2.8	2.8	2.6	0.6	0.4	0.5	0.3	0.2	0.8	0.3	1.0	15.4	12	-73269
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	18.1	21.2	22.2	23.0	21.3	19.3	18.4	18.7	21.3	18.9	17.7	239.1	12	-73269
	00 LST	16.0	15.4	17.5	19.0	16.1	13.4	13.1	12.1	15.0	18.5	17.2	15.1	188.4	12	-73269
	06 LST	18.4	15.7	17.8	18.5	18.7	17.4	15.0	12.7	16.3	17.1	18.7	16.3	202.6	12	-73269
	12 LST	17.8	16.2	17.3	18.2	18.5	16.1	11.7	12.4	15.0	19.9	20.8	20.3	204.2	12	-73269
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.4	9.5	10.4	9.8	9.6	4.1	1.1	1.9	3.5	12.2	14.5	11.7	99.7	12	-73269
	00 LST	14.5	13.6	15.8	16.9	20.3	15.2	11.7	13.5	12.2	19.4	18.2	16.0	187.3	12	-73269
	06 LST	10.4	8.1	8.3	10.6	11.6	7.2	6.1	8.6	7.1	14.4	11.7	11.0	115.1	12	-73269
	12 LST	9.6	8.7	8.6	8.3	8.7	2.8	0.7	1.2	1.7	7.0	9.2	9.4	75.9	12	-73269
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.1	24.4	28.3	28.9	29.6	27.8	29.1	29.1	27.5	29.2	28.2	28.6	338.8	12	-73269
	00 LST	25.6	23.4	27.3	28.6	30.4	29.3	30.5	30.4	28.3	29.3	27.7	26.6	337.4	12	-73269
	06 LST	23.0	20.8	24.4	25.4	28.1	28.7	29.7	29.0	26.6	27.5	24.5	25.5	313.2	12	-73269
	12 LST	28.1	25.3	28.1	28.7	29.9	28.8	29.1	29.3	28.2	28.9	27.8	28.6	340.8	12	-73269
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.1	21.2	24.9	25.3	26.3	23.6	25.6	25.1	22.9	27.5	27.2	25.1	299.8	12	-73269
	00 LST	22.7	21.3	24.7	26.3	29.1	28.2	29.9	29.7	27.8	28.1	24.8	23.8	317.4	12	-73269
	06 LST	19.9	17.1	21.6	23.6	27.1	25.2	25.8	28.3	25.4	26.2	22.7	21.6	290.2	12	-73269
	12 LST	24.8	21.8	24.8	25.7	27.1	25.2	25.8	26.8	24.7	26.2	26.1	25.1	304.1	12	-73269
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.6	19.4	23.7	24.2	25.5	22.4	24.6	23.5	20.9	25.6	25.1	22.6	281.1	12	-73269
	00 LST	21.2	19.6	23.4	25.0	28.7	27.7	29.3	29.1	26.7	26.9	24.5	22.5	304.6	12	-73269
	06 LST	18.9	15.8	19.8	22.7	25.7	26.7	28.3	27.7	24.8	25.1	21.0	20.5	277.0	12	-73269
	12 LST	23.1	20.9	23.4	24.5	26.7	24.7	25.1	26.1	23.9	25.4	24.5	23.7	292.0	12	-73269

## TAMPA/PETER O'KNIGHT, FLORIDA

STA NO. 73480 (IN AREA NUMBER 15)

LATITUDE 2754N

LONGITUDE 08226W

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. UBS
ABS MAX TMP (F)	83	85	86	93	96	98	98	96	97	93	90	86	98	12	-73269
MEAN MAX TMP (F)	69	72	75	81	87	89	90	90	89	83	76	70	81	12	-73269
MEAN MIN TMP (F)	53	56	59	65	71	75	76	76	75	68	60	53	66	12	-73269
ABS MIN TMP (F)	32	33	37	48	58	68	70	68	65	43	34	20	20	12	-73269
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	7.9	13.8	20.4	20.3	15.2	2.5	0.1	0.0	80.5	12	-73269
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	12	-73269
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN DEW PT TMP (F)	51	54	56	60	66	71	73	73	72	64	58	51	62	12	-73269
MEAN REL HUM (PCT)	75	75	72	69	70	73	75	76	77	72	73	74	73	12	-73269
MEAN PRESS ALT (FT)	-193	-164	-131	-105	-76	-61	-103	-76	-56	-92	-160	-190	-116	0	-50
MEAN PRECIP (IN)	2.68	3.05	3.53	2.05	2.76	4.13	7.17	6.50	5.88	2.89	2.17	2.30	44.5	12	-73269
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	4.7	4.9	3.6	4.3	7.0	10.7	11.0	9.9	4.2	3.3	3.6	71.1	12	-73269
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.4	3.2	2.5	1.0	0.2	0.2	0.0	0.4	0.2	0.8	2.3	3.3	19.5	12	-73269
MEAN NO DYS TSTMS	1.1	1.9	2.6	4.2	5.9	13.1	19.3	18.2	12.1	2.8	1.1	0.7	83.0	12	-73269
P FREQ WND SPD = OR GTR 17 KTS	3.9	4.7	4.9	3.8	1.1	0.9	1.0	0.5	1.3	1.4	1.5	2.0	2.3	12	-73269
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	-73269
P FREQ LES 5000 FT A/D LES 5 MI	24.7	25.2	20.8	15.1	10.1	11.1	10.9	10.0	14.6	12.0	15.4	21.1	15.9	12	-73269
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.3	12.7	7.3	4.4	1.3	1.1	0.6	0.8	4.4	3.9	5.7	10.7	5.8	12	-73269
03-05 LST	16.6	16.5	13.7	7.8	3.2	1.6	1.7	1.1	7.0	7.2	11.7	13.4	8.5	12	-73269
06-08 LST	20.7	19.5	17.9	11.1	7.1	3.6	2.0	4.0	8.3	9.5	14.9	15.6	11.2	12	-73269
09-11 LST	15.7	12.9	12.2	5.2	1.8	2.4	1.5	1.4	5.2	5.0	11.1	12.1	7.2	12	-73269
12-14 LST	5.3	5.5	5.0	2.3	0.7	1.2	1.5	0.6	2.6	4.3	3.3	5.2	3.1	12	-73269
15-17 LST	4.4	4.3	5.1	1.3	0.9	1.3	2.0	1.6	3.4	2.4	3.2	3.1	2.8	12	-73269
18-20 LST	5.7	7.6	6.2	1.5	1.3	2.0	1.4	1.8	3.9	2.7	3.6	5.7	3.6	12	-73269
21-23 LST	8.6	7.8	6.8	2.3	0.6	0.9	0.6	0.9	1.9	2.8	4.7	7.3	3.8	12	-73269
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.7	3.2	1.9	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.9	4.0	1.5	12	-73269
03-05 LST	8.3	6.1	4.2	1.2	0.4	0.0	0.0	0.0	0.0	0.3	3.9	5.3	2.5	12	-73269
06-08 LST	11.2	6.8	6.3	2.4	1.0	0.2	0.1	0.5	0.7	1.2	5.1	6.8	3.5	12	-73269
09-11 LST	4.5	2.6	0.9	0.5	0.0	0.1	0.0	0.1	0.3	0.3	1.7	2.8	1.2	12	-73269
12-14 LST	0.7	0.6	0.3	0.0	0.0	0.2	0.1	0.2	0.4	0.4	0.1	0.5	0.3	12	-73269
15-17 LST	0.2	0.3	0.6	0.1	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.3	0.2	12	-73269
18-20 LST	1.1	1.2	0.5	0.0	0.1	0.3	0.1	0.2	0.2	0.2	0.0	0.8	0.4	12	-73269
21-23 LST	3.5	0.6	0.9	0.4	0.0	0.0	0.2	0.0	0.2	0.0	0.4	1.9	0.7	12	-73269

## TAMPA/PETER O'KNIGHT, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.2	26.4	29.6	29.6	30.7	29.7	30.7	30.6	29.6	30.6	29.4	29.7	295.8	12	-73269
	01 LST	26.9	25.3	28.4	29.3	30.9	29.8	30.9	30.8	29.2	30.1	28.7	28.2	248.5	12	-73269
	07 LST	24.6	23.0	26.0	27.3	29.2	29.3	30.6	29.8	27.7	27.9	25.7	26.6	227.7	12	-73269
	13 LST	29.6	26.7	30.2	29.6	30.8	29.8	30.8	30.8	29.5	30.3	29.3	29.6	297.0	12	-73269
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.3	19.4	20.2	20.5	22.9	22.7	27.2	27.6	24.8	23.5	24.4	24.4	280.9	12	-73269
	01 LST	20.2	19.3	21.1	23.7	28.4	27.5	29.4	29.6	25.7	24.1	22.8	23.3	295.1	12	-73269
	07 LST	17.8	16.8	19.5	20.5	25.7	26.3	27.8	28.0	24.1	22.4	21.4	21.4	271.7	12	-73269
	13 LST	16.5	15.2	14.3	16.1	20.6	21.7	23.3	25.5	23.6	21.1	19.7	20.2	237.8	12	-73269
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	0.9	0.8	0.8	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.7	5.4	12	-73269
	01 LST	0.7	0.5	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	3.9	12	-73269
	07 LST	0.4	0.5	0.8	0.3	0.1	0.2	0.0	0.0	0.3	0.3	0.3	0.1	3.3	12	-73269
	13 LST	2.6	2.8	2.8	2.6	0.6	0.4	0.5	0.3	0.2	0.8	0.8	1.0	15.4	12	-73269
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.8	18.1	21.2	22.2	23.0	21.3	19.5	18.4	18.7	21.3	18.9	17.7	239.1	12	-73269
	01 LST	16.0	15.4	17.5	19.0	16.1	13.4	13.1	12.1	15.0	18.5	17.2	15.1	188.4	12	-73269
	07 LST	18.4	15.7	17.8	18.5	18.7	17.4	15.0	12.7	16.3	17.1	18.7	16.3	202.6	12	-73269
	13 LST	17.8	16.2	17.3	18.2	18.5	16.1	11.7	12.4	15.0	19.9	20.8	20.3	204.2	12	-73269
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.4	9.5	10.4	9.8	9.6	4.1	1.1	1.9	3.5	12.2	14.5	11.7	99.7	12	-73269
	01 LST	14.5	13.6	15.8	16.9	20.3	15.2	11.7	13.5	12.2	19.4	18.2	16.0	187.3	12	-73269
	07 LST	10.4	8.1	8.3	10.6	11.8	7.2	6.1	8.6	7.1	14.4	11.7	11.0	115.1	12	-73269
	13 LST	9.6	8.7	8.6	8.3	8.7	2.8	0.7	1.2	1.7	7.0	9.2	9.4	75.9	12	-73269
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.1	24.4	28.3	28.9	29.6	27.8	29.1	29.1	27.5	29.2	28.2	28.6	238.8	12	-73269
	01 LST	25.6	23.4	27.3	28.6	30.4	29.3	30.5	30.4	28.3	29.3	27.7	26.6	237.4	12	-73269
	07 LST	23.0	20.8	24.4	25.4	28.1	28.7	29.7	29.0	26.6	27.5	24.5	25.5	213.2	12	-73269
	13 LST	28.1	25.3	28.1	28.7	29.9	28.8	29.1	29.3	28.2	28.9	27.8	28.6	240.8	12	-73269
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.1	21.2	24.9	25.3	26.3	23.6	25.6	25.1	22.9	27.5	27.2	25.1	299.8	12	-73269
	01 LST	22.7	21.3	24.7	26.3	29.1	28.2	29.9	29.7	27.8	28.1	25.8	23.8	217.4	12	-73269
	07 LST	19.9	17.1	21.6	23.6	27.1	27.8	28.9	28.3	25.4	26.2	22.7	21.6	290.2	12	-73269
	13 LST	24.8	21.8	24.8	25.7	27.1	25.2	25.8	26.8	24.7	26.2	26.1	25.1	304.1	12	-73269
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.6	19.4	23.7	24.2	25.5	22.4	24.6	23.5	20.9	25.6	25.1	22.6	281.1	12	-73269
	01 LST	21.2	19.6	23.4	25.0	28.7	27.7	29.3	29.1	26.7	26.9	24.5	22.5	304.6	12	-73269
	07 LST	18.9	15.8	19.8	22.7	25.7	26.7	28.3	27.7	24.8	25.1	21.0	20.5	277.0	12	-73269
	13 LST	23.1	20.9	23.4	24.5	26.7	24.7	25.1	26.1	23.9	25.4	24.5	23.7	292.0	12	-73269

## ST PETERSBURG-CLEARWATER, FLORIDA

STA NO. 73481 (IN AREA NUMBER 15)

LATITUDE 2755N

LONGITUDE 09241W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	85	86	93	96	98	98	96	97	93	90	86	98	12	-73269
MEAN MAX TMP (F)	69	72	75	81	87	89	90	90	89	83	76	70	81	12	-73269
MEAN MIN TMP (F)	53	56	59	65	71	75	76	76	75	68	60	53	66	12	-73269
ABS MIN TMP (F)	32	33	37	48	58	68	70	68	65	43	34	20	20	12	-73269
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	7.9	13.8	20.4	20.3	15.2	2.5	0.1	0.0	80.5	12	-73269
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	12	-73269
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN DEW PT TMP (F)	51	54	56	60	66	71	73	73	72	64	58	51	62	12	-73269
MEAN REL HUM (PCT)	75	75	72	69	70	73	75	76	77	72	73	74	73	12	-73269
MEAN PRESS, ALT (FT)	-191	-182	-129	-102	-73	-57	-99	-73	-54	-90	-158	-188	-114	0	-50
MEAN PRECIP (IN)	2.08	3.05	3.53	2.05	2.76	4.13	7.17	6.50	5.88	2.89	2.17	2.30	44.5	12	-73269
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	4.7	4.9	3.6	4.3	7.0	10.7	11.0	9.9	4.2	3.3	3.6	71.1	12	-73269
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73269
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.4	3.2	2.3	1.0	0.2	0.2	0.0	0.4	0.2	0.8	2.3	3.3	19.5	12	-73269
MEAN NO DYS TSTMS	1.1	1.9	2.6	4.2	5.9	13.1	19.3	18.2	12.1	2.8	1.1	0.7	83.0	12	-73269
P FREQ WND SPD = OR GTR 17 KTS	3.9	4.7	4.9	3.8	1.1	0.9	1.0	0.5	1.3	1.4	1.5	2.0	2.3	12	-73269
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	-73269
P FREQ LES 5000 FT A/D LES 5 MI	24.7	25.2	20.8	15.1	10.1	11.1	10.9	10.0	14.6	12.0	15.4	21.1	15.9	12	-73269
P FREQ LES 1500 FT A/D LES 3 MI	14.3	12.7	9.3	4.4	1.3	1.1	0.6	0.8	4.4	3.9	5.7	10.7	5.8	12	-73269
FOR 00-02 LST	16.6	16.3	13.7	7.8	3.2	1.6	1.7	1.1	7.0	7.2	11.7	13.4	8.5	12	-73269
03-05 LST	20.7	19.3	17.9	11.1	7.1	3.6	2.0	4.0	8.3	9.3	14.9	15.6	11.2	12	-73269
06-08 LST	15.7	12.9	12.2	5.2	1.8	2.4	1.3	1.4	5.2	5.0	11.1	12.1	7.2	12	-73269
09-11 LST	5.3	5.3	5.0	2.3	0.7	1.2	1.3	0.6	2.6	4.3	3.3	5.2	3.1	12	-73269
12-14 LST	4.4	4.3	5.1	1.3	0.9	1.3	2.0	1.6	3.4	2.4	3.2	3.1	2.8	12	-73269
15-17 LST	5.7	7.6	6.2	1.5	1.3	2.0	1.4	1.8	3.9	2.7	3.6	5.7	3.6	12	-73269
18-20 LST	8.6	7.8	6.8	2.3	0.6	0.9	0.6	0.9	1.9	2.8	4.7	7.3	3.8	12	-73269
21-23 LST	6.7	3.2	1.9	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.9	4.0	1.3	12	-73269
P FREQ LES 300 FT A/D LES 1 MI	8.3	6.1	4.2	1.2	0.4	0.0	0.0	0.0	0.2	0.3	3.9	5.3	2.3	12	-73269
FOR 00-02 LST	11.2	6.8	6.3	2.4	1.0	0.2	0.1	0.5	0.7	1.2	5.1	6.8	3.3	12	-73269
03-05 LST	4.5	2.6	0.9	0.5	0.0	0.1	0.0	0.1	0.3	0.3	1.7	2.8	1.2	12	-73269
06-08 LST	0.7	0.6	0.3	0.0	0.0	0.2	0.1	0.2	0.4	0.4	0.1	0.3	0.3	12	-73269
09-11 LST	0.2	0.3	0.6	0.1	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.3	0.2	12	-73269
12-14 LST	1.1	1.2	0.5	0.0	0.1	0.3	0.1	0.2	0.2	0.2	0.0	0.8	0.4	12	-73269
15-17 LST	3.5	0.6	0.9	0.4	0.0	0.0	0.2	0.0	0.2	0.0	0.4	1.9	0.7	12	-73269
18-20 LST															
21-23 LST															



## ST PETERSBURG-CLEARWATER, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.2	26.4	29.6	29.6	30.7	29.7	30.7	30.6	29.6	30.6	29.4	29.7	395.8	12	-73269
	00 LST	26.9	25.3	28.4	29.3	30.9	29.8	30.9	30.8	29.2	30.1	28.7	28.2	348.5	12	-73269
	06 LST	24.6	23.0	26.0	27.3	29.2	29.3	30.6	29.8	27.7	27.9	25.7	26.6	327.7	12	-73269
	12 LST	29.6	26.7	30.2	29.6	30.8	29.8	30.8	30.8	29.5	30.3	29.3	29.6	357.0	12	-73269
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.3	19.4	20.2	20.5	22.9	22.7	27.2	27.6	24.8	23.5	24.4	24.4	280.9	12	-73269
	00 LST	20.2	19.3	21.1	23.7	28.4	27.5	29.4	29.6	25.7	24.1	22.8	23.3	295.1	12	-73269
	06 LST	17.8	16.8	19.5	20.5	25.7	26.3	27.8	28.0	24.1	22.4	21.4	21.4	271.7	12	-73269
	12 LST	16.5	15.2	14.3	16.1	20.6	21.7	23.3	25.5	23.6	21.1	19.7	20.2	237.8	12	-73269
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.9	0.8	0.8	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.7	5.4	12	-73269
	00 LST	0.7	0.3	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	3.5	12	-73269
	06 LST	0.4	0.5	0.8	0.3	0.1	0.2	0.0	0.0	0.3	0.3	0.3	0.1	3.3	12	-73269
	12 LST	2.6	2.8	2.8	2.6	0.6	0.4	0.5	0.3	0.2	0.8	0.8	1.0	15.4	12	-73269
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	18.1	21.2	22.2	23.0	21.3	19.5	18.4	18.7	21.3	18.9	17.7	239.1	12	-73269
	00 LST	16.0	15.4	17.5	19.0	16.1	13.4	13.1	12.1	15.0	18.5	17.2	15.1	188.4	12	-73269
	06 LST	18.4	15.7	17.8	18.5	18.7	17.4	15.0	12.7	16.3	17.1	18.7	16.3	202.6	12	-73269
	12 LST	17.8	16.2	17.3	18.2	18.5	16.1	11.7	12.4	15.0	19.9	20.8	20.3	204.2	12	-73269
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.4	9.5	10.4	9.8	9.6	4.1	1.1	1.9	3.5	12.2	14.5	11.7	99.7	12	-73269
	00 LST	14.5	13.6	15.8	16.9	20.3	15.2	11.7	13.5	12.2	19.4	18.2	16.0	187.3	12	-73269
	06 LST	10.4	8.1	8.3	10.6	11.6	7.2	6.1	8.6	7.1	14.4	11.7	11.0	115.1	12	-73269
	12 LST	9.6	8.7	8.6	8.3	8.7	2.8	0.7	1.2	1.7	7.0	9.2	9.4	75.9	12	-73269
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.1	24.4	28.3	28.9	29.6	27.8	29.1	29.1	27.5	29.2	28.2	28.6	338.8	12	-73269
	00 LST	25.6	23.4	27.3	28.6	30.4	29.3	30.5	30.4	28.3	29.3	27.7	26.6	337.4	12	-73269
	06 LST	23.0	20.8	24.4	25.4	28.1	28.7	29.7	29.0	26.6	27.5	24.5	23.5	313.2	12	-73269
	12 LST	28.1	25.3	28.1	28.7	29.9	28.8	29.1	29.3	28.2	29.9	27.8	28.6	340.8	12	-73269
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.1	21.2	24.9	25.3	26.3	23.6	25.6	25.1	22.9	27.5	27.2	25.1	299.8	12	-73269
	00 LST	22.7	21.3	24.7	26.3	29.1	28.2	29.9	29.7	27.8	28.1	25.8	23.8	317.4	12	-73269
	06 LST	19.9	17.1	21.6	23.6	27.1	27.8	28.9	28.3	25.4	26.2	22.7	21.6	290.2	12	-73269
	12 LST	24.8	21.8	24.8	25.7	27.1	25.2	25.8	26.8	24.7	26.2	26.1	25.1	304.1	12	-73269
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.6	19.4	23.7	24.2	25.5	22.4	24.6	23.5	20.9	25.6	25.1	22.6	281.1	12	-73269
	00 LST	21.2	19.6	23.4	25.0	28.7	27.7	29.3	29.1	26.7	26.9	24.5	22.5	304.6	12	-73269
	06 LST	18.9	15.8	19.8	22.7	25.7	26.7	28.3	27.7	24.8	25.1	21.0	20.5	277.0	12	-73269
	12 LST	23.1	20.9	23.4	24.5	26.7	24.7	25.1	26.1	23.9	25.4	24.5	23.7	292.0	12	-73269



# KISSIMMEE MUNICIPAL, FLORIDA

STA NO. 73402 (IN AREA NUMBER 15)

LATITUDE 2817N

LONGITUDE 08126W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
ABS MAX TMP (F)	90	90	94	96	102	102	101	101	100	95	90	88	102	64	-613
MEAN MAX TMP (F)	72	74	79	83	88	91	92	92	89	84	78	73	83	63	-113
MEAN MIN TMP (F)	50	51	55	60	65	70	72	72	71	65	56	50	61	62	-113
ABS MIN TMP (F)	20	19	28	36	44	54	62	61	54	40	26	19	19	61	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		5.7	13.3	18.0	20.5	20.5	14.5	7.2	0.0	0.0		63	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.7	4	1103
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1103
MEAN DEW PT TMP (F)	51	53	58	62	65	72	73	74	72	62	56	52	63	4	25781
MEAN REL HUM (PCT)	78	73	73	74	74	79	84	83	82	77	77	79	78	4	25754
MEAN PRESS ALT (FT)	-117	-88	-59	-33	-3	5	-35	-4	18	-11	-81	-111	-42	0	-50
MEAN PRECIP (IN)	2.23	2.85	3.20	2.82	3.95	7.27	7.68	6.92	6.75	4.15	1.87	2.23	51.9	69	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				61	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	6.0	6.3	5.9	6.8	9.8	10.2	9.5	9.8	6.5	3.5	5.0	84.3	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				61	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.6	6.6	4.7	4.7	2.7	2.0	2.0	0.8	1.7	3.0	2.0	9.9	45.7	4	1079
MEAN NO DYS TSTMS	1.0	0.0	2.7	5.0	5.3	15.8	21.3	15.3	8.3	0.7	0.3	0.3	76.0	4	1075
P FREQ WND SPD = OR GTR 17 KTS	1.5	3.5	2.8	2.7	1.6	1.1	0.4	0.3	0.7	1.6	1.0	1.8	1.6	4	25830
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	0.0	0.0	0.1	4	25830
P FREQ LES 3000 FT A/D LES 5 MI	36.7	43.8	36.2	34.2	38.9	31.2	26.6	26.6	25.9	24.3	25.1	36.0	32.1	4	25798
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.3	16.1	9.0	5.2	6.5	4.9	0.4	1.3	3.7	5.4	6.3	23.6	8.2	4	3225
03-05 LST	28.6	39.8	25.1	20.8	19.4	12.7	2.2	2.2	8.1	16.8	16.0	27.6	18.3	4	3225
06-08 LST	41.2	55.3	35.8	24.5	27.6	14.8	3.6	6.6	11.9	24.8	25.7	42.9	26.2	4	3303
09-11 LST	15.8	16.1	11.7	4.8	7.2	4.8	2.2	3.0	6.7	7.9	9.3	20.3	9.1	4	3305
12-14 LST	7.9	5.9	5.8	1.9	0.4	6.7	5.4	3.0	4.4	5.7	5.6	8.0	5.1	4	3301
15-17 LST	3.6	4.7	3.2	4.8	2.2	9.3	9.0	3.1	4.8	3.9	0.4	5.1	4.5	4	3286
18-20 LST	4.7	9.0	3.2	2.6	4.7	8.1	1.8	2.3	5.2	3.9	1.9	4.4	4.3	4	3256
21-23 LST	8.6	9.1	3.6	3.0	3.9	4.4	0.7	1.3	2.6	4.0	3.0	11.8	4.7	4	3225
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	8.6	0.7	0.7	0.7	0.4	0.0	0.0	0.7	1.1	1.1	15.2	2.9	4	3225
03-05 LST	13.2	19.3	9.7	8.2	7.2	3.7	0.4	0.0	3.0	4.7	5.6	17.5	7.7	4	3225
06-08 LST	15.1	23.5	10.0	8.2	9.7	3.3	1.1	0.7	3.7	9.4	7.8	22.9	9.6	4	3303
09-11 LST	2.2	1.2	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.7	3.3	0.7	4	3305
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.7	1.4	0.7	0.4	0.4	1.1	0.7	0.5	4	3301
15-17 LST	0.0	0.0	0.0	0.4	0.0	1.1	1.4	0.3	0.4	0.0	0.0	0.0	0.3	4	3286
18-20 LST	0.0	0.8	0.0	0.0	0.4	2.2	0.4	0.4	0.4	0.0	0.0	0.0	0.4	4	3256
21-23 LST	0.0	1.6	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.7	0.0	5.5	0.7	4	3225

# KISSIMMEE MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.3	25.0	30.3	29.0	29.6	27.7	30.7	30.3	29.0	30.7	29.6	30.7	332.9	4	1099
	01 LST	27.3	24.4	28.6	28.7	28.3	29.0	31.0	31.0	29.3	30.0	28.3	23.6	339.5	4	1080
	07 LST	15.3	11.5	20.0	23.0	24.3	26.3	30.3	30.1	27.0	22.0	21.7	15.5	267.0	4	1104
	13 LST	30.0	26.7	29.3	30.0	31.0	28.7	29.6	30.4	29.3	29.6	29.0	30.0	353.6	4	1103
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	25.3	19.4	23.7	18.7	21.6	22.0	29.3	27.2	24.7	26.7	26.3	25.2	290.1	4	1099
	01 LST	24.3	22.4	27.3	27.0	28.0	28.3	30.7	30.6	28.3	28.0	26.0	20.6	321.5	4	1080
	07 LST	13.0	9.2	18.3	21.0	22.7	23.6	30.0	29.2	26.3	20.6	19.7	12.5	246.1	4	1104
	13 LST	16.0	13.8	17.0	14.6	20.3	24.3	25.0	26.4	22.3	21.3	18.7	19.5	239.2	4	1103
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.7	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.4	4	1081
	01 LST	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.9	4	1075
	07 LST	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.0	4	1098
	13 LST	1.0	3.6	2.0	1.7	0.7	0.3	0.3	0.3	0.3	0.3	1.0	2.4	13.9	4	1097
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	20.0	17.6	19.4	21.2	19.9	15.0	12.9	12.5	14.6	14.0	18.0	14.0	199.1	4	1080
	01 LST	18.5	14.1	12.0	12.7	8.3	6.5	4.3	3.2	5.6	8.8	13.3	11.1	118.4	4	1075
	07 LST	14.8	12.2	11.4	15.5	11.3	10.9	11.0	9.7	11.6	10.3	11.6	8.4	138.7	4	1096
	13 LST	21.3	19.1	19.1	17.0	15.0	7.7	13.5	9.2	9.3	22.2	20.6	20.9	190.9	4	1096
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.3	24.7	29.0	26.3	29.3	25.0	28.3	27.2	26.6	29.6	29.3	28.6	333.2	4	1099
	01 LST	25.0	23.0	27.7	27.3	28.3	28.7	30.7	30.6	29.0	29.3	27.3	22.2	329.1	4	1080
	07 LST	12.6	10.5	18.7	21.7	23.7	25.0	30.0	29.2	26.6	21.3	21.3	14.1	254.7	4	1104
	13 LST	26.3	23.0	28.3	27.7	29.3	25.7	26.7	27.0	26.0	27.3	27.0	25.3	317.6	4	1103
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.0	20.7	24.6	23.3	23.0	19.0	21.3	22.4	21.7	27.0	27.3	26.6	281.9	4	1099
	01 LST	22.3	21.1	25.6	25.3	26.7	28.0	29.6	29.0	28.0	28.0	25.0	21.2	309.8	4	1080
	07 LST	11.0	8.9	16.3	20.6	22.3	24.7	30.0	28.2	26.3	19.3	19.7	11.4	238.7	4	1104
	13 LST	21.0	17.8	18.0	15.7	16.3	16.0	12.6	13.5	14.6	20.0	20.3	19.5	205.3	4	1103
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.3	20.1	22.7	23.0	22.0	16.0	15.7	18.7	19.7	25.6	25.7	24.9	298.4	4	1099
	01 LST	22.0	19.4	24.0	24.0	25.3	26.3	28.3	28.6	27.3	27.0	23.6	20.9	296.7	4	1080
	07 LST	9.0	7.6	14.7	18.7	20.6	24.0	28.3	27.0	25.3	18.0	18.0	11.4	222.6	4	1103
	13 LST	19.7	17.4	17.0	14.3	16.0	15.3	10.7	12.6	14.0	19.7	19.3	19.2	195.2	4	1103

## BRADENTON/ELLENTON, FLORIDA

STA NO. 73484 (IN AREA NUMBER 19)

LATITUDE 2732N

LONGITUDE 08231W

ELEVATION(FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
ABS MAX TMP (F)	88	89	91	93	99	100	99	98	98	96	91	89	100	69	-73484
MEAN MAX TMP (F)	72	74	76	82	87	90	90	90	89	84	78	73	82	69	-73484
MEAN MIN TMP (F)	50	52	55	59	64	69	71	72	71	65	57	51	61	68	-73484
ABS MIN TMP (F)	20	21	30	37	45	55	61	62	56	39	27	19	19	68	-73484
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		4.6	11.7	16.2	16.8	16.8	14.5	7.2		0.0		69	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	4	-73484
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73484
MEAN DEW PT TMP (F)	54	56	62	64	66	73	74	74	73	64	57	54	64	4	-73484
MEAN REL HUM (PCT)	81	80	80	77	74	80	81	81	81	77	75	80	79	4	-73484
MEAN PRESS ALT (FT)	-186	-196	-123	-96	-68	-52	-93	-66	-50	-87	-155	-184	-109	0	-50
MEAN PRECIP (IN)	2.62	2.87	2.81	2.44	2.94	7.07	9.67	9.36	7.85	3.34	1.83	2.20	95.0	78	-73484
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				68	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.0	5.9	5.5	6.0	9.6	12.4	12.0	11.1	5.4	3.4	5.0	87.9	78	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				68	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.3	7.6	5.3	1.7	0.7	1.3	0.6	0.7	1.5	0.8	2.7	4.0	33.2	4	-73484
MEAN NO DYS TSTMS	0.7	0.0	2.3	2.0	5.3	10.7	14.0	14.7	9.1	1.0	0.5	1.0	61.3	4	-73484
P FREQ WND SPD = OR GTR 17 KTS	2.6	2.7	2.3	1.9	2.4	1.8	0.2	0.1	0.6	1.3	2.2	2.8	1.7	4	-73484
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73484
P FREQ LES 5000 FT A/D LES 5 MI	29.2	29.3	26.8	20.1	18.8	23.9	18.8	21.0	21.4	13.8	14.5	26.3	22.0	4	-73484
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.5	18.8	8.6	5.6	2.3	3.3	0.3	1.0	1.7	1.1	2.5	10.6	5.7	4	-73484
03-05 LST	19.0	26.0	18.3	6.7	7.2	5.9	0.3	2.4	2.0	3.9	7.6	16.5	9.7	4	-73484
06-08 LST	30.8	32.3	26.9	14.4	9.0	6.7	1.5	3.8	6.4	11.1	13.6	23.8	15.0	4	-73484
09-11 LST	13.6	13.0	9.4	5.6	2.9	6.3	0.9	3.8	5.0	6.3	5.6	10.8	6.9	4	-73484
12-14 LST	3.2	2.0	6.1	2.6	0.7	4.8	0.9	3.0	3.1	5.2	0.6	6.5	3.2	4	-73484
15-17 LST	1.4	2.4	6.1	3.7	1.4	7.4	3.3	4.6	4.5	3.9	1.1	5.1	3.7	4	-73484
18-20 LST	3.9	5.5	4.3	5.6	0.4	6.3	1.8	2.7	3.9	3.0	0.6	3.3	3.4	4	-73484
21-23 LST	6.8	10.2	2.9	3.3	0.0	4.1	0.0	0.0	2.0	1.4	1.1	5.4	3.1	4	-73484
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	9.8	3.6	1.9	0.0	0.0	0.3	0.0	0.0	0.0	0.8	5.4	2.4	4	-73484
03-05 LST	11.8	15.4	5.4	1.1	2.3	0.7	0.0	0.0	0.3	1.1	4.5	9.8	4.4	4	-73484
06-08 LST	13.6	20.9	10.4	3.0	1.4	0.7	0.0	0.3	1.1	2.5	6.4	13.3	6.2	4	-73484
09-11 LST	1.4	2.0	0.7	0.4	0.0	0.0	0.0	0.5	1.1	0.8	0.3	1.9	0.8	4	-73484
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	1.4	0.3	0.0	0.3	0.3	4	-73484
15-17 LST	0.0	0.0	0.4	0.0	0.4	0.7	1.2	0.3	1.4	0.0	0.0	2.2	0.6	4	-73484
18-20 LST	3.2	2.4	0.0	0.0	0.0	0.4	1.2	0.0	0.3	0.6	0.0	1.6	0.8	4	-73484
21-23 LST	4.3	7.1	0.7	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.6	2.2	1.3	4	-73484

## BRADENTON/ELLENTON, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.3	26.3	30.3	29.3	31.0	28.0	30.1	30.7	29.0	29.9	29.7	30.2	334.6	4	-73484
	00 LST	28.3	24.0	29.3	29.0	31.0	29.0	31.0	31.0	29.7	31.0	29.7	27.7	330.7	4	-73484
	06 LST	23.3	19.1	22.0	25.3	27.0	27.0	30.7	30.2	28.0	25.9	24.8	23.7	307.0	4	-73484
	12 LST	30.7	27.3	29.0	30.0	31.0	29.0	30.4	30.7	29.0	30.2	30.0	29.3	336.8	4	-73484
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	24.6	21.1	22.7	14.0	16.6	20.6	24.3	26.7	24.5	24.1	25.7	24.7	269.6	4	-73484
	00 LST	22.7	19.7	23.3	23.6	28.3	28.7	30.1	30.2	28.0	28.2	25.7	21.9	310.4	4	-73484
	06 LST	18.0	15.1	17.0	21.3	25.6	26.0	29.0	28.7	26.7	22.0	19.7	17.6	266.7	4	-73484
	12 LST	13.6	12.5	10.0	11.0	11.3	16.7	23.2	25.0	20.4	15.0	11.5	13.9	186.1	4	-73484
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.0	1.3	1.3	1.6	0.3	0.0	0.0	0.2	0.2	0.0	0.7	6.3	4	-73484
	00 LST	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.9	4	-73484
	06 LST	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.2	1.0	4	-73484
	12 LST	2.3	2.3	1.0	1.7	0.7	0.3	0.0	0.0	0.5	1.6	2.5	1.2	14.1	4	-73484
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.0	20.3	22.2	18.7	19.0	23.9	22.7	19.4	21.2	20.9	21.5	18.3	248.1	4	-73484
	00 LST	16.6	13.8	16.0	20.3	18.0	13.6	13.1	14.6	13.9	18.3	17.7	14.3	192.4	4	-73484
	06 LST	18.0	14.5	20.0	18.3	19.0	16.5	13.8	15.9	16.6	17.0	20.3	14.5	204.4	4	-73484
	12 LST	18.3	14.8	14.1	16.0	16.3	20.6	18.9	19.9	18.8	19.3	15.5	18.8	211.3	4	-73484
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.3	26.3	29.0	28.0	29.6	26.0	28.5	26.5	25.5	28.7	29.7	28.2	334.3	4	-73484
	00 LST	26.7	23.4	28.3	28.0	30.7	28.3	30.4	30.0	28.7	30.7	29.3	27.5	342.2	4	-73484
	06 LST	20.3	18.1	20.0	23.3	26.3	26.6	29.6	28.5	27.2	24.6	24.0	23.2	291.7	4	-73484
	12 LST	28.0	26.7	27.7	28.3	29.0	27.3	27.6	27.2	24.2	27.4	29.0	27.5	329.9	4	-73484
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.6	24.0	26.1	25.0	26.0	21.0	24.0	22.0	22.2	27.4	27.8	24.2	295.2	4	-73484
	00 LST	23.3	21.7	26.0	26.0	29.6	27.7	29.0	28.5	27.8	29.7	28.0	25.2	322.5	4	-73484
	06 LST	18.0	15.5	18.7	22.7	25.0	26.6	29.0	27.5	26.2	23.3	21.5	18.9	272.9	4	-73484
	12 LST	23.7	24.4	23.3	22.3	20.0	20.0	21.5	20.5	14.3	24.1	26.0	23.9	264.0	4	-73484
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.3	23.4	23.0	22.7	23.3	18.3	22.0	19.5	20.7	26.4	25.7	21.9	270.2	4	-73484
	00 LST	23.0	20.7	24.3	24.7	29.0	27.0	28.7	27.7	26.5	28.4	25.7	23.4	309.1	4	-73484
	06 LST	17.0	14.5	15.7	21.0	23.7	24.7	28.2	26.0	25.2	22.3	20.3	14.8	253.4	4	-73484
	12 LST	22.0	23.4	22.0	18.7	20.0	19.3	20.6	19.5	13.9	23.1	24.0	21.7	248.2	4	-73484

## SARASOTA-FRADENTON, FLORIDA

STA NO. 73484 (IN AREA NUMBER 15)

LATITUDE 2723N

LONGITUDE 08233W

ELEVATION(FT) 00024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	91	93	99	100	99	98	98	96	91	89	100	69	-613
MEAN MAX TMP (F)	72	74	76	82	87	90	90	90	89	84	78	73	82	69	-113
MEAN MIN TMP (F)	50	52	55	59	64	69	71	72	71	65	57	51	61	68	-113
ABS MIN TMP (F)	20	21	30	37	45	55	61	62	56	39	27	19	19	68	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		4.6	11.7	16.2	16.8	16.8	14.5	7.2		0.0		69	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	4	1263
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1263
MEAN DEW PT TMP (F)	54	56	62	64	66	73	74	74	73	64	57	54	64	4	29321
MEAN REL HUM (PCT)	81	80	80	77	74	80	81	81	81	77	75	80	79	4	29310
MEAN PRESS ALT (FT)	-181	-151	-117	-90	-63	-46	-87	-61	-45	-83	-150	-180	-104	0	-50
MEAN PRECIP (IN)	2.62	2.87	2.81	2.44	2.94	7.07	9.67	9.36	7.85	3.34	1.83	2.20	35.0	78	-113
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				68	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.0	5.9	5.5	6.0	9.6	12.4	12.0	11.1	5.4	3.4	5.0	87.9	78	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				68	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.3	7.6	5.3	1.7	0.7	1.3	0.6	0.7	1.5	0.8	2.7	4.0	33.2	4	1261
MEAN NO DYS TSTMS	0.7	0.0	2.3	2.0	5.3	10.7	14.0	14.7	9.1	1.0	0.5	1.0	61.3	4	1260
P FREQ WND SPD = OR GTR 17 KTS	2.6	2.7	2.3	1.9	2.4	1.8	0.2	0.1	0.6	1.3	2.2	2.8	1.7	4	30224
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	30224
P FREQ LES 5000 FT A/D LES 5 MI	29.2	29.3	26.8	20.1	18.8	23.9	18.8	21.0	21.4	13.8	14.5	26.3	22.0	4	30215
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.5	18.8	8.6	5.6	2.5	3.3	0.3	1.6	1.7	1.1	2.5	10.6	5.7	4	3776
03-05 LST	19.0	26.0	18.3	6.7	7.2	5.9	0.3	2.4	2.0	3.9	7.6	16.5	9.7	4	3781
06-08 LST	30.8	32.3	26.9	14.4	9.0	6.7	1.5	3.8	6.4	11.1	13.6	23.8	15.0	4	3783
09-11 LST	13.6	13.0	9.4	5.6	2.9	6.3	0.9	3.8	5.0	6.3	5.6	10.8	6.9	4	3785
12-14 LST	3.2	2.0	6.1	2.6	0.7	4.8	0.9	3.0	3.1	5.2	0.6	6.5	3.2	4	3785
15-17 LST	1.4	2.4	6.1	3.7	1.4	7.4	3.3	4.6	4.5	3.9	1.1	5.1	3.7	4	3786
18-20 LST	3.9	5.5	4.3	5.6	0.4	6.3	1.8	2.7	3.9	3.0	0.6	3.3	3.4	4	3785
21-23 LST	6.8	10.2	2.9	3.3	0.0	4.1	0.0	0.0	2.0	1.4	1.1	5.4	3.1	4	3772
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	9.8	3.6	1.9	0.0	0.0	0.3	0.0	0.0	0.0	0.8	5.4	2.4	4	3776
03-05 LST	11.8	15.4	5.4	1.1	2.5	0.7	0.0	0.0	0.3	1.1	4.5	9.8	4.4	4	3781
06-08 LST	13.6	20.9	10.4	3.0	1.4	0.7	0.0	0.5	1.1	2.5	6.4	13.3	6.2	4	3783
09-11 LST	1.4	2.0	0.7	0.4	0.0	0.0	0.0	0.5	1.1	0.8	0.3	1.9	0.8	4	3785
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	1.4	0.5	0.0	0.3	0.3	4	3785
15-17 LST	0.0	0.0	0.4	0.0	0.4	0.7	1.2	0.3	1.4	0.0	0.0	2.2	0.6	4	3786
18-20 LST	3.2	2.4	0.0	0.0	0.0	0.4	1.2	0.0	0.3	0.6	0.0	1.6	0.8	4	3785
21-23 LST	4.3	7.1	0.7	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.6	2.2	1.3	4	3772

# SARASOTA-BRADENTON, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.3	26.3	30.3	29.3	31.0	28.0	30.1	30.7	29.0	29.9	29.7	30.2	354.8	4	1263
	00 LST	28.3	24.0	29.3	29.0	31.0	29.0	31.0	31.0	29.7	31.0	29.7	27.7	390.7	4	1263
	06 LST	23.3	19.1	22.0	25.3	27.0	27.0	30.7	30.2	28.0	25.9	24.8	23.7	307.0	4	1262
	12 LST	30.7	27.3	29.0	30.0	31.0	29.0	30.4	30.7	29.0	30.2	30.0	29.5	356.8	4	1263
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	24.6	21.1	22.7	14.0	16.6	20.6	24.3	26.7	24.5	24.1	23.7	24.7	269.6	4	1263
	00 LST	22.7	19.7	23.3	23.6	28.3	28.7	30.1	30.2	28.0	28.2	25.7	21.9	310.4	4	1263
	06 LST	18.0	15.1	17.0	21.3	25.6	26.0	29.0	28.7	26.7	22.0	19.7	17.6	266.7	4	1262
	12 LST	13.6	12.5	10.0	11.0	11.3	16.7	23.2	25.0	20.4	15.0	11.5	15.9	186.1	4	1263
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.0	1.3	1.3	1.6	0.3	0.0	0.0	0.2	0.2	0.0	0.7	6.3	4	1252
	00 LST	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.9	4	1257
	06 LST	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.2	1.0	4	1250
	12 LST	2.3	2.3	1.0	1.7	0.7	0.3	0.0	0.5	1.6	2.5	1.2	14.1		4	1251
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	20.0	20.3	22.2	18.7	19.0	23.9	22.7	19.4	21.2	20.9	21.5	18.3	248.1	4	1252
	00 LST	16.6	13.8	16.0	20.3	18.0	13.6	13.1	14.6	15.9	18.3	17.7	14.5	192.4	4	1257
	06 LST	18.0	14.5	20.0	18.3	19.0	16.5	13.5	15.9	16.6	17.0	20.3	14.5	204.4	4	1250
	12 LST	18.3	14.8	14.1	16.0	16.3	20.6	18.9	19.9	18.8	19.3	15.5	18.8	211.3	4	1251
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.3	26.3	29.0	28.0	29.6	26.0	28.5	26.5	25.5	28.7	29.7	28.2	334.3	4	1263
	00 LST	26.7	23.4	28.3	28.0	30.7	28.3	30.4	30.0	28.7	30.7	29.5	27.5	342.2	4	1263
	06 LST	20.3	18.1	20.0	23.3	26.3	26.6	29.6	28.5	27.2	24.6	24.0	23.2	291.7	4	1262
	12 LST	28.0	26.7	27.7	28.3	29.0	27.3	27.6	27.2	24.2	27.4	29.0	27.5	329.9	4	1263
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.6	24.0	26.0	25.0	26.0	21.0	24.0	22.0	22.2	27.4	27.8	24.2	295.2	4	1263
	00 LST	23.3	21.7	26.0	26.0	29.6	27.7	29.0	28.5	27.8	29.7	28.0	25.2	322.5	4	1263
	06 LST	18.0	15.5	18.7	22.7	25.0	26.6	29.0	27.5	26.2	23.3	21.5	18.9	272.9	4	1262
	12 LST	23.7	24.4	23.3	22.3	20.0	20.0	21.5	20.5	14.3	24.1	26.0	23.9	264.0	4	1263
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.3	23.4	23.0	22.7	23.3	18.3	22.0	19.5	20.7	26.4	25.7	21.9	270.2	4	1263
	00 LST	1.0	20.7	24.3	24.7	29.0	27.0	28.7	27.7	26.5	28.4	25.7	23.4	309.1	4	1263
	06 LST	17.0	14.5	15.7	21.0	23.7	24.7	28.2	26.0	25.2	22.3	20.3	14.8	253.4	4	1262
	12 LST	22.0	23.4	22.0	18.7	20.0	19.3	20.6	19.5	13.9	23.1	24.0	21.7	248.2	4	1263



# KEYSTONE HEIGHTS/KEYSTONE AIRPARK, FLORIDA

STA NO. 73485 (IN AREA NUMBER 15)

LATITUDE 2930N

LONGITUDE 08203W

ELEVATION(FT) 0019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NJ, J85
ABS MAX TMP (F)	83	89	89	93	101	100	100	100	96	94	88	84	101	13	3716
MEAN MAX TMP (F)	65	71	73	80	87	89	91	90	87	80	72	66	79	13	3716
MEAN MIN TMP (F)	43	48	51	57	65	70	73	73	71	61	52	44	59	13	3716
ABS MIN TMP (F)	24	23	29	38	49	58	66	65	54	37	26	12	12	13	3716
MEAN NO DYS TMP = DR GTR 93(F)	0.0	0.0	0.0	0.9	9.9	13.9	22.1	19.6	10.3	0.7	0.0	0.0	77.6	13	3716
MEAN NO DYS TMP = DR LES 32(F)	4.5	1.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.8	11.9	13	3716
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3716
MEAN DEW PT TMP (F)	45	49	50	57	64	70	73	72	71	62	53	46	59	11	89655
MEAN REL HUM (PCT)	75	73	71	71	72	76	79	79	81	78	77	76	76	11	89652
MEAN PRESS. ALT (FT)	7	35	61	87	122	132	86	117	148	122	50	18	82	0	-50
MEAN PRECIP (IN)	2.27	2.69	3.91	3.25	3.21	8.07	8.47	5.01	6.82	4.27	1.52	1.96	48.4	11	3649
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3642
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	5.5	5.4	4.8	5.0	8.6	11.8	8.3	9.3	5.4	3.4	4.1	76.1	11	3649
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3642
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.9	3.9	5.0	4.3	3.0	1.2	2.4	2.2	2.4	3.2	5.9	6.6	45.0	11	3774
MEAN NO DYS TSMS	0.5	1.5	2.4	4.9	7.6	11.1	16.9	12.2	8.1	2.3	0.2	0.3	68.4	11	3647
P FREQ WND SPD = DR GTR 17 KTS	1.9	3.2	2.0	2.3	0.7	0.7	0.3	0.2	1.0	1.3	1.1	1.4	1.3	11	89650
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	89650
P FREQ LES 3000 FT A/D LES 5 MI	36.7	35.5	33.4	30.0	31.6	33.2	29.8	30.6	35.1	33.7	33.2	30.6	33.3	11	89682
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.5	18.0	15.2	10.7	8.8	5.1	3.3	3.9	6.7	15.3	22.4	23.2	12.8	11	10940
03-05 LST	28.3	25.9	24.0	20.0	19.0	12.0	10.9	10.8	13.7	21.9	29.7	25.8	20.2	13	11317
06-08 LST	35.9	35.6	30.3	27.6	25.7	15.1	15.1	20.3	27.7	29.7	36.3	35.1	27.9	13	11674
09-11 LST	25.4	20.0	18.7	10.4	6.7	6.0	5.3	8.1	14.9	17.5	19.9	22.0	14.6	13	11691
12-14 LST	15.8	9.7	9.9	5.6	2.4	3.2	4.0	5.2	10.8	11.6	8.6	14.4	8.4	13	11691
15-17 LST	11.7	9.2	10.6	4.4	3.5	5.0	5.8	6.9	9.5	9.4	6.8	12.7	8.0	13	11675
18-20 LST	12.6	9.6	10.6	6.8	4.7	6.9	4.4	5.8	8.3	10.0	9.9	16.1	8.8	11	11296
21-23 LST	13.7	10.5	11.0	7.1	5.2	3.2	2.1	4.0	5.9	10.0	14.3	20.0	8.9	11	11042
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.6	5.0	4.8	2.7	1.0	0.6	0.3	0.4	1.1	5.2	11.0	10.2	4.3	11	10940
03-05 LST	12.0	8.0	9.1	9.1	7.3	3.0	3.4	2.8	4.7	8.1	15.2	12.3	8.0	13	11317
06-08 LST	13.9	11.7	9.1	9.0	8.3	3.1	4.9	5.5	7.1	9.9	15.7	12.6	9.2	13	11674
09-11 LST	6.0	3.0	1.3	0.3	0.4	0.1	0.1	0.1	0.1	1.1	3.4	4.3	1.7	13	11691
12-14 LST	1.4	0.3	0.3	0.0	0.1	0.1	0.2	0.2	0.6	0.3	0.0	1.1	0.4	13	11691
15-17 LST	1.2	0.6	1.1	0.1	0.8	0.6	0.7	0.7	0.5	0.2	0.4	1.3	0.7	13	11675
18-20 LST	1.2	1.4	3.2	0.3	0.3	0.2	0.9	0.3	0.3	0.4	0.8	4.9	1.2	11	11296
21-23 LST	4.5	1.1	2.9	0.8	0.1	0.2	0.2	0.2	0.2	2.0	3.9	7.9	2.0	11	11042



# KEYSTONE HEIGHTS/KEYSTONE AIRPARK, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANH	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.1	25.5	28.3	28.2	30.4	28.3	30.0	29.6	28.2	28.5	28.0	27.0	339.1	13	3890
	01 LST	24.7	23.5	26.9	27.3	29.0	29.0	30.1	30.3	28.4	26.9	23.7	23.9	323.7	11	3667
	07 LST	19.8	17.9	21.7	21.3	23.9	26.3	26.4	24.6	21.5	20.9	18.5	20.5	263.3	13	3898
	13 LST	27.4	26.1	28.7	29.2	30.6	29.5	30.3	30.2	28.1	29.1	28.1	27.7	345.0	13	3898
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.3	20.8	22.1	22.6	26.3	23.6	26.0	27.4	24.4	25.6	25.3	24.3	291.7	13	3890
	01 LST	21.6	19.3	24.4	24.9	27.7	28.1	30.0	29.5	26.6	24.9	21.1	21.0	299.1	11	3667
	07 LST	16.7	15.0	18.4	19.2	22.5	24.8	25.9	23.9	19.4	19.1	16.5	17.3	238.9	13	3898
	13 LST	14.6	13.2	14.6	15.4	20.3	21.0	24.7	23.2	17.5	17.6	17.0	16.2	215.3	13	3898
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.5	0.1	0.3	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.2	2.0	13	3825
	01 LST	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	1.0	11	3617
	07 LST	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.9	13	3840
	13 LST	2.2	2.7	1.5	2.2	0.4	0.5	0.1	0.2	1.0	1.0	1.0	1.3	14.1	13	3856
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.3	18.3	24.0	23.2	25.0	21.5	19.5	21.4	19.6	15.2	17.0	17.0	241.0	13	3825
	01 LST	14.8	13.6	16.9	13.2	11.4	10.7	8.1	8.3	10.6	13.9	14.2	12.6	148.3	11	3617
	07 LST	14.2	12.9	14.6	14.1	15.2	15.0	10.0	9.9	11.9	15.3	13.2	12.5	158.8	13	3840
	13 LST	18.4	14.6	17.3	18.6	16.4	12.8	9.4	9.8	13.4	18.2	18.9	17.8	187.6	13	3855
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.1	10.2	10.0	9.2	8.0	4.4	2.4	3.5	4.6	12.0	13.4	11.8	100.6	11	3847
	01 LST	13.5	12.3	13.6	15.9	18.0	14.4	14.8	15.0	13.1	16.7	14.3	14.7	176.3	11	3667
	07 LST	8.5	7.0	6.6	8.2	10.0	7.6	6.6	7.3	3.8	8.8	8.7	8.8	91.9	11	3847
	13 LST	7.7	7.6	7.3	7.1	4.2	1.2	0.3	0.7	1.4	5.9	7.3	8.9	59.6	11	3847
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.1	23.8	26.9	26.6	29.0	26.0	28.1	27.1	25.0	26.0	26.2	25.6	316.4	13	3890
	01 LST	22.9	21.3	25.0	26.4	28.1	27.9	29.6	29.5	27.0	26.1	22.1	23.0	308.9	11	3667
	07 LST	17.7	16.2	19.5	20.1	23.0	25.3	25.7	23.8	19.8	20.0	17.3	18.5	246.4	13	3898
	13 LST	22.9	22.2	26.0	25.8	26.1	25.0	26.5	24.3	21.5	23.8	25.2	24.1	293.4	13	3898
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.6	21.7	24.4	24.7	25.5	22.9	24.5	24.7	22.5	24.4	24.5	22.7	286.1	13	3890
	01 LST	22.0	19.2	23.5	25.1	27.4	27.3	29.4	29.3	26.2	25.3	20.6	21.2	296.7	11	3667
	07 LST	15.8	14.4	17.0	18.8	21.7	23.8	25.5	23.2	19.1	18.6	16.2	17.1	231.2	13	3898
	13 LST	19.3	16.2	18.6	17.1	13.3	9.2	8.3	11.0	10.5	15.2	20.3	20.4	179.4	13	3898
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.5	20.7	22.7	23.8	24.3	21.7	22.1	23.0	20.4	22.7	23.2	21.6	268.7	13	3890
	01 LST	20.6	18.5	22.7	24.4	26.7	26.6	28.9	28.5	25.0	24.3	19.6	20.8	286.6	11	3667
	07 LST	14.2	13.2	16.0	17.8	21.5	22.5	24.9	22.4	17.8	17.4	15.2	15.4	218.3	13	3898
	13 LST	18.1	15.3	17.7	16.8	13.2	8.2	7.9	10.6	9.5	14.7	18.5	18.8	169.3	13	3898

# BROOKSVILLE MUNICIPAL, FLORIDA

STA NO. 73486 (IN AREA NUMBER 15)

LATITUDE 2829N

LONGITUDE 08227W

ELEVATION(FT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	92	95	98	101	104	102	101	99	98	91	88	104	66	-613
MEAN MAX TMP (F)	71	73	78	82	88	90	90	90	89	84	77	71	82	66	-113
MEAN MIN TMP (F)	49	50	54	59	65	70	72	72	70	64	55	50	61	67	-113
ABS MIN TMP (F)	18	16	27	32	41	57	63	63	50	32	24	17	16	66	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0			4.6	13.3	16.2	16.8	16.8	14.5	7.2		0.0		66	-29
MEAN NO DYS TMP = OR LES 32(F)	0.3	1.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.0	4	947
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	947
MEAN DEN PT TMP (F)	50	52	56	60	66	72	73	74	72	62	56	50	62	4	21925
MEAN REL HUM (PCT)	76	73	73	73	77	80	83	84	82	77	76	77	78	4	21908
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.58	3.00	3.50	3.00	3.77	8.18	4.70	8.71	7.01	3.34	1.93	2.52	57.2	69	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				66	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.2	6.5	6.1	6.7	10.7	12.5	11.3	10.1	5.4	3.6	5.5	90.2	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				66	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.3	7.6	5.0	2.0	3.0	2.5	2.0	2.7	2.0	2.4	2.6	9.1	47.2	4	921
MEAN NO DYS TSTMS	1.3	0.0	2.1	5.0	8.0	17.5	20.0	13.9	7.7	0.3	0.7	0.3	76.8	4	919
P FREQ WND SPD = OR GTR 17 KTS	2.4	4.6	4.7	6.8	3.7	1.2	0.9	0.7	1.2	2.4	1.5	1.9	2.7	4	22044
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	4	22044
P FREQ LES 5000 FT A/D LES 5 MI	46.2	46.0	33.9	32.4	36.2	29.8	29.0	29.8	26.5	22.1	23.2	38.7	32.8	4	22039
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	32.4	30.6	11.7	6.7	4.8	1.7	0.0	0.5	3.0	5.4	5.6	20.9	10.3	4	2761
03-05 LST	46.0	45.1	21.2	11.2	19.4	8.9	3.2	3.5	8.9	17.4	16.5	31.9	19.4	4	2754
06-08 LST	52.3	38.4	34.7	26.8	22.6	3.3	4.3	8.5	11.9	26.9	24.9	40.1	26.2	4	2830
09-11 LST	18.7	20.8	10.5	6.1	7.0	2.2	2.2	3.3	6.7	5.8	10.8	19.8	9.5	4	2832
12-14 LST	6.5	6.7	3.2	1.1	1.1	2.8	6.5	3.3	4.4	5.1	5.9	8.9	4.6	4	2829
15-17 LST	3.2	4.3	2.7	2.2	3.8	6.7	8.1	3.8	2.6	2.5	0.4	6.3	3.9	4	2810
18-20 LST	9.4	15.7	1.8	1.1	4.3	6.1	2.7	1.7	4.4	3.2	2.6	7.8	5.1	4	2787
21-23 LST	19.7	23.6	2.3	2.2	3.8	2.8	0.0	0.0	2.2	4.3	3.7	13.4	6.5	4	2755
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	13.3	4.5	1.1	0.0	1.1	0.0	0.5	0.0	1.4	0.7	12.0	3.5	4	2761
03-05 LST	15.9	25.1	9.9	3.9	4.8	3.9	0.5	1.5	3.0	5.4	5.3	17.1	8.0	4	2754
06-08 LST	20.8	24.7	14.0	4.5	5.9	1.7	1.1	2.2	4.8	9.8	8.9	21.0	10.0	4	2830
09-11 LST	2.9	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.8	0.5	4	2832
12-14 LST	0.4	0.0	0.0	0.0	0.0	0.0	1.1	0.4	0.4	0.0	1.1	0.8	0.4	4	2829
15-17 LST	0.0	0.0	0.0	0.0	1.1	1.1	1.6	0.8	0.0	0.0	0.0	0.0	0.4	4	2810
18-20 LST	1.1	0.8	0.0	0.0	1.1	1.7	0.9	0.9	0.0	0.0	0.0	0.0	0.5	4	2787
21-23 LST	1.8	4.7	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	1.0	4	2755

# BROOKSVILLE MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.6	23.0	30.1	29.5	30.0	29.0	30.5	30.3	29.3	30.7	29.6	29.5	350.1	4	942
	01 LST	22.0	19.4	27.2	29.0	29.0	30.0	31.0	31.0	29.3	30.0	28.3	24.2	330.4	4	923
	07 LST	12.6	9.2	20.1	21.0	26.5	29.5	30.5	29.6	26.3	21.9	22.3	16.9	266.4	4	946
	13 LST	30.0	26.3	30.1	30.0	30.5	30.0	29.5	30.7	29.0	30.0	28.7	29.2	354.0	4	945
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.6	17.4	21.4	19.0	16.5	24.5	27.5	27.8	24.3	24.0	25.7	24.8	277.5	4	942
	01 LST	18.3	16.8	24.7	25.5	27.5	30.0	30.5	31.0	28.0	27.7	24.7	22.4	307.1	4	923
	07 LST	9.6	7.2	16.7	17.0	22.5	25.0	29.5	28.0	25.7	19.9	19.3	15.1	235.5	4	946
	13 LST	17.0	12.8	15.5	11.5	18.5	22.0	23.0	24.2	20.3	17.9	16.0	18.0	216.7	4	945
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.0	1.2	0.5	1.0	0.5	0.0	0.3	0.0	0.3	0.3	0.3	4.7	4	932
	01 LST	0.0	0.3	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.9	4	921
	07 LST	0.3	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	4	941
	13 LST	1.3	4.3	3.4	5.5	1.5	1.0	0.5	0.0	0.3	1.3	1.3	2.9	23.3	4	942
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	14.3	13.3	20.9	21.5	19.0	20.2	16.0	15.1	18.0	17.2	22.0	13.9	211.4	4	932
	01 LST	12.1	10.2	13.8	20.0	17.5	11.0	5.0	7.4	8.3	12.8	16.7	11.7	146.5	4	921
	07 LST	10.4	10.2	14.0	15.0	17.0	17.3	14.0	11.8	15.0	12.4	16.8	13.3	167.2	4	940
	13 LST	18.8	11.5	18.1	12.5	16.5	8.5	11.0	8.2	9.7	19.2	19.0	18.4	171.4	4	942
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.3	22.1	29.3	28.0	29.0	26.0	29.0	27.1	27.7	30.0	29.0	28.1	332.6	4	942
	01 LST	20.3	18.4	26.8	27.5	29.0	30.0	30.0	31.0	29.0	29.3	27.3	23.9	322.5	4	923
	07 LST	11.0	8.5	18.4	20.0	25.5	29.0	30.0	28.6	26.3	21.2	21.3	14.8	254.6	4	946
	13 LST	27.7	24.0	27.6	28.5	28.0	27.3	25.5	27.2	26.0	27.3	27.0	25.9	322.2	4	945
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.3	19.1	25.1	23.0	17.5	20.0	20.5	21.5	22.3	28.0	27.3	24.1	273.7	4	942
	01 LST	17.6	16.8	24.3	24.5	27.5	29.0	29.0	30.1	28.0	28.3	25.3	22.1	302.5	4	923
	07 LST	9.0	6.9	17.6	17.5	24.5	28.5	30.0	28.3	26.0	19.9	20.3	12.2	240.7	4	946
	13 LST	23.3	18.4	16.3	15.5	10.0	11.0	10.5	10.5	13.7	19.9	21.0	20.5	190.6	4	945
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.6	18.8	23.9	22.5	16.5	16.5	14.5	19.0	19.7	26.7	25.7	23.0	251.4	4	942
	01 LST	17.0	15.8	23.4	24.0	25.5	27.0	28.0	27.7	27.7	27.3	24.0	21.4	288.8	4	923
	07 LST	6.7	6.2	16.7	14.0	22.5	27.0	28.0	26.6	25.0	18.8	19.3	11.5	222.3	4	946
	13 LST	21.3	18.4	15.5	14.0	9.0	9.5	8.0	9.9	12.7	19.9	20.0	18.7	176.9	4	945

# LEESBURG, FLORIDA

STA NO. 73487 (IN AREA NUMBER 15)

LATITUDE 2849N

LONGITUDE 08148W

ELEVATION(FT) 00067

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	89	89	95	100	97	98	97	95	95	88	85	100	14	4335
MEAN MAX TMP (F)	70	73	76	81	87	89	90	90	88	82	76	70	81	14	4335
MEAN MIN TMP (F)	49	53	56	62	67	72	73	74	73	66	58	50	63	14	4335
ABS MIN TMP (F)	27	29	34	47	51	61	69	65	60	45	33	21	21	14	4335
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.7	8.6	14.0	19.3	19.3	11.1	1.6	0.0	0.0	74.6	14	4335
MEAN NO DYS TMP = OR LES 32(F)	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.7	14	4335
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4335
MEAN DEW PT TMP (F)	49	53	54	59	65	70	72	73	72	64	57	50	62	14	103992
MEAN REL HUM (PCT)	74	73	70	70	72	76	79	81	81	77	75	74	75	14	103991
MEAN PRESS ALT (FT)	-128	-99	-71	-45	-13	-3	-46	-16	9	-19	-90	-121	-53	0	-50
MEAN PRECIP (IN)	1.85	2.38	4.07	2.74	2.66	6.41	7.06	4.91	6.01	3.70	1.88	1.70	45.4	14	4331
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4247
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.7	4.0	4.9	4.4	5.1	9.1	11.1	9.4	10.1	5.6	2.6	3.2	73.2	14	4331
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4247
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.3	4.2	2.9	2.2	2.4	2.0	0.6	1.5	1.5	2.7	3.1	5.2	34.6	14	4336
MEAN NO DYS TSTMS	0.7	1.6	2.9	4.1	7.9	12.0	17.1	16.3	9.2	3.0	0.6	0.4	75.8	14	4336
P FREQ WND SPD = OR GTR 17 KTS	2.2	3.7	2.7	2.9	1.5	1.2	1.1	0.8	1.6	1.8	1.1	1.5	1.8	14	104091
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	14	104091
P FREQ LES 5000 FT A/D LES 5 MI	27.5	27.4	22.4	19.1	17.6	18.3	15.0	16.0	19.6	16.6	19.7	23.3	20.2	14	104091
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	12.9	11.6	8.5	4.7	3.4	1.7	0.8	1.4	5.0	4.5	11.4	12.0	6.5	14	13008
03-05 LST	24.0	20.5	13.4	10.3	9.6	5.8	1.7	2.4	6.8	8.3	16.6	18.1	11.5	14	13009
06-08 LST	28.7	28.1	20.9	14.5	11.7	6.7	3.7	6.2	11.1	11.0	19.8	21.7	15.3	14	13023
09-11 LST	15.2	17.7	9.4	4.1	2.0	1.5	1.2	1.0	4.6	6.3	12.5	11.6	7.3	14	13023
12-14 LST	6.8	5.7	5.0	1.2	0.6	1.9	1.7	1.9	3.6	3.7	4.9	5.1	3.5	14	13026
15-17 LST	4.1	4.2	4.3	2.1	1.4	2.1	2.0	2.2	4.4	3.9	4.0	4.6	3.3	14	13023
18-20 LST	4.5	5.8	4.9	0.9	1.0	1.9	1.2	1.8	2.9	3.8	5.2	4.5	3.2	14	13006
21-23 LST	5.6	7.3	4.5	2.4	1.1	1.3	0.2	0.9	3.1	3.5	6.4	6.1	3.5	14	13005
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.1	4.9	1.9	0.8	0.6	0.4	0.1	0.5	0.8	1.2	3.5	5.6	2.1	14	13008
03-05 LST	12.3	7.5	5.3	3.7	3.5	1.9	0.4	1.3	1.9	3.2	7.3	11.6	5.0	14	13009
06-08 LST	15.5	11.1	7.6	4.3	4.3	1.9	0.9	2.2	2.3	4.6	8.3	13.0	6.3	14	13023
09-11 LST	3.0	2.2	0.5	0.0	0.1	0.0	0.0	0.0	0.2	0.3	1.3	2.3	0.8	14	13023
12-14 LST	0.1	0.0	0.6	0.1	0.2	0.4	0.6	0.4	0.6	0.4	0.2	0.0	0.3	14	13026
15-17 LST	0.1	0.2	0.4	0.0	0.3	0.7	0.4	0.4	0.4	0.4	0.0	0.1	0.3	14	13023
18-20 LST	0.0	0.2	0.6	0.0	0.0	0.4	0.3	0.5	0.3	0.5	0.0	0.2	0.3	14	13006
21-23 LST	1.3	1.3	0.3	0.1	0.1	0.1	0.1	0.2	0.1	0.7	0.6	1.5	0.5	14	13005

# LEESBURG, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.0	26.8	29.9	29.9	30.6	29.6	30.8	30.7	29.4	30.2	28.7	30.0	356.6	14	4339
	01 LST	27.5	25.2	28.7	29.0	30.0	29.6	30.8	30.7	28.9	29.8	27.0	27.7	344.9	14	4338
	07 LST	21.8	20.2	24.4	26.2	27.7	28.1	29.8	29.1	26.9	27.3	23.5	24.0	309.0	14	4342
	13 LST	29.8	27.2	30.0	29.8	30.9	29.5	30.6	30.4	29.6	30.3	29.4	29.8	357.3	14	4342
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.3	20.7	20.1	21.5	22.7	22.7	26.3	27.8	26.8	26.7	24.5	26.5	290.6	14	4339
	01 LST	23.1	21.1	24.3	24.8	28.5	28.7	30.5	30.2	27.3	27.7	24.2	23.6	314.0	14	4338
	07 LST	16.3	15.3	19.5	22.4	24.6	26.7	29.3	28.2	25.0	24.6	19.7	20.1	271.7	14	4342
	13 LST	14.3	11.7	14.2	14.1	19.4	21.0	24.1	23.4	19.6	16.8	16.4	16.3	211.5	14	4342
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.6	0.2	0.2	0.1	0.3	0.2	0.1	0.0	0.2	0.2	0.2	2.5	14	4284
	01 LST	0.0	0.2	0.4	0.2	0.1	0.0	0.1	0.0	0.0	0.2	0.0	0.4	1.6	14	4299
	07 LST	0.2	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	1.3	14	4298
	13 LST	2.4	2.7	1.7	1.9	1.2	0.8	0.7	0.6	1.2	1.2	1.2	1.3	16.9	14	4297
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	20.7	18.5	22.7	22.6	24.1	22.0	21.7	19.8	19.6	20.8	18.9	19.7	251.1	14	4284
	01 LST	18.4	16.2	17.5	19.1	15.7	12.8	13.0	11.2	12.1	15.9	16.7	15.8	184.4	14	4298
	07 LST	18.3	15.0	17.4	18.0	17.5	16.1	13.8	10.7	12.8	17.5	17.3	16.0	190.4	14	4298
	13 LST	17.0	15.9	19.1	16.6	17.4	14.8	13.1	12.5	14.6	19.3	17.8	17.4	195.5	14	4297
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.1	12.1	11.1	10.8	8.2	4.2	2.6	2.7	4.7	12.0	14.3	13.4	109.2	12	4250
	01 LST	15.3	13.5	15.7	16.2	19.8	15.7	15.1	14.5	13.1	17.2	16.1	15.9	188.1	12	4248
	07 LST	9.7	8.5	8.5	9.6	11.6	9.1	8.4	10.1	8.6	10.6	10.7	9.9	114.7	12	4253
	13 LST	8.2	7.0	7.8	5.7	3.6	1.6	0.2	0.4	0.8	4.9	7.5	8.2	55.9	12	4253
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	19 LST	29.1	25.7	28.7	29.7	30.2	29.0	29.8	30.1	28.6	29.3	27.9	29.0	347.1	14	4339
	01 LST	25.6	23.5	28.0	28.1	29.6	29.1	30.5	30.5	27.9	29.2	26.1	26.5	334.6	14	4338
	07 LST	19.9	18.5	22.8	25.5	26.6	27.7	29.6	28.8	25.9	27.1	22.6	23.5	298.5	14	4342
	13 LST	27.4	25.3	28.1	28.4	30.1	28.5	29.4	29.0	26.7	28.3	27.2	27.8	336.2	14	4342
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	22.8	25.3	26.4	26.5	24.4	26.8	26.9	26.2	26.3	26.0	26.5	309.6	14	4339
	01 LST	23.7	21.6	25.0	26.1	28.7	28.7	30.5	30.4	27.1	28.4	24.0	23.6	317.8	14	4338
	07 LST	17.1	16.3	20.8	24.2	25.9	26.7	29.4	28.3	25.4	25.6	20.6	21.4	281.7	14	4342
	13 LST	21.1	19.5	21.4	20.5	20.7	18.2	19.3	17.8	17.6	22.0	22.8	23.0	243.9	14	4342
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.1	20.7	24.2	25.1	25.1	23.0	25.3	25.3	24.0	25.1	24.9	24.9	291.7	14	4339
	01 LST	22.1	20.5	23.8	24.8	27.7	27.0	30.0	29.9	26.5	26.9	22.7	22.3	304.2	14	4338
	07 LST	15.7	14.8	19.0	22.9	24.6	26.0	29.0	27.9	24.3	24.2	18.9	20.2	267.5	14	4342
	13 LST	20.0	18.4	20.4	20.1	20.5	17.8	19.2	17.1	17.0	20.4	21.8	21.5	234.2	14	4342

# VENICE MUNICIPAL, FLORIDA

STA NO. 73488 (IN AREA NUMBER 19)

LATITUDE 2704N

LONGITUDE 08226W

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	85	86	93	96	98	98	97	97	93	89	86	98	12	4186
MEAN MAX TMP (F)	70	73	75	81	86	90	90	90	89	83	77	71	81	12	4186
MEAN MIN TMP (F)	53	56	59	65	70	75	76	76	75	68	60	54	66	12	4185
ABS MIN TMP (F)	32	32	37	50	54	66	69	68	65	43	34	29	29	12	4185
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.5	7.3	16.7	20.8	21.8	16.7	3.2	0.0	0.0	87.0	12	4186
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	12	4185
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4185
MEAN DEW PT TMP (F)	52	54	57	62	66	71	73	74	73	66	58	53	63	12	100317
MEAN REL HUM (PCT)	76	74	73	71	70	73	76	77	78	75	75	73	74	12	100311
MEAN PRESS ALT (FT)	-130	-125	-100	-73	-31	-25	-75	-45	-0	-20	-95	-130	-71	0	-50
MEAN PRECIP (IN)	1.73	2.36	3.14	2.36	2.31	4.34	7.02	5.78	6.19	3.74	1.87	2.01	42.8	12	4189
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	4.1	4.5	4.1	3.6	6.1	9.9	10.2	10.0	4.9	3.2	3.3	66.9	12	4189
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	5.7	3.8	3.5	1.1	0.6	0.4	0.2	0.5	0.4	1.1	2.6	4.4	24.3	12	4283
MEAN NO DYS TSTMS	0.9	1.4	2.4	4.5	4.7	11.3	18.2	16.6	11.5	2.5	1.5	0.4	75.9	12	4186
P FREQ WND SPD = OR GTR 17 KTS	4.4	4.9	5.2	4.4	1.4	1.3	1.1	0.6	1.3	2.2	2.2	2.8	2.7	12	100494
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	0.1	0.0	0.1	12	100494
P FREQ LES 5000 FT A/O LES 5 MI	24.5	25.3	21.5	17.1	11.1	12.9	11.9	12.2	15.5	15.3	16.5	22.5	17.2	12	102762
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.2	12.5	8.9	4.3	1.7	1.3	0.6	0.8	4.1	5.4	6.3	10.8	5.8	12	12844
03-05 LST	15.6	17.6	14.2	7.8	4.9	2.6	1.7	0.7	6.2	8.5	12.7	14.1	8.9	12	12847
06-08 LST	20.2	21.8	20.1	12.4	6.5	4.5	2.1	3.5	7.1	11.4	15.8	17.6	11.9	12	12851
09-11 LST	13.0	10.6	11.2	5.7	1.6	2.8	1.9	1.6	4.3	7.1	10.5	11.8	6.8	12	12853
12-14 LST	4.1	4.1	5.9	2.0	0.9	1.9	1.4	0.8	2.6	5.2	3.3	6.4	3.2	12	12853
15-17 LST	3.3	3.6	4.7	2.0	1.3	2.6	2.4	1.3	4.1	3.3	3.0	3.6	2.9	12	12850
18-20 LST	4.2	6.4	6.2	2.3	1.6	2.8	2.0	1.8	3.9	3.8	3.0	0.5	3.7	12	12849
21-23 LST	7.6	7.0	7.0	2.8	0.7	1.6	0.7	0.6	2.2	4.0	5.1	7.6	3.9	12	12848
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.2	3.6	2.8	0.7	0.2	0.0	0.0	0.0	0.2	0.6	1.5	4.1	1.7	12	12844
03-05 LST	8.2	7.7	5.0	1.6	1.1	0.5	0.0	0.0	0.0	0.9	4.3	6.2	3.0	12	12847
06-08 LST	10.8	9.1	8.0	2.3	1.5	0.3	0.1	0.4	0.5	1.8	6.0	9.1	4.2	12	12851
09-11 LST	3.3	2.7	0.8	0.5	0.0	0.2	0.0	0.2	0.3	0.3	1.4	3.8	1.1	12	12853
12-14 LST	0.5	0.3	0.3	0.0	0.0	0.5	0.2	0.2	0.4	0.5	0.1	0.7	0.3	12	12853
15-17 LST	0.4	0.5	0.5	0.2	0.0	0.3	0.2	0.5	0.5	0.3	0.0	0.1	0.3	12	12850
18-20 LST	1.2	1.2	0.6	0.0	0.1	0.6	0.1	0.4	0.4	0.5	0.0	0.9	0.5	12	12849
21-23 LST	3.8	1.4	0.9	0.4	0.0	0.1	0.2	0.0	0.2	0.3	0.9	2.2	0.9	12	12848



# VENICE MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.7	26.7	29.7	29.5	30.6	29.4	30.6	30.5	29.6	30.4	29.7	29.5	355.9	12	4284
	01 LST	27.0	25.0	28.6	29.3	30.7	29.7	30.9	30.8	29.2	29.9	28.5	28.0	347.6	12	4286
	07 LST	24.4	22.1	24.9	27.0	29.4	29.3	30.5	30.4	28.0	27.8	25.5	25.6	324.9	12	4285
	13 LST	29.9	27.0	29.9	29.6	30.7	29.6	30.7	30.9	29.5	30.0	29.4	29.6	356.8	12	4285
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	19.5	20.6	20.2	22.7	22.7	26.4	26.7	24.5	24.1	25.1	24.3	280.9	12	4189
	01 LST	21.5	19.5	21.0	23.9	28.2	27.6	29.1	29.1	26.1	24.0	22.8	22.7	295.5	12	4190
	07 LST	18.1	17.4	18.4	20.5	25.1	25.9	27.1	27.9	24.2	22.7	21.0	20.0	268.3	12	4190
	13 LST	17.3	15.3	14.0	15.7	19.4	20.2	22.2	24.2	22.7	21.7	20.2	18.8	231.7	12	4190
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.1	1.1	0.4	0.8	0.5	0.2	0.2	0.2	0.2	0.3	0.4	1.0	6.4	12	4136
	01 LST	0.6	0.4	0.9	0.6	0.1	0.1	0.0	0.0	0.0	0.2	0.5	0.5	3.9	12	4151
	07 LST	0.3	0.4	0.8	0.4	0.1	0.2	0.0	0.1	0.2	0.5	0.5	0.3	3.8	12	4162
	13 LST	3.0	3.1	2.9	3.1	1.0	0.6	0.5	0.6	0.3	1.1	0.9	1.6	18.7	12	4148
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.0	17.8	20.3	21.5	21.5	20.3	19.8	18.4	18.2	19.4	17.9	16.5	229.6	12	4136
	01 LST	16.5	15.5	16.1	20.6	16.2	13.3	14.4	12.0	15.5	15.6	16.2	15.0	186.9	12	4150
	07 LST	18.8	15.3	15.8	19.7	19.3	16.8	16.7	13.7	17.0	16.6	17.9	16.7	204.5	12	4161
	13 LST	17.6	15.8	16.8	17.9	18.2	13.3	12.0	10.9	13.7	19.7	20.6	19.6	196.1	12	4148
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.0	10.6	12.5	8.5	10.3	4.6	1.1	2.6	3.8	11.4	14.7	12.2	105.3	10	3652
	01 LST	15.1	14.4	16.2	16.1	20.2	15.8	12.1	14.5	12.8	18.2	17.2	15.6	188.2	10	3652
	07 LST	11.2	8.9	8.2	10.5	12.2	8.8	6.8	9.6	7.3	12.9	11.2	10.7	118.3	10	3652
	13 LST	11.5	8.8	9.1	7.3	8.1	3.8	0.6	1.5	1.5	6.4	9.5	8.8	76.9	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.7	25.0	28.5	28.5	29.5	27.7	28.4	28.1	27.2	28.8	28.6	28.2	337.2	12	4284
	01 LST	26.1	23.5	27.4	28.6	30.3	29.1	30.6	30.4	28.5	28.9	27.5	26.5	337.4	12	4286
	07 LST	23.0	20.5	23.2	25.0	28.5	28.5	29.3	29.3	26.9	26.8	24.3	24.6	309.9	12	4285
	13 LST	28.7	25.8	27.9	28.7	29.9	28.3	29.0	29.1	27.5	27.9	28.0	27.7	338.5	12	4285
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.6	25.4	24.2	26.3	23.8	24.6	24.2	22.6	26.6	27.3	24.9	296.8	12	4284
	01 LST	22.8	21.1	25.4	26.3	29.3	28.1	30.2	29.6	28.0	27.8	25.7	24.1	318.4	12	4286
	07 LST	19.6	16.5	20.0	23.2	27.6	27.4	28.6	28.4	25.7	25.1	22.3	20.7	285.1	12	4285
	13 LST	25.3	22.2	25.0	24.5	26.3	24.6	25.3	25.4	22.7	24.2	25.9	24.0	295.4	12	4285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.8	20.0	24.1	22.8	25.3	22.0	23.0	22.0	21.0	24.6	25.3	22.6	276.5	12	4284
	01 LST	21.9	19.0	24.1	25.2	28.7	27.0	29.2	28.8	26.8	26.3	24.4	22.8	304.2	12	4286
	07 LST	18.2	15.5	18.3	21.9	26.3	26.2	27.9	27.7	25.5	23.4	20.8	19.3	271.0	12	4285
	13 LST	24.0	21.4	23.5	22.9	25.6	24.0	24.6	24.9	21.7	23.4	24.4	22.7	283.1	12	4285



# BUNNELL, FLORIDA

STA NO. 73489 (IN AREA NUMBER 15)

LATITUDE 2928N

LONGITUDE 08113W

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR NO. (YRS) UBS
ABS MAX TMP (F)	92	89	92	93	100	102	99	101	99	95	89	86	102	26 -73208
MEAN MAX TMP (F)	70	71	75	80	85	89	90	90	87	82	75	70	80	26 -73208
MEAN MIN TMP (F)	48	49	53	59	64	69	71	72	71	65	55	49	60	26 -73208
ABS MIN TMP (F)	18	24	29	32	40	57	63	63	52	39	25	21	18	25 -73208
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.8	5.7	9.5	16.1	15.2	5.3	0.9	0.0	0.0	53.7	12 -73208
MEAN NO DYS TMP = DR LES 32(F)	2.9	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.7	7.3	12 -73208
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12 -73208
MEAN DEW PT TMP (F)	49	52	54	58	65	70	72	73	72	64	57	51	61	12 -73208
MEAN REL HUM (PCT)	77	76	74	73	75	79	80	81	81	78	78	78	78	12 -73208
MEAN PRESS ALT (FT)														0 0
MEAN PRECIP (IN)	1.89	2.91	3.53	2.83	2.56	5.74	7.04	6.45	7.25	5.85	2.18	2.01	50.2	26 -73208
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12 -73208
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	6.1	6.5	5.9	5.6	8.5	9.6	9.1	10.3	8.6	3.9	4.7	83.2	26 -29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12 -73208
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.6	3.9	3.1	1.8	2.1	1.9	1.1	1.7	1.2	2.0	3.2	5.3	33.9	12 -73208
MEAN NO DYS TSTMS	0.8	1.6	3.3	4.1	8.8	14.0	17.6	15.8	9.3	4.2	1.2	0.3	81.0	12 -73208
P FREQ WND SPD = DR GTR 17 KTS	6.3	9.2	7.6	9.1	5.0	2.3	1.5	1.0	4.3	7.3	5.4	5.4	5.4	12 -73208
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.1	12 -73208
P FREQ LES 3000 FT A/D LES 5 MI	26.6	24.3	21.3	15.3	14.6	13.9	10.3	12.4	16.2	20.4	22.0	24.6	18.5	12 -73208
P FREQ LES 1500 FT A/D LES 3 MI														
FOR 00-02 LST	14.6	11.6	8.4	4.2	2.9	2.9	1.3	3.0	2.4	5.2	9.4	13.3	6.6	12 -73208
03-05 LST	19.4	16.0	13.5	8.5	8.5	8.4	3.7	7.1	4.8	6.1	14.0	16.6	10.6	12 -73208
06-08 LST	23.5	21.3	19.0	9.7	9.5	8.5	3.8	6.5	6.3	9.3	17.6	18.7	12.8	12 -73208
09-11 LST	13.5	12.4	11.5	4.7	3.5	3.8	1.9	2.1	3.6	6.5	11.0	12.4	7.2	12 -73208
12-14 LST	6.9	5.4	6.1	2.8	1.0	1.9	1.5	1.7	2.3	3.9	5.9	7.7	3.9	12 -73208
15-17 LST	5.0	6.2	5.4	2.5	2.1	2.4	1.4	1.2	3.1	5.8	6.5	6.7	4.0	12 -73208
18-20 LST	6.5	6.7	5.6	2.2	1.8	0.9	0.8	1.2	3.4	4.5	6.8	8.0	4.0	12 -73208
21-23 LST	9.3	8.4	9.6	2.9	1.9	1.0	0.7	1.3	2.7	2.1	6.9	8.5	4.4	12 -73208
P FREQ LES 300 FT A/D LES 1 MI														
FOR 00-02 LST	6.6	4.2	2.0	1.1	1.2	1.2	0.6	1.2	0.4	1.3	3.7	5.8	2.4	12 -73208
03-05 LST	11.5	7.7	5.5	2.9	3.9	4.3	2.6	3.7	1.8	2.8	5.6	10.5	5.2	12 -73208
06-08 LST	13.4	8.5	5.5	3.1	2.6	2.6	1.8	2.8	2.6	3.4	7.2	10.9	5.4	12 -73208
09-11 LST	2.1	1.4	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.6	2.6	0.6	12 -73208
12-14 LST	0.1	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	0.0	0.2	0.1	12 -73208
15-17 LST	0.3	0.2	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.2	0.2	12 -73208
18-20 LST	1.3	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.4	1.7	0.3	12 -73208
21-23 LST	3.3	1.3	0.4	0.2	0.4	0.0	0.4	0.4	0.1	0.3	1.1	4.0	1.0	12 -73208

# BUNNELL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.1	26.6	29.7	29.7	30.6	30.0	30.9	30.9	29.9	30.1	28.7	29.5	355.7	12	-73208
	01 LST	27.1	24.8	28.9	29.2	30.1	29.4	30.7	30.2	29.6	29.7	27.7	27.2	344.6	12	-73208
	07 LST	23.7	22.3	25.1	27.7	28.3	28.1	30.1	29.1	28.4	28.1	24.9	25.3	321.1	12	-73208
	13 LST	29.5	26.7	29.6	29.8	30.8	29.7	30.7	30.7	29.6	30.2	29.1	29.1	355.5	12	-73208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.4	17.5	19.1	17.6	19.5	21.7	23.1	26.4	21.9	21.5	22.6	22.5	255.8	12	-73208
	01 LST	19.7	18.0	22.4	23.1	26.2	26.9	29.8	28.0	24.5	23.4	21.6	20.7	284.3	12	-73208
	07 LST	17.9	15.8	18.4	21.2	22.4	24.6	28.4	27.4	23.5	21.7	19.0	20.3	260.6	12	-73208
	13 LST	8.3	5.6	4.9	3.7	4.2	8.6	9.1	8.7	6.8	7.8	7.9	8.2	83.7	12	-73208
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	1.4	0.9	1.0	0.3	0.4	0.1	0.1	0.8	1.1	0.3	0.4	8.0	12	-73208
	01 LST	1.0	1.0	0.3	0.8	0.3	0.0	0.0	0.0	0.5	0.6	0.5	0.5	5.7	12	-73208
	07 LST	0.4	0.8	1.1	0.8	0.3	0.6	0.1	0.0	0.5	1.3	0.5	0.7	7.1	12	-73208
	13 LST	5.9	6.6	5.2	7.3	3.6	2.3	0.8	0.9	3.3	4.7	4.4	4.5	49.5	12	-73208
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.1	21.7	20.5	22.8	23.6	24.5	24.8	22.2	20.5	20.3	20.1	260.2	12	-73208
	01 LST	20.1	18.3	22.0	20.3	21.0	20.3	20.3	18.7	17.9	18.7	19.2	18.8	235.6	12	-73208
	07 LST	19.8	17.1	21.5	18.3	20.8	18.9	20.0	18.9	13.8	18.7	19.9	19.7	227.4	12	-73208
	13 LST	11.7	8.7	9.4	7.1	7.4	10.8	9.7	11.7	9.9	10.7	11.5	12.5	121.1	12	-73208
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.8	12.8	12.9	12.3	10.2	5.3	5.7	5.3	7.1	12.6	14.8	14.5	128.3	12	-73208
	01 LST	15.2	15.4	16.5	16.6	19.1	16.5	18.3	17.0	14.5	15.9	16.6	15.5	197.1	12	-73208
	07 LST	9.7	8.4	9.1	11.3	12.9	10.1	11.3	10.7	8.6	10.9	11.0	9.8	123.8	12	-73208
	13 LST	10.0	8.7	9.9	9.0	8.8	4.9	2.6	2.7	2.8	6.7	9.4	8.7	84.2	12	-73208
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.2	26.0	28.8	29.0	29.5	29.4	30.3	30.4	28.1	28.1	27.5	27.8	343.1	12	-73208
	01 LST	25.7	23.6	27.8	28.2	29.4	28.7	30.7	29.8	28.6	28.3	26.3	26.0	333.1	12	-73208
	07 LST	21.7	20.7	23.7	26.6	27.7	27.0	29.8	28.8	27.2	26.6	22.7	24.2	306.7	12	-73208
	13 LST	27.5	25.3	27.8	28.3	29.4	28.1	29.9	28.4	27.7	27.4	27.0	26.9	333.7	12	-73208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.9	23.7	25.5	27.1	27.4	27.2	29.1	29.6	26.6	25.6	23.7	24.7	317.1	12	-73208
	01 LST	22.8	21.6	25.2	26.6	27.8	27.7	30.2	29.4	27.2	25.5	23.9	22.7	310.6	12	-73208
	07 LST	19.0	18.4	21.7	24.0	25.9	26.3	29.1	28.0	25.9	24.2	20.0	21.0	283.5	12	-73208
	13 LST	23.7	20.9	23.6	25.3	25.5	23.8	23.6	23.3	23.6	22.6	23.6	22.3	281.8	12	-73208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.1	21.3	24.1	25.8	26.5	26.2	28.2	28.1	24.8	24.0	24.7	22.8	299.4	12	-73208
	01 LST	21.7	20.4	24.1	25.7	27.2	27.1	29.8	29.1	26.6	24.2	22.9	21.0	299.8	12	-73208
	07 LST	17.6	16.7	20.4	22.7	25.4	25.5	28.6	27.4	24.6	22.9	19.1	19.7	270.6	12	-73208
	13 LST	21.4	19.2	22.1	24.2	25.1	22.6	22.7	22.7	22.0	20.2	21.9	19.8	263.9	12	-73208

## ST AUGUSTINE/FAIRCHILD, FLORIDA

STA NO. 73490 (IN AREA NUMBER 15)

LATITUDE 2957N

LONGITUDE 08119W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	94	93	99	104	101	101	100	98	92	88	104	68	-113
MEAN MAX TMP (F)	68	69	74	78	84	88	90	89	87	81	74	68	79	70	-113
MEAN MIN TMP (F)	47	49	53	59	65	71	72	73	72	65	55	48	61	71	-113
ABS MIN TMP (F)	18	13	26	35	45	54	62	59	51	37	25	16	13	68	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	7.0	14.0	21.0	21.0	10.0	1.0	0.0	0.0	75.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	4.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	11.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68	-29
MEAN DEW PT TMP (F)	49	52	54	58	65	70	72	73	72	64	57	51	61	12	-73208
MEAN REL HUM (PCT)	77	76	74	73	75	79	80	81	81	78	78	76	78	12	-73208
MEAN PRESS ALT (FT)	-177	-150	-126	-100	-65	-58	-103	-70	-38	-60	-132	-165	-103	0	-50
MEAN PRECIP (IN)	2.54	3.05	3.38	2.85	3.30	5.23	5.79	5.69	6.95	5.45	2.31	2.77	49.3	90	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73208
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	6.2	6.4	5.9	6.4	8.0	8.5	8.4	10.0	8.1	4.1	5.8	83.3	90	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73208
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.6	3.9	3.1	1.8	2.1	1.9	1.1	1.7	1.2	2.0	3.2	5.3	33.9	12	-73208
MEAN NO DYS TSTMS	0.8	1.6	3.3	4.1	8.8	14.0	17.6	15.8	9.3	4.2	1.2	0.3	81.0	12	-73208
P FREQ WND SPD = OR GTR 17 KTS	6.3	9.2	7.6	9.1	5.0	2.3	1.5	1.0	4.3	7.3	5.4	5.4	5.4	12	-73208
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.1	12	-73208
P FREQ LES 5000 FT A/D LES 5 MI	26.6	24.3	21.3	15.3	14.6	13.9	10.3	12.4	16.2	20.4	22.0	24.6	18.5	12	-73208
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.6	11.6	8.4	4.2	2.9	2.9	1.3	3.0	2.4	5.2	9.4	13.3	6.6	12	-73208
03-05 LST	19.4	16.0	13.5	8.5	8.5	8.4	3.7	7.1	4.8	6.1	14.0	16.6	10.6	12	-73208
06-08 LST	23.5	21.3	19.0	9.7	9.3	8.5	3.8	6.5	6.3	9.3	17.6	18.7	12.8	12	-73208
09-11 LST	13.5	12.4	11.5	4.7	3.5	3.8	1.9	2.1	3.6	6.5	11.0	12.4	7.2	12	-73208
12-14 LST	6.9	5.4	6.1	2.8	1.0	1.9	1.5	1.7	2.3	3.9	5.9	7.7	3.9	12	-73208
15-17 LST	5.0	6.2	5.4	2.5	2.1	2.4	1.4	1.2	3.1	5.8	6.5	6.7	4.0	12	-73208
18-20 LST	6.5	6.7	5.6	2.2	1.8	0.9	0.8	1.2	3.4	4.5	6.8	8.0	4.0	12	-73208
21-23 LST	9.3	8.4	5.6	2.9	1.9	1.0	0.7	1.3	2.7	3.1	6.9	8.5	4.4	12	-73208
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.6	4.2	2.0	1.1	1.2	1.2	0.6	1.2	0.4	1.3	2.7	5.8	2.4	12	-73208
03-05 LST	11.5	7.7	5.5	2.9	3.9	4.3	2.6	3.7	1.8	2.8	5.6	10.5	5.2	12	-73208
06-08 LST	13.4	8.5	5.5	3.1	2.6	2.6	1.8	2.8	2.6	3.4	7.2	10.9	5.4	12	-73208
09-11 LST	2.1	1.4	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.6	2.6	0.6	12	-73208
12-14 LST	0.1	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	0.0	0.2	0.1	12	-73208
15-17 LST	0.3	0.2	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.2	0.2	12	-73208
18-20 LST	1.3	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.4	1.7	0.3	12	-73208
21-23 LST	3.3	1.3	0.4	0.2	0.4	0.0	0.4	0.4	0.1	0.3	1.1	4.0	1.0	12	-73208

## ST AUGUSTINE/FAIRCHILD, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.1	26.6	29.7	29.7	30.6	30.0	30.9	30.9	29.9	30.1	28.7	29.5	335.7	12	-73208
	01 LST	27.1	24.8	28.9	29.2	30.1	29.4	30.7	30.2	29.6	29.7	27.7	27.2	344.6	12	-73208
	07 LST	23.7	22.3	25.1	27.7	28.3	28.1	30.1	29.1	28.4	28.1	24.9	25.3	321.1	12	-73208
	13 LST	29.5	26.7	29.6	29.8	30.8	29.7	30.7	30.7	29.6	30.2	29.1	29.1	335.5	12	-73208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.4	17.5	19.1	17.6	19.5	21.7	23.1	26.4	21.9	21.5	22.6	22.5	255.8	12	-73208
	01 LST	19.7	18.0	22.4	23.1	26.2	26.9	29.8	28.0	24.5	23.4	21.6	20.7	284.3	12	-73208
	07 LST	17.9	15.8	18.4	21.2	22.4	24.6	28.4	27.4	23.5	21.7	19.0	20.3	260.6	12	-73208
	13 LST	8.3	5.6	4.9	3.7	4.2	8.6	9.0	8.7	6.8	7.8	7.9	8.2	83.7	12	-73208
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	.4	0.9	1.0	0.3	0.4	0.1	0.1	0.8	1.1	0.3	0.8	8.0	12	-73208
	01 LST	1.0	1.0	0.5	0.8	0.3	0.0	0.0	0.0	0.5	0.6	0.5	0.5	5.7	12	-73208
	07 LST	0.4	0.8	1.1	0.8	0.3	0.6	0.1	0.0	0.5	1.3	0.5	0.7	7.1	12	-73208
	13 LST	5.9	6.6	5.2	7.3	3.6	2.3	0.8	0.9	3.3	4.7	4.4	4.5	49.5	12	-73208
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.1	21.7	20.5	22.8	23.6	24.6	24.8	22.2	20.5	20.3	20.1	260.2	12	-73208
	01 LST	20.1	18.3	22.0	20.3	21.0	20.3	20.3	14.7	17.9	18.7	19.2	18.8	235.8	12	-73208
	07 LST	19.8	17.1	21.5	18.3	20.8	18.9	20.0	18.9	13.8	18.7	19.9	19.7	227.4	12	-73208
	13 LST	11.7	8.7	9.4	7.1	7.4	10.8	9.7	11.7	9.9	10.7	11.5	12.5	121.1	12	-73208
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.8	12.8	12.9	12.3	10.2	5.3	5.7	5.3	7.1	12.6	14.8	14.5	128.3	12	-73208
	01 LST	15.2	15.4	16.5	16.6	19.1	16.5	18.3	17.0	14.5	15.9	16.6	15.5	197.1	12	-73208
	07 LST	9.7	8.4	9.1	11.3	12.9	10.1	11.3	10.7	8.6	10.9	11.0	9.8	123.8	12	-73208
	13 LST	10.0	8.7	9.9	9.0	8.8	4.9	2.6	2.7	2.8	6.7	9.4	8.7	84.2	12	-73208
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.2	26.0	28.8	29.0	29.5	29.4	30.3	30.4	28.1	28.1	27.5	27.8	343.1	12	-73208
	01 LST	25.7	23.6	27.8	28.2	29.4	28.7	30.7	29.8	28.6	28.3	26.3	26.0	333.1	12	-73208
	07 LST	21.7	20.7	23.7	26.6	27.7	27.0	29.8	28.8	27.2	26.6	22.7	24.2	306.7	12	-73208
	13 LST	27.5	25.3	27.8	28.3	29.4	28.1	29.9	28.4	27.7	27.4	27.0	26.9	333.7	12	-73208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.9	23.7	25.5	27.1	27.4	27.2	29.1	29.6	26.6	25.6	25.7	24.7	317.1	12	-73208
	01 LST	22.8	21.6	25.2	26.6	27.8	27.7	30.2	29.4	27.2	25.5	23.9	22.7	310.6	12	-73208
	07 LST	19.0	18.4	21.7	24.0	25.9	26.3	29.1	28.0	25.9	24.2	20.0	21.0	283.5	12	-73208
	13 LST	23.7	20.9	23.6	25.3	25.5	23.8	23.6	23.3	23.6	22.6	23.6	22.3	281.8	12	-73208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.1	21.3	24.1	25.8	26.5	26.2	28.2	28.1	24.8	24.0	24.7	22.8	299.6	12	-73208
	01 LST	21.7	20.4	24.1	25.7	27.2	27.1	29.8	29.1	26.6	24.2	22.9	21.0	299.8	12	-73208
	07 LST	17.6	16.7	20.4	22.7	25.4	25.5	28.6	27.4	24.6	22.9	19.1	19.7	270.6	12	-73208
	13 LST	21.4	19.2	22.1	24.2	25.1	22.6	22.7	22.7	22.0	20.2	21.9	19.8	263.9	12	-73208

## PALATKA/KAY LARKIN, FLORIDA

STA NO. 73491 (IN AREA NUMBER 15)

LATITUDE 2939N

LONGITUDE 0814W

ELEVATION(FT) 00056

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	89	94	96	103	105	103	102	100	98	90	86	105	25	-113
MEAN MAX TMP (F)	71	73	77	83	89	92	93	93	90	83	76	70	83	25	-113
MEAN MIN TMP (F)	48	49	53	58	65	71	72	73	71	63	54	48	60	26	-113
ABS MIN TMP (F)	18	21	25	35	44	55	65	64	55	37	24	22	18	25	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	2.0	2.0	14.0	21.0	27.0	26.0	16.0	3.0	0.0	0.0	111.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	3.0	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	5.8	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	49	52	54	58	65	70	72	73	72	64	57	51	61	12	-73208
MEAN REL HUM (PCT)	77	76	74	73	75	79	80	81	81	78	78	78	78	12	-73208
MEAN PRESS. ALT (F)	-133	-105	-80	-54	-20	-11	-56	-24	5	-19	-90	-122	-58	0	-50
MEAN PRECIP (IN)	2.33	2.98	4.30	3.56	3.73	6.87	7.32	6.77	7.35	4.88	1.66	2.29	54.2	34	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73208
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.2	6.2	6.9	6.5	6.7	9.5	10.1	9.4	10.5	7.4	3.2	5.1	86.7	34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73208
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.6	3.9	3.1	1.8	2.1	1.9	1.1	1.7	1.2	2.0	3.2	5.3	33.9	12	-73208
MEAN NO DYS TSTMS	0.8	1.6	3.3	4.1	8.8	14.0	17.6	15.8	9.3	4.2	1.2	0.3	81.0	12	-73208
P FREQ WND SPD = OR GTR 17 KTS	6.3	9.2	7.6	9.1	5.0	2.3	1.5	1.0	4.3	7.3	5.4	5.4	5.4	12	-73208
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.1	12	-73208
P FREQ LES 5000 FT A/D LES 5 MI	26.6	24.3	21.3	15.3	14.6	13.9	10.3	12.4	16.2	20.4	22.0	24.6	18.5	12	-73208
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.6	11.6	8.4	4.2	2.9	2.9	1.3	3.0	2.4	5.2	9.4	13.3	6.6	12	-73208
03-05 LST	19.4	16.0	13.5	8.5	8.5	8.4	3.7	7.1	4.8	6.1	14.0	16.6	10.6	12	-73208
06-08 LST	23.5	21.3	19.0	9.7	9.5	8.5	3.8	6.5	6.3	9.3	17.6	18.7	12.8	12	-73208
09-11 LST	13.5	12.4	11.5	4.7	3.5	3.8	1.9	2.1	3.6	6.5	11.0	12.4	7.2	12	-73208
12-14 LST	6.9	5.4	6.1	2.8	1.0	1.2	1.5	1.7	2.3	3.9	5.9	7.7	3.9	12	-73208
15-17 LST	5.0	6.2	5.4	2.5	2.1	2.4	1.4	1.2	3.1	5.8	6.5	6.7	4.0	12	-73208
18-20 LST	6.5	6.7	5.6	2.2	1.8	0.9	0.8	1.2	3.4	4.5	6.8	8.0	4.0	12	-73208
21-23 LST	9.3	8.4	5.6	2.9	1.9	1.0	0.7	1.3	2.7	3.1	6.9	8.5	4.4	12	-73208
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.6	4.2	2.0	1.1	1.2	1.2	0.6	1.2	0.4	1.3	3.7	5.8	2.4	12	-73208
03-05 LST	11.5	7.7	5.5	2.9	3.9	4.3	2.6	3.7	1.8	2.8	5.6	10.5	5.2	12	-73208
06-08 LST	13.4	8.5	5.5	3.1	2.6	2.6	1.8	2.8	2.6	3.4	7.2	10.9	5.4	12	-73208
09-11 LST	2.1	1.4	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.6	2.6	0.6	12	-73208
12-14 LST	0.1	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	0.0	0.2	0.1	12	-73208
15-17 LST	0.3	0.2	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.2	0.2	12	-73208
18-20 LST	1.3	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.4	1.7	0.3	12	-73208
21-23 LST	3.3	1.3	0.4	0.2	0.4	0.0	0.4	0.4	0.1	0.3	1.1	4.0	1.0	12	-73208

# PALATKA/KAY LARKIN, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.1	26.6	29.7	29.7	30.6	30.0	30.9	30.9	29.9	30.1	28.7	29.5	355.7	12	-73208
	01 LST	27.1	24.8	28.9	29.2	30.1	29.4	30.7	30.2	29.6	29.7	27.7	27.2	344.6	12	-73208
	07 LST	23.7	22.3	25.1	27.7	28.3	28.1	30.1	29.1	28.4	28.1	24.9	25.3	321.1	12	-73208
	13 LST	29.5	26.7	29.6	29.8	30.8	29.7	30.7	30.7	29.6	30.2	29.1	29.1	355.5	12	-73208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.4	17.5	19.1	17.6	19.5	21.7	23.1	26.4	21.9	21.5	22.6	22.5	255.8	12	-73208
	01 LST	19.7	18.0	22.4	23.1	26.2	26.9	29.8	28.0	24.5	23.4	21.6	20.7	284.3	12	-73208
	07 LST	17.9	15.8	18.4	21.2	22.4	24.6	28.4	27.4	23.5	21.7	19.0	20.3	260.6	12	-73208
	13 LST	8.3	5.6	4.9	3.7	4.2	8.6	9.0	8.7	6.8	7.8	7.9	8.2	83.7	12	-73208
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	1.4	0.9	1.0	0.3	0.4	0.1	0.1	0.8	1.1	0.3	0.8	8.0	12	-73208
	01 LST	1.0	1.0	0.5	0.8	0.3	0.0	0.0	0.0	0.5	0.6	0.5	0.5	5.7	12	-73208
	07 LST	0.4	0.8	1.1	0.8	0.3	0.6	0.1	0.0	0.5	1.3	0.5	0.7	7.1	12	-73208
	13 LST	5.9	6.6	5.2	7.3	3.6	2.3	0.8	0.9	3.3	4.7	4.4	4.5	49.5	12	-73208
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.1	21.7	20.5	22.8	23.6	24.6	24.8	22.2	20.5	20.3	20.1	260.2	12	-73208
	01 LST	20.1	18.3	22.0	20.3	21.0	20.3	20.3	18.7	17.9	18.7	19.2	18.8	235.6	12	-73208
	07 LST	19.8	17.1	21.5	18.3	20.8	18.9	20.0	18.9	13.8	18.7	19.9	19.7	227.4	12	-73208
	13 LST	11.7	8.7	9.4	7.1	7.4	10.8	9.7	11.7	9.9	10.7	11.5	12.5	121.1	12	-73208
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.8	12.8	12.9	12.3	10.2	5.3	5.7	5.3	7.1	12.6	14.8	14.5	128.3	12	-73208
	01 LST	15.2	15.4	16.5	16.6	19.1	16.5	18.3	17.0	14.5	15.9	16.6	15.5	197.1	12	-73208
	07 LST	9.7	8.4	9.1	11.3	12.9	10.1	11.3	10.7	8.6	10.9	11.0	9.6	123.8	12	-73208
	13 LST	10.0	8.7	9.9	9.0	8.8	4.9	2.6	2.7	2.8	6.7	9.4	8.7	84.2	12	-73208
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.2	26.0	28.8	29.0	29.5	29.4	30.3	30.4	28.1	28.1	27.5	27.8	343.1	12	-73208
	01 LST	25.7	23.6	27.8	28.2	29.4	28.7	30.7	29.8	28.6	28.3	26.3	26.0	333.1	12	-73208
	07 LST	21.7	20.7	23.7	26.6	27.7	27.0	29.8	28.8	27.2	26.6	22.7	24.2	306.7	12	-73208
	13 LST	27.5	25.3	27.8	28.3	29.4	28.1	29.9	28.4	27.7	27.4	27.0	26.9	333.7	12	-73208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.9	23.7	25.5	27.1	27.4	27.2	29.1	29.6	26.6	25.6	25.7	24.7	317.1	12	-73208
	01 LST	22.8	21.6	25.2	26.6	27.8	27.7	30.2	29.4	27.2	25.5	23.9	22.7	310.6	12	-73208
	07 LST	19.0	18.4	21.7	24.0	25.9	26.3	29.1	28.0	25.9	24.2	20.0	21.0	283.5	12	-73208
	13 LST	23.7	20.9	23.6	25.3	25.5	23.8	23.6	23.3	23.6	22.6	23.6	22.3	281.8	12	-73208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.1	21.3	24.1	25.8	26.5	26.2	28.2	28.1	24.8	24.0	24.7	22.8	299.6	12	-73208
	01 LST	21.7	20.4	24.1	25.7	27.2	27.1	29.8	29.1	26.6	24.2	22.9	21.0	299.8	12	-73208
	07 LST	17.6	16.7	20.4	22.7	25.4	25.5	28.6	27.4	24.6	22.9	19.1	19.7	270.6	12	-73208
	13 LST	21.4	19.2	22.1	24.2	25.1	22.6	22.7	22.0	22.0	20.2	21.9	19.8	263.9	12	-73208



# NEW SMYRNA BEACH, FLORIDA

STA NO. 73492 (IN AREA NUMBER 19)

LATITUDE 2903N

LONGITUDE 08056W

ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	88	90	97	98	103	103	101	102	99	98	91	89	103	61	-113
MEAN MAX TMP (F)	70	72	76	80	84	88	89	89	87	82	76	71	80	61	-113
MEAN MIN TMP (F)	49	49	54	59	65	70	71	72	71	66	56	50	61	61	-113
ABS MIN TMP (F)	20	16	30	36	47	55	62	64	52	39	25	17	16	61	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.0	1.0	7.0	13.0	20.0	21.0	12.0	1.0	0.0	0.0	76.0	7	-113
MEAN NO DYS TMP = OR LES 32(F)	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	8	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61	-29
MEAN DEW PT TMP (F)	49	52	54	58	65	70	72	73	72	64	57	51	61	12	-73208
MEAN REL HUM (PCT)	77	76	74	73	75	79	80	81	81	78	78	78	78	12	-73208
MEAN PRESS ALT (FT)	-181	-193	-128	-103	-71	-64	-106	-73	-45	-70	-141	-173	-108	0	-50
MEAN PRECIP (IN)	2.57	2.79	3.18	2.51	3.50	6.02	5.85	5.80	7.03	5.95	2.41	2.34	49.9	74	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73208
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	5.9	6.3	5.6	6.5	8.7	8.6	8.5	10.1	8.8	4.2	5.2	84.0	74	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73208
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	6.6	3.9	3.1	1.8	2.1	1.9	1.1	1.7	1.2	2.0	3.2	5.3	33.9	12	-73208
MEAN NO DYS TSTMS	0.8	1.6	3.3	4.1	8.8	14.0	17.6	15.8	9.3	4.2	1.2	0.3	81.0	12	-73208
P FREQ WND SPD = OR GTR 17 KTS	6.3	9.2	7.6	9.1	5.0	2.3	1.5	1.0	4.3	7.3	5.4	5.4	5.4	12	-73208
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.1	12	-73208
P FREQ LES 5000 FT A/D LES 3 MI	26.6	24.3	21.3	15.3	14.6	13.9	10.3	12.4	16.2	20.4	22.0	24.6	18.5	12	-73208
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	14.6	11.6	8.4	4.2	2.9	2.9	1.3	3.0	2.4	5.2	9.4	13.3	6.6	12	-73208
03-05 LST	19.4	16.0	13.5	8.5	8.5	8.4	3.7	7.1	4.8	6.1	14.0	16.6	10.6	12	-73208
06-08 LST	23.5	21.3	19.0	9.7	9.5	8.5	3.8	6.5	6.3	9.3	17.6	18.7	12.8	12	-73208
09-11 LST	13.5	12.4	11.5	4.7	3.5	3.8	1.9	2.1	3.6	6.5	11.0	12.4	7.2	12	-73208
12-14 LST	6.9	5.4	6.1	2.8	1.0	1.9	1.5	1.7	2.3	3.9	5.9	7.7	3.9	12	-73208
15-17 LST	5.0	6.2	9.4	2.5	2.1	2.4	1.4	1.2	3.1	5.8	6.5	6.7	4.0	12	-73208
18-20 LST	6.5	6.7	5.6	2.2	1.8	0.9	0.8	1.2	3.4	4.5	6.8	8.0	4.0	12	-73208
21-23 LST	9.3	8.4	5.6	2.9	1.9	1.0	0.7	1.3	2.7	3.1	6.9	8.5	4.4	12	-73208
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.6	4.2	2.0	1.1	1.2	1.2	0.6	1.2	0.4	1.3	3.7	5.8	2.4	12	-73208
03-05 LST	11.5	7.7	5.5	2.9	3.9	4.3	2.6	3.7	1.8	2.8	5.6	10.5	5.2	12	-73208
06-08 LST	13.4	8.5	5.5	3.1	2.6	2.6	1.8	2.8	2.6	3.4	7.2	10.9	5.4	12	-73208
09-11 LST	2.1	1.4	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.6	2.6	0.6	12	-73208
12-14 LST	0.1	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	0.0	0.2	0.1	12	-73208
15-17 LST	0.3	0.2	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.2	0.2	12	-73208
18-20 LST	1.3	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.4	1.7	0.3	12	-73208
21-23 LST	3.3	1.3	0.4	0.2	0.4	0.0	0.4	0.4	0.1	0.3	1.1	4.0	1.0	12	-73208



# NEW SMYRNA BEACH, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.1	26.6	29.7	29.7	30.6	30.0	10.9	30.9	29.9	30.1	28.7	29.5	355.7	12	-73208
	01 LST	27.1	24.8	28.9	29.2	30.1	29.4	30.7	30.2	29.6	29.7	27.7	27.2	344.6	12	-73208
	07 LST	29.7	22.3	25.1	27.7	28.3	28.1	30.1	29.1	28.4	28.1	24.9	25.3	321.1	12	-73208
	13 LST	29.5	26.7	29.6	29.8	30.8	29.7	30.7	30.7	29.6	30.2	29.1	29.1	355.5	12	-73208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	19 LST	22.4	17.5	19.1	17.6	19.5	21.7	23.1	26.4	21.9	21.5	22.6	22.5	255.8	12	-73208
	01 LST	19.7	18.0	22.4	23.1	26.2	26.9	29.8	28.0	24.5	23.4	21.6	20.7	284.3	12	-73208
	07 LST	17.9	15.8	18.4	21.2	22.4	24.6	28.4	27.4	23.5	21.7	19.0	20.3	260.6	12	-73208
	13 LST	8.3	5.6	4.9	3.7	4.2	8.6	9.0	8.7	6.8	7.8	7.9	8.2	83.7	12	-73208
SPC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	1.4	0.9	1.0	0.3	0.4	0.1	0.1	0.8	1.1	0.3	0.8	8.0	12	-73208
	01 LST	1.0	1.0	0.5	0.8	0.3	0.0	0.0	0.0	0.5	0.6	0.5	0.5	5.7	12	-73208
	07 LST	0.4	0.8	1.1	0.8	0.3	0.6	0.1	0.0	0.5	1.3	0.5	0.7	7.1	12	-73208
	13 LST	5.9	6.6	5.2	7.3	3.6	2.3	0.8	0.9	3.3	4.7	4.4	4.5	49.5	12	-73208
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.1	21.7	20.5	22.8	23.6	24.8	24.8	22.2	20.5	20.3	20.1	260.2	12	-73208
	01 LST	20.1	18.3	22.0	20.3	21.0	20.3	20.3	18.7	17.9	18.7	19.2	18.8	235.6	12	-73208
	07 LST	19.8	17.1	21.5	18.3	20.8	18.9	20.0	18.9	13.8	18.7	19.9	19.7	227.4	12	-73208
	13 LST	11.7	8.7	9.4	7.1	7.4	10.8	9.7	11.7	9.9	10.7	11.5	12.5	121.1	12	-73208
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.8	12.8	12.9	12.3	10.2	5.3	5.7	5.3	7.1	12.6	14.6	14.5	128.3	12	-73208
	01 LST	15.2	15.4	16.5	16.6	19.1	16.5	18.3	17.0	14.5	15.9	16.6	15.5	197.1	12	-73208
	07 LST	9.7	8.4	9.1	11.3	12.9	10.1	11.3	10.7	8.6	10.9	11.0	9.8	123.9	12	-73208
	13 LST	10.0	8.7	9.9	9.0	8.8	4.9	2.6	2.7	2.8	6.7	9.4	8.7	84.2	12	-73208
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.2	26.0	28.8	29.0	29.5	29.4	30.3	30.4	28.1	28.1	27.5	27.8	343.1	12	-73208
	01 LST	25.7	23.6	27.8	28.2	29.4	28.7	30.7	29.8	28.6	28.3	26.3	26.0	333.1	12	-73208
	07 LST	21.7	20.7	23.7	26.6	27.7	27.0	29.8	28.8	27.2	26.6	22.7	24.2	306.7	12	-73208
	13 LST	27.5	25.3	27.8	28.3	29.4	28.1	29.9	28.4	27.7	27.4	27.0	26.9	333.7	12	-73208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.9	23.7	25.5	27.1	27.4	27.2	29.1	29.6	26.6	25.6	25.7	24.7	317.1	12	-73208
	01 LST	22.8	21.6	25.2	26.6	27.8	27.7	30.2	29.4	27.2	25.5	23.9	22.7	310.6	12	-73208
	07 LST	19.0	18.4	21.7	24.0	25.9	26.3	29.1	28.0	25.9	24.2	20.0	21.0	283.5	12	-73208
	13 LST	23.7	20.9	23.6	25.3	25.5	23.8	23.6	23.3	23.6	22.6	23.6	22.3	281.8	12	-73208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.1	21.3	24.1	25.8	26.5	26.2	28.2	28.1	24.8	24.0	24.7	22.8	299.6	12	-73208
	01 LST	21.7	20.4	24.1	25.7	27.2	27.1	29.8	29.1	26.6	24.2	22.9	21.0	299.6	12	-73208
	07 LST	17.6	16.7	20.4	22.7	25.4	25.5	28.6	27.4	24.6	22.9	19.1	19.7	270.6	12	-73208
	13 LST	21.4	19.2	22.1	24.2	25.1	22.6	22.7	22.7	22.0	20.2	21.9	19.8	263.9	12	-73208

# CAPE CORAL, FLORIDA

STA NO. 73493 (IN AREA NUMBER 19)

LATITUDE 2637N

LONGITUDE 08137W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	91	93	95	99	100	101	100	96	94	91	88	101	20	-72210
MEAN MAX TMP (F)	75	77	80	85	89	91	91	92	90	85	80	76	84	20	-72210
MEAN MIN TMP (F)	52	53	57	62	66	71	73	74	73	67	59	54	63	20	-72210
ABS MIN TMP (F)	31	30	34	39	50	61	66	65	63	45	34	26	26	20	-72210
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.8	3.6	18.3	22.6	25.0	27.5	20.0	2.8	0.1	0.0	120.7	11	-72210
MEAN NO DYS TMP = OR LES 32(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	11	-72210
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN DEW PT TMP (F)	56	57	59	61	66	72	73	74	73	68	60	57	65	7	-72210
MEAN REL HUM (PCT)	77	75	73	72	72	78	81	80	82	79	77	78	77	7	-72210
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.49	1.87	2.74	2.59	3.86	8.60	9.50	7.25	9.08	4.37	1.25	1.49	94.1	20	-72210
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.7	4.4	5.8	5.7	6.7	11.2	12.2	9.8	12.5	6.8	2.6	3.7	85.1	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.4	3.5	2.4	1.1	1.4	0.6	0.6	0.1	0.6	0.7	2.0	4.3	21.7	7	-72210
MEAN NO DYS TSTMS	1.0	1.5	1.3	4.3	7.6	17.2	23.4	21.7	12.2	3.3	0.8	0.5	94.8	11	-72210
P FREQ WND SPD = OR GTR 17 KTS	1.2	2.4	4.1	3.4	0.9	0.6	0.4	0.9	1.8	1.0	0.7	1.3	1.6	7	-72210
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	7	-72210
P FREQ LES 5000 FT A/O LES 5 MI	16.5	17.2	15.1	15.3	10.8	13.7	10.4	10.8	14.5	14.8	14.0	19.2	14.4	7	-72210
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.1	7.4	5.8	2.9	0.6	0.6	0.6	0.0	2.5	4.1	5.2	11.1	3.9	7	-72210
03-05 LST	15.2	14.5	15.4	7.3	6.0	3.3	0.8	1.2	2.9	7.5	11.0	17.0	8.5	7	-72210
06-08 LST	19.4	14.3	19.5	8.4	5.1	4.1	1.4	1.8	5.9	10.8	12.5	18.5	9.6	7	-72210
09-11 LST	6.3	4.0	4.2	3.3	1.1	2.2	0.8	0.9	3.0	5.7	5.7	6.3	3.6	7	-72210
12-14 LST	3.2	1.7	1.5	0.8	0.5	1.9	2.5	1.7	3.5	4.0	2.4	2.3	2.2	7	-72210
15-17 LST	1.4	2.4	2.6	1.7	0.2	4.6	2.9	1.4	3.7	2.5	1.6	0.9	2.2	7	-72210
18-20 LST	1.4	2.5	1.5	0.8	0.5	2.9	1.4	0.8	2.7	3.7	1.9	2.3	1.9	7	-72210
21-23 LST	2.5	2.4	2.3	1.4	0.3	1.1	0.5	0.5	3.3	4.6	1.6	7.0	2.3	7	-72210
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.5	3.4	3.4	0.5	0.3	0.0	0.0	0.0	0.0	0.3	1.1	4.6	1.4	7	-72210
03-05 LST	10.0	7.6	6.8	2.4	1.7	0.5	0.2	0.9	0.5	0.8	4.9	8.8	3.8	7	-72210
06-08 LST	9.7	8.3	5.5	2.1	2.0	0.3	0.2	0.3	1.1	1.2	5.2	9.4	3.8	7	-72210
09-11 LST	0.8	0.2	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.2	0.5	0.6	0.2	7	-72210
12-14 LST	0.2	0.0	0.0	0.0	0.2	0.0	1.1	0.3	0.3	0.0	0.2	0.0	0.2	7	-72210
15-17 LST	0.2	0.0	0.0	0.0	0.0	1.3	0.3	0.2	0.8	0.3	0.0	0.0	0.3	7	-72210
18-20 LST	0.3	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.6	0.2	0.2	0.2	0.2	7	-72210
21-23 LST	0.8	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.5	0.3	7	-72210

# CAPE CORAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.8	30.8	29.9	31.0	29.3	30.7	30.8	29.6	30.1	29.4	30.6	360.8	7	-72210
	01 LST	29.4	26.2	29.1	29.4	30.8	30.0	31.0	31.0	29.7	30.1	29.4	27.5	353.6	7	-72210
	07 LST	24.6	23.3	26.6	28.3	29.9	29.4	30.7	30.8	28.7	28.3	26.6	24.8	332.0	7	-72210
	13 LST	30.6	27.7	30.7	30.0	30.7	29.7	30.6	30.7	29.4	30.7	29.6	30.7	361.1	7	-72210
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	27.4	23.5	23.8	22.7	26.0	24.8	28.3	28.6	25.6	24.6	24.7	26.5	306.5	7	-72210
	01 LST	26.4	23.2	25.1	27.0	30.3	29.0	30.7	30.7	27.8	27.0	26.4	24.7	328.3	7	-72210
	07 LST	22.3	20.2	21.0	22.4	26.1	27.3	30.0	28.8	25.6	22.4	22.7	20.8	290.1	7	-72210
	13 LST	14.3	11.9	11.3	10.4	11.0	14.1	20.0	19.8	18.0	14.4	13.4	11.7	170.3	7	-72210
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.0	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	1.1	7	-72210
	01 LST	0.1	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	7	-72210
	07 LST	0.1	0.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	1.3	7	-72210
	13 LST	1.1	2.4	4.0	2.9	0.8	0.6	0.3	0.6	1.0	1.1	0.8	1.3	16.9	7	-72210
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.9	19.9	24.0	21.3	26.1	22.2	20.8	21.8	23.0	24.1	20.4	21.5	265.0	7	-72210
	01 LST	16.9	16.0	19.4	18.5	16.6	14.1	15.7	14.6	18.8	21.6	18.9	19.2	210.6	7	-72210
	07 LST	18.4	15.2	21.2	22.3	22.7	21.1	24.4	21.5	23.0	22.7	21.0	18.2	251.7	7	-72210
	13 LST	19.2	14.3	13.1	13.7	10.7	8.7	10.2	9.0	12.7	17.7	18.3	14.8	162.4	7	-72210
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.6	13.4	14.8	10.7	11.3	4.1	0.8	2.1	5.1	12.8	13.8	16.3	121.8	7	-72210
	01 LST	20.8	18.4	19.3	18.1	22.7	17.9	14.0	17.3	15.7	19.7	19.1	18.4	221.4	7	-72210
	07 LST	13.7	12.6	13.3	16.4	16.4	12.3	10.4	9.0	10.1	13.5	12.7	11.5	151.9	7	-72210
	13 LST	8.6	8.5	8.7	7.8	6.3	2.6	0.4	0.1	0.8	4.3	6.4	9.9	64.4	7	-72210
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.4	27.4	30.0	29.3	30.4	28.1	29.7	29.9	28.1	28.7	28.8	30.0	350.8	7	-72210
	01 LST	28.8	25.7	28.4	29.1	30.6	29.4	31.0	30.8	29.0	29.7	28.1	26.7	347.3	7	-72210
	07 LST	23.7	22.3	25.4	26.9	29.9	28.7	30.3	30.0	27.6	26.7	26.0	24.4	321.9	7	-72210
	13 LST	29.7	26.7	29.9	28.8	29.7	27.7	29.3	29.5	26.6	27.8	28.4	29.0	343.1	7	-72210
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	24.3	28.4	25.4	27.1	25.3	27.1	25.7	25.0	26.6	26.4	26.3	315.3	7	-72210
	01 LST	27.4	23.3	26.6	27.0	29.5	29.0	30.7	30.8	27.6	28.3	26.6	24.5	331.3	7	-72210
	07 LST	21.3	20.6	24.3	25.6	29.4	28.1	30.0	29.9	26.9	26.1	23.3	21.8	307.3	7	-72210
	13 LST	25.5	23.0	26.8	23.3	26.4	21.4	23.4	23.1	22.0	24.6	26.0	25.5	291.0	7	-72210
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.4	23.3	27.7	24.3	26.8	24.1	26.6	25.0	24.1	25.9	24.6	25.2	305.0	7	-72210
	01 LST	26.4	22.9	25.9	26.4	29.5	28.7	30.7	30.7	27.6	27.8	25.0	23.3	324.9	7	-72210
	07 LST	20.8	19.7	23.1	24.7	28.8	28.0	29.3	29.9	26.4	25.7	21.1	20.4	297.9	7	-72210
	13 LST	24.8	22.5	25.0	22.6	26.3	20.9	23.3	23.0	22.0	23.7	25.0	24.5	283.6	7	-72210

# PUNTA GORDA/CHARLOTTE COUNTY, FLORIDA

STA NO. 73494 (IN AREA NUMBER 15)

LATITUDE 2655N

LONGITUDE 08159W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	91	95	96	99	99	103	99	98	95	90	88	103	28	-113
MEAN MAX TMP (F)	75	77	80	85	89	90	91	92	90	86	80	76	84	29	-113
MEAN MIN TMP (F)	54	55	58	63	67	71	73	73	73	69	60	52	64	28	-113
ABS MIN TMP (F)	29	32	35	41	53	60	65	65	62	47	34	28	26	28	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	3.0	14.0	21.0	25.0	27.0	21.0	7.0	0.3	0.0	118.6	9	-113
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN DEW PT TMP (F)	56	57	59	61	66	72	73	74	73	68	60	57	65	7	-72210
MEAN REL HUM (PCT)	77	75	73	72	72	78	81	80	82	79	77	78	77	7	-72210
MEAN PRESS ALT (FT)	-145	-120	-97	-70	-29	-23	-73	-41	1	-16	-89	-126	-68	0	-50
MEAN PRECIP (IN)	1.94	2.20	2.59	2.65	3.58	7.93	7.74	7.27	8.65	4.07	1.53	1.64	51.8	45	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	5.0	5.7	5.7	6.6	10.5	10.3	9.8	12.0	6.4	3.0	4.0	83.3	45	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.5	2.4	1.1	1.4	0.6	0.6	0.1	0.6	0.7	2.0	4.3	21.7	7	-72210
MEAN NO DYS TSTMS	1.0	1.5	1.3	4.3	7.6	17.2	23.4	21.7	12.2	3.3	0.8	0.5	94.8	11	-72210
P FREQ WND SPD = OR GTR 17 KTS	1.2	2.4	4.1	3.4	0.9	0.6	0.4	0.9	1.8	1.0	0.7	1.3	1.6	7	-72210
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	7	-72210
P FREQ LES 5000 FT A/D LES 5 MI	16.5	17.2	15.1	15.3	10.8	13.7	10.4	10.8	14.5	14.8	14.0	19.2	14.4	7	-72210
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	6.1	7.4	5.8	2.9	0.6	0.6	0.6	0.0	2.5	4.1	5.2	11.1	3.9	7	-72210
03-05 LST	15.2	14.5	15.4	7.3	6.0	3.3	0.8	1.2	2.9	7.5	11.0	17.0	8.5	7	-72210
06-08 LST	19.4	14.3	13.5	8.4	5.1	4.1	1.4	1.8	5.9	10.8	12.5	18.5	9.6	7	-72210
09-11 LST	6.3	4.0	4.2	3.3	1.1	2.2	0.8	0.9	3.0	5.7	5.7	6.3	3.6	7	-72210
12-14 LST	3.2	1.7	1.5	0.8	0.5	1.9	2.5	1.7	3.5	4.0	2.4	2.3	2.2	7	-72210
15-17 LST	1.4	2.4	2.6	1.7	0.2	4.6	2.9	1.4	3.7	2.5	1.6	0.9	2.2	7	-72210
18-20 LST	1.4	2.5	1.5	0.8	0.5	2.9	1.4	0.8	2.7	3.7	1.9	2.3	1.9	7	-72210
21-23 LST	2.5	2.4	2.3	1.4	0.3	1.1	0.5	0.5	3.3	4.6	1.6	7.0	2.3	7	-72210
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	3.4	3.4	0.5	0.3	0.0	0.0	0.0	0.0	0.3	1.1	4.6	1.4	7	-72210
03-05 LST	10.0	7.6	6.8	2.4	1.7	0.5	0.2	0.9	0.5	0.8	4.9	8.8	3.8	7	-72210
06-08 LST	9.7	8.3	5.5	2.1	2.0	0.3	0.2	0.3	1.1	1.2	5.2	9.4	3.8	7	-72210
09-11 LST	0.8	0.2	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.2	0.5	0.6	0.2	7	-72210
12-14 LST	0.2	0.0	0.0	0.0	0.2	0.0	1.1	0.3	0.3	0.0	0.2	0.0	0.2	7	-72210
15-17 LST	0.2	0.0	0.0	0.0	0.0	1.3	0.3	0.2	0.8	0.3	0.0	0.0	0.3	7	-72210
18-20 LST	0.3	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.6	0.2	0.2	0.2	0.2	7	-72210
21-23 LST	0.8	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.5	0.3	7	-72210

# PUNTA GORDA/CHARLOTTE COUNTY, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.8	30.8	29.9	31.0	29.3	30.7	30.8	29.6	30.1	29.4	30.6	300.8	7	-72210
	01 LST	29.4	26.2	29.1	29.4	30.8	30.0	31.0	31.0	29.7	30.1	29.4	27.5	353.6	7	-72210
	07 LST	24.6	23.3	26.6	28.3	29.9	29.4	30.7	30.8	28.7	28.3	26.6	24.8	332.0	7	-72210
	13 LST	30.6	27.7	30.7	30.0	30.7	29.7	30.6	30.7	29.4	30.7	29.6	30.7	361.1	7	-72210
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	19 LST	27.4	23.3	23.8	22.7	26.0	24.8	28.3	28.6	25.6	24.6	24.7	26.5	306.3	7	-72210
	01 LST	26.4	23.2	25.1	27.0	30.3	29.0	30.7	30.7	27.8	27.0	26.4	24.7	328.3	7	-72210
	07 LST	22.3	20.2	21.0	22.4	26.1	27.8	30.0	28.8	23.6	22.4	22.7	20.8	290.1	7	-72210
	13 LST	14.3	11.9	11.3	10.4	11.0	14.1	20.0	19.8	18.0	14.4	13.4	11.7	170.3	7	-72210
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.0	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	1.1	7	-72210
	01 LST	0.1	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	7	-72210
	07 LST	0.1	0.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	1.3	7	-72210
	13 LST	1.1	2.4	4.0	2.9	0.8	0.6	0.3	0.6	1.0	1.1	0.8	1.3	16.9	7	-72210
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.9	19.9	24.0	21.3	26.1	22.2	20.8	21.8	23.0	24.1	20.4	21.5	265.0	7	-72210
	01 LST	16.9	16.0	19.4	18.5	16.6	14.1	15.7	14.6	18.8	21.6	18.9	19.2	210.3	7	-72210
	07 LST	18.4	15.2	21.2	22.3	22.7	21.1	24.4	21.5	23.0	22.7	21.0	18.2	231.7	7	-72210
	13 LST	19.2	14.3	13.1	13.7	10.7	8.7	10.2	9.0	12.7	17.7	18.3	14.8	162.4	7	-72210
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.6	13.4	14.8	10.7	11.3	4.1	0.8	2.1	5.1	12.8	13.8	16.3	121.8	7	-72210
	01 LST	20.6	18.4	19.3	18.1	22.7	17.9	14.0	17.3	15.7	19.7	19.1	18.4	221.4	7	-72210
	07 LST	13.7	12.6	13.3	16.4	16.4	12.3	10.4	9.0	10.1	13.5	12.7	11.5	151.9	7	-72210
	13 LST	8.6	8.5	8.7	7.8	6.3	2.6	0.4	0.1	0.8	4.3	6.4	9.9	64.4	7	-72210
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.4	27.4	30.0	29.3	30.4	28.1	29.7	29.9	28.1	28.7	28.8	30.0	350.8	7	-72210
	01 LST	28.8	25.7	28.4	29.1	30.6	29.4	31.0	30.8	29.0	29.7	28.1	26.7	347.3	7	-72210
	07 LST	23.7	22.3	25.4	26.9	29.9	28.7	30.3	30.0	27.6	26.7	26.0	24.4	321.9	7	-72210
	13 LST	29.7	26.7	29.9	28.8	29.7	27.7	29.3	29.5	26.6	27.8	28.4	29.0	343.1	7	-72210
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	24.3	28.4	25.4	27.1	25.3	27.1	25.7	25.0	26.6	26.4	26.3	315.3	7	-72210
	01 LST	27.4	23.3	26.6	27.0	29.5	29.0	30.7	30.8	27.6	28.3	26.6	24.5	331.3	7	-72210
	07 LST	21.3	20.6	24.3	25.6	29.4	28.1	30.0	29.9	26.9	26.1	23.3	21.8	307.3	7	-72210
	13 LST	25.5	23.0	26.8	23.3	26.4	21.4	23.4	23.1	22.0	24.6	26.0	23.5	291.0	7	-72210
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.4	23.3	27.7	24.3	26.8	24.1	26.6	25.0	24.1	23.9	24.6	23.2	303.0	7	-72210
	01 LST	26.4	22.9	25.9	26.4	29.5	28.7	30.7	30.7	27.6	27.8	25.0	23.3	324.9	7	-72210
	07 LST	20.8	19.7	23.1	24.7	28.8	28.0	29.3	29.9	26.4	23.7	21.1	20.4	297.9	7	-72210
	13 LST	24.8	22.5	25.0	22.6	26.3	20.9	23.3	23.0	22.0	23.7	23.0	24.5	283.6	7	-72210

# EVERGLADES, FLORIDA

STA NO. 73495 (IN AREA NUMBER 19)

LATITUDE 25.1N

LONGITUDE 08124W

ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	91	94	96	98	98	99	97	97	96	92	89	99	28	-113
MEAN MAX TMP (F)	78	80	82	86	89	91	92	92	91	87	83	79	86	28	-113
MEAN MIN TMP (F)	55	56	59	62	67	72	73	74	73	69	61	56	65	28	-113
ABS MIN TMP (F)	24	34	34	39	52	62	65	64	62	49	34	28	24	28	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	2.0	12.0	23.0	27.0	29.0	24.0	8.0	0.3	0.0	125.6	9	-113
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN DEW PT TMP (F)	56	57	59	61	66	72	73	74	73	68	60	57	65	7	-72210
MEAN REL HUM (PCT)	77	75	73	72	72	78	81	80	82	79	77	78	77	7	-72210
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.58	1.42	2.23	2.46	5.04	8.86	8.35	7.58	9.92	4.51	1.36	1.31	54.6	33	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	3.6	5.2	5.5	7.2	11.4	10.9	10.1	13.4	7.0	2.8	3.4	84.4	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.5	2.4	1.1	1.4	0.6	0.6	0.1	0.6	0.7	2.0	4.3	21.7	7	-72210
MEAN NO DYS TSTMS	1.0	1.5	1.3	4.3	7.6	17.2	23.4	21.7	12.2	3.3	0.8	0.5	94.8	11	-72210
P FREQ WND SPD = OR GTR 17 KTS	1.2	2.4	4.1	3.4	0.9	0.6	0.4	0.9	1.8	1.0	0.7	1.3	1.6	7	-72210
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	7	-72210
P FREQ LES 5000 FT A/D LES 5 MI	16.5	17.2	19.1	19.3	10.8	13.7	10.4	10.8	14.5	14.8	14.0	19.2	14.4	7	-72210
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	6.1	7.4	5.8	2.9	0.6	0.6	0.6	0.0	2.5	4.1	5.2	11.1	3.9	7	-72210
03-05 LST	15.2	14.5	15.4	7.3	6.0	3.3	0.8	1.2	2.9	7.5	11.0	17.0	8.5	7	-72210
06-08 LST	19.4	14.3	13.5	8.4	5.1	4.1	1.4	1.8	5.9	10.8	12.5	18.5	9.6	7	-72210
09-11 LST	6.3	4.0	4.2	3.3	1.1	2.2	0.8	0.9	3.0	5.7	5.7	6.3	3.6	7	-72210
12-14 LST	3.2	1.7	1.5	0.8	0.5	1.9	2.5	1.7	3.5	4.0	2.4	2.3	2.2	7	-72210
15-17 LST	1.4	2.4	2.6	1.7	0.2	4.6	2.9	1.4	3.7	2.5	1.6	0.9	2.2	7	-72210
18-20 LST	1.4	2.5	1.5	0.8	0.5	2.9	1.4	0.8	2.7	3.7	1.9	2.3	1.9	7	-72210
21-23 LST	2.5	2.4	2.3	1.4	0.3	1.1	0.5	0.5	3.3	4.6	1.6	7.0	2.3	7	-72210
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	3.4	3.4	0.5	0.3	0.0	0.0	0.0	0.0	0.3	1.1	4.6	1.4	7	-72210
03-05 LST	10.0	7.6	6.8	2.4	1.7	0.5	0.2	0.9	0.5	0.8	4.9	8.8	3.8	7	-72210
06-08 LST	9.7	8.3	5.5	2.1	2.0	0.3	0.2	0.3	1.1	1.2	5.2	9.4	3.8	7	-72210
09-11 LST	0.8	0.2	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.2	0.5	0.6	0.2	7	-72210
12-14 LST	0.2	0.0	0.0	0.0	0.2	0.0	1.1	0.3	0.3	0.0	0.2	0.0	0.2	7	-72210
15-17 LST	0.2	0.0	0.0	0.0	0.0	1.3	0.3	0.2	0.8	0.3	0.0	0.0	0.3	7	-72210
18-20 LST	0.3	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.6	0.2	0.2	0.2	0.2	7	-72210
21-23 LST	0.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.5	0.3	7	-72210

# EVERGLADES, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YAS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.8	30.8	29.9	31.0	29.3	30.7	30.8	29.6	30.1	29.4	30.6	300.8	7	-72210
	01 LST	29.4	26.2	29.1	29.4	30.8	30.0	31.0	31.0	29.7	30.1	29.4	27.5	353.6	7	-72210
	07 LST	24.6	23.3	26.6	28.3	29.9	29.4	30.7	30.8	28.7	28.3	26.6	24.8	332.0	7	-72210
	13 LST	30.6	27.7	30.7	30.0	30.7	29.7	30.6	30.7	29.4	30.7	29.6	30.7	361.1	7	-72210
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	27.4	23.5	23.8	22.7	26.0	24.8	28.3	28.6	25.6	24.6	24.7	26.5	306.3	7	-72210
	01 LST	26.4	23.2	25.1	27.0	30.3	29.0	30.7	30.7	27.8	27.0	26.4	24.7	328.3	7	-72210
	07 LST	22.3	20.2	21.0	22.4	26.1	27.8	30.0	28.8	25.6	22.4	22.7	20.8	290.1	7	-72210
	13 LST	14.3	11.9	11.3	10.4	11.0	14.1	20.0	19.8	18.0	14.4	13.4	11.7	170.3	7	-72210
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.0	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	1.1	7	-72210
	01 LST	0.1	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	7	-72210
	07 LST	0.1	0.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	1.3	7	-72210
	13 LST	1.1	2.4	4.0	2.9	0.8	0.6	0.3	0.6	1.0	1.1	0.8	1.3	16.9	7	-72210
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.9	19.9	24.0	21.3	26.1	22.2	20.8	21.8	23.0	24.1	20.4	21.5	265.0	7	-72210
	01 LST	16.9	16.0	19.4	18.5	16.6	14.1	15.7	14.6	18.8	21.6	18.9	19.2	210.3	7	-72210
	07 LST	18.4	15.2	21.2	22.3	22.7	21.1	24.4	21.5	23.0	22.7	21.0	18.2	251.7	7	-72210
	13 LST	19.2	14.3	13.1	13.7	10.7	8.7	10.2	9.0	12.7	17.7	18.3	14.8	162.4	7	-72210
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.6	13.4	14.8	10.7	11.3	4.1	0.8	2.1	5.1	12.8	13.8	16.3	121.8	7	-72210
	01 LST	20.8	18.4	19.3	18.1	22.7	17.9	14.0	17.3	15.7	19.7	19.1	18.4	221.4	7	-72210
	07 LST	13.7	12.6	13.3	16.4	16.4	12.3	10.4	9.0	10.1	13.5	12.7	11.5	151.9	7	-72210
	13 LST	8.6	8.5	8.7	7.8	6.3	2.6	0.4	0.1	0.8	4.3	6.4	9.9	64.4	7	-72210
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.4	27.4	30.0	29.3	30.4	28.1	29.7	29.9	28.1	28.7	28.8	30.0	350.8	7	-72210
	01 LST	28.8	25.7	28.4	29.1	30.6	29.4	31.0	30.8	29.0	29.7	28.1	26.7	347.3	7	-72210
	07 LST	23.7	22.3	25.4	26.9	29.9	28.7	30.3	30.0	27.6	26.7	26.0	24.4	321.9	7	-72210
	13 LST	29.7	26.7	29.9	28.8	29.7	27.7	29.3	29.3	26.6	27.8	28.4	29.0	343.1	7	-72210
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	24.3	28.4	25.4	27.1	25.3	27.1	25.7	25.0	26.6	26.4	26.3	315.3	7	-72210
	01 LST	27.4	23.3	26.6	27.0	29.5	29.0	30.7	30.8	27.6	28.3	26.6	24.5	331.3	7	-72210
	07 LST	21.3	20.6	24.3	25.6	29.4	28.1	30.0	29.9	26.9	26.1	23.3	21.8	307.3	7	-72210
	13 LST	25.5	23.0	26.8	23.3	26.4	21.4	23.4	23.1	22.0	24.6	26.0	25.3	291.0	7	-72210
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.4	23.3	27.7	24.3	26.8	24.1	26.6	25.0	24.1	25.9	24.6	25.2	305.0	7	-72210
	01 LST	26.4	22.9	25.9	26.4	29.5	28.7	30.7	30.7	27.6	27.8	25.0	23.3	324.9	7	-72210
	07 LST	20.8	19.7	23.1	24.7	28.8	28.0	29.3	29.9	26.4	25.7	21.1	20.4	297.9	7	-72210
	13 LST	24.8	22.5	25.0	22.6	26.3	20.9	23.3	23.0	22.0	23.7	25.0	24.5	283.6	7	-72210



# IMMOKALEE, FLORIDA

STA NO. 73496 (IN AREA NUMBER 15)

LATITUDE 2626N

LONGITUDE 08124W

ELEVATION(FT) 00035

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	87	91	93	95	99	100	101	100	96	94	91	88	101	20	-72210
MEAN MAX TMP (F)	75	77	80	85	89	91	91	92	90	85	80	76	84	20	-72210
MEAN MIN TMP (F)	52	53	57	62	66	71	73	74	73	67	59	54	63	20	-72210
ABS MIN TMP (F)	31	30	34	39	50	61	66	65	63	45	34	26	26	20	-72210
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.8	3.6	18.3	22.6	25.0	27.5	20.0	2.8	0.1	0.0	120.7	11	-72210
MEAN NO DYS TMP = OR LES 32(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	11	-72210
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN DEW PT TMP (F)	56	57	59	61	66	72	73	74	73	68	60	57	65	7	-72210
MEAN REL HUM (PCT)	77	75	73	72	72	78	81	80	82	79	77	78	77	7	-72210
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.49	1.87	2.74	2.59	3.86	8.60	9.50	7.25	9.08	4.37	1.25	1.49	54.1	20	-72210
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.7	4.4	5.8	5.7	6.7	11.2	12.2	9.8	12.5	6.8	2.6	3.7	85.1	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-72210
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.5	2.4	1.1	1.4	0.6	0.6	0.1	0.6	0.7	2.0	4.3	21.7	7	-72210
MEAN NO DYS TSTMS	1.0	1.5	1.3	4.3	7.6	17.2	23.4	21.7	12.2	3.3	0.8	0.5	94.8	11	-72210
P FREQ WND SPD = OR GTR 17 KTS	1.2	2.4	4.1	3.4	0.9	0.6	0.4	0.9	1.8	1.0	0.7	1.3	1.6	7	-72210
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	7	-72210
P FREQ LES 5000 FT A/D LES 3 MI	16.5	17.2	15.1	15.3	10.8	13.7	10.4	10.8	14.5	14.8	14.0	19.2	14.4	7	-72210
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	6.1	7.4	5.8	2.9	0.6	0.6	0.6	0.0	2.5	4.1	5.2	11.1	3.9	7	-72210
03-05 LST	15.2	14.5	15.4	7.3	6.0	3.3	0.8	1.2	2.9	7.5	11.0	17.0	8.5	7	-72210
06-08 LST	19.4	14.3	13.5	8.4	5.1	4.1	1.4	1.8	5.9	10.8	12.5	18.5	9.6	7	-72210
09-11 LST	6.3	4.0	4.2	3.3	1.1	2.2	0.8	0.9	3.0	5.7	5.7	6.3	3.6	7	-72210
12-14 LST	3.2	1.7	1.5	0.8	0.5	1.9	2.5	1.7	3.5	4.0	2.4	2.3	2.2	7	-72210
15-17 LST	1.4	2.4	2.6	1.7	0.2	4.6	2.9	1.4	3.7	2.5	1.6	0.9	2.2	7	-72210
18-20 LST	1.4	2.5	1.5	0.8	0.5	2.9	1.4	0.8	2.7	3.7	1.9	2.3	1.9	7	-72210
21-23 LST	2.5	2.4	2.3	1.4	0.3	1.1	0.5	0.5	3.3	4.6	1.6	7.0	2.3	7	-72210
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	3.4	3.4	0.5	0.3	0.0	0.0	0.0	0.0	0.3	1.1	4.6	1.4	7	-72210
03-05 LST	10.0	7.6	6.8	2.4	1.7	0.5	0.2	0.9	0.5	0.8	4.9	8.8	3.8	7	-72210
06-08 LST	9.7	8.3	9.5	2.1	2.0	0.3	0.2	0.3	1.1	1.2	5.2	9.4	3.8	7	-72210
09-11 LST	0.8	0.2	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.2	0.5	0.6	0.2	7	-72210
12-14 LST	0.2	0.0	0.0	0.0	0.2	0.0	1.1	0.3	0.3	0.0	0.2	0.0	0.2	7	-72210
15-17 LST	0.2	0.0	0.0	0.0	0.0	1.3	0.3	0.2	0.8	0.3	0.0	0.0	0.3	7	-72210
18-20 LST	0.3	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.6	0.2	0.2	0.2	0.2	7	-72210
21-23 LST	0.8	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.5	0.3	7	-72210

# IMMOKALEE, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTP 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.8	30.8	29.9	31.0	29.3	30.7	30.8	29.6	30.1	29.4	30.6	360.8	7	-72210
	01 LST	29.4	26.2	29.1	29.4	30.8	30.0	31.0	31.0	29.7	30.1	29.4	27.5	353.6	7	-72210
	07 LST	24.6	23.3	26.6	28.3	29.9	29.4	30.7	30.8	28.7	28.3	26.6	24.8	332.0	7	-72210
	13 LST	30.6	27.7	30.7	30.0	30.7	29.7	30.6	30.7	29.4	30.7	29.6	30.7	361.1	7	-72210
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	27.4	23.5	23.8	22.7	26.0	24.8	28.3	28.6	25.6	24.6	24.7	26.5	306.5	7	-72210
	01 LST	26.4	23.2	25.1	27.0	30.3	29.0	30.7	30.7	27.8	27.0	26.4	24.7	328.3	7	-72210
	07 LST	22.3	20.2	21.0	22.4	26.1	27.8	30.0	28.8	25.6	22.4	22.7	20.8	290.1	7	-72210
	13 LST	14.3	11.9	11.3	10.4	11.0	14.1	20.0	19.8	18.0	14.4	13.4	11.7	170.3	7	-72210
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.0	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	1.1	7	-72210
	01 LST	0.1	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	7	-72210
	07 LST	0.1	0.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	1.3	7	-72210
	13 LST	1.1	2.4	4.0	2.9	0.8	0.6	0.3	0.6	1.0	1.1	0.8	1.3	16.9	7	-72210
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.9	19.9	24.0	21.3	26.1	22.2	20.8	21.8	23.0	24.1	20.4	21.5	265.0	7	-72210
	01 LST	16.9	16.0	19.4	18.5	16.6	14.1	15.7	14.6	18.8	21.6	18.9	19.2	210.3	7	-72210
	07 LST	18.4	15.2	21.2	22.3	22.7	21.1	24.4	21.5	23.0	22.7	21.0	18.2	251.7	7	-72210
	13 LST	19.2	14.3	13.1	13.7	10.7	8.7	10.2	9.0	12.7	17.7	18.3	14.8	162.4	7	-72210
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.6	13.4	14.8	10.7	11.3	4.1	0.8	2.1	5.1	12.8	13.8	16.3	121.8	7	-72210
	01 LST	20.8	18.4	19.3	18.1	22.7	17.9	14.0	17.3	15.7	19.7	19.1	18.4	221.4	7	-72210
	07 LST	13.7	12.6	13.3	16.4	16.4	12.3	10.4	9.0	10.1	13.5	12.7	11.5	151.9	7	-72210
	13 LST	8.6	8.5	8.7	7.8	6.3	2.6	0.4	0.1	0.8	4.3	6.4	9.9	64.4	7	-72210
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.4	27.4	30.0	29.3	30.4	28.1	29.7	29.9	28.1	28.7	28.8	30.0	350.8	7	-72210
	01 LST	28.8	25.7	28.4	29.1	30.6	29.4	31.0	30.8	29.0	29.7	28.1	26.7	347.3	7	-72210
	07 LST	23.7	22.3	25.4	26.9	29.9	28.7	30.3	30.0	27.6	26.7	26.0	24.4	321.9	7	-72210
	13 LST	29.7	26.7	29.9	28.8	29.7	27.7	29.3	29.5	26.6	27.8	28.4	29.0	343.1	7	-72210
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	24.3	28.4	25.4	27.1	25.3	27.1	25.7	25.0	26.6	26.4	26.3	315.3	7	-72210
	01 LST	27.4	23.3	26.6	27.0	29.5	29.0	30.7	30.8	27.6	28.3	26.6	24.5	331.3	7	-72210
	07 LST	21.3	20.6	24.3	25.6	29.4	28.1	30.0	29.9	26.9	26.1	23.3	21.8	307.3	7	-72210
	13 LST	25.5	23.0	26.8	23.3	26.4	21.4	23.4	23.1	22.0	24.6	26.0	25.5	291.0	7	-72210
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.4	23.3	27.7	24.3	26.8	24.1	26.6	25.0	24.1	25.9	24.6	25.2	305.0	7	-72210
	01 LST	26.4	22.9	25.9	26.4	29.5	28.7	30.7	30.7	27.6	27.8	25.0	23.3	324.9	7	-72210
	07 LST	20.8	19.7	23.1	24.7	28.8	28.0	29.3	29.9	26.4	25.7	21.1	20.4	297.9	7	-72210
	13 LST	24.8	22.5	25.0	22.6	26.3	20.9	23.3	23.0	22.0	23.7	25.0	24.5	283.6	7	-72210

# PLANT CITY MUNICIPAL, FLORIDA

STA NO. 73497 (IN AREA NUMBER 15)

LATITUDE 2800N

LONGITUDE 08210W

ELEVATION(FT) 00154

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	94	96	101	102	100	98	97	95	90	87	102	62	-113
MEAN MAX TMP (F)	74	75	79	84	89	91	91	92	89	84	78	73	83	61	-113
MEAN MIN TMP (F)	49	50	54	58	63	69	71	71	70	63	55	49	60	61	-113
ABS MIN TMP (F)	14	4	26	31	43	49	60	58	47	33	22	18	4	61	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	1.0	2.0	15.0	23.0	26.0	26.0	21.0	3.0	0.3	0.0	119.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	6.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61	-29
MEAN DEW PT TMP (F)	51	52	58	61	64	71	73	73	72	62	56	52	62	4	-73476
MEAN REL HUM (PCT)	76	72	74	72	72	78	83	82	82	77	76	78	77	4	-73476
MEAN PRESS ALT (FT)	-47	-17	13	39	69	82	41	68	89	55	-13	-43	28	0	-50
MEAN PRECIP (IN)	2.41	2.91	3.30	2.84	3.99	8.22	8.38	8.81	7.13	3.14	1.59	2.17	35.3	62	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				61	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	6.1	6.5	5.9	6.8	10.8	11.1	11.4	10.2	5.2	3.1	4.9	87.3	62	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				61	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.3	7.2	4.7	5.0	3.0	4.0	1.3	1.9	1.9	2.4	2.6	9.5	49.8	4	-73476
MEAN NO DYS TSTMS	1.3	0.0	3.0	3.7	6.7	13.7	19.3	12.0	8.0	0.3	0.7	0.3	69.0	4	-73476
P FREQ WND SPD = DR GTR 17 KTS	3.0	5.3	5.9	7.2	3.2	1.9	0.7	1.3	2.2	2.4	1.5	2.7	3.1	4	-73476
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.0	0.3	0.0	0.1	0.1	0.0	0.5	0.0	0.0	0.0	0.1	4	-73476
P FREQ LES 3000 FT A/D LES 5 MI	34.8	40.0	33.2	34.8	35.8	40.1	28.5	28.0	27.9	22.1	23.2	33.8	31.9	4	-73476
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.1	19.6	11.8	6.3	3.6	5.9	0.7	1.4	4.6	5.4	5.6	17.4	8.4	4	-73476
03-05 LST	32.6	36.2	19.0	21.6	21.1	20.0	2.9	3.7	9.5	17.4	16.5	26.9	19.0	4	-73476
06-08 LST	43.7	54.3	35.1	27.9	25.2	14.4	3.9	7.9	11.9	26.9	24.9	43.3	26.6	4	-73476
09-11 LST	15.1	16.9	12.3	5.9	5.0	8.1	1.4	2.7	7.4	5.8	10.8	20.7	9.3	4	-73476
12-14 LST	7.2	4.7	5.0	0.7	0.7	7.8	4.7	2.8	5.2	5.1	5.9	9.1	4.9	4	-73476
15-17 LST	2.5	4.3	2.9	1.9	2.5	10.0	7.2	3.4	4.9	2.5	0.4	5.8	4.0	4	-73476
18-20 LST	5.1	9.8	2.2	2.2	4.3	9.3	2.3	2.2	4.9	3.2	2.6	4.8	4.4	4	-73476
21-23 LST	9.0	10.6	4.0	3.7	3.2	4.8	0.0	0.3	2.8	4.3	3.7	8.5	4.6	4	-73476
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	11.0	5.0	1.1	0.0	3.0	0.4	0.3	0.0	1.4	0.7	10.5	3.3	4	-73476
03-05 LST	15.0	18.1	9.3	10.0	5.7	9.3	0.4	1.0	2.4	5.4	5.3	16.4	8.2	4	-73476
06-08 LST	17.9	23.1	12.9	8.9	7.9	4.1	0.7	1.6	4.6	9.8	8.9	22.9	10.3	4	-73476
09-11 LST	2.5	1.2	0.7	0.4	0.0	1.5	0.0	0.0	0.9	0.0	0.7	1.8	0.8	4	-73476
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.3	0.3	0.0	1.1	0.7	0.4	4	-73476
15-17 LST	0.0	0.0	0.0	0.0	0.7	2.2	1.4	0.6	0.3	0.0	0.0	0.0	0.4	4	-73476
18-20 LST	0.0	0.8	0.0	0.0	0.7	1.1	0.4	0.6	0.0	0.0	0.0	0.0	0.3	4	-73476
21-23 LST	0.7	2.4	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	3.0	0.6	4	-73476

# PLANT CITY MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.3	24.7	30.3	29.3	29.6	27.7	30.7	30.2	29.4	30.7	29.6	30.7	333.2	4	-73476
	01 LST	26.7	23.7	27.3	29.3	29.6	28.7	30.7	30.7	29.2	30.0	28.3	24.9	339.1	4	-73476
	07 LST	14.7	10.5	20.0	21.7	24.6	26.0	30.7	29.5	26.7	21.9	22.3	14.8	263.4	4	-73476
	13 LST	30.3	26.7	30.0	30.0	30.7	28.3	29.6	30.5	28.9	30.0	28.7	29.6	353.3	4	-73476
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.3	17.1	20.3	15.0	17.3	22.7	28.0	27.9	23.6	24.0	25.7	23.8	269.7	4	-73476
	01 LST	22.7	20.1	23.0	26.0	28.6	28.3	30.0	30.3	27.5	27.7	24.7	21.2	310.1	4	-73476
	07 LST	11.0	7.6	14.0	17.6	21.3	22.7	29.0	28.0	25.9	19.9	19.3	10.8	227.1	4	-73476
	13 LST	13.0	12.5	13.0	13.0	18.3	19.3	23.3	23.1	20.0	17.9	16.0	15.5	204.9	4	-73476
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.0	1.0	1.0	0.7	0.3	0.0	0.2	0.3	0.3	0.3	0.7	5.1	4	-73476
	01 LST	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	1.9	4	-73476
	07 LST	0.3	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.9	4	-73476
	13 LST	1.6	4.9	4.4	5.0	1.6	0.7	0.3	0.7	0.5	1.3	1.3	3.3	25.6	4	-73476
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	19.3	20.6	19.3	20.6	20.2	14.6	16.4	17.1	17.2	22.0	18.4	226.7	4	-73476
	01 LST	17.0	13.5	17.3	21.7	14.7	9.5	6.0	7.9	9.3	12.8	16.7	14.8	161.2	4	-73476
	07 LST	13.8	12.5	16.5	17.3	17.3	16.2	13.0	13.3	14.6	12.4	16.8	15.2	178.9	4	-73476
	13 LST	18.0	12.5	16.7	11.6	15.3	7.5	10.4	8.4	10.0	19.2	19.0	17.5	166.1	4	-73476
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	21.6	24.0	29.0	28.0	28.6	25.7	29.0	27.9	27.2	30.0	29.0	29.3	336.3	4	-73476
	01 LST	25.0	22.4	27.0	28.0	29.6	28.7	29.6	30.7	28.3	29.3	27.3	23.9	329.8	4	-73476
	07 LST	12.3	9.5	18.3	21.0	24.0	25.3	29.6	28.7	26.4	21.2	21.3	13.1	250.7	4	-73476
	13 LST	27.0	24.4	26.3	28.7	29.0	24.7	24.6	27.4	25.3	27.3	27.0	25.6	317.3	4	-73476
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.7	24.3	23.0	20.3	20.0	21.6	22.9	22.5	28.0	27.3	25.9	282.8	4	-73476
	01 LST	22.0	20.4	24.3	25.7	28.3	27.7	29.0	29.4	27.5	28.3	25.3	22.2	310.1	4	-73476
	07 LST	10.3	7.6	16.6	19.3	23.3	25.0	29.6	28.2	25.9	19.9	20.3	11.4	237.4	4	-73476
	13 LST	22.3	18.1	14.0	14.0	12.0	8.3	10.0	10.7	13.1	19.9	21.0	19.5	182.9	4	-73476
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.1	23.0	22.3	19.7	17.3	16.0	20.3	19.7	26.7	25.7	23.5	260.6	4	-73476
	01 LST	21.3	19.1	23.0	25.3	26.7	26.3	28.0	27.8	27.0	27.3	24.0	21.9	297.7	4	-73476
	07 LST	8.6	6.6	15.3	17.0	22.0	24.0	27.7	26.4	25.0	18.8	19.3	10.8	221.5	4	-73476
	13 LST	20.3	18.1	12.6	13.0	11.0	7.3	8.3	10.1	11.9	19.9	20.0	18.5	171.0	4	-73476

# HOLLYWOOD/NORTH PERRY, FLORIDA

STA NO. 73568 (IN AREA NUMBER 15)

LATITUDE 2600N

LONGITUDE 08014W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	89	90	93	94	95	96	98	95	91	89	86	98	47	-72202
MEAN MAX TMP (F)	74	75	77	79	82	85	87	87	86	83	78	75	81	47	-72202
MEAN MIN TMP (F)	62	62	65	68	72	75	76	77	76	72	67	63	70	47	-72202
ABS MIN TMP (F)	31	27	34	42	50	65	65	66	67	52	36	30	27	47	-72202
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.6	2.7	10.0	14.9	21.3	10.1	0.7	0.0	0.0	60.5	12	-72202
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN DEW PT TMP (F)	57	58	60	63	68	72	73	73	73	69	63	58	66	12	-72202
MEAN REL HUM (PCT)	72	72	70	70	73	76	76	76	78	77	74	73	74	12	-72202
MEAN PRESS ALT (FT)	-168	-142	-125	-99	-62	-57	-105	-67	-28	-42	-111	-149	-95	0	-50
MEAN PRECIP (IN)	2.10	1.89	2.26	3.45	6.54	6.58	5.44	5.90	8.24	7.97	3.03	1.75	55.1	48	-72202
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	4.4	5.2	6.5	7.7	9.2	8.2	8.6	11.5	11.2	5.0	4.2	86.5	48	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	0.7	0.6	0.5	0.2	0.0	0.0	0.2	0.4	1.0	0.7	6.1	12	-72202
MEAN NO DYS TSTMS	0.7	1.2	1.9	3.4	7.3	11.9	15.0	16.0	11.3	6.5	1.3	0.6	77.1	12	-72202
P FREQ WND SPD = DR GTR 17 KTS	3.2	4.1	4.3	5.2	2.1	1.3	0.9	0.7	2.3	3.3	2.0	2.0	2.6	12	-72202
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	12	-72202
P FREQ LES 3000 FT A/D LES 5 MI	17.2	18.0	15.1	14.7	11.8	8.9	7.3	6.2	9.2	15.0	13.9	16.2	12.8	12	-72202
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.0	2.9	2.7	0.7	1.4	0.5	0.5	0.1	0.6	3.3	2.7	4.3	1.9	12	-72202
03-05 LST	6.7	4.8	4.9	2.7	2.4	0.3	0.4	0.4	1.2	3.8	5.9	4.9	3.2	12	-72202
06-08 LST	7.4	5.8	5.2	4.2	3.4	1.0	0.7	0.3	2.1	3.9	7.5	6.0	4.0	12	-72202
09-11 LST	3.2	3.1	2.7	1.7	1.3	1.9	0.3	0.2	1.9	3.3	4.0	3.3	2.2	12	-72202
12-14 LST	2.7	0.9	1.3	1.7	1.2	1.8	0.9	0.4	1.7	2.9	2.2	2.4	1.7	12	-72202
15-17 LST	3.4	1.1	1.0	1.5	1.4	1.1	0.8	1.0	1.9	2.8	1.9	2.2	1.7	12	-72202
18-20 LST	2.8	2.3	1.3	1.2	1.3	0.8	0.7	0.5	1.0	2.2	1.7	1.7	1.5	12	-72202
21-23 LST	1.5	2.5	1.5	0.9	0.6	0.7	0.3	0.1	1.1	2.7	1.2	1.6	1.2	12	-72202
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.2	0.4	0.0	0.3	0.0	0.0	0.0	0.1	0.4	0.2	1.1	0.3	12	-72202
03-05 LST	2.2	1.2	1.2	0.6	0.7	0.0	0.0	0.2	0.3	0.3	2.0	1.5	0.9	12	-72202
06-08 LST	2.8	2.0	1.7	1.0	0.9	0.1	0.0	0.0	0.6	0.4	2.8	2.0	1.2	12	-72202
09-11 LST	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.2	0.3	0.1	0.1	12	-72202
12-14 LST	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.4	0.0	0.1	0.0	0.1	12	-72202
15-17 LST	0.1	0.0	0.2	0.0	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.1	12	-72202
18-20 LST	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0	0.1	12	-72202
21-23 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.1	12	-72202

# HOLLYWOOD/NORTH PERRY, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.9	30.8	29.9	30.7	29.7	31.0	30.9	29.8	30.9	29.7	30.7	362.5	12	-72202
	01 LST	30.3	27.2	30.7	29.9	30.9	30.0	30.9	30.9	29.9	30.5	29.4	30.1	360.7	12	-72772
	07 LST	28.7	26.4	29.4	29.0	29.7	30.0	30.8	30.9	29.2	30.0	27.8	29.3	351.2	12	-72202
	13 LST	30.4	27.9	30.9	29.6	30.9	29.6	30.6	30.9	29.5	30.3	29.5	30.5	360.6	12	-72202
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.2	20.6	23.1	18.2	19.7	22.5	25.9	27.2	24.5	23.8	23.4	23.9	277.0	12	-72202
	01 LST	22.7	19.6	23.0	23.6	25.5	27.6	29.5	29.9	27.1	25.2	23.8	23.8	301.3	12	-72202
	07 LST	22.9	20.5	22.7	20.6	22.7	26.3	27.3	29.2	26.0	25.1	23.0	23.6	289.9	12	-72202
	13 LST	9.4	8.1	8.4	8.1	10.4	12.0	11.7	15.3	12.4	12.4	10.9	9.9	129.0	12	-72202
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.3	0.2	0.3	0.2	0.2	0.1	0.0	0.4	0.6	0.3	0.2	2.9	12	-72202
	01 LST	0.1	0.2	0.3	0.2	0.3	0.2	0.0	0.0	0.2	0.2	0.0	0.2	1.9	12	-72202
	07 LST	0.2	0.1	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.7	0.0	0.1	1.9	12	-72202
	13 LST	3.2	3.3	3.7	4.4	1.9	1.3	0.8	0.7	1.3	2.2	1.0	2.5	26.3	12	-72202
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	19 LST	22.1	19.8	23.9	22.1	23.5	23.2	25.8	24.4	21.2	20.9	21.3	23.0	271.2	12	-72202
	01 LST	20.0	17.2	19.7	19.6	20.1	18.2	17.0	17.3	18.2	19.0	19.3	20.6	226.4	12	-72202
	07 LST	19.7	17.8	18.4	19.2	18.8	18.0	18.4	17.1	17.4	17.2	19.5	20.7	222.2	12	-72202
	13 LST	12.9	10.5	11.9	11.4	13.8	13.4	14.8	11.8	14.0	16.5	13.6	13.7	198.3	12	-72202
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.3	13.0	12.9	8.9	8.0	3.7	4.5	2.5	4.3	8.5	12.3	13.3	106.2	12	-72202
	01 LST	16.7	14.0	16.2	14.9	14.8	12.2	12.6	13.2	10.5	12.5	15.0	14.7	167.3	12	-72202
	07 LST	12.1	10.2	11.4	10.0	10.6	5.7	5.2	7.2	5.3	7.8	10.4	12.1	108.0	12	-72202
	13 LST	8.1	5.3	5.6	5.5	5.1	3.5	1.2	1.1	1.3	3.7	5.3	7.3	53.0	12	-72202
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	27.1	29.9	28.5	29.5	28.6	30.4	30.5	28.6	29.2	29.3	30.0	351.2	12	-72202
	01 LST	29.2	26.4	29.0	28.9	29.9	29.4	30.4	30.6	29.3	28.5	28.6	28.6	348.8	12	-72202
	07 LST	27.2	25.7	28.4	28.0	28.3	29.7	30.2	30.5	28.1	28.1	27.2	28.3	339.7	12	-72202
	13 LST	29.1	26.0	28.6	27.4	28.7	28.4	29.6	30.2	28.4	28.2	28.1	28.6	341.3	12	-72202
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.9	27.8	25.6	28.0	27.0	29.8	29.0	27.2	26.8	25.7	25.2	321.7	12	-72202
	01 LST	26.1	22.6	25.7	26.3	28.5	28.2	29.6	30.2	28.4	26.0	25.9	25.2	322.7	12	-72202
	07 LST	23.7	22.0	26.0	25.7	27.2	29.1	29.7	29.9	27.5	25.5	24.9	24.0	315.2	12	-72202
	13 LST	24.1	20.4	22.9	21.9	24.5	25.8	26.7	26.9	25.3	23.7	24.1	23.6	289.9	12	-72202
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.8	22.0	26.9	24.8	27.1	26.5	29.5	28.6	26.4	25.0	24.0	23.4	308.0	12	-72202
	01 LST	24.6	21.5	24.3	25.4	27.7	27.8	29.5	30.1	27.9	24.8	24.5	23.2	311.3	12	-72202
	07 LST	22.6	20.4	24.6	24.8	26.5	28.1	29.5	29.7	27.2	24.0	23.5	22.4	303.3	12	-72202
	13 LST	22.3	19.2	21.6	21.1	23.7	25.1	26.2	26.5	24.6	22.7	22.1	22.5	277.6	12	-72202



# MIAMI/OPA LOCKA, FLORIDA

STA NO. 73569 (IN AREA NUMBER 15)

LATITUDE 2554N

LONGITUDE 08017W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	89	90	93	94	95	96	98	95	91	89	86	98	47	-72202
MEAN MAX TMP (F)	74	75	77	79	82	85	87	87	86	83	78	75	81	47	-72202
MEAN MIN TMP (F)	62	62	65	68	72	75	76	77	76	72	67	63	70	47	-72202
ABS MIN TMP (F)	31	27	34	42	50	65	65	66	67	92	36	30	27	47	-72202
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.6	2.7	10.0	14.9	21.3	10.1	0.7	0.0	0.0	60.5	12	-72202
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN DEW PT TMP (F)	57	58	60	63	68	72	73	73	73	69	63	58	66	12	-72202
MEAN REL HUM (PCT)	72	72	70	70	73	76	76	76	78	77	74	73	74	12	-72202
MEAN PRESS ALT (FT)	-169	-143	-125	-99	-62	-58	-105	-67	-29	-43	-113	-150	-96	0	-50
MEAN PRECIP (IN)	2.10	1.89	2.26	3.45	6.54	6.58	5.44	5.90	8.24	7.97	3.03	1.75	55.1	48	-72202
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	4.4	5.2	6.5	7.7	9.2	8.2	8.6	11.5	11.2	5.0	4.2	86.5	48	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	0.7	0.6	0.5	0.2	0.0	0.0	0.2	0.4	1.0	0.7	6.1	12	-72202
MEAN NO DYS TSTMS	0.7	1.2	1.9	3.4	7.3	11.9	15.0	16.0	11.3	6.5	1.3	0.6	77.1	12	-72202
P FREQ WND SPD = OR GTR 17 KTS	3.2	4.1	4.3	5.2	2.1	1.3	0.9	0.7	2.3	3.3	2.0	2.0	2.6	12	-72202
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	12	-72202
P FREQ LES 5000 FT A/O LES 5 MI	17.2	18.0	15.1	14.7	11.8	8.9	7.3	6.2	9.2	15.0	13.9	16.2	12.8	12	-72202
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.0	2.9	2.7	0.7	1.4	0.5	0.5	0.1	0.6	3.3	2.7	4.3	1.9	12	-72202
03-05 LST	6.7	4.8	4.9	2.7	2.4	0.3	0.4	0.4	1.2	3.8	5.9	4.9	3.2	12	-72202
06-08 LST	7.4	5.8	5.2	4.2	3.4	1.0	0.7	0.3	2.1	3.9	7.5	6.0	4.0	12	-72202
09-11 LST	3.2	3.1	2.7	1.7	1.3	1.9	0.3	0.2	1.9	3.3	4.0	3.3	2.2	12	-72202
12-14 LST	2.7	0.9	1.3	1.7	1.2	1.8	0.9	0.4	1.7	2.9	2.2	2.4	1.7	12	-72202
15-17 LST	3.4	1.1	1.0	1.5	1.4	1.1	0.8	1.0	1.9	2.8	1.9	2.2	1.7	12	-72202
18-20 LST	2.8	2.3	1.3	1.2	1.3	0.8	0.7	0.5	1.0	2.2	1.7	1.7	1.5	12	-72202
21-23 LST	1.5	2.5	1.5	0.9	0.6	0.7	0.3	0.1	1.1	2.7	1.2	1.6	1.2	12	-72202
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.2	0.2	0.4	0.0	0.3	0.0	0.0	0.0	0.1	0.4	0.2	1.1	0.3	12	-72202
03-05 LST	2.2	1.2	1.2	0.6	0.7	0.0	0.0	0.2	0.3	0.3	2.0	1.5	0.9	12	-72202
06-08 LST	2.8	2.0	1.7	1.0	0.9	0.1	0.0	0.0	0.6	0.4	2.8	2.0	1.2	12	-72202
09-11 LST	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.2	0.3	0.1	0.1	12	-72202
12-14 LST	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.4	0.0	0.1	0.0	0.1	12	-72202
15-17 LST	0.1	0.0	0.2	0.0	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.1	12	-72202
18-20 LST	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0	0.1	12	-72202
21-23 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.1	12	-72202



# MIAMI/OPA LOCKA, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.9	30.8	29.9	30.7	29.7	31.0	30.9	29.8	30.9	29.7	30.7	362.5	12	-72202
	01 LST	30.3	27.2	30.7	29.9	30.9	30.0	30.9	30.9	29.9	30.5	29.4	30.1	360.7	12	-72202
	07 LST	28.7	26.4	29.4	29.0	29.7	30.0	30.8	30.9	29.2	30.0	27.8	29.3	351.2	12	-72202
	13 LST	30.4	27.9	30.9	29.6	30.9	29.6	30.6	30.9	29.5	30.3	29.5	30.5	360.6	12	-72202
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.2	20.6	23.1	18.2	19.7	22.5	25.9	27.2	24.5	23.8	23.4	23.9	277.0	12	-72202
	01 LST	22.7	19.6	23.0	23.6	25.5	27.6	29.5	29.9	27.1	25.2	23.8	23.8	301.3	12	-72202
	07 LST	22.9	20.5	22.7	20.6	22.7	26.3	27.3	29.2	26.0	25.1	23.0	23.6	289.9	12	-72202
	13 LST	9.4	8.1	8.4	8.1	10.4	12.0	11.7	15.3	12.4	12.4	10.9	9.9	129.0	12	-72202
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.3	0.2	0.3	0.2	0.2	0.1	0.0	0.4	0.6	0.3	0.2	2.9	12	-72202
	01 LST	0.1	0.2	0.3	0.2	0.3	0.2	0.0	0.0	0.2	0.2	0.0	0.2	1.9	12	-72202
	07 LST	0.2	0.1	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.7	0.0	0.1	1.9	12	-72202
	13 LST	3.2	3.3	3.7	4.4	1.9	1.3	0.8	0.7	1.3	2.2	1.0	2.5	26.3	12	-72202
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.1	19.8	23.9	22.1	23.5	23.2	25.8	24.4	21.2	20.7	21.3	23.0	271.2	12	-72202
	01 LST	20.0	17.2	19.7	19.6	20.1	18.2	17.0	17.3	18.2	19.0	19.5	20.6	226.4	12	-72202
	07 LST	19.7	17.8	18.4	19.2	18.8	18.0	18.4	17.1	17.4	17.2	19.5	20.7	222.2	12	-72202
	13 LST	12.9	10.5	11.9	11.4	13.8	13.4	14.8	11.8	14.0	16.5	13.6	13.7	198.3	12	-72202
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.3	13.0	12.9	8.9	8.0	3.7	4.5	2.5	4.3	8.5	12.3	13.3	106.2	12	-72202
	01 LST	16.7	14.0	16.2	14.9	14.8	12.2	12.6	13.2	10.5	12.5	15.0	14.7	167.3	12	-72202
	07 LST	12.1	10.2	11.4	10.0	10.6	5.7	5.2	7.2	5.3	7.8	10.4	12.1	108.0	12	-72202
	13 LST	8.1	5.3	5.6	5.5	5.1	3.5	1.2	1.1	1.3	3.7	5.3	7.3	53.0	12	-72202
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	27.1	29.9	28.5	29.5	28.6	30.4	30.3	28.6	29.2	29.3	30.0	351.2	12	-72202
	01 LST	29.2	26.4	29.0	28.9	29.9	29.4	30.4	30.6	29.3	28.5	28.6	28.6	348.8	12	-72202
	07 LST	27.2	25.7	28.4	28.0	28.3	29.7	30.2	30.5	28.1	28.1	27.2	28.3	339.7	12	-72202
	13 LST	29.1	26.0	28.6	27.4	28.7	28.4	29.6	30.2	28.4	28.2	28.1	28.6	341.3	12	-72202
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.9	27.8	25.6	28.0	27.0	29.8	29.0	27.2	26.8	25.7	25.2	321.7	12	-72202
	01 LST	26.1	22.6	25.7	26.3	28.5	28.2	29.6	30.2	28.4	26.0	25.9	25.2	322.7	12	-72202
	07 LST	23.7	22.0	26.0	25.7	27.2	29.1	29.7	29.9	27.5	25.5	24.9	24.0	315.2	12	-72202
	13 LST	24.1	20.4	22.9	21.9	24.5	25.8	26.7	26.9	25.3	23.7	24.1	23.6	289.9	12	-72202
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.8	22.0	26.9	24.8	27.1	26.5	29.5	28.6	26.4	25.0	24.0	23.4	308.0	12	-72202
	01 LST	24.6	21.5	24.3	25.4	27.7	27.8	29.5	30.1	27.9	24.8	24.5	23.2	311.3	12	-72202
	07 LST	22.6	20.4	24.6	24.8	26.5	28.1	29.5	29.7	27.2	24.0	23.5	22.4	303.3	12	-72202
	13 LST	22.3	19.2	21.6	21.1	23.7	25.1	26.2	26.5	24.6	22.7	22.1	22.5	277.6	12	-72202

## POMPANO BEACH, FLORIDA

STA NO. 73570 (IN AREA NUMBER 15)

LATITUDE 2614N

LONGITUDE 08006W

ELEVATION(FT) 00021

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	90	92	94	95	100	100	97	98	93	91	88	100	18	-113
MEAN MAX TMP (F)	77	78	81	83	86	89	90	91	89	86	82	78	84	20	-113
MEAN MIN TMP (F)	57	57	60	65	67	71	72	72	73	69	63	58	65	19	-113
ABS MIN TMP (F)	28	29	30	42	48	59	61	60	64	47	36	30	28	17	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.0	1.0	3.0	10.0	20.0	25.0	13.0	2.0	0.3	0.0	75.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	57	58	60	63	68	72	73	73	73	69	63	58	66	12	-72202
MEAN REL HUM (PCT)	72	72	70	70	73	76	76	76	78	77	74	73	74	12	-72202
MEAN PRESS ALT (FT)	-154	-129	-112	-86	-49	-45	-93	-54	-15	-27	-96	-135	-82	0	-30
MEAN PRECIP (IN)	2.36	1.86	2.72	4.15	4.51	6.44	7.18	7.06	9.42	9.18	3.22	2.96	61.1	20	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.2	4.4	3.8	6.9	7.0	9.1	9.7	9.6	12.8	12.6	3.3	6.1	94.5	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72202
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.2	0.6	0.7	0.6	0.5	0.2	0.0	0.0	0.2	0.4	1.0	0.7	6.1	12	-72202
MEAN NO DYS TSTMS	0.7	1.2	1.9	3.4	7.3	11.9	15.0	16.0	11.3	6.3	1.3	0.6	77.1	12	-72202
P FREQ WND SPD = OR GTR 17 KTS	3.2	4.1	4.3	5.2	2.1	1.3	0.9	0.7	2.3	3.3	2.0	2.0	2.6	12	-72202
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	12	-72202
P FREQ LES 5000 FT A/D LES 5 MI	17.2	18.0	13.1	14.7	11.8	8.9	7.3	6.2	9.2	15.0	13.9	16.2	12.8	12	-72202
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.0	2.9	2.7	0.7	1.4	0.5	0.5	0.1	0.6	3.3	2.7	4.3	1.9	12	-72202
03-05 LST	6.7	4.8	4.9	2.7	2.4	0.3	0.4	0.4	1.2	3.8	5.9	4.9	3.2	12	-72202
06-08 LST	7.4	5.8	5.2	4.2	3.4	1.0	0.7	0.3	2.1	3.9	7.5	6.0	4.0	12	-72202
09-11 LST	3.2	3.1	2.7	1.7	1.3	1.9	0.3	0.2	1.9	3.3	4.0	3.3	2.2	12	-72202
12-14 LST	2.7	0.9	1.3	1.7	1.2	1.8	0.9	0.4	1.7	2.9	2.2	2.4	1.7	12	-72202
15-17 LST	3.4	1.1	1.0	1.5	1.4	1.1	0.8	1.0	1.9	2.8	1.9	2.2	1.7	12	-72202
18-20 LST	2.8	2.3	1.3	1.2	1.3	0.8	0.7	0.5	1.0	2.2	1.7	1.7	1.5	12	-72202
21-23 LST	1.5	2.5	1.5	0.9	0.6	0.7	0.3	0.1	1.1	2.7	1.2	1.6	1.2	12	-72202
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.2	0.4	0.0	0.3	0.0	0.0	0.0	0.1	0.4	0.2	1.1	0.3	12	-72202
03-05 LST	2.2	1.2	1.2	0.6	0.7	0.0	0.0	0.2	0.3	0.3	2.0	1.5	0.9	12	-72202
06-08 LST	2.8	2.0	1.7	1.0	0.9	0.1	0.0	0.0	0.6	0.4	2.8	2.0	1.2	12	-72202
09-11 LST	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.2	0.3	0.1	0.1	12	-72202
12-14 LST	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.4	0.0	0.1	0.0	0.1	12	-72202
15-17 LST	0.1	0.0	0.2	0.0	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.1	12	-72202
18-20 LST	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0	0.1	12	-72202
21-23 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.1	12	-72202

# POMPANO BEACH, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.9	30.8	29.9	30.7	29.7	31.0	30.9	29.8	30.9	29.7	30.7	302.5	12	-72202
	01 LST	30.3	27.2	30.7	29.9	30.9	30.0	30.9	30.9	29.9	30.5	29.4	30.1	300.7	12	-72202
	07 LST	28.7	26.4	29.4	29.0	29.7	30.0	30.8	30.9	29.2	30.0	27.8	29.3	351.2	12	-72202
	13 LST	30.4	27.9	30.9	29.6	30.9	29.6	30.6	30.9	29.5	30.3	29.5	30.5	300.6	12	-72202
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.2	20.6	23.1	18.2	19.7	22.5	25.9	27.2	24.5	23.8	23.4	23.9	277.0	12	-72202
	01 LST	22.7	19.6	23.0	23.6	25.5	27.6	29.5	29.9	27.1	25.2	23.8	23.8	301.3	12	-72202
	07 LST	22.9	20.5	22.7	20.6	22.7	26.3	27.3	29.2	26.0	25.1	23.0	23.6	289.9	12	-72202
	13 LST	9.4	8.1	8.4	8.1	10.4	12.0	11.7	15.3	12.4	12.4	10.9	9.9	129.0	12	-72202
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.3	0.2	0.3	0.2	0.2	0.1	0.0	0.4	0.6	0.3	0.2	2.9	12	-72202
	01 LST	0.1	0.2	0.3	0.2	0.3	0.2	0.0	0.0	0.2	0.2	0.0	0.2	1.9	12	-72202
	07 LST	0.2	0.1	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.7	0.0	0.1	1.9	12	-72202
	13 LST	3.2	3.3	3.7	4.4	1.9	1.3	0.8	0.7	1.3	2.2	1.0	2.5	26.3	12	-72202
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.1	19.8	23.9	22.1	23.5	23.2	25.8	24.4	21.2	20.9	21.3	23.0	271.2	12	-72202
	01 LST	20.0	17.2	19.7	19.6	20.1	18.2	17.0	17.3	18.2	19.0	19.5	20.6	226.4	12	-72202
	07 LST	19.7	17.8	18.4	19.2	18.8	18.0	18.4	17.1	17.4	17.2	19.5	20.7	222.2	12	-72202
	13 LST	12.9	10.5	11.9	11.4	13.8	13.4	14.8	11.8	14.0	16.5	13.6	13.7	158.3	12	-72202
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.3	13.0	12.9	8.9	8.0	3.7	4.5	2.5	4.3	8.5	12.3	13.3	106.2	12	-72202
	01 LST	16.7	14.0	16.2	14.9	14.8	12.2	12.6	13.2	10.5	12.5	15.0	14.7	167.3	12	-72202
	07 LST	12.1	10.2	11.4	10.0	10.6	5.7	5.2	7.2	5.3	7.8	10.4	12.1	108.0	12	-72202
	13 LST	8.1	5.3	5.6	5.5	5.1	3.5	1.2	1.1	1.3	3.7	5.3	7.3	53.0	12	-72202
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	27.1	29.9	28.5	29.5	28.6	30.4	30.5	28.6	29.2	29.3	30.0	351.2	12	-72202
	01 LST	29.2	26.4	29.0	28.9	29.9	29.4	30.4	30.6	29.3	28.5	28.6	28.6	348.8	12	-72202
	07 LST	27.2	25.7	28.4	28.0	28.3	29.7	30.2	30.5	28.1	28.1	27.2	28.3	339.7	12	-72202
	13 LST	29.1	26.0	28.6	27.4	28.7	28.4	29.6	30.2	28.4	28.2	28.1	28.6	341.3	12	-72202
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.9	27.8	25.6	28.0	27.0	29.8	29.0	27.2	26.8	25.7	25.2	321.7	12	-72202
	01 LST	26.1	22.6	25.7	26.3	28.5	28.2	29.6	30.2	28.4	26.0	25.9	25.2	322.7	12	-72202
	07 LST	23.7	22.0	26.0	25.7	27.2	29.1	29.7	29.9	27.5	25.5	24.9	24.0	315.2	12	-72202
	13 LST	24.1	20.4	22.9	21.9	24.5	25.8	26.7	26.9	25.3	23.7	24.1	23.6	289.9	12	-72202
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.8	22.0	26.9	24.8	27.1	26.5	29.5	28.6	26.4	25.0	24.0	23.4	308.0	12	-72202
	01 LST	24.6	21.5	24.3	25.4	27.7	27.8	29.5	30.1	27.9	24.8	24.5	23.2	311.3	12	-72202
	07 LST	22.6	20.4	24.6	24.8	26.5	28.1	29.5	29.7	27.2	24.0	23.5	22.4	303.3	12	-72202
	13 LST	22.3	19.2	21.6	21.1	23.7	25.1	26.2	26.5	24.6	22.7	22.1	22.5	277.6	12	-72202

# WINTER HAVEN/GILBERT FIELD, FLORIDA

STA NO. 73571 (IN AREA NUMBER 15)

LATITUDE 2803N

LONGITUDE 08145W

ELEVATION(FT) 00146

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	89	93	95	103	103	101	98	98	96	91	89	103	19	-113
MEAN MAX TMP (F)	74	75	79	84	89	92	92	92	90	85	79	74	84	19	-113
MEAN MIN TMP (F)	51	53	56	62	66	71	72	73	72	66	58	52	63	19	-113
ABS MIN TMP (F)	25	26	30	36	46	61	61	63	61	43	32	26	25	19	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	13.0	21.0	26.0	26.0	20.0	5.0	0.3	0.0	112.6	10	-113
MEAN NO DYS TMP = OR LES 32(F)	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	50	52	54	58	65	70	72	73	72	65	57	52	62	12	-72205
MEAN REL HUM (PCT)	75	74	71	70	71	76	79	80	81	79	76	77	76	12	-72205
MEAN PRESS ALT (FT)	-54	-25	4	30	59	71	30	59	80	48	-21	-50	19	0	-50
MEAN PRECIP (IN)	2.06	2.46	4.36	3.38	4.02	6.90	9.13	6.84	7.77	4.17	1.76	2.29	55.1	19	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72205
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.4	7.0	6.4	6.8	9.5	11.8	9.4	11.0	6.5	3.3	5.1	86.9	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72205
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.9	3.9	2.1	0.7	1.4	0.9	0.6	0.7	1.1	1.7	3.1	3.8	25.9	12	-72205
MEAN NO DYS TSTMS	1.0	1.3	2.9	4.3	8.2	13.1	18.5	15.3	8.3	2.6	0.9	0.6	77.0	12	-72205
P FREQ WND SPD = OR GTR 17 KTS	4.7	7.5	6.3	4.9	3.1	2.1	1.6	1.4	2.8	3.1	3.1	3.6	3.7	12	-72205
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.1	12	-72205
P FREQ LES 5000 FT A/D LES 5 MI	23.1	23.6	20.6	16.1	15.2	14.7	13.2	14.1	20.1	19.1	18.3	22.1	18.4	12	-72205
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.3	9.0	6.2	4.4	2.9	2.6	0.9	1.5	4.2	5.8	9.4	11.5	5.8	12	-72205
03-05 LST	20.4	14.1	13.6	7.2	7.8	5.9	2.8	3.7	5.6	9.9	15.0	16.6	10.2	12	-72205
06-08 LST	23.8	24.1	20.8	11.6	9.9	7.6	2.7	4.7	10.0	13.8	18.1	18.1	13.8	12	-72205
09-11 LST	11.7	15.3	10.5	4.5	1.9	1.9	1.2	1.1	5.2	7.9	10.5	11.2	6.9	12	-72205
12-14 LST	5.5	5.9	4.8	2.1	1.4	1.2	1.1	1.3	3.6	4.7	4.6	5.6	3.5	12	-72205
15-17 LST	3.0	4.6	4.7	1.8	1.0	2.0	2.6	1.9	3.7	4.5	3.2	6.0	3.3	12	-72205
18-20 LST	4.0	6.6	4.6	1.2	1.5	1.3	1.6	1.3	3.9	5.2	4.4	5.9	3.5	12	-72205
21-23 LST	5.6	7.8	4.3	3.0	1.3	1.8	0.4	0.9	4.3	4.7	6.1	7.8	4.0	12	-72205
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.0	2.5	0.9	0.2	0.3	0.1	0.1	0.2	0.1	1.0	2.7	3.3	1.6	12	-72205
03-05 LST	13.2	5.6	4.2	1.4	3.0	1.7	0.9	1.3	1.6	2.8	7.6	9.7	4.4	12	-72205
06-08 LST	13.4	11.0	5.5	1.8	2.2	1.6	0.8	0.8	2.7	4.0	7.5	9.1	5.0	12	-72205
09-11 LST	1.8	1.3	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.4	0.9	1.4	0.5	12	-72205
12-14 LST	0.0	0.0	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.2	0.0	0.0	0.2	12	-72205
15-17 LST	0.0	0.2	0.0	0.1	0.0	0.2	0.4	0.4	0.0	0.4	0.0	0.0	0.1	12	-72205
18-20 LST	0.0	0.1	0.3	0.0	0.1	0.0	0.1	0.3	0.3	0.1	0.0	0.5	0.2	12	-72205
21-23 LST	1.3	0.7	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.0	0.4	12	-72205

# WINTER HAVEN/GILBERT FIELD, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.9	26.7	29.7	29.8	30.7	29.6	30.6	30.6	29.2	30.2	29.1	29.5	355.8	12	-72205
	01 LST	28.2	26.0	29.7	29.0	30.7	29.5	30.8	30.7	28.9	30.1	27.5	27.7	348.8	12	-72205
	07 LST	23.6	21.4	24.3	27.2	28.2	27.9	29.9	29.4	26.6	26.1	24.0	25.2	313.8	12	-72205
	13 LST	30.0	26.6	29.8	29.8	30.7	29.9	30.7	30.7	29.4	29.9	29.5	29.7	356.7	12	-72205
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.4	17.4	16.8	16.6	15.2	16.6	22.2	25.1	23.3	25.3	24.0	23.7	250.6	12	-72205
	01 LST	22.6	20.1	24.5	25.1	28.3	26.6	29.6	29.6	27.7	27.0	23.6	21.7	306.4	12	-72205
	07 LST	17.1	16.2	19.0	21.7	23.7	24.2	28.6	27.9	25.1	22.7	19.6	19.9	265.7	12	-72205
	13 LST	11.7	9.3	9.3	11.0	14.9	18.0	19.7	19.5	13.1	12.2	12.2	12.4	163.3	12	-72205
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.5	0.8	0.8	0.2	0.5	0.3	0.2	0.2	0.1	0.2	0.2	0.6	4.6	12	-72205
	01 LST	0.4	0.7	0.7	0.3	0.0	0.1	0.0	0.0	0.2	0.0	0.2	0.2	2.8	12	-72205
	07 LST	0.7	0.9	0.2	0.7	0.0	0.1	0.0	0.0	0.2	0.2	0.4	0.2	3.6	12	-72205
	13 LST	4.1	4.4	4.3	3.3	2.1	1.0	1.0	1.1	1.8	2.5	2.3	3.9	31.8	12	-72205
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.6	20.1	21.9	21.2	20.8	19.9	22.8	24.0	24.5	25.0	23.8	23.1	269.7	12	-72205
	01 LST	17.3	18.6	20.1	20.3	19.8	18.4	19.3	19.2	17.8	22.0	19.1	18.5	230.4	12	-72205
	07 LST	16.3	15.4	18.1	19.8	21.8	20.9	20.6	20.3	18.8	21.6	18.3	18.5	230.4	12	-72205
	13 LST	13.8	12.1	12.1	12.2	14.8	12.5	9.5	9.5	13.1	14.2	14.4	15.4	153.6	12	-72205
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.1	13.6	14.1	12.4	11.2	5.7	5.0	4.6	6.8	14.8	15.9	15.3	135.5	12	-72205
	01 LST	18.4	16.0	17.6	18.8	21.2	17.3	18.1	17.6	15.2	18.2	16.7	15.3	210.4	12	-72205
	07 LST	10.1	10.2	10.7	12.7	14.9	12.0	13.6	13.7	10.5	11.7	12.1	12.7	144.9	12	-72205
	13 LST	8.8	8.3	8.8	7.2	5.6	3.0	1.3	1.0	1.5	5.1	9.2	8.5	68.3	12	-72205
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.2	25.4	29.1	29.4	30.2	29.3	29.9	30.1	28.1	28.6	28.0	28.8	346.1	12	-72205
	01 LST	27.0	24.4	28.8	28.7	29.7	29.0	30.7	30.2	28.2	28.9	26.7	26.5	338.8	12	-72205
	07 LST	21.8	19.9	23.3	26.0	27.4	27.5	29.7	29.1	26.0	25.2	23.4	24.6	303.9	12	-72205
	13 LST	28.5	25.3	28.3	28.9	30.2	29.1	30.4	30.2	27.6	29.0	28.0	28.4	342.9	12	-72205
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.4	25.4	26.7	27.0	26.1	25.6	25.6	24.7	25.5	25.9	25.8	307.4	12	-72205
	01 LST	25.6	22.2	26.2	26.8	28.6	28.3	30.2	29.7	27.0	27.3	24.3	24.1	320.3	12	-72205
	07 LST	19.1	17.3	21.1	24.0	25.8	27.1	29.6	28.6	25.0	23.2	21.1	21.5	283.4	12	-72205
	13 LST	22.7	20.7	22.1	21.8	21.6	20.2	20.6	19.4	17.3	21.7	22.7	23.0	253.8	12	-72205
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.5	21.4	24.2	25.7	26.4	24.6	25.1	25.0	23.7	24.7	24.5	24.6	294.4	12	-72205
	01 LST	24.1	21.3	25.1	25.9	28.2	28.1	30.1	29.5	26.5	26.7	23.3	23.1	311.9	12	-72205
	07 LST	17.8	16.6	19.7	23.3	25.6	26.6	29.0	28.5	24.4	22.1	20.2	20.2	274.0	12	-72205
	13 LST	21.6	19.5	21.4	20.7	21.1	19.7	20.4	19.4	16.8	20.2	21.8	21.9	244.5	12	-72205

# ZEPHYRHILLS MUNICIPAL, FLORIDA

STA NO. 73572 (IN AREA NUMBER 15)

LATITUDE 2813N

LONGITUDE 08209W

ELEVATION(FT) 00092

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	88	91	97	103	102	101	98	97	94	89	86	103	20	-73476
MEAN MAX TMP (F)	71	73	77	82	87	90	90	91	88	83	76	72	82	20	-73476
MEAN MIN TMP (F)	52	53	56	62	67	71	73	73	72	66	58	53	63	20	-73476
ABS MIN TMP (F)	28	27	28	37	49	63	66	63	61	43	30	25	25	20	-73476
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		4.6	11.7	16.2	16.8	18.7	12.8	5.9	0.0	0.0		20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.0	4	-73476
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73476
MEAN DEW PT TMP (F)	51	52	58	61	64	71	73	73	72	62	56	52	62	4	-73476
MEAN REL HUM (PCT)	76	72	74	72	72	78	83	82	82	77	76	78	77	4	-73476
MEAN PRESS ALT (FT)	-107	-78	-47	-21	8	21	-20	7	29	-3	-73	-102	-31	0	-50
MEAN PRECIP (IN)	2.20	2.27	4.45	3.33	3.18	6.67	8.74	6.88	6.54	3.32	1.74	2.13	51.4	20	-73476
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.1	7.0	6.4	6.3	9.3	11.3	9.5	9.5	5.4	3.3	4.9	83.0	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.3	7.2	4.7	5.0	3.0	4.0	1.3	1.9	1.9	2.4	2.6	9.5	49.8	4	-73476
MEAN NO DYS TSTMS	1.3	0.0	3.0	3.7	6.7	13.7	19.3	12.0	8.0	0.3	0.7	0.3	69.0	4	-73476
P FREQ WND SPD = OR GTR 17 KTS	3.0	5.3	5.9	7.2	3.2	1.9	0.7	1.3	2.2	2.4	1.5	2.7	3.1	4	-73476
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.3	0.0	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.1	4	-73476
P FREQ LES 5000 FT A/D LES 5 MI	34.8	40.0	33.2	34.8	35.8	40.1	28.5	28.0	27.9	22.1	23.2	33.8	31.9	4	-73476
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.1	19.6	11.8	6.3	3.6	5.9	0.7	1.4	4.6	5.4	5.6	17.4	8.4	4	-73476
03-05 LST	32.6	36.2	19.0	21.6	21.1	20.0	2.9	3.7	9.5	17.4	16.5	26.9	19.0	4	-73476
06-08 LST	43.7	54.5	35.1	27.9	25.2	14.4	3.9	7.9	11.9	26.9	24.9	43.3	26.6	4	-73476
09-11 LST	15.1	16.9	12.3	5.9	5.0	8.1	1.4	2.7	7.4	5.8	10.8	20.7	9.3	4	-73476
12-14 LST	7.2	4.7	5.0	0.7	0.7	7.8	4.7	2.8	5.2	5.1	5.9	9.1	4.9	4	-73476
15-17 LST	2.5	4.3	2.9	1.9	2.5	10.0	7.2	3.4	4.9	2.5	0.4	5.8	4.0	4	-73476
18-20 LST	5.1	9.8	2.2	2.2	4.3	9.3	2.5	2.2	4.9	3.2	2.6	4.8	4.4	4	-73476
21-23 LST	9.0	10.6	4.0	3.7	3.2	4.8	0.0	0.3	2.8	4.3	3.7	8.5	4.6	4	-73476
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	11.0	5.0	1.1	0.0	3.0	0.4	0.3	0.0	1.4	0.7	10.5	3.3	4	-73476
03-05 LST	15.0	18.1	9.3	10.0	5.7	9.3	0.4	1.0	2.4	5.4	5.3	16.4	8.2	4	-73476
06-08 LST	17.9	23.1	12.9	8.9	7.9	4.1	0.7	1.6	4.6	9.8	8.9	22.9	10.3	4	-73476
09-11 LST	2.5	1.2	0.7	0.4	0.0	1.5	0.0	0.0	0.9	0.0	0.7	1.8	0.8	4	-73476
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.3	0.3	0.0	1.1	0.7	0.4	4	-73476
15-17 LST	0.0	0.0	0.0	0.0	0.7	2.2	1.4	0.6	0.3	0.0	0.0	0.0	0.4	4	-73476
18-20 LST	0.0	0.8	0.0	0.0	0.7	1.1	0.4	0.6	0.0	0.0	0.0	0.0	0.3	4	-73476
21-23 LST	0.7	2.4	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	3.0	0.6	4	-73476

# ZEPHYRHILLS MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.3	24.7	30.3	29.3	29.6	27.7	30.7	30.2	29.4	30.7	29.6	30.7	353.2	4	-73476
	01 LST	26.7	23.7	27.3	29.3	29.6	28.7	30.7	30.7	29.2	30.0	28.3	24.9	339.1	4	-73476
	07 LST	14.7	10.5	20.0	21.7	24.6	26.0	30.7	29.5	26.7	21.9	22.3	14.8	263.4	4	-73476
	13 LST	30.3	26.7	30.0	30.0	30.7	28.3	29.6	30.5	28.9	30.0	28.7	29.6	353.3	4	-73476
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.3	17.1	20.3	15.0	17.3	22.7	28.0	27.9	23.6	24.0	25.7	23.8	269.7	4	-73476
	01 LST	22.7	20.1	23.0	26.0	28.6	28.3	30.0	30.3	27.5	27.7	24.7	21.2	310.1	4	-73476
	07 LST	11.0	7.6	14.0	17.6	21.3	22.7	29.0	28.0	25.9	19.9	19.3	10.8	227.1	4	-73476
	13 LST	13.0	12.5	13.0	13.0	18.3	19.3	23.3	23.1	20.0	17.9	16.0	15.5	204.9	4	-73476
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.0	1.0	1.0	0.7	0.3	0.0	0.2	0.3	0.3	0.3	0.7	5.1	4	-73476
	01 LST	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	1.9	4	-73476
	07 LST	0.3	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.9	4	-73476
	13 LST	1.6	4.9	4.4	5.0	1.6	0.7	0.3	0.7	0.5	1.3	1.3	3.3	25.6	4	-73476
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	19.3	20.6	19.3	20.6	20.2	14.6	16.4	17.1	17.2	22.0	18.4	226.7	4	-73476
	01 LST	17.0	13.5	17.3	21.7	14.7	9.5	6.0	7.9	9.3	12.8	16.7	14.8	161.2	4	-73476
	07 LST	13.8	12.5	16.5	17.3	17.3	16.2	13.0	13.3	14.6	12.4	16.8	13.2	178.9	4	-73476
	13 LST	18.0	12.5	16.7	11.6	15.3	7.5	10.4	8.4	10.0	19.2	19.0	17.5	166.1	4	-73476
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.6	24.0	29.0	28.0	28.6	25.7	29.0	27.9	27.2	30.0	29.0	29.3	336.3	4	-73476
	01 LST	25.0	22.4	27.0	28.0	29.6	28.7	29.6	30.7	28.3	29.3	27.3	23.9	329.8	4	-73476
	07 LST	12.3	9.5	18.3	21.0	24.0	25.3	29.6	28.7	26.4	21.2	21.3	13.1	250.7	4	-73476
	13 LST	27.0	24.4	26.3	28.7	29.0	24.7	24.6	27.4	25.3	27.3	27.0	25.6	317.3	4	-73476
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.7	24.3	23.0	20.3	20.0	21.6	22.9	22.5	28.0	27.3	25.9	282.8	4	-73476
	01 LST	22.0	20.4	24.3	25.7	28.3	27.7	29.0	29.4	27.5	28.3	25.3	22.2	310.1	4	-73476
	07 LST	10.3	7.6	16.6	19.3	23.3	25.0	29.6	28.2	25.9	19.9	20.3	11.4	237.4	4	-73476
	13 LST	22.3	18.1	14.0	14.0	12.0	8.3	10.0	10.7	13.1	19.9	21.0	19.5	182.9	4	-73476
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.3	21.1	23.0	22.3	19.7	17.3	16.0	20.3	19.7	26.7	25.7	23.5	260.6	4	-73476
	01 LST	21.3	19.1	23.0	25.3	26.7	26.3	28.0	27.8	27.0	27.3	24.0	21.9	297.7	4	-73476
	07 LST	8.6	6.6	15.3	17.0	22.0	24.0	27.7	26.4	25.0	18.8	19.3	10.8	221.5	4	-73476
	13 LST	20.3	18.1	12.6	13.0	11.0	7.3	8.3	10.1	11.9	19.9	20.0	18.5	171.0	4	-73476



# SEBASTIAN MUNICIPAL, FLORIDA

STA NO. 73573 (IN AREA NUMBER 15)

LATITUDE 2749N

LONGITUDE 08090W

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	91	95	98	100	98	98	97	92	88	86	100	18	-73207
MEAN MAX TMP (F)	73	74	77	80	85	88	89	89	87	83	77	73	81	18	-73207
MEAN MIN TMP (F)	54	56	59	64	68	72	74	74	74	69	62	56	65	18	-73207
ABS MIN TMP (F)	29	30	34	44	52	63	67	66	64	48	33	26	26	18	-73207
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.5	0.2	4.7	12.0	13.0	16.6	7.7	1.0	0.0	0.0	95.7	6	-73207
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN DEW PT TMP (F)	58	57	59	62	67	72	74	74	73	69	59	56	65	6	-73207
MEAN REL HUM (PCT)	78	76	74	74	75	79	80	81	81	80	76	78	78	6	-73207
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.12	2.18	3.54	3.48	3.55	3.09	3.76	6.01	9.10	7.11	2.44	1.60	32.0	18	-73207
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	4.9	6.3	6.3	6.5	7.9	8.5	8.7	12.5	10.2	4.2	3.9	83.1	18	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.2	1.0	1.6	0.5	0.5	0.0	0.0	0.3	0.2	0.3	1.1	1.8	8.5	6	-73207
MEAN NO DYS TSTMS	0.3	1.3	2.0	3.8	7.3	12.3	15.5	17.5	9.7	3.5	1.1	0.5	76.8	6	-73207
P FREQ WND SPD = OR GTR 17 KTS	2.8	3.9	5.7	4.5	3.7	1.4	1.0	2.4	2.8	5.7	2.9	4.8	3.5	6	-73207
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.1	6	-73207
P FREQ LES 5000 FT A/D LES 5 MI	21.1	18.1	15.6	13.5	11.7	11.5	9.9	10.2	14.0	20.7	13.1	20.5	13.2	6	-73207
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.7	3.8	2.7	2.0	0.7	0.2	0.2	0.7	0.7	1.6	1.5	4.2	1.8	6	-73207
03-05 LST	7.1	5.8	6.5	3.7	3.1	1.3	0.5	1.6	1.7	4.3	3.0	6.3	3.9	6	-73207
06-08 LST	11.8	8.1	12.4	5.7	3.2	2.7	1.4	2.0	2.6	8.6	7.6	10.1	6.4	6	-73207
09-11 LST	4.2	5.7	4.1	2.6	0.9	2.8	0.0	0.5	2.0	6.5	6.3	6.5	3.5	6	-73207
12-14 LST	2.9	2.6	1.8	1.3	0.5	3.3	1.3	0.9	1.5	3.4	3.1	3.8	2.4	6	-73207
15-17 LST	1.2	2.2	2.2	1.1	0.9	2.8	1.1	0.5	1.7	5.0	1.5	2.9	1.9	6	-73207
18-20 LST	0.8	1.4	2.3	0.6	0.4	0.9	0.7	1.3	1.3	1.6	1.9	3.8	1.4	6	-73207
21-23 LST	1.5	2.4	1.1	0.9	0.4	0.6	0.0	0.7	0.6	1.4	1.3	3.6	1.2	6	-73207
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	0.6	0.5	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.9	0.4	6	-73207
03-05 LST	3.5	1.4	2.3	0.4	1.1	0.2	0.4	0.5	0.4	0.9	1.7	3.2	1.3	6	-73207
06-08 LST	4.2	3.7	3.2	1.3	0.9	0.2	0.4	0.5	0.0	1.1	1.7	4.7	1.8	6	-73207
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	6	-73207
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.2	0.4	0.0	0.1	6	-73207
15-17 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.1	6	-73207
18-20 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.1	6	-73207
21-23 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	6	-73207

# SEBASTIAN MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.7	30.5	29.6	30.8	30.0	31.0	30.8	30.0	30.8	29.5	30.3	302.0	6	-73207
	01 LST	30.3	27.5	30.5	30.0	30.8	30.0	30.8	30.8	30.0	30.8	29.6	30.5	301.6	6	-73207
	07 LST	26.5	25.3	27.2	29.0	30.3	29.6	30.7	30.3	29.8	29.6	27.8	27.3	343.4	6	-73207
	13 LST	30.3	27.5	30.8	29.8	30.8	29.5	31.0	30.8	29.3	30.5	29.2	30.3	359.8	6	-73207
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	26.3	21.0	20.6	21.3	20.8	24.8	26.2	26.5	22.8	20.5	23.2	23.8	277.8	6	-73207
	01 LST	24.5	21.2	25.0	24.3	27.2	28.0	30.2	29.3	26.0	23.3	24.5	23.8	307.3	6	-73207
	07 LST	19.9	20.4	20.3	20.3	24.1	25.8	28.8	27.5	25.1	19.8	21.5	19.7	273.2	6	-73207
	13 LST	8.4	6.6	7.3	6.7	6.7	9.5	12.6	11.8	9.7	8.2	11.2	10.0	108.7	6	-73207
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.1	0.3	0.5	0.2	0.0	0.0	0.2	0.0	1.0	0.7	1.2	4.4	6	-73207
	01 LST	0.3	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.8	3.2	6	-73207
	07 LST	0.2	0.5	0.7	0.5	0.2	0.0	0.0	0.2	0.3	1.3	0.2	0.7	4.8	6	-73207
	13 LST	2.7	3.2	5.3	4.2	3.5	1.3	1.6	3.0	2.2	3.3	2.0	3.3	35.6	6	-73207
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.4	22.0	19.9	23.1	23.6	23.9	22.7	22.9	19.7	18.2	18.4	255.1	6	-73207
	01 LST	17.5	18.8	21.9	19.9	20.4	18.2	16.6	18.1	17.2	19.4	19.0	20.3	227.3	6	-73207
	07 LST	17.1	18.4	19.7	18.7	21.3	20.1	17.8	19.3	16.2	18.2	20.0	17.5	224.3	6	-73207
	13 LST	12.2	10.5	11.8	10.1	11.4	13.4	13.3	11.5	14.0	14.6	16.1	15.0	153.9	6	-73207
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	17.4	13.1	14.5	10.3	11.2	6.8	7.8	6.8	7.0	11.0	16.3	16.1	138.3	6	-73207
	01 LST	17.9	16.4	19.5	16.8	21.1	18.8	19.7	19.0	13.1	15.3	19.1	18.3	215.0	6	-73207
	07 LST	11.1	11.4	10.3	11.0	14.5	10.7	9.1	9.6	7.5	9.8	11.3	10.4	126.7	6	-73207
	13 LST	6.3	8.0	10.8	8.3	10.5	6.2	1.8	2.1	2.3	6.1	9.3	9.2	80.9	6	-73207
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.7	26.8	29.8	29.5	29.6	29.3	29.8	29.1	28.5	29.6	29.2	29.0	349.9	6	-73207
	01 LST	29.7	26.5	29.8	29.2	30.5	29.0	30.8	30.7	29.3	29.0	29.3	29.8	353.6	6	-73207
	07 LST	25.4	24.5	26.8	27.8	29.8	28.7	30.5	30.2	28.8	27.8	26.3	25.8	332.4	6	-73207
	13 LST	29.2	26.7	29.6	28.8	30.3	27.8	30.0	29.1	28.6	25.1	27.7	27.8	338.7	6	-73207
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.9	26.8	27.0	26.7	25.7	28.0	26.5	26.8	25.5	27.0	25.5	315.9	6	-73207
	01 LST	25.1	23.2	28.3	27.3	29.0	28.7	30.7	30.3	27.5	26.3	26.8	25.9	329.1	6	-73207
	07 LST	17.9	20.4	24.1	24.0	28.1	28.5	29.5	29.1	27.0	24.8	24.3	20.3	300.0	6	-73207
	13 LST	22.6	21.9	24.3	25.0	26.3	25.5	25.1	24.6	21.8	21.1	23.2	23.4	284.8	6	-73207
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.0	22.5	25.8	25.1	25.6	24.5	26.8	24.8	25.5	23.8	24.7	23.8	298.9	6	-73207
	01 LST	23.5	21.4	28.0	26.3	28.0	28.3	30.7	29.8	27.3	25.0	26.2	24.6	319.1	6	-73207
	07 LST	18.8	18.9	22.8	22.8	27.8	27.8	28.0	29.0	26.3	23.3	22.8	19.3	287.6	6	-73207
	13 LST	20.8	21.2	23.7	24.2	26.0	24.5	24.3	24.1	20.5	18.5	20.6	21.8	270.2	6	-73207

FELSMERE/SOTTILE GROVES, FLORIDA

STA NO. 73574 (IN AREA NUMBER 15)

LATITUDE 2753N

LONGITUDE 08032W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	91	95	98	100	98	98	97	92	88	86	100	18	-73207
MEAN MAX TMP (F)	73	74	77	80	85	88	89	89	87	83	77	73	81	18	-73207
MEAN MIN TMP (F)	34	36	39	64	68	72	74	74	74	69	62	56	65	18	-73207
ABS MIN TMP (F)	29	30	34	44	52	63	67	66	64	48	33	26	26	18	-73207
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.5	0.2	4.7	12.0	13.0	16.6	7.7	1.0	0.0	0.0	55.7	6	-73207
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN DEN PT TMP (F)	58	57	59	62	67	72	74	74	73	69	59	56	65	6	-73207
MEAN REL HUM (PCT)	78	76	74	74	75	79	80	81	81	80	76	78	78	6	-73207
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.12	2.18	3.54	3.48	3.55	5.09	5.76	6.01	9.10	7.11	2.44	1.60	52.0	18	-73207
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	4.9	6.5	6.5	6.5	7.9	8.5	8.7	12.5	10.2	4.2	3.9	85.1	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.0	1.6	0.5	0.5	0.0	0.0	0.3	0.2	0.3	1.1	1.8	8.5	6	-73207
MEAN NO DYS TSTMS	0.3	1.3	2.0	5.8	7.3	12.3	15.5	17.5	9.7	3.5	1.1	0.5	76.8	6	-73207
P FREQ WND SPD = OR GTR 17 KTS	2.8	3.9	5.7	4.5	3.7	1.4	1.0	2.4	2.8	5.7	2.9	4.8	3.5	6	-73207
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.1	6	-73207
P FREQ LES 5000 FT A/D LES 5 MI	21.1	18.1	15.6	13.5	11.7	11.5	9.9	10.2	14.0	20.7	15.1	20.5	15.2	6	-73207
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.7	3.8	2.7	2.0	0.7	0.2	0.2	0.7	0.7	1.6	1.5	4.2	1.8	6	-73207
03-05 LST	7.1	5.8	6.5	3.7	3.1	1.3	0.5	1.6	1.7	4.3	5.0	6.3	3.9	6	-73207
06-08 LST	11.8	8.1	12.4	5.7	3.2	3.7	1.4	2.0	2.6	8.6	7.6	10.1	6.4	6	-73207
09-11 LST	4.2	5.7	4.1	2.6	0.9	2.8	0.0	0.5	2.0	6.5	6.3	6.5	3.5	6	-73207
12-14 LST	2.9	2.6	1.8	1.3	0.5	3.3	1.3	0.9	1.5	5.4	3.1	3.8	2.4	6	-73207
15-17 LST	1.2	2.2	2.2	1.1	0.9	2.8	1.1	0.5	1.7	5.0	1.5	2.9	1.9	6	-73207
18-20 LST	0.8	1.4	2.3	0.6	0.4	0.9	0.7	1.3	1.3	1.6	1.9	3.8	1.4	6	-73207
21-23 LST	1.5	2.4	1.1	0.9	0.4	0.6	0.0	0.7	0.6	1.4	1.3	3.6	1.2	6	-73207
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	0.6	0.5	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.9	0.4	6	-73207
03-05 LST	3.5	1.4	2.3	0.4	1.1	0.2	0.4	0.5	0.4	0.9	1.7	3.2	1.3	6	-73207
06-08 LST	4.2	3.0	3.2	1.3	0.9	0.2	0.4	0.5	0.0	1.1	1.7	4.7	1.8	6	-73207
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	6	-73207
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.2	0.4	0.0	0.1	6	-73207
15-17 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.1	6	-73207
18-20 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.1	6	-73207
21-23 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	6	-73207

FELSMERE/BOTTLE GROVES, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.7	30.5	29.6	30.8	30.0	31.0	30.8	30.0	30.8	29.5	30.3	302.0	6	-73207
	01 LST	30.3	27.3	30.5	30.0	30.8	30.0	30.8	30.8	30.0	30.8	29.6	30.5	301.6	6	-73207
	07 LST	26.5	25.3	27.2	29.0	30.3	29.6	30.7	30.3	29.8	29.6	27.8	27.3	343.4	6	-73207
	13 LST	30.3	27.5	30.8	29.8	30.8	29.5	31.0	30.8	29.3	30.5	29.2	30.3	359.8	6	-73207
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	26.3	21.0	20.6	21.3	20.8	24.8	26.2	26.5	22.8	20.5	23.2	23.8	277.8	6	-73207
	01 LST	24.5	21.2	25.0	24.3	27.2	28.0	30.2	29.3	26.0	23.3	24.5	23.8	307.3	6	-73207
	07 LST	19.9	20.4	20.3	20.3	24.1	25.8	28.8	27.5	25.1	19.8	21.5	19.7	273.2	6	-73207
	13 LST	8.4	6.6	7.3	6.7	6.7	9.5	12.6	11.8	9.7	6.2	11.2	10.0	108.7	6	-73207
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.1	0.3	0.5	0.2	0.0	0.0	0.2	0.0	1.0	0.7	1.2	4.4	6	-73207
	01 LST	0.3	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.8	3.2	6	-73207
	07 LST	0.2	0.5	0.7	0.5	0.2	0.0	0.0	0.2	0.3	1.3	0.2	0.7	4.8	6	-73207
	13 LST	2.7	3.2	3.3	4.2	3.5	1.3	1.6	3.0	2.2	3.3	2.0	3.3	35.6	6	-73207
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.4	22.0	19.9	23.1	23.6	23.9	22.7	22.9	19.7	18.2	18.4	255.1	6	-73207
	01 LST	17.5	18.8	21.9	19.9	20.4	18.2	16.6	18.1	17.2	19.4	19.0	20.3	227.3	6	-73207
	07 LST	17.1	18.4	19.7	18.7	21.3	20.1	17.8	19.3	16.2	18.2	20.0	17.5	224.3	6	-73207
	13 LST	12.2	10.5	11.8	10.1	11.4	13.4	13.3	11.5	14.0	14.6	16.1	15.0	153.9	6	-73207
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	17.4	13.1	14.5	10.3	11.2	6.8	7.8	6.8	7.0	11.0	16.3	16.1	138.3	6	-73207
	01 LST	17.9	16.4	19.5	16.8	21.1	18.8	19.7	19.0	13.1	15.3	19.1	18.3	215.0	6	-73207
	07 LST	11.1	11.4	10.3	11.0	14.5	10.7	9.1	9.6	7.5	9.8	11.3	10.4	126.7	6	-73207
	13 LST	6.3	8.0	10.8	8.3	10.5	6.2	1.8	2.1	2.3	6.1	9.3	9.2	80.9	6	-73207
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.7	26.8	29.8	29.5	29.6	29.3	29.8	29.1	28.5	29.6	29.2	29.0	349.9	6	-73207
	01 LST	29.7	26.5	29.8	29.2	30.5	29.0	30.8	30.7	29.3	29.0	29.3	29.8	353.6	6	-73207
	07 LST	25.4	24.5	26.8	27.8	29.8	28.7	30.5	30.2	28.8	27.8	26.3	25.8	332.4	6	-73207
	13 LST	29.2	26.7	29.6	28.8	30.3	27.8	30.0	29.1	26.6	25.1	27.7	27.8	338.7	6	-73207
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.9	26.8	27.0	26.7	25.7	28.0	26.5	26.8	25.5	27.0	25.3	313.9	6	-73207
	01 LST	25.1	23.2	28.3	27.3	29.0	28.7	30.7	30.3	27.5	26.3	26.8	25.9	329.1	6	-73207
	07 LST	19.9	20.4	24.1	24.0	28.1	28.5	29.5	29.1	27.0	24.8	24.3	20.3	300.0	6	-73207
	13 LST	22.6	21.9	24.3	25.0	26.3	25.5	25.1	24.6	21.8	21.1	23.2	23.4	284.8	6	-73207
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.0	22.5	25.8	25.1	25.6	24.5	26.8	24.8	25.5	23.8	24.7	23.8	298.9	6	-73207
	01 LST	23.5	21.4	28.0	26.3	28.0	28.3	30.7	29.8	27.3	25.0	26.2	24.6	319.1	6	-73207
	07 LST	18.8	18.9	22.8	22.8	27.8	27.8	28.0	29.0	26.3	23.3	22.8	19.3	287.6	6	-73207
	13 LST	20.8	21.2	23.7	24.2	26.0	24.5	24.3	24.1	20.5	18.5	20.6	21.8	270.2	6	-73207

# FT PIERCE/ST LUCIE COUNTY, FLORIDA

STA NO. 73573 (IN AREA NUMBER 19)

LATITUDE 2729N

LONGITUDE 08022W

ELEVATION(FT) 00024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	91	95	98	100	98	98	97	92	88	86	100	18	-73207
MEAN MAX TMP (F)	73	74	77	80	85	88	89	89	87	83	77	73	81	18	-73207
MEAN MIN TMP (F)	54	56	59	64	68	72	74	74	74	69	62	56	65	18	-73207
ABS MIN TMP (F)	29	30	34	44	52	63	67	66	64	48	33	26	26	18	-73207
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.5	0.2	4.7	12.0	13.0	16.6	7.7	1.0	0.0	0.0	93.7	6	-73207
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN DEW PT TMP (F)	58	57	59	62	67	72	74	74	73	69	59	56	65	6	-73207
MEAN REL HUM (PCT)	78	76	74	74	75	79	80	81	81	80	76	78	78	6	-73207
MEAN PRESS-ALT (FT)	-181	-191	-123	-98	-70	-66	-102	-70	-49	-77	-150	-178	-109	0	-50
MEAN PRECIP (IN)	2.12	2.18	3.54	3.48	3.55	5.09	5.76	6.01	9.10	7.11	2.44	1.60	52.0	18	-73207
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	4.9	6.5	6.5	6.5	7.9	8.5	8.7	12.5	10.2	4.2	3.9	85.1	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73207
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.0	1.6	3.5	0.5	0.0	0.0	0.3	0.2	0.3	1.1	1.8	8.5	6	-73207
MEAN NO DYS TSTMS	0.3	1.3	2.0	5.8	7.3	12.3	15.5	17.5	9.7	3.5	1.1	0.5	76.8	6	-73207
P FREQ WND SPD = OR GTR 17 KTS	2.8	3.9	5.7	4.5	3.7	1.4	1.0	2.4	2.8	5.7	2.9	4.8	3.5	6	-73207
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.1	6	-73207
P FREQ LES 5000 FT A/D LES 5 MI	21.1	18.1	15.6	13.5	11.7	11.5	9.9	10.2	14.0	20.7	15.1	20.5	15.2	6	-73207
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	2.7	3.8	2.7	2.0	0.7	0.2	0.2	0.7	0.7	1.6	1.5	4.2	1.8	6	-73207
03-05 LST	7.1	5.8	6.5	3.7	3.1	1.3	0.5	1.6	1.7	4.3	5.0	6.3	3.9	6	-73207
06-08 LST	11.8	8.1	12.4	5.7	3.2	3.7	1.4	2.0	2.6	8.6	7.6	10.1	6.4	6	-73207
09-11 LST	4.2	5.7	4.1	2.6	0.9	2.8	0.0	0.5	2.0	6.5	6.3	6.5	3.5	6	-73207
12-14 LST	2.9	2.6	1.8	1.3	0.5	3.3	1.3	0.9	1.5	5.4	3.1	3.8	2.4	6	-73207
15-17 LST	1.2	2.2	2.2	1.1	0.9	2.8	1.1	0.5	1.7	5.0	1.5	2.9	1.9	6	-73207
18-20 LST	0.8	1.4	2.3	0.6	0.4	0.9	0.7	1.3	1.3	1.6	1.9	3.8	1.4	6	-73207
21-23 LST	1.5	2.4	1.1	0.9	0.4	0.6	0.0	0.7	0.6	1.4	1.3	3.6	1.2	6	-73207
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	0.6	0.5	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.9	0.4	6	-73207
03-05 LST	3.5	1.4	2.3	0.4	1.1	0.2	0.4	0.5	0.4	0.9	1.7	3.2	1.3	6	-73207
06-08 LST	4.2	3.0	3.2	1.3	0.9	0.2	0.4	0.5	0.0	1.1	1.7	4.7	1.8	6	-73207
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.2	0.1	6	-73207
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.2	0.4	0.0	0.1	6	-73207
15-17 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.1	6	-73207
18-20 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.1	6	-73207
21-23 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	6	-73207

FT PIERCE/ST LUCIE COUNTY, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.7	30.5	29.6	30.8	30.0	31.0	30.8	30.0	30.8	29.5	30.3	362.0	6	-73207
	01 LST	30.3	27.5	30.5	30.0	30.8	30.0	30.8	30.8	30.0	30.8	29.6	30.5	361.6	6	-73207
	07 LST	26.5	25.3	27.2	29.0	30.3	29.6	30.7	30.3	29.8	29.6	27.8	27.3	343.4	6	-73207
	13 LST	30.3	27.5	30.8	29.8	30.8	29.5	31.0	30.8	29.3	30.5	29.2	30.3	359.8	6	-73207
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	26.3	21.0	20.6	21.3	20.8	24.8	26.2	26.5	22.8	20.5	23.2	23.8	277.8	6	-73207
	01 LST	24.5	21.2	25.0	24.3	27.2	28.0	30.2	29.3	26.0	23.3	24.5	23.8	307.3	6	-73207
	07 LST	19.9	20.4	20.3	20.3	24.1	25.8	28.8	27.5	25.1	19.8	21.5	19.7	273.2	6	-73207
	13 LST	8.4	6.6	7.3	6.7	6.7	9.5	12.6	11.8	9.7	8.2	11.2	10.0	108.7	6	-73207
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.1	0.3	0.5	0.2	0.0	0.0	0.2	0.0	1.0	0.7	1.2	4.4	6	-73207
	01 LST	0.3	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.8	3.2	6	-73207
	07 LST	0.2	0.5	0.7	0.5	0.2	0.0	0.0	0.2	0.3	1.3	0.2	0.7	4.8	6	-73207
	13 LST	2.7	3.2	5.3	4.2	3.5	1.3	1.6	3.0	2.2	3.3	2.0	3.3	35.6	6	-73207
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.4	22.0	19.9	23.1	23.6	23.9	22.7	22.9	19.7	18.2	18.4	255.1	6	-73207
	01 LST	17.5	18.8	21.9	19.9	20.4	18.2	16.6	18.1	17.2	19.4	19.0	20.3	227.3	6	-73207
	07 LST	17.1	18.4	19.7	18.7	21.3	20.1	17.8	19.3	16.2	18.2	20.0	17.5	224.3	6	-73207
	13 LST	12.2	10.5	11.8	10.1	11.4	13.4	13.3	11.5	14.0	14.6	16.1	15.0	193.9	6	-73207
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	17.4	13.1	14.5	10.3	11.2	6.8	7.8	6.8	7.0	11.0	16.3	16.1	138.3	6	-73207
	01 LST	17.9	16.4	19.5	16.8	21.1	18.8	19.7	19.0	13.1	15.3	19.1	18.3	215.0	6	-73207
	07 LST	11.1	11.4	10.3	11.0	14.5	10.7	9.1	9.6	7.5	9.8	11.3	10.4	126.7	6	-73207
	13 LST	6.3	5.0	10.8	8.3	10.5	6.2	1.8	2.1	2.3	6.1	9.3	9.2	80.9	6	-73207
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.7	24.8	29.8	29.5	29.6	29.3	29.8	29.1	28.5	29.6	29.2	29.0	349.9	6	-73207
	01 LST	29.7	26.5	29.8	29.2	30.5	29.0	30.8	30.7	29.3	29.0	29.3	29.8	353.6	6	-73207
	07 LST	25.4	24.5	26.8	27.8	29.8	28.7	30.5	30.2	28.8	27.8	26.3	25.8	332.4	6	-73207
	13 LST	29.2	26.7	29.6	28.8	30.3	27.8	30.0	29.1	26.6	25.1	27.7	27.8	338.7	6	-73207
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.9	26.8	27.0	26.7	25.7	28.0	26.5	26.8	25.5	27.0	25.3	315.9	6	-73207
	01 LST	25.1	23.2	28.3	27.3	29.0	28.7	30.7	30.3	27.5	26.3	26.8	25.9	329.1	6	-73207
	07 LST	19.9	20.4	24.1	24.0	28.1	28.5	29.5	29.1	27.0	24.8	24.3	20.3	300.0	6	-73207
	13 LST	22.6	21.9	24.3	25.0	26.3	25.5	25.1	24.6	21.8	21.1	23.2	23.4	284.8	6	-73207
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.0	22.5	25.8	25.1	25.6	24.5	26.8	24.8	25.5	23.8	24.7	23.8	298.9	6	-73207
	01 LST	23.5	21.4	28.0	26.3	28.0	28.3	30.7	29.8	27.3	25.0	26.2	24.6	319.1	6	-73207
	07 LST	18.8	18.9	22.8	22.8	27.8	27.8	28.0	29.0	26.3	23.3	22.8	19.3	287.6	6	-73207
	13 LST	20.8	21.2	23.7	24.2	26.0	24.5	24.3	24.1	20.5	18.5	20.6	21.8	270.2	6	-73207



## CLEWISTON/AIRGLADES STATE, FLORIDA

STA NO. 73576 (IN AREA NUMBER 15)

LATITUDE 2644N

LONGITUDE 08103W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JA	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	QBS
ABS MAX TMP (F)	87	90	92	95	96	98	97	97	96	95	90	88	98	18	-72203
MEAN MAX TMP (F)	76	77	80	83	87	90	91	91	89	85	81	77	84	18	-72203
MEAN MIN TMP (F)	58	58	61	66	70	73	74	75	75	71	64	59	67	18	-72203
ABS MIN TMP (F)	31	34	41	47	54	65	68	65	67	51	36	31	31	18	-72203
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.8	1.1	5.0	15.6	25.5	26.6	15.9	2.5	0.1	0.0	93.1	12	-72203
MEAN NO DYS TMP = DR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	-72203
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	74	69	62	57	66	12	-72203
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	-72203
MEAN PRESS ALT (FT)	-152	-126	-107	-80	-41	-36	-85	-49	-8	-22	-93	-131	-77	0	-50
MEAN PRECIP (IN)	2.30	2.19	3.07	3.61	4.90	7.06	6.60	7.02	10.24	8.29	2.51	2.63	60.4	18	-72203
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.1	5.0	6.2	6.6	7.2	9.6	9.2	9.6	13.7	11.6	4.3	5.6	93.7	18	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	-72203
MEAN NO DYS TSTMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	-72203
P FREQ WND SPD = DR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.5	12	-72203
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	-72203
P FREQ LES 5000 FT A/D LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	15.5	18.8	20.5	21.8	17.4	12	-72203
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.8	12	-72203
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	-72203
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.9	4.6	12	-72203
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	5.3	3.2	12	-72203
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	-72203
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	-72203
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.5	12	-72203
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	-72203
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	-72203
03-05 LST	1.7	2.3	2.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	-72203
06-08 LST	2.2	2.5	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	-72203
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-72203
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.5	0.1	0.0	0.2	0.0	0.1	0.1	12	-72203
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	-72203
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	-72203
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	-72203



# CLEWISTON/AIRGLADES STATE, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	302.1	12	-72203
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.8	30.7	301.0	12	-72203
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	350.7	12	-72203
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	300.2	12	-72203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.0	254.2	12	-72203
	01 LST	19.5	17.2	21.4	19.2	24.3	25.1	28.2	28.6	23.5	21.3	19.2	19.2	266.7	12	-72203
	07 LST	20.0	17.1	19.2	16.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	253.7	12	-72203
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	105.7	12	-72203
SPC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	-72203
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	-72203
	07 LST	1.6	1.3	1.2	1.3	0.3	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	-72203
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	51.0	12	-72203
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	255.0	12	-72203
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	-72203
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	-72203
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	13.0	11.2	124.8	12	-72203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	8.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	-72203
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	158.7	12	-72203
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	-72203
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	-72203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.9	348.6	12	-72203
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	-72203
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.5	27.9	28.8	26.9	28.5	337.5	12	-72203
	13 LST	28.5	25.3	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	-72203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	-72203
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	-72203
	07 LST	23.1	20.4	24.8	25.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	-72203
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	268.4	12	-72203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	-72203
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	-72203
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	-72203
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.5	249.5	12	-72203

# BELLE GLADE/STATE, FLORIDA

STA NO. 73577 (IN AREA NUMBER 15)

LATITUDE 2642N

LONGITUDE 08039W

ELEVATION(FT) 00017

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
ABS MAX TMP (F)	87	90	91	95	95	98	100	99	96	94	91	89	100	30	-113
MEAN MAX TMP (F)	75	77	80	83	87	89	90	91	89	85	79	76	83	30	-113
MEAN MIN TMP (F)	52	52	55	59	63	68	70	70	71	66	58	53	61	30	-113
ABS MIN TMP (F)	24	27	27	33	46	54	62	61	60	40	32	25	24	30	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	5.0	14.0	20.0	23.0	12.0	3.0	0.0	0.0	78.7	10	-113
MEAN NO DYS TMP = OR LES 32(F)	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	2.5	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	69	62	57	56		12	-72203
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	-72203
MEAN PRESS ALT (FT)	-155	-130	-112	-85	-67	-42	-91	-54	-13	-26	-96	-134	-81	0	-50
MEAN PRECIP (IN)	1.86	1.72	3.13	3.25	4.46	9.13	8.19	8.38	9.28	5.16	2.25	1.65	58.5	36	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	4.1	6.2	6.3	7.0	11.8	10.7	10.9	12.7	7.8	4.0	4.0	89.9	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	-72203
MEAN NO DYS TSTMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	-72203
P FREQ WND SPD = OR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.3	12	-72203
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	-72203
P FREQ LES 5000 FT A/D LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	15.5	18.8	20.5	21.8	17.4	12	-72203
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.6	12	-72203
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	-72203
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.9	4.6	12	-72203
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	3.3	3.2	12	-72203
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	-72203
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	-72203
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.5	12	-72203
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	-72203
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	-72203
03-05 LST	1.7	2.3	2.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	-72203
06-08 LST	2.2	2.5	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	-72203
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-72203
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.3	0.1	0.0	0.2	0.0	0.1	0.1	12	-72203
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	-72203
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	-72203
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	-72203

# BELLE GLADE/STATE, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	362.1	12	-72203
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.0	30.7	361.0	12	-72203
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	350.7	12	-72203
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	360.2	12	-72203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.0	254.2	12	-72203
	01 LST	19.5	17.2	21.4	19.2	24.3	25.1	28.2	28.6	23.5	21.3	19.2	19.2	266.7	12	-72203
	07 LST	20.0	17.1	19.2	16.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	253.7	12	-72203
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	105.7	12	-72203
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	-72203
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	-72203
	07 LST	1.6	1.3	1.2	1.3	0.5	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	-72203
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	51.0	12	-72203
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	255.0	12	-72203
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	-72203
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	-72203
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	13.0	11.2	124.8	12	-72203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	8.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	-72203
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	158.7	12	-72203
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	-72203
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	-72203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.9	348.6	12	-72203
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	-72203
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.2	27.9	28.8	26.9	28.5	337.5	12	-72203
	13 LST	28.5	25.5	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	-72203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	-72203
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	-72203
	07 LST	23.1	20.4	24.8	25.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	-72203
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	268.4	12	-72203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	-72203
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	-72203
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	-72203
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.5	249.5	12	-72203

## ST LUCIE/CIRCLE T RANCH, FLORIDA

STA NO. 73578 (IN AREA NUMBER 15)

LATITUDE 2702N

LONGITUDE 08026W

ELEVATION(FT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	92	95	96	98	97	97	96	95	90	88	90	18	-72203
MEAN MAX TMP (F)	76	77	80	83	87	90	91	91	89	85	81	77	84	18	-72203
MEAN MIN TMP (F)	58	58	61	66	70	73	74	75	75	71	64	59	67	18	-72203
ABS MIN TMP (F)	31	34	41	47	54	65	68	65	67	51	36	31	31	18	-72203
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.8	1.1	5.0	15.6	25.5	26.6	15.9	2.5	0.1	0.0	93.1	12	-72203
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	-72203
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	74	69	62	57	66	12	-72203
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	-72203
MEAN PRESS ALT (FT)	-141	-117	-101	-74	-35	-30	-80	-42	0	-10	-79	-119	-68	0	-50
MEAN PRECIP (IN)	2.30	2.19	3.07	3.61	4.90	7.06	6.60	7.02	10.24	8.29	2.51	2.63	60.4	18	-72203
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	5.0	6.2	6.6	7.2	9.6	9.2	9.6	13.7	11.6	4.3	5.6	93.7	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	-72203
MEAN NO DYS TSMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	-72203
P FREQ WND SPD = OR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.5	12	-72203
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	-72203
P FREQ LES 5000 FT A/D LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	15.5	18.8	20.5	21.8	17.4	12	-72203
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.8	12	-72203
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	-72203
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.9	4.6	12	-72203
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	5.3	3.2	12	-72203
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	-72203
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	-72203
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.5	12	-72203
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	-72203
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	-72203
03-05 LST	1.7	2.3	2.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	-72203
06-08 LST	2.2	2.5	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	-72203
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-72203
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.5	0.1	0.0	0.2	0.0	0.1	0.1	12	-72203
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	-72203
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	-72203
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	-72203

## ST LUCIE/CIRCLE T RANCH, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	302.1	12	-72203
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.8	30.7	301.0	12	-72203
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	330.7	12	-72203
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	300.2	12	-72203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.6	254.2	12	-72203
	01 LST	19.3	17.2	21.4	19.2	24.3	25.1	28.2	28.6	23.9	21.9	19.2	19.2	266.7	12	-72203
	07 LST	20.0	17.1	19.2	16.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	233.7	12	-72203
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	103.7	12	-72203
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	-72203
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	-72203
	07 LST	1.6	1.3	1.2	1.3	0.5	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	-72203
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	51.0	12	-72203
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	255.0	12	-72203
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	-72203
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	-72203
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	13.0	11.2	124.8	12	-72203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	8.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	-72203
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	158.7	12	-72203
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	-72203
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	-72203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.9	348.6	12	-72203
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	-72203
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.5	27.9	28.8	26.9	28.5	337.5	12	-72203
	13 LST	28.5	25.5	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	-72203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	-72203
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	-72203
	07 LST	23.1	20.4	24.8	25.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	-72203
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	266.4	12	-72203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	-72203
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	-72203
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	-72203
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.9	249.5	12	-72203

# CLEWISTON, FLORIDA

STA NO. 73579 (IN AREA NUMBER 19)

LATITUDE 2649N

LONGITUDE 08097W

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	92	93	96	97	96	98	96	95	90	88	98	10	-113
MEAN MAX TMP (F)	73	76	80	82	87	90	91	91	89	84	78	73	83	10	-113
MEAN MIN TMP (F)	54	57	58	63	68	71	72	73	74	70	62	56	63	10	-113
ABS MIN TMP (F)	31	33	42	43	54	59	67	60	68	51	37	32	31	10	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	2.0	2.0	8.0	16.0	22.0	25.0	15.0	4.0	0.3	0.0	94.6	9	-113
MEAN NO DYS TMP = OR LES 32(F)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	74	69	62	57	66	12	-72203
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	-72203
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.36	1.82	2.88	3.06	4.40	7.54	7.67	6.57	7.59	4.59	1.43	1.70	50.8	23	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	4.3	6.0	6.1	7.0	10.1	10.2	9.2	10.8	7.1	2.9	4.1	81.7	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	-72203
MEAN NO DYS TSTMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	-72203
P FREQ WND SPD = OR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.5	12	-72203
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	-72203
P FREQ LES 5000 FT A/O LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	13.5	18.8	20.5	21.8	17.4	12	-72203
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.8	12	-72203
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	-72203
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.9	4.6	12	-72203
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	5.3	3.2	12	-72203
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	-72203
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	-72203
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.5	12	-72203
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	-72203
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	-72203
03-05 LST	1.7	2.3	2.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	-72203
06-08 LST	2.2	2.5	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	-72203
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-72203
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.3	0.1	0.0	0.2	0.0	0.1	0.1	12	-72203
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	-72203
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	-72203
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	-72203

# CLEWISTON, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	302.1	12	-72203
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.8	30.7	361.0	12	-72203
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	350.7	12	-72203
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	360.2	12	-72203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.0	254.2	12	-72203
	01 LST	19.5	17.2	21.4	19.2	24.3	25.1	28.2	28.6	23.5	21.3	19.2	19.2	266.7	12	-72203
	07 LST	20.0	17.1	19.2	18.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	253.7	12	-72203
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	105.7	12	-72203
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	-72203
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	-72203
	07 LST	1.6	1.3	1.2	1.3	0.5	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	-72203
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	51.0	12	-72203
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	255.0	12	-72203
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	-72203
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	-72203
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	13.0	11.2	124.8	12	-72203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	8.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	-72203
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	158.7	12	-72203
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	-72203
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	-72203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.9	348.6	12	-72203
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	-72203
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.5	27.9	28.8	28.9	28.5	337.5	12	-72203
	13 LST	28.5	25.5	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	-72203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	-72203
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	-72203
	07 LST	23.1	20.4	24.8	25.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	-72203
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	288.4	12	-72203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	-72203
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	-72203
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	-72203
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.5	249.5	12	-72203



PAHOKEE/PALM BEACH COUNTY-GLADES, FLORIDA

STA NO. 73580 (IN AREA NUMBER 19)

LATITUDE 264 N

LONGITUDE 08041W

ELEVATION(FT) 00017

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	92	93	96	98	97	97	96	93	90	88	98	18	-72203
MEAN MAX TMP (F)	76	77	80	83	87	90	91	91	89	85	81	77	84	18	-72203
MEAN MIN TMP (F)	58	58	61	66	70	73	74	75	75	71	64	59	67	18	-72203
ABS MIN TMP (F)	31	34	41	47	54	65	68	65	67	51	36	31	31	18	-72203
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.8	1.1	5.0	15.6	25.5	26.6	15.9	2.5	0.1	0.0	93.1	12	-72203
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	-72203
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	74	69	62	57	66	12	-72203
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	-72203
MEAN PRESS ALT (FT)	-194	-129	-112	-85	-46	-41	-91	-93	-12	-25	-95	-133	-80	0	-50
MEAN PRECIP (IN)	2.30	2.19	3.07	3.61	4.90	7.06	6.60	7.02	10.24	8.29	2.51	2.63	60.4	18	-72203
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	5.0	6.2	6.6	7.2	9.6	9.2	9.6	13.7	11.6	4.3	5.6	93.7	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	-72203
MEAN NO DYS TSMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	-72203
P FREQ WND SPD = OR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.5	12	-72203
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	-72203
P FREQ LES 5000 FT A/D LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	15.5	18.8	20.5	21.8	17.4	12	-72203
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.8	12	-72203
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	-72203
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.9	4.6	12	-72203
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	3.3	3.2	12	-72203
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	-72203
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	-72203
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.3	12	-72203
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	-72203
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	-72203
03-05 LST	1.7	2.3	2.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	-72203
06-08 LST	2.2	2.5	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	-72203
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-72203
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.3	0.1	0.0	0.2	0.0	0.1	0.1	12	-72203
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	-72203
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	-72203
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	-72203

# PAHOKEE/PALM BEACH COUNTY-GLADES, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	302.1	12	-72203
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.8	30.7	301.0	12	-72203
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	290.7	12	-72203
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	300.2	12	-72203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.0	294.2	12	-72203
	01 LST	19.5	17.2	21.4	19.2	24.3	25.1	28.2	28.6	23.5	21.3	19.2	19.2	266.7	12	-72203
	07 LST	20.0	17.1	19.2	16.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	253.7	12	-72203
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	105.7	12	-72203
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	-72203
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	-72203
	07 LST	1.6	1.3	1.2	1.3	0.5	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	-72203
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	91.0	12	-72203
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	235.0	12	-72203
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	-72203
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	-72203
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	12.0	11.2	124.8	12	-72203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	8.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	-72203
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	198.7	12	-72203
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	-72203
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	-72203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.4	348.6	12	-72203
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	-72203
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.5	27.9	28.8	26.9	28.5	337.5	12	-72203
	13 LST	28.5	25.5	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	-72203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	-72203
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	-72203
	07 LST	23.1	20.4	24.8	23.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	-72203
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	268.4	12	-72203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	-72203
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	-72203
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	-72203
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.3	249.5	12	-72203

## BOYNTON BEACH/PALM BEACH COUNTY, FLORIDA

STA NO. 73581 (IN AREA NUMBER 15)

LATITUDE 2634N

LONGITUDE 08035W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	92	95	96	98	97	97	96	95	90	88	98	18	-72203
MEAN MAX TMP (F)	76	77	80	83	87	90	91	91	89	85	81	77	84	18	-72203
MEAN MIN TMP (F)	58	58	61	66	70	73	74	75	75	71	64	59	67	18	-72203
ABS MIN TMP (F)	31	34	41	47	54	65	68	65	67	51	36	31	31	18	-72203
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.8	1.1	5.0	15.6	25.5	26.6	15.9	2.5	0.1	0.0	93.1	12	-72203
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	-72203
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	74	69	62	57	66	12	-72203
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	-72203
MEAN PRESS. ALT (FT)	-198	-193	-117	-91	-53	-49	-98	-58	-18	-29	-97	-137	-86	0	-50
MEAN PRECIP (IN)	2.30	2.19	3.07	3.61	4.90	7.06	6.60	7.02	10.24	8.29	2.51	2.63	60.4	18	-72203
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	5.0	6.2	6.6	7.2	9.6	9.2	9.6	13.7	11.6	4.3	5.6	93.7	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	-72203
MEAN NO DYS TSTMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	-72203
P FREQ WND SPD = OR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.5	12	-72203
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	-72203
P FREQ LES 5000 FT A/D LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	15.5	18.8	20.5	21.8	17.4	12	-72203
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.8	12	-72203
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	-72203
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.7	4.6	12	-72203
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	5.3	3.2	12	-72203
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	-72203
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	-72203
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.5	12	-72203
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	-72203
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	-72203
03-05 LST	1.7	2.3	2.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	-72203
06-08 LST	2.2	2.5	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	-72203
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-72203
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.5	0.1	0.0	0.2	0.0	0.1	0.1	12	-72203
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	-72203
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	-72203
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	-72203

# BOYNTON BEACH/PALM BEACH COUNTY, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	302.1	12	-72203
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.8	30.7	301.0	12	-72203
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	350.7	12	-72203
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	300.2	12	-72203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.0	254.2	12	-72203
	01 LST	19.5	17.2	21.4	19.2	24.3	25.1	28.2	28.6	23.5	21.3	19.2	19.2	266.7	12	-72203
	07 LST	20.0	17.1	19.2	16.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	253.7	12	-72203
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	105.7	12	-72203
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	-72203
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	-72203
	07 LST	1.6	1.3	1.2	1.3	0.5	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	-72203
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	51.0	12	-72203
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	255.0	12	-72203
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	-72203
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	-72203
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	13.0	11.2	124.8	12	-72203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	8.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	-72203
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	156.7	12	-72203
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	-72203
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	-72203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.9	346.6	12	-72203
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	-72203
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.5	27.9	28.8	26.9	28.5	337.5	12	-72203
	13 LST	28.5	25.5	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	-72203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	-72203
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	-72203
	07 LST	23.1	20.4	24.8	25.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	-72203
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	268.4	12	-72203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	-72203
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	-72203
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	-72203
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.5	249.5	12	-72203

## STUART/WITHAM FIELD, FLORIDA

STA NO. 73582 (IN AREA NUMBER 19)

LATITUDE 2710N

LONGITUDE 08013W

ELEVATION(FT) 00017

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	93	93	98	98	102	105	99	97	97	92	92	105	21	-113
MEAN MAX TMP (F)	76	77	80	84	87	90	91	91	89	85	80	77	84	21	-113
MEAN MIN TMP (F)	56	57	60	65	69	72	74	74	74	70	64	58	66	20	-113
ABS MIN TMP (F)	30	30	37	47	50	62	64	67	62	47	31	29	29	20	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	1.0	2.0	7.0	16.0	22.0	26.0	14.0	4.0	0.3	0.0	92.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	56	58	60	63	68	72	74	74	74	69	62	57	66	12	-72203
MEAN REL HUM (PCT)	74	73	72	71	74	77	77	78	79	77	74	73	75	12	-72203
MEAN PRESS ALT (FT)	-192	-127	-112	-85	-47	-41	-92	-53	-10	-19	-88	-128	-79	0	-50
MEAN PRECIP (IN)	2.39	2.36	3.11	3.46	4.48	6.59	6.56	5.51	9.46	8.36	2.38	2.32	57.0	22	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	5.2	6.2	6.5	7.0	9.2	9.2	8.3	12.9	11.6	4.2	5.2	90.8	22	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72203
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.1	1.1	1.2	0.5	0.3	0.2	0.0	0.2	0.4	0.5	0.5	1.1	7.1	12	-72203
MEAN NO DYS TSTMS	0.6	1.5	2.7	4.4	8.0	12.8	15.1	17.2	10.6	5.0	1.1	0.6	79.6	12	-72203
P FREQ WND SPD = DR GTR 17 KTS	8.4	10.1	8.6	10.4	4.8	1.9	1.3	1.4	5.1	10.4	8.1	7.9	6.9	12	-72203
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	12	-72203
P FREQ LES 3000 FT A/D LES 5 MI	23.3	22.7	20.3	19.4	14.9	12.0	9.5	10.4	15.5	18.8	20.5	21.8	17.4	12	-72203
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	2.9	2.4	2.3	0.9	0.7	0.4	0.2	0.9	2.4	1.8	3.1	1.8	12	-72203
03-05 LST	5.8	7.3	5.6	4.1	1.7	1.3	0.4	0.6	1.1	2.9	4.1	4.9	3.3	12	-72203
06-08 LST	6.7	6.4	9.3	5.9	4.6	2.4	0.7	1.0	2.8	3.9	6.0	4.9	4.6	12	-72203
09-11 LST	4.7	5.0	4.2	3.2	2.3	2.0	0.9	0.6	1.9	4.1	3.9	5.3	3.2	12	-72203
12-14 LST	3.3	2.8	2.4	1.9	1.1	1.9	1.2	0.6	1.8	4.0	1.5	3.1	2.1	12	-72203
15-17 LST	2.4	1.7	2.2	1.9	1.3	1.9	0.4	0.9	1.9	3.8	1.9	2.8	1.9	12	-72203
18-20 LST	2.7	1.8	1.7	1.4	0.8	1.7	0.1	0.5	1.6	2.7	1.2	1.6	1.5	12	-72203
21-23 LST	1.3	1.8	1.3	1.8	0.4	1.0	0.3	0.0	1.3	2.3	1.7	2.3	1.3	12	-72203
P FREQ LES, 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	1.0	0.4	0.2	0.0	0.4	0.0	0.0	0.2	0.4	0.6	0.3	0.3	12	-72203
03-05 LST	1.7	2.3	1.1	2.0	0.4	0.4	0.0	0.2	0.0	0.4	1.4	1.8	1.1	12	-72203
06-08 LST	2.2	2.5	2.2	1.3	0.6	0.4	0.1	0.4	0.7	0.4	1.7	1.6	1.2	12	-72203
09-11 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-72203
12-14 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.5	0.1	0.0	0.2	0.0	0.1	0.1	12	-72203
15-17 LST	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.0	0.1	12	-72203
18-20 LST	0.0	0.0	0.1	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	12	-72203
21-23 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	-72203

## STUART/WITHAM FIELD, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	30.7	29.9	30.8	29.8	30.9	31.0	29.8	30.6	29.8	30.6	302.1	12	-72203
	01 LST	30.2	27.4	30.5	29.6	30.9	29.7	30.8	31.0	29.7	30.7	29.8	30.7	301.0	12	-72203
	07 LST	29.2	26.2	28.2	28.8	29.6	29.7	30.7	30.7	29.4	30.2	28.4	29.6	350.7	12	-72203
	13 LST	30.2	27.7	30.7	29.7	30.8	29.6	30.7	30.9	29.4	30.6	29.5	30.4	300.2	12	-72203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.1	18.3	21.0	17.3	20.0	22.0	25.6	26.5	21.4	20.4	18.6	21.0	294.2	12	-72203
	01 LST	19.5	17.2	21.4	19.2	14.3	25.1	28.2	28.6	23.5	21.3	19.2	19.2	206.7	12	-72203
	07 LST	20.0	17.1	19.2	16.6	21.1	24.8	26.0	27.1	22.0	20.8	19.8	19.2	253.7	12	-72203
	13 LST	7.7	8.3	6.7	6.0	7.1	10.3	10.1	12.7	10.3	8.6	9.1	8.8	105.7	12	-72203
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.3	0.7	1.4	0.7	0.2	0.0	0.0	0.8	2.7	1.7	1.5	12.4	12	-72203
	01 LST	1.2	1.4	0.7	1.3	0.3	0.1	0.0	0.1	0.7	2.0	1.7	1.7	11.2	12	-72203
	07 LST	1.6	1.3	1.2	1.3	0.5	0.3	0.0	0.2	1.0	2.5	1.5	0.9	12.3	12	-72203
	13 LST	5.5	6.2	6.1	7.0	3.6	1.7	1.4	1.1	3.0	5.7	4.3	5.4	51.0	12	-72203
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	19 LST	21.0	18.5	22.7	19.6	22.2	22.8	24.6	24.5	21.3	19.1	18.5	20.2	255.0	12	-72203
	01 LST	19.1	17.4	22.1	20.0	20.9	19.4	21.4	19.5	19.1	18.0	18.4	19.0	234.3	12	-72203
	07 LST	18.7	17.1	19.4	17.1	20.2	19.3	19.9	18.3	18.1	17.0	19.1	18.8	223.0	12	-72203
	13 LST	11.9	10.4	10.1	8.4	10.1	11.0	8.2	8.7	10.1	11.7	13.0	11.2	124.8	12	-72203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	11.1	12.0	9.0	8.8	4.9	6.3	3.6	4.7	8.1	10.7	11.7	104.3	12	-72203
	01 LST	15.7	13.6	15.4	12.8	14.1	11.8	15.4	13.8	9.5	11.2	13.1	12.3	158.7	12	-72203
	07 LST	10.7	8.7	10.4	9.4	10.7	8.4	7.8	10.1	6.8	8.6	9.6	10.1	111.3	12	-72203
	13 LST	6.6	5.9	7.4	5.9	7.0	3.2	3.0	1.5	2.2	3.4	4.9	6.4	57.4	12	-72203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.6	26.6	29.7	28.6	29.6	29.2	30.2	30.2	28.3	28.4	28.3	29.9	348.6	12	-72203
	01 LST	29.1	26.1	29.1	28.1	29.8	28.3	30.2	30.5	28.1	28.8	28.1	29.6	345.8	12	-72203
	07 LST	28.0	24.8	27.2	27.8	28.8	28.9	30.4	29.5	27.9	28.8	26.9	28.5	337.5	12	-72203
	13 LST	28.5	25.5	28.1	27.8	29.2	28.4	29.3	30.0	27.3	27.5	27.7	28.4	337.7	12	-72203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	22.8	26.8	25.7	27.7	27.6	29.4	29.2	26.9	25.2	24.0	23.8	313.6	12	-72203
	01 LST	23.9	22.0	26.1	24.8	27.5	27.0	29.8	29.5	26.0	25.8	24.2	23.8	310.4	12	-72203
	07 LST	23.1	20.4	24.8	25.5	26.7	27.9	29.7	29.3	26.7	27.0	22.9	23.3	307.3	12	-72203
	13 LST	20.6	18.7	21.1	21.8	24.2	23.6	25.6	24.6	23.0	22.3	20.7	22.2	268.4	12	-72203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.7	24.6	23.7	25.2	26.0	28.5	28.3	25.1	23.6	22.4	22.0	293.6	12	-72203
	01 LST	23.0	19.9	24.4	23.4	26.2	26.5	29.4	29.1	25.2	24.3	22.2	21.5	295.1	12	-72203
	07 LST	21.5	18.5	23.3	24.3	25.6	26.7	29.0	28.8	25.7	25.5	21.6	21.4	291.9	12	-72203
	13 LST	18.7	16.6	20.0	20.4	23.0	21.9	24.2	23.5	21.5	20.2	19.0	20.5	249.5	12	-72203

# DE LAND, FLORIDA

STA NO. 73503 (IN AREA NUMBER 15)

LATITUDE 2904N

LONGITUDE 08117W

ELEVATION(FT) 00080

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	93	97	100	102	102	98	98	97	90	87	102	29	-613
MEAN MAX TMP (F)	72	74	78	82	88	91	92	92	89	83	77	72	83	29	-113
MEAN MIN TMP (F)	48	49	53	58	64	70	72	72	71	63	54	49	60	29	-113
ABS MIN TMP (F)	18	19	26	31	43	54	61	63	53	37	24	17	17	28	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.8	8.4	13.5	19.0	18.9	11.2	1.5	0.0	0.0	73.3	12	4275
MEAN NO DYS TMP = DR LES 32(F)	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.7	12	4275
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	4275
MEAN DEW PT TMP (F)	49	53	55	59	65	70	72	73	72	65	57	51	62	12	98500
MEAN REL HUM (PCT)	74	73	71	70	71	77	79	81	81	77	75	74	75	12	98497
MEAN PRESS-ALT (FT)	-113	-85	-59	-33	-1	6	-36	-4	23	-2	-73	-105	-39	0	-50
MEAN PRECIP (IN)	2.20	2.75	3.35	2.94	3.99	7.84	8.14	7.17	6.97	5.03	1.87	2.20	54.0	57	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4047
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	5.8	6.4	6.0	6.8	10.4	10.7	9.7	9.5	7.6	3.5	5.0	86.4	57	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4047
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.2	3.8	3.3	2.8	3.1	2.4	0.7	1.6	1.6	3.1	3.0	5.2	36.8	12	4116
MEAN NO DYS TSTMS	0.7	1.7	2.7	4.0	7.4	11.8	16.6	15.3	8.6	3.1	0.6	0.6	73.1	12	4276
P FREQ WND SPD = DR GTR 17 KTS	2.3	3.7	2.6	2.9	1.6	1.2	0.7	0.7	1.6	1.4	1.0	1.4	1.8	12	98526
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	12	98526
P FREQ LES 5000 FT A/D LES 5 MI	25.2	25.7	23.5	20.8	20.5	21.8	16.5	17.4	19.7	17.3	21.0	22.7	21.0	12	98520
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	12.6	10.8	8.5	4.6	3.6	3.3	0.7	1.8	4.8	4.7	11.6	12.3	6.6	12	12201
03-05 LST	23.4	17.8	15.1	11.3	11.7	9.3	1.9	3.6	6.4	9.4	17.5	18.0	12.1	12	12249
06-08 LST	27.8	26.7	23.4	16.8	15.3	11.3	3.5	7.2	11.7	11.5	20.2	20.6	16.3	12	12347
09-11 LST	14.9	17.5	9.4	4.4	3.9	3.3	1.4	1.6	4.5	5.7	12.1	11.3	7.5	12	12344
12-14 LST	6.7	5.9	4.7	1.6	1.8	3.4	2.2	2.3	3.4	3.8	4.2	5.7	3.8	12	12345
15-17 LST	3.8	4.6	3.9	2.6	2.9	3.3	2.4	2.7	4.3	2.9	3.4	4.2	3.4	12	12348
18-20 LST	4.1	6.3	5.2	1.9	3.4	3.3	2.0	2.2	3.2	3.0	4.7	4.9	3.7	12	12345
21-23 LST	5.1	7.7	4.9	2.8	3.9	2.8	0.1	1.0	3.5	2.6	6.6	6.5	4.0	12	12341
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.9	4.6	1.9	0.8	0.7	0.7	0.1	0.5	0.8	1.3	3.1	5.1	2.0	12	12201
03-05 LST	12.7	6.5	6.2	4.3	4.8	3.8	0.5	2.2	2.0	3.7	7.8	11.0	5.5	12	12249
06-08 LST	15.3	10.4	9.3	5.2	6.7	4.2	0.9	3.0	3.3	5.1	8.3	11.4	6.9	12	12347
09-11 LST	2.8	1.9	0.6	0.0	0.3	0.3	0.1	0.0	0.2	0.3	1.2	2.1	0.8	12	12344
12-14 LST	0.1	0.0	0.5	0.1	0.3	0.4	0.8	0.3	0.6	0.4	0.2	0.0	0.3	12	12345
15-17 LST	0.1	0.2	0.4	0.0	0.5	0.9	0.7	0.5	0.5	0.5	0.0	0.1	0.4	12	12348
18-20 LST	0.0	0.2	0.5	0.1	1.2	0.9	0.3	0.6	0.7	0.3	0.0	0.3	0.4	12	12345
21-23 LST	1.2	1.4	0.3	0.1	0.9	0.3	0.1	0.1	0.1	0.4	0.7	1.7	0.6	12	12341



# DE LAND, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.1	26.7	29.7	29.6	29.9	29.2	30.7	30.6	29.4	30.4	28.7	29.9	354.9	12	4116
	01 LST	27.5	25.5	28.7	29.1	29.2	29.0	30.8	30.6	29.0	29.6	26.9	27.7	343.6	12	4116
	07 LST	22.1	20.4	23.3	25.5	26.2	26.6	29.8	28.8	26.7	27.0	23.5	24.3	304.2	12	4116
	13 LST	29.9	27.2	30.2	29.6	30.6	29.0	30.5	30.4	29.7	30.3	29.5	29.8	356.7	12	4116
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.6	20.7	20.2	20.9	21.9	22.5	26.4	28.3	26.6	27.5	25.2	26.2	291.0	12	4116
	01 LST	23.2	21.1	24.6	24.9	27.7	27.8	30.4	30.2	27.7	28.2	24.1	23.7	313.6	12	4116
	07 LST	16.7	15.6	18.7	21.8	23.4	25.1	29.3	28.1	24.9	24.3	19.6	20.0	267.5	12	4116
	13 LST	14.0	11.7	14.7	13.9	19.2	20.7	24.2	22.9	19.7	17.5	16.4	16.0	210.9	12	4116
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.5	0.2	0.2	0.1	0.4	0.1	0.1	0.1	0.2	0.1	0.1	2.3	12	4063
	01 LST	0.0	0.3	0.4	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.4	1.6	12	4083
	07 LST	0.3	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	1.3	12	4076
	13 LST	2.4	2.6	1.6	1.7	1.1	0.8	0.2	0.5	0.9	0.9	1.2	1.6	15.5	12	4074
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	20.6	18.2	23.0	22.5	24.2	22.0	20.7	21.2	19.1	20.9	18.9	20.0	251.3	12	4063
	01 LST	18.6	16.4	17.3	18.5	15.6	13.1	12.2	11.5	11.0	14.9	15.8	16.5	181.4	12	4083
	07 LST	18.4	15.3	16.8	18.0	17.2	16.1	12.6	10.4	12.7	16.7	17.2	15.9	187.3	12	4076
	13 LST	16.7	15.5	19.5	16.6	17.7	14.6	12.7	13.1	14.7	19.8	17.4	17.5	195.8	12	4074
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.1	12.1	11.1	10.8	8.3	4.5	2.4	2.8	5.0	12.6	14.5	14.0	111.2	11	3810
	01 LST	15.3	13.5	15.7	16.2	19.8	15.3	14.8	14.2	13.4	18.2	16.0	15.6	188.0	11	3810
	07 LST	9.7	8.5	8.5	9.6	11.7	8.8	8.6	9.9	8.6	10.7	11.3	10.0	115.9	11	3810
	13 LST	8.2	7.0	7.8	5.7	3.4	1.8	0.2	0.3	0.6	4.9	7.7	8.5	96.1	11	3810
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.1	25.5	28.6	28.9	29.4	28.4	29.0	30.0	28.5	29.5	27.8	28.9	343.6	12	4116
	01 LST	25.7	23.9	28.1	28.1	28.8	28.5	30.4	30.2	28.1	29.1	26.0	26.4	333.3	12	4116
	07 LST	20.2	18.9	21.6	24.8	25.3	26.1	29.6	28.5	25.7	26.7	22.3	23.9	293.6	12	4116
	13 LST	27.4	25.1	28.1	27.6	29.7	27.4	28.5	28.3	27.0	28.5	26.8	27.9	332.3	12	4116
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.0	22.7	25.3	25.8	26.0	23.6	26.0	26.7	26.0	27.0	25.4	26.5	307.0	12	4116
	01 LST	23.7	22.0	25.5	26.3	27.8	28.0	30.3	30.0	27.4	28.6	23.8	23.8	317.2	12	4116
	07 LST	17.6	16.5	19.8	23.4	24.6	25.1	29.3	28.0	25.2	25.1	20.3	21.5	276.4	12	4116
	13 LST	21.4	19.2	21.5	19.5	20.7	18.0	18.3	16.8	17.0	21.5	21.9	22.8	238.6	12	4116
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.2	20.6	24.3	24.6	24.6	22.0	24.5	25.0	23.9	26.0	24.8	25.2	289.7	12	4116
	01 LST	22.3	21.0	24.2	25.0	26.8	26.6	29.8	29.5	26.7	27.2	22.5	22.4	304.0	12	4116
	07 LST	16.2	15.0	18.4	22.2	23.3	24.2	28.8	27.4	24.4	23.9	18.9	20.2	262.9	12	4116
	13 LST	20.2	18.1	20.5	19.0	20.6	17.5	18.2	16.2	16.5	20.2	21.3	21.4	229.7	12	4116

FT LAUDERDALE/EXECUTIVE, FLORIDA

STA NO. 73584 (IN AREA NUMBER 15)

LATITUDE 2611N LONGITUDE 08010W ELEVATION (FT) 00014

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	90	94	97	96	97	99	100	99	95	91	90	100	45	-73206
MEAN MAX TMP (F)	78	78	80	83	86	89	90	91	89	86	81	78	84	45	-73206
MEAN MIN TMP (F)	59	59	61	65	69	72	73	74	73	70	64	60	67	45	-73206
ABS MIN TMP (F)	30	28	32	40	49	57	65	66	63	44	35	29	28	45	-73206
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.4	2.8	9.9	12.5	20.1	9.6	0.6	0.0	0.0	56.1	12	-73206
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	12	-73206
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73206
MEAN DEW PT TMP (F)	57	59	61	63	68	72	73	73	73	69	62	59	66	12	-73206
MEAN REL HUM (PCT)	73	72	71	70	73	76	76	77	78	77	74	74	74	0	-90
MEAN PRESS ALT (FT)	-162	-196	-119	-93	-56	-52	-100	-61	-22	-34	-104	-142	-89	46	-73206
MEAN PRECIP (IN)	2.45	1.97	2.81	4.21	5.86	7.34	5.99	6.75	8.83	9.15	3.52	2.70	61.6	12	-73206
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.4	4.6	5.9	6.9	7.4	9.9	8.7	9.4	12.2	12.5	5.7	5.7	94.3	12	-73206
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73206
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	0.9	0.6	1.2	0.5	0.0	0.0	0.2	0.3	1.0	0.9	7.6	12	-73206
MEAN NO DYS TSTMS	0.6	1.3	1.8	3.3	8.2	11.2	14.9	15.2	10.3	6.2	1.3	0.8	75.1	12	-73206
P FREQ WND SPD = DR GTR 17 KTS	3.6	4.6	4.5	4.8	2.1	1.5	1.0	0.8	2.4	3.1	2.0	1.8	2.7	12	-73206
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	12	-73206
P FREQ LES 5000 FT A/D LES 5 MI	18.3	17.9	15.5	14.9	13.7	9.7	7.6	6.4	9.0	15.3	14.1	18.4	13.4	12	-73206
P FREQ LES 1500 FT A/D LES 3 MI														12	-73206
FOR 00-02 LST	3.2	2.9	3.0	0.6	1.3	0.3	0.9	0.2	0.7	3.7	3.2	4.8	2.1	12	-73206
03-05 LST	6.7	4.2	5.6	2.8	3.6	1.0	0.8	0.6	1.0	4.4	6.2	5.7	3.6	12	-73206
06-08 LST	7.0	5.6	5.5	4.9	5.8	2.3	0.7	0.4	1.2	4.5	7.0	7.4	4.4	12	-73206
09-11 LST	2.4	2.7	2.6	1.6	2.4	2.1	0.3	0.4	1.4	4.0	3.8	3.8	2.3	12	-73206
12-14 LST	2.5	1.0	1.0	1.6	1.6	1.7	1.3	0.5	1.2	2.8	2.2	2.6	1.7	12	-73206
15-17 LST	3.4	1.3	1.0	1.6	1.9	1.9	1.1	1.1	1.5	2.9	1.9	2.9	1.9	12	-73206
18-20 LST	2.7	2.3	1.4	1.2	1.5	1.5	0.7	0.4	0.7	2.4	1.7	2.0	1.5	12	-73206
21-23 LST	2.1	1.9	1.4	0.3	1.2	1.9	0.3	0.3	0.9	2.7	1.4	1.8	1.4	12	-73206
P FREQ LES 300 FT A/D LES 1 MI														12	-73206
FOR 00-02 LST	1.1	0.3	0.4	0.0	0.3	0.0	0.0	0.0	0.3	0.5	0.2	1.2	0.4	12	-73206
03-05 LST	2.2	1.3	1.5	0.9	1.4	0.5	0.0	0.2	0.3	0.3	2.1	1.8	1.0	12	-73206
06-08 LST	2.9	2.2	2.1	1.3	3.2	1.2	0.0	0.0	0.0	0.5	2.3	2.4	1.5	12	-73206
09-11 LST	0.3	0.1	0.1	0.0	0.4	0.2	0.0	0.0	0.1	0.2	0.2	0.2	0.2	12	-73206
12-14 LST	0.1	0.0	0.0	0.2	0.3	0.5	0.2	0.0	0.1	0.0	0.1	0.0	0.1	12	-73206
15-17 LST	0.1	0.0	0.2	0.3	0.3	0.1	0.1	0.2	0.3	0.1	0.0	0.0	0.1	12	-73206
18-20 LST	0.0	0.0	0.0	0.1	0.1	0.4	0.3	0.0	0.3	0.1	0.0	0.0	0.1	12	-73206
21-23 LST	0.1	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.4	0.2	0.0	0.0	0.1	12	-73206

# FT LAUDERDALE/EXECUTIVE, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.9	30.8	29.9	30.7	29.6	31.0	30.9	29.9	30.7	29.7	30.7	302.3	12	-73206
	01 LST	30.3	27.3	30.6	29.9	30.8	29.6	30.8	30.9	29.9	30.5	29.3	29.9	359.8	12	-73206
	07 LST	28.6	26.5	29.2	28.5	29.0	29.4	30.8	30.9	29.5	29.8	27.9	28.9	349.0	12	-73206
	13 LST	30.4	27.9	30.9	29.6	30.7	29.6	30.7	30.9	29.7	30.4	29.5	30.5	360.8	12	-73206
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.9	19.6	22.0	18.5	19.4	22.4	25.9	27.0	25.0	23.8	23.1	23.7	274.3	12	-73206
	01 LST	21.6	19.5	23.6	24.0	23.5	26.9	29.1	29.7	27.0	24.7	23.7	23.1	298.6	12	-73206
	07 LST	21.6	19.5	20.6	20.6	22.2	24.8	27.7	29.0	25.6	24.5	22.4	22.7	281.2	12	-73206
	13 LST	8.3	7.3	7.0	8.3	9.0	10.9	12.2	15.9	13.4	13.0	10.9	10.7	126.9	12	-73206
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.4	0.2	0.2	0.2	0.2	0.1	0.0	0.3	0.4	0.4	0.1	2.6	12	-73206
	01 LST	0.2	0.4	0.3	0.2	0.2	0.2	0.0	0.0	0.3	0.2	0.0	0.2	2.2	12	-73206
	07 LST	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.8	0.2	0.1	2.5	12	-73206
	13 LST	3.5	3.4	3.6	3.6	1.8	1.4	0.8	0.7	1.2	1.8	1.0	2.2	25.0	12	-73206
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.3	19.3	24.0	22.4	23.8	22.8	25.0	24.3	21.3	20.7	20.9	23.0	269.8	12	-73206
	01 LST	20.1	16.9	19.5	19.5	19.7	17.2	15.9	16.1	17.8	19.1	18.7	19.7	220.2	12	-73206
	07 LST	20.5	17.5	18.3	19.4	19.5	17.3	17.2	17.1	17.3	17.7	19.7	21.3	222.8	12	-73206
	13 LST	12.6	9.7	10.5	11.7	12.9	12.8	15.5	12.9	14.9	17.0	14.3	14.8	139.6	12	-73206
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.4	13.6	13.2	9.1	7.9	4.3	4.5	2.1	4.3	8.5	12.2	13.6	107.7	10	-73206
	01 LST	16.2	14.2	16.8	15.1	14.5	12.7	13.3	13.9	10.6	12.8	15.0	15.0	170.1	10	-73206
	07 LST	11.8	10.5	11.7	10.6	10.6	6.3	5.4	8.0	5.1	7.9	10.5	11.8	110.2	10	-73206
	13 LST	8.2	5.2	5.9	5.4	4.9	4.1	1.0	0.8	1.5	3.8	5.5	7.7	34.0	10	-73206
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.5	27.0	29.6	28.5	29.3	28.2	30.2	29.9	28.4	25.3	28.8	29.6	347.3	12	-73206
	01 LST	28.8	26.6	29.1	29.3	29.7	28.8	30.3	30.4	29.2	28.2	28.3	28.1	346.8	12	-73206
	07 LST	27.1	25.7	28.0	27.7	27.9	29.2	30.0	30.3	28.4	27.7	27.4	27.7	337.1	12	-73206
	13 LST	28.9	26.5	29.0	27.4	28.2	28.2	29.3	29.8	28.3	28.1	28.4	28.3	340.4	12	-73206
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.8	27.4	25.7	27.2	26.6	29.9	28.6	27.1	26.3	25.2	24.8	318.0	12	-73206
	01 LST	25.5	22.7	25.8	27.1	28.3	27.6	29.5	29.8	28.2	25.5	25.7	24.7	320.4	12	-73206
	07 LST	22.8	21.8	25.4	25.7	26.8	28.4	29.5	29.7	27.7	25.5	24.7	23.3	311.3	12	-73206
	13 LST	23.5	21.3	23.1	22.1	24.3	26.3	26.5	26.2	25.3	24.4	24.4	23.3	290.7	12	-73206
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	21.9	26.6	25.0	26.5	25.9	29.0	29.7	27.7	24.3	24.3	22.4	308.7	12	-73206
	01 LST	24.1	21.4	24.6	26.5	27.5	27.2	29.0	29.7	27.7	24.3	24.3	21.7	298.9	12	-73206
	07 LST	21.8	20.3	24.1	25.1	26.0	27.5	28.6	29.4	27.3	23.9	23.2	21.7	298.9	12	-73206
	13 LST	21.7	20.1	21.9	21.3	23.9	25.8	25.5	25.7	24.3	23.4	22.2	22.3	278.1	12	-73206

# KEY WEST/NAS, FLORIDA

STA NO. 73585 (IN AREA NUMBER 15)

LATITUDE 2434N

LONGITUDE 08141W

ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	83	88	90	90	92	93	94	93	90	86	84	94	13	4382
MEAN MAX TMP (F)	73	75	77	81	84	86	88	89	87	83	79	74	81	13	4382
MEAN MIN TMP (F)	64	66	69	73	76	79	80	80	78	75	71	66	73	13	4382
ABS MIN TMP (F)	47	45	55	62	68	69	72	70	71	60	50	46	45	13	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.2	1.7	5.1	9.4	2.6	0.1	0.0	0.0	19.2	13	4382
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4382
MEAN DEW PT TMP (F)	61	63	64	67	70	73	74	75	74	70	67	62	68	13	102223
MEAN REL HUM (PCT)	79	78	75	73	73	75	72	73	77	75	77	78	75	13	102223
MEAN PRESS ALT (FT)	-125	-109	-86	-60	-25	-20	-61	-34	8	5	-62	-103	-55	0	-50
MEAN PRECIP (IN)	1.21	1.93	1.49	0.94	3.29	3.14	3.09	4.29	7.50	3.23	2.30	1.66	34.1	12	4016
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4016
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	2.9	2.6	1.9	5.4	5.9	5.5	8.3	10.3	5.9	2.6	2.8	56.5	12	4016
MEAN NO DYS SNFL = OR GTR 1.3 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4016
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.4	0.2	0.1	0.3	0.3	0.0	0.4	0.4	0.3	0.2	0.2	3.0	13	4382
MEAN NO DYS TSTMS	0.4	1.2	1.6	1.9	4.0	6.5	9.5	12.8	11.1	4.0	1.0	0.7	54.7	13	4382
P FREQ WND SPD = OR GTR 17 KTS	8.7	7.6	9.7	13.0	6.7	4.0	2.1	1.6	6.5	8.0	6.1	6.5	6.9	13	102227
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.0	0.1	13	102227
P FREQ LES 5000 FT A/D LES 5 MI	15.8	15.1	12.5	10.0	11.6	11.0	7.4	7.8	10.8	8.4	10.8	16.6	11.5	13	102251
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.7	1.1	2.4	1.5	1.7	1.8	0.6	0.5	1.6	1.5	2.3	3.7	1.9	13	12783
03-05 LST	3.2	2.3	1.9	1.0	1.4	1.4	0.6	0.3	1.6	1.3	2.1	3.1	1.7	13	12781
06-08 LST	4.6	4.0	2.9	2.2	3.2	1.8	1.2	0.6	2.2	2.2	3.1	3.5	2.6	13	12782
09-11 LST	4.8	4.8	4.6	1.7	2.8	1.9	1.1	1.3	2.3	3.0	4.4	6.1	3.2	13	12781
12-14 LST	5.2	2.7	3.4	1.5	2.7	1.9	1.4	1.8	2.9	2.6	4.1	5.6	3.0	13	12780
15-17 LST	5.8	4.4	2.5	0.9	3.1	1.3	0.4	1.5	2.3	2.0	4.2	3.9	2.7	13	12781
18-20 LST	6.0	4.5	2.1	0.8	2.1	2.8	1.2	0.6	3.4	1.6	2.4	3.4	2.6	13	12780
21-23 LST	4.0	4.1	2.6	0.5	2.2	1.5	0.8	0.4	1.7	1.4	2.5	3.0	2.1	13	12783
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.2	0.0	0.4	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.4	0.1	13	12783
03-05 LST	0.3	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.2	0.0	0.3	0.1	13	12781
06-08 LST	0.8	0.5	0.1	0.0	0.2	0.0	0.0	0.0	0.5	0.9	0.0	0.3	0.2	13	12782
09-11 LST	0.8	0.4	0.1	0.0	0.3	0.0	0.2	0.4	0.5	0.1	0.3	0.3	0.3	13	12781
12-14 LST	0.6	0.1	0.2	0.0	0.3	0.1	0.4	0.1	0.6	0.2	0.4	0.1	0.3	13	12780
15-17 LST	0.7	0.1	0.0	0.1	0.0	0.4	0.0	0.2	0.3	0.2	0.2	0.1	0.2	13	12781
18-20 LST	0.3	0.3	0.0	0.0	0.1	0.3	0.1	0.0	0.3	0.0	0.0	0.0	0.1	13	12780
21-23 LST	0.1	0.7	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.0	0.4	0.2	13	12783

## KEY WEST/NAS, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 2 MI	19 LST	29.8	27.2	30.7	30.0	30.9	29.8	30.9	30.8	29.5	30.8	29.8	30.5	300.7	13	4382
	01 LST	30.3	27.9	30.8	30.0	30.8	29.9	30.9	30.9	29.7	30.7	29.7	30.4	362.0	13	4382
	07 LST	29.9	27.2	30.5	29.9	30.6	29.7	30.9	31.0	29.6	30.8	29.8	30.7	360.6	13	4382
	13 LST	29.7	27.6	30.2	29.8	30.7	29.6	30.7	30.9	29.5	30.7	29.6	30.1	359.1	13	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.5	13.7	14.5	11.8	15.5	18.3	21.5	22.3	19.1	16.2	16.0	15.3	200.7	13	4382
	01 LST	16.4	13.4	13.5	12.3	15.0	18.1	20.8	22.2	17.5	15.4	15.8	14.0	194.4	13	4382
	07 LST	14.9	11.7	13.7	13.4	17.8	20.8	21.0	23.3	19.4	16.6	15.0	13.8	201.4	13	4382
	13 LST	12.1	7.5	8.6	9.3	13.3	17.1	17.2	18.2	15.2	11.6	10.0	8.7	148.8	13	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.5	1.9	2.2	4.3	2.5	0.8	0.6	0.6	1.4	2.2	2.0	1.7	22.7	13	4360
	01 LST	2.2	1.7	2.7	3.0	1.5	0.7	0.3	0.1	1.3	1.8	1.2	1.9	18.4	13	4358
	07 LST	1.8	2.5	3.3	2.5	1.1	1.0	0.2	0.2	1.7	1.8	1.5	1.8	19.4	13	4358
	13 LST	3.3	3.1	3.1	5.1	2.4	1.4	0.9	0.4	2.3	3.5	1.7	2.4	29.6	13	4354
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	17.6	15.4	15.7	14.5	16.5	20.5	20.5	19.2	16.7	17.6	18.0	16.2	208.4	13	4360
	01 LST	18.4	16.0	14.8	14.3	16.9	19.5	20.0	20.0	18.9	17.9	19.3	17.1	213.1	13	4358
	07 LST	17.3	15.0	15.3	15.5	16.6	20.0	21.5	21.0	18.6	18.3	17.5	16.9	213.5	13	4358
	13 LST	16.1	11.9	12.8	12.2	17.8	18.9	18.8	17.8	17.1	14.8	14.0	14.5	186.7	13	4354
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.1	11.7	12.6	9.3	7.3	2.3	1.4	1.1	1.4	8.1	9.6	11.2	89.1	13	4382
	01 LST	16.3	14.8	16.6	14.7	12.9	9.0	7.8	7.2	5.3	12.2	15.4	13.8	146.0	13	4382
	07 LST	9.9	7.6	8.5	6.3	6.3	1.7	1.3	2.1	1.2	6.9	8.2	7.2	67.2	13	4382
	13 LST	10.8	9.7	10.6	8.3	6.1	1.4	1.3	1.3	1.1	7.0	9.2	9.4	76.2	13	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.3	29.1	28.9	28.3	26.9	29.5	28.9	27.3	29.2	27.8	29.1	338.4	13	4382
	01 LST	28.6	26.0	29.4	28.7	28.4	28.0	29.5	29.3	26.8	29.5	28.3	28.5	341.0	13	4382
	07 LST	27.7	23.4	28.5	27.3	27.3	26.6	27.8	28.7	27.1	28.0	27.2	27.3	326.9	13	4382
	13 LST	28.0	25.1	28.5	27.1	27.2	26.6	27.2	27.8	25.5	27.5	27.3	27.7	325.5	13	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.7	27.2	27.5	27.3	26.3	29.2	28.9	27.2	28.5	26.7	26.6	324.8	13	4382
	01 LST	26.6	24.7	27.3	27.4	27.7	27.6	29.5	29.1	26.6	29.1	27.2	26.2	329.0	13	4382
	07 LST	23.9	21.2	26.1	25.8	26.7	26.1	27.8	28.6	26.9	27.2	25.5	23.6	309.4	13	4382
	13 LST	25.5	23.7	26.7	25.8	26.7	26.1	26.9	27.2	25.1	27.1	25.9	24.8	311.5	13	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.0	22.3	25.7	26.3	26.2	25.0	28.9	28.0	26.1	27.3	25.7	24.5	310.0	13	4382
	01 LST	25.5	23.7	26.1	26.6	26.7	27.1	29.2	29.1	25.9	28.1	26.3	24.9	319.2	13	4382
	07 LST	21.9	20.0	23.9	24.4	25.5	25.1	27.1	28.4	25.5	26.2	23.9	21.9	293.8	13	4382
	13 LST	23.5	21.7	25.6	25.0	25.4	25.1	26.4	26.7	23.7	26.1	24.8	23.3	297.3	13	4382

## MARATHON/FLIGHT, FLORIDA

STA NO. 73586 (IN AREA NUMBER 15)

LATITUDE 2443N

LONGITUDE 08103W

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. DBS
ABS MAX TMP (F)	85	87	88	90	95	97	95	98	94	94	89	84	98	10	-113
MEAN MAX TMP (F)	75	77	80	83	86	89	90	91	89	85	81	76	84	10	-113
MEAN MIN TMP (F)	62	64	66	70	73	75	76	77	74	71	67	63	70	10	-113
ABS MIN TMP (F)	44	44	51	58	63	65	65	67	66	56	49	42	42	10	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	5.7	10.1	14.5	16.8	18.7	14.5	8.6	0.0	0.0	88.9	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	61	63	64	67	70	73	74	75	74	70	67	62	68	13	-73585
MEAN REL HUM (PCT)	79	78	75	73	73	75	72	73	77	75	77	78	75	13	-73585
MEAN PRESS ALT (FT)	-178	-151	-128	-103	-67	-61	-106	-72	-39	-60	-132	-166	-104	0	-50
MEAN PRECIP (IN)	2.22	1.46	1.84	2.20	3.87	4.58	4.02	4.52	7.94	6.27	2.18	2.31	43.4	9	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73585
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	3.7	4.6	5.1	6.7	7.4	6.8	7.3	11.2	9.2	3.9	5.1	76.0	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73585
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.4	0.2	0.1	0.3	0.3	0.0	0.4	0.4	0.3	0.2	0.2	3.0	13	-73585
MEAN NO DYS TSTMS	0.4	1.2	1.6	1.9	4.0	6.5	9.5	12.8	11.1	4.0	1.0	0.7	54.7	13	-73585
P FREQ WND SPD = OR GTR 17 KTS	8.7	9.6	9.7	13.0	6.7	4.0	2.1	1.6	6.5	8.0	6.1	6.5	6.9	13	-73585
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.0	0.1	13	-73585
P FREQ LES 5000 FT A/D LES 5 MI	15.8	15.1	12.5	10.0	11.6	11.0	7.4	7.8	10.8	8.4	10.8	16.6	11.5	13	-73585
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.7	1.1	2.4	1.5	1.7	1.8	0.6	0.5	1.6	1.5	2.3	3.7	1.9	13	-73585
03-05 LST	3.2	2.3	1.9	1.0	1.4	1.4	0.6	0.3	1.6	1.3	2.1	3.1	1.7	13	-73585
06-08 LST	4.6	4.0	2.9	2.2	3.2	1.8	1.2	0.6	2.2	2.2	3.1	3.5	2.6	13	-73585
09-11 LST	4.8	4.8	4.6	1.7	2.8	1.9	1.1	1.3	2.3	3.0	4.4	6.1	3.2	13	-73585
12-14 LST	5.2	2.7	3.4	1.5	2.7	1.9	1.4	1.8	2.9	2.6	4.1	5.6	3.0	13	-73585
15-17 LST	5.8	4.4	2.5	0.9	3.1	1.3	0.4	1.5	2.3	2.0	4.2	3.9	2.7	13	-73585
18-20 LST	6.0	4.5	2.1	0.8	2.1	2.8	1.2	0.6	3.4	1.6	2.4	3.4	2.6	13	-73585
21-23 LST	4.0	4.1	2.6	0.5	2.2	1.5	0.8	0.4	1.7	1.4	2.5	3.0	2.1	13	-73585
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.2	0.0	0.4	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.4	0.1	13	-73585
03-05 LST	0.3	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.2	0.0	0.3	0.1	13	-73585
06-08 LST	0.8	0.5	0.1	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.3	0.2	13	-73585
09-11 LST	0.8	0.4	0.1	0.0	0.3	0.0	0.2	0.4	0.5	0.1	0.3	0.3	0.3	13	-73585
12-14 LST	0.6	0.1	0.2	0.0	0.3	0.1	0.4	0.1	0.6	0.2	0.4	0.1	0.3	13	-73585
15-17 LST	0.7	0.1	0.0	0.1	0.0	0.4	0.0	0.2	0.3	0.2	0.2	0.1	0.2	13	-73585
18-20 LST	0.3	0.3	0.0	0.0	0.1	0.3	0.1	0.0	0.3	0.0	0.0	0.0	0.1	13	-73585
21-23 LST	0.1	0.7	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.0	0.4	0.2	13	-73585

## MARATHON/FLIGHT, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	29.8	27.2	30.7	30.0	30.9	29.8	30.9	30.8	29.5	30.8	29.8	30.5	300.7	13	-73585
	01 LST	30.3	27.9	30.8	30.0	30.8	29.9	30.9	30.9	29.7	30.7	29.7	30.4	302.0	13	-73585
	07 LST	29.9	27.2	30.5	29.9	30.6	29.7	30.9	31.0	29.6	30.8	29.8	30.7	300.6	13	-73585
	13 LST	29.7	27.6	30.2	29.8	30.7	29.6	30.7	30.9	29.5	30.7	29.6	30.1	359.1	13	-73585
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.5	13.7	14.5	11.8	15.5	18.3	21.5	22.3	19.1	16.2	16.0	15.3	200.7	13	-73585
	01 LST	16.4	13.4	13.5	14.3	15.0	18.1	20.8	22.2	17.5	15.4	15.8	14.0	194.4	13	-73585
	07 LST	14.9	11.7	13.7	13.4	17.8	20.8	21.0	23.3	19.4	16.6	15.0	13.8	201.4	13	-73585
	13 LST	12.1	7.5	8.6	9.3	13.3	17.1	17.2	18.2	15.2	11.6	10.0	8.7	148.8	13	-73585
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.5	1.9	2.2	4.3	2.5	0.8	0.6	0.6	1.4	2.2	2.0	1.7	22.7	13	-73585
	01 LST	2.2	1.7	2.7	3.0	1.5	0.7	0.3	0.1	1.3	1.8	1.2	1.9	18.4	13	-73585
	07 LST	1.8	2.5	3.3	2.5	1.1	1.0	0.2	0.2	1.7	1.8	1.5	1.8	19.4	13	-73585
	13 LST	3.3	3.1	3.1	5.1	2.4	1.4	0.9	0.4	2.3	3.5	1.7	2.4	29.6	13	-73585
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	17.6	15.4	15.7	14.5	16.5	20.5	20.5	19.2	16.7	17.6	18.0	16.2	208.4	13	-73585
	01 LST	18.4	16.0	14.8	14.3	16.9	19.5	20.0	20.0	18.9	17.9	19.3	17.1	213.1	13	-73585
	07 LST	17.3	15.0	15.3	15.5	16.6	20.0	21.5	21.0	18.6	18.3	17.5	16.9	213.5	13	-73585
	13 LST	16.1	11.9	12.8	12.2	17.8	18.9	18.8	17.8	17.1	14.8	14.0	14.5	186.7	13	-73585
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.1	11.7	12.6	9.3	7.3	2.3	1.4	1.1	1.4	8.1	9.6	11.2	89.1	13	-73585
	01 LST	16.3	14.8	16.6	14.7	12.9	9.0	7.8	7.2	5.3	12.2	15.4	13.8	146.0	13	-73585
	07 LST	9.9	7.6	8.5	6.3	6.3	1.7	1.3	2.1	1.2	6.9	8.2	7.2	67.2	13	-73585
	13 LST	10.8	9.7	10.6	8.3	6.1	1.4	1.3	1.3	1.1	7.0	9.2	9.4	76.2	13	-73585
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.3	29.1	28.9	28.3	26.9	29.5	28.9	27.3	29.2	27.8	29.1	338.4	13	-73585
	01 LST	28.6	26.0	29.4	28.7	28.4	28.0	29.5	29.3	26.8	29.5	28.3	28.5	341.0	13	-73585
	07 LST	27.7	23.4	28.5	27.3	27.3	26.6	27.8	28.7	27.1	28.0	27.2	27.3	326.9	13	-73585
	13 LST	28.0	25.1	28.5	27.1	27.2	26.6	27.2	27.8	25.5	27.5	27.3	27.7	325.5	13	-73585
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.7	27.2	27.5	27.3	26.3	29.2	28.9	27.2	28.5	26.7	26.6	324.8	13	-73585
	01 LST	26.6	24.7	27.3	27.4	27.7	27.6	29.5	29.1	26.6	29.1	27.2	26.2	329.0	13	-73585
	07 LST	23.9	21.2	26.1	25.8	26.7	26.1	27.8	28.6	26.9	27.2	25.5	23.6	309.4	13	-73585
	13 LST	25.5	23.7	26.7	25.8	26.7	26.1	26.9	27.2	25.1	27.1	25.9	24.8	311.5	13	-73585
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.0	22.3	25.7	26.3	26.2	25.0	28.9	28.0	26.1	27.3	25.7	24.5	310.0	13	-73585
	01 LST	25.5	23.7	26.1	26.6	26.7	27.1	29.2	29.1	25.9	28.1	26.3	24.9	319.2	13	-73585
	07 LST	21.9	20.0	23.9	24.4	25.5	25.1	27.1	28.4	25.5	26.2	23.9	21.9	293.8	13	-73585
	13 LST	23.5	21.7	25.6	25.0	25.4	25.1	26.4	26.7	23.7	26.1	24.8	23.3	297.3	13	-73585



# PERRY-POLEY, FLORIDA

STA NO. 73783 (IN AREA NUMBER 15)

LATITUDE 3004N

LONGITUDE 08334W

ELEVATION(FT) 00045

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	82	86	87	98	101	96	77	94	85	77	80	101	2	542
MEAN MAX TMP (F)	63	77	79	81	89	90	88	89	88	76	66	64	79	2	542
MEAN MIN TMP (F)	42	56	58	61	67	72	73	73	70	52	43	40	49	2	542
ABS MIN TMP (F)	30	40	37	45	54	67	69	67	50	38	30	23	23	2	542
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	14.5	17.5	13.0	18.5	13.2	0.0	0.0	0.0	76.7	2	542
MEAN NO DYS TMP = OR LES 32(F)	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	10.0	17.0	2	542
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	542
MEAN DEW PT TMP (F)	44	51	57	62	62	71	73	74	72	57	51	42	60	2	12758
MEAN REL HUM (PCT)	78	77	73	76	72	77	85	85	83	73	77	78	78	2	12749
MEAN PRESS ALT (FT)	-169	-133	-87	-59	-42	-23	-56	-42	-53	-96	-143	-171	-89	0	-50
MEAN PRECIP (IN)	2.48	1.20	1.74	4.14	3.34	4.62	12.70	7.04	4.39	2.98	5.32	5.90	55.8	2	532
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	2.0	2.0	3.8	3.0	8.5	14.0	12.5	6.1	2.0	5.0	4.0	69.9	2	532
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	5.0	10.0	4.0	3.0	1.5	2.5	3.5	0.5	4.0	4.0	9.0	52.0	2	532
MEAN NO DYS TSTMS	1.0	1.0	0.0	3.3	4.5	9.5	13.0	10.5	8.6	0.0	2.0	0.0	53.4	2	532
P FREQ WND SPD = OR GTR 17 KTS	1.5	3.1	1.3	2.2	0.3	0.1	0.1	0.0	0.4	2.3	0.4	0.1	1.0	2	12758
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	2	12758
P FREQ LES 5000 FT A/G LES 5 MI	46.4	51.0	39.2	39.5	24.9	23.5	33.3	30.6	31.0	21.9	26.4	34.0	33.5	2	12750
P FREQ LES 1500 FT A/G LES 3 MI															
FOR 00-02 LST	12.9	28.9	32.3	20.7	3.8	2.8	3.2	3.8	7.3	10.8	12.4	28.0	13.9	2	1594
03-05 LST	24.7	35.7	38.0	25.2	16.2	13.9	11.8	7.5	10.7	14.0	22.2	33.3	21.1	2	1594
06-08 LST	39.8	52.4	40.9	37.8	12.4	13.3	24.2	24.7	19.2	28.0	36.7	45.7	31.2	2	1596
09-11 LST	19.4	36.9	28.0	31.1	5.4	4.5	18.5	20.5	16.9	3.2	12.2	28.0	18.7	2	1592
12-14 LST	14.0	16.7	10.8	21.5	2.2	4.4	10.3	11.3	7.3	3.2	8.9	7.5	9.8	2	1594
15-17 LST	10.8	9.5	2.2	14.9	3.2	2.8	7.0	6.5	7.9	3.2	6.7	1.1	6.3	2	1594
18-20 LST	5.4	21.4	4.3	12.6	4.3	3.3	4.3	1.6	4.5	3.2	6.7	7.5	6.6	2	1595
21-23 LST	6.5	18.1	10.8	10.4	2.2	1.7	0.5	1.6	5.1	8.6	4.4	15.1	7.1	2	1591
P FREQ LES 300 FT A/G LES 1 MI															
FOR 00-02 LST	5.4	8.4	18.3	2.2	0.0	0.0	0.0	1.1	0.0	3.2	5.6	19.4	5.3	2	1594
03-05 LST	7.5	17.9	25.0	3.7	4.3	2.8	1.6	2.2	1.7	3.2	7.8	24.7	8.3	2	1594
06-08 LST	11.8	15.3	21.5	10.4	4.8	2.2	5.4	3.8	1.7	9.7	7.8	25.8	10.0	2	1596
09-11 LST	0.0	0.0	6.5	0.7	0.0	0.0	0.0	0.3	0.0	1.1	0.0	12.9	1.8	2	1592
12-14 LST	0.0	0.0	0.0	2.2	0.5	0.0	0.0	1.1	0.0	0.0	0.0	2.2	0.3	2	1594
15-17 LST	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0	0.0	1.1	0.0	0.3	2	1594
18-20 LST	0.0	3.6	1.1	0.0	0.0	0.6	0.0	0.0	0.6	0.0	2.2	1.1	0.6	2	1595
21-23 LST	4.3	4.8	5.4	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2	14.0	2.7	2	1591

# PERRY-FOLEY, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.0	26.0	30.0	26.6	30.5	29.0	30.0	31.0	29.5	30.0	28.0	30.0	349.6	2	532
	00 LST	28.0	24.0	24.0	26.0	30.5	30.0	30.5	31.0	28.0	29.0	27.0	24.0	332.0	2	532
	06 LST	24.0	19.0	20.0	20.6	26.0	23.5	23.5	24.0	23.4	20.0	19.0	19.0	262.0	2	532
	12 LST	28.0	26.0	30.0	26.0	31.0	29.5	30.5	30.0	29.0	30.0	29.0	28.0	347.0	2	532
GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	25.0	19.0	25.0	23.3	25.0	25.5	27.0	28.0	29.0	29.0	26.0	28.0	309.8	2	532
	00 LST	24.0	19.0	23.0	22.0	30.0	29.5	30.0	30.5	27.5	27.0	24.0	24.0	310.5	2	532
	06 LST	23.0	15.0	17.0	18.7	25.0	22.5	22.0	23.5	22.4	20.0	17.0	18.0	244.1	2	532
	12 LST	22.0	14.0	19.0	14.0	25.0	22.5	20.0	21.5	21.8	27.0	25.0	23.0	254.8	2	532
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1.5	2	527
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	524
	06 LST	0.0	2.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2	528
	12 LST	0.0	1.0	0.0	2.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	4.0	2	525
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.0	15.0	23.0	17.3	21.5	18.3	19.0	16.7	14.2	6.4	3.1	7.0	176.5	2	527
	00 LST	10.3	8.6	3.0	12.0	6.1	5.5	4.6	5.5	6.7	8.5	7.0	3.0	80.8	2	524
	06 LST	5.3	6.0	9.0	9.3	5.5	5.0	4.0	7.5	5.6	6.2	7.2	7.0	77.6	2	528
	12 LST	19.0	12.0	16.0	12.7	18.5	8.5	11.7	8.0	15.5	16.5	22.0	14.0	174.4	2	525
KY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.0	20.0	29.0	25.3	28.0	28.0	27.5	26.5	28.0	30.0	26.0	30.0	324.3	2	532
	00 LST	25.0	19.0	24.0	24.0	30.0	29.5	29.5	29.5	28.0	28.0	26.0	24.0	316.5	2	532
	06 LST	20.0	15.0	20.0	18.7	25.0	23.0	21.0	23.5	22.4	20.0	18.0	19.0	245.6	2	532
	12 LST	25.0	20.0	22.0	14.6	28.5	24.0	18.5	18.5	21.3	30.0	25.0	25.0	272.4	2	532
GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.0	16.0	29.0	23.3	25.5	25.0	24.5	24.0	24.9	30.0	24.0	30.0	299.2	2	532
	00 LST	22.0	15.0	22.0	22.7	29.0	29.5	28.5	29.0	25.9	26.0	24.0	22.0	295.6	2	532
	06 LST	18.0	11.0	19.0	16.7	24.0	21.5	19.0	22.0	20.8	19.0	18.0	19.0	228.0	2	532
	12 LST	24.0	17.0	19.0	10.7	16.0	15.5	8.0	7.5	10.1	25.0	25.0	24.0	201.8	2	532
GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.0	16.0	29.0	19.3	24.5	22.5	22.5	23.5	23.9	29.0	24.0	28.0	282.2	2	532
	00 LST	19.0	13.0	22.0	20.6	27.5	28.5	26.0	28.0	24.9	25.0	23.0	22.0	279.5	2	532
	06 LST	15.0	10.0	17.0	15.3	21.5	21.0	18.5	20.0	20.3	17.0	16.0	17.0	208.6	2	532
	12 LST	20.0	15.0	19.0	10.7	15.5	15.0	6.0	6.5	8.6	23.0	24.0	24.0	187.3	2	532

PANAMA CITY/FANNIN, FLORIDA

STA NO. 73784 (IN AREA NUMBER 15)

LATITUDE 3013N

LONGITUDE 08541W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	89	93	102	103	103	102	105	96	90	85	103	62	-113
MEAN MAX TMP (F)	64	66	71	78	85	90	90	91	88	81	72	65	78	62	-113
MEAN MIN TMP (F)	44	46	51	57	65	71	73	73	70	60	50	45	59	62	-113
ABS MIN TMP (F)	14	4	24	31	43	54	60	58	47	33	22	17	4	62	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.0	20.0	25.0	23.0	15.0	2.0	0.0	0.0	92.3	8	-113
MEAN NO DYS TMP = DR LES 32(F)	5.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	14.0	8	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62	-29
MEAN DEW PT TMP (F)	47	49	51	58	66	72	74	74	70	60	51	46	60	12	-73284
MEAN REL HUM (PCT)	76	76	73	74	75	76	77	77	77	72	73	74	75	12	-73284
MEAN PRESS ALT (FT)	-194	-160	-109	-80	-60	-41	-77	-62	-71	-117	-165	-193	-110	0	-50
MEAN PRECIP (IN)	3.88	4.17	4.47	4.01	3.37	4.58	7.79	7.96	6.69	3.43	3.28	4.66	58.3	63	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73284
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.7	7.0	6.8	6.4	7.4	10.3	10.5	9.7	3.6	3.4	8.2	92.3	63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73284
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.5	6.9	6.8	6.0	2.7	1.3	0.6	0.8	0.7	1.2	3.1	4.7	44.3	12	-73284
MEAN NO DYS TSTMS	2.4	3.1	4.3	3.9	7.6	11.2	15.7	8.5	3.0	1.1	1.4	1.1	63.3	12	-73284
P FREQ WND SPD = DR GTR 17 KTS	4.7	6.3	8.7	6.9	2.2	1.4	1.9	1.3	2.9	2.4	3.5	4.4	3.9	12	-73284
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.2	0.1	0.0	0.1	0.0	0.1	0.3	0.0	0.0	0.0	0.1	12	-73284
P FREQ LES 5000 FT A/D LES 5 MI	30.8	30.2	27.8	21.8	16.5	12.5	10.8	11.1	16.0	14.0	18.9	26.8	19.8	12	-73284
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	24.1	21.0	18.3	8.9	3.9	1.5	2.8	5.1	6.4	13.2	17.0	12.0	12	-73284
03-05 LST	23.5	26.7	25.2	24.2	16.2	5.0	2.1	4.0	7.5	8.2	15.7	19.4	14.9	12	-73284
06-08 LST	23.9	26.1	24.6	19.1	12.4	7.3	4.8	4.6	11.4	11.5	16.2	20.9	15.2	12	-73284
09-11 LST	14.9	16.7	14.5	8.4	4.4	4.0	2.6	4.2	6.8	6.9	10.1	13.0	8.9	12	-73284
12-14 LST	9.1	9.3	10.3	7.5	4.4	3.1	2.9	3.0	4.6	4.2	4.6	8.6	6.0	12	-73284
15-17 LST	8.5	8.9	9.8	6.9	3.2	3.0	1.3	1.9	4.1	4.1	4.3	7.6	5.3	12	-73284
18-20 LST	12.5	14.2	14.7	10.2	5.0	3.7	1.1	1.1	3.2	4.8	6.9	8.0	7.1	12	-73284
21-23 LST	17.3	17.3	17.5	12.5	5.6	2.9	0.7	1.4	3.5	5.0	10.9	13.5	9.0	12	-73284
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.4	13.9	12.8	8.3	2.9	0.4	0.1	0.4	0.5	1.5	8.0	8.4	6.0	12	-73284
03-05 LST	15.1	15.7	15.0	13.1	6.5	1.0	0.3	0.4	0.9	2.0	8.4	9.2	7.3	12	-73284
06-08 LST	12.7	13.0	10.1	6.9	2.4	1.0	0.4	0.5	0.9	2.6	8.4	7.3	5.4	12	-73284
09-11 LST	3.5	3.1	1.8	1.9	0.1	0.2	0.1	0.3	0.1	0.5	1.3	2.2	1.3	12	-73284
12-14 LST	1.5	2.3	1.4	1.1	0.2	0.4	0.3	0.4	0.5	0.4	0.3	0.8	0.8	12	-73284
15-17 LST	2.1	2.5	2.3	1.5	0.1	0.4	0.1	0.4	0.2	0.4	0.8	0.6	1.0	12	-73284
18-20 LST	4.8	5.1	5.7	2.5	0.3	0.4	0.3	0.2	0.2	0.8	2.2	2.7	2.1	12	-73284
21-23 LST	9.4	9.8	8.4	4.1	0.5	0.1	0.2	0.4	0.2	1.3	4.6	4.8	3.7	12	-73284

# PANAMA CITY/FANNIN, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.2	25.1	27.3	28.0	30.4	29.5	30.9	30.8	29.2	30.2	28.9	29.3	347.8	12	-73284
	00 LST	24.6	22.1	25.9	25.7	29.4	29.6	31.0	30.7	28.8	29.6	26.6	26.7	330.7	12	-73284
	06 LST	23.9	20.8	23.3	24.1	27.5	28.8	30.3	29.8	27.4	27.7	25.6	25.0	314.2	12	-73284
	12 LST	28.6	23.9	28.3	28.4	30.1	29.4	30.7	30.1	29.3	30.0	28.7	28.5	348.0	12	-73284
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	17.4	17.4	18.2	22.7	22.7	25.1	26.0	25.2	25.6	25.0	24.3	269.9	12	-73284
	00 LST	17.1	15.4	17.8	19.7	25.6	25.1	27.4	28.5	24.5	23.7	20.8	18.9	264.3	12	-73284
	06 LST	16.2	12.6	14.4	16.4	21.6	23.3	26.1	26.7	22.0	21.6	18.9	16.8	236.6	12	-73284
	12 LST	14.7	11.8	10.6	11.1	13.6	13.5	17.6	19.3	17.8	20.4	18.0	17.3	185.7	12	-73284
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.9	1.9	1.9	0.4	0.2	0.2	0.4	0.4	0.2	0.6	0.9	8.8	12	-73284
	00 LST	0.7	0.9	2.2	1.2	0.2	0.2	0.1	0.0	0.7	0.4	0.9	0.9	8.4	12	-73284
	06 LST	0.6	1.2	2.5	1.0	0.2	0.0	0.2	0.2	0.2	0.6	0.8	1.1	8.6	12	-73284
	12 LST	3.3	3.2	4.2	3.4	1.5	0.7	1.1	0.7	1.5	1.0	1.4	1.8	23.8	12	-73284
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.8	16.0	18.4	19.0	23.3	22.9	20.6	18.8	16.3	15.7	15.8	15.3	217.9	12	-73284
	00 LST	13.8	12.6	14.0	13.6	15.5	14.2	13.4	12.5	14.4	14.7	13.8	13.7	166.2	12	-73284
	06 LST	14.7	12.0	15.8	15.9	17.3	16.1	14.0	13.5	15.7	16.2	16.5	14.1	181.8	12	-73284
	12 LST	17.2	15.7	15.0	15.6	18.8	17.1	15.6	13.3	17.9	21.7	20.2	17.6	205.7	12	-73284
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.6	9.0	9.8	11.3	9.5	6.1	1.8	4.1	6.5	15.0	13.4	12.2	109.3	12	-73284
	00 LST	11.7	11.4	13.1	15.1	17.4	14.7	11.5	13.9	13.7	19.7	16.3	13.6	172.1	12	-73284
	06 LST	10.0	7.8	7.9	9.2	8.2	7.0	4.0	6.4	8.5	14.5	11.6	8.8	3.9	12	-73284
	12 LST	9.6	8.6	8.9	8.9	9.0	4.7	2.4	4.2	4.8	13.0	11.2	9.3	94.6	12	-73284
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	23.4	25.5	27.2	28.8	28.1	29.5	30.2	27.5	28.7	27.8	27.9	330.5	12	-73284
	00 LST	23.0	20.9	25.0	25.1	28.2	28.5	30.5	29.5	28.0	28.6	25.7	25.0	318.0	12	-73284
	06 LST	21.5	18.8	20.9	22.2	25.0	27.4	27.7	28.6	25.6	26.5	24.0	22.9	291.1	12	-73284
	12 LST	25.7	23.0	26.5	26.6	28.3	27.8	28.1	27.8	26.3	28.7	26.9	26.2	321.9	12	-73284
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.7	20.7	22.8	25.1	27.7	27.0	27.9	28.6	25.3	26.4	25.7	24.1	304.0	12	-73284
	00 LST	20.6	18.1	22.1	24.1	26.9	27.1	29.1	28.6	26.7	26.9	24.5	22.5	297.2	12	-73284
	06 LST	18.2	16.2	18.9	20.4	23.6	25.8	26.5	27.3	24.4	25.1	21.4	19.7	267.5	12	-73284
	12 LST	21.9	21.2	24.1	24.7	26.2	25.1	25.0	25.7	23.1	26.9	24.9	22.5	291.3	12	-73284
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.1	21.2	23.5	26.5	26.0	26.5	27.1	23.3	25.1	24.0	22.4	285.8	12	-73284
	00 LST	18.8	16.6	20.4	22.9	25.7	25.9	28.6	27.8	25.1	26.2	23.1	20.5	281.6	12	-73284
	06 LST	17.1	14.7	17.4	19.5	22.2	24.6	25.6	26.5	23.4	24.4	20.3	17.7	253.4	12	-73284
	12 LST	20.4	18.8	22.8	24.0	25.2	24.2	24.3	24.6	21.7	25.6	23.3	20.6	275.5	12	-73284

# CRESTVIEW/BOB SIKES, FLORIDA

STA NO. 73817 (IN AREA NUMBER 19)

LATITUDE 3047N

LONGITUDE 08631W

ELEVATION(FT) 00175

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	82	85	90	100	103	102	100	98	94	86	83	103	7	-73224
MEAN MAX TMP (F)	67	68	71	78	86	92	91	92	87	81	69	64	79	7	-73224
MEAN MIN TMP (F)	45	46	49	55	63	70	72	71	67	57	45	43	57	7	-73224
ABS MIN TMP (F)	17	10	28	32	43	57	64	64	49	32	18	21	10	7	-73224
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	8.1	22.3	19.8	24.1	11.0	2.0	0.0	0.0	87.4	7	-73224
MEAN NO DYS TMP = OR LES 32(F)	4.4	2.4	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.4	5.1	16.8	7	-73224
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-73224
MEAN DEW PT TMP (F)	47	48	49	55	63	70	72	71	67	57	46	45	58	7	-73224
MEAN REL HUM (PCT)	78	75	72	72	72	76	81	78	77	71	71	76	75	7	-73224
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.74	3.11	8.90	5.77	2.94	5.64	8.29	5.34	6.16	2.14	4.04	3.78	59.8	5	-73224
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73224
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	6.3	10.0	6.2	3.8	7.8	12.7	7.2	7.7	3.7	6.5	6.7	85.2	5	-73224
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73224
MEAN NO DYS W/DUR VSBY LES 1/2 MI	8.8	7.8	4.8	7.4	5.5	2.4	0.7	1.1	1.3	3.0	3.7	5.1	51.6	7	-73224
MEAN NO DYS TSMS	1.6	2.2	5.1	7.0	5.4	13.7	19.4	14.0	6.4	1.0	2.3	2.4	80.5	7	-73224
P FREQ WND SPD = OR GTR 17 KTS	1.5	1.9	2.5	1.5	0.4	0.1	0.0	0.3	0.9	0.6	1.3	1.5	1.0	7	-73224
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	7	-73224
P FREQ LES 5000 FT A/D LES 5 MI	44.1	40.3	38.2	30.4	22.4	19.4	20.3	16.6	22.6	17.9	24.9	37.5	27.9	7	-73224
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	35.8	34.5	31.5	30.5	17.5	5.2	4.8	4.6	7.6	11.7	18.6	27.0	19.1	7	-73224
03-05 LST	39.8	39.9	31.4	27.9	25.5	12.6	8.3	6.6	13.2	13.8	16.3	28.7	22.0	7	-73224
06-08 LST	41.4	40.7	31.5	22.5	20.8	10.8	9.8	7.4	15.4	14.6	16.2	31.0	21.8	7	-73224
09-11 LST	26.9	25.6	21.0	10.3	5.1	4.5	5.8	4.6	11.0	6.3	11.1	24.6	13.1	7	-73224
12-14 LST	15.1	12.7	19.1	4.9	1.7	2.4	2.5	3.1	6.7	2.2	7.8	17.1	7.4	7	-73224
15-17 LST	11.5	11.0	11.8	4.4	1.7	2.2	2.6	2.5	5.4	3.2	7.9	15.8	6.7	7	-73224
18-20 LST	23.3	17.0	21.7	8.9	2.8	0.8	1.4	1.7	4.0	3.4	10.2	21.7	9.7	7	-73224
21-23 LST	33.4	25.3	27.4	20.2	6.6	1.3	0.8	2.3	4.3	5.5	14.3	26.3	14.0	7	-73224
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.1	16.2	10.2	13.3	9.4	2.1	0.9	1.2	2.1	5.8	8.4	10.0	8.1	7	-73224
03-05 LST	19.0	19.7	11.5	13.5	15.4	6.2	2.5	2.8	4.1	7.5	6.2	14.3	10.2	7	-73224
06-08 LST	15.7	16.0	6.1	3.2	4.2	2.1	0.8	0.5	1.9	4.3	3.2	8.9	5.7	7	-73224
09-11 LST	2.9	2.4	1.2	0.2	0.2	0.0	0.5	0.0	3.6	0.0	0.0	2.8	0.9	7	-73224
12-14 LST	0.6	0.5	0.5	0.2	0.2	0.0	0.2	0.3	0.5	0.0	0.6	0.8	0.4	7	-73224
15-17 LST	0.6	0.7	0.6	0.3	0.0	0.0	0.2	0.6	0.0	0.0	1.0	0.8	0.4	7	-73224
18-20 LST	3.5	3.2	2.5	0.3	0.2	0.2	0.0	0.0	0.0	0.8	1.3	4.3	1.4	7	-73224
21-23 LST	12.9	9.4	7.4	5.4	0.9	0.0	0.0	0.2	0.0	2.2	5.1	7.2	4.2	7	-73224

# CRESTVIEW/BOB SIKES, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	25.1	27.1	29.0	30.8	29.7	30.8	30.7	28.8	30.4	28.3	27.0	344.4	7	-73224
	00 LST	21.0	19.5	22.7	22.3	26.7	29.4	30.4	30.0	28.4	28.4	25.3	24.3	308.4	7	-73224
	06 LST	20.1	16.4	22.8	23.6	24.7	27.1	28.3	28.8	26.0	27.3	25.7	22.4	293.2	7	-73224
	12 LST	28.0	25.0	28.4	29.1	30.7	29.7	30.6	30.4	28.6	30.7	28.0	26.7	345.9	7	-73224
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	20.2	20.8	25.6	28.1	28.1	29.5	29.9	27.3	28.7	24.6	21.9	306.7	7	-73224
	00 LST	17.3	16.5	17.7	19.6	25.7	28.3	30.0	29.4	26.9	26.4	21.6	19.1	278.5	7	-73224
	06 LST	15.3	12.7	18.3	19.7	23.0	25.0	27.0	27.7	23.3	24.7	21.7	18.0	256.4	7	-73224
	12 LST	15.0	11.6	14.4	17.6	23.0	23.7	25.0	26.6	20.4	21.4	17.7	14.0	230.4	7	-73224
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	1.5	7	-73224
	00 LST	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.3	1.1	7	-73224
	06 LST	0.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.2	7	-73224
	12 LST	0.7	0.8	2.0	0.4	0.1	0.0	0.0	0.1	0.0	0.1	1.3	1.0	6.5	7	-73224
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	18.2	17.5	19.9	18.9	19.6	17.3	15.6	13.1	13.1	12.2	15.2	19.7	200.3	7	-73224
	00 LST	16.7	16.4	17.6	12.3	11.4	10.9	8.2	8.0	13.6	15.6	14.8	17.8	163.3	7	-73224
	06 LST	16.6	17.1	17.2	17.1	16.3	13.7	12.1	11.7	15.8	17.9	15.4	19.7	190.6	7	-73224
	12 LST	19.8	17.4	17.3	21.3	21.1	10.7	11.3	9.7	15.7	21.7	18.2	22.0	206.2	7	-73224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.3	9.9	7.8	11.3	9.7	6.7	2.3	4.3	8.6	18.1	14.7	10.6	114.3	7	-73224
	00 LST	12.3	10.9	11.8	14.3	18.3	18.6	16.3	18.3	16.4	19.6	16.8	12.0	185.6	7	-73224
	06 LST	8.7	6.9	9.1	10.8	11.8	9.7	8.3	13.0	10.0	15.0	12.1	8.1	123.5	7	-73224
	12 LST	8.8	7.1	8.7	9.7	6.0	2.6	0.8	2.9	4.7	10.9	12.1	6.9	81.2	7	-73224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.2	22.8	26.7	29.4	29.1	29.9	29.9	28.0	29.1	25.8	23.7	320.0	7	-73224
	00 LST	19.4	17.9	20.3	20.1	23.9	29.0	30.0	29.5	27.4	27.8	22.8	21.5	291.6	7	-73224
	06 LST	16.8	15.1	20.0	21.1	23.3	25.6	26.6	27.6	24.6	26.4	23.6	20.0	270.7	7	-73224
	12 LST	22.0	20.8	23.7	26.1	28.4	28.3	28.4	28.4	25.1	28.8	25.8	20.8	306.6	7	-73224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	20.8	20.6	24.1	27.3	26.1	26.3	27.1	24.1	27.0	23.9	21.3	290.1	7	-73224
	00 LST	18.1	16.2	19.0	19.3	23.4	28.1	29.0	29.1	26.1	27.0	21.7	19.3	278.3	7	-73224
	06 LST	13.7	13.1	18.0	20.0	22.0	24.3	25.5	27.0	22.4	25.3	21.4	17.5	250.2	7	-73224
	12 LST	16.1	15.7	18.0	19.0	19.0	15.7	15.8	17.1	17.1	21.7	21.1	17.0	213.3	7	-73224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.8	19.2	19.3	23.3	26.0	24.6	24.1	26.1	22.6	23.9	22.8	19.6	273.3	7	-73224
	00 LST	17.3	14.8	17.9	18.7	24.7	27.6	28.7	28.7	25.7	26.1	20.9	17.5	268.6	7	-73224
	06 LST	12.7	12.3	15.8	18.7	20.8	23.0	24.3	26.6	20.4	24.3	19.8	16.3	235.0	7	-73224
	12 LST	14.7	14.4	17.1	18.4	18.3	15.3	15.1	16.7	16.0	20.8	20.0	15.7	202.5	7	-73224

MILTON/SANTA ROSA OLF, FLORIDA

STA NO. 73819 (IN AREA NUMBER 15)

LATITUDE 3036N

LONGITUDE 08656W

ELEVATION(FT) 00150

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	82	85	90	100	103	102	100	98	94	86	83	103	7	-73224
MEAN MAX TMP (F)	67	68	71	78	86	92	91	92	87	81	69	64	79	7	-73224
MEAN MIN TMP (F)	45	46	49	55	63	70	72	71	67	57	45	43	57	7	-73224
ABS MIN TMP (F)	17	10	28	32	43	57	64	64	49	32	18	21	10	7	-73224
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	8.1	22.3	19.8	24.1	11.0	2.0	0.0	0.0	87.4	7	-73224
MEAN NO DYS TMP = OR LES 32(F)	4.4	2.4	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.4	5.1	16.8	7	-73224
MEAN NO DYS TMP = OR LES 5(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-73224
MEAN DEW PT TMP (F)	47	48	49	55	63	70	72	71	67	57	46	45	58	7	-73224
MEAN REL HUM (PCT)	78	75	72	72	72	76	81	78	77	71	71	76	75	7	-73224
MEAN PRESS ALT (FT)	-62	-29	22	52	75	93	95	71	65	19	-31	-60	23	0	-50
MEAN PRECIP (IN)	3.74	3.11	8.90	5.77	2.94	5.64	8.29	5.34	6.16	2.14	4.04	3.78	59.8	5	-73224
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73224
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	6.3	10.0	6.2	3.8	7.8	12.7	7.2	7.7	3.7	6.5	6.7	85.2	5	-73224
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73224
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.8	7.8	4.8	7.4	5.5	2.4	0.7	1.1	1.3	3.0	3.7	5.1	51.6	7	-73224
MEAN NO DYS TSTMS	1.6	2.2	5.1	7.0	5.4	13.7	19.4	14.0	6.4	1.0	2.3	2.4	80.5	7	-73224
P FREQ WND SPD = OR GTR 17 KTS	1.5	1.9	2.5	1.5	0.4	0.1	0.0	0.3	0.9	0.6	1.3	1.5	1.0	7	-73224
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	7	-73224
P FREQ LES 5000 FT A/D LES 5 MI	44.1	40.3	38.2	30.4	22.4	19.4	20.3	16.6	22.6	17.9	24.9	37.5	27.9	7	-73224
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	35.8	34.5	31.5	30.5	17.5	5.2	4.8	4.6	7.6	11.7	18.6	27.0	19.1	7	-73224
03-05 LST	39.8	39.9	31.4	27.9	25.5	12.6	8.3	6.6	13.2	13.8	16.3	28.7	22.0	7	-73224
06-08 LST	41.4	40.7	31.5	22.5	20.8	10.8	9.8	7.4	15.4	14.6	16.2	31.0	21.8	7	-73224
09-11 LST	26.9	25.6	21.0	10.3	5.1	4.5	5.8	4.6	11.0	6.3	11.1	24.6	13.1	7	-73224
12-14 LST	15.1	12.7	13.1	4.9	1.7	2.4	2.5	3.1	6.7	2.2	7.8	17.1	7.4	7	-73224
15-17 LST	11.5	11.0	11.8	4.4	1.7	2.2	2.6	2.5	5.4	3.2	7.9	15.8	6.7	7	-73224
18-20 LST	23.3	17.0	21.7	8.9	2.8	0.8	1.4	1.7	4.0	3.4	10.2	21.7	9.7	7	-73224
21-23 LST	33.2	25.3	27.4	20.2	6.6	1.3	0.8	2.3	4.3	5.5	14.3	26.3	14.0	7	-73224
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.1	16.2	10.2	13.3	9.4	2.1	0.9	1.2	2.1	5.8	8.4	10.0	8.1	7	-73224
03-05 LST	19.0	19.7	11.5	13.5	15.4	6.2	2.5	2.8	4.1	7.5	6.2	14.3	10.2	7	-73224
06-08 LST	15.7	16.0	6.1	5.2	4.2	2.1	0.8	0.5	1.9	4.3	3.2	8.9	5.7	7	-73224
09-11 LST	2.9	2.4	1.2	0.2	0.2	0.0	0.5	0.0	0.6	0.0	0.0	2.8	0.9	7	-73224
12-14 LST	0.6	0.5	0.5	0.2	0.2	0.0	0.2	0.3	0.5	0.0	0.6	0.8	0.4	7	-73224
15-17 LST	0.6	0.7	0.6	0.3	0.0	0.0	0.2	0.6	0.0	0.0	1.0	0.8	0.4	7	-73224
18-20 LST	3.5	3.2	2.5	0.3	0.2	0.2	0.0	0.0	0.0	0.8	1.3	4.3	1.4	7	-73224
21-23 LST	12.9	9.4	7.4	5.4	0.9	0.0	0.0	0.2	0.0	2.2	5.1	7.2	4.2	7	-73224



MILTON/SANTA ROSA OLF, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	25.1	27.1	29.0	30.8	29.7	30.8	30.7	28.8	30.4	28.3	27.0	344.4	7	-73224
	00 LST	21.0	19.5	22.7	22.3	26.7	29.4	30.4	30.0	28.4	28.4	25.3	24.3	308.4	7	-73224
	06 LST	20.1	16.4	22.8	23.6	24.7	27.1	28.3	28.8	26.0	27.3	25.7	22.4	293.2	7	-73224
	12 LST	28.0	25.0	28.4	29.1	30.7	29.7	30.6	30.4	28.6	30.7	28.0	26.7	345.9	7	-73224
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	20.2	20.8	25.6	28.1	28.1	29.5	29.9	27.3	28.7	24.6	21.9	306.7	7	-73224
	00 LST	17.3	16.5	17.7	19.6	25.7	28.3	30.0	29.4	26.9	26.4	21.6	19.1	278.5	7	-73224
	06 LST	15.3	12.7	18.3	19.7	23.0	25.0	27.0	27.7	23.3	24.7	21.7	18.0	256.4	7	-73224
	12 LST	15.0	11.6	14.4	17.6	23.0	23.7	25.0	26.6	20.4	21.4	17.7	14.0	230.4	7	-73224
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	1.5	7	-73224
	00 LST	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.3	1.1	7	-73224
	06 LST	0.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.2	7	-73224
	12 LST	0.7	0.8	2.0	0.4	0.1	0.0	0.0	0.1	0.0	0.1	1.3	1.0	6.5	7	-73224
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.2	17.5	19.9	18.9	19.6	17.3	15.6	13.1	13.1	12.2	15.2	19.7	200.3	7	-73224
	00 LST	16.7	16.4	17.6	12.3	11.4	10.9	8.2	8.0	13.6	15.6	14.8	17.8	163.3	7	-73224
	06 LST	16.6	17.1	17.2	17.1	16.3	13.7	12.1	11.7	15.8	17.9	15.4	19.7	190.6	7	-73224
	12 LST	19.8	17.4	17.3	21.3	21.1	10.7	11.3	9.7	15.7	21.7	18.2	22.0	206.2	7	-73224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.3	9.9	7.8	11.3	9.7	6.7	2.3	4.3	8.6	18.1	14.7	10.6	114.3	7	-73224
	00 LST	12.3	10.9	11.8	14.3	18.3	18.6	16.3	18.3	16.4	19.6	16.8	12.0	185.6	7	-73224
	06 LST	8.7	6.9	9.1	10.8	11.8	9.7	8.3	13.0	10.0	15.0	12.1	8.1	123.5	7	-73224
	12 LST	8.8	7.1	8.7	9.7	6.0	2.6	0.8	2.9	4.7	10.9	12.1	6.9	81.2	7	-73224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.2	22.8	26.7	29.4	29.1	29.9	29.9	28.0	29.1	25.8	23.7	320.0	7	-73224
	00 LST	19.4	17.9	20.3	20.1	25.9	29.0	30.0	29.5	27.4	27.8	22.8	21.5	291.6	7	-73224
	06 LST	16.8	15.1	20.0	21.1	23.3	25.6	26.6	27.6	24.6	26.4	23.6	20.0	270.7	7	-73224
	12 LST	22.0	20.8	23.7	26.1	28.4	28.3	28.4	28.4	25.1	28.8	25.8	20.8	306.6	7	-73224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	20.8	20.6	24.1	27.3	26.1	26.3	27.1	24.1	27.0	23.9	21.3	290.1	7	-73224
	00 LST	18.1	16.2	19.0	19.3	25.4	28.1	29.0	29.1	26.1	27.0	21.7	19.3	278.3	7	-73224
	06 LST	13.7	13.1	18.0	20.0	22.0	24.3	25.5	27.0	22.4	25.3	21.4	17.5	250.2	7	-73224
	12 LST	16.1	15.7	18.0	19.0	19.0	15.7	15.8	17.1	17.1	21.7	21.1	17.0	213.3	7	-73224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.8	19.2	19.3	23.3	26.0	24.6	24.1	26.1	22.6	25.9	22.8	19.6	273.3	7	-73224
	00 LST	17.3	14.8	17.9	18.7	24.7	27.6	28.7	28.7	25.7	26.1	20.9	17.5	268.6	7	-73224
	06 LST	12.7	12.3	15.8	18.7	20.8	23.0	24.3	26.6	20.4	24.3	19.8	16.3	235.0	7	-73224
	12 LST	14.7	14.4	17.1	18.4	18.3	15.3	15.1	16.7	16.0	20.8	20.0	15.7	202.5	7	-73224

## JACKSONVILLE/CRAIG MUNICIPAL, FLORIDA

STA NO. 73820 (IN AREA NUMBER 15)

LATITUDE 3020N

LONGITUDE 08131W

ELEVATION(FT) 00041

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	90	94	102	103	105	102	100	96	87	84	105	23	-72206
MEAN MAX TMP (F)	66	69	74	80	87	91	92	92	88	80	73	66	80	23	-72206
MEAN MIN TMP (F)	44	47	51	58	65	71	73	73	71	61	51	45	59	23	-72206
ABS MIN TMP (F)	16	19	25	34	41	57	62	64	54	38	22	17	16	23	-72206
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.7	11.3	18.7	24.3	23.0	11.5	1.1	0.0	0.0	90.9	12	-72206
MEAN NO DYS TMP = OR LES 32(F)	4.6	2.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.9	12.3	12	-72206
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72206
MEAN DEW PT TMP (F)	45	47	49	55	63	69	72	72	70	62	52	46	59	12	-72206
MEAN REL HUM (PCT)	73	70	67	67	69	72	75	76	78	77	75	74	73	12	-72206
MEAN PRESS ALT (FT)	-168	-134	-95	-68	-53	-39	-71	-54	-58	-97	-145	-169	-95	0	-50
MEAN PRECIP (IN)	2.50	2.92	3.62	3.54	3.37	5.64	7.82	6.95	8.51	5.11	1.71	2.53	54.2	23	-72206
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72206
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.4	6.1	6.6	6.5	6.4	8.4	10.4	9.5	11.8	7.7	3.3	5.5	87.6	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72206
MEAN NO DYS W/ICUR V'Y LES 1/2 MI	5.1	2.8	2.9	2.4	1.7	0.6	0.3	1.1	0.9	3.5	4.9	4.6	30.8	12	-72206
MEAN NO DYS TSTMS	0.6	1.1	2.1	3.3	5.5	9.1	14.1	10.2	6.1	1.7	0.3	0.3	54.4	12	-72206
P FREQ WND SPD = OR GTR 17 KTS	2.9	5.0	3.6	4.0	3.0	2.8	1.3	1.5	4.7	5.1	2.3	2.9	3.3	12	-72206
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	12	-72206
P FREQ LES 3000 FT A/D LES 5 MI	28.6	27.7	23.5	17.1	15.1	13.6	12.4	14.3	23.8	30.3	24.8	29.9	21.8	12	-72206
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	17.3	12.5	7.3	4.9	2.5	1.6	3.0	6.5	13.6	18.0	18.0	10.2	12	-72206
03-05 LST	23.2	20.4	17.9	11.8	11.3	5.7	3.9	5.9	11.1	19.4	22.6	20.3	14.5	12	-72206
06-08 LST	26.8	23.4	22.6	14.9	12.5	7.2	6.0	8.6	15.9	24.0	25.3	24.3	17.8	12	-72206
09-11 LST	20.1	16.8	13.9	6.6	3.9	2.3	2.2	4.3	8.4	16.5	15.6	18.4	10.8	12	-72206
12-14 LST	8.9	9.4	7.4	3.5	1.9	2.1	2.2	2.7	5.4	10.0	7.7	12.8	6.2	12	-72206
15-17 LST	8.5	8.4	7.0	3.7	2.6	2.3	2.9	2.6	6.1	9.8	6.4	12.3	6.1	12	-72206
18-20 LST	11.2	10.4	7.3	5.1	3.4	2.4	1.4	3.0	5.0	10.5	8.7	13.1	6.8	12	-72206
21-23 LST	12.5	10.5	8.3	4.4	3.0	1.6	1.4	2.2	4.3	10.0	12.4	15.5	7.2	12	-72206
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.3	3.4	3.3	1.5	0.8	0.4	0.0	0.3	0.1	3.3	8.8	7.0	3.0	12	-72206
03-05 LST	10.3	6.6	5.5	4.9	5.1	1.6	0.7	1.9	2.4	7.0	11.9	9.6	5.6	12	-72206
06-08 LST	11.7	8.3	6.1	4.9	4.0	0.7	1.1	2.3	3.4	7.8	12.5	10.1	6.1	12	-72206
09-11 LST	4.6	2.1	1.0	0.0	0.0	0.0	0.1	0.2	0.0	0.7	2.4	3.0	1.2	12	-72206
12-14 LST	0.6	0.1	0.2	0.1	0.1	0.4	0.4	0.2	0.3	0.0	0.0	0.9	0.3	12	-72206
15-17 LST	0.4	0.5	0.2	0.1	0.4	0.3	0.4	0.1	0.3	0.3	0.1	1.5	0.4	12	-72206
18-20 LST	2.7	1.3	0.7	0.1	0.1	0.2	0.2	0.2	0.2	0.7	0.4	3.9	0.9	12	-72206
21-23 LST	3.9	2.2	2.0	0.5	0.0	0.0	0.1	0.0	0.0	2.2	3.4	6.6	1.7	12	-72206

# JACKSONVILLE/CRAIG MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.5	29.0	28.6	30.4	29.6	30.7	30.1	29.3	28.7	28.2	28.0	346.2	12	-72206
	01 LST	26.3	23.7	28.1	28.3	29.7	29.7	30.8	30.2	28.7	27.9	25.1	26.2	334.7	12	-72206
	07 LST	23.5	21.4	24.3	25.9	27.7	28.1	29.4	28.6	25.5	24.0	22.6	24.1	305.1	12	-72206
	13 LST	29.1	26.4	29.6	29.2	30.6	29.5	30.4	30.6	28.9	29.4	28.5	28.4	350.6	12	-72206
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.0	18.1	20.6	20.0	18.2	17.8	20.8	23.3	21.4	23.1	24.6	23.9	255.8	12	-72206
	01 LST	22.0	17.8	23.3	23.6	27.2	27.2	29.4	28.7	24.5	23.1	21.2	20.8	288.8	12	-72206
	07 LST	18.9	16.4	18.6	20.6	23.4	24.2	27.4	26.5	21.5	18.5	18.6	18.8	253.4	12	-72206
	13 LST	12.4	8.4	10.9	8.7	12.6	13.1	17.0	16.2	10.6	11.6	12.5	12.6	146.6	12	-72206
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.9	0.4	0.6	0.3	0.8	0.4	0.0	0.7	0.5	0.4	0.4	5.6	12	-72206
	01 LST	0.3	0.7	0.2	0.1	0.0	0.3	0.0	0.0	0.2	0.7	0.2	0.7	3.4	12	-72206
	07 LST	0.4	0.4	0.0	0.5	0.1	0.2	0.0	0.0	0.2	0.2	0.2	0.4	2.6	12	-72206
	13 LST	3.2	2.9	3.3	3.5	2.2	1.7	0.7	1.2	3.2	3.7	1.6	2.9	30.1	12	-72206
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.5	20.0	24.1	23.9	21.7	19.5	20.3	24.1	22.1	22.9	21.3	21.7	264.1	12	-72206
	01 LST	19.2	17.8	23.7	21.5	23.7	22.6	20.6	20.9	19.5	20.4	20.9	19.7	230.5	12	-72206
	07 LST	17.3	17.4	22.6	19.7	23.3	21.8	22.7	20.6	19.7	21.9	20.4	17.8	245.2	12	-72206
	13 LST	15.2	12.6	14.5	12.2	10.4	7.1	6.3	7.1	10.0	14.8	15.8	18.1	144.1	12	-72206
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	12.0	10.8	12.3	9.9	5.1	4.5	6.7	6.6	12.6	13.5	12.2	118.4	12	-72206
	01 LST	13.8	12.5	13.6	15.8	16.0	13.2	12.4	13.0	11.9	14.7	14.2	12.9	164.0	12	-72206
	07 LST	10.6	8.0	7.5	10.7	11.2	9.3	9.1	9.9	3.5	10.1	11.1	9.4	113.4	12	-72206
	13 LST	8.5	9.7	8.7	8.5	6.0	2.8	1.3	1.9	1.8	7.2	9.4	9.5	75.5	12	-72206
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.1	28.0	28.1	29.5	28.4	29.7	29.6	27.2	26.5	27.0	25.9	330.8	12	-72206
	01 LST	24.8	22.1	26.4	27.0	29.0	28.8	30.2	29.6	27.1	26.2	23.6	24.7	319.5	12	-72206
	07 LST	22.1	19.7	22.4	24.8	26.3	27.2	28.6	27.6	23.6	21.8	21.2	22.0	287.3	12	-72206
	13 LST	26.9	24.2	27.6	27.8	29.3	28.3	29.1	29.3	25.5	24.4	26.2	25.9	324.5	12	-72206
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.5	25.7	26.4	28.1	26.6	28.3	28.1	24.3	23.5	25.4	23.2	306.7	12	-72206
	01 LST	22.7	19.8	24.8	25.6	28.1	28.1	29.8	28.7	24.8	23.7	22.0	22.3	300.4	12	-72206
	07 LST	19.7	17.9	20.0	23.1	25.5	25.9	28.0	27.2	21.9	19.6	19.7	19.5	267.8	12	-72206
	13 LST	23.3	20.6	22.7	24.1	24.8	22.9	22.5	23.2	19.8	20.4	23.7	22.2	270.2	12	-72206
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	21.1	23.7	24.8	27.4	25.6	27.2	27.1	23.4	22.5	23.9	21.6	291.4	12	-72206
	01 LST	21.4	18.1	23.4	24.8	27.2	27.6	29.2	28.2	24.1	22.8	21.0	20.3	286.1	12	-72206
	07 LST	17.8	16.4	18.7	22.0	24.7	24.9	27.2	25.7	20.7	18.2	18.4	17.9	252.6	12	-72206
	13 LST	21.9	19.4	21.4	23.3	23.9	22.3	22.2	22.2	18.8	19.3	21.8	20.9	257.4	12	-72206

# PENSACOLA MUNICIPAL, FLORIDA

STA NO. 73020 (IN AREA NUMBER 15)

LATITUDE 3028N

LONGITUDE 08711W

ELEVATION(FT) 00119

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	80	88	93	102	101	103	103	102	95	86	80	103	81	-613
MEAN MAX TMP (F)	61	63	67	73	80	86	87	88	85	78	68	62	75	81	-113
MEAN MIN TMP (F)	46	48	54	61	68	74	75	75	72	62	52	47	61	81	-113
ABS MIN TMP (F)	14	7	23	34	44	55	62	62	49	35	22	14	7	81	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	4.3	18.3	19.2	24.0	10.7	1.6	0.0	0.0	78.4	7	2222
MEAN NO DYS TMP = OR LES 32(F)	1.6	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.9	8.1	7	2222
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2222
MEAN DEW PT TMP (F)	51	49	50	57	65	72	73	73	69	59	46	47	59	7	53135
MEAN REL HUM (PCT)	79	75	72	73	73	74	77	76	75	70	70	76	74	7	53135
MEAN PRESS ALT (FT)	-94	-60	-7	22	45	63	25	41	34	-12	-62	-91	-7	0	-50
MEAN PRECIP (IN)	4.14	4.36	5.34	4.54	3.69	4.86	6.96	7.63	6.23	3.90	3.70	4.40	55.8	81	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	2220
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	7.9	7.3	7.0	6.6	7.7	9.6	10.2	9.1	6.2	5.9	7.9	93.0	81	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	2220
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.5	4.6	4.0	3.7	1.5	0.2	0.2	0.2	1.0	1.5	1.7	5.4	31.5	7	2219
MEAN NO DYS TSTMS	2.0	2.0	4.0	4.0	6.0	11.0	15.0	14.0	7.0	2.0	1.0	2.0	70.0	58	-24
P FREQ WND SPD = OR GTR 17 KTS	11.8	15.4	15.6	12.6	5.6	2.8	3.1	2.3	6.8	6.6	10.1	11.5	8.7	7	53134
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.3	0.2	0.6	0.0	0.0	0.0	0.2	0.4	0.2	0.1	0.7	0.3	7	53134
P FREQ LES 5000 FT A/D LES 5 MI	39.9	32.5	33.9	26.0	20.4	13.8	12.9	11.4	17.2	12.5	16.8	35.5	22.7	7	53057
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.3	20.6	23.1	17.6	12.2	0.7	1.3	1.6	4.6	4.9	10.8	19.6	11.9	7	6627
03-05 LST	25.9	23.8	24.1	23.3	13.1	4.3	3.1	3.2	6.1	9.4	11.3	22.4	14.2	7	6629
06-08 LST	31.8	27.6	24.8	19.8	11.6	5.0	5.0	3.1	9.8	9.9	11.3	26.3	15.5	7	6643
09-11 LST	25.1	18.8	20.0	11.5	7.7	3.3	2.2	1.1	7.4	4.8	6.1	22.9	10.9	7	6643
12-14 LST	18.5	11.8	16.5	7.4	5.4	1.9	1.3	1.3	5.0	2.0	4.1	18.5	7.8	7	6649
15-17 LST	17.4	9.7	18.6	10.6	4.3	1.1	0.7	0.7	3.3	3.6	5.9	19.6	8.0	7	6648
18-20 LST	19.7	13.0	20.5	13.3	6.1	0.7	1.1	0.9	3.5	3.1	6.9	17.2	8.8	7	6635
21-23 LST	25.4	15.3	22.7	17.4	5.4	1.3	0.5	1.1	3.5	2.9	9.1	19.3	10.3	7	6629
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.6	8.3	6.9	3.0	0.5	0.2	0.3	0.0	0.4	1.8	3.2	7.4	3.7	7	6627
03-05 LST	11.3	7.5	7.8	9.1	2.0	0.0	0.7	0.0	0.7	3.1	3.5	8.3	4.5	7	6629
06-08 LST	13.1	8.1	5.9	3.7	2.5	0.2	0.0	0.0	0.6	1.6	3.0	7.4	3.8	7	6643
09-11 LST	3.4	2.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.9	0.8	7	6643
12-14 LST	0.9	0.0	0.0	0.4	0.0	0.2	0.0	0.4	0.0	0.0	0.0	1.1	0.3	7	6649
15-17 LST	3.1	0.2	0.5	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.2	1.4	0.5	7	6648
18-20 LST	6.6	1.6	2.9	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.7	2.7	1.3	7	6635
21-23 LST	10.3	4.4	6.1	1.1	0.2	0.0	0.2	0.0	0.2	0.2	2.2	6.2	2.6	7	6629

# PENSACOLA MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	26.5	25.8	27.8	30.0	29.8	30.8	30.8	29.0	30.5	28.7	26.8	343.2	7	2220
	00 LST	24.0	23.2	24.8	26.0	28.8	30.0	30.8	30.8	29.0	30.3	27.3	26.3	331.3	7	2221
	06 LST	21.8	19.9	24.3	24.5	28.1	29.5	30.0	30.7	28.3	28.3	27.3	24.8	317.5	7	2220
	12 LST	26.8	25.5	28.0	28.7	30.3	30.0	30.8	30.8	28.7	30.8	29.2	26.1	345.7	7	2221
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.5	18.4	16.6	19.9	20.2	20.5	25.1	26.7	24.2	26.3	23.6	18.6	258.6	7	2220
	00 LST	15.8	14.9	15.7	20.3	24.5	27.0	26.7	28.5	20.8	22.2	18.3	14.3	249.0	7	2221
	06 LST	12.6	11.1	14.0	14.8	19.8	23.0	26.0	26.5	17.2	18.3	18.5	12.9	214.7	7	2220
	12 LST	8.3	6.9	7.5	8.0	11.2	13.1	14.8	17.0	13.0	14.0	12.0	10.3	136.1	7	2221
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.2	2.6	3.1	2.7	0.7	0.2	0.8	0.2	1.4	0.7	2.0	2.2	18.8	7	2188
	00 LST	2.0	3.4	3.3	2.2	0.8	0.2	0.7	0.2	1.7	1.3	2.6	2.4	20.8	7	2188
	06 LST	2.3	2.5	2.3	3.3	0.8	0.8	0.3	0.0	1.4	1.7	1.5	2.2	19.1	7	2183
	12 LST	7.5	8.5	8.0	7.0	4.0	3.3	2.0	0.8	2.9	3.7	5.6	5.4	58.7	7	2198
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.7	15.6	15.8	18.5	20.8	19.7	20.2	20.6	18.8	16.7	17.7	17.2	219.3	7	2188
	00 LST	17.7	15.2	15.8	18.3	19.2	18.1	16.0	19.7	17.0	19.7	17.3	16.6	210.6	7	2188
	06 LST	15.4	15.0	15.8	14.0	17.6	17.3	17.6	19.1	16.1	18.6	16.0	15.3	197.8	7	2183
	12 LST	11.4	8.7	10.4	9.7	10.7	6.0	8.9	5.5	11.6	15.1	12.5	11.9	122.4	7	2198
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	10.1	8.8	11.6	11.7	9.2	4.0	6.1	9.3	18.0	17.0	10.8	126.4	7	2221
	00 LST	12.0	12.1	13.0	15.2	18.2	18.3	14.1	17.3	16.8	21.8	19.5	13.6	191.9	7	2221
	06 LST	9.0	9.1	9.5	9.5	13.0	11.0	8.3	11.8	10.7	17.7	14.6	9.0	133.5	7	2220
	12 LST	8.3	7.3	9.5	11.5	10.1	7.1	3.3	4.2	7.0	15.8	14.6	8.6	107.3	7	2221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.0	23.9	22.7	25.3	27.5	28.5	30.3	30.7	27.5	29.3	27.8	23.3	319.8	7	2220
	00 LST	22.0	21.7	22.5	24.5	26.7	28.8	30.0	30.3	28.0	29.5	26.0	23.7	313.7	7	2221
	06 LST	19.0	18.4	21.8	22.7	25.0	27.3	28.5	2.5	25.7	26.5	26.5	20.1	291.0	7	2220
	12 LST	22.5	22.3	23.0	25.8	26.5	27.7	28.1	30.0	25.7	29.1	27.5	22.5	310.7	7	2221
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	20.5	20.0	23.3	26.0	27.2	27.8	28.3	24.0	27.7	26.2	20.3	292.0	7	2220
	00 LST	19.7	19.5	20.6	23.2	26.2	28.1	28.8	29.5	27.2	28.1	24.5	21.4	296.8	7	2221
	06 LST	14.8	15.1	19.3	20.8	23.5	26.2	26.8	28.1	24.3	25.6	23.5	17.8	265.8	7	2220
	12 LST	19.7	18.7	19.8	23.3	22.5	23.6	24.1	23.0	21.8	26.3	24.5	19.8	267.1	7	2221
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.9	18.8	21.9	24.5	25.5	27.0	26.8	21.2	27.0	25.3	19.1	275.2	7	2220
	00 LST	18.2	18.2	19.3	22.8	24.8	27.3	28.1	29.5	25.5	27.7	23.8	19.2	284.4	7	2221
	06 LST	13.3	14.1	18.2	18.2	21.8	25.0	25.5	27.5	22.1	24.3	21.8	15.2	247.0	7	2220
	12 LST	18.3	17.6	18.7	21.3	21.1	22.8	22.3	22.3	20.5	25.3	22.7	17.9	250.8	7	2221

# CAPE CANAVERAL, FLORIDA

STA NO. 74794 (IN AREA NUMBER 15)

LATITUDE 2829N LONGITUDE 08033W ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	85	87	89	94	90	95	94	94	91	86	85	98	11	2919
MEAN MAX TMP (F)	69	71	72	77	82	86	87	88	86	81	76	70	79	11	2919
MEAN MIN TMP (F)	52	54	57	62	68	72	74	74	74	69	61	54	64	11	2919
ABS MIN TMP (F)	30	30	34	46	54	58	69	67	67	50	31	27	27	11	2919
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	3.4	4.4	6.2	1.4	0.1	0.0	0.0	16.2	11	2919
MEAN NO DYS TMP = OR LES 32(F)	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.0	11	2919
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	69599
MEAN DEW PT TMP (F)	53	55	57	61	67	72	74	75	73	68	61	55	64	11	69599
MEAN REL HUM (PCT)	80	81	77	75	77	81	83	84	82	80	79	79	80	11	69599
MEAN PRESS ALT (FT)	-194	-204	-124	-94	-64	-64	-94	-74	-64	-94	-164	-184	-117	0	-50
MEAN PRECIP (IN)	2.30	3.07	4.48	2.29	1.82	4.25	3.15	4.86	7.33	5.89	2.13	1.71	43.1	12	2945
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3242
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.3	6.1	4.1	3.7	7.8	6.5	7.5	10.1	8.0	3.6	3.4	68.4	12	2945
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3242
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	1.6	0.9	0.5	0.4	0.4	0.2	0.2	0.2	0.6	0.5	1.7	11.3	11	2918
MEAN NO DYS TSTMS	0.7	1.2	3.3	3.6	7.7	12.7	12.5	14.4	10.4	4.0	0.9	0.6	72.0	13	2920
P FREQ WND SPD = OR GTR 17 KTS	4.2	7.1	7.4	4.7	2.2	1.0	0.7	0.8	3.7	4.1	2.8	3.9	3.6	11	69783
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.1	11	69783
P FREQ LES 5000 FT A/D LES 5 MI	22.4	20.1	19.2	11.9	9.5	9.0	4.3	7.4	13.0	18.6	17.0	17.6	14.2	11	69832
P FREQ LES 1500 FT A/D LES 3 MI	9.7	6.6	5.1	0.8	1.1	1.3	0.1	0.1	0.7	1.6	3.7	3.8	2.9	13	8739
FOR 00-02 LST	15.3	11.3	5.9	3.6	2.3	2.3	0.1	1.6	1.6	2.8	4.9	4.3	4.7	13	8938
03-05 LST	15.1	13.3	9.7	3.1	3.0	2.6	0.2	2.1	2.2	3.4	5.3	6.5	5.5	13	10006
06-08 LST	6.8	6.3	6.6	1.6	1.7	1.4	0.1	0.8	2.0	2.4	2.4	4.3	3.0	13	10348
09-11 LST	3.2	3.1	4.4	0.8	0.2	0.9	0.8	0.6	1.4	1.9	1.9	3.2	1.9	13	10153
12-14 LST	2.5	3.6	3.6	1.5	0.8	0.9	1.0	0.3	2.8	1.9	2.6	3.5	2.1	13	9237
15-17 LST	3.9	2.9	3.7	0.6	0.8	0.5	0.4	0.9	2.9	2.2	2.0	2.0	1.9	12	8809
18-20 LST	6.0	4.9	4.3	0.6	0.5	0.9	0.1	0.4	1.2	1.1	2.8	2.8	2.1	13	8725
21-23 LST	3.7	1.3	0.1	0.3	0.0	0.2	0.0	0.0	0.0	0.8	0.8	1.2	0.7	13	8739
P FREQ LES 300 FT A/D LES 1 MI	6.9	3.8	1.7	1.4	0.7	0.3	0.0	0.1	0.3	0.4	0.8	1.4	1.5	13	8938
FOR 00-02 LST	7.2	5.0	1.4	0.8	0.5	0.4	0.1	0.3	0.7	0.8	0.5	2.8	1.7	13	10006
03-05 LST	1.1	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.4	0.3	13	10348
06-08 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.2	0.7	0.0	0.0	0.1	13	10153
09-11 LST	0.1	0.3	0.3	0.1	0.3	0.1	0.1	0.0	0.4	0.3	0.2	0.1	0.2	13	9237
12-14 LST	0.7	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.0	0.1	12	8809
15-17 LST	0.9	0.3	0.1	0.0	0.0	0.0	0.0	0.1	3.0	0.1	0.4	0.9	0.2	13	8725
18-20 LST															
21-23 LST															

# CAPE CANAVERAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND SBY = GTR 3 MI	19 LST	30.1	27.5	29.8	30.0	30.6	29.9	30.7	31.0	29.6	30.5	29.6	30.6	307.9	12	2942
	01 LST	28.4	26.6	30.0	29.9	30.7	30.0	31.0	31.0	29.7	30.6	29.4	29.8	357.1	13	2937
	07 LST	26.3	24.0	28.3	29.4	30.3	29.5	30.8	30.5	29.4	30.1	28.3	29.1	346.0	13	3504
	13 LST	30.2	27.4	30.3	29.9	31.0	29.9	30.8	30.7	29.7	30.4	29.7	30.4	360.4	13	3446
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.8	17.8	20.8	20.0	22.6	24.2	25.9	25.4	22.6	21.3	21.8	24.0	270.2	12	2942
	01 LST	21.0	19.6	21.1	21.6	25.0	27.8	29.0	28.9	23.9	22.6	21.4	22.8	284.7	13	2935
	07 LST	19.2	17.0	20.2	20.9	24.1	26.2	28.8	28.7	23.3	21.0	20.3	21.3	271.0	13	3501
	13 LST	13.7	10.0	10.4	11.1	12.5	14.4	17.5	16.8	14.6	13.0	13.8	13.4	161.2	13	3443
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	1.4	1.6	1.0	0.7	0.0	0.4	0.1	0.9	1.0	0.7	0.6	9.3	12	2899
	01 LST	0.7	0.6	0.7	0.9	0.2	0.0	0.0	0.0	0.5	0.4	0.8	1.0	5.8	13	2907
	07 LST	1.0	1.0	0.6	0.6	0.6	0.3	0.0	0.0	1.1	1.1	0.8	0.5	7.6	13	3463
	13 LST	3.5	4.1	3.5	3.2	1.4	0.4	0.5	0.6	1.8	2.3	1.5	2.6	25.4	13	3412
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.1	17.3	19.2	21.8	22.2	22.8	23.6	21.0	19.9	19.2	18.5	19.1	243.7	12	2899
	01 LST	18.4	18.1	20.5	20.7	21.5	20.6	17.6	17.7	18.9	17.8	18.3	20.0	230.1	13	2907
	07 LST	18.4	16.6	19.9	18.9	21.5	18.2	18.1	17.7	15.2	17.3	18.4	18.9	219.1	13	3463
	13 LST	15.6	13.2	14.0	15.3	15.0	18.6	19.5	20.1	17.6	16.4	16.7	16.7	198.7	13	3412
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.3	11.7	10.3	9.7	7.8	7.1	5.6	3.8	5.9	10.0	11.0	11.9	107.1	12	2942
	01 LST	14.2	14.8	13.8	13.3	17.4	13.0	17.0	14.3	13.4	12.5	13.9	14.6	172.2	13	2937
	07 LST	8.6	7.6	8.5	10.7	11.7	8.3	8.7	8.1	7.6	8.4	9.7	10.1	108.0	13	3504
	13 LST	8.7	8.4	9.0	10.2	10.4	6.6	4.3	4.5	4.8	6.3	9.9	8.5	91.6	13	3446
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.5	26.1	28.8	28.7	30.3	29.3	29.7	29.5	26.8	28.6	28.9	29.5	345.7	12	2942
	01 LST	27.5	25.4	28.6	29.5	29.9	29.2	30.8	30.6	28.7	28.7	28.0	28.6	345.5	13	2937
	07 LST	24.2	22.5	27.3	28.2	30.1	28.7	30.6	30.1	28.3	28.6	26.6	27.1	332.3	13	3504
	13 LST	29.0	26.6	28.7	29.1	30.7	28.1	30.1	29.2	27.1	28.2	28.1	29.2	344.1	13	3446
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.8	23.0	25.8	26.0	27.4	27.6	28.3	27.9	24.9	25.0	25.5	26.4	313.6	12	2942
	01 LST	23.7	21.8	25.3	26.5	28.1	28.3	30.6	29.9	26.5	24.9	24.7	24.8	315.1	13	2937
	07 LST	19.9	18.5	23.9	25.4	27.8	26.9	29.8	29.2	26.3	26.1	22.9	23.3	300.0	13	3504
	13 LST	24.3	23.0	24.1	25.7	28.1	25.8	28.2	26.8	25.4	24.4	25.0	23.9	304.7	13	3446
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.7	21.4	24.2	23.4	26.3	25.6	27.0	26.8	23.3	23.0	23.0	24.5	292.2	12	2942
	01 LST	21.6	20.3	23.8	23.9	27.4	27.5	30.3	29.1	25.7	23.3	23.1	22.6	298.6	13	2937
	07 LST	18.1	17.2	20.9	23.9	26.8	26.0	29.1	28.5	25.5	23.7	20.8	20.6	281.1	13	3504
	13 LST	23.3	21.7	22.4	24.0	27.5	25.1	28.0	26.7	24.4	22.7	22.7	22.2	290.7	13	3446



## COCOA BEACH/PATRICK AFB, FLORIDA

STA NO. 74795 (IN AREA NUMBER 15)

LATITUDE 2814N

LONGITUDE 08036W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	90	93	94	98	96	97	94	91	87	86	98	12	4359
MEAN MAX TMP (F)	69	71	74	78	82	86	87	87	86	81	76	70	79	12	4359
MEAN MIN TMP (F)	55	58	60	65	71	74	76	77	77	72	64	57	67	12	4359
ABS MIN TMP (F)	32	32	39	48	57	67	67	68	66	50	33	29	29	12	4359
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.3	1.0	3.9	2.7	6.1	2.0	0.2	0.0	0.0	16.3	12	4359
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	12	4359
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4359
MEAN DEW PT TMP (F)	55	57	58	62	68	72	73	74	74	68	62	56	65	12	104555
MEAN REL HUM (PCT)	79	79	76	74	77	79	79	80	80	78	77	78	78	12	104555
MEAN PRESS ALT (FT)	-190	-161	-135	-110	-80	-74	-114	-81	-57	-63	-154	-184	-118	0	-30
MEAN PRECIP (IN)	2.19	2.78	4.35	3.14	2.99	4.60	3.15	4.85	7.82	6.85	2.30	1.59	46.6	12	4359
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4359
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.7	4.7	5.4	4.1	4.7	6.2	5.6	7.3	9.2	7.2	3.2	2.7	63.0	12	4359
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4359
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	2.0	1.4	1.1	0.8	0.5	0.5	0.4	0.2	0.5	0.8	0.6	1.7	10.5	12	4358
MEAN NO DYS TSTMS	0.8	1.1	3.2	3.8	6.7	9.3	11.0	12.0	8.3	3.4	0.8	0.5	60.9	12	4359
P FREQ WND SPD = OR GTR 17 KTS	11.5	11.9	12.0	10.5	7.7	4.5	1.3	3.2	9.5	16.9	12.3	10.1	9.3	12	104559
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.6	0.2	0.4	0.3	0.1	0.0	0.0	0.5	1.4	0.5	0.3	0.4	12	104559
P FREQ LES 5000 FT A/D LES 5 MI	20.5	20.7	16.4	12.5	9.6	8.9	5.2	6.6	11.5	16.1	15.5	18.7	13.3	12	104583
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.3	5.4	3.3	0.8	1.1	1.0	0.1	0.7	1.1	2.5	3.1	4.0	2.4	12	13074
03-05 LST	8.0	8.1	4.2	3.3	1.4	2.2	0.4	1.3	1.9	3.0	4.6	5.7	3.7	12	13073
06-08 LST	11.1	9.5	8.6	4.8	2.5	2.8	0.7	1.8	4.4	5.7	7.1	8.8	5.7	12	13074
09-11 LST	8.2	8.4	5.6	3.6	0.6	1.9	0.2	0.4	2.9	5.4	4.3	6.5	4.0	12	13072
12-14 LST	4.0	4.9	3.4	1.8	1.5	1.2	0.9	1.3	3.9	4.6	1.7	4.6	2.8	12	13073
15-17 LST	2.3	4.7	3.2	1.8	1.6	2.2	1.7	2.2	4.5	4.0	2.4	4.6	2.9	12	13074
18-20 LST	2.4	4.8	3.2	1.1	1.2	2.2	0.7	1.6	3.5	3.7	2.0	3.5	2.5	12	13072
21-23 LST	4.0	5.4	2.5	1.2	1.1	0.4	0.3	0.2	1.8	2.2	1.9	2.8	2.0	12	13071
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.1	1.2	0.4	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.4	1.1	0.4	12	13074
03-05 LST	3.1	1.2	0.9	0.9	0.3	0.2	0.0	0.4	0.1	0.4	0.4	2.5	0.9	12	13073
06-08 LST	4.0	3.7	1.8	1.2	0.3	0.5	0.2	0.1	0.7	0.6	0.8	3.1	1.4	12	13074
09-11 LST	1.1	0.8	0.4	0.3	0.0	0.0	0.1	0.0	0.4	0.7	0.7	1.0	0.5	12	13072
12-14 LST	0.2	0.2	0.3	0.4	0.1	0.4	0.2	0.4	0.5	1.3	0.0	0.2	0.4	12	13073
15-17 LST	0.0	0.3	0.4	0.2	0.3	0.6	0.4	0.4	0.7	0.8	0.0	0.3	0.4	12	13074
18-20 LST	0.3	0.5	0.3	0.0	0.0	0.1	0.2	0.1	0.1	0.3	0.0	0.3	0.2	12	13072
21-23 LST	0.9	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.5	0.2	12	13071

## COCOA BEACH/PATRICK AFB, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.6	26.7	29.9	29.7	30.7	29.6	30.8	30.9	29.3	30.2	29.6	30.0	358.0	12	4358
	01 LST	29.7	26.7	30.2	29.8	30.6	29.9	31.0	31.0	29.6	30.7	29.3	30.2	358.7	12	4358
	07 LST	27.5	25.9	28.6	28.7	30.3	29.4	30.8	30.6	29.3	29.6	27.7	28.5	346.9	12	4358
	13 LST	30.0	27.4	30.1	29.7	30.7	29.8	30.8	30.2	29.2	29.8	29.9	30.2	357.8	12	4358
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	17.3	11.6	10.8	11.4	11.7	13.3	18.7	18.2	11.7	12.1	14.3	17.3	168.4	12	4358
	01 LST	16.4	13.9	15.3	15.6	17.9	21.1	25.6	24.2	16.5	15.2	14.7	16.4	212.8	12	4358
	07 LST	14.4	14.0	15.2	15.9	19.9	22.7	27.1	24.9	18.1	14.3	14.2	15.3	216.0	12	4358
	13 LST	13.5	10.4	9.8	10.1	9.8	11.1	14.8	14.1	11.5	10.7	12.9	14.3	143.0	12	4358
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.3	3.2	4.0	3.5	3.2	1.7	0.7	1.0	3.4	5.6	3.6	2.5	34.7	12	4304
	01 LST	3.1	2.4	2.2	1.9	1.8	0.8	0.1	0.3	2.4	4.6	3.2	3.1	25.9	12	4313
	07 LST	2.9	2.6	2.7	2.5	1.5	0.5	0.0	0.2	2.3	4.9	3.2	2.9	26.2	12	4322
	13 LST	4.7	4.2	4.4	4.2	2.7	1.3	0.6	1.6	2.8	5.5	3.4	3.6	39.0	12	4318
SFC WND 4-10 KTS AND TMR 33-89 DEG F AND NO PRECIP.	19 LST	18.9	14.8	14.3	14.3	14.7	16.2	20.2	18.7	13.6	14.1	15.6	18.7	194.1	12	4304
	01 LST	17.9	14.9	17.5	16.6	18.0	19.5	21.8	19.7	16.0	14.6	15.9	16.3	208.7	12	4313
	07 LST	16.2	13.5	16.0	16.4	19.1	19.4	19.2	20.0	16.3	13.8	14.3	16.0	200.2	12	4322
	13 LST	15.6	13.4	13.5	13.3	15.1	15.8	19.4	18.3	15.3	13.8	16.4	17.2	187.1	12	4318
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.5	11.5	10.7	8.6	7.5	4.3	3.5	3.1	4.7	9.1	11.5	12.9	100.9	12	4358
	01 LST	16.1	14.8	16.7	15.7	17.6	13.9	18.0	14.1	11.3	14.4	16.3	15.4	184.3	12	4358
	07 LST	10.5	9.3	8.9	9.2	11.0	7.6	7.1	6.5	4.3	8.6	10.3	10.3	103.6	12	4358
	13 LST	9.0	8.3	8.4	8.8	8.3	4.5	2.1	2.0	3.2	6.2	8.6	9.3	78.7	12	4358
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.7	25.9	29.3	29.2	29.6	28.5	29.9	29.8	28.8	28.6	28.6	29.4	345.3	12	4358
	01 LST	28.6	25.4	29.3	29.4	30.4	29.3	31.0	30.7	28.5	29.1	28.6	29.0	349.3	12	4358
	07 LST	26.4	24.4	27.1	27.8	29.6	28.7	30.7	30.1	27.6	28.0	26.6	26.8	333.8	12	4358
	13 LST	28.9	25.9	28.4	29.1	29.4	28.7	29.8	29.1	27.6	27.8	28.6	28.8	342.1	12	4358
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.5	22.9	26.7	25.8	26.4	25.8	28.2	28.1	24.7	24.6	25.2	25.4	309.3	12	4358
	01 LST	24.4	22.9	26.5	26.2	28.8	28.7	30.7	30.1	27.4	26.7	25.4	25.8	323.6	12	4358
	07 LST	22.1	20.3	23.9	23.1	27.1	27.9	30.3	29.7	26.6	24.6	23.3	23.0	303.9	12	4358
	13 LST	24.9	21.6	24.6	25.8	27.2	25.7	28.1	27.4	26.3	25.1	24.6	24.2	305.5	12	4358
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.4	20.8	25.1	24.3	24.4	23.7	26.9	26.3	22.9	23.5	23.6	23.9	289.8	12	4358
	01 LST	23.4	21.4	25.6	24.9	27.3	28.2	30.2	29.7	26.6	25.6	24.3	24.3	311.5	12	4358
	07 LST	20.3	18.6	21.8	24.0	26.5	27.0	30.0	29.1	25.7	23.4	22.1	21.0	289.5	12	4358
	13 LST	23.9	20.9	23.2	24.8	26.2	25.3	27.4	26.7	25.2	23.3	23.1	22.8	292.8	12	4358

# BOYD, FLORIDA

STA NO. 75127 (IN AREA NUMBER 15)

LATITUDE 3012N

LONGITUDE 0839W

ELEVATION(FT) 00055

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	88	92	102	103	100	99	98	94	88	83	103	21	-72214
MEAN MAX TMP (F)	65	67	72	79	87	90	90	91	87	80	71	65	79	21	-72214
MEAN MIN TMP (F)	42	44	49	56	63	70	72	72	69	59	48	43	57	21	-72214
ABS MIN TMP (F)	15	18	23	32	43	56	62	63	50	33	19	17	15	21	-72214
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	8.0	16.9	19.8	19.7	10.6	1.3	0.0	0.0	76.6	12	-72214
MEAN NO DYS TMP = OR LES 32(F)	6.4	3.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	6.6	19.6	12	-72214
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72214
MEAN DEW PT TMP (F)	43	46	48	54	62	69	72	72	69	58	48	43	57	12	-72214
MEAN REL HUM (PCT)	73	72	69	70	71	76	80	79	79	73	72	73	74	12	-72214
MEAN PRESS ALT (FT)	-158	-123	-77	-50	-32	-13	-47	-32	-41	-85	-133	-160	-78	0	-50
MEAN PRECIP (IN)	3.15	4.00	5.92	4.61	4.18	6.64	8.39	6.44	5.85	2.68	2.71	3.62	58.2	21	-72214
MEAN SNOW FALL (IN)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	-72214
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	7.5	7.5	7.1	6.9	9.3	10.9	9.1	8.6	4.6	4.6	7.0	89.5	21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72214
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.2	5.9	5.0	2.7	5.0	2.5	1.0	0.8	0.9	1.5	4.4	4.7	41.6	12	-72214
MEAN NO DYS TSTMS	1.4	2.4	4.0	5.3	8.8	13.9	19.5	15.4	8.2	2.1	1.2	1.1	83.3	12	-72214
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.8	1.2	1.1	0.2	0.2	0.2	0.2	0.4	0.3	0.4	0.5	0.5	12	-72214
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72214
P FREQ LES 5000 FT A/D LES 5 MI	33.5	37.4	32.3	24.2	22.9	20.8	19.3	16.6	25.0	21.2	24.9	32.2	25.9	12	-72214
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.0	24.1	24.6	14.4	9.2	5.3	2.6	1.8	7.7	9.4	16.1	18.7	13.2	12	-72214
03-05 LST	30.1	31.3	28.5	19.7	22.6	13.1	7.0	7.1	13.9	13.1	20.0	24.2	19.2	12	-72214
06-08 LST	32.1	34.9	29.2	22.6	28.0	18.1	9.7	11.4	22.6	18.1	22.4	27.8	23.1	12	-72214
09-11 LST	25.1	23.7	20.7	11.6	7.9	6.5	4.8	8.2	14.6	11.6	16.8	22.8	14.5	12	-72214
12-14 LST	11.6	13.4	9.7	4.9	1.5	2.1	2.4	3.6	5.5	5.9	8.0	13.6	6.9	12	-72214
15-17 LST	7.3	10.9	7.4	4.4	2.2	2.7	1.8	1.6	4.7	6.1	5.6	9.6	5.4	12	-72214
18-20 LST	9.9	14.4	9.3	5.2	2.0	1.3	0.9	1.4	4.8	4.5	6.9	11.9	6.0	12	-72214
21-23 LST	17.5	19.0	16.3	7.0	2.8	2.0	1.8	1.2	5.5	6.5	9.7	14.6	8.7	12	-72214
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.2	10.7	9.4	3.8	3.1	0.7	0.6	0.1	0.3	3.1	7.8	8.5	5.0	12	-72214
03-05 LST	16.8	14.8	10.4	8.0	12.1	4.5	1.6	2.0	1.8	4.0	10.6	10.1	8.1	12	-72214
06-08 LST	17.2	14.5	9.6	6.5	9.3	4.7	1.5	2.0	3.0	3.7	10.0	11.1	7.8	12	-72214
09-11 LST	5.0	3.9	1.1	0.3	0.0	0.1	0.0	0.3	0.0	0.5	2.5	4.3	1.5	12	-72214
12-14 LST	0.4	0.9	0.4	0.3	0.0	0.0	0.4	0.3	0.4	0.2	0.1	0.3	0.3	12	-72214
15-17 LST	0.3	0.8	0.1	0.2	0.1	0.1	0.4	0.4	0.5	0.0	0.0	0.4	0.3	12	-72214
18-20 LST	1.8	1.7	0.5	0.1	0.0	0.1	0.2	0.0	0.0	0.1	1.1	1.0	0.6	12	-72214
21-23 LST	6.7	6.3	3.2	0.6	0.2	0.0	0.2	0.1	0.0	0.6	3.5	4.0	2.1	12	-72214

# BOYD, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR NO. (YRS) QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.8	29.3	29.3	30.7	29.8	30.8	30.8	28.9	29.7	28.7	28.0	350.9	12 -72214
	00 LST	24.8	23.3	25.0	27.2	29.9	29.1	30.5	30.7	27.0	28.7	25.9	26.6	330.7	12 -72214
	06 LST	22.9	20.5	23.8	24.5	22.3	25.0	28.1	27.7	15.0	26.6	24.2	23.7	294.3	12 -72214
	12 LST	27.7	24.9	29.0	28.7	30.7	29.6	30.6	30.3	28.7	29.5	28.1	27.5	345.3	12 -72214
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	24.7	19.0	19.0	20.3	24.1	25.5	27.8	28.9	26.7	28.1	25.9	25.0	295.0	12 -72214
	00 LST	21.4	20.0	21.1	24.7	29.0	28.1	30.1	30.6	27.1	26.7	22.8	22.8	304.4	12 -72214
	06 LST	18.6	16.6	19.4	21.3	20.7	24.1	27.6	27.0	22.0	23.7	21.3	20.0	262.3	12 -72214
	12 LST	15.8	13.5	15.1	16.1	23.3	24.3	27.1	26.3	21.5	21.1	18.0	17.1	239.2	12 -72214
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.2	0.4	0.3	0.1	0.0	0.1	0.0	0.2	0.1	0.0	0.1	1.5	12 -72214
	00 LST	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.9	12 -72214
	06 LST	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.7	12 -72214
	12 LST	0.6	0.3	0.7	0.6	0.0	0.2	0.1	0.0	0.2	0.1	0.2	0.5	3.5	12 -72214
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.9	21.7	22.0	22.7	23.3	20.1	19.4	19.5	19.1	17.5	16.6	18.4	242.2	12 -72214
	00 LST	13.4	12.1	13.6	11.6	11.2	10.4	7.9	9.5	13.8	14.1	13.4	13.7	144.7	12 -72214
	06 LST	11.9	13.0	14.1	12.5	11.5	8.1	7.5	7.8	14.2	15.2	14.0	13.5	143.3	12 -72214
	12 LST	19.4	17.3	19.6	17.6	20.9	17.3	18.0	17.6	20.9	22.6	20.9	22.1	234.2	12 -72214
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.6	9.4	9.6	11.3	8.6	4.7	2.5	4.6	5.4	14.1	12.5	10.4	102.7	12 -72214
	00 LST	12.7	12.5	11.7	15.1	17.5	14.2	12.1	13.1	13.2	18.2	14.3	13.8	168.4	12 -72214
	06 LST	11.1	10.1	9.4	10.7	8.4	7.1	5.5	9.4	8.7	15.7	13.8	11.7	121.6	12 -72214
	12 LST	8.6	8.2	8.5	7.7	6.7	3.5	0.7	3.3	4.1	11.0	10.7	9.5	82.5	12 -72214
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.8	23.0	27.3	27.8	29.6	29.1	30.4	30.0	27.4	29.1	26.9	25.9	333.3	12 -72214
	00 LST	23.1	21.3	23.3	25.9	29.1	28.3	30.2	30.4	27.2	27.6	24.9	24.6	315.9	12 -72214
	06 LST	20.7	18.1	21.2	22.6	21.0	23.6	27.3	27.0	23.1	24.9	22.7	21.8	274.0	12 -72214
	12 LST	24.5	21.7	25.1	26.0	28.8	27.9	28.1	27.8	25.3	27.0	24.9	23.6	310.7	12 -72214
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.5	21.6	24.9	25.1	26.2	26.1	26.2	27.7	24.2	26.9	24.4	22.5	300.3	12 -72214
	00 LST	21.5	19.2	21.7	24.1	28.0	27.0	29.3	29.6	25.7	26.3	23.6	21.8	297.8	12 -72214
	06 LST	18.7	16.2	19.4	20.8	20.0	22.7	26.2	26.1	22.1	23.3	21.9	19.4	256.8	12 -72214
	12 LST	20.6	18.1	20.6	20.5	21.1	19.6	19.1	20.3	17.1	23.3	22.0	20.3	243.4	12 -72214
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.9	20.0	23.4	24.5	25.1	25.3	25.5	27.0	23.4	25.6	23.6	21.3	287.6	12 -72214
	00 LST	20.6	17.7	19.3	23.3	26.9	26.0	28.6	28.8	24.9	24.9	22.5	20.7	284.2	12 -72214
	06 LST	17.2	14.5	17.8	20.3	18.6	21.2	25.6	25.6	21.3	21.9	20.3	17.2	241.5	12 -72214
	12 LST	18.7	16.7	19.6	19.6	20.4	18.9	18.4	20.0	16.5	22.7	21.8	19.0	232.3	12 -72214

PENSACOLA/BRONSON OLF, FLORIDA

STA NO. 75148 (IN AREA NUMBER 15)

LATITUDE 3024N

LONGITUDE 08727W

ELEVATION(FT) 00027

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	77	85	90	100	100	104	101	96	93	85	79	104	11	2872
MEAN MAX TMP (F)	62	65	70	75	83	88	89	90	86	78	68	63	76	11	2872
MEAN MIN TMP (F)	45	48	54	60	67	73	75	74	71	59	50	45	60	11	2934
ABS MIN TMP (F)	23	13	26	40	44	57	68	62	56	34	25	20	13	11	2934
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	2.6	10.5	15.4	19.4	6.2	0.8	0.0	0.0	59.0	11	2872
MEAN NO DYS TMP = OR LES 32(F)	2.8	2.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.8	11.2	11	2934
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2934
MEAN DEW PT TMP (F)	45	48	51	59	64	70	74	73	70	58	49	47	59	11	45614
MEAN REL HUM (PCT)	77	74	72	75	73	73	77	76	78	72	73	76	75	11	45576
MEAN PRESS ALT (FT)	-186	-192	-98	-67	-44	-27	-65	-50	-57	-104	-154	-183	-98	0	-50
MEAN PRECIP (IN)	3.45	4.86	8.86	6.51	12.36	4.49	7.12	6.01	10.72	5.09	2.90	4.34	76.7	8	2217
MEAN SNOW FALL (IN)	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	10	2010
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	6.0	4.8	5.3	4.9	5.9	8.6	7.4	8.5	3.9	4.2	6.9	71.9	8	2217
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	2010
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	3.2	4.1	3.3	1.1	0.5	0.3	0.5	0.8	0.6	1.2	3.8	24.0	11	1971
MEAN NO DYS TSTMS	0.9	2.7	3.1	3.3	6.2	9.5	10.7	12.0	8.5	2.1	1.8	2.3	63.1	11	2154
P FREQ WND SPD = OR GTR 17 KTS	1.9	3.0	3.8	3.7	1.5	2.1	0.8	0.5	1.6	0.3	1.3	1.4	1.8	11	45591
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	11	45591
P FREQ LES 5000 FT A/D LES 5 MI	39.6	34.2	33.7	31.9	26.0	18.1	16.2	16.0	22.0	16.3	23.3	32.1	25.8	11	45593
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.2	14.6	19.6	20.9	10.7	1.6	1.2	1.7	8.0	3.6	11.6	11.3	10.5	11	5280
03-05 LST	25.4	17.8	21.8	29.2	18.5	5.1	2.7	2.7	10.1	6.2	13.2	14.3	13.9	10	5600
06-08 LST	28.9	25.6	28.2	26.8	20.5	8.1	9.1	8.0	15.3	15.0	19.4	26.4	19.3	13	10455
09-11 LST	24.0	19.3	22.6	21.8	15.4	7.3	7.0	6.0	14.5	9.6	11.4	21.8	15.1	13	11041
12-14 LST	16.4	13.7	17.4	14.5	9.1	4.0	4.2	3.9	9.5	6.1	10.1	15.3	10.4	13	10971
15-17 LST	16.1	12.5	14.6	14.7	8.3	3.0	3.6	1.7	6.6	3.4	9.9	14.9	9.1	13	9536
18-20 LST	14.5	14.7	13.1	16.9	8.3	2.0	2.9	2.3	6.3	2.0	7.3	11.9	8.5	12	8203
21-23 LST	17.2	13.5	16.4	15.5	6.6	2.3	1.0	0.9	5.8	1.3	11.4	11.1	8.6	12	6472
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	2.8	6.3	3.3	0.8	0.0	0.0	0.2	0.2	0.0	3.1	4.5	2.4	11	5280
03-05 LST	8.1	5.5	8.8	7.2	3.2	0.7	0.0	0.4	0.4	1.5	4.7	6.1	3.9	10	5600
06-08 LST	9.3	8.3	7.2	5.0	1.0	0.8	0.7	1.4	1.1	2.0	4.8	6.6	4.0	13	10455
09-11 LST	3.3	2.6	1.5	0.7	0.1	0.3	0.1	0.3	0.3	0.1	0.6	2.8	1.1	13	11041
12-14 LST	1.7	0.3	1.0	0.3	0.1	0.6	0.1	0.8	0.3	0.0	0.2	1.2	0.6	13	10971
15-17 LST	1.3	1.4	1.7	0.2	0.1	0.0	0.4	0.2	0.3	0.1	0.5	1.3	0.6	13	9536
18-20 LST	2.7	2.7	2.7	0.9	0.3	0.0	0.0	0.3	0.6	0.0	0.9	1.6	1.1	12	8203
21-23 LST	5.0	2.5	3.8	1.9	0.0	0.0	0.0	0.2	0.0	0.2	1.6	4.2	1.6	12	6472

# PENSACOLA/BRONSON OLF, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	24.9	27.8	25.2	30.1	29.7	30.5	30.4	28.8	30.5	28.7	27.7	341.7	13	3131
	00 LST	26.1	25.8	26.8	25.1	29.9	29.8	30.8	30.8	28.7	30.7	27.6	28.3	340.4	12	2140
	06 LST	23.9	22.3	23.7	23.6	26.5	28.4	29.5	29.2	27.7	27.8	24.6	24.7	311.9	13	3769
	12 LST	27.4	24.8	26.7	26.7	29.9	29.5	30.3	30.1	27.6	30.1	28.1	27.3	338.5	13	3753
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.4	19.0	21.5	18.5	20.2	20.7	23.7	26.2	24.1	27.4	23.2	21.6	266.5	13	3127
	00 LST	20.6	20.7	21.3	21.6	25.2	28.3	28.5	29.4	26.1	28.1	23.5	23.4	296.7	12	2140
	06 LST	17.9	16.2	17.9	17.6	21.4	24.4	25.5	27.5	22.1	23.1	19.9	18.3	251.8	13	3765
	12 LST	13.1	9.9	10.9	9.6	11.7	13.3	19.5	20.2	16.0	18.3	14.7	14.6	171.8	13	3751
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	1.1	1.0	1.0	0.6	0.2	0.4	0.2	0.5	0.1	0.4	0.6	6.4	13	3065
	00 LST	0.3	0.5	0.4	0.5	0.0	0.2	0.0	0.2	0.2	0.2	0.0	0.0	2.7	12	2101
	06 LST	0.3	0.8	0.6	0.8	0.0	0.2	0.1	0.0	0.3	0.4	0.0	0.6	4.1	13	3658
	12 LST	2.3	2.4	2.5	2.5	1.3	0.9	0.6	0.3	0.6	0.1	1.7	0.8	16.0	13	3697
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.8	20.3	23.2	22.4	24.7	22.9	22.8	21.0	21.5	21.0	17.9	19.2	257.7	13	3017
	00 LST	20.0	18.1	19.2	16.6	16.3	15.2	12.3	12.1	14.3	19.4	17.6	16.6	197.7	12	2087
	06 LST	20.6	16.7	20.3	19.2	18.3	18.5	15.4	17.9	19.9	21.3	20.6	18.2	227.1	13	3611
	12 LST	18.1	15.4	17.5	14.8	16.4	14.6	16.6	13.9	20.0	23.4	18.2	19.0	207.9	13	3648
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	8.7	7.9	9.0	8.2	7.1	3.1	6.3	6.6	16.9	13.6	11.7	108.2	10	2789
	00 LST	13.1	14.3	11.7	14.3	16.7	14.0	13.1	16.3	16.2	22.3	16.1	15.3	183.6	10	2039
	06 LST	9.7	9.0	9.1	8.6	9.8	7.8	5.1	10.2	9.0	16.1	10.8	10.0	115.2	10	3062
	12 LST	9.0	7.9	9.4	8.8	6.3	5.3	1.1	4.4	5.6	14.6	11.0	8.2	91.6	10	3060
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.1	22.0	24.9	23.6	27.1	27.6	27.6	29.1	26.0	29.1	25.7	24.1	309.9	13	3131
	00 LST	22.7	22.7	23.5	23.4	27.5	29.1	30.0	30.0	28.1	29.6	25.7	26.0	318.3	12	2140
	06 LST	19.8	19.0	20.6	21.2	22.6	25.9	25.9	27.6	24.3	24.7	22.1	20.6	274.3	13	3709
	12 LST	22.7	21.3	22.6	23.7	22.9	24.2	24.1	24.8	22.6	26.8	24.6	22.4	282.7	13	3753
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	19.2	22.9	22.7	25.8	26.2	26.6	28.1	22.8	27.2	24.0	21.3	286.3	13	3131
	00 LST	19.6	20.3	21.5	22.2	26.6	27.9	29.5	28.7	26.6	28.1	24.4	23.4	299.0	12	2140
	06 LST	15.5	16.2	18.3	19.3	21.1	24.2	24.0	25.9	22.3	23.7	20.3	18.0	248.8	13	3769
	12 LST	19.4	18.6	20.5	20.4	20.2	21.7	19.5	20.2	20.0	24.1	22.8	20.1	247.5	13	3753
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	18.0	20.2	21.3	24.8	24.9	25.0	27.2	21.1	25.9	22.4	19.9	268.7	13	3131
	00 LST	18.9	19.9	20.0	21.9	26.1	27.4	28.8	28.3	25.4	27.7	23.0	21.5	288.9	12	2140
	06 LST	14.6	14.8	16.7	17.9	20.0	22.9	22.9	25.2	20.1	23.4	19.1	19.7	233.3	13	3769
	12 LST	17.2	16.5	18.9	19.1	19.1	21.2	18.5	19.9	18.7	23.3	20.9	18.2	231.5	13	3753

PENSACOLA/CHEVALIER NAS, FLORIDA

STA NO. 75149 (IN AREA NUMBER 19)

LATITUDE 3020N

LONGITUDE 08716W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	75	74	80	90	96	99	96	101	95	88	82	77	101	11	3759
MEAN MAX TMP (F)	62	63	67	72	79	84	86	87	83	77	67	62	74	11	3759
MEAN MIN TMP (F)	50	51	55	62	69	76	76	77	73	64	53	48	63	11	3759
ABS MIN TMP (F)	20	12	28	41	48	61	65	66	58	40	21	21	12	11	3759
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.6	2.4	2.9	5.9	1.0	0.0	0.0	0.0	12.9	11	3759
MEAN NO DYS TMP = OR LES 32(F)	1.5	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.5	5.0	11	3759
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3759
MEAN DEW PT TMP (F)	51	49	53	60	66	72	73	74	70	61	52	48	61	11	90198
MEAN REL HUM (PCT)	82	78	77	77	77	77	78	77	77	74	75	79	77	11	90170
MEAN PRESS ALT (FT)	-204	-170	-117	-86	-63	-45	-84	-68	-76	-123	-173	-201	-117	0	-50
MEAN PRECIP (IN)	2.74	3.90	7.23	4.58	4.10	4.52	6.87	4.94	8.20	1.47	4.43	3.93	56.9	11	3733
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3757
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	5.1	6.7	5.2	5.6	5.8	9.3	7.0	6.6	2.3	5.1	5.7	71.0	11	3733
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3757
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.4	4.9	5.1	3.1	0.7	0.1	0.9	0.5	0.6	1.0	1.6	4.0	28.9	11	3759
MEAN NO DYS TSTMS	1.8	2.8	4.4	4.7	6.4	9.5	15.0	14.9	7.2	1.8	2.5	2.5	73.5	11	3759
P FREQ WND SPD = OR GTR 17 KTS	6.8	8.8	8.8	8.5	4.3	2.8	3.6	3.0	12.8	7.2	6.5	9.0	6.8	11	90009
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.4	0.2	0.0	0.0	0.1	0.2	0.9	0.1	0.1	0.1	0.2	11	90009
P FREQ LES 5000 FT A/O LES 5 MI	39.1	36.3	35.2	25.8	19.7	15.2	15.9	13.1	21.8	15.1	24.3	35.3	24.7	11	90163
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.3	18.9	21.1	18.1	8.8	2.1	1.5	1.1	5.3	4.1	12.6	16.6	11.1	11	11281
03-05 LST	27.0	25.5	22.2	20.5	11.0	4.1	4.5	4.2	7.9	8.1	14.7	19.8	14.1	11	11278
06-08 LST	32.0	29.1	26.4	21.4	13.6	6.9	7.4	6.6	14.2	14.7	16.8	25.4	17.9	11	11273
09-11 LST	27.0	21.7	19.4	16.1	10.5	4.0	5.7	4.8	13.7	10.8	15.0	20.9	14.1	11	11276
12-14 LST	19.0	15.2	16.0	12.5	7.1	3.1	3.8	2.4	10.0	4.4	11.1	18.4	10.3	11	11280
15-17 LST	18.9	13.1	18.3	11.8	5.6	3.0	3.5	1.9	7.9	3.7	9.8	18.3	9.7	11	11273
18-20 LST	18.0	13.4	18.1	12.0	5.4	1.0	2.7	1.9	6.8	3.7	9.0	15.3	8.9	11	11275
21-23 LST	19.0	14.7	18.2	13.2	5.7	3.0	1.1	0.3	4.4	2.3	13.4	14.9	8.9	11	11267
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.1	6.8	7.7	3.1	0.8	0.1	0.1	0.1	0.0	1.0	2.0	4.5	2.9	11	11281
03-05 LST	10.3	8.1	7.1	4.7	0.9	0.2	0.2	0.3	0.2	1.4	2.6	5.1	3.4	11	11278
06-08 LST	10.4	8.1	5.1	3.4	1.3	0.1	0.3	0.3	1.0	2.4	2.6	5.8	3.4	11	11273
09-11 LST	5.8	4.2	3.3	0.9	0.6	0.6	0.3	0.4	1.0	0.4	1.8	3.2	1.9	11	11276
12-14 LST	3.9	3.1	2.2	0.7	0.0	0.3	0.1	0.5	0.8	0.0	0.7	2.8	1.3	11	11280
15-17 LST	3.5	3.7	2.9	0.7	0.0	0.1	0.3	0.3	0.6	0.2	1.1	2.6	1.3	11	11273
18-20 LST	5.3	3.5	4.1	0.8	0.1	0.0	0.3	0.3	0.0	0.1	0.8	2.0	1.4	11	11275
21-23 LST	6.9	4.9	6.2	1.0	0.0	0.4	0.1	0.0	0.0	0.0	1.1	3.0	2.0	11	11267



# PENSACOLA/CHEVALIER NAS, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	24.7	27.2	25.1	30.1	29.8	30.8	30.4	28.9	30.7	28.6	27.5	341.2	13	3309
	00 LST	26.1	25.9	26.6	25.1	29.9	29.9	30.8	30.8	29.0	30.5	27.8	27.8	340.2	12	2396
	06 LST	23.9	21.9	23.5	23.9	26.4	28.6	29.6	29.1	27.8	27.9	25.1	24.7	312.4	13	3846
	12 LST	27.4	24.6	26.5	26.8	30.0	29.5	30.4	30.1	27.5	30.2	28.0	27.2	338.2	13	3831
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.4	18.2	21.2	18.1	19.3	20.2	24.4	26.7	24.5	28.2	23.9	21.9	267.0	13	3305
	00 LST	20.6	20.8	21.0	20.8	24.9	27.6	28.7	29.5	26.1	27.9	24.1	23.1	295.1	12	2396
	06 LST	17.9	15.8	17.5	17.3	21.0	24.4	26.0	27.4	22.5	24.0	20.9	18.6	253.3	13	3842
	12 LST	13.1	9.3	11.0	9.0	11.6	12.4	19.7	20.6	16.4	18.9	14.7	14.8	171.5	13	3829
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	1.2	0.9	1.2	0.5	0.2	0.3	0.2	0.4	0.1	0.3	0.4	6.0	13	3244
	00 LST	0.3	0.3	0.4	0.8	0.0	0.2	0.0	0.1	0.3	0.1	0.2	0.2	3.1	12	2351
	06 LST	0.3	0.7	0.7	0.7	0.0	0.2	0.1	0.0	0.3	0.3	0.0	0.5	3.8	13	3735
	12 LST	2.3	2.3	2.6	3.0	1.6	1.1	0.6	0.3	0.5	0.1	1.4	0.8	16.6	13	3772
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.8	19.9	22.8	21.4	24.0	22.8	23.2	20.6	21.0	20.2	17.3	19.6	253.6	13	3197
	00 LST	20.0	18.1	18.9	16.9	17.0	15.3	13.1	12.0	14.1	19.1	17.0	16.8	198.3	12	2337
	06 LST	20.6	16.7	20.2	18.9	18.5	18.6	15.0	16.8	19.6	21.9	20.4	18.2	225.4	13	3688
	12 LST	18.1	15.0	17.4	14.3	15.7	13.7	16.5	13.9	20.4	23.5	18.4	19.2	206.1	13	3723
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	8.7	7.9	9.0	8.2	7.1	3.1	8.3	6.6	16.9	13.6	11.7	108.2	10	2789
	00 LST	13.1	14.3	11.7	14.3	16.7	14.0	13.1	16.3	16.2	22.3	16.1	15.5	183.6	10	2039
	06 LST	9.7	9.0	9.1	8.6	9.8	7.8	5.1	10.2	9.0	16.1	10.8	10.0	115.2	10	3062
	12 LST	9.0	7.9	9.4	8.8	6.3	5.3	1.1	4.4	5.6	14.6	11.0	8.2	91.6	10	3060
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.1	21.8	24.8	23.6	27.1	27.8	28.2	29.3	26.0	29.2	25.8	23.8	310.5	13	3309
	00 LST	22.7	22.8	23.3	23.3	27.5	29.1	30.0	30.0	27.8	29.4	26.1	25.2	317.2	12	2396
	06 LST	19.8	18.6	20.2	21.5	22.6	26.3	26.2	27.5	24.2	24.8	22.7	20.9	275.3	13	3846
	12 LST	22.7	20.9	22.6	23.8	22.9	24.7	25.3	25.3	23.0	26.9	24.9	22.4	285.6	13	3831
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	18.7	22.5	22.5	25.9	26.4	27.3	28.3	23.0	27.5	24.2	20.4	286.7	13	3309
	00 LST	19.6	20.5	21.2	22.0	26.7	27.8	29.3	28.8	26.0	27.4	24.7	22.5	297.0	12	2396
	06 LST	15.5	16.0	17.9	19.6	21.1	24.6	24.3	25.8	22.2	23.8	20.8	18.3	249.9	13	3846
	12 LST	19.4	18.0	20.5	20.7	20.4	22.4	20.6	21.3	20.6	24.3	23.0	20.0	251.2	13	3831
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	17.6	19.7	21.1	24.7	25.2	25.3	27.1	21.2	26.1	22.7	19.5	288.2	13	3309
	00 LST	18.9	19.7	19.7	21.4	26.3	27.3	28.7	28.2	24.8	27.6	23.5	20.9	287.0	12	2396
	06 LST	14.6	14.6	16.5	17.9	20.1	23.3	23.3	25.1	20.0	23.4	19.6	15.9	234.3	13	3846
	12 LST	17.2	16.0	19.1	19.4	19.3	22.0	19.4	20.8	19.2	23.5	21.3	18.3	235.5	13	3831

## JACKSONVILLE/HERLONG, FLORIDA

STA NO. 75153 (IN AREA NUMBER 15)

LATITUDE 3016N

LONGITUDE 08148W

ELEVATION(FT) 00087

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	91	93	99	102	100	100	98	96	88	83	102	12	-75154
MEAN MAX TMP (F)	67	69	73	79	86	90	91	91	87	79	72	66	79	12	-75154
MEAN MIN TMP (F)	47	50	54	60	68	73	75	75	73	65	54	47	62	12	-75154
ABS MIN TMP (F)	24	24	31	40	52	62	68	66	57	40	21	24	21	12	-75154
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.2	9.3	16.2	22.1	20.6	8.9	0.9	0.0	0.0	78.3	12	-75154
MEAN NO DYS TMP = DR LES 32(F)	1.7	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.1	5.9	12	-75154
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75154
MEAN DEW PT TMP (F)	46	49	50	56	64	70	73	73	71	63	54	47	60	12	-75154
MEAN REL HUM (PCT)	73	72	68	68	69	74	77	77	79	77	75	75	74	12	-75154
MEAN PRESS ALT (FT)	-123	-89	-48	-21	-6	8	-23	-7	-12	-52	-100	-124	-49	0	-50
MEAN PRECIP (IN)	2.29	3.01	3.27	2.88	3.43	4.51	6.26	6.13	6.65	4.90	1.33	1.71	46.0	12	-75154
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75154
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	5.1	5.0	4.4	4.9	7.8	10.2	9.2	9.2	6.1	2.8	4.0	72.3	12	-75154
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75154
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.6	2.7	1.2	0.9	0.4	0.6	0.5	0.8	2.7	4.0	4.5	25.5	12	-75154
MEAN NO DYS TSTMS	0.3	1.0	2.5	3.8	6.1	9.2	13.6	10.8	6.5	1.5	0.4	0.4	56.1	12	-75154
P FREQ WND SPD = DR GTR 17 KTS	2.9	4.0	4.2	2.0	1.5	1.8	0.9	0.8	3.4	4.1	2.8	3.8	2.7	12	-75154
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	12	-75154
P FREQ LES 5000 FT A/D LES 5 MI	30.8	30.1	25.9	21.7	21.5	21.0	21.2	20.2	29.0	33.9	27.6	33.3	26.4	12	-75154
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.9	11.7	10.7	6.5	3.1	1.8	0.9	2.3	4.1	13.3	14.6	16.1	8.3	12	-75154
03-05 LST	20.1	18.8	15.6	8.0	8.0	4.2	3.3	3.9	7.4	17.3	21.3	19.4	12.3	12	-75154
06-08 LST	27.8	26.1	21.9	13.3	10.7	5.9	6.5	7.9	14.4	24.5	28.2	27.5	17.9	12	-75154
09-11 LST	22.5	18.1	16.4	8.2	5.8	3.0	3.2	4.8	12.4	18.7	21.2	23.5	13.2	12	-75154
12-14 LST	11.1	10.7	8.8	4.5	2.9	1.9	3.5	3.9	7.9	10.1	9.5	13.4	7.4	12	-75154
15-17 LST	7.8	8.8	7.3	4.0	2.5	3.5	3.4	5.7	8.0	10.3	7.0	12.0	6.7	12	-75154
18-20 LST	9.5	10.2	7.9	6.8	4.4	4.5	2.4	4.7	7.6	11.6	8.0	13.4	7.6	12	-75154
21-23 LST	10.0	9.9	7.9	4.2	3.5	1.7	1.5	2.5	3.3	8.8	8.8	14.3	6.4	12	-75154
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.9	2.7	2.9	1.3	0.2	0.2	0.0	0.2	0.2	1.9	5.7	5.4	2.2	12	-75154
03-05 LST	9.2	4.3	4.9	2.0	1.1	0.5	0.4	0.4	0.6	4.5	9.1	7.2	3.7	12	-75154
06-08 LST	10.1	7.6	5.6	3.2	1.8	0.5	0.7	0.5	2.2	6.3	10.1	9.3	4.8	12	-75154
09-11 LST	6.8	3.4	1.5	0.4	0.3	0.0	0.0	0.3	0.4	1.9	4.6	4.7	2.0	12	-75154
12-14 LST	0.9	0.6	0.6	0.2	0.3	0.0	0.2	0.4	0.3	0.7	0.1	1.0	0.4	12	-75154
15-17 LST	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.2	0.1	1.3	0.4	12	-75154
18-20 LST	2.2	1.5	0.9	0.3	0.1	0.2	0.2	0.4	0.2	0.3	0.6	3.4	0.9	12	-75154
21-23 LST	4.1	1.7	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.8	1.9	5.7	1.3	12	-75154

# JACKSONVILLE/HERLONG, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.6	26.2	29.0	28.6	30.7	29.0	30.7	30.2	28.4	28.9	28.4	27.8	346.5	12	-75154
	01 LST	26.9	25.3	28.4	28.6	30.2	30.0	30.8	30.4	29.3	27.6	26.0	26.5	340.0	12	-75154
	07 LST	22.7	21.4	25.5	26.5	28.2	28.4	29.3	29.0	26.5	24.5	21.9	23.4	307.3	12	-75154
	13 LST	28.7	26.1	29.2	29.3	30.6	29.8	30.4	30.2	29.0	29.3	28.3	28.1	349.0	12	-75154
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	18.8	20.5	18.8	19.1	18.6	22.5	23.4	21.8	22.0	22.3	22.9	234.8	12	-75154
	01 LST	21.3	19.4	21.8	23.4	25.1	26.9	28.8	28.8	25.1	21.3	20.6	21.2	283.7	12	-75154
	07 LST	16.2	15.2	16.8	21.3	24.1	25.0	27.4	26.6	22.7	18.3	15.4	15.0	244.0	12	-75154
	13 LST	17.8	13.1	15.8	15.8	18.7	20.7	21.6	22.1	16.5	15.2	16.6	17.0	210.9	12	-75154
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	1.2	1.1	0.7	0.3	0.5	0.2	0.4	0.5	0.9	0.4	0.7	7.4	12	-75154
	01 LST	0.5	0.3	0.7	0.2	0.3	0.2	0.2	0.0	0.4	0.4	1.1	0.8	5.1	12	-75154
	07 LST	0.6	0.9	0.7	0.2	0.1	0.2	0.0	0.0	0.4	0.7	0.9	0.9	5.6	12	-75154
	13 LST	1.9	2.5	2.9	1.0	0.3	1.3	0.2	0.5	1.9	2.4	1.2	2.1	18.2	12	-75154
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.2	20.3	22.4	22.1	22.6	22.6	21.0	23.7	23.4	22.2	20.7	18.6	260.8	12	-75154
	01 LST	16.0	17.6	19.9	21.2	21.9	23.6	21.5	21.6	19.3	19.2	17.8	16.4	236.0	12	-75154
	07 LST	15.2	15.5	16.0	19.0	22.4	20.7	20.3	18.6	16.9	19.7	16.8	15.8	216.7	12	-75154
	13 LST	18.7	14.3	17.7	17.7	18.6	12.3	9.3	9.3	13.8	18.3	17.9	18.0	185.9	12	-75154
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.8	10.7	8.6	10.1	7.2	3.9	2.2	2.6	4.0	12.3	14.4	12.8	101.6	12	-75154
	01 LST	16.1	14.2	14.3	17.0	18.6	15.1	13.7	15.3	13.9	16.2	15.8	15.0	185.2	12	-75154
	07 LST	9.3	8.1	7.0	10.1	9.9	7.0	6.0	7.0	5.0	8.7	9.5	8.7	96.3	12	-75154
	13 LST	7.4	8.3	7.7	7.0	4.6	1.8	0.7	1.0	1.7	5.4	7.6	8.6	61.8	12	-75154
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	23.9	27.4	26.6	28.6	26.6	28.7	27.6	25.7	24.9	26.7	26.3	320.2	12	-75154
	01 LST	25.7	23.4	26.7	27.5	29.9	29.1	30.3	29.6	27.2	25.2	25.0	25.5	325.1	12	-75154
	07 LST	21.0	19.6	23.2	24.9	27.2	27.5	28.6	27.7	24.5	22.1	20.6	21.2	288.1	12	-75154
	13 LST	25.3	23.1	26.4	26.5	27.4	25.4	26.1	26.5	21.5	23.6	24.8	24.8	301.4	12	-75154
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.8	21.6	24.4	24.8	26.1	23.6	24.3	25.1	23.0	23.6	25.1	23.3	289.7	12	-75154
	01 LST	23.9	21.5	24.9	25.9	28.8	28.2	29.3	29.1	25.6	23.6	23.8	22.9	307.5	12	-75154
	07 LST	18.3	17.4	20.2	23.3	25.7	26.0	27.7	27.2	23.3	20.2	19.1	18.8	267.2	12	-75154
	13 LST	20.6	18.9	21.5	18.4	17.4	15.5	14.1	16.3	12.1	17.2	21.4	21.4	214.8	12	-75154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	20.5	23.1	23.2	24.4	22.0	22.9	23.3	21.8	21.7	23.6	22.0	271.7	12	-75154
	01 LST	22.8	20.1	23.6	24.7	27.7	27.2	28.8	28.4	24.5	23.0	22.4	21.6	294.8	12	-75154
	07 LST	17.0	15.4	18.2	22.3	24.2	24.8	26.7	26.3	22.1	18.3	17.6	17.3	250.2	12	-75154
	13 LST	19.8	17.9	20.4	17.6	16.9	14.7	13.6	15.8	11.6	16.1	19.6	19.7	203.7	12	-75154

## JACKSONVILLE/NAS, FLORIDA

STA NO. 75134 (IN AREA NUMBER 15)

LATITUDE 3014N

LONGITUDE 0814W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	91	93	99	102	100	100	98	96	88	83	102	12	4383
MEAN MAX TMP (F)	67	69	73	79	86	90	91	91	87	79	72	66	79	12	4383
MEAN MIN TMP (F)	47	50	54	60	68	73	75	75	73	63	54	47	62	12	4383
ABS MIN TMP (F)	24	24	31	40	52	62	68	66	57	40	21	24	21	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	1	9.3	16.2	22.1	20.6	8.9	0.9	0.0	0.0	78.3	12	4383
MEAN NO DYS TMP = OR LES 32(F)	1.7	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.1	5.9	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	46	49	50	56	64	70	73	73	71	63	54	47	60	12	105108
MEAN REL HUM (PCT)	73	72	68	68	69	74	77	77	79	77	75	73	74	12	105084
MEAN PRESS: ALT (FT)	-189	-156	-115	-88	-73	-59	-90	-75	-80	-119	-167	-191	-116	0	-50
MEAN PRECIP (IN)	2.29	3.01	3.27	2.88	3.43	4.51	6.26	6.13	6.65	4.50	1.33	1.71	46.0	12	4371
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4378
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	5.1	5.0	4.4	4.9	7.8	10.2	9.2	9.2	6.1	2.8	4.0	72.3	12	4371
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4378
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.6	2.7	1.2	0.9	0.4	0.6	0.5	0.8	2.7	4.0	4.5	25.5	12	4382
MEAN NO DYS TSTMS	0.3	1.0	2.5	3.8	6.1	9.2	13.6	10.8	6.5	1.5	0.4	0.4	54.1	12	4383
P FREQ WND SPD = OR GTR 17 KTS	2.9	4.0	4.2	2.0	1.5	1.8	0.9	0.8	3.4	4.1	2.8	3.8	2.7	12	105145
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	12	105145
P FREQ LES 5000 FT A/D LES 5 MI	30.8	30.1	25.9	21.7	21.5	21.0	21.2	20.2	29.0	33.9	27.6	33.3	26.4	12	105166
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.9	11.7	10.7	6.5	3.1	1.8	0.9	2.3	4.1	13.3	14.6	16.1	8.3	12	13149
03-05 LST	20.1	18.8	15.6	8.0	8.0	4.2	3.3	3.9	7.4	17.3	21.3	19.4	12.3	12	13149
06-08 LST	27.8	26.1	21.9	13.3	10.7	5.9	6.5	7.9	14.4	24.5	28.2	27.5	17.9	12	13148
09-11 LST	22.5	18.1	16.4	8.2	5.8	3.0	3.2	4.8	12.4	18.7	21.2	23.5	13.2	12	13149
12-14 LST	11.1	10.7	8.8	4.5	2.9	1.9	3.5	3.9	7.9	10.1	9.5	13.4	7.4	12	13146
15-17 LST	7.8	8.8	7.3	4.0	2.5	3.5	3.4	5.7	8.0	10.3	7.0	12.0	6.7	12	13146
18-20 LST	9.5	10.2	7.9	6.8	4.4	4.5	2.4	4.7	7.6	11.6	8.0	13.4	7.6	12	13149
21-23 LST	10.0	9.9	7.9	4.2	3.5	1.7	1.5	2.5	3.3	8.8	8.8	14.3	6.4	12	13148
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.9	2.7	2.9	1.3	0.2	0.2	0.0	0.2	0.2	1.9	5.7	5.4	2.2	12	13149
03-05 LST	9.2	4.3	4.9	2.0	1.1	0.5	0.4	0.4	0.6	4.5	9.1	7.2	3.7	12	13149
06-08 LST	10.1	7.6	5.6	3.2	1.8	0.5	0.7	0.5	2.2	6.3	10.1	9.3	4.8	12	13148
09-11 LST	6.8	3.4	1.5	0.4	0.3	0.0	0.0	0.3	0.4	1.9	4.6	4.7	2.0	12	13149
12-14 LST	0.9	0.6	0.6	0.2	0.3	0.0	0.2	0.4	0.3	0.7	0.1	1.0	0.4	12	13146
15-17 LST	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.2	0.1	1.3	0.4	12	13146
18-20 LST	2.2	1.5	0.9	0.3	0.1	0.2	0.2	0.4	0.2	0.3	0.6	3.4	0.9	12	13149
21-23 LST	4.1	1.7	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.8	1.9	5.7	1.3	12	13148

# JACKSONVILLE/NAS, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.6	26.2	29.0	28.6	30.7	29.0	30.7	30.2	28.4	28.9	28.4	27.8	346.5	12	4383
	01 LST	26.9	25.3	28.4	28.6	30.2	30.0	30.8	30.4	29.3	27.6	26.0	26.5	340.0	12	4383
	07 LST	22.7	21.4	25.5	26.5	28.2	28.4	29.3	29.0	26.5	24.5	21.9	23.4	307.3	12	4383
	13 LST	28.7	26.1	29.2	29.3	30.6	29.8	30.4	30.2	29.0	29.3	28.3	28.1	349.0	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	18.8	20.5	18.8	19.1	18.6	22.5	23.4	21.8	22.0	22.3	22.9	254.8	12	4383
	01 LST	21.3	19.4	21.8	23.4	25.1	26.9	28.8	28.8	25.1	21.3	20.6	21.2	283.7	12	4383
	07 LST	16.2	15.2	16.8	21.3	24.1	25.0	27.4	26.6	22.7	18.3	15.4	15.0	244.0	12	4383
	13 LST	17.8	13.1	15.8	15.8	18.7	20.7	21.6	22.1	16.5	15.2	16.6	17.0	210.9	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	1.2	1.1	0.7	0.5	0.5	0.2	0.4	0.5	0.9	0.4	0.7	7.4	12	4321
	01 LST	0.5	0.3	0.7	0.2	0.3	0.2	0.2	0.0	0.4	0.4	1.1	0.8	5.1	12	4334
	07 LST	0.6	0.9	0.7	0.2	0.1	0.2	0.0	0.0	0.4	0.7	0.9	0.9	5.6	12	4333
	13 LST	1.9	2.5	2.9	1.0	0.3	1.3	0.2	0.5	1.9	2.4	1.2	2.1	18.2	12	4324
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.2	20.3	22.4	22.1	22.6	22.6	21.0	23.7	23.4	22.2	20.7	18.6	260.8	12	4320
	01 LST	16.0	17.6	19.9	21.2	21.9	23.6	21.5	21.6	19.3	19.2	17.8	16.4	236.0	12	4334
	07 LST	15.2	15.5	16.0	19.0	22.2	20.7	20.3	18.6	16.9	19.7	16.8	15.8	216.7	12	4332
	13 LST	18.7	14.3	17.7	17.7	18.6	12.3	9.3	9.3	13.8	18.3	17.9	18.0	185.9	12	4323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.8	10.7	8.6	10.1	7.2	3.9	2.2	2.6	4.0	12.3	14.4	12.8	101.6	12	4382
	01 LST	16.1	14.2	14.3	17.0	18.6	15.1	13.7	15.3	13.9	16.2	15.8	15.0	185.2	12	4383
	07 LST	9.3	8.1	7.0	10.1	9.9	7.0	6.0	7.0	5.0	8.7	9.5	8.7	96.3	12	4382
	13 LST	7.4	8.3	7.7	7.0	4.6	1.8	0.7	1.0	1.7	5.4	7.6	8.6	61.8	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	23.9	27.4	26.6	28.6	26.6	28.7	27.6	25.7	24.9	26.7	26.3	320.2	12	4383
	01 LST	25.7	23.4	26.7	27.5	29.9	29.1	30.3	29.6	27.2	25.2	25.0	25.5	325.1	12	4383
	07 LST	21.0	19.6	23.2	24.9	27.2	27.5	28.6	27.7	24.5	22.1	20.6	21.2	288.1	12	4383
	13 LST	25.3	23.1	26.4	26.5	27.4	25.4	26.1	26.5	21.5	23.6	24.8	24.8	301.4	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.8	21.6	24.4	24.8	26.1	23.6	24.3	25.1	23.0	23.6	25.1	23.3	289.7	12	4383
	01 LST	23.9	21.5	24.9	25.9	28.8	28.2	29.3	29.1	25.6	23.6	23.8	22.9	307.5	12	4383
	07 LST	18.3	17.4	20.2	23.3	25.7	26.0	27.7	27.2	23.3	20.2	19.1	18.8	267.2	12	4383
	13 LST	20.6	18.9	21.5	18.4	17.4	15.5	14.1	16.3	12.1	17.2	21.4	21.4	214.8	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	20.8	23.1	23.2	24.4	22.0	22.9	23.3	21.8	21.7	23.6	22.0	271.7	12	4383
	01 LST	22.8	20.1	23.6	24.7	27.7	27.2	28.8	28.4	24.5	23.0	22.4	21.6	294.8	12	4383
	07 LST	17.0	15.4	18.2	22.3	24.2	24.8	26.7	26.3	22.1	18.3	17.6	17.3	250.2	12	4383
	13 LST	19.8	17.9	20.4	17.6	16.9	14.7	13.6	15.8	11.6	16.1	19.6	19.7	203.7	12	4383

## BALDWIN/WHITEHOUSE OLF, FLORIDA

STA NO. 75155 (IN AREA NUMBER 15)

LATITUDE 3021N

LONGITUDE 08153W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	91	93	99	102	100	100	98	96	88	83	102	12	-75154
MEAN MAX TMP (F)	67	69	73	79	86	90	91	91	87	79	72	66	79	12	-75154
MEAN MIN TMP (F)	47	50	54	60	68	73	75	75	73	65	54	47	62	12	-75154
ABS MIN TMP (F)	24	24	31	40	52	62	68	66	57	40	21	24	21	12	-75154
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.2	9.3	16.2	22.1	20.6	8.9	0.9	0.0	0.0	78.3	12	-75154
MEAN NO DYS TMP = OR LES 32(F)	1.7	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.1	5.9	12	-75154
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75154
MEAN DEW PT TMP (F)	46	49	50	56	64	70	73	73	71	63	54	47	60	12	-75154
MEAN REL HUM (PCT)	73	72	68	68	69	74	77	77	79	77	75	75	74	12	-75154
MEAN PRESS ALT (FT)	-112	-78	-37	-10	4	20	-12	4	-0	-40	-89	-112	-38	0	-50
MEAN PRECIP (IN)	2.29	3.01	3.27	2.88	3.43	4.51	6.26	6.13	6.65	4.50	1.33	1.71	46.0	12	-75154
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75154
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	5.1	5.0	4.4	4.9	7.8	10.2	9.2	9.2	6.1	2.8	4.0	72.3	12	-75154
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75154
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.6	2.7	1.2	0.9	0.4	0.6	0.5	0.8	2.7	4.0	4.5	25.5	12	-75154
MEAN NO DYS TSTMS	0.3	1.0	2.5	3.8	6.1	9.2	13.6	10.8	6.5	1.5	0.4	0.4	56.1	12	-75154
P FREQ WND SPD = OR GTR 17 KTS	2.9	4.0	4.2	2.0	1.5	1.8	0.9	0.8	3.4	4.1	2.8	3.8	2.7	12	-75154
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	12	-75154
P FREQ LES 3000 FT A/O LES 5 MI	30.8	30.1	25.9	21.7	21.5	21.0	21.2	20.2	29.0	33.9	27.6	33.3	26.4	12	-75154
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.9	11.7	10.7	6.5	3.1	1.8	0.9	2.3	4.1	13.3	14.6	16.1	8.3	12	-75154
03-05 LST	20.1	18.8	15.6	8.0	8.0	4.2	3.3	3.9	7.4	17.3	21.3	19.4	12.3	12	-75154
06-08 LST	27.8	26.1	21.9	13.3	10.7	5.9	6.5	7.9	14.4	24.5	28.2	27.5	17.9	12	-75154
09-11 LST	22.5	18.1	16.4	8.2	5.8	3.0	3.2	4.8	12.4	18.7	21.2	23.5	13.2	12	-75154
12-14 LST	11.1	10.7	8.8	4.5	2.9	1.9	3.5	3.9	7.9	10.1	9.5	13.4	7.4	12	-75154
15-17 LST	7.8	8.8	7.3	4.0	2.5	3.5	3.4	5.7	8.0	10.3	7.0	12.0	6.7	12	-75154
18-20 LST	9.5	10.2	7.9	6.8	4.4	4.5	2.4	4.7	7.6	11.6	8.0	13.4	7.6	12	-75154
21-23 LST	10.0	9.9	7.9	4.2	3.5	1.7	1.5	2.5	3.3	8.8	8.8	14.3	6.4	12	-75154
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.9	2.7	2.9	1.3	0.2	0.2	0.0	0.2	0.2	1.9	5.7	5.4	2.2	12	-75154
03-05 LST	9.2	4.3	4.9	2.0	1.1	0.5	0.4	0.4	0.6	4.5	9.1	7.2	3.7	12	-75154
06-08 LST	10.1	7.6	5.6	3.2	1.8	0.5	0.7	0.5	2.2	6.3	10.1	9.3	4.8	12	-75154
09-11 LST	6.8	3.4	1.5	0.4	0.3	0.0	0.0	0.3	0.4	1.9	4.6	4.7	2.0	12	-75154
12-14 LST	0.9	0.6	0.6	0.2	0.3	0.0	0.2	0.4	0.3	0.7	0.1	1.0	0.4	12	-75154
15-17 LST	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.2	0.1	1.3	0.4	12	-75154
18-20 LST	2.2	1.5	0.9	0.3	0.1	0.2	0.2	0.4	0.2	0.3	0.6	3.4	0.9	12	-75154
21-23 LST	4.1	1.7	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.8	1.9	5.7	1.3	12	-75154

## BALDWIN/WHITEHOUSE OLF, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OFS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.6	26.2	29.0	28.6	30.7	29.0	30.7	30.2	28.4	28.9	28.4	27.8	346.5	12	-75154
	01 LST	26.9	25.3	28.4	28.6	30.2	30.0	30.8	30.4	29.3	27.6	26.0	26.5	340.0	12	-75154
	07 LST	22.7	21.4	25.5	26.5	28.2	28.4	29.3	29.0	26.5	24.5	21.9	23.4	307.3	12	-75154
	13 LST	28.7	26.1	29.2	29.3	30.6	29.8	30.4	30.2	29.0	29.3	28.3	28.1	349.0	12	-75154
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	18.8	20.5	18.8	19.1	18.6	22.5	23.4	21.8	22.0	22.3	22.9	254.8	12	-75154
	01 LST	21.3	19.4	21.8	23.4	25.1	26.9	28.8	28.8	25.1	21.3	20.6	21.2	283.7	12	-75154
	07 LST	16.2	15.2	16.8	21.3	24.1	25.0	27.4	26.6	22.7	18.3	15.4	15.0	244.0	12	-75154
	13 LST	17.8	13.1	15.8	15.8	18.7	20.7	21.6	22.1	16.5	15.2	16.6	17.0	210.9	12	-75154
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	1.2	1.1	0.7	0.5	0.5	0.2	0.4	0.5	0.9	0.4	0.7	7.4	12	-75154
	01 LST	0.5	0.3	0.7	0.2	0.3	0.2	0.2	0.0	0.4	0.4	1.1	0.8	5.1	12	-75154
	07 LST	0.6	0.9	0.7	0.2	0.1	0.2	0.0	0.0	0.4	0.7	0.9	0.9	5.6	12	-75154
	13 LST	1.9	2.5	2.9	1.0	0.3	1.3	0.2	0.5	1.9	2.4	1.2	2.1	18.2	12	-75154
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.2	20.3	22.4	22.1	22.6	22.6	21.0	23.7	23.4	22.2	20.7	18.6	260.8	12	-75154
	01 LST	16.0	17.6	19.9	21.2	21.9	23.6	21.5	21.6	19.3	19.2	17.8	16.4	236.0	12	-75154
	07 LST	15.2	15.5	16.0	19.0	22.2	20.7	20.3	18.6	16.9	19.7	16.8	15.8	216.7	12	-75154
	13 LST	18.7	14.3	17.7	17.7	18.6	12.3	9.3	9.3	13.8	18.3	17.9	18.0	185.9	12	-75154
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.8	10.7	8.6	10.1	7.2	3.9	2.2	2.6	4.0	12.3	14.4	12.8	101.6	12	-75154
	01 LST	16.1	14.2	14.3	17.0	18.6	15.1	13.7	15.3	13.9	16.2	15.8	15.0	185.2	12	-75154
	07 LST	9.3	8.1	7.0	10.1	9.9	7.0	6.0	7.0	5.0	8.7	9.5	8.7	96.3	12	-75154
	13 LST	7.4	8.3	7.7	7.0	4.6	1.8	0.7	1.0	1.7	5.4	7.6	8.6	61.8	12	-75154
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	23.9	27.4	26.4	28.6	26.6	28.7	27.6	25.7	24.9	26.7	26.3	320.2	12	-75154
	01 LST	25.7	23.4	26.7	27.5	29.9	29.1	30.3	29.6	27.2	25.2	25.0	25.5	325.1	12	-75154
	07 LST	21.0	19.6	23.2	24.9	27.2	27.5	28.6	27.7	24.5	22.1	20.5	21.2	288.1	12	-75154
	13 LST	25.3	23.1	26.4	26.5	27.4	25.4	26.1	26.5	21.5	23.6	24.8	24.8	301.4	12	-75154
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.8	21.6	24.4	24.8	26.1	23.6	24.3	25.1	23.0	23.6	25.1	23.3	289.7	12	-75154
	01 LST	23.9	21.5	24.9	25.9	28.8	28.2	29.3	29.1	25.6	23.6	23.8	22.9	307.5	12	-75154
	07 LST	18.3	17.4	20.2	23.3	25.7	26.0	27.7	27.2	23.3	20.2	19.1	18.8	267.2	12	-75154
	13 LST	20.6	18.9	21.5	18.4	17.4	15.5	14.1	16.3	12.1	17.2	21.4	21.4	214.8	12	-75154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	20.8	23.1	23.2	24.4	22.0	22.9	23.3	21.8	21.7	23.6	22.0	271.7	12	-75154
	01 LST	22.8	20.1	23.6	24.7	27.7	27.2	28.8	28.4	24.5	23.0	22.4	21.6	294.8	12	-75154
	07 LST	17.0	15.4	18.2	22.3	24.2	24.8	26.7	26.3	22.1	18.3	17.6	17.3	250.2	12	-75154
	13 LST	19.8	17.9	20.4	17.6	16.9	14.7	13.6	15.8	11.6	16.1	19.6	19.7	203.7	12	-75154



## LAKE CITY, FLORIDA

STA NO. 75196 (IN AREA NUMBER 19)

LATITUDE 3010N

LONGITUDE 08234W

ELEVATION(FT) 00202

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
ABS MAX TMP (F)	85	89	96	95	101	106	102	103	101	96	90	85	106	65	-613
MEAN MAX TMP (F)	67	70	76	81	87	91	91	91	88	81	73	67	80	65	-113
MEAN MIN TMP (F)	44	46	51	57	63	69	71	71	69	60	50	45	58	65	-113
ABS MIN TMP (F)	16	6	23	33	42	52	59	59	49	32	20	12	6	65	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.8	9.8	15.1	21.3	20.2	10.6	0.7	0.0	0.0	78.7	15	4429
MEAN NO DYS TMP = OR LES 32(F)	4.8	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.7	12.3	15	4429
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4429
MEAN DEW PT TMP (F)	45	48	51	57	64	70	73	72	71	62	53	46	59	14	91965
MEAN REL HUM (PCT)	75	72	70	71	72	76	79	79	81	79	76	76	76	14	91962
MEAN PRESS ALT (FT)	-10	24	67	95	111	128	95	110	102	61	13	-12	65	0	-50
MEAN PRECIP (IN)	3.15	3.75	4.08	3.07	3.40	6.55	7.49	6.48	5.38	3.10	2.21	3.26	51.9	75	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4297
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	7.2	6.8	6.2	6.4	9.2	10.0	9.1	8.1	3.1	3.9	6.5	84.9	75	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4297
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	3.2	4.5	4.2	2.7	1.3	2.1	2.4	2.3	3.5	6.5	5.8	43.0	14	3927
MEAN NO DYS TSTMS	0.6	1.7	2.6	4.5	7.0	11.4	16.6	13.0	8.0	2.3	0.2	0.6	68.5	15	4426
P FREQ WND SPD = OR GTR 17 KTS	2.0	3.6	2.3	2.4	0.7	0.8	0.3	0.2	1.0	1.5	1.1	1.6	1.5	14	91956
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	91956
P FREQ LES 5000 FT A/D LES 5 MI	34.9	33.9	31.9	29.8	31.1	34.2	29.8	31.4	35.4	35.4	32.3	36.7	33.1	14	92007
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.0	16.4	14.2	11.2	8.4	5.3	3.5	4.5	7.1	16.3	22.0	21.1	12.4	14	10842
03-05 LST	25.4	24.2	22.4	20.1	18.5	11.6	10.4	11.6	13.9	23.1	28.4	24.2	19.5	14	12076
06-08 LST	32.0	34.8	28.3	25.7	22.8	15.5	14.1	20.2	27.4	32.5	34.1	32.2	26.6	14	13015
09-11 LST	22.9	19.8	18.0	10.2	6.4	5.8	6.0	8.4	15.4	22.4	18.6	22.5	14.7	14	13133
12-14 LST	12.7	10.3	9.7	5.4	2.2	3.6	4.4	5.4	11.0	13.5	8.1	15.8	8.5	14	13136
15-17 LST	9.8	10.7	9.0	4.5	3.2	4.8	5.3	7.1	9.5	11.3	6.5	13.5	7.9	14	13122
18-20 LST	11.6	10.2	9.2	6.3	4.2	6.9	4.1	5.3	7.9	10.6	8.8	16.7	8.5	14	11685
21-23 LST	12.1	9.5	9.8	6.7	4.5	3.4	2.6	4.5	5.9	11.1	13.2	19.6	8.6	14	11075
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.0	4.1	4.0	2.5	0.8	0.4	0.6	0.6	1.0	5.6	11.7	8.8	3.9	14	10842
03-05 LST	10.8	7.3	7.6	8.9	7.0	3.2	3.6	3.4	4.7	9.7	15.2	11.3	7.7	14	12076
06-08 LST	13.0	11.9	8.1	8.3	6.4	4.2	4.4	5.9	7.1	11.4	15.9	11.6	9.0	14	13015
09-11 LST	4.8	3.1	1.1	0.4	0.4	0.2	0.1	0.1	0.2	1.6	3.2	4.0	1.6	14	13133
12-14 LST	0.7	0.8	0.4	0.0	0.1	0.1	0.2	0.2	0.6	0.7	0.0	1.3	0.4	14	13136
15-17 LST	0.8	0.6	0.7	0.2	0.6	0.6	0.4	0.7	0.5	0.3	0.4	1.7	0.6	14	13122
18-20 LST	1.0	1.5	2.7	0.3	0.4	0.1	0.8	0.2	0.3	0.8	0.8	4.2	1.1	14	11685
21-23 LST	3.5	1.1	2.5	0.6	0.1	0.1	0.4	0.2	0.1	2.2	4.1	7.0	1.8	14	11075

# LAKE CITY, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	25.3	28.8	28.4	30.4	28.5	30.2	29.8	28.2	28.2	28.2	26.8	340.9	14	4372
	00 LST	25.7	24.2	27.7	27.4	29.3	28.9	30.3	30.0	28.4	26.8	24.1	24.6	327.4	14	3664
	06 LST	21.2	18.1	22.7	22.7	24.9	25.9	26.9	24.6	21.8	20.2	19.4	21.2	269.2	14	4381
	12 LST	28.5	26.0	29.1	29.2	30.7	29.3	30.2	30.1	28.1	28.7	28.3	27.4	343.6	14	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	24.1	20.1	21.6	21.5	24.7	23.2	25.5	27.1	24.2	24.6	24.6	22.7	283.9	14	4371
	00 LST	22.4	19.9	24.6	24.8	28.0	28.0	30.1	29.2	26.5	24.5	21.5	21.5	301.0	14	3664
	06 LST	18.1	15.3	18.8	20.2	23.3	24.8	26.3	23.9	19.5	18.0	17.8	18.3	244.3	14	4380
	12 LST	15.5	13.5	14.4	15.3	20.9	21.4	24.5	23.3	17.9	17.8	17.6	15.7	217.8	14	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.4	0.2	0.2	0.2	0.1	0.1	0.0	0.1	0.2	0.0	0.2	2.0	14	4269
	00 LST	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	1.0	14	3617
	06 LST	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	1.2	14	4317
	12 LST	2.4	2.7	2.0	2.0	0.6	0.4	0.1	0.2	0.9	0.9	1.3	1.3	14.8	14	4333
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.1	19.7	23.7	23.0	23.4	20.4	18.8	21.4	19.8	17.2	18.8	19.2	245.5	14	4267
	00 LST	16.2	15.2	18.1	14.8	13.0	11.5	9.3	9.1	11.3	14.2	15.3	15.1	163.1	14	3617
	06 LST	13.9	13.9	15.0	17.6	15.5	14.3	10.4	9.9	12.2	16.0	13.6	13.6	163.1	14	4317
	12 LST	17.1	15.2	17.1	18.6	16.9	12.1	10.4	10.2	15.1	18.5	19.2	18.1	188.5	14	4332
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.2	10.5	9.2	9.0	7.9	4.1	2.4	3.6	4.7	11.5	14.0	11.7	99.8	12	4007
	00 LST	14.2	12.7	14.3	15.9	18.2	14.6	15.4	15.5	13.7	15.7	14.2	14.9	179.3	12	3304
	06 LST	8.9	6.8	6.4	8.4	10.1	7.4	6.3	7.0	4.1	7.8	9.1	8.2	90.5	12	4016
	12 LST	7.3	7.7	7.1	6.8	4.4	1.4	0.2	0.7	1.4	5.1	7.5	8.5	98.1	12	4017
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.7	27.4	26.6	28.9	26.2	28.2	27.2	25.2	25.4	26.5	24.8	317.2	14	4372
	00 LST	23.9	22.1	25.4	26.3	28.4	27.8	29.7	29.2	26.9	25.6	22.6	23.6	311.5	14	3664
	06 LST	19.2	16.4	20.2	20.8	23.9	25.2	25.9	23.8	19.9	18.8	18.6	19.7	252.4	14	4381
	12 LST	24.5	22.3	25.7	25.8	26.4	25.2	26.1	24.4	21.4	22.0	25.6	23.3	292.7	14	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.6	21.9	24.7	24.7	25.1	22.7	24.6	24.5	22.4	23.5	24.6	22.3	285.6	14	4372
	00 LST	23.0	20.4	23.7	25.0	27.6	27.3	29.4	28.7	26.0	24.9	21.2	21.9	299.1	14	3664
	06 LST	16.9	14.4	17.9	19.1	22.6	23.9	25.6	23.1	18.9	17.3	17.3	17.6	234.6	14	4381
	12 LST	19.8	16.7	19.2	17.1	14.5	10.1	9.0	10.7	10.4	14.7	20.7	19.5	182.4	14	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.2	21.0	23.2	23.9	23.9	21.8	22.5	22.8	20.3	21.6	23.2	21.3	288.7	14	4372
	00 LST	21.5	19.1	23.1	24.3	26.8	26.8	28.9	27.7	24.8	23.7	20.3	21.4	288.4	14	3664
	06 LST	15.5	13.3	16.7	18.2	22.1	22.7	25.1	22.4	17.7	16.2	16.1	15.7	221.7	14	4381
	12 LST	18.7	15.8	18.3	16.9	14.1	9.2	8.5	10.3	9.4	14.1	19.2	17.8	172.3	14	4352

# MILTON T FIELD, FLORIDA

STA NO. 75157 (IN AREA NUMBER 15)

LATITUDE 3039N

LONGITUDE 08700W

ELEVATION(FT) 00120

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	81	84	91	99	103	104	100	97	93	86	79	104	12	-73282
MEAN MAX TMP (F)	62	65	69	76	83	86	89	90	86	78	68	62	76	12	-73282
MEAN MIN TMP (F)	44	47	50	57	65	71	73	73	69	59	48	43	58	12	-73282
ABS MIN TMP (F)	20	12	26	39	46	55	66	62	53	33	26	20	12	12	-73282
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	2.7	11.5	14.4	17.7	7.5	0.8	0.0	0.0	54.8	12	-73282
MEAN NO DYS TMP = OR LES 32(F)	4.8	2.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4.3	14.4	12	-73282
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73282
MEAN DEW PT TMP (F)	45	46	48	55	63	69	72	71	68	57	47	44	57	12	-73282
MEAN REL HUM (PCT)	75	73	70	72	73	75	79	77	77	70	71	74	74	12	-73282
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.12	4.31	4.61	4.70	4.20	6.65	7.03	4.98	7.69	2.23	2.32	4.27	56.1	12	-73282
MEAN SNOW FALL (IN)	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	-73282
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.9	6.0	6.8	5.7	6.3	9.3	10.9	8.0	8.3	3.3	3.6	6.7	80.0	12	-73282
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-73282
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	6.4	4.6	5.8	4.6	2.0	0.5	0.8	2.1	2.3	3.4	5.2	44.6	12	-73282
MEAN NO DYS TSTMS	1.5	2.0	3.8	5.3	5.2	10.2	14.2	11.8	6.2	1.5	1.0	1.5	64.2	12	-73282
P FREQ WND SPD = OR GTR 17 KTS	5.5	6.2	7.7	4.9	1.7	1.1	0.6	0.5	1.7	1.6	4.1	3.9	3.3	12	-73282
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	-73282
P FREQ LES 5000 FT A/O LES 5 MI	41.8	42.7	37.7	33.6	29.2	25.5	21.9	19.5	24.8	20.2	25.9	36.7	30.0	12	-73282
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	30.4	28.1	25.8	28.9	15.3	4.5	1.3	1.2	7.5	8.9	16.5	21.7	15.8	12	-73282
03-05 LST	34.1	33.2	30.6	33.8	24.1	12.8	6.2	5.1	11.3	12.3	18.1	24.7	20.5	12	-73282
06-08 LST	37.4	38.2	34.0	31.1	24.9	15.0	5.8	6.5	18.4	18.2	21.8	28.2	23.3	12	-73282
09-11 LST	28.7	26.5	21.8	15.2	10.0	6.4	6.7	4.9	14.5	11.9	14.9	20.8	15.2	12	-73282
12-14 LST	18.5	17.8	15.4	9.9	5.6	5.7	4.4	3.9	10.4	6.7	8.8	16.2	10.3	12	-73282
15-17 LST	16.0	16.0	14.9	8.0	4.7	4.9	4.7	1.6	7.3	5.6	7.7	15.7	8.9	12	-73282
18-20 LST	18.0	18.5	20.4	12.5	4.6	3.1	2.4	1.9	5.5	6.5	9.1	18.3	10.1	12	-73282
21-23 LST	24.6	23.2	22.0	19.6	6.3	3.2	1.3	0.6	5.8	7.3	13.3	19.7	12.2	12	-73282
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.9	10.8	8.7	9.4	5.4	1.2	0.3	0.1	1.5	2.3	7.4	9.3	5.6	12	-73282
03-05 LST	16.3	13.9	10.7	14.9	12.3	4.6	1.6	0.7	3.1	4.2	8.5	11.3	8.5	12	-73282
06-08 LST	15.3	14.6	8.8	9.3	6.6	2.8	0.7	0.8	3.4	5.0	7.0	9.8	7.0	12	-73282
09-11 LST	3.7	2.5	1.4	0.5	0.4	0.6	0.4	0.5	1.0	0.3	1.0	3.4	1.3	12	-73282
12-14 LST	0.4	1.2	0.8	0.6	0.4	0.6	0.4	0.3	0.8	0.5	0.3	1.6	0.7	12	-73282
15-17 LST	1.0	1.3	0.9	0.2	0.1	0.6	0.8	0.5	1.0	0.3	0.4	0.9	0.7	12	-73282
18-20 LST	2.6	3.0	1.9	0.6	0.1	0.3	0.3	0.3	0.4	0.2	1.0	2.8	1.1	12	-73282
21-23 LST	6.2	6.2	5.2	2.0	0.2	0.3	0.0	0.3	0.9	1.2	3.8	6.0	2.7	12	-73282

# MILTON T FIELD, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.2	24.5	27.4	28.0	30.3	29.4	30.6	30.6	28.8	29.6	28.3	27.2	341.9	12	-73282
	00 LST	23.2	21.4	24.6	23.6	28.1	29.3	30.9	30.9	28.3	29.1	25.5	25.3	320.2	12	-73282
	06 LST	21.0	19.0	21.3	20.4	23.2	25.8	29.2	28.9	25.1	25.5	24.6	23.3	247.3	12	-73282
	12 LST	27.2	24.7	27.9	28.0	30.0	29.3	30.2	30.2	27.9	29.6	28.6	27.8	341.4	12	-73282
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.3	16.4	16.7	17.1	20.1	20.0	25.4	26.9	24.9	25.9	24.0	21.0	257.7	12	-73282
	00 LST	16.7	15.3	17.4	16.6	25.2	27.7	29.9	30.0	25.5	24.4	19.2	18.0	268.1	12	-73282
	06 LST	14.6	12.5	14.5	15.2	19.1	23.5	28.1	27.5	21.0	21.6	18.2	16.1	231.9	12	-73282
	12 LST	11.8	8.4	10.0	10.4	15.6	18.8	22.6	21.9	17.6	17.2	14.6	13.3	182.2	12	-73282
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.1	2.4	1.3	0.2	0.2	0.2	0.0	0.4	0.2	0.7	0.2	7.8	12	-73282
	00 LST	1.1	0.9	1.4	0.8	0.1	0.1	0.0	0.0	0.0	0.2	0.9	1.2	6.7	12	-73282
	06 LST	0.9	1.2	1.0	0.9	0.0	0.1	0.1	0.1	0.1	0.2	0.6	0.9	6.1	12	-73282
	12 LST	2.6	3.9	4.2	2.7	1.6	0.4	0.5	0.2	0.4	1.2	2.3	2.2	22.2	12	-73282
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	23.1	20.9	19.8	22.2	22.8	21.5	22.2	22.8	23.4	23.3	22.1	23.7	267.8	12	-73282
	00 LST	20.8	17.8	18.2	18.4	17.8	17.3	14.2	15.3	18.3	20.0	20.1	18.1	216.3	12	-73282
	06 LST	18.1	15.8	18.9	18.7	18.6	17.4	16.3	17.1	18.9	20.2	19.4	18.1	217.5	12	-73282
	12 LST	15.6	12.2	13.3	14.5	18.1	15.1	14.6	13.4	17.1	19.6	15.2	18.5	187.2	12	-73282
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	6.9	8.2	11.3	8.2	6.8	2.4	3.9	6.2	15.7	12.9	10.6	101.5	12	-73282
	00 LST	10.7	11.6	13.1	13.6	18.1	17.7	16.3	18.3	15.7	20.7	16.0	12.1	183.9	12	-73282
	06 LST	8.2	8.1	8.1	8.1	8.2	7.9	6.2	9.6	8.4	15.0	11.0	8.8	107.6	12	-73282
	12 LST	7.3	6.9	8.8	8.6	4.9	2.5	1.1	1.7	4.0	11.7	10.4	9.3	77.2	12	-73282
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	21.3	23.0	25.6	28.3	28.3	28.4	29.4	26.3	28.1	25.8	24.3	312.1	12	-73282
	00 LST	20.8	18.8	22.2	21.1	26.7	28.1	30.2	30.7	27.3	27.8	23.9	22.9	300.5	12	-73282
	06 LST	17.6	15.5	18.7	17.9	20.7	24.0	27.9	27.6	23.2	24.4	21.9	19.9	259.3	12	-73282
	12 LST	20.7	19.1	22.6	22.7	24.6	24.2	25.0	26.5	22.5	26.1	23.7	23.2	281.0	12	-73282
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.6	18.4	21.4	24.2	26.4	25.9	26.1	26.9	24.7	26.3	24.2	21.0	286.1	12	-73282
	00 LST	19.2	17.3	20.6	20.3	25.6	27.2	29.7	30.5	26.5	26.4	22.7	20.7	286.7	12	-73282
	06 LST	15.9	13.5	17.1	16.9	19.6	23.2	27.2	26.5	22.5	23.1	20.3	17.0	242.8	12	-73282
	12 LST	17.7	15.3	18.7	18.2	17.0	14.7	13.7	14.8	15.7	22.0	20.0	19.0	207.6	12	-73282
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.4	17.3	19.3	22.8	24.8	24.4	23.9	24.4	22.6	25.3	22.5	19.4	265.1	12	-73282
	00 LST	17.3	16.5	18.9	19.6	24.4	26.3	29.0	29.4	25.1	25.9	21.5	18.4	272.3	12	-73282
	06 LST	14.5	12.2	15.7	15.6	18.4	21.7	25.3	25.4	21.3	21.7	18.1	15.2	225.1	12	-73282
	12 LST	15.6	13.6	17.2	17.3	15.9	13.9	12.6	13.5	19.1	21.2	18.5	17.5	191.9	12	-73282

## VALPARAISO/EGLIN AF AUXILIARY 2, FLORIDA

STA NO. 75321 (IN AREA NUMBER 19)

LATITUDE 3035N

LONGITUDE 08626W

ELEVATION(FT) 00175

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (VPS)	NO. UBS
ABS MAX TMP (F)	78	79	83	92	102	102	100	102	97	92	89	79	102	12	-72221
MEAN MAX TMP (F)	62	65	69	76	84	89	91	91	87	79	69	63	77	12	-72221
MEAN MIN TMP (F)	44	47	50	57	66	72	74	74	70	59	48	43	59	12	-72221
ABS MIN TMP (F)	21	12	28	36	43	55	69	64	57	33	21	18	12	12	-72221
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	3.7	15.1	20.5	21.2	10.7	0.7	0.0	0.0	72.3	12	-72221
MEAN NO DYS TMP = OR LES 32(F)	5.3	2.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.8	15.7	12	-72221
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72221
MEAN DEW PT TMP (F)	45	47	49	56	64	70	73	73	69	58	48	44	58	12	-72221
MEAN REL HUM (PCT)	76	75	70	72	72	73	75	76	77	71	71	73	73	12	-72221
MEAN PRESS. ALT (FT)	-38	-6	40	68	95	114	73	92	96	50	-6	-35	43	0	-50
MEAN PRECIP (IN)	2.85	3.39	4.98	4.66	3.32	4.71	5.81	7.28	6.91	3.39	2.48	4.32	54.1	12	-72221
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72221
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	3.9	3.9	4.9	4.7	6.6	9.0	9.0	7.4	3.4	3.8	6.1	70.9	12	-72221
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72221
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.7	6.1	6.1	6.4	3.2	1.7	0.7	0.4	1.1	1.2	4.2	5.5	44.3	12	-72221
MEAN NO DYS TSTMS	1.3	2.3	3.8	4.6	5.6	9.7	16.1	14.1	7.0	1.8	0.9	1.6	68.8	12	-72221
P FREQ WND SPD = OR GTR 17 KTS	4.0	4.1	5.0	4.4	1.9	2.5	1.4	1.0	1.9	2.3	2.6	2.6	2.8	12	-72221
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	12	-72221
P FREQ LES 5000 FT A/D LES 5 MI	38.1	36.9	33.6	29.4	21.9	15.7	12.2	11.4	17.1	15.3	23.5	32.6	24.0	12	-72221
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	28.0	24.9	25.5	26.2	14.5	4.7	2.0	1.4	5.5	7.0	15.9	21.1	14.7	12	-72221
03-05 LST	31.0	27.3	27.8	28.9	20.5	9.3	4.3	3.2	8.8	9.2	17.3	21.7	17.4	12	-72221
06-08 LST	29.8	29.4	27.4	23.5	19.8	8.7	3.6	3.5	13.0	11.0	15.4	22.8	17.3	12	-72221
09-11 LST	19.5	20.7	20.2	15.0	9.1	4.8	3.4	2.5	8.8	8.4	10.4	14.7	11.5	12	-72221
12-14 LST	15.3	14.9	15.4	13.1	6.1	3.7	2.2	2.8	6.2	3.9	6.1	13.0	8.6	12	-72221
15-17 LST	14.5	13.9	16.9	11.2	5.1	2.9	1.4	1.9	4.8	3.9	7.3	13.1	8.1	12	-72221
18-20 LST	18.1	16.1	17.6	17.0	8.4	2.6	1.0	2.1	5.1	4.6	10.6	16.6	10.0	12	-72221
21-23 LST	23.4	20.4	21.3	20.4	8.5	3.0	1.0	1.3	4.4	6.1	13.5	19.1	11.9	12	-72221
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.9	12.5	12.6	9.3	3.4	0.7	0.4	0.0	0.9	0.9	7.5	8.6	6.0	12	-72221
03-05 LST	16.1	13.5	13.4	12.3	7.8	3.3	0.9	0.5	1.6	1.8	8.4	9.4	7.4	12	-72221
06-08 LST	15.1	11.8	10.4	6.7	2.8	1.6	0.4	0.3	1.5	2.4	6.5	8.0	5.6	12	-72221
09-11 LST	4.0	4.1	3.0	1.1	0.1	0.1	0.4	0.4	0.9	0.5	1.0	3.1	1.6	12	-72221
12-14 LST	1.3	2.2	2.3	0.6	0.4	0.5	0.4	0.8	0.7	0.0	0.2	1.2	0.9	12	-72221
15-17 LST	2.1	3.0	3.0	0.9	0.2	0.2	0.4	0.6	0.5	0.2	0.8	2.2	1.2	12	-72221
18-20 LST	5.7	4.2	5.6	2.0	0.1	0.3	0.2	0.4	0.6	0.0	2.7	4.3	2.2	12	-72221
21-23 LST	11.8	8.3	8.3	4.0	0.1	0.0	0.0	0.2	0.3	0.5	5.2	7.0	3.8	12	-72221

## VALPARAISO/EGLIN AF AUXILIARY 2, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.4	24.3	26.3	26.6	30.0	29.6	30.7	30.7	28.8	30.3	27.4	27.2	338.3	12	-72221
	00 LST	23.4	22.0	23.9	23.7	28.6	29.3	30.7	30.8	28.8	29.7	26.3	25.2	322.4	12	-72221
	06 LST	22.2	20.9	21.9	23.1	26.0	27.4	30.1	30.3	26.6	28.4	25.3	24.4	306.6	12	-72221
	12 LST	27.3	24.9	27.7	27.6	30.1	29.4	30.6	30.6	28.8	30.3	29.3	28.5	345.1	12	-72221
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.7	18.1	17.7	19.0	20.5	20.0	22.8	24.6	23.8	24.9	22.8	22.5	256.4	12	-72221
	00 LST	18.0	16.8	17.5	19.1	24.2	25.7	28.5	29.2	24.3	24.6	21.5	20.3	269.7	12	-72221
	06 LST	16.0	14.9	15.5	17.2	19.7	23.1	27.7	27.3	21.8	22.4	20.3	18.0	243.9	12	-72221
	12 LST	13.2	10.2	10.2	9.2	10.6	11.6	15.0	16.9	15.7	17.3	15.5	16.8	162.2	12	-72221
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.7	1.1	0.9	0.4	0.2	0.2	0.0	0.1	0.3	0.5	0.2	5.4	12	-72221
	00 LST	0.7	0.5	0.7	0.8	0.1	0.0	0.1	0.1	0.2	0.3	0.3	0.8	4.6	12	-72221
	06 LST	0.7	0.7	0.7	0.7	0.0	0.2	0.1	0.1	0.4	0.7	0.5	0.6	5.4	12	-72221
	12 LST	1.9	1.9	3.1	2.8	1.5	2.2	0.8	0.4	0.9	1.1	1.7	1.6	19.9	12	-72221
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.8	16.7	20.9	22.2	24.1	20.6	20.4	21.1	18.7	16.3	14.5	15.7	228.0	12	-72221
	00 LST	16.6	13.5	18.0	16.5	18.2	15.4	14.5	15.3	14.4	15.7	14.6	16.4	189.1	12	-72221
	06 LST	13.1	14.2	17.4	19.1	19.0	17.0	15.9	19.0	17.8	17.2	14.5	16.5	200.7	12	-72221
	12 LST	18.0	16.2	16.6	14.8	14.8	10.2	10.0	10.1	15.4	20.2	17.6	19.2	183.1	12	-72221
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.6	8.1	9.0	9.6	9.1	6.9	1.6	4.3	7.4	16.0	13.5	11.2	106.3	12	-72221
	00 LST	11.2	11.3	12.3	13.7	17.1	16.2	15.3	17.5	17.4	20.3	16.4	13.7	182.4	12	-72221
	06 LST	8.5	8.2	7.4	8.4	7.9	7.7	4.2	9.1	9.4	15.2	11.2	9.7	106.9	12	-72221
	12 LST	8.1	7.5	9.4	9.8	6.7	5.1	1.5	2.4	4.5	13.3	10.8	9.1	88.2	12	-72221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.5	23.6	25.0	27.8	28.4	29.8	29.8	27.4	28.6	25.8	24.9	317.2	12	-72221
	00 LST	21.3	20.3	22.4	22.4	26.2	28.1	30.1	30.2	28.1	28.5	24.8	23.3	305.7	12	-72221
	06 LST	18.8	18.3	20.6	21.2	22.4	26.2	29.0	29.1	25.1	26.8	23.6	21.3	282.4	12	-72221
	12 LST	23.7	20.3	24.5	24.3	27.2	27.1	28.3	29.0	25.7	27.7	26.6	24.9	309.3	12	-72221
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.9	19.3	21.2	21.1	26.4	26.2	28.0	27.7	25.2	26.9	23.9	21.9	289.7	12	-72221
	00 LST	18.9	17.7	20.2	20.9	25.1	26.7	29.1	29.1	27.4	27.2	23.3	20.8	286.4	12	-72221
	06 LST	16.8	15.1	18.3	19.6	20.8	25.1	27.5	27.7	23.4	25.3	21.2	19.0	259.8	12	-72221
	12 LST	20.7	17.6	21.4	22.8	23.6	23.6	24.1	23.3	22.7	25.6	22.7	20.6	268.7	12	-72221
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.5	18.3	19.6	22.2	25.0	25.1	26.3	26.6	23.1	26.2	22.7	19.5	273.1	12	-72221
	00 LST	17.7	16.7	18.5	20.5	24.1	25.6	28.6	28.6	25.3	26.1	22.2	18.9	272.8	12	-72221
	06 LST	15.6	13.6	16.6	18.2	20.0	23.8	26.7	26.7	21.6	24.6	19.6	17.1	244.1	12	-72221
	12 LST	18.8	15.4	20.3	22.1	22.7	22.8	22.9	22.2	21.2	25.1	21.6	18.6	253.7	12	-72221

# FERNANDINA BEACH, FLORIDA

STA NO. 75322 (IN AREA NUMBER 15)

LATITUDE 3036N

LONGITUDE 08127W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	90	94	101	104	103	102	102	96	88	83	104	29	-113
MEAN MAX TMP (F)	66	68	72	78	84	89	90	90	87	80	72	66	79	29	-113
MEAN MIN TMP (F)	47	48	52	59	66	72	74	74	73	65	54	48	61	29	-113
ABS MIN TMP (F)	18	21	27	35	48	60	66	63	53	39	24	19	18	29	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	5.0	11.0	15.0	18.0	5.0	1.0	0.0	0.0	55.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	3.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	10.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-193	-160	-122	-95	-79	-65	-98	-80	-81	-119	-170	-194	-170	0	-50
MEAN PRECIP (IN)	2.55	3.10	3.46	2.86	3.29	5.37	6.01	5.72	7.73	4.71	2.08	2.81	49.7	64	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				29	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	6.3	6.5	6.0	6.3	8.1	8.7	8.4	10.9	7.2	3.8	5.9	83.6	64	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0



# FERNANDINA BEACH, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	19 LST													0	0
3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND	19 LST													0	0
NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	19 LST													0	0
DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

# NAPLES/AMERICA, FLORIDA

STA NO. 75323 (IN AREA NUMBER 19)

LATITUDE 2609N

LONGITUDE 08146W

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	91	92	94	96	98	97	98	95	92	88	98	15	-113
MEAN MAX TMP (F)	76	77	80	84	87	89	91	91	90	85	81	77	84	15	-113
MEAN MIN TMP (F)	56	57	60	65	69	73	75	75	74	69	63	57	66	14	-113
ABS MIN TMP (F)	34	33	39	41	55	61	69	69	68	46	34	30	30	14	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	0.3	4.0	12.0	21.0	27.0	17.0	3.0	0.3	0.0	84.9	9	-113
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	56	57	59	62	67	72	73	74	73	67	61	56	65	0	-30
MEAN REL HUM (PCT)	73	73	71	68	72	76	74	76	76	74	71	71	73	10	-29
MEAN PRESS-ALT (FT)	-168	-142	-119	-92	-53	-46	-95	-63	-23	-43	-115	-151	-92	0	-30
MEAN PRECIP (IN)	1.88	1.87	2.49	2.58	4.03	8.00	8.67	7.99	9.76	4.70	1.49	1.30	54.8	17	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	4.4	5.5	5.6	6.8	10.5	11.2	10.5	13.2	7.2	3.0	3.4	85.7	17	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# NAPLES/AMERICA, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

# OKEECHOBEE/COUNTY, FLORIDA

STA NO. 75324 (IN AREA NUMBER 15)

LATITUDE 2715N

LONGITUDE 08091W

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	M/A	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	85	88	89	94	97	96	99	94	91	87	84	99	12	-113
MEAN MAX TMP (F)	71	73	76	80	85	87	87	88	87	83	78	72	81	12	-113
MEAN MIN TMP (F)	55	56	60	65	70	73	75	75	74	70	62	55	66	12	-113
ABS MIN TMP (F)	29	29	36	40	50	61	68	68	66	48	35	28	28	11	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	5.0	9.0	11.0	6.0	1.0	0.0	0.0	33.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-134	-109	-92	-65	-25	-20	-70	-33	10	-2	-72	-111	-59	0	-50
MEAN PRECIP (IN)	1.92	1.98	2.94	3.07	4.06	6.91	5.26	6.63	8.15	5.23	1.17	1.65	49.0	14	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	4.6	6.0	6.2	6.8	9.5	8.0	9.3	11.4	7.9	2.5	4.0	80.7	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

## MEAN NUMBER OF DAYS

**DATA NOT AVAILABLE**

# TITUSVILLE/TI-CO, FLORIDA

STA NO. 75325 (IN AREA NUMBER 15)

LATITUDE 28°00N

LONGITUDE 080°48W

ELEVATION(FT) 00035

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	88	91	94	97	100	102	103	101	101	99	92	88	103	66	-113
MEAN MAX TMP (F)	72	73	77	81	86	89	91	91	88	83	77	72	82	67	-113
MEAN MIN TMP (F)	51	52	55	60	65	70	72	73	72	66	58	52	62	65	-113
ABS MIN TMP (F)	19	19	29	34	46	57	61	60	51	40	27	18	18	65	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.0	2.0	9.0	20.0	26.0	26.0	14.0	3.0	0.0	0.0	101.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	2.0	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	4.6	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65	-29
MEAN JEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS-ALT (FT)	-164	-193	-110	-85	-93	-47	-89	-55	-28	-53	-124	-156	-91	0	-90
MEAN PRECIP (IN)	2.20	2.58	2.99	2.71	4.20	7.19	7.30	6.34	8.13	5.84	2.26	2.34	54.1	66	-113
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				65	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.6	6.1	5.8	6.9	9.8	9.9	9.0	11.4	8.6	4.0	5.2	87.3	66	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				65	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TITUSVILLE/TI-CO, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE



# WILLISTON MUNICIPAL, FLORIDA

STA NO. 75326 (IN AREA NUMBER 15)

LATITUDE 2921N

LONGITUDE 08228W

ELEVATION(FT) 00070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	89	96	95	101	104	102	100	99	96	90	87	104	60	-73204
MEAN MAX TMP (F)	69	71	76	81	87	90	91	91	89	83	75	69	81	60	-73204
MEAN MIN TMP (F)	47	48	53	58	64	69	71	71	70	61	52	47	59	60	-73204
ABS MIN TMP (F)	14	6	24	32	43	54	60	60	48	33	22	12	6	60	-73204
MEAN NO DYS TMP = DR GTR 40(F)	0.0	0.0	0.0	0.9	9.9	14.5	21.8	19.5	11.1	0.9	0.0	0.0	78.6	13	-73204
MEAN NO DYS TMP = DR LES 32(F)	4.7	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.8	12.0	13	-73204
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73204
MEAN DEW PT TMP (F)	45	49	50	56	64	70	73	72	71	62	53	46	59	13	-73204
MEAN REL HUM (PCT)	75	73	71	70	72	76	79	80	82	78	77	76	76	13	-73204
MEAN PRESS ALT (FT)	-121	-93	-64	-37	-4	7	-38	-9	19	-10	-81	-112	-44	0	-50
MEAN PRECIP (IN)	2.95	3.02	3.41	2.89	3.20	6.72	7.33	7.08	5.48	3.29	1.85	3.00	50.2	64	-73204
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73204
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	6.2	6.4	6.0	6.3	9.3	9.9	9.7	8.2	5.4	3.4	6.2	83.1	64	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73204
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.1	4.2	4.8	4.2	2.9	1.1	2.4	2.1	2.3	3.2	5.6	6.8	44.7	13	-73204
MEAN NO DYS TSTMS	0.5	1.4	2.3	4.9	7.6	11.0	16.5	12.9	8.3	2.4	0.3	0.4	68.5	13	-73204
P FREQ WND SPD = DR GTR 17 KTS	1.5	3.3	2.2	2.3	0.7	0.6	0.3	0.2	0.9	1.3	1.0	1.3	1.3	13	-73204
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73204
P FREQ LES 3000 FT A/D LES 5 MI	38.7	38.0	33.5	29.8	31.4	31.7	30.0	30.4	34.0	33.1	33.5	38.8	33.6	13	-73204
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.3	20.3	16.1	10.7	8.8	4.8	3.1	3.6	6.1	14.6	22.1	24.0	13.1	13	-73204
03-05 LST	28.3	28.9	24.1	19.7	19.0	11.5	10.6	10.0	12.7	21.1	28.8	27.3	20.2	13	-73204
06-08 LST	34.7	39.0	30.1	26.4	24.4	14.0	14.5	19.7	26.0	28.8	35.3	36.2	27.4	13	-73204
09-11 LST	25.4	21.7	18.4	10.1	6.6	5.6	5.2	7.7	14.1	16.8	19.1	21.9	14.4	13	-73204
12-14 LST	14.4	10.2	10.0	5.3	2.3	2.9	3.9	4.9	10.1	11.2	8.4	13.8	8.1	13	-73204
15-17 LST	10.6	9.8	9.9	4.3	3.4	4.8	5.6	6.3	8.7	9.0	6.9	12.5	7.7	13	-73204
18-20 LST	12.8	9.7	10.4	6.6	4.6	6.3	4.3	5.3	7.6	9.6	9.3	13.9	8.5	13	-73204
21-23 LST	14.7	10.9	10.7	7.1	5.1	3.0	2.0	3.6	5.5	9.6	13.3	19.7	8.8	13	-73204
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.8	5.3	5.2	2.7	1.0	0.5	0.5	0.4	1.0	5.0	10.0	10.4	4.2	13	-73204
03-05 LST	12.0	9.5	9.0	8.8	7.3	3.0	3.3	2.5	4.3	7.8	14.1	13.2	7.9	13	-73204
06-08 LST	14.4	13.3	8.6	8.6	7.6	2.9	4.7	5.1	6.7	9.7	15.1	13.8	9.2	13	-73204
09-11 LST	6.0	3.6	1.1	0.4	0.4	0.1	0.2	0.1	0.1	1.0	3.2	4.4	1.7	13	-73204
12-14 LST	1.0	0.6	0.6	0.0	0.1	0.1	0.3	0.2	0.6	0.5	0.0	1.3	0.4	13	-73204
15-17 LST	1.1	0.5	0.9	0.1	0.7	0.7	0.6	0.6	0.5	0.2	0.4	1.2	0.6	13	-73204
18-20 LST	1.3	1.2	2.9	0.3	0.3	0.2	0.8	0.3	0.3	0.4	0.8	4.5	1.1	13	-73204
21-23 LST	4.3	1.0	2.8	0.8	0.1	0.2	0.2	0.2	0.2	1.9	3.6	7.7	1.9	13	-73204

# WILLISTON MUNICIPAL, FLORIDA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.5	25.3	28.3	28.4	30.4	28.4	30.0	29.7	28.3	28.6	28.1	27.0	340.0	13	-73204
	01 LST	24.1	22.9	26.7	27.3	29.0	29.0	30.2	30.3	28.5	27.1	23.8	23.7	322.6	13	-73204
	07 LST	20.2	16.8	21.9	21.7	24.4	26.5	26.7	25.0	22.1	21.2	18.6	19.7	264.8	13	-73204
	13 LST	27.9	26.0	28.7	29.2	30.6	29.5	30.3	30.2	28.1	28.1	28.2	27.9	345.7	13	-73204
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.7	20.6	21.8	22.3	25.8	24.2	26.3	27.7	24.8	25.8	25.5	24.1	292.6	13	-73204
	01 LST	21.1	19.0	24.0	24.9	27.7	28.2	30.1	29.5	26.9	25.2	21.4	20.9	298.9	13	-73204
	07 LST	17.2	14.0	18.1	19.6	23.2	25.1	26.2	24.1	20.2	19.5	16.8	16.8	240.8	13	-73204
	13 LST	15.6	13.2	14.2	15.5	20.7	21.9	25.1	23.8	18.2	18.1	17.6	16.5	220.4	13	-73204
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.5	0.2	0.3	0.1	0.1	0.1	0.0	0.1	0.2	0.0	0.2	2.0	13	-73204
	01 LST	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.9	13	-73204
	07 LST	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.9	13	-73204
	13 LST	2.3	2.7	1.8	2.2	0.3	0.4	0.1	0.2	0.9	1.0	0.9	1.1	13.9	13	-73204
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.6	18.6	23.3	22.9	24.2	20.4	18.7	15.9	18.2	14.6	17.0	17.4	234.8	13	-73204
	01 LST	15.4	14.1	17.0	13.3	11.3	10.3	7.5	7.8	9.7	13.4	13.8	12.7	140.3	13	-73204
	07 LST	14.1	13.1	14.8	14.2	14.7	14.5	9.9	9.4	11.0	14.6	13.7	12.5	156.5	13	-73204
	13 LST	17.5	14.7	16.9	18.4	16.6	12.1	9.3	9.2	14.9	18.0	19.4	17.6	184.6	13	-73204
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.6	10.2	9.4	9.2	7.8	4.3	2.4	3.5	4.6	12.0	13.4	11.8	99.2	11	-73204
	01 LST	13.4	12.4	13.5	15.9	17.9	14.4	14.8	13.0	13.1	16.7	14.3	14.7	176.1	11	-73204
	07 LST	8.3	6.6	6.5	8.3	10.4	7.6	6.6	7.3	3.8	8.8	8.7	8.8	91.7	11	-73204
	13 LST	7.4	7.6	7.1	7.4	4.4	1.3	0.3	0.7	1.4	5.9	7.3	8.9	59.7	11	-73204
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.3	23.6	27.1	26.7	28.8	26.2	28.2	27.4	25.3	26.2	26.3	25.5	317.6	13	-73204
	01 LST	22.3	20.7	24.7	26.4	28.1	28.0	29.6	29.5	27.3	26.3	22.2	22.7	307.8	13	-73204
	07 LST	18.0	15.0	19.4	20.3	23.6	25.6	26.0	24.0	20.5	20.3	17.6	17.9	248.2	13	-73204
	13 LST	23.4	22.0	25.9	25.9	26.3	25.4	26.7	24.8	21.8	24.1	25.3	24.4	296.0	13	-73204
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.1	21.6	24.4	24.6	25.1	23.4	24.3	24.6	22.8	24.6	24.5	22.7	286.8	13	-73204
	01 LST	21.4	18.6	23.3	25.1	27.4	27.3	29.2	28.8	26.5	25.6	20.8	20.8	294.8	13	-73204
	07 LST	16.1	13.2	17.1	19.2	22.4	24.3	25.6	23.3	19.7	18.9	16.3	16.5	232.6	13	-73204
	13 LST	19.2	15.9	19.0	17.1	13.6	10.2	8.3	11.4	10.4	15.3	20.7	20.6	181.7	13	-73204
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	20.6	22.7	23.8	24.0	22.0	21.6	22.6	20.6	22.9	23.3	21.5	268.5	13	-73204
	01 LST	20.0	17.5	22.4	24.4	26.7	26.6	28.4	27.9	25.3	24.5	19.7	20.4	283.8	13	-73204
	07 LST	14.5	12.2	15.7	18.2	22.0	23.0	24.7	22.3	18.5	17.6	15.1	14.9	218.7	13	-73204
	13 LST	18.2	14.9	18.1	16.8	13.4	9.1	7.9	10.9	9.2	14.8	18.7	19.1	171.1	13	-73204

MILTON/WHITING FIELD S, FLORIDA

STA NO. 75580 (IN AREA NUMBER 15)

LATITUDE 3042N

LONGITUDE 08700W


ELEVATION(FT) 00178

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	81	84	91	99	103	104	100	97	93	86	79	104	12	-73282
MEAN MAX TMP (F)	62	65	69	76	83	88	89	90	86	78	68	62	76	12	-73282
MEAN MIN TMP (F)	44	47	50	57	65	71	73	73	69	59	48	43	58	12	-73282
ABS MIN TMP (F)	20	12	26	39	46	55	66	62	53	33	26	20	12	12	-73282
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	2.7	11.5	14.4	17.7	7.5	0.8	0.0	0.0	54.8	12	-73282
MEAN NO DYS TMP = OR LES 32(F)	4.8	2.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4.3	14.4	12	-73282
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73282
MEAN DEW PT TMP (F)	45	46	48	55	63	69	72	71	68	57	47	44	57	12	-73282
MEAN REL HUM (PCT)	75	73	70	72	73	75	79	77	77	70	71	74	74	12	-73282
MEAN PRESS ALT (FT)	-34	-1	30	80	103	122	83	99	94	48	-3	-31	51	0	-50
MEAN PRECIP (IN)	3.12	4.31	4.61	4.70	4.20	6.65	7.03	4.98	7.69	2.23	2.32	4.27	56.1	12	-73282
MEAN SNOW FALL (IN)	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	-73282
MEAN NO DYS P.CP = OR GTR 0.1 IN	4.9	6.0	6.8	5.7	6.3	9.3	10.9	8.0	8.3	3.3	3.8	6.7	80.0	12	-73282
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-73282
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	6.4	4.6	5.8	4.6	2.0	0.5	0.8	2.1	2.3	3.4	5.2	44.6	12	-73282
MEAN NO DYS TSTMS	1.5	2.0	3.8	5.3	5.2	10.2	14.2	11.8	6.2	1.5	1.0	1.5	64.2	12	-73282
P FREQ WND SPD = OR GTR 17 KTS	5.5	6.2	7.7	4.9	1.7	1.1	0.6	0.5	1.7	1.6	4.1	3.9	3.3	12	-73282
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	12	-73282
P FREQ LES 5000 FT A/D LES 5 MI	41.5	42.7	37.7	33.6	29.2	25.5	21.9	19.5	24.8	20.2	25.9	36.7	30.0	12	-73282
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.4	28.1	25.8	28.9	15.3	4.5	1.3	1.2	7.5	8.9	16.5	21.7	15.8	12	-73282
03-05 LST	34.1	33.2	30.6	33.8	24.1	12.8	6.2	5.1	11.3	12.3	18.1	24.7	20.5	12	-73282
06-08 LST	37.4	38.2	34.0	31.1	24.9	15.0	5.8	6.5	18.4	18.2	21.8	28.2	25.3	12	-73282
09-11 LST	28.7	26.5	21.8	15.2	10.0	6.4	6.7	4.9	14.5	11.9	14.9	20.8	15.2	12	-73282
12-14 LST	18.5	17.8	15.4	9.9	5.6	5.7	4.4	3.9	10.4	6.7	8.8	16.2	10.3	12	-73282
15-17 LST	16.0	16.0	14.9	8.0	4.7	4.9	4.7	1.6	7.3	5.6	7.7	15.7	8.9	12	-73282
18-20 LST	18.0	18.5	20.4	12.5	4.6	3.1	2.4	1.9	5.5	6.5	9.1	18.3	10.1	12	-73282
21-23 LST	24.6	23.2	22.0	19.6	6.3	3.2	1.3	0.6	5.8	7.3	13.3	19.7	12.2	12	-73282
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.9	10.8	8.7	9.4	5.4	1.2	0.3	0.1	1.5	2.3	7.4	9.3	5.6	12	-73282
03-05 LST	16.3	13.9	10.7	14.9	12.3	4.6	1.6	0.7	3.1	4.2	8.5	11.3	8.5	12	-73282
06-08 LST	15.3	14.6	8.8	9.3	6.6	2.8	0.7	0.8	3.4	5.0	7.0	9.8	7.0	12	-73282
09-11 LST	3.7	2.5	1.4	0.5	0.4	0.6	0.4	0.5	1.0	0.3	1.0	3.4	1.3	12	-73282
12-14 LST	0.4	1.2	0.8	0.6	0.4	0.6	0.4	0.3	0.8	0.5	0.3	1.6	0.7	12	-73282
15-17 LST	1.0	1.3	0.9	0.2	0.1	0.6	0.8	0.5	1.0	0.3	0.4	0.9	0.7	12	-73282
18-20 LST	2.6	3.0	1.9	0.6	0.1	0.3	0.3	0.5	0.4	0.2	1.0	2.8	1.1	12	-73282
21-23 LST	6.2	6.2	5.2	2.0	0.2	0.3	0.0	0.3	0.9	1.2	3.8	6.0	2.7	12	-73282

MILTON/WHITING FIELD S, FLORIDA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.2	24.5	27.4	28.0	30.3	29.4	30.6	30.6	28.8	29.6	28.3	27.2	341.9	12	-73282
	00 LST	23.2	21.4	24.6	23.6	28.1	29.3	30.9	30.9	28.3	29.1	25.5	25.3	320.2	12	-73282
	06 LST	21.0	19.0	21.3	20.4	23.2	25.8	29.2	28.9	25.1	25.5	24.6	23.3	287.3	12	-73282
	12 LST	27.2	24.7	27.9	28.0	30.0	29.3	30.2	30.2	27.9	29.6	28.6	27.8	341.4	12	-73282
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.3	16.4	16.7	17.1	20.1	20.0	25.4	26.9	24.9	25.9	24.0	21.0	257.7	12	-73282
	00 LST	16.7	15.5	17.4	18.6	25.2	27.7	29.9	30.0	25.5	24.4	19.2	18.0	268.1	12	-73282
	06 LST	14.6	12.5	14.5	15.2	19.1	23.5	28.1	27.5	21.0	21.6	18.2	16.1	231.9	12	-73282
	12 LST	11.8	8.4	10.0	10.4	15.6	18.8	22.6	21.9	17.6	17.2	14.6	13.3	182.2	12	-73282
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.1	2.4	1.3	0.2	0.2	0.2	0.0	0.4	0.2	0.7	0.2	7.8	12	-73282
	00 LST	1.1	0.9	1.4	0.8	0.1	0.1	0.0	0.0	0.0	0.2	0.9	1.2	6.7	12	-73282
	06 LST	0.9	1.2	1.0	0.9	0.0	0.1	0.1	0.1	0.1	0.2	0.6	0.9	6.1	12	-73282
	12 LST	2.6	3.9	4.2	2.7	1.6	0.4	0.5	0.2	0.4	1.2	2.3	2.2	22.2	12	-73282
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	23.1	20.9	19.8	22.2	22.8	21.5	22.2	22.8	23.4	23.3	22.1	23.7	267.8	12	-73282
	00 LST	20.8	17.8	18.2	18.4	17.8	17.3	14.2	15.3	18.3	20.0	20.1	18.1	216.3	12	-73282
	06 LST	18.1	15.8	18.9	18.7	18.6	17.4	16.3	17.1	18.9	20.2	19.4	18.1	217.5	12	-73282
	12 LST	15.6	12.2	13.3	14.5	18.1	15.1	14.6	13.4	17.1	19.6	15.2	18.5	187.2	12	-73282
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	6.9	8.2	11.3	8.2	6.8	2.4	3.9	6.2	15.7	12.9	10.6	101.5	12	-73282
	00 LST	10.7	11.6	13.1	13.6	18.1	17.7	16.3	18.3	15.7	20.7	16.0	12.1	183.9	12	-73282
	06 LST	8.2	8.1	8.1	8.1	8.2	7.9	6.2	9.6	8.4	15.0	11.0	8.8	107.6	12	-73282
	12 LST	7.3	6.9	8.8	8.6	4.9	2.5	1.1	1.7	4.0	11.7	10.4	9.3	77.2	12	-73282
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	21.3	23.0	25.6	28.3	28.3	28.4	29.4	26.3	28.1	25.8	24.3	312.1	12	-73282
	00 LST	20.8	18.8	22.2	21.1	26.7	28.1	30.2	30.7	27.3	27.8	23.9	22.9	300.5	12	-73282
	06 LST	17.6	15.5	18.7	17.9	20.7	24.0	27.9	27.6	23.2	24.4	21.9	19.9	259.3	12	-73282
	12 LST	20.7	19.1	22.6	22.7	24.6	24.2	25.0	26.5	22.6	26.1	23.7	23.2	281.0	12	-73282
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.6	18.4	21.4	24.2	26.4	25.9	26.1	26.9	24.7	26.3	24.2	21.0	286.1	12	-73282
	00 LST	19.2	17.3	20.6	20.3	25.6	27.2	29.7	30.5	26.5	26.4	22.7	20.7	286.7	12	-73282
	06 LST	15.9	13.5	17.1	16.9	19.6	23.2	27.2	26.5	22.5	23.1	20.3	17.0	242.8	12	-73282
	12 LST	17.7	15.3	18.7	18.2	17.0	14.7	13.9	14.8	15.7	22.0	20.0	19.6	207.6	12	-73282
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.4	17.3	19.3	22.8	24.8	24.4	23.9	24.4	22.6	25.3	22.5	19.4	265.1	12	-73282
	00 LST	17.3	16.5	18.9	19.6	24.4	26.3	29.0	29.4	25.1	25.9	21.5	18.4	272.3	12	-73282
	06 LST	14.5	12.2	15.7	15.6	18.4	21.7	25.3	25.4	21.3	21.7	18.1	15.2	225.1	12	-73282
	12 LST	15.6	13.6	17.2	17.3	15.9	13.9	12.6	13.5	15.1	21.2	18.5	17.5	191.9	12	-73282



## ALBANY MUNICIPAL, GEORGIA

STA NO. 72216 (IN AREA NUMBER 15)

LATITUDE 3132N

LONGITUDE 08411W

ELEVATION(FT) 00196

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	88	93	98	101	106	104	104	106	98	89	84	106	74	-613
MEAN MAX TMP (F)	62	64	72	79	87	92	92	92	89	80	70	63	79	66	-113
MEAN MIN TMP (F)	41	42	49	55	63	70	72	72	68	57	46	41	56	67	-113
ABS MIN TMP (F)	11	-2	21	32	40	48	60	59	45	28	15	11	-2	75	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.8	13.4	25.0	25.0	23.7	11.3	1.1	0.0	0.0	100.3	7	2404
MEAN NO DYS TMP = OR LES 32(F)	5.1	2.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	6.3	18.7	7	2404
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2404
MEAN DEW PT TMP (F)	45	45	46	52	60	68	71	70	66	56	44	42	55	7	58159
MEAN REL HUM (PCT)	74	70	65	64	63	68	73	74	73	70	68	74	70	7	57435
MEAN PRESS ALT (FT)	-13	18	60	88	111	130	92	112	114	71	14	-13	65	0	-50
MEAN PRECIP (IN)	3.88	4.67	5.04	4.08	3.80	4.36	5.95	5.30	3.50	2.29	2.43	3.26	48.6	69	-113
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	61	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	8.2	7.2	6.8	6.7	7.2	8.7	8.1	5.6	4.0	4.2	6.5	80.5	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2394
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.6	3.1	2.1	0.8	0.4	0.7	1.0	0.3	1.1	1.0	3.4	5.6	24.1	7	2554
MEAN NO DYS TSTMS	1.0	2.0	4.0	6.0	7.0	9.0	17.0	11.0	5.0	2.0	1.0	1.0	66.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS	2.3	2.9	3.5	2.2	0.4	0.4	0.2	0.5	0.9	0.8	2.3	1.5	1.5	7	61195
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	7	61195
P FREQ LES 5000 FT A/D LES 5 MI	34.5	36.3	28.9	21.8	14.2	12.5	19.0	15.2	22.4	23.1	27.6	37.5	24.4	7	61181
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.3	19.0	17.5	5.9	4.3	2.7	4.6	3.9	7.9	9.5	12.9	21.8	10.3	7	7648
03-05 LST	24.0	27.4	25.7	14.6	10.3	6.7	10.6	9.5	14.0	16.7	17.8	27.8	17.1	7	7651
06-08 LST	35.2	36.0	26.9	19.2	15.2	10.4	14.3	15.7	21.0	26.7	28.7	31.3	23.4	7	7644
09-11 LST	28.1	26.8	18.7	9.8	5.7	3.7	5.5	8.0	11.9	13.8	13.9	25.7	14.3	7	7647
12-14 LST	13.7	15.2	10.6	3.8	0.9	1.0	1.7	1.5	4.5	4.7	7.3	15.9	6.7	7	7650
15-17 LST	8.1	9.8	9.5	2.5	0.6	1.9	2.5	0.8	3.8	2.0	6.7	12.0	5.0	7	7651
18-20 LST	7.4	10.5	8.6	2.9	1.5	1.3	1.8	2.0	4.6	2.8	5.8	13.1	5.2	7	7648
21-23 LST	10.6	11.6	9.2	2.9	1.4	1.0	2.0	2.5	6.4	5.1	7.7	16.4	6.4	7	7642
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.2	2.7	1.7	0.0	0.5	0.6	0.6	0.5	1.0	1.1	2.2	9.6	2.1	7	7648
03-05 LST	9.4	6.7	4.9	2.5	0.8	1.4	2.3	2.0	2.7	2.0	6.1	11.1	4.3	7	7651
06-08 LST	11.2	10.3	4.0	3.0	0.8	1.1	0.9	0.8	2.7	3.7	7.9	11.7	4.8	7	7644
09-11 LST	4.9	2.5	0.6	0.0	0.0	0.0	0.0	0.2	0.2	0.0	1.8	3.4	1.1	7	7647
12-14 LST	0.6	0.2	0.5	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.3	0.8	0.3	7	7650
15-17 LST	0.3	0.2	0.3	0.0	0.2	0.3	0.3	0.0	0.2	0.0	0.2	0.8	0.2	7	7651
18-20 LST	0.5	0.3	0.3	0.0	0.0	0.2	0.0	0.3	0.2	0.0	0.0	2.5	0.4	7	7648
21-23 LST	2.2	1.2	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.8	0.9	7	7642

# ALBANY MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.4	26.3	28.8	29.4	30.7	29.7	30.7	30.8	29.4	30.7	28.7	28.1	352.7	7	2554
	00 LST	27.3	24.3	28.7	28.8	30.7	29.7	30.4	30.6	28.4	29.5	27.3	26.1	341.8	7	2554
	06 LST	29.0	19.8	25.1	25.3	27.8	27.4	28.1	26.8	24.1	24.4	24.6	23.3	299.7	7	2554
	12 LST	26.8	25.3	28.8	29.1	31.0	29.9	30.8	31.0	29.0	30.6	28.6	27.4	348.3	7	2554
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	25.0	20.1	20.0	21.4	26.6	25.1	27.1	28.1	26.7	27.7	25.1	24.7	297.6	7	2554
	00 LST	23.0	20.4	22.3	25.4	29.0	28.6	29.3	29.9	26.7	27.1	24.0	21.9	307.6	7	2554
	06 LST	18.7	15.4	19.3	22.4	25.5	26.3	26.4	26.1	21.8	21.2	20.7	18.8	262.6	7	2554
	12 LST	14.8	12.7	14.8	17.4	24.0	25.8	27.4	26.3	22.7	21.3	17.7	16.1	241.0	7	2554
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.8	1.3	0.7	0.0	0.3	0.0	0.1	0.1	0.0	0.3	0.1	4.0	7	2518
	00 LST	0.3	0.3	0.7	0.3	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.4	2.7	7	2523
	06 LST	0.3	0.3	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.4	7	2511
	12 LST	1.7	2.0	2.0	1.6	0.1	0.1	0.0	0.1	0.3	0.4	2.0	1.0	11.3	7	2515
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.3	11.1	12.3	12.7	12.4	6.3	9.9	8.4	9.9	6.3	7.3	8.9	116.0	7	2367
	00 LST	9.5	9.9	11.8	8.7	7.3	5.9	4.6	4.3	4.8	5.8	6.9	8.5	88.0	7	2373
	06 LST	8.5	8.7	9.1	8.3	5.3	5.3	3.1	2.7	6.6	6.6	5.8	8.7	78.7	7	2359
	12 LST	12.4	12.6	14.1	11.5	13.4	6.7	7.5	9.0	14.9	18.1	11.5	14.5	146.2	7	2364
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.3	9.5	8.0	12.1	11.7	7.1	4.7	7.8	9.3	16.4	15.4	11.7	124.0	7	2554
	00 LST	15.1	13.7	14.0	17.1	19.7	15.8	13.0	15.3	14.9	20.7	16.8	12.2	188.3	7	2554
	06 LST	11.7	9.7	10.0	11.3	14.1	11.3	9.3	11.1	9.4	14.8	13.0	10.9	136.6	7	2554
	12 LST	10.9	9.7	10.1	12.3	11.7	7.8	4.3	8.1	7.8	14.1	14.0	9.6	120.4	7	2554
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.3	23.6	27.4	27.4	30.4	29.3	29.1	29.5	27.7	29.0	27.1	25.8	333.6	7	2554
	00 LST	25.9	21.6	26.3	27.8	29.5	29.0	29.5	29.7	26.6	27.8	25.3	24.2	323.2	7	2554
	06 LST	20.3	16.3	21.1	23.1	25.3	26.4	26.6	26.0	21.8	22.0	21.7	20.9	271.7	7	2554
	12 LST	23.1	20.8	24.1	25.7	29.0	28.8	27.3	27.6	25.0	27.2	26.1	22.2	306.9	7	2554
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.6	24.0	24.6	27.6	25.7	25.0	26.3	24.4	25.9	23.6	22.8	293.3	7	2554
	00 LST	23.0	19.1	24.4	25.4	28.7	28.3	28.6	28.6	24.6	26.1	23.3	20.5	300.6	7	2554
	06 LST	17.3	14.1	19.8	21.1	23.8	25.8	25.3	24.4	21.0	20.9	19.3	17.6	250.4	7	2554
	12 LST	21.1	18.1	21.0	21.7	23.7	24.6	20.8	23.6	21.0	24.6	23.3	19.5	263.0	7	2554
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.5	19.1	22.6	23.0	26.6	24.1	23.0	24.7	21.1	24.5	22.4	21.4	274.0	7	2554
	00 LST	22.3	17.8	23.0	24.3	27.3	26.4	26.4	27.3	23.4	24.8	22.4	18.6	284.0	7	2554
	06 LST	16.0	13.4	18.0	19.8	22.8	24.8	23.8	23.3	18.7	19.6	18.0	16.1	234.3	7	2554
	12 LST	19.3	17.1	19.4	21.3	23.4	23.7	20.6	23.0	20.1	23.2	22.0	17.9	251.0	7	2554



# MACON MUNICIPAL, GEORGIA

STA NO. 72217 (IN AREA NUMBER 13)

LATITUDE 3242N

LONGITUDE 08339W

ELEVATION(FT) 00362

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	83	89	93	99	106	105	104	102	100	88	80	106	16	-613
MEAN MAX TMP (F)	60	63	68	78	86	92	92	92	87	78	67	59	77	16	-113
MEAN MIN TMP (F)	39	40	45	54	61	69	71	70	66	54	43	37	54	16	-113
ABS MIN TMP (F)	13	10	19	31	39	48	58	55	45	26	10	16	10	16	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	11.7	19.8	24.0	24.3	12.4	1.6	0.0	0.0	94.8	12	4382
MEAN NO DYS TMP = OR LES 32(F)	10.4	5.7	3.2	0.1	0.0	0.0	0.0	0.0	0.0	0.4	4.9	10.1	34.8	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	37	39	41	49	59	66	70	69	65	53	42	36	52	12	105140
MEAN REL HUM (PCT)	68	66	63	61	64	67	72	70	72	69	66	68	67	12	105140
MEAN PRESS. ALT (FT)	147	177	214	241	268	287	246	270	283	242	177	148	225	0	-50
MEAN PRECIP (IN)	3.23	4.24	5.49	3.91	3.63	3.62	4.96	3.53	3.57	2.06	2.68	4.35	44.9	20	-113
MEAN SNOW FALL (IN)	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	3650
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	7.8	7.3	6.5	6.6	6.4	7.7	6.3	5.7	3.7	4.6	7.9	77.0	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3650
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.7	2.3	2.7	0.2	0.5	0.7	1.1	0.9	1.3	1.7	3.2	3.7	22.0	12	4382
MEAN NO DYS TSTMS	0.5	2.1	2.7	4.4	6.7	9.5	14.0	10.1	3.5	1.1	0.6	0.7	95.9	12	4382
P FREQ WND SPD = OR GTR 17 KTS	3.4	4.8	5.4	5.0	0.9	1.0	0.7	0.4	1.0	0.9	1.8	2.3	2.3	12	105140
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105140
P FREQ LES 5000 FT A/D LES 5 MI	32.4	32.6	30.1	19.8	20.9	19.1	21.6	18.8	26.7	27.1	25.5	30.6	25.4	12	105128
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.6	16.0	15.1	5.6	6.3	5.5	6.5	3.0	10.0	12.8	10.6	13.7	10.1	12	13143
03-05 LST	20.4	18.9	19.8	9.9	13.4	10.1	13.0	9.6	17.6	18.2	15.4	18.4	15.4	12	13145
06-08 LST	26.2	27.6	27.1	15.8	18.5	16.1	21.8	20.6	30.1	26.3	24.4	23.3	23.2	12	13134
09-11 LST	21.2	24.3	21.2	9.7	9.5	8.3	10.7	9.4	18.4	16.1	17.8	20.4	15.6	12	13141
12-14 LST	13.7	14.4	13.5	5.5	5.2	2.9	1.1	1.1	7.3	8.2	8.2	12.8	7.8	12	13140
15-17 LST	8.4	12.1	12.1	3.1	2.5	2.9	2.0	1.3	6.6	6.2	5.4	9.4	6.0	12	13141
18-20 LST	9.3	11.0	11.4	3.0	1.8	2.6	1.4	1.0	5.8	6.3	5.7	9.6	5.7	12	13140
21-23 LST	10.7	11.3	11.0	2.2	3.9	3.1	3.2	1.6	6.4	8.0	7.2	9.6	6.5	12	13144
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.4	4.1	2.9	0.4	0.3	0.2	0.6	0.3	0.4	1.3	1.9	3.6	1.6	12	13143
03-05 LST	5.0	6.2	5.8	1.0	1.3	1.2	2.7	2.2	1.9	3.4	5.1	5.8	3.3	12	13145
06-08 LST	8.2	7.0	7.1	1.3	1.6	1.3	2.7	3.0	4.9	5.0	8.4	7.5	4.8	12	13134
09-11 LST	3.9	3.7	1.7	0.0	0.1	0.0	0.0	0.0	0.4	0.9	2.5	3.4	1.4	12	13141
12-14 LST	1.3	1.1	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.6	0.3	12	13140
15-17 LST	1.1	0.4	0.4	0.0	0.0	0.4	0.2	0.0	0.1	0.1	0.3	0.9	0.3	12	13141
18-20 LST	2.3	1.4	0.5	0.0	0.1	0.1	0.1	0.0	0.2	0.0	0.2	1.7	0.6	12	13140
21-23 LST	2.4	2.2	1.3	0.0	0.0	0.0	0.3	0.1	0.3	0.4	0.4	2.2	0.8	12	13144

# MACON MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.3	25.0	28.3	29.3	30.7	29.9	30.8	30.8	28.3	29.1	28.3	28.3	347.6	12	4382
	00 LST	27.6	24.8	27.2	29.3	29.9	29.2	30.0	30.6	28.3	28.1	27.9	27.7	340.6	12	4382
	06 LST	25.5	23.0	24.6	26.5	26.4	26.4	25.7	25.5	22.7	24.1	24.7	25.4	300.5	12	4382
	12 LST	28.0	24.6	27.7	28.9	30.3	29.5	30.8	30.8	28.5	29.1	28.1	27.9	344.2	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.9	15.2	13.9	13.2	20.1	18.9	19.6	24.4	23.3	25.6	23.9	22.0	239.0	12	4382
	00 LST	19.2	15.4	16.7	20.5	24.6	24.7	27.2	28.6	24.3	24.6	22.8	21.5	270.1	12	4382
	06 LST	17.3	15.3	17.4	19.7	22.7	24.2	23.1	23.7	18.7	20.2	20.8	18.9	242.0	12	4382
	12 LST	12.2	8.3	9.1	10.4	14.3	17.4	20.7	22.2	16.0	17.1	15.1	13.9	176.7	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.5	0.8	1.7	1.1	0.1	0.2	0.7	0.2	0.2	0.1	0.3	0.4	6.3	12	4279
	00 LST	0.9	0.8	0.7	0.6	0.1	0.0	0.2	0.1	0.1	0.2	0.7	0.3	4.7	12	4274
	06 LST	0.6	0.8	0.4	0.2	0.0	0.1	0.0	0.1	0.1	0.0	0.3	0.2	2.8	12	4243
	12 LST	1.7	2.7	3.5	2.9	0.4	0.6	0.1	0.1	0.2	0.7	1.2	1.5	15.6	12	4278
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	22.3	19.4	19.8	17.6	21.0	15.8	16.5	15.3	22.3	24.3	23.3	22.5	240.1	12	4279
	00 LST	17.8	18.7	19.9	21.9	23.7	24.7	23.4	23.1	27.6	21.6	20.8	18.8	257.0	12	4274
	06 LST	15.7	15.5	20.1	21.1	22.1	21.8	22.1	20.0	20.8	21.7	18.9	15.6	235.4	12	4243
	12 LST	16.1	13.2	15.5	15.1	16.9	13.8	13.6	12.5	17.1	20.2	18.6	17.9	190.5	12	4278
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.3	10.2	9.7	11.7	10.4	8.6	5.7	8.2	8.8	16.3	14.4	11.4	126.7	12	4382
	00 LST	14.6	13.5	14.4	18.3	17.6	16.4	15.7	17.7	16.6	19.7	16.5	14.9	195.9	12	4382
	06 LST	10.2	11.5	10.5	13.0	10.8	10.5	8.6	11.7	10.1	15.2	14.6	12.9	139.6	12	4382
	12 LST	9.7	9.0	8.9	10.2	7.7	5.8	4.7	8.0	6.7	14.8	13.1	9.9	108.5	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.3	23.4	26.7	28.3	29.4	28.9	30.1	30.2	27.2	28.0	27.3	26.3	332.1	12	4382
	00 LST	25.9	22.6	25.7	28.1	28.3	28.1	29.1	29.8	26.5	26.9	26.6	25.0	322.6	12	4382
	06 LST	21.6	20.1	21.2	23.6	24.2	24.7	24.1	23.9	20.3	22.1	22.7	22.7	271.2	12	4382
	12 LST	24.6	21.5	24.6	26.1	27.7	27.5	29.0	29.0	25.5	26.4	25.4	24.6	311.9	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.2	20.6	22.9	25.5	26.3	25.0	25.4	26.7	24.2	24.7	24.5	22.7	290.7	12	4382
	00 LST	22.2	20.0	23.3	25.7	26.7	26.7	27.3	28.2	24.7	25.2	23.4	22.4	295.8	12	4382
	06 LST	17.7	17.2	18.3	21.2	22.8	23.3	23.1	23.0	18.8	20.2	20.7	19.0	245.3	12	4382
	12 LST	21.2	19.1	20.1	21.2	20.9	19.5	20.2	22.7	19.5	23.3	23.0	20.9	251.6	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.2	21.3	23.9	25.5	23.5	24.1	25.8	22.9	23.8	23.3	21.4	275.8	12	4382
	00 LST	20.9	18.7	21.8	24.7	25.6	25.8	26.7	27.4	23.9	24.6	22.7	21.5	284.3	12	4382
	06 LST	16.7	16.1	16.6	20.3	21.6	22.6	22.3	22.0	17.6	19.4	20.2	17.3	232.7	12	4382
	12 LST	19.3	16.9	19.2	20.5	20.6	19.1	20.0	22.4	18.8	22.8	22.1	19.7	241.4	12	4382

## AUGUSTA/BUSH FIELD, GEORGIA

STA NO. 72218 (IN AREA NUMBER 15)

LATITUDE 3322N

LONGITUDE 08157W

ELEVATION(FT) 00145

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
ABS MAX TMP (F)	84	84	93	94	100	107	109	106	106	100	90	81	109	87	-613
MEAN MAX TMP (F)	58	60	67	76	84	90	91	90	86	76	66	58	75	85	-113
MEAN MIN TMP (F)	39	40	46	53	62	69	72	71	66	55	44	39	55	85	-113
ABS MIN TMP (F)	6	3	14	29	40	46	55	51	41	22	11	6	3	86	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.7	8.4	17.3	24.0	23.3	9.5	1.0	0.1	0.0	84.3	12	4382
MEAN NO DYS TMP = OR LES 32(F)	14.7	8.7	5.1	0.3	0.0	0.0	0.0	0.0	0.0	1.1	8.4	14.2	52.5	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	36	39	42	51	60	67	70	70	65	53	43	36	53	12	105118
MEAN REL HUM (PCT)	72	70	68	68	70	72	74	75	77	75	72	72	72	12	105118
MEAN PRESS ALT (FT)	-67	-29	17	47	53	67	43	47	21	-17	-47	-68	6	0	-50
MEAN PRECIP (IN)	3.68	4.11	4.49	3.37	3.20	4.15	5.06	4.67	3.53	2.44	2.56	3.38	44.6	89	-113
MEAN SNOW FALL (IN)	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	10	3649
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	7.6	7.0	6.4	6.3	6.9	7.8	7.5	5.7	4.2	4.4	6.7	77.6	89	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3649
MEAN NO DYS W/OCUR VSLY LES 1/2 MI	2.3	2.0	1.6	1.4	1.2	1.8	1.1	2.1	2.6	2.6	3.2	2.7	24.6	12	4382
MEAN NO DYS TSTMS	0.0	1.0	2.0	3.0	3.0	7.0	10.0	8.0	3.0	1.0	1.0	0.0	41.0	79	-24
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.7	3.8	3.3	0.5	0.4	0.3	0.2	0.6	0.4	1.0	1.5	1.4	12	105118
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	105118
P FREQ LES 5000 FT A/D LES 5 MI	30.6	30.6	29.2	21.5	22.1	21.0	21.3	21.8	29.5	27.6	29.6	28.9	26.1	12	105115
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.6	16.4	14.1	10.3	6.6	5.2	4.0	4.1	10.8	10.3	12.2	13.3	9.9	12	13134
03-05 LST	17.1	18.0	18.1	14.4	14.7	12.4	13.5	13.3	23.6	17.5	16.0	17.6	16.4	12	13139
06-08 LST	21.9	20.9	22.0	16.7	20.3	17.6	19.7	22.6	30.1	26.4	23.7	21.0	21.9	12	13140
09-11 LST	18.6	19.2	18.9	8.6	10.2	7.9	6.4	8.0	16.3	14.7	19.0	17.3	13.8	12	13142
12-14 LST	12.9	13.0	10.9	3.5	3.8	1.6	0.8	1.6	6.5	7.7	8.4	11.5	6.9	12	13141
15-17 LST	9.3	11.0	9.8	2.7	2.2	1.0	0.8	1.6	5.4	6.2	4.8	7.5	5.2	12	13142
18-20 LST	9.1	10.5	9.6	3.6	2.6	1.3	0.4	1.4	4.7	6.9	4.8	8.5	5.3	12	13137
21-23 LST	10.2	12.1	10.8	4.9	3.3	2.4	1.5	1.7	6.3	8.0	7.1	9.9	6.5	12	13140
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.4	3.3	2.2	0.7	0.8	0.2	0.2	0.4	0.6	1.2	3.3	4.0	1.6	12	13134
03-05 LST	3.5	5.6	2.7	3.4	3.0	2.4	1.6	3.3	5.1	4.2	6.5	5.7	3.9	12	13139
06-08 LST	4.8	5.9	3.9	3.3	2.8	3.8	3.2	4.7	8.1	6.9	8.4	5.9	5.1	12	13140
09-11 LST	1.4	2.0	0.8	0.0	0.1	0.0	0.0	0.4	0.3	0.6	2.3	2.2	0.8	12	13142
12-14 LST	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.7	0.1	12	13141
15-17 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.8	0.2	12	13142
18-20 LST	1.2	0.5	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.6	1.3	0.4	12	13137
21-23 LST	2.0	1.9	0.7	0.0	0.1	0.1	0.0	0.0	0.1	0.4	0.9	2.7	0.7	12	13140

# AUGUSTA/BUSH FIELD, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OFS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.8	25.8	28.6	29.5	30.7	29.7	30.8	30.8	28.9	29.5	29.0	28.6	350.7	12	4382
	01 LST	27.9	24.2	27.3	27.8	29.1	29.3	30.1	30.1	27.8	28.6	27.0	27.3	336.5	12	4382
	07 LST	25.6	23.0	24.8	25.6	26.0	25.7	26.1	24.7	21.9	23.7	23.0	25.0	295.1	12	4382
	13 LST	28.6	25.5	28.9	29.2	30.3	29.8	30.7	30.5	29.1	29.3	28.6	28.6	349.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.8	20.5	23.0	23.5	28.4	26.6	28.1	29.1	27.2	26.9	25.7	25.4	308.2	12	4382
	01 LST	23.7	18.9	21.3	24.1	26.7	27.2	29.6	28.9	25.7	26.4	24.2	23.6	300.3	12	4382
	07 LST	20.3	18.3	20.0	20.5	22.3	23.5	24.3	22.9	19.5	21.6	20.2	21.3	254.7	12	4382
	13 LST	14.3	12.6	13.2	14.4	20.4	20.8	22.8	22.7	19.8	19.5	17.4	17.2	215.1	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.1	3.2	12	4280
	01 LST	0.2	0.3	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.5	12	4276
	07 LST	0.3	0.3	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.6	12	4261
	13 LST	1.2	1.7	2.8	2.4	0.4	0.2	0.0	0.1	0.2	0.4	0.6	1.5	11.5	12	4289
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	12.1	12.6	16.0	15.5	16.7	18.0	17.0	16.5	14.1	8.9	9.3	12.3	169.0	12	4280
	01 LST	10.1	11.4	13.4	12.6	10.3	8.7	9.0	9.2	8.1	9.4	9.2	10.4	121.8	12	4261
	07 LST	8.7	9.4	14.0	13.6	15.6	14.9	13.4	10.9	12.6	10.9	9.7	10.4	144.1	12	4261
	13 LST	17.4	15.4	17.1	16.3	19.0	14.7	10.8	11.4	17.5	19.6	18.7	19.6	197.5	12	4289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	10.4	11.2	12.4	10.3	6.9	4.8	7.6	10.1	15.5	13.7	12.3	127.4	12	4382
	01 LST	13.4	12.3	12.4	15.2	16.2	13.7	12.3	14.7	14.8	18.7	14.9	14.1	172.7	12	4382
	07 LST	9.9	8.5	9.0	12.4	10.2	8.5	8.0	9.6	9.0	12.5	11.2	10.9	119.7	12	4382
	13 LST	9.1	8.5	8.2	9.5	6.7	3.9	3.7	4.5	6.2	11.6	11.6	10.2	93.7	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.4	28.1	29.6	28.7	30.6	30.2	27.6	28.4	27.7	27.5	337.1	12	4382
	01 LST	26.1	22.3	25.8	26.2	27.7	27.9	29.6	29.0	26.1	26.8	25.7	26.1	319.3	12	4382
	07 LST	22.8	21.1	22.7	23.6	23.8	24.5	24.6	23.2	19.8	21.7	21.2	22.9	271.9	12	4382
	13 LST	25.0	23.4	25.6	26.4	28.9	28.7	29.7	29.6	26.8	26.9	25.7	25.9	322.6	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.7	21.6	24.1	24.8	26.1	24.7	26.2	25.7	23.9	25.6	24.1	24.4	294.9	12	4382
	01 LST	21.9	20.2	22.8	25.0	26.3	26.8	27.9	28.4	23.7	24.6	23.1	22.7	293.4	12	4382
	07 LST	19.1	17.6	19.6	21.4	22.5	23.1	23.4	22.2	17.4	19.1	18.8	20.1	244.3	12	4382
	13 LST	20.2	18.8	20.9	21.2	21.9	19.1	19.5	20.6	18.0	22.1	21.8	22.2	246.3	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.7	19.6	22.2	23.6	24.1	22.4	24.2	24.9	22.2	23.8	22.7	22.0	273.4	12	4382
	01 LST	20.2	18.4	21.3	23.6	24.6	25.7	26.4	27.2	22.7	23.7	21.8	21.5	277.1	12	4382
	07 LST	17.8	16.1	18.2	19.6	21.1	22.0	22.3	21.6	16.8	18.3	17.8	18.8	230.4	12	4382
	13 LST	18.7	17.3	18.9	20.1	21.4	18.4	18.8	20.0	17.3	21.0	20.1	20.5	232.3	12	4382

## ATLANTA, GEORGIA

STA NO. 72219 (IN AREA NUMBER 15)

LATITUDE 3338N

LONGITUDE 08425W

ELEVATION(FT) 01024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	87	93	97	102	103	102	102	95	84	75	103	69	-528
MEAN MAX TMP (F)	51	54	62	71	79	86	87	86	82	72	61	52	70	68	-28
MEAN MIN TMP (F)	35	37	43	51	60	67	70	69	64	54	43	37	53	68	-28
ABS MIN TMP (F)	-2	-8	8	25	38	39	58	55	43	28	3	1	-8	69	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.1	10.9	12.7	13.5	4.1	0.3	0.0	0.0	43.6	13	4748
MEAN NO DYS TMP = OR LES 32(F)	11.7	6.6	4.9	0.2	0.0	0.0	0.0	0.0	0.0	0.3	4.8	10.6	39.1	13	4748
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4748
MEAN DEW PT TMP (F)	35	36	38	46	57	64	68	67	62	51	39	34	50	12	105148
MEAN REL HUM (PCT)	71	68	65	62	66	70	73	71	72	69	67	70	69	12	105148
MEAN PRESS ALT (FT)	805	844	898	927	939	955	929	934	907	865	831	805	887	0	-50
MEAN PRECIP (IN)	4.90	4.80	5.50	3.70	3.60	3.70	4.70	4.30	3.20	2.60	3.10	4.50	48.6	52	-28
MEAN SNOW FALL (IN)	0.7	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	26	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.4	7.3	6.6	6.6	6.4	7.5	7.1	5.2	4.5	5.1	8.1	81.3	52	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	3644
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.6	3.3	2.8	0.8	0.7	0.4	1.5	1.3	1.1	2.0	2.5	3.8	24.8	12	4382
MEAN NO DYS TSTMS	1.0	1.0	3.0	4.0	6.0	9.0	11.0	9.0	3.0	1.0	1.0	1.0	50.0	73	-24
P FREQ WND SPD = OR GTR 17 KTS	14.0	12.3	13.7	11.6	3.4	1.7	1.2	0.7	2.5	3.7	7.0	7.8	6.6	12	105148
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.6	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	12	105148
P FREQ LES 5000 FT A/D LES 5 MI	37.9	34.8	31.7	20.9	19.5	17.4	20.2	16.1	24.2	25.3	28.0	34.6	25.9	12	105133
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	22.5	20.0	17.9	9.3	8.9	7.7	10.2	5.4	12.3	14.2	13.8	16.8	13.3	12	13146
03-05 LST	26.3	24.7	22.8	14.1	14.2	13.5	18.1	9.5	18.4	18.2	17.3	21.9	18.3	12	13143
06-08 LST	30.7	28.5	25.4	19.1	22.1	18.1	24.6	18.2	25.0	21.1	23.4	26.6	23.6	12	13146
09-11 LST	28.9	28.0	23.6	15.2	14.4	10.6	13.2	12.1	19.7	18.4	20.4	24.8	19.1	12	13142
12-14 LST	19.4	20.0	16.8	8.3	5.6	3.3	2.1	2.1	7.6	10.9	12.7	17.8	10.6	12	13146
15-17 LST	14.6	15.2	13.8	4.5	3.3	2.4	1.5	1.1	6.6	8.4	8.5	15.3	7.9	12	13140
18-20 LST	14.6	15.4	14.3	4.6	4.8	2.6	3.0	1.9	6.7	8.8	10.0	13.8	8.4	12	13139
21-23 LST	17.2	16.0	15.6	5.8	6.9	3.6	4.2	2.8	7.3	9.9	10.9	15.6	9.7	12	13146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.3	7.6	6.0	1.7	2.0	0.9	1.5	0.4	1.7	3.5	3.6	5.6	3.5	12	13146
03-05 LST	9.4	8.2	8.4	2.6	3.0	2.1	5.4	3.3	4.3	5.7	4.9	6.8	5.3	12	13143
06-08 LST	11.5	10.6	10.0	4.8	3.2	2.0	5.3	4.7	5.4	7.3	7.3	9.4	6.8	12	13146
09-11 LST	8.6	8.3	4.6	1.7	0.3	0.0	0.4	0.0	0.8	2.3	5.0	8.1	3.3	12	13142
12-14 LST	3.8	4.6	2.0	0.5	0.0	0.1	0.1	0.1	0.3	0.4	2.4	4.0	1.3	12	13146
15-17 LST	4.0	4.7	2.3	0.3	0.1	0.2	0.1	0.1	0.5	0.5	1.7	4.2	1.6	12	13140
18-20 LST	4.6	5.9	3.9	0.5	0.0	0.0	0.3	0.1	0.3	1.5	2.0	5.7	2.1	12	13139
21-23 LST	5.9	6.6	4.1	0.7	0.5	0.1	0.4	0.3	1.5	2.1	3.0	5.4	2.6	12	13146

# ATLANTA, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	27.1	28.8	30.5	29.5	30.6	30.6	28.6	28.8	27.8	27.5	340.7	12	4382
	00 LST	25.8	23.4	26.6	28.2	29.1	28.5	28.8	30.0	27.6	27.6	26.7	26.8	329.1	12	4383
	06 LST	23.7	21.6	24.9	25.4	25.2	25.6	24.6	26.4	24.6	25.6	24.7	24.6	296.9	12	4383
	12 LST	25.6	22.4	26.0	27.8	29.8	29.1	30.7	30.4	27.8	28.1	26.5	26.1	330.3	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	10.7	10.4	11.5	17.1	15.7	19.2	22.2	20.8	21.8	18.2	16.4	198.7	12	4382
	00 LST	13.1	11.5	14.3	18.0	22.6	23.5	24.8	26.8	22.1	19.7	17.4	15.1	228.9	12	4383
	06 LST	12.2	10.2	13.2	17.5	19.2	21.4	20.6	23.7	18.4	19.1	16.4	13.1	205.0	12	4383
	12 LST	7.2	6.1	7.3	9.3	13.4	15.0	18.5	19.4	13.7	13.1	10.7	8.3	142.0	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.7	3.3	4.9	4.3	0.9	0.7	0.8	0.4	0.2	1.0	2.0	1.2	23.4	12	4245
	00 LST	3.3	2.7	2.5	1.9	0.5	0.0	0.0	0.0	0.2	0.2	1.6	2.4	15.3	12	4237
	06 LST	3.4	2.5	2.0	1.4	0.3	0.1	0.2	0.0	0.2	0.6	1.3	2.0	14.0	12	4203
	12 LST	6.6	5.0	7.8	7.0	1.7	0.8	0.3	0.2	0.9	2.0	3.2	4.5		12	4253
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.8	14.3	14.4	14.4	20.1	18.4	17.9	21.1	21.5	20.7	19.4	19.0	218.0	12	4245
	00 LST	14.0	13.7	18.0	17.5	20.7	21.1	20.5	20.0	19.0	18.4	16.2	14.9	214.0	12	4237
	06 LST	10.4	11.1	15.8	16.4	20.3	21.0	20.6	19.7	18.7	19.0	15.8	12.9	201.7	12	4203
	12 LST	10.9	9.8	11.2	11.8	17.1	15.9	17.8	18.6	17.5	16.4	14.4	12.4	173.8	12	4253
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.7	8.6	10.5	9.8	6.4	5.7	9.1	11.3	15.5	12.1	11.1	119.0	12	4382
	00 LST	12.1	11.2	12.6	16.7	17.0	15.0	13.6	15.3	15.2	18.2	14.9	12.7	174.5	12	4383
	06 LST	9.5	10.3	10.8	13.5	11.4	10.5	8.0	11.2	12.7	16.2	13.9	11.3	139.3	12	4383
	12 LST	7.5	7.9	8.6	9.2	7.6	4.4	4.7	6.0	8.4	13.7	11.9	9.0	98.9	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	22.7	25.6	28.1	29.2	28.7	29.9	30.1	27.8	27.9	26.3	25.4	326.9	12	4382
	00 LST	23.1	21.0	24.2	27.0	27.9	27.8	27.7	29.5	26.1	26.2	25.1	23.7	309.3	12	4383
	06 LST	19.8	19.0	21.6	23.4	24.0	24.5	23.5	25.5	22.6	23.9	23.0	21.7	272.3	12	4383
	12 LST	21.4	19.9	23.5	25.7	26.3	27.7	27.5	27.5	25.1	25.3	23.6	22.0	295.5	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.6	19.7	22.6	25.6	27.0	26.2	26.7	28.2	23.4	25.5	23.6	21.5	293.6	12	4382
	00 LST	19.7	18.7	22.5	25.1	26.7	26.8	26.8	28.6	24.2	24.3	22.7	20.6	286.7	12	4383
	06 LST	16.5	16.3	19.3	21.6	22.9	23.7	22.7	24.5	21.4	21.9	21.7	18.8	251.5	12	4383
	12 LST	18.9	17.6	19.2	20.7	20.5	20.6	21.0	21.8	20.0	22.2	20.6	18.5	241.6	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.3	18.1	20.5	23.4	25.1	24.5	24.7	27.2	24.2	24.3	22.3	19.5	273.1	12	4382
	00 LST	18.2	17.3	19.9	23.9	24.6	25.0	25.7	27.3	23.5	23.1	21.8	18.3	268.6	12	4383
	06 LST	15.1	14.3	17.7	20.4	21.9	22.7	22.1	23.6	20.6	21.0	19.8	17.0	236.4	12	4383
	12 LST	17.0	16.4	17.9	19.8	19.5	19.6	20.5	21.6	19.6	21.7	20.0	17.5	231.1	12	4383

# MARIETTA/DOBBINS AFB, GEORGIA

STA NO. 72227 (IN AREA NUMBER 15)

LATITUDE 3355N

LONGITUDE 08431W

ELEVATION(FT) 01068

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	81	88	90	99	100	102	99	95	84	75	81	102	12	4383
MEAN MAX TMP (F)	54	59	67	78	84	89	89	85	76	65	54	53	71	12	4383
MEAN MIN TMP (F)	35	39	44	56	63	68	70	65	55	42	34	33	50	12	4383
ABS MIN TMP (F)	2	10	16	32	39	56	58	44	35	18	4	10	2	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	6.5	13.1	16.2	8.0	1.0	0.0	0.0	0.0	43.1	12	4383
MEAN NO LYS TMP = OR LES 32(F)	13.0	7.6	2.6	0.2	0.0	0.0	0.0	0.0	0.0	5.7	14.1	15.7	58.9	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	34	36	38	46	57	64	68	67	62	51	39	34	50	12	105043
MEAN REL HUM (PCT)	75	72	68	65	69	71	74	73	75	73	71	73	72	12	105043
MEAN PRESS ALT (FT)	849	888	941	970	983	1000	973	978	954	911	876	849	931	0	-50
MEAN PRECIP (IN)	4.97	4.74	4.88	3.45	3.30	4.61	2.88	3.24	3.32	2.17	4.57	4.00	46.1	12	4383
MEAN SNOW FALL (IN)	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	2.2	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	7.5	7.0	5.6	5.5	6.9	4.2	5.4	4.0	4.4	6.5	6.7	71.6	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	3.4	3.3	0.9	1.1	0.7	1.7	1.0	1.4	2.5	2.7	4.1	27.3	12	4383
MEAN NO DYS TSTMS	1.8	1.7	3.5	4.7	7.4	9.7	9.1	3.6	1.2	0.8	0.4	1.0	44.9	12	4383
P FREQ WND SPD = OR GTR 17 KTS	6.9	6.4	7.5	7.5	3.1	1.8	1.0	1.2	1.4	2.3	4.1	4.9	4.0	12	105147
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1	12	105147
P FREQ LES 5000 FT A/D LES 5 MI	40.0	36.1	34.0	22.9	23.6	21.5	24.5	16.8	25.0	25.9	29.3	35.5	27.9	12	105115
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.5	20.0	16.1	8.1	10.0	7.3	7.8	4.2	9.9	14.0	13.0	19.0	12.8	12	13136
03-05 LST	26.8	24.9	20.9	12.3	14.4	11.7	17.9	8.4	15.6	19.8	18.7	21.2	17.7	12	13140
06-08 LST	28.9	28.7	23.2	17.3	20.3	16.6	24.6	17.0	25.3	22.7	24.1	26.4	23.1	12	13139
09-11 LST	29.4	27.1	23.7	15.8	16.4	11.8	13.5	11.3	21.4	18.6	19.4	25.6	19.5	12	13140
12-14 LST	21.1	20.1	17.0	8.1	5.5	3.6	3.0	2.6	8.9	11.5	12.4	19.7	11.1	12	13143
15-17 LST	17.8	17.2	14.4	5.2	2.7	2.8	2.0	1.9	6.9	9.2	9.7	16.5	8.9	12	13145
18-20 LST	15.7	17.3	14.5	4.7	4.9	1.6	2.2	1.3	6.5	9.9	10.6	15.1	8.7	12	13137
21-23 LST	17.7	16.2	15.1	5.1	6.6	3.3	3.2	2.4	7.6	10.8	11.9	17.7	9.8	12	13135
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	6.6	4.7	0.9	1.4	0.5	1.6	0.5	1.4	2.7	5.1	5.5	3.0	12	13136
03-05 LST	8.2	8.6	5.9	1.9	3.2	1.2	5.4	1.4	2.0	5.8	5.5	7.1	4.7	12	13140
06-08 LST	11.5	8.9	8.2	2.4	3.2	1.1	3.2	3.4	4.8	6.8	6.5	9.3	5.8	12	13139
09-11 LST	7.9	7.4	4.0	1.3	0.7	0.2	0.2	0.3	0.6	2.4	3.0	7.5	3.0	12	13140
12-14 LST	3.5	3.9	1.3	0.4	0.1	0.3	0.1	0.2	0.1	0.2	1.8	3.8	1.3	12	13143
15-17 LST	3.3	4.5	1.9	0.0	0.1	0.0	0.6	0.1	0.1	0.2	1.9	3.1	1.3	12	13145
18-20 LST	4.0	5.5	2.7	0.5	0.3	0.2	0.3	0.0	0.5	0.4	1.9	5.5	1.8	12	13137
21-23 LST	5.6	5.8	3.9	0.8	0.6	0.1	0.4	0.1	0.6	1.8	2.9	5.8	2.4	12	13135



# MARIETTA/DOBBINS AFB, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	23.8	27.7	28.9	30.2	29.6	30.6	30.7	28.6	28.8	27.8	27.1	340.7	12	4382
	00 LST	23.8	23.4	27.0	28.6	29.2	28.9	29.1	30.2	27.9	27.7	26.3	26.3	330.4	12	4382
	06 LST	23.9	21.7	24.8	25.8	26.5	26.5	24.2	26.9	24.2	25.3	24.6	24.2	298.6	12	4382
	12 LST	25.6	22.7	26.3	28.2	30.1	29.4	30.4	30.2	27.5	27.7	26.5	25.8	330.4	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.6	14.9	14.5	15.2	20.2	22.0	22.3	23.8	24.8	23.7	21.2	19.6	239.8	12	4382
	00 LST	17.1	16.8	19.2	22.3	25.1	26.9	27.2	28.3	25.1	23.6	19.1	18.1	268.8	12	4382
	06 LST	15.2	13.5	16.8	20.3	22.6	23.9	22.2	25.1	21.2	21.1	18.8	16.9	237.5	12	4382
	12 LST	10.7	9.0	10.6	10.7	16.5	17.7	18.5	14.8	16.2	15.0	13.3	11.1	169.1	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.4	2.1	2.2	0.8	0.7	0.2	0.8	0.2	0.2	0.8	1.2	11.5	12	4256
	00 LST	1.5	0.9	1.4	1.2	0.5	0.0	0.0	0.1	0.2	0.4	0.8	1.6	8.6	12	4280
	06 LST	1.6	1.1	0.9	0.6	0.2	0.1	0.0	0.0	0.1	0.4	0.8	1.1	6.9	12	4245
	12 LST	3.6	3.4	4.2	4.1	1.7	1.1	0.6	0.4	0.5	1.9	2.2	2.1	25.8	12	4261
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.2	15.2	15.7	17.4	19.7	17.3	15.3	14.8	15.6	12.3	13.3	12.8	184.6	12	4256
	00 LST	8.7	9.9	13.3	12.0	9.4	8.1	8.1	5.7	8.6	10.9	8.6	8.0	111.3	12	4280
	06 LST	8.4	7.6	10.0	9.6	9.5	7.6	7.4	6.6	7.9	10.3	8.1	8.0	101.0	12	4245
	12 LST	13.5	12.0	13.3	13.1	19.3	17.1	16.6	14.5	18.4	16.1	15.1	13.6	182.6	12	4261
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	8.0	8.1	9.4	7.5	6.8	4.2	8.0	11.3	14.4	12.2	10.3	109.2	12	4382
	00 LST	11.5	11.3	12.7	15.8	17.4	15.8	14.1	16.4	16.9	18.7	15.5	12.2	178.3	12	4382
	06 LST	9.7	9.3	9.7	11.7	9.8	8.4	7.4	10.3	11.4	15.3	13.5	11.7	128.2	12	4382
	12 LST	6.7	7.3	7.7	7.7	5.1	3.2	3.2	6.2	8.3	13.1	10.7	8.2	87.4	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	21.6	25.7	28.1	29.1	28.8	29.6	30.2	27.7	27.6	25.6	24.8	322.9	12	4382
	00 LST	22.7	21.1	24.6	27.0	27.7	28.1	28.3	29.7	26.8	26.3	24.8	23.4	310.5	12	4382
	06 LST	20.5	18.3	21.6	23.9	24.2	24.8	23.1	25.6	22.1	23.3	22.2	21.4	271.0	12	4382
	12 LST	20.9	19.9	22.9	25.1	26.0	26.4	25.7	27.5	24.4	25.1	23.7	21.7	289.3	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.0	21.6	25.1	25.4	25.1	25.9	27.5	24.5	24.2	22.6	21.1	281.2	12	4382
	00 LST	19.0	18.1	21.8	25.1	26.4	26.6	26.9	27.8	25.4	24.4	22.0	20.0	283.5	12	4382
	06 LST	17.2	15.9	18.7	21.9	22.7	23.0	22.1	24.5	20.6	21.0	20.6	17.9	246.1	12	4382
	12 LST	17.6	17.6	18.3	19.4	18.5	18.1	16.9	21.6	19.8	22.3	20.6	19.0	229.7	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	16.7	19.7	23.2	23.9	23.0	24.1	26.0	23.3	23.4	21.7	20.0	263.7	12	4382
	00 LST	18.0	16.4	19.5	24.0	25.1	25.1	25.6	26.9	24.5	23.6	20.5	18.6	267.8	12	4382
	06 LST	15.6	14.7	16.5	20.4	21.4	21.4	21.2	23.6	20.4	20.3	19.5	16.3	231.3	12	4382
	12 LST	15.7	16.0	16.7	18.0	18.1	17.3	16.2	21.1	19.1	21.6	19.7	17.0	216.5	12	4382

## ATHENS/BEN EPPS, GEORGIA

STA NO. 72311 (IN AREA NUMBER 15)

LATITUDE 3356N

LONGITUDE 08319W

ELEVATION(FT) 00807

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	81	90	93	100	107	108	107	108	96	86	80	108	74	-613
MEAN MAX TMP (F)	54	57	65	74	82	88	90	89	84	75	64	55	73	64	-113
MEAN MIN TMP (F)	34	35	42	49	58	66	69	69	63	52	41	35	51	64	-113
ABS MIN TMP (F)	1	-3	11	25	36	43	55	53	39	25	7	2	-3	76	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	5.4	12.2	14.6	16.7	5.8	0.0	0.0	0.0	54.7	12	3870
MEAN NO DYS TMP = DR LES 32(F)	10.1	11.8	6.4	0.5	0.0	0.0	0.0	0.0	0.0	0.6	5.4	16.1	58.9	12	3870
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3870
MEAN DEW PT TMP (F)	31	35	39	48	58	65	69	68	63	51	42	33	50	12	89100
MEAN REL HUM (PCT)	70	71	68	66	69	72	77	75	76	73	70	70	71	12	89100
MEAN PRESS ALT (FT)	590	628	679	708	719	734	708	714	690	649	614	589	669	0	-50
MEAN PRECIP (IN)	4.83	4.96	5.21	3.87	3.62	3.98	4.93	4.30	3.23	2.93	2.87	4.40	49.1	86	-113
MEAN SNOW FALL (IN)	0.6	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	63	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.4	8.6	7.3	6.7	6.6	6.8	7.7	7.1	5.3	4.9	4.8	7.9	82.1	86	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	12	3861
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	4.6	4.1	2.7	1.4	1.3	2.7	1.9	2.3	2.0	3.2	4.1	33.6	12	3860
MEAN NO DYS YSTMS	1.0	1.6	3.6	4.4	6.0	9.0	12.4	8.5	2.6	0.6	1.0	0.6	51.3	12	3870
P FREQ WND SPD = DR GTR 17 KTS	4.3	5.3	6.7	5.1	1.3	0.8	0.6	0.4	1.3	1.2	2.8	2.7	2.7	12	89189
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	89189
P FREQ LES 5000 FT A/D LES 5 MI	32.6	37.0	32.3	23.6	22.5	24.0	26.2	21.5	28.3	24.6	25.1	31.0	...	12	89195
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.4	20.0	18.1	9.8	10.3	8.2	7.4	5.4	12.6	14.4	9.7	13.9	12.7	12	11144
03-05 LST	23.6	25.9	21.2	16.6	13.9	14.2	16.6	13.3	19.1	17.4	14.2	17.0	17.8	12	11151
06-08 LST	23.6	30.4	24.6	22.0	20.1	19.8	26.6	19.2	27.0	21.0	21.6	22.8	23.2	12	11172
09-11 LST	22.3	29.8	22.9	17.3	15.3	13.2	14.6	12.2	20.2	16.2	18.0	20.7	18.6	12	11214
12-14 LST	19.3	24.9	16.9	10.6	6.2	5.5	3.9	3.7	9.7	11.6	12.4	16.8	11.8	12	11213
15-17 LST	16.0	19.8	14.4	8.5	3.9	3.8	2.5	2.4	7.3	8.3	9.4	12.9	9.1	12	11174
18-20 LST	14.0	18.8	13.9	8.8	4.4	3.8	3.0	2.9	7.5	9.6	6.6	11.8	8.8	12	11157
21-23 LST	14.3	19.6	15.4	8.8	6.5	4.5	3.6	3.9	8.8	10.3	8.5	13.9	9.8	12	11146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.4	11.4	5.4	3.4	2.5	0.6	1.7	0.8	2.2	3.9	4.8	6.2	4.2	12	11144
03-05 LST	8.5	12.1	7.0	5.3	3.9	2.8	6.4	3.5	4.1	5.8	4.9	5.7	5.8	12	11151
06-08 LST	9.7	12.8	9.3	8.3	4.0	4.9	7.4	6.1	6.9	6.8	6.4	8.2	7.6	12	11172
09-11 LST	6.8	9.0	5.7	2.5	1.2	0.3	0.4	0.5	1.3	1.8	3.2	4.0	3.1	12	11214
12-14 LST	4.2	5.4	1.5	0.9	0.1	0.1	0.0	0.1	0.3	0.4	1.8	0.9	1.3	12	11213
15-17 LST	2.2	4.6	1.1	0.3	0.3	0.1	0.1	0.3	0.1	0.3	1.4	3.1	1.2	12	11174
18-20 LST	3.1	6.3	3.0	1.2	0.4	0.1	0.3	0.4	0.4	0.9	2.4	4.5	1.9	12	11157
21-23 LST	4.7	8.2	4.0	2.0	1.8	0.0	0.2	0.5	0.9	2.4	3.7	6.7	2.9	12	11146

# ATHENS/BEN EPPS, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.2	27.2	27.8	29.9	29.3	30.3	30.3	28.2	28.3	27.8	27.8	337.2	12	3861
	00 LST	26.5	23.0	26.4	27.6	28.4	28.3	29.4	29.7	27.1	27.5	27.8	26.9	328.6	12	3866
	06 LST	24.9	21.2	24.4	23.5	26.2	24.4	23.3	25.1	23.5	25.6	25.4	25.8	293.3	12	3881
	12 LST	26.0	22.5	26.7	27.0	29.7	29.0	30.3	30.2	28.0	27.9	27.1	26.7	331.1	12	3881
	18 LST	19.0	13.4	15.3	15.9	23.0	21.5	25.0	25.5	24.8	25.5	21.9	21.2	252.0	12	3861
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.0	13.4	15.3	15.9	23.0	21.5	25.0	25.5	24.8	25.5	21.9	21.2	252.0	12	3866
	00 LST	18.1	15.5	18.7	21.7	25.8	26.4	28.1	28.4	24.7	24.5	23.1	19.9	274.9	12	3881
	06 LST	18.4	13.6	17.9	18.8	23.2	22.2	21.1	23.7	20.6	22.3	20.2	18.7	240.7	12	3881
	12 LST	12.4	9.0	11.5	13.0	17.4	18.4	21.1	23.7	16.5	17.4	14.4	13.0	187.8	12	3881
	18 LST	1.1	1.4	2.6	1.2	0.3	0.1	0.2	0.4	0.0	0.0	0.7	0.2	8.2	12	3714
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.7	1.2	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	3.9	12	3778
	06 LST	0.6	0.7	0.9	0.4	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.3	3.4	12	3618
	12 LST	1.7	2.1	3.7	2.9	0.4	0.5	0.2	0.1	0.2	0.6	1.5	1.6	15.3	12	3744
	18 LST	17.0	18.6	19.5	17.6	22.5	21.0	21.7	19.4	22.4	21.9	19.2	19.7	240.5	12	3710
	00 LST	15.4	16.2	20.9	22.2	24.9	23.5	24.0	22.9	23.5	23.0	22.0	17.5	256.0	12	3705
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	11.9	12.5	18.9	23.0	23.3	21.7	21.2	22.0	22.1	24.5	20.2	13.2	234.5	12	3685
	12 LST	14.3	14.7	13.8	16.0	20.2	18.2	20.0	20.2	19.1	19.7	17.2	15.5	208.9	12	3740
	18 LST	11.1	8.5	9.5	11.4	10.4	7.4	6.8	9.5	11.4	15.7	12.2	12.4	126.3	12	3861
	00 LST	12.9	11.5	12.8	16.3	17.9	12.9	14.7	16.1	15.9	18.8	16.7	15.4	181.9	12	3866
	06 LST	12.6	10.6	11.1	10.9	10.4	7.7	6.8	10.3	11.0	15.7	15.4	13.7	136.2	12	3881
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	9.8	7.3	8.4	8.3	8.2	3.9	4.0	5.9	7.1	14.3	11.9	11.2	100.3	12	3881
	18 LST	25.2	21.4	25.7	26.3	29.2	27.7	29.5	29.7	26.9	27.5	26.8	26.4	322.3	12	3861
	00 LST	23.5	20.7	24.6	26.3	27.6	27.1	28.5	29.1	25.8	26.0	26.3	24.7	310.2	12	3866
	06 LST	23.0	19.3	21.5	21.4	24.3	22.8	21.2	24.1	21.8	23.9	23.2	23.1	269.6	12	3881
	12 LST	23.8	18.9	22.4	24.7	25.7	24.3	25.2	26.7	23.8	25.1	24.5	23.6	288.7	12	3881
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.7	18.9	22.4	24.2	27.0	24.3	26.9	26.6	25.0	25.7	24.2	22.3	290.2	12	3861
	00 LST	20.9	18.0	21.9	24.6	25.7	24.3	25.3	27.3	23.5	23.6	23.1	21.3	279.5	12	3866
	06 LST	19.7	17.1	18.8	19.6	22.9	21.1	20.3	23.2	19.9	21.8	20.9	20.1	245.4	12	3881
	12 LST	21.3	17.0	19.3	21.5	21.0	18.0	18.5	21.2	19.5	22.2	22.4	21.2	243.1	12	3881
	18 LST	20.8	16.9	20.8	23.0	25.5	22.9	25.6	25.5	23.5	24.1	22.7	20.6	271.9	12	3861
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	19.4	16.5	21.2	23.1	25.0	22.9	24.6	26.1	22.4	23.0	21.9	20.2	266.3	12	3866
	06 LST	18.7	15.7	17.6	18.9	21.8	19.1	19.3	22.1	18.9	21.1	19.7	18.7	231.6	12	3881
	12 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881
	18 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881
	00 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881
	12 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881
	18 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881
	00 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881
	06 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	3881

## ATLANTA/FULTON COUNTY, GEORGIA

STA NO. 73200 (IN AREA NUMBER 15)

LATITUDE 3346N

LONGITUDE 08431W

ELEVATION(FT) 00834

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	87	93	97	102	103	102	102	95	84	75	103	69	-72219
MEAN MAX TMP (F)	51	54	62	71	79	86	87	86	82	72	61	52	70	68	-72219
MEAN MIN TMP (F)	35	37	43	51	60	67	70	69	64	54	43	37	53	68	-72219
ABS MIN TMP (F)	-2	-8	8	25	38	39	58	55	43	28	3	1	-8	69	-72219
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.1	10.9	12.7	13.5	4.1	0.3	0.0	0.0	43.6	13	-72219
MEAN NO DYS TMP = OR LES 32(F)	11.7	6.6	4.9	0.2	0.0	0.0	0.0	0.0	0.0	0.3	4.8	10.6	39.1	13	-72219
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-72219
MEAN DEW PT TMP (F)	35	36	38	46	57	64	68	67	62	51	39	34	50	12	-72219
MEAN REL HUM (PCT)	71	68	65	62	66	70	73	71	72	69	67	70	69	12	-72219
MEAN PRESS ALT (FT)	615	654	707	737	750	766	739	744	719	676	641	615	697	0	-50
MEAN PRECIP (IN)	4.90	4.80	5.50	3.70	3.60	3.70	4.70	4.30	3.20	2.60	3.10	4.50	48.6	52	-72219
MEAN SNOW FALL (IN)	0.7	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	26	-72219
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.4	7.3	6.6	6.6	6.4	7.5	7.1	5.2	4.5	5.1	8.1	81.3	52	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72219
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	3.3	2.8	0.8	0.7	0.4	1.5	1.3	1.1	2.0	2.5	3.8	24.8	12	-72219
MEAN NO DYS TSTMS	1.0	1.0	3.0	4.0	6.0	9.0	11.0	9.0	3.0	1.0	1.0	1.0	30.0	73	-72219
P FREQ WND SPD = OR GTR 17 KTS	14.0	12.3	13.7	11.6	3.4	1.7	1.2	0.7	2.5	3.7	7.0	7.8	6.6	12	-72219
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.6	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	12	-72219
P FREQ LES 5000 FT A/D LES 5 MI	37.9	34.8	31.7	20.9	19.5	17.4	20.2	16.1	24.2	25.3	28.0	34.6	25.9	12	-72219
P FREQ LES 1500 FT A/D LES 3 MI	22.5	20.0	17.9	9.3	8.9	7.7	10.2	5.4	12.3	14.2	13.8	16.8	13.3	12	-72219
FOR 00-02 LST	26.3	24.7	22.8	14.1	14.2	13.5	18.1	9.5	18.4	18.2	17.3	21.9	18.3	12	-72219
03-05 LST	30.7	28.5	25.4	19.1	22.1	18.1	24.6	18.2	25.0	21.1	23.4	26.6	23.6	12	-72219
06-08 LST	28.9	28.0	23.6	15.2	14.4	10.6	13.2	12.1	19.7	18.4	20.4	24.8	19.1	12	-72219
09-11 LST	19.4	20.0	16.8	8.3	5.6	3.3	2.1	2.1	7.6	10.9	12.7	17.8	10.6	12	-72219
12-14 LST	14.6	15.2	13.8	4.5	3.3	2.4	1.5	1.1	6.6	8.4	8.5	15.3	7.9	12	-72219
15-17 LST	14.6	15.4	14.3	4.6	4.8	2.6	3.0	1.9	6.7	8.8	10.0	13.8	8.4	12	-72219
18-20 LST	17.2	16.0	15.6	5.8	6.9	3.6	4.2	2.8	7.3	9.9	10.9	15.6	9.7	12	-72219
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	7.3	7.6	6.0	1.7	2.0	0.9	1.5	0.4	1.7	3.5	3.6	5.6	3.5	12	-72219
FOR 00-02 LST	9.4	8.2	8.4	7.6	3.0	2.1	5.4	3.3	4.3	5.7	4.9	6.8	5.3	12	-72219
03-05 LST	11.5	10.6	10.0	4.8	3.2	2.0	5.3	4.7	5.4	7.3	7.3	9.4	6.8	12	-72219
06-08 LST	8.6	8.3	4.6	1.7	0.3	0.0	0.4	0.0	0.8	2.3	5.0	8.1	3.3	12	-72219
09-11 LST	3.8	4.6	2.0	0.5	0.0	0.1	0.1	0.1	0.3	0.4	2.4	4.0	1.5	12	-72219
12-14 LST	4.0	4.7	2.3	0.3	0.1	0.2	0.1	0.1	0.5	0.5	1.7	4.2	1.6	12	-72219
15-17 LST	4.6	5.9	3.9	0.5	0.0	0.0	0.3	0.1	0.3	1.5	2.0	5.7	2.1	12	-72219
18-20 LST	5.9	6.6	4.1	0.7	0.5	0.1	0.4	0.3	1.5	2.1	3.0	5.4	2.6	12	-72219
21-23 LST															

## ATLANTA/FULTON COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	27.1	28.8	30.5	29.5	30.6	30.6	28.6	28.8	27.8	27.5	340.7	12	-72219
	00 LST	25.8	23.4	26.6	28.2	29.1	28.5	28.8	30.0	27.6	27.6	26.7	26.8	329.1	12	-72219
	06 LST	23.7	21.6	24.9	25.4	25.2	25.6	24.6	26.4	24.6	25.6	24.7	24.6	296.9	12	-72219
	12 LST	25.6	22.4	26.0	27.8	29.8	29.1	30.7	30.4	27.8	28.1	26.5	26.1	330.3	12	-72219
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	10.7	10.4	11.5	17.1	15.7	19.2	22.2	20.8	21.8	18.2	16.4	198.7	12	-72219
	00 LST	13.1	11.5	14.3	18.0	22.6	23.5	24.8	26.8	22.1	19.7	17.4	15.1	228.9	12	-72219
	06 LST	12.2	10.2	13.2	17.5	19.2	21.4	20.6	23.7	18.4	19.1	16.4	13.1	205.0	12	-72219
	12 LST	7.2	6.1	7.3	9.3	13.4	15.0	18.5	19.4	13.7	13.1	10.7	8.3	142.0	12	-72219
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.7	3.3	4.9	4.3	0.9	0.7	0.8	0.4	0.2	1.0	2.0	1.2	23.4	12	-72219
	00 LST	3.3	2.7	2.5	1.9	0.5	0.0	0.0	0.0	0.2	0.2	1.6	2.4	15.3	12	-72219
	06 LST	3.4	2.5	2.0	1.4	0.3	0.1	0.2	0.0	0.2	0.6	1.3	2.0	14.0	12	-72219
	12 LST	6.6	5.0	7.8	7.0	1.7	0.8	0.3	0.2	0.9	2.0	3.2	4.5		12	-72219
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.8	14.3	14.4	14.4	20.1	18.4	17.9	21.1	21.5	20.7	19.4	19.0	218.0	12	-72219
	00 LST	14.0	13.7	18.0	17.5	20.7	21.1	20.5	20.0	19.0	18.4	16.2	14.9	214.0	12	-72219
	06 LST	10.4	11.1	15.8	16.4	20.3	21.0	20.6	19.7	18.7	19.0	15.8	12.9	201.7	12	-72219
	12 LST	10.9	9.8	11.2	11.8	17.1	15.9	17.8	18.6	17.5	16.4	14.4	12.4	173.8	12	-72219
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.7	8.6	10.5	9.8	6.4	5.7	9.1	11.3	15.5	12.1	11.1	119.0	12	-72219
	00 LST	12.1	11.2	12.6	16.7	17.0	15.0	13.6	15.3	15.2	18.2	14.9	12.7	174.5	12	-72219
	06 LST	9.5	10.3	10.8	13.5	11.4	10.5	8.0	11.2	12.7	16.2	13.9	11.3	139.3	12	-72219
	12 LST	7.5	7.9	8.6	9.2	7.6	4.4	4.7	6.0	8.4	13.7	11.9	9.0	98.9	12	-72219
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	22.7	25.6	28.1	29.2	28.7	29.9	30.1	27.8	27.9	26.3	25.4	326.9	12	-72219
	00 LST	23.1	21.0	24.2	27.0	27.9	27.8	27.7	29.5	26.1	26.2	25.1	23.7	309.3	12	-72219
	06 LST	19.8	19.0	21.6	23.4	24.0	24.5	23.5	25.5	22.6	23.9	23.0	21.7	272.5	12	-72219
	12 LST	21.4	19.9	23.5	25.7	26.3	27.7	27.5	27.5	25.1	25.3	23.6	22.0	295.5	12	-72219
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.6	19.7	22.6	25.6	27.0	26.2	26.7	28.2	25.4	25.5	23.6	21.5	293.6	12	-72219
	00 LST	19.7	18.7	22.5	25.1	26.7	26.8	26.8	28.6	24.2	24.3	22.7	20.6	286.7	12	-72219
	06 LST	16.5	16.3	19.5	21.6	22.9	23.7	22.7	24.5	21.4	21.9	21.7	18.8	251.5	12	-72219
	12 LST	18.9	17.6	19.2	20.7	20.5	20.6	21.0	21.8	20.0	22.2	20.6	18.5	241.6	12	-72219
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.3	18.1	20.5	23.4	25.1	24.5	24.7	27.2	24.2	24.3	22.3	19.5	273.1	12	-72219
	00 LST	18.2	17.3	19.9	23.9	24.6	25.0	25.7	27.3	23.5	23.1	21.8	18.3	268.6	12	-72219
	06 LST	15.1	14.5	17.7	20.4	21.9	22.7	22.1	23.6	20.6	21.0	19.8	17.0	236.4	12	-72219
	12 LST	17.0	16.4	17.9	19.8	19.5	19.6	20.5	21.6	19.6	21.7	20.0	17.5	231.1	12	-72219

# VALDOSTA MUNICIPAL, GEORGIA

STA NO. 73202 (IN AREA NUMBER 15)

LATITUDE 3047N

LONGITUDE 08317W

ELEVATION(FT) 00204

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	83	88	92	100	104	103	102	100	96	87	82	104	7	2404
MEAN MAX TMP (F)	68	69	73	79	88	93	93	92	87	80	70	66	80	7	2404
MEAN MIN TMP (F)	44	46	49	55	62	70	71	70	67	58	45	43	57	7	2404
ABS MIN TMP (F)	18	19	30	34	43	53	62	61	52	27	19	21	18	7	2404
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.3	12.7	23.9	24.1	22.8	11.5	1.5	0.0	0.0	97.8	7	2404
MEAN NO DYS TMP = DR LES 32(F)	4.7	2.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.3	5.8	17.9	7	2404
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2404
MEAN DEW PT TMP (F)	46	47	48	54	60	69	71	71	67	58	47	44	57	7	58294
MEAN REL HUM (PCT)	73	72	67	67	66	72	77	78	78	74	71	74	72	7	57546
MEAN PRESS-ALT (FT)	-7	26	69	96	115	135	99	116	112	70	18	-9	70	0	-50
MEAN PRECIP (IN)	1.44	3.29	4.05	3.71	2.04	5.90	6.07	6.58	4.37	2.86	2.76	3.87	46.8	7	2201
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2199
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.7	6.3	6.5	5.4	4.3	7.8	10.0	10.1	6.2	3.7	4.3	4.8	72.1	7	2201
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2199
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.5	3.4	2.9	2.6	2.7	1.4	1.0	2.1	2.9	4.3	4.6	5.5	39.9	7	2556
MEAN NO DYS TSTMS	0.6	2.1	4.0	5.1	7.4	11.4	16.4	12.8	5.3	2.0	1.3	1.3	69.7	7	2404
P FREQ WND SPD = DR GTR 17 KTS	2.5	2.7	3.6	2.3	0.9	0.6	0.6	1.0	1.4	1.4	1.9	2.1	1.8	7	61221
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	7	61221
P FREQ LES 5000 FT A/D LES 5 MI	30.8	35.8	28.6	21.7	15.5	16.8	19.9	20.5	30.5	25.1	24.9	35.1	25.4	7	61221
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.8	25.5	19.2	11.4	4.5	3.8	5.7	6.0	12.5	15.1	13.7	23.5	13.3	7	7653
03-05 LST	29.6	31.1	23.9	19.0	14.6	11.1	10.8	14.2	24.0	26.0	23.3	30.8	21.5	7	7645
06-08 LST	34.3	37.9	29.5	22.9	19.7	15.9	16.2	21.8	32.6	33.0	28.5	33.2	27.1	7	7647
09-11 LST	24.4	23.9	20.0	7.3	4.0	6.0	5.9	8.9	16.1	16.0	16.2	24.1	14.4	7	7655
12-14 LST	13.0	15.2	11.5	3.3	0.6	2.7	1.5	4.5	8.3	5.5	7.0	14.3	7.3	7	7656
15-17 LST	7.4	11.5	9.7	3.5	0.6	2.1	0.9	2.2	7.2	4.5	5.9	11.1	5.6	7	7656
18-20 LST	8.2	15.4	8.5	4.0	0.3	1.9	2.2	3.4	7.2	4.9	6.2	11.5	6.1	7	7650
21-23 LST	12.9	19.6	10.2	4.9	1.4	1.9	1.8	2.9	8.9	7.2	10.3	17.4	8.3	7	7659
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.0	6.3	3.7	2.1	0.2	0.5	0.6	0.6	0.8	4.0	4.0	11.5	3.5	7	7653
03-05 LST	16.5	10.0	7.1	5.4	3.9	3.0	3.4	4.9	6.7	10.2	9.5	15.6	8.0	7	7645
06-08 LST	17.7	12.0	7.1	5.7	4.0	2.4	1.7	5.4	7.8	10.8	13.0	13.7	8.4	7	7647
09-11 LST	3.8	2.7	1.4	0.0	0.0	0.2	0.2	0.0	0.5	0.3	1.4	4.0	1.2	7	7655
12-14 LST	0.0	0.7	1.2	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.8	0.3	7	7656
15-17 LST	0.3	0.2	0.2	0.3	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.9	0.2	7	7656
18-20 LST	1.2	0.7	0.8	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	2.5	0.5	7	7650
21-23 LST	2.8	1.0	1.5	0.2	0.0	0.2	0.0	0.0	0.0	0.9	1.0	6.3	1.2	7	7659

# VALDOSTA MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.4	25.0	28.8	29.7	30.8	29.6	30.4	30.6	28.7	30.1	29.0	28.8	350.9	7	2556
	00 LST	26.7	22.3	26.7	27.8	30.6	29.6	29.7	29.9	27.6	29.0	26.4	25.1	331.4	7	2557
	06 LST	22.1	18.6	22.8	23.0	24.7	25.4	25.9	23.6	19.7	21.1	22.0	22.1	271.0	7	2556
	12 LST	27.6	24.4	28.3	29.3	31.0	29.4	30.8	29.5	28.3	30.0	28.4	27.7	344.7	7	2556
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.4	17.5	17.9	20.1	21.9	22.7	24.4	25.0	23.4	26.7	23.9	24.4	271.3	7	2556
	00 LST	21.5	17.4	22.7	24.8	29.0	28.0	29.1	28.7	24.8	24.6	23.0	20.6	294.2	7	2557
	06 LST	18.1	14.6	18.8	19.7	22.8	24.0	24.8	22.1	16.8	17.5	18.0	16.3	233.5	7	2556
	12 LST	13.5	11.0	10.8	14.1	17.9	21.1	23.4	22.0	18.3	17.0	15.4	13.1	197.6	7	2556
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.4	0.6	0.3	0.1	0.6	0.0	0.0	0.0	0.0	0.3	0.3	2.9	7	2522
	00 LST	0.4	0.1	0.9	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	2.1	7	2529
	06 LST	0.1	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.9	2.9	7	2527
	12 LST	2.3	2.1	1.6	1.7	0.7	0.8	0.1	0.4	0.4	0.4	1.7	1.6	13.8	7	2515
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.6	19.7	21.0	20.9	21.9	16.0	19.3	21.9	23.0	22.6	20.0	23.5	250.4	7	2369
	00 LST	18.4	17.9	20.7	23.0	20.0	20.1	18.4	20.0	20.1	19.6	18.0	19.8	236.0	7	2378
	06 LST	17.6	16.6	18.3	16.4	16.1	15.9	14.5	18.7	18.0	18.4	16.7	16.3	203.5	7	2374
	12 LST	17.3	16.9	17.3	17.7	19.3	12.5	11.0	13.5	17.6	20.9	18.4	17.9	200.3	7	2362
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	12.0	9.3	8.9	10.1	10.0	4.3	2.1	3.3	5.1	13.5	14.6	10.3	103.5	7	2556
	00 LST	16.7	13.3	14.4	16.7	19.3	13.4	12.1	14.1	13.6	19.7	17.7	14.0	185.0	7	2557
	06 LST	13.0	9.2	10.4	10.6	11.4	9.6	7.8	8.7	6.3	12.8	13.7	11.4	124.9	7	2556
	12 LST	9.3	9.5	10.0	10.1	10.0	5.0	2.3	3.7	4.4	12.0	12.4	10.3	99.0	7	2556
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.8	23.5	27.4	28.0	30.6	28.8	29.3	29.3	26.4	29.3	26.4	26.6	332.4	7	2556
	00 LST	25.5	20.6	25.7	26.4	29.9	29.1	29.3	29.3	25.7	27.3	24.8	23.0	316.6	7	2557
	06 LST	20.6	16.4	20.5	21.3	22.8	23.9	24.6	22.6	17.6	19.4	20.4	20.1	250.2	7	2556
	12 LST	24.3	21.9	25.1	27.0	30.0	28.0	28.6	27.8	25.0	27.0	26.0	23.3	314.0	7	2556
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.0	20.9	23.8	25.1	27.7	24.7	24.7	24.4	22.4	25.9	23.9	22.0	289.5	7	2556
	00 LST	24.0	19.5	23.3	25.4	28.8	27.8	28.4	28.4	23.9	26.3	23.3	19.4	298.5	7	2557
	06 LST	18.0	14.4	18.8	19.6	21.7	23.6	24.1	22.0	16.0	18.0	19.0	17.1	232.3	7	2556
	12 LST	20.8	18.1	21.7	21.7	26.0	23.0	21.7	22.3	20.1	23.7	23.4	21.3	263.8	7	2556
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.1	18.9	21.5	23.4	26.6	23.0	23.3	23.1	20.6	24.8	22.6	20.4	270.3	7	2556
	00 LST	23.1	18.1	21.4	24.6	26.8	26.6	27.0	27.7	23.1	25.1	22.7	19.3	285.5	7	2557
	06 LST	17.1	13.4	17.6	18.1	21.0	23.1	23.3	21.3	15.0	16.8	18.4	15.6	220.7	7	2556
	12 LST	19.7	17.0	19.7	20.9	25.5	22.8	21.3	21.4	19.7	22.6	21.3	20.1	252.0	7	2556



## ALMA/43 MIA-ATL, GEORGIA

STA NO. 73210 (IN AREA NUMBER 19)

LATITUDE 3132N

LONGITUDE 08230W

ELEVATION(FT) 00200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	85	91	93	99	103	102	102	98	95	89	82	103	22	-613
MEAN MAX TMP (F)	63	66	70	78	86	90	91	91	87	79	70	63	78	22	-113
MEAN MIN TMP (F)	39	41	46	53	60	67	70	69	66	55	44	38	54	22	-113
ABS MIN TMP (F)	14	14	20	32	41	48	58	57	45	26	15	7	7	22	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	0.4	9.3	21.6	23.7	23.4	11.1	2.1	0.0	0.0	91.9	8	2647
MEAN NO DYS TMP = OR LES 32(F)	8.0	5.4	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.5	11.0	34.6	8	2647
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2647
MEAN DEW PT TMP (F)	47	46	48	53	62	70	71	71	68	59	45	43	57	6	52520
MEAN REL HUM (PCT)	79	76	72	72	72	76	79	79	81	79	76	78	77	6	52518
MEAN PRESS ALT (FT)	-8	23	51	88	109	125	89	110	115	75	18	-9	66	0	-50
MEAN PRECIP (IN)	2.77	3.46	4.60	3.81	2.99	4.63	5.61	5.36	4.56	2.64	2.02	3.26	45.7	22	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	6.8	7.1	6.7	6.1	7.4	8.3	8.1	7.0	4.5	3.7	6.5	78.0	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2647
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.3	4.1	3.2	2.3	2.7	1.5	1.0	1.1	3.2	3.8	3.3	5.6	40.8	6	2191
MEAN NO DYS TSTMS	0.7	1.4	2.4	4.3	7.8	10.5	14.3	12.3	3.5	0.7	0.9	0.7	59.5	8	2645
P FREQ WND SPD = OR GTR 17 KTS	1.3	1.5	2.0	1.8	0.7	0.2	0.4	0.7	1.5	1.5	1.6	1.7	1.2	6	52520
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	6	52520
P FREQ LES 5000 FT A/D LES 5 MI	31.9	31.1	25.5	21.5	18.1	18.0	22.1	22.3	31.4	28.3	22.0	33.7	25.5	6	52503
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.2	22.9	14.2	8.0	5.7	5.4	5.7	8.2	13.4	19.7	17.4	21.6	14.0	6	6568
03-05 LST	30.1	28.6	20.7	19.1	16.1	9.8	14.0	15.0	25.4	25.0	20.6	26.1	20.9	6	6558
06-08 LST	34.3	30.0	21.5	16.9	11.9	12.7	14.0	19.8	31.3	29.4	21.9	28.1	22.7	6	6562
09-11 LST	18.5	17.9	16.1	8.7	2.3	5.0	5.7	7.5	13.7	16.3	10.4	21.1	11.9	6	6567
12-14 LST	10.1	14.6	9.1	5.6	0.0	2.4	2.5	2.0	6.9	5.9	4.5	11.7	6.3	6	6566
15-17 LST	6.8	9.9	7.0	2.8	0.7	2.0	1.4	2.7	6.5	4.3	3.7	9.5	4.8	6	6563
18-20 LST	7.9	9.7	7.7	2.8	0.5	1.1	2.0	2.2	8.2	3.9	5.4	12.0	5.3	6	6555
21-23 LST	13.1	12.6	11.8	5.0	1.4	0.7	2.7	2.5	7.6	8.2	7.1	16.9	7.5	6	6564
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.6	9.1	3.4	1.7	0.9	1.3	0.7	3.0	2.6	7.3	7.8	10.6	5.5	6	6568
03-05 LST	22.3	12.4	4.7	7.0	5.2	3.7	2.9	7.6	9.6	11.1	11.1	13.1	9.2	6	6558
06-08 LST	20.8	12.6	6.3	5.7	4.1	2.6	2.9	5.8	8.1	9.3	11.3	12.2	8.5	6	6562
09-11 LST	5.4	2.8	1.4	0.2	0.0	0.0	0.0	0.2	0.4	1.3	2.0	6.1	1.7	6	6567
12-14 LST	0.9	0.2	1.1	0.0	0.0	0.2	0.0	0.4	0.4	0.2	0.2	2.0	0.5	6	6566
15-17 LST	2.0	0.0	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	0.4	6	6563
18-20 LST	3.6	1.0	1.1	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.9	3.4	0.9	6	6555
21-23 LST	6.1	2.8	1.8	0.7	0.0	0.0	0.0	0.0	1.6	3.0	7.2	1.9		6	6564

# ALMA/43 MIA-ATL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	26.3	29.3	29.3	30.8	30.0	30.5	30.5	28.3	30.2	29.0	28.3	291.8	6	2191
	00 LST	24.6	22.7	27.8	28.1	30.0	28.8	29.8	29.5	27.7	26.5	26.5	26.0	228.0	6	2191
	06 LST	21.8	20.7	24.3	24.2	27.2	26.8	26.2	25.5	20.8	22.0	24.2	24.3	288.0	6	2191
	12 LST	28.3	24.3	28.6	29.2	31.0	29.5	30.3	30.8	28.8	30.0	29.0	27.8	347.6	6	2191
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	26.8	23.9	24.0	25.3	27.0	25.3	24.3	27.8	24.0	27.0	26.3	26.0	307.7	6	2191
	00 LST	22.7	20.5	23.8	26.0	29.0	28.0	29.5	28.6	25.5	23.8	23.6	22.5	303.5	6	2191
	06 LST	19.2	16.7	22.2	23.2	25.3	26.2	25.1	24.1	18.0	18.8	21.5	19.8	260.1	6	2191
	12 LST	19.5	15.4	16.2	18.3	22.3	23.6	20.6	23.7	19.1	17.6	15.3	17.1	228.9	6	2191
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.0	0.7	0.2	0.0	0.0	0.3	0.3	0.2	0.2	0.2	0.3	2.7	6	2148
	00 LST	0.7	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.2	2.1	6	2154
	06 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.3	0.2	1.4	6	2156
	12 LST	1.0	1.2	1.4	1.0	0.7	0.2	0.2	0.2	1.0	1.0	0.7	1.6	10.2	6	2154
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	11.4	14.1	17.5	20.0	20.2	16.8	16.1	15.2	18.1	13.0	10.4	12.6	185.4	6	2148
	00 LST	10.4	13.2	13.8	12.5	11.0	10.7	10.6	10.1	12.1	12.2	10.1	11.9	138.6	6	2154
	06 LST	8.2	8.4	13.1	9.9	10.0	10.7	10.4	6.2	10.1	12.3	9.4	9.4	120.1	6	2156
	12 LST	23.3	18.4	20.2	21.9	21.6	12.7	11.2	10.6	19.1	20.9	19.5	21.1	220.5	6	2154
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.0	9.8	9.1	10.3	10.3	6.5	4.7	5.0	7.5	15.5	16.7	10.8	117.2	6	2191
	00 LST	14.7	13.6	15.0	18.3	19.5	15.8	14.5	15.2	13.0	18.8	17.2	13.5	189.1	6	2191
	06 LST	10.8	10.9	9.1	10.5	11.0	9.2	7.5	8.6	6.7	13.1	14.0	11.5	122.9	6	2191
	12 LST	8.0	8.8	8.6	10.5	7.5	3.3	1.5	2.8	3.7	10.7	13.0	9.6	88.0	6	2191
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.7	24.8	27.8	27.8	30.7	29.2	29.1	30.2	26.3	28.6	28.5	26.2	336.9	6	2191
	00 LST	23.7	21.7	26.0	27.3	29.0	28.7	29.8	28.8	25.5	25.1	25.3	23.3	314.2	6	2191
	06 LST	20.0	18.2	22.7	23.5	25.1	26.2	25.1	24.3	18.5	20.3	22.3	21.8	268.0	6	2191
	12 LST	25.6	22.3	26.5	26.6	29.8	28.0	28.5	28.6	25.3	26.3	26.8	23.8	318.1	6	2191
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.5	21.5	24.5	24.8	27.5	24.2	23.8	25.8	23.3	25.5	25.1	22.3	292.8	6	2191
	00 LST	22.2	19.0	24.0	25.3	27.5	27.8	28.6	28.5	23.8	24.0	23.8	19.5	294.0	6	2191
	06 LST	17.8	16.5	19.7	21.0	23.8	25.3	24.3	23.8	17.0	19.0	21.0	19.0	248.2	6	2191
	12 LST	21.0	18.7	21.8	20.8	21.6	18.3	16.5	17.0	17.0	20.2	23.3	21.1	237.3	6	2191
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.7	22.5	23.5	26.8	22.0	22.5	24.6	22.7	25.3	24.2	21.5	279.1	6	2191
	00 LST	21.3	17.9	22.8	24.7	25.8	27.0	26.7	27.8	22.1	24.0	22.8	18.3	281.2	6	2191
	06 LST	16.6	15.4	18.2	20.3	22.5	24.5	23.0	23.0	16.1	18.0	20.0	18.2	235.8	6	2191
	12 LST	19.5	18.2	21.1	20.2	20.5	18.0	15.7	16.6	15.7	19.8	22.7	19.7	227.7	6	2191

VALDOSTA/MOODY AFB, GEORGIA

STA NO. 73263 (IN AREA NUMBER 15)

LATITUDE 3058N

LONGITUDE 08312W

ELEVATION(FT) 00233

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	88	91	99	104	101	100	98	94	85	80	104	12	3469
MEAN MAX TMP (F)	63	66	70	79	86	90	91	91	87	78	70	64	78	12	3469
MEAN MIN TMP (F)	42	46	49	57	65	71	72	72	69	59	48	43	58	12	3469
ABS MIN TMP (F)	21	18	25	39	47	55	66	64	56	34	23	22	18	12	3469
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	9.0	16.9	21.3	23.1	10.6	1.3	0.0	0.0	82.7	12	3469
MEAN NO DYS TMP = DR LES 32(F)	6.0	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.0	13.8	12	3469
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3469
MEAN DEW PT TMP (F)	41	45	47	54	62	68	72	71	68	57	48	43	56	13	93471
MEAN REL HUM (PCT)	71	70	66	66	67	72	76	76	77	72	71	72	71	13	93470
MEAN PRESS. ALT (FT)	21	55	97	124	144	163	128	145	143	101	48	20	99	0	-50
MEAN PRECIP (IN)	2.89	4.29	4.24	3.76	3.94	4.00	6.32	5.40	3.87	2.06	2.23	2.79	45.8	13	3862
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3862
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.1	7.0	6.1	5.3	5.5	7.0	8.9	7.5	6.1	3.1	4.3	4.8	70.7	13	3862
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3862
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	2.7	3.3	2.6	3.5	1.8	2.4	3.3	5.1	4.5	6.0	4.4	44.4	13	4106
MEAN NO DYS TSTMS	0.5	2.0	1.6	5.0	7.3	8.8	13.0	10.4	5.0	1.6	0.8	0.9	56.9	12	3468
P FREQ WND SPD = DR GTR 17 KTS	0.9	1.4	2.0	1.6	0.5	0.4	0.3	0.2	0.7	0.6	0.4	0.9	0.8	13	93779
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	93779
P FREQ LES 5000 FT A/D LES 5 MI	31.0	34.2	29.6	22.0	22.6	21.6	21.3	20.2	29.4	24.5	23.6	31.6	26.1	13	93780
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.7	18.7	19.4	10.0	8.0	5.2	3.7	5.3	11.8	11.8	17.5	15.4	12.1	13	10423
03-05 LST	24.9	24.0	23.9	16.3	18.4	11.8	11.4	13.1	23.8	17.5	24.3	21.0	19.2	13	11707
06-08 LST	28.6	31.9	27.3	23.1	26.1	20.8	18.3	21.6	34.1	27.9	31.8	27.5	26.6	13	12395
09-11 LST	25.2	24.6	20.2	13.2	9.6	12.9	8.1	11.5	18.8	15.7	20.1	22.8	16.9	13	12498
12-14 LST	14.7	13.8	11.3	5.0	2.9	3.8	1.7	2.1	7.2	7.6	9.1	13.8	7.8	13	12534
15-17 LST	7.5	9.0	8.9	3.6	3.2	1.6	2.1	3.1	6.7	4.4	6.9	8.3	5.4	13	12459
18-20 LST	6.8	9.0	8.5	3.8	2.7	2.1	1.5	1.7	6.6	5.8	7.4	7.5	5.3	13	11733
21-23 LST	10.4	13.2	9.2	4.3	3.2	2.6	1.7	1.6	8.5	8.4	10.3	11.1	7.0	13	10721
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.1	4.2	4.3	1.2	1.9	0.4	0.5	1.8	3.1	4.6	6.4	7.7	3.5	13	10423
03-05 LST	11.2	7.5	7.7	5.1	5.3	3.4	5.0	7.1	10.6	7.6	12.5	9.4	7.7	13	11707
06-08 LST	13.8	10.1	9.4	6.3	5.3	4.4	6.2	8.4	12.9	11.3	16.0	12.3	9.7	13	12395
09-11 LST	6.3	2.8	2.5	0.3	0.5	0.2	0.2	0.3	1.2	1.8	3.9	4.6	2.1	13	12498
12-14 LST	0.8	1.1	0.7	0.2	0.3	0.1	0.4	0.2	0.5	0.1	0.2	0.3	0.4	13	12534
15-17 LST	0.5	1.1	0.6	0.5	0.3	0.2	0.5	0.4	0.5	0.3	0.3	0.4	0.5	13	12459
18-20 LST	0.5	0.7	1.8	0.2	0.1	0.2	0.4	0.3	0.8	0.9	1.3	1.4	0.7	13	11733
21-23 LST	2.1	2.7	3.0	0.5	0.8	0.4	0.3	0.3	1.6	2.2	3.3	4.5	1.8	13	10721

VALDOSTA/MOODY AFB, GEORGIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.3	28.3	29.4	30.6	29.5	30.5	30.6	28.7	29.5	28.4	29.0	349.9	13	4162
	00 LST	26.8	23.6	26.8	28.1	29.9	29.5	30.2	30.2	27.4	28.4	25.8	27.2	333.9	13	3553
	06 LST	24.2	20.7	23.7	24.1	23.7	24.7	25.7	24.1	20.5	23.3	21.6	24.2	280.5	13	4147
	12 LST	27.2	24.7	28.1	29.0	30.5	29.0	30.9	30.6	28.2	29.5	27.6	27.6	342.9	13	4188
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	25.6	19.7	20.0	22.9	25.6	24.3	26.3	27.6	24.1	27.5	25.8	25.5	294.9	13	4162
	00 LST	22.5	20.1	22.8	25.4	28.6	28.1	29.5	29.7	25.6	26.1	23.3	24.0	305.7	13	3553
	06 LST	20.3	17.6	20.0	21.8	21.9	23.1	25.4	23.7	18.5	21.1	19.7	20.3	253.4	13	4147
	12 LST	17.8	13.0	16.7	18.3	23.4	23.1	27.3	25.5	20.3	21.1	18.8	17.8	243.1	13	4188
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.3	0.3	0.4	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.2	2.3	13	4089
	00 LST	0.2	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	1.4	13	3508
	06 LST	0.1	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.1	13	4079
	12 LST	0.6	0.5	1.3	1.1	0.2	0.2	0.2	0.0	0.2	0.6	0.3	0.4	5.6	13	4136
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.0	14.5	16.6	18.1	16.4	15.1	13.5	12.2	13.3	11.7	9.8	11.1	164.3	13	4088
	00 LST	10.4	11.7	11.6	10.3	10.3	10.6	5.9	6.7	8.7	8.7	8.6	10.5	114.0	13	3508
	06 LST	9.2	9.7	10.8	10.5	8.2	8.4	5.4	4.9	9.1	10.6	9.8	9.2	105.8	13	4079
	12 LST	16.6	14.9	16.8	17.4	17.9	14.2	11.2	10.4	15.7	18.0	18.0	17.1	188.2	13	4136
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	8.9	9.3	11.0	8.5	5.3	2.6	3.6	6.6	14.2	13.1	11.5	104.7	13	4162
	00 LST	15.3	13.6	13.4	16.4	19.2	14.7	13.5	14.1	15.2	18.4	15.8	16.0	185.6	13	3553
	06 LST	12.8	10.9	10.0	10.4	9.8	8.3	6.7	9.1	8.2	14.0	12.9	12.3	125.4	13	4147
	12 LST	9.4	7.9	9.3	9.0	8.0	3.9	2.2	3.1	3.6	10.7	12.0	10.0	89.1	13	4188
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	23.8	27.2	28.3	29.7	28.8	30.4	30.1	27.2	28.3	26.8	26.6	334.4	13	4162
	00 LST	24.4	21.6	25.0	26.6	29.5	28.4	29.9	29.7	26.2	27.2	24.5	25.5	318.5	13	3553
	06 LST	21.6	18.5	21.6	22.6	22.2	23.6	25.4	23.7	19.0	21.9	20.3	22.3	262.7	13	4147
	12 LST	23.6	20.6	24.7	26.0	28.4	26.5	28.2	27.8	24.7	25.9	25.0	24.0	305.4	13	4188
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.9	21.1	24.6	25.4	26.0	24.2	25.6	25.5	23.9	26.3	24.5	23.7	294.7	13	4162
	00 LST	22.7	20.0	22.7	25.9	28.3	27.6	29.1	28.6	24.7	25.6	23.0	22.4	300.6	13	3553
	06 LST	19.7	16.5	19.3	21.2	21.6	23.0	24.4	22.8	18.2	20.7	19.1	19.3	245.8	13	4147
	12 LST	20.2	17.1	20.9	21.4	21.0	20.1	20.2	21.6	19.0	22.7	22.6	21.0	247.8	13	4188
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.3	19.7	23.0	23.8	24.5	22.9	22.6	23.8	21.7	25.0	22.5	21.8	273.6	13	4162
	00 LST	20.9	18.6	21.1	24.7	27.0	26.4	28.0	27.6	24.0	24.4	22.0	21.5	286.2	13	3553
	06 LST	18.2	15.9	18.0	20.2	20.5	21.9	23.5	22.5	16.6	20.1	18.5	18.2	234.1	13	4147
	12 LST	18.9	15.7	19.7	20.7	20.5	19.7	19.3	20.9	17.8	22.0	20.9	19.3	235.4	13	4188

## BRUNSWICK/GLYNCO NAS, GEORGIA

STA NO. 73265 (IN AREA NUMBER 15)

LATITUDE 3115N

LONGITUDE 08128W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	91	89	91	99	103	101	102	95	93	88	81	103	13	4377
MEAN MAX TMP (F)	62	66	69	76	84	88	90	90	85	77	69	63	77	13	4377
MEAN MIN TMP (F)	41	45	49	56	64	70	72	72	69	59	49	43	57	13	4372
ABS MIN TMP (F)	18	18	27	35	47	54	64	61	51	36	25	13	13	13	4372
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	0.0	0.2	5.6	10.0	16.7	16.7	4.6	0.7	0.0	0.0	54.6	13	4377
MEAN NO DYS TMP = OR LES 32(F)	7.2	3.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.1	18.2	13	4372
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4372
MEAN DEW PT TMP (F)	43	46	49	56	64	70	73	73	71	60	52	44	58	13	92273
MEAN REL HUM (PCT)	77	77	74	75	76	80	81	81	83	80	79	78	78	13	92273
MEAN PRESS ALT (FT)	-183	-150	-114	-88	-68	-56	-90	-69	-64	-101	-157	-183	-109	0	-50
MEAN PRECIP (IN)	2.34	3.63	3.99	3.48	3.39	3.44	7.00	5.80	8.75	3.32	2.03	1.91	50.9	13	4373
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4353
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.6	6.3	4.6	5.6	8.6	9.2	8.8	10.6	4.7	3.1	3.8	75.6	13	4373
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4353
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	3.6	3.3	2.6	1.6	0.9	0.7	1.0	2.0	3.0	4.4	4.7	32.0	13	3875
MEAN NO DYS TSTMS	0.9	1.6	2.7	5.0	8.3	12.7	13.4	13.1	7.9	1.3	0.9	0.5	68.3	13	4073
P FREQ WND SPD = OR GTR 17 KTS	0.8	2.1	1.2	1.4	0.5	0.2	0.2	0.5	0.9	1.6	1.0	1.1	1.0	13	92206
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	92206
P FREQ LES 5000 FT A/D LES 5 MI	29.5	31.1	29.6	21.6	24.8	25.7	22.5	23.2	32.3	26.9	25.7	28.2	26.8	13	92273
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.7	18.6	12.6	10.7	6.0	3.2	2.4	3.0	8.7	13.2	15.2	16.1	10.5	13	11361
03-05 LST	16.8	20.9	17.6	15.2	11.9	5.9	3.3	6.5	12.4	17.1	19.5	18.1	13.8	13	12308
06-08 LST	22.1	25.4	23.4	16.1	14.7	8.4	5.8	11.4	18.6	22.7	23.5	19.4	17.6	13	12872
09-11 LST	19.3	20.9	17.6	10.3	8.0	7.5	4.9	9.0	16.6	18.9	15.5	17.2	13.8	13	13142
12-14 LST	12.1	14.7	12.1	6.2	4.9	5.1	4.4	4.8	10.7	13.7	11.3	12.4	9.4	13	13143
15-17 LST	10.1	9.9	12.0	5.6	2.7	4.1	3.6	3.9	10.1	10.3	7.5	10.8	7.6	13	12646
18-20 LST	13.1	10.2	10.5	5.8	4.9	3.7	4.3	2.8	8.5	8.5	7.7	13.2	7.8	13	11567
21-23 LST	12.7	12.9	10.8	7.1	5.0	2.7	2.8	1.9	5.7	8.9	11.6	15.2	8.1	13	11358
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.2	7.2	3.6	3.7	1.2	0.2	0.6	0.3	1.9	3.5	6.1	8.9	3.6	13	11361
03-05 LST	6.9	7.8	7.6	6.2	4.5	0.7	0.7	1.3	4.1	6.7	9.2	9.3	5.4	13	12308
06-08 LST	9.6	8.3	7.3	3.7	2.5	0.8	0.5	1.6	3.4	7.4	11.6	8.8	5.5	13	12872
09-11 LST	3.3	3.1	2.4	0.3	0.0	0.1	0.3	0.1	0.4	1.5	2.3	3.3	1.4	13	13142
12-14 LST	0.7	0.7	1.5	0.2	0.2	0.4	0.5	0.2	0.6	0.2	0.6	0.9	0.6	13	13143
15-17 LST	0.5	0.8	1.5	0.1	0.0	0.3	0.5	0.6	0.3	0.2	0.4	1.5	0.6	13	12646
18-20 LST	3.0	2.4	1.6	0.9	0.2	0.1	0.4	0.3	0.1	0.4	1.5	3.8	1.2	13	11567
21-23 LST	4.3	5.1	1.8	2.0	0.2	0.1	0.4	0.1	0.5	1.6	3.6	5.8	2.1	13	11358

## BRUNSWICK/GLYNCO NAS, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.6	25.5	28.5	28.6	30.1	29.5	30.4	30.3	28.2	29.3	28.1	27.7	343.8	13	3899
	01 LST	27.0	23.2	28.0	27.5	29.6	29.3	30.5	30.0	28.1	27.6	26.0	26.5	333.3	13	4097
	07 LST	24.0	21.1	24.5	25.7	27.7	28.4	29.5	28.3	25.3	24.8	23.0	25.4	307.7	13	4382
	13 LST	28.6	25.4	28.4	29.1	30.7	29.1	30.2	30.2	29.0	29.0	28.1	27.7	345.5	13	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	22.2	24.5	25.5	26.7	26.0	26.9	27.4	24.4	25.9	25.6	24.7	303.9	13	3898
	01 LST	23.3	20.0	24.3	25.0	28.0	27.6	29.5	29.3	25.6	24.6	22.7	23.9	303.8	13	4095
	07 LST	21.5	18.4	21.6	23.3	25.7	26.1	28.6	27.0	22.7	21.6	20.1	22.1	278.7	13	4379
	13 LST	18.9	16.1	16.7	18.6	22.2	21.7	24.6	23.8	20.0	19.5	18.4	18.9	239.4	13	4378
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.4	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.4	0.2	0.4	2.4	13	3822
	01 LST	0.2	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.1	1.5	13	4019
	07 LST	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.1	1.0	13	4306
	13 LST	0.7	1.3	1.2	1.0	0.4	0.0	0.0	0.2	0.8	0.8	0.7	1.3	8.4	13	4318
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	12.5	13.1	16.8	17.0	19.1	19.6	20.4	18.0	14.1	10.4	12.5	11.0	186.5	13	3821
	01 LST	13.5	11.7	13.2	13.3	12.4	13.5	10.6	9.7	10.7	11.5	13.3	12.2	145.6	13	4019
	07 LST	13.1	12.0	13.5	13.6	14.8	16.2	12.7	11.8	11.2	13.7	12.1	12.1	156.8	13	4306
	13 LST	20.4	18.7	20.8	21.7	21.2	18.6	15.6	15.0	20.0	21.9	20.4	20.1	234.4	13	4318
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	10.3	10.4	11.5	7.2	5.6	3.9	5.6	6.7	14.6	14.7	12.9	114.1	13	3898
	01 LST	14.4	12.8	13.2	15.5	16.4	13.9	13.6	16.6	11.2	16.2	14.6	14.0	172.4	13	4097
	07 LST	10.6	7.6	7.6	10.7	10.1	8.0	7.5	8.3	6.1	11.3	10.4	9.4	107.6	13	4382
	13 LST	9.0	7.3	8.6	8.7	6.6	3.2	1.1	1.5	1.9	7.5	10.1	10.0	75.8	13	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	25.6	23.6	26.1	27.2	27.9	27.0	27.6	28.5	25.4	26.7	26.7	25.2	317.5	13	3899
	01 LST	24.9	21.5	26.2	26.2	28.4	27.8	29.7	29.3	25.9	26.0	24.2	24.9	315.0	13	4097
	07 LST	22.4	19.0	22.1	24.5	25.4	26.1	28.5	27.2	23.3	27.9	21.5	23.4	286.3	13	4382
	13 LST	25.5	22.3	25.6	25.8	26.6	23.6	25.1	25.0	20.8	23.1	24.4	24.8	292.6	13	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	22.8	21.2	24.4	25.4	25.9	24.2	25.5	26.6	23.1	24.8	24.8	23.3	292.0	13	3899
	01 LST	22.7	19.2	23.6	24.9	26.9	26.6	29.0	28.3	24.3	25.0	22.3	22.3	295.1	13	4097
	07 LST	20.3	17.6	19.3	23.2	23.6	24.8	27.2	26.6	21.6	21.4	19.9	19.7	265.2	13	4382
	13 LST	21.1	18.0	22.3	21.8	20.2	15.4	15.3	15.2	13.7	20.0	22.1	22.4	227.5	13	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	20.4	19.7	23.3	24.0	24.5	22.3	22.7	24.2	20.8	23.1	23.1	21.1	269.2	13	3899
	01 LST	21.0	18.2	22.1	23.6	25.5	25.8	28.6	27.3	22.8	23.7	20.7	20.6	279.9	13	4097
	07 LST	17.9	15.7	17.7	21.5	22.6	23.8	26.2	25.6	20.3	19.7	18.3	17.8	247.1	13	4382
	13 LST	19.5	16.8	21.1	20.7	20.0	14.5	14.5	15.0	12.2	18.6	20.3	20.6	213.8	13	4382

## COLUMBUS/LAWSON AAF, GEORGIA

STA NO. 73209 (IN AREA NUMBER 19)

LATITUDE 3221N

LONGITUDE 08500W

ELEVATION(FT) 07232

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	84	82	89	93	99	105	107	104	101	98	86	80	107	12	4380
MEAN MAX TMP (F)	62	64	68	77	85	91	92	93	87	78	67	60	77	12	4380
MEAN MIN TMP (F)	39	41	45	52	62	69	72	71	66	55	41	37	54	12	4380
ABS MIN TMP (F)	17	12	19	30	41	49	62	59	46	26	12	16	12	12	4380
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.5	8.5	19.0	22.5	24.5	11.6	1.5	0.0	0.0	88.1	12	4380
MEAN NO DYS TMP = OR LES 32(F)	9.8	5.8	3.3	0.1	0.0	0.0	0.0	0.0	0.0	0.3	6.2	11.5	37.0	12	4380
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN DEW PT TMP (F)	41	42	44	52	61	68	71	70	65	55	43	39	54	12	104386
MEAN REL HUM (PCT)	75	72	68	68	70	71	76	74	74	73	72	74	72	12	104384
MEAN PRESS-ALT (FT)	24	55	96	123	150	169	128	150	160	116	55	26	104	0	-50
MEAN PRECIP (IN)	2.94	4.34	4.37	4.73	3.40	3.55	5.02	2.79	3.74	1.34	1.74	4.27	42.2	12	4381
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.8	6.4	5.7	5.6	6.6	9.1	6.2	5.3	2.7	4.2	7.1	71.3	12	4381
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	4.9	2.6	2.8	1.7	1.4	2.3	1.9	2.5	6.1	6.2	4.8	42.0	12	4381
MEAN NO DYS TSTMS	1.2	2.1	3.2	4.8	6.7	8.9	13.0	9.3	2.3	1.1	1.1	0.8	54.5	12	4382
P FREQ WND SPD = OR GTR 17 KTS	4.1	5.8	7.2	5.0	1.7	0.9	0.5	0.4	0.6	1.1	2.8	3.4	2.8	12	105087
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105087
P FREQ LES 5000 FT A/D LES 5 MI	39.4	37.3	33.7	24.2	22.4	23.5	26.3	19.6	26.1	30.8	29.2	34.9	29.0	12	105084
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.1	16.6	15.1	7.1	3.2	4.6	4.8	3.9	10.2	18.2	16.6	19.1	11.7	12	13125
03-05 LST	29.4	27.3	23.4	15.2	11.4	9.7	16.9	10.9	18.3	29.7	28.1	26.7	20.6	12	13143
06-08 LST	31.7	34.6	29.5	22.8	19.4	17.2	22.7	21.4	25.4	36.1	33.1	29.1	26.9	12	13137
09-11 LST	27.0	26.6	19.7	13.1	10.2	8.9	14.2	9.5	15.6	16.9	19.4	22.7	17.0	12	13143
12-14 LST	16.0	15.1	13.2	5.6	2.6	2.2	3.5	2.2	6.9	8.2	9.2	13.0	8.1	12	13140
15-17 LST	10.5	9.8	10.5	3.3	1.8	1.9	2.9	1.4	6.5	6.0	5.2	9.3	5.8	12	13137
18-20 LST	11.9	10.5	8.5	3.2	2.3	1.4	2.4	1.1	6.7	6.6	5.1	10.2	5.8	12	13135
21-23 LST	12.3	13.0	11.1	4.3	2.2	1.4	2.2	1.7	6.9	7.6	7.7	12.5	6.9	12	13138
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.7	3.1	2.0	0.8	0.6	1.4	0.9	0.5	2.4	5.3	6.1	6.5	2.9	12	13125
03-05 LST	9.4	7.5	5.7	4.5	2.0	2.0	3.9	3.1	4.4	11.9	12.7	9.3	6.5	12	13143
06-08 LST	11.7	11.5	8.6	6.0	3.5	2.0	4.4	4.6	6.0	13.7	15.4	9.4	8.1	12	13137
09-11 LST	5.4	3.3	1.1	0.6	0.2	0.2	0.3	0.1	0.4	0.9	2.2	2.9	1.5	12	13143
12-14 LST	1.2	0.7	0.5	0.3	0.0	0.2	0.2	0.0	0.3	0.0	0.4	1.1	0.4	12	13140
15-17 LST	0.8	0.3	0.7	0.0	0.1	0.4	0.7	0.3	0.3	0.1	0.6	0.5	0.4	12	13137
18-20 LST	0.6	0.5	0.9	0.1	0.4	0.1	0.4	0.3	0.3	0.4	0.6	1.0	0.5	12	13135
21-23 LST	1.7	1.6	0.7	0.6	0.2	0.0	0.4	0.0	0.5	0.4	2.5	3.3	1.0	12	13138



## COLUMBUS/LAWSON AAF, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.4	26.0	29.4	29.3	30.4	29.5	30.3	30.5	28.8	29.8	29.3	28.8	350.5	12	4382
	00 LST	27.0	25.4	27.9	29.0	30.2	29.2	30.1	30.4	28.1	28.1	26.6	26.6	338.6	12	4381
	06 LST	23.3	21.1	23.3	23.4	26.0	25.6	24.4	24.4	22.9	20.6	22.1	24.0	281.1	12	4381
	12 LST	27.2	25.0	27.9	28.7	30.7	29.7	30.4	30.7	28.9	29.1	27.8	27.7	343.8	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.1	18.2	17.7	19.7	24.4	24.6	26.3	27.2	26.3	26.2	24.7	23.9	280.6	12	4382
	00 LST	21.3	19.8	21.3	25.0	28.6	28.1	29.0	29.7	26.2	25.1	23.6	22.3	300.2	12	4381
	06 LST	17.3	15.2	16.8	19.4	23.3	23.6	22.5	22.8	19.8	17.6	17.6	19.3	235.2	12	4381
	12 LST	15.2	11.6	12.9	15.8	20.2	21.8	24.8	26.1	20.4	20.4	16.8	17.0	223.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.5	3.6	1.3	0.7	0.4	0.2	0.2	0.2	0.6	0.3	0.6	10.3	12	4311
	00 LST	0.4	0.8	0.6	0.6	0.0	0.1	0.0	0.1	0.0	0.2	0.4	0.7	3.9	12	4303
	06 LST	0.3	0.8	0.8	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.6	3.0	12	4300
	12 LST	2.7	3.3	4.7	3.2	1.3	0.3	0.3	0.2	0.2	0.7	1.8	2.4	21.1	12	4317
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.7	11.8	13.4	13.6	12.4	9.6	6.3	8.1	9.9	7.9	8.1	10.2	124.0	12	4310
	00 LST	7.5	7.4	10.0	5.8	3.9	2.8	2.3	2.2	4.2	5.0	6.0	6.0	63.1	12	4302
	06 LST	6.6	5.9	7.6	4.7	2.0	2.0	1.7	1.2	4.7	4.0	4.7	5.9	91.0	12	4299
	12 LST	12.9	11.7	13.1	14.3	14.8	10.6	8.3	9.3	14.0	15.1	11.0	13.0	148.1	12	4317
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	6.9	8.6	10.8	8.5	6.2	3.0	6.7	8.1	13.6	13.9	11.0	105.5	12	4382
	00 LST	13.1	12.0	14.1	17.3	17.5	15.8	15.1	17.1	15.2	18.1	16.1	13.5	184.9	12	4381
	06 LST	9.1	9.0	8.8	9.1	9.2	8.3	6.9	9.5	8.5	10.0	12.0	12.0	112.4	12	4381
	12 LST	7.8	7.1	8.4	9.8	7.1	5.4	3.9	7.0	6.2	12.6	13.2	9.9	98.4	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	18 LST	25.9	23.8	27.4	28.5	29.6	28.7	29.6	29.5	27.6	28.3	27.8	26.0	332.7	12	4382
	00 LST	24.1	22.3	24.8	27.8	29.3	28.6	29.6	29.8	26.6	25.9	24.9	24.1	317.8	12	4381
	06 LST	19.4	17.2	19.4	20.3	23.4	23.1	22.1	22.7	19.9	17.8	19.3	21.0	245.6	12	4381
	12 LST	22.5	20.3	23.9	26.4	27.2	26.4	26.0	27.8	24.8	25.1	24.8	23.4	298.6	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	19.8	23.3	24.1	24.7	23.5	23.7	24.6	25.0	24.4	24.9	22.2	280.7	12	4382
	00 LST	19.9	19.2	22.5	25.2	27.6	27.1	28.2	28.3	25.5	24.1	22.4	20.8	290.8	12	4381
	06 LST	15.2	14.7	16.6	17.8	21.2	21.5	21.5	22.1	18.8	15.5	17.3	18.4	220.6	12	4381
	12 LST	18.7	17.4	19.4	20.5	20.7	17.5	17.2	22.5	18.9	22.1	23.2	20.0	238.1	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.5	17.6	22.1	22.9	23.3	22.1	22.6	23.4	22.9	23.4	23.3	20.8	263.9	12	4382
	00 LST	18.9	17.7	20.7	24.0	25.7	25.9	27.4	27.2	24.1	22.7	21.4	20.0	275.7	12	4381
	06 LST	14.1	13.2	15.4	16.1	20.0	20.5	20.1	21.1	17.1	14.4	16.1	17.5	205.6	12	4381
	12 LST	17.6	16.3	18.2	19.5	20.1	17.1	16.5	21.8	18.3	21.5	22.1	17.9	226.9	12	4382

## ALBANY/TURNER AFB, GEORGIA

STA NO. 73290 (IN AREA NUMBER 15)

LATITUDE 3135N

LONGITUDE 08405W

ELEVATION(FT) 00212

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	90	92	100	105	101	102	102	98	89	79	105	12	4383
MEAN MAX TMP (F)	63	66	70	78	87	92	93	93	88	79	69	62	78	12	4383
MEAN MIN TMP (F)	42	43	49	56	65	71	73	73	69	58	47	41	57	12	4383
ABS MIN TMP (F)	19	17	24	35	48	54	66	63	53	33	17	20	17	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.7	11.4	21.4	24.4	24.6	14.8	1.7	0.0	0.0	99.1	12	4383
MEAN NO DYS TMP = DR LES 32(F)	6.1	2.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.1	17.1	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	42	44	45	52	61	68	71	70	67	56	46	41	55	12	105110
MEAN REL HUM (PCT)	72	69	65	63	66	69	73	71	72	69	68	70	69	12	105110
MEAN PRESS ALT (FT)	2	34	76	103	127	146	108	127	130	87	31	2	81	0	-50
MEAN PRECIP (IN)	2.59	3.95	4.69	5.16	4.36	4.40	5.66	3.39	3.97	1.69	2.27	3.56	45.7	12	4383
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.4	6.0	7.0	5.6	3.5	7.0	8.3	6.5	5.6	3.3	3.7	6.1	70.0	12	4383
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.0	2.0	0.8	1.4	0.5	0.7	0.7	1.1	1.0	3.9	3.2	21.4	12	4381
MEAN NO DYS TSTMS	1.0	1.5	2.8	3.9	6.8	8.6	12.1	9.2	3.5	1.1	0.9	1.1	52.5	12	4383
P FREQ WND SPD = DR GTR 17 KTS	3.1	4.0	4.9	3.9	0.8	0.6	0.5	0.3	0.8	0.7	1.5	2.1	1.9	12	105137
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105137
P FREQ LES 5000 FT A/D LES 5 MI	30.9	32.7	29.7	20.6	20.6	20.3	21.4	17.1	25.7	21.2	22.4	29.6	24.4	12	105136
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.2	15.3	15.9	4.6	3.1	4.0	4.1	1.9	9.9	9.4	10.6	13.0	8.8	12	13144
03-05 LST	22.2	22.2	24.0	12.5	11.6	9.2	8.9	7.8	14.4	14.5	15.8	19.3	15.2	12	13146
06-08 LST	26.8	27.4	28.4	19.6	19.5	15.8	15.4	15.5	24.0	20.3	24.1	23.8	21.7	12	13146
09-11 LST	22.1	23.0	21.1	11.5	10.0	9.4	10.6	8.7	15.9	14.6	15.0	20.6	15.2	12	13146
12-14 LST	11.6	12.7	12.0	3.6	2.4	2.8	1.4	1.3	6.9	7.8	7.3	11.9	6.8	12	13145
15-17 LST	6.7	9.9	7.5	3.0	2.2	1.8	2.1	1.0	6.2	4.9	4.9	8.7	4.9	12	13143
18-20 LST	6.7	8.3	8.6	3.6	1.7	1.3	2.6	0.6	5.4	5.3	4.0	8.5	4.7	12	13142
21-23 LST	9.7	10.7	9.7	3.1	1.8	2.0	1.3	1.1	6.5	6.7	6.6	11.6	5.9	12	13140
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	2.8	2.6	0.4	0.3	0.3	0.4	0.1	1.7	2.2	2.7	5.0	1.8	12	13144
03-05 LST	7.2	4.5	5.6	1.6	1.1	0.9	1.1	1.3	1.9	3.8	5.6	6.6	3.4	12	13146
06-08 LST	9.9	6.0	6.8	2.7	1.5	1.5	1.0	2.6	2.7	3.6	10.1	7.3	4.6	12	13146
09-11 LST	3.8	2.0	1.8	0.3	0.2	0.1	0.2	0.3	0.3	0.5	1.9	2.7	1.2	12	13146
12-14 LST	0.9	0.5	0.5	0.4	0.2	0.2	0.1	0.1	0.0	0.0	0.5	1.0	0.4	12	13145
15-17 LST	0.8	0.6	0.4	0.3	0.7	0.2	0.2	0.2	0.3	0.0	0.3	0.8	0.4	12	13143
18-20 LST	0.8	0.6	1.1	0.0	0.4	0.2	0.3	0.3	0.1	0.1	0.6	2.2	0.6	12	13142
21-23 LST	1.3	1.3	1.0	0.0	0.1	0.3	0.2	0.1	0.2	0.6	0.9	3.4	0.8	12	13140

## ALBANY/TURNER AFB, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.3	29.1	29.2	30.7	29.8	30.3	30.7	28.7	29.7	28.8	28.6	351.2	12	4381
	00 LST	28.2	25.1	28.1	29.4	30.6	29.3	30.3	30.9	28.1	28.8	27.7	27.7	344.2	12	4382
	06 LST	24.9	22.2	24.1	25.8	27.5	27.0	27.5	26.6	24.8	25.5	24.4	25.0	305.3	12	4382
	12 LST	28.6	25.0	28.1	29.3	30.9	29.6	31.0	30.9	28.8	29.1	27.9	28.1	347.3	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.8	16.9	17.0	18.7	23.0	22.7	23.5	25.6	23.7	26.7	25.6	24.0	270.2	12	4381
	00 LST	22.6	19.3	21.7	25.1	28.0	27.1	29.1	29.9	24.4	26.0	24.2	23.1	300.5	12	4382
	06 LST	19.1	17.2	18.3	21.3	24.6	25.3	26.7	25.4	21.7	23.8	21.2	20.7	265.5	12	4382
	12 LST	15.7	11.7	13.1	16.5	21.9	23.4	24.2	25.4	18.2	21.1	18.3	18.0	227.3	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.7	1.4	1.4	0.3	0.2	0.4	0.3	0.1	0.1	0.3	0.7	6.5	12	4324
	00 LST	0.2	0.4	0.8	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	2.2	12	4319
	06 LST	0.3	0.6	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	2.2	12	4301
	12 LST	2.3	1.6	3.6	2.3	0.5	0.2	0.1	0.0	0.7	0.2	1.1	1.6	14.2	12	4326
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.1	15.4	15.5	17.7	17.5	12.8	15.0	12.3	17.3	18.7	17.4	18.4	197.1	12	4324
	00 LST	17.8	14.6	17.9	17.1	18.1	18.0	18.6	14.4	17.3	15.3	15.2	15.6	199.9	12	4319
	06 LST	15.1	13.0	16.8	15.7	16.0	15.6	13.2	11.0	14.7	15.3	15.0	13.6	175.0	12	4301
	12 LST	17.3	13.6	14.8	16.1	18.1	11.6	10.0	8.9	13.7	20.6	18.8	17.9	181.4	12	4326
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.9	9.1	10.8	8.6	6.5	3.0	6.3	7.6	15.7	13.7	10.6	111.0	12	4381
	00 LST	14.8	13.1	15.0	17.6	19.1	16.3	12.7	16.0	15.8	19.8	17.6	14.8	192.6	12	4382
	06 LST	11.4	11.1	10.1	11.6	11.2	9.9	7.8	10.3	10.7	15.8	13.6	13.4	136.9	12	4382
	12 LST	9.6	8.7	8.6	9.9	8.6	4.7	2.8	4.7	4.9	13.6	11.9	9.1	97.1	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	24.7	28.0	28.3	30.2	29.1	28.9	30.3	27.4	28.6	28.1	27.1	337.9	12	4381
	00 LST	25.4	22.5	25.6	28.2	29.4	28.5	29.9	30.2	26.3	27.6	26.4	25.8	325.8	12	4382
	06 LST	22.2	19.4	21.5	23.6	24.8	25.6	26.7	25.7	22.9	23.9	22.5	23.5	282.3	12	4382
	12 LST	24.1	21.1	24.4	26.7	27.7	27.2	28.0	28.2	24.7	26.2	25.9	24.8	309.0	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.9	21.8	24.2	24.9	26.4	25.3	24.3	26.5	23.7	25.7	25.6	23.0	294.3	12	4381
	00 LST	23.0	19.7	23.3	26.3	27.7	26.9	27.9	29.0	25.0	26.2	24.7	22.6	302.3	12	4382
	06 LST	19.4	16.7	19.5	21.5	23.8	24.5	25.6	24.6	21.5	22.3	20.8	20.0	260.2	12	4382
	12 LST	21.0	17.5	19.8	20.7	21.5	18.4	18.8	21.1	17.8	23.1	23.5	21.8	249.0	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.3	19.7	22.8	23.3	24.2	23.3	22.4	24.2	21.8	24.4	23.5	21.1	271.0	12	4381
	00 LST	21.8	18.3	22.2	25.0	26.2	24.9	26.7	27.8	24.1	24.6	23.9	20.7	286.2	12	4382
	06 LST	17.9	15.8	17.4	20.2	22.0	23.0	24.2	23.3	19.7	21.6	19.5	17.9	242.5	12	4382
	12 LST	19.5	16.7	18.3	20.3	20.7	17.7	17.7	20.4	16.5	22.2	22.3	19.8	232.1	12	4382

# WARNER ROBINS/ROBINS AFB, GEORGIA

STA NO. 73291 (IN AREA NUMBER 15)

LATITUDE 3237N

LONGITUDE 08335W

ELEVATION(FT) 00294

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	89	91	99	105	105	105	99	99	87	80	105	12	4382
MEAN MAX TMP (F)	60	63	67	77	85	90	91	92	86	77	67	59	76	12	4382
MEAN MIN TMP (F)	39	42	46	54	62	69	72	71	66	54	43	38	55	12	4382
ABS MIN TMP (F)	16	11	21	32	45	51	61	57	48	27	11	16	11	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.7	8.6	17.4	20.6	22.1	9.7	1.1	0.0	0.0	80.2	12	4382
MEAN NO DYS TMP = OR LES 32(F)	8.5	4.7	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.2	3.7	9.3	28.0	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	39	41	44	51	60	67	70	70	66	55	44	38	54	12	104961
MEAN REL HUM (PCT)	71	68	67	64	68	70	74	72	75	73	70	71	70	12	104960
MEAN PRESS ALT (FT)	87	117	134	181	208	227	186	210	222	181	117	87	165	0	-50
MEAN PRECIP (IN)	2.31	4.37	4.40	2.90	3.30	2.98	4.44	3.51	3.62	1.60	1.75	4.39	39.6	12	4382
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	7.3	7.7	4.9	6.1	6.2	7.8	5.9	5.4	3.2	3.5	6.9	70.5	12	4382
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.8	2.5	2.4	0.7	1.1	0.2	1.1	1.1	1.7	2.1	2.8	3.6	23.1	12	4381
MEAN NO DYS TSTMS	0.3	2.1	2.7	4.2	6.1	8.6	12.3	9.0	3.3	0.9	0.7	0.9	51.1	12	4382
P FREQ WND SPD = OR GTR 17 KTS	2.3	2.6	4.2	3.0	0.9	0.7	0.3	0.3	0.8	1.1	1.4	1.5	1.6	12	105122
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105122
P FREQ LES 5000 FT A/D LES 5 MI	32.7	33.1	30.9	21.2	21.5	19.5	22.6	17.6	25.5	24.4	23.8	30.2	25.3	12	105123
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.4	16.8	14.7	4.9	7.0	4.6	6.0	3.4	10.2	12.0	8.0	13.8	9.7	12	13143
03-05 LST	21.0	20.5	18.6	11.2	12.5	9.1	12.1	8.3	16.3	17.2	14.0	18.4	14.9	12	13141
06-08 LST	26.4	25.8	26.2	14.5	17.3	13.7	19.0	16.9	27.2	22.2	22.6	21.9	21.1	12	13139
09-11 LST	20.9	23.0	21.1	10.1	10.3	8.8	12.3	9.1	19.3	16.5	18.3	18.8	15.7	12	13140
12-14 LST	12.8	14.3	13.8	4.3	4.4	3.0	2.2	2.5	8.2	7.8	7.5	11.8	7.7	12	13140
15-17 LST	8.9	11.6	11.6	3.3	2.7	3.1	2.3	2.1	6.9	5.8	5.6	9.0	6.1	12	13139
18-20 LST	8.1	11.3	11.5	3.7	2.5	1.5	2.3	1.5	6.1	6.5	5.7	9.3	5.8	12	13143
21-23 LST	10.3	11.7	11.7	2.4	3.9	1.9	3.1	2.0	7.1	7.9	5.3	9.7	6.4	12	13138
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	3.6	2.2	0.3	0.2	0.4	0.7	0.3	0.2	1.2	1.9	4.0	1.5	12	13143
03-05 LST	5.6	5.0	5.3	1.1	1.7	0.5	1.6	1.2	1.3	3.8	4.9	6.6	3.2	12	13141
06-08 LST	9.2	6.3	7.3	1.2	2.0	1.0	2.4	2.5	5.5	4.2	7.3	7.6	4.7	12	13139
09-11 LST	4.1	4.0	2.6	0.1	0.2	0.2	0.2	0.1	0.7	1.4	3.1	4.0	1.7	12	13140
12-14 LST	1.2	1.9	0.4	0.0	0.3	0.2	0.2	0.3	0.1	0.2	0.3	1.8	0.6	12	13140
15-17 LST	1.2	1.4	0.9	0.0	0.4	0.2	0.2	0.2	0.5	0.3	0.5	1.7	0.6	12	13139
18-20 LST	2.1	0.9	0.8	0.2	0.1	0.2	0.2	0.3	0.6	0.1	0.6	1.5	0.6	12	13143
21-23 LST	2.2	2.0	1.1	0.0	0.0	0.1	0.0	0.0	0.3	0.5	0.0	2.4	0.7	12	13138

# WARNER ROBINS/ROBINS AFB, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.5	28.0	29.2	30.8	29.8	30.7	30.7	28.6	29.3	29.0	28.4	349.1	12	4381
	00 LST	28.6	24.5	27.3	29.6	29.6	29.4	30.1	30.5	28.1	28.6	28.4	27.9	342.6	12	4382
	06 LST	25.2	23.4	24.9	27.0	26.8	26.9	27.3	26.8	23.0	25.3	25.2	25.5	307.3	12	4381
	12 LST	28.0	24.4	27.5	29.3	30.3	29.6	31.0	30.5	27.9	28.7	28.1	27.8	343.1	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	19.7	18.7	21.2	24.5	23.8	25.2	27.4	25.9	26.6	25.7	24.5	286.3	12	4381
	00 LST	22.1	19.8	20.8	25.6	27.1	27.2	28.2	29.6	26.1	25.9	25.1	23.2	300.7	12	4382
	06 LST	19.4	18.2	19.3	22.8	24.3	24.8	25.5	25.6	21.2	23.0	22.0	20.4	266.5	12	4381
	12 LST	16.4	14.3	14.5	16.7	21.8	21.3	25.3	25.5	20.6	21.0	19.5	18.7	235.6	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.6	1.6	0.9	0.2	0.2	0.1	0.1	0.2	0.3	0.4	0.2	5.2	12	4292
	00 LST	0.6	0.6	0.7	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.3	2.9	12	4298
	06 LST	0.3	0.2	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	1.5	12	4282
	12 LST	1.9	1.4	2.0	2.0	0.4	0.4	0.0	0.1	0.3	0.4	0.9	0.5	10.3	12	4307
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	15.3	16.8	18.8	17.7	12.4	13.3	12.3	13.8	12.1	12.4	14.0	174.3	12	4292
	00 LST	11.5	11.7	13.7	13.2	11.4	9.4	8.8	7.8	8.3	8.4	8.8	9.9	122.9	12	4298
	06 LST	9.5	9.9	14.4	11.4	7.8	6.0	6.4	6.2	8.6	9.5	9.4	9.5	108.6	12	4282
	12 LST	15.5	14.3	17.0	16.3	18.9	14.7	13.0	12.1	17.6	16.8	16.7	15.9	188.8	12	4307
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.7	8.4	8.7	11.1	8.6	6.4	4.8	7.3	9.1	15.0	13.7	10.4	114.2	12	4381
	00 LST	14.7	12.5	13.2	18.0	17.8	14.0	13.8	16.6	15.5	19.3	17.0	14.3	186.7	12	4382
	06 LST	11.0	11.5	9.6	12.2	10.3	9.2	9.2	11.3	10.1	14.6	14.5	12.4	135.9	12	4381
	12 LST	8.8	8.7	8.0	9.3	6.7	4.6	3.7	6.6	6.2	13.6	12.0	8.8	97.0	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.7	26.4	28.1	29.6	29.1	29.6	29.9	27.5	28.0	27.2	26.7	332.9	12	4381
	00 LST	25.8	22.5	25.5	28.3	28.6	28.3	29.0	29.8	26.4	27.2	27.2	25.2	323.8	12	4382
	06 LST	21.5	20.3	21.1	24.7	24.7	25.2	25.6	25.6	21.5	22.9	23.0	22.5	278.6	12	4381
	12 LST	24.1	21.5	24.1	26.3	27.6	27.3	28.1	28.4	24.8	25.5	25.6	24.1	307.4	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	32.4	20.4	22.8	24.9	26.2	24.2	24.8	26.8	24.1	25.4	24.2	23.1	289.3	12	4381
	00 LST	22.1	19.7	22.4	25.9	26.3	26.2	27.2	28.4	25.3	25.3	24.3	22.8	295.9	12	4382
	06 LST	17.7	17.4	18.2	22.6	23.2	24.4	25.0	25.1	19.8	21.3	21.1	19.2	255.0	12	4381
	12 LST	20.3	17.8	20.4	20.4	19.8	19.5	19.4	22.0	20.7	23.7	22.9	21.4	248.3	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.3	19.2	20.6	23.2	24.2	22.5	23.7	25.6	22.4	23.6	22.8	21.0	270.1	12	4381
	00 LST	21.1	18.5	21.0	24.6	24.6	24.7	26.0	27.1	24.1	24.3	23.3	21.5	280.8	12	4382
	06 LST	16.6	16.6	16.7	21.3	21.6	23.2	24.1	24.2	18.6	20.2	20.0	17.4	240.5	12	4381
	12 LST	18.7	16.6	18.2	19.6	19.4	18.8	18.9	21.3	19.7	22.7	21.8	18.9	234.6	12	4381

# LA GRANGE/GALLOWAY, GEORGIA

STA NO. 73386 (IN AREA NUMBER 15)

LATITUDE 3301N

LONGITUDE 08504W

ELEVATION(FT) 00708

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	80	82	89	93	99	102	104	103	101	99	86	80	104	23	-613
MEAN MAX TMP (F)	58	61	67	77	84	89	90	90	85	77	66	58	75	23	-113
MEAN MIN TMP (F)	36	38	42	50	58	66	68	68	62	51	40	35	51	23	-113
ABS MIN TMP (F)	-1	6	11	27	35	44	51	50	39	22	5	1	-1	22	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	5.1	18.1	18.3	19.5	8.3	1.3	0.0	0.0	70.8	11	3407
MEAN NO DYS TMP = OR LES 32(F)	14.6	10.7	6.9	1.2	0.0	0.0	0.0	0.0	0.0	2.2	12.3	17.5	65.4	11	3407
MEAN NO DYS TMP = OR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	3407
MEAN DEW PT TMP (F)	39	40	43	50	59	67	70	69	62	52	39	37	52	8	63317
MEAN REL HUM (PCT)	78	74	70	69	72	75	77	78	76	75	74	77	75	8	63314
MEAN PRESS ALT (FT)	499	539	596	627	638	654	629	631	600	557	526	500	583	0	-50
MEAN PRECIP (IN)	4.83	4.79	6.43	4.33	3.08	4.18	5.32	4.64	3.33	2.91	3.18	4.47	50.9	46	-113
MEAN SNOW FALL (IN)	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	10	3262
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.4	8.4	7.6	7.0	6.1	7.0	8.1	7.4	5.4	4.1	5.2	8.0	82.7	46	-29
MEAN NO DY' SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	10	3262
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	1.3	0.4	0.5	1.4	1.4	0.7	1.0	2.0	1.7	1.6	3.3	17.1	8	2646
MEAN NO DYS TSTMS	1.2	1.9	4.5	5.0	7.5	11.4	12.6	8.8	3.3	1.4	1.3	0.9	59.8	11	3407
P FREQ WND SPD = OR GTR 17 KTS	4.2	4.2	5.0	2.8	1.7	0.6	1.3	0.9	2.7	2.0	2.2	4.7	2.7	8	63388
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.1	8	63388
P FREQ LES 5000 FT A/D LES 5 MI	38.6	34.0	30.3	23.7	19.6	16.6	24.0	20.0	21.6	25.5	30.5	37.8	26.9	8	63379
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	15.8	17.4	11.4	6.0	7.5	3.5	9.8	8.8	11.8	12.2	13.4	18.5	11.3	8	7922
03-05 LST	23.8	20.9	15.5	13.8	13.5	12.1	15.5	11.2	15.7	18.0	14.6	22.3	16.4	8	7934
06-08 LST	30.2	24.1	18.5	15.8	15.2	10.3	14.8	12.0	14.3	21.5	23.6	26.2	18.9	8	7930
09-11 LST	23.5	17.7	14.0	8.6	4.9	1.6	5.8	5.6	8.1	9.7	17.3	22.4	11.6	8	7927
12-14 LST	16.2	13.3	10.1	3.8	1.4	0.5	2.5	1.8	3.3	5.5	9.5	15.8	7.0	8	7937
15-17 LST	11.9	10.3	8.0	3.6	2.3	0.6	3.1	1.1	3.3	4.2	7.8	14.9	5.9	8	7936
18-20 LST	10.4	11.4	7.5	4.2	2.6	0.8	1.7	1.9	3.5	4.5	8.7	14.2	6.0	8	7914
21-23 LST	14.7	13.3	7.5	4.5	2.6	1.0	3.7	3.1	5.3	7.7	10.6	17.0	7.6	8	7921
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	1.8	0.9	0.8	0.0	1.2	0.8	0.5	1.5	3.2	2.0	1.6	3.4	1.5	8	7922
03-05 LST	3.5	1.6	1.5	2.1	3.2	3.8	2.5	2.6	3.2	4.8	2.5	4.7	3.0	8	7934
06-08 LST	5.6	3.2	1.7	1.0	1.8	1.0	0.6	1.1	1.6	4.3	3.7	5.1	2.6	8	7930
09-11 LST	2.0	1.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.6	2.6	0.7	8	7927
12-14 LST	0.5	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.3	0.2	0.2	8	7937
15-17 LST	0.5	0.6	0.5	0.1	0.2	0.2	0.2	0.2	0.2	0.0	0.3	0.5	0.3	8	7936
18-20 LST	0.6	1.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.2	0.2	1.7	0.4	8	7914
21-23 LST	1.5	1.2	0.0	0.0	0.6	0.0	0.0	0.2	0.3	0.9	0.8	4.2	0.8	8	7921

LA GRANGE/GALLOWAY, GEORGIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.2	25.8	29.4	29.2	30.7	29.7	30.4	30.8	29.3	30.7	28.8	27.8	351.8	8	2649
	00 LST	28.7	25.5	29.0	29.6	30.0	29.6	28.8	30.0	28.1	29.1	27.4	26.8	342.6	8	2648
	06 LST	24.0	23.7	27.1	27.1	27.6	27.4	27.6	28.3	27.6	25.3	25.1	24.8	315.6	8	2648
	12 LST	27.2	25.5	28.6	29.2	30.7	30.0	30.6	30.6	29.3	30.0	27.6	27.2	346.5	8	2648
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.8	20.3	21.6	24.6	27.1	28.0	27.4	27.7	26.4	27.8	24.3	21.3	299.3	8	2649
	00 LST	20.2	17.8	22.0	24.7	27.7	28.7	27.4	28.1	25.1	24.7	23.0	19.9	289.3	8	2648
	06 LST	16.4	16.0	20.9	20.5	23.6	24.1	24.1	25.9	23.0	21.3	19.3	16.6	251.7	8	2648
	12 LST	12.5	11.1	13.6	15.8	20.0	24.6	23.8	25.3	19.0	20.4	15.8	13.5	215.4	8	2648
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	0.8	0.9	0.1	0.7	0.3	0.4	0.0	0.1	0.3	0.3	0.4	5.7	8	2589
	00 LST	0.7	0.9	0.7	0.4	0.3	0.0	0.0	0.0	0.4	0.1	0.6	0.7	4.8	8	2580
	06 LST	0.9	1.1	0.4	0.2	0.0	0.0	0.0	0.0	0.3	0.1	0.3	0.9	4.2	8	2572
	12 LST	2.9	2.0	2.0	2.2	1.6	0.4	0.7	0.4	1.3	1.1	1.2	3.0	18.8	8	2587
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.2	12.6	14.6	14.9	11.9	9.6	9.6	9.8	12.0	9.9	10.5	13.6	141.2	8	2589
	00 LST	11.8	12.1	11.9	15.1	8.2	8.9	7.8	7.0	9.0	9.4	9.9	9.9	121.1	8	2580
	06 LST	9.9	11.1	14.6	15.7	11.6	11.3	10.7	8.5	10.9	12.1	9.0	8.9	134.3	8	2572
	12 LST	15.0	13.6	14.4	16.3	15.8	11.9	12.2	10.9	13.4	18.6	17.4	16.6	178.1	8	2587
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.5	9.8	8.5	11.0	11.0	9.7	6.5	8.0	12.6	17.0	15.4	11.6	131.6	8	2649
	00 LST	12.3	11.3	12.0	15.4	17.5	17.9	16.7	17.5	16.8	19.1	15.7	11.2	183.4	8	2648
	06 LST	8.7	7.5	9.0	12.0	10.7	10.8	9.8	12.1	13.1	14.6	11.4	9.2	128.9	8	2648
	12 LST	6.9	7.4	8.4	10.1	7.4	3.8	2.9	4.8	7.8	13.1	11.9	7.9	92.4	8	2648
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.4	23.5	27.5	27.7	29.4	29.6	29.4	30.1	27.8	29.7	26.3	24.0	331.4	8	2649
	00 LST	24.0	21.4	25.1	27.6	28.4	29.0	27.8	28.4	26.0	26.6	25.4	23.3	313.4	8	2648
	06 LST	18.1	18.5	22.8	23.1	24.4	24.1	24.3	26.0	23.9	22.6	21.3	21.1	270.2	8	2648
	12 LST	22.6	21.8	25.6	26.5	28.7	29.3	29.1	29.4	26.9	27.8	25.1	22.1	314.9	8	2648
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.7	19.8	22.6	24.3	26.6	26.7	25.5	26.0	25.1	26.8	23.6	21.1	288.8	8	2649
	00 LST	19.8	18.9	21.6	23.8	27.1	28.6	26.3	27.4	24.8	24.7	22.3	18.8	284.1	8	2648
	06 LST	15.1	16.0	19.1	20.3	22.8	22.4	23.0	24.1	22.4	21.3	18.7	16.9	242.1	8	2648
	12 LST	17.0	17.8	20.2	20.3	22.0	20.4	17.4	19.8	20.0	21.5	21.6	18.2	236.2	8	2648
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.6	18.3	20.0	22.8	25.3	25.4	24.6	24.4	23.6	25.5	22.8	19.8	271.1	8	2649
	00 LST	18.6	18.1	20.7	21.3	26.3	27.6	25.1	26.3	24.0	23.7	20.4	17.5	269.6	8	2648
	06 LST	13.3	14.0	17.1	18.5	21.5	21.8	21.9	23.4	21.4	20.8	17.4	15.6	226.7	8	2648
	12 LST	16.2	16.4	19.0	18.7	20.6	20.0	17.0	19.4	19.4	20.6	20.3	17.2	224.8	8	2648



## CAIRO/GRADY COUNTY, GEORGIA

STA NO. 73696 (IN AREA NUMBER 15)

LATITUDE 3053N

LONGITUDE 08409W

ELEVATION(FT) 00263

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	85	89	94	101	103	101	101	100	95	88	82	103	29	-113
MEAN MAX TMP (F)	65	67	72	79	86	91	91	91	87	80	71	65	79	29	-113
MEAN MIN TMP (F)	43	44	49	55	62	69	71	71	67	58	47	42	57	29	-113
ABS MIN TMP (F)	14	17	21	32	43	53	59	61	48	32	18	17	14	29	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	10.0	19.0	23.0	24.0	12.0	2.0	0.0	0.0	90.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	7.0	4.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	8.0	23.0	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEW PT TMP (F)	42	46	48	55	61	68	72	71	69	57	48	42	57	12	-73789
MEAN REL HUM (PCT)	72	72	68	68	68	72	78	77	78	72	71	72	72	12	-73789
MEAN PRESS ALT (FT)	51	84	129	157	178	197	160	177	174	130	78	90	130	0	-50
MEAN PRECIP (IN)	3.52	3.88	5.28	4.96	3.49	4.84	6.73	6.09	4.63	2.24	2.35	3.30	31.3	30	-113
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	24	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.9	7.3	7.3	7.2	6.5	7.6	9.3	8.8	7.1	4.0	4.1	6.6	82.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.8	4.2	2.6	3.2	1.8	2.4	3.9	5.3	4.2	6.5	4.8	46.3	12	-73789
MEAN NO DYS TSTMS	0.5	2.0	2.2	5.1	6.6	8.9	13.1	10.2	4.6	1.6	0.6	0.5	55.9	12	-73789
P FREQ WND SPD = DR GTR 17 KTS	1.0	1.4	2.0	1.7	0.5	0.4	0.4	0.2	0.7	0.8	0.5	0.9	0.9	12	-73789
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73789
P FREQ LES 5000 FT A/D LES 5 MI	32.1	38.1	32.8	25.8	23.4	22.4	25.1	22.4	30.1	25.8	28.0	31.6	28.0	12	-73789
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.3	21.1	20.1	11.6	6.9	4.6	4.6	6.1	13.7	12.3	17.3	14.2	12.8	12	-73789
03-05 LST	24.8	27.2	25.8	17.4	16.5	11.3	14.6	15.3	25.4	17.3	23.1	21.3	20.0	12	-73789
06-08 LST	28.8	35.0	31.8	25.0	24.2	20.3	23.5	24.9	37.6	28.2	31.3	28.5	28.3	12	-73789
09-11 LST	24.0	25.6	20.9	14.5	9.0	11.6	10.9	13.9	20.9	14.4	19.4	22.7	17.3	12	-73789
12-14 LST	14.3	14.9	11.1	6.2	2.8	3.9	2.7	2.9	8.7	7.6	8.9	14.3	8.2	12	-73789
15-17 LST	8.3	10.1	8.8	4.5	3.4	1.8	3.5	3.2	7.5	4.6	6.4	7.9	5.8	12	-73789
18-20 LST	7.4	10.3	9.8	5.2	3.2	2.0	2.3	1.9	6.8	5.9	7.0	7.3	5.8	12	-73789
21-23 LST	10.3	15.4	10.1	5.8	3.0	2.3	2.4	1.9	9.0	8.8	11.0	11.5	7.6	12	-73789
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	4.9	5.0	2.0	1.6	0.4	0.7	1.8	3.5	4.7	6.6	9.4	3.9	12	-73789
03-05 LST	10.1	9.0	10.7	4.9	4.7	2.9	5.0	7.5	11.0	7.0	12.2	11.1	8.0	12	-73789
06-08 LST	12.3	10.2	11.1	5.2	5.1	3.9	6.6	9.6	13.2	9.4	16.5	13.9	9.8	12	-73789
09-11 LST	5.7	3.0	2.8	0.4	0.5	0.1	0.2	0.4	1.3	1.7	4.3	6.0	2.2	12	-73789
12-14 LST	0.8	1.2	0.8	0.1	0.2	0.1	0.5	0.2	0.8	0.2	0.5	0.5	0.3	12	-73789
15-17 LST	0.6	1.3	0.6	0.5	0.4	0.2	0.6	0.4	0.8	0.2	0.5	0.4	0.3	12	-73789
18-20 LST	0.8	0.7	2.3	0.4	0.2	0.2	0.3	0.3	1.0	0.9	1.4	1.4	0.8	12	-73789
21-23 LST	2.1	2.9	2.8	0.6	0.7	0.3	0.4	0.4	1.7	2.3	3.9	5.0	1.9	12	-73789

## CAIRO/GRADY COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.0	26.1	28.2	29.2	30.5	29.5	30.4	30.5	28.7	29.5	28.6	29.1	349.3	12	-73789
	00 LST	26.8	23.4	26.7	28.0	30.0	29.5	30.0	30.1	27.4	28.4	25.7	26.9	332.9	12	-73789
	06 LST	24.1	19.9	21.9	23.8	23.8	24.9	24.0	23.0	19.2	22.9	21.4	24.0	272.9	12	-73789
	12 LST	27.7	24.5	28.1	29.0	30.6	29.1	30.7	30.6	28.1	29.4	27.6	27.4	342.8	12	-73789
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	25.4	20.0	20.2	22.9	25.2	24.7	25.9	27.5	24.2	27.1	26.1	25.9	295.1	12	-73789
	00 LST	22.9	19.5	22.8	24.9	28.8	28.3	29.3	29.5	25.3	25.9	23.5	23.9	304.6	12	-73789
	06 LST	20.4	16.4	18.3	20.7	22.3	23.5	23.5	22.4	17.3	20.3	19.8	20.4	245.3	12	-73789
	12 LST	18.0	12.9	17.0	16.8	22.7	23.5	26.5	24.6	19.5	20.8	18.7	18.0	239.0	12	-73789
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.3	0.3	0.4	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.2	2.3	12	-73789
	00 LST	0.1	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.0	1.6	12	-73789
	06 LST	0.1	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.1	12	-73789
	12 LST	0.7	0.6	1.5	1.2	0.2	0.3	0.2	0.0	0.2	0.5	0.4	0.4	6.2	12	-73789
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	11.3	14.5	17.1	17.7	17.3	14.1	14.9	12.2	13.9	10.8	9.7	10.9	164.4	12	-73789
	00 LST	11.0	11.5	12.0	11.0	11.4	10.2	5.9	6.6	8.6	8.6	8.0	9.8	114.6	12	-73789
	06 LST	9.5	9.3	11.0	10.9	9.3	8.1	5.8	5.4	3.2	10.0	9.5	9.1	107.1	12	-73789
	12 LST	16.6	14.9	17.9	17.5	18.0	13.1	12.3	12.2	15.7	18.0	18.0	16.7	190.9	12	-73789
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.3	8.9	10.1	8.1	5.4	2.7	3.4	7.1	14.3	13.1	11.4	103.0	10	-73789
	00 LST	15.4	13.6	13.0	16.1	19.4	14.9	13.5	14.4	15.4	18.1	15.3	16.6	185.9	10	-73789
	06 LST	12.7	10.5	10.0	10.0	10.2	8.6	6.5	8.8	8.8	14.4	12.9	12.8	126.2	10	-73789
	12 LST	9.6	8.3	9.1	8.6	7.3	3.7	2.3	2.5	4.1	10.6	11.9	10.1	98.1	10	-73789
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.9	23.3	27.2	27.9	29.5	29.0	29.9	30.0	27.4	28.3	27.1	26.8	333.3	12	-73789
	00 LST	24.5	20.8	24.8	26.1	29.6	28.6	29.5	29.4	25.9	27.0	24.4	25.7	316.3	12	-73789
	06 LST	21.7	17.3	19.8	21.8	22.5	23.9	23.6	22.4	17.7	21.5	20.5	22.3	255.0	12	-73789
	12 LST	23.7	19.9	24.5	24.9	28.2	26.6	27.5	26.5	23.3	26.2	25.0	24.1	300.4	12	-73789
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.5	20.3	24.4	24.8	25.3	24.7	25.0	26.1	24.8	25.9	24.6	24.1	293.5	12	-73789
	00 LST	22.5	19.5	22.7	25.2	28.6	27.9	28.3	28.3	24.9	25.3	23.1	23.0	299.3	12	-73789
	06 LST	19.7	15.2	17.6	19.7	21.6	23.3	22.4	21.3	17.1	20.3	19.1	19.8	237.1	12	-73789
	12 LST	20.1	16.1	20.0	19.5	19.4	18.7	18.7	19.7	17.1	22.6	22.6	21.2	235.7	12	-73789
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.9	18.9	22.9	23.2	23.7	23.3	21.9	23.7	21.8	24.4	23.0	22.3	271.0	12	-73789
	00 LST	20.9	18.2	21.5	23.7	27.3	26.8	26.9	27.6	24.1	24.2	21.8	22.2	285.2	12	-73789
	06 LST	17.8	14.3	16.2	18.8	20.2	22.1	21.5	20.7	15.9	19.4	18.3	18.8	224.0	12	-73789
	12 LST	18.4	14.8	18.8	18.8	18.6	18.1	17.9	19.1	15.9	21.9	20.7	19.5	222.5	12	-73789

## CORDELE, GEORGIA

STA NO. 73760 (IN AREA NUMBER 19)

LATITUDE 3159N

LONGITUDE 08346W

ELEVATION(FT) 00308

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	89	92	100	105	104	102	100	99	86	83	103	18	-113
MEAN MAX TMP (F)	62	64	70	78	86	91	92	92	88	80	69	62	78	19	-113
MEAN MIN TMP (F)	39	41	46	54	62	69	71	71	66	55	45	38	55	18	-113
ABS MIN TMP (F)	12	11	19	32	42	45	60	60	47	27	20	14	11	17	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	10.0	20.0	25.0	28.0	15.0	2.0	0.0	0.0	100.3	8	-113
MEAN NO DYS TMP = OR LES 32(F)	10.0	4.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	9.0	50.3	7	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	42	44	45	52	61	68	71	70	67	56	46	41	55	12	-73290
MEAN REL HUM (PCT)	72	69	65	63	66	69	73	71	72	69	68	70	69	12	-73290
MEAN PRESS ALT (FT)	99	131	170	197	222	241	202	223	230	188	128	99	178	0	-50
MEAN PRECIP (IN)	3.58	4.38	4.71	4.26	3.19	3.66	5.52	4.71	3.19	2.13	2.08	3.81	45.2	29	-113
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	20	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	7.9	7.1	6.9	6.3	6.4	8.3	7.5	5.2	3.8	3.8	7.2	77.4	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.0	2.0	0.8	1.4	0.5	0.7	0.7	1.1	1.0	3.9	3.2	21.4	12	-73290
MEAN NO DYS TSTMS	1.0	1.5	2.8	3.9	6.8	8.6	12.1	9.2	3.5	1.1	0.9	1.1	52.5	12	-73290
P FREQ WND SPD = OR GTR 17 KTS	3.1	4.0	4.9	3.9	0.8	0.6	0.5	0.3	0.8	0.7	1.5	2.1	1.9	12	-73290
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73290
P FREQ LES 5000 FT A/D LES 5 MI	30.9	32.7	29.7	20.6	20.6	20.3	21.4	17.1	25.7	21.2	22.4	29.6	24.4	12	-73290
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.2	15.3	15.9	4.6	3.1	4.0	4.1	1.9	9.9	9.4	10.6	13.0	8.8	12	-73290
03-05 LST	22.2	22.2	24.0	12.5	11.6	9.2	8.9	7.8	14.4	14.5	15.8	19.3	15.2	12	-73290
06-08 LST	26.8	27.4	28.4	19.6	19.5	15.8	15.4	15.5	24.0	20.3	24.1	23.8	21.7	12	-73290
09-11 LST	22.1	23.0	21.1	11.5	10.0	9.4	10.6	8.7	15.9	14.6	15.0	20.6	15.2	12	-73290
12-14 LST	11.6	12.7	12.0	3.6	2.4	2.8	1.4	1.3	6.9	7.8	7.3	11.9	6.8	12	-73290
15-17 LST	6.7	9.9	7.5	3.0	2.2	1.8	2.1	1.0	6.2	4.9	4.9	8.7	4.9	12	-73290
18-20 LST	6.7	8.3	8.6	3.6	1.7	1.3	2.6	0.6	5.4	5.3	4.0	8.5	4.7	12	-73290
21-23 LST	9.7	10.7	9.7	3.1	1.8	2.0	1.3	1.1	6.5	6.7	6.6	11.6	5.9	12	-73290
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	2.8	2.6	0.4	0.3	0.3	0.4	0.1	1.7	2.2	2.7	5.0	1.8	12	-73290
03-05 LST	7.2	4.5	5.6	1.6	1.1	0.9	1.1	1.3	1.9	3.8	5.6	0.6	3.4	12	-73290
06-08 LST	9.9	6.0	6.8	2.7	1.5	1.5	1.0	2.6	2.7	3.6	10.1	7.3	4.6	12	-73290
09-11 LST	3.8	2.0	1.8	0.3	0.2	0.1	0.2	0.3	0.3	0.5	1.9	2.7	1.2	12	-73290
12-14 LST	0.9	0.5	0.5	0.4	0.2	0.2	0.1	0.1	0.0	0.0	0.5	1.0	0.4	12	-73290
15-17 LST	0.8	0.6	0.4	0.3	0.7	0.2	0.2	0.2	0.3	0.0	0.3	0.8	0.4	12	-73290
18-20 LST	0.8	0.6	1.1	0.0	0.4	0.2	0.3	0.3	0.1	0.1	0.6	2.2	0.6	12	-73290
21-23 LST	1.3	1.3	1.0	0.0	0.1	0.3	0.2	0.1	0.2	0.6	0.9	3.4	0.8	12	-73290

## CORDELE, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.3	29.1	29.2	30.7	29.8	30.5	30.7	28.7	29.7	28.8	28.6	351.2	12	-73290
	00 LST	28.2	25.1	28.1	29.4	30.6	29.3	30.3	30.9	28.1	28.8	27.7	27.7	344.2	12	-73290
	06 LST	24.9	22.2	24.1	25.8	27.3	27.0	27.5	26.6	24.8	25.3	24.4	25.0	305.3	12	-73290
	12 LST	28.6	25.0	28.1	29.3	30.9	29.6	31.0	30.9	28.8	29.1	27.9	28.1	347.3	12	-73290
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.8	16.9	17.0	18.7	23.0	22.7	23.5	25.6	23.7	26.7	25.6	24.0	270.2	12	-73290
	00 LST	22.6	19.3	21.7	25.1	28.0	27.1	29.1	29.9	24.4	26.0	24.2	23.1	300.5	12	-73290
	06 LST	19.1	17.2	18.5	21.3	24.6	25.3	26.7	25.4	21.7	23.8	21.2	20.7	265.5	12	-73290
	12 LST	15.7	11.7	13.1	16.5	21.9	23.4	24.2	25.4	18.2	21.1	18.3	18.0	227.5	12	-73290
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.7	1.4	1.4	0.3	0.2	0.4	0.3	0.1	0.1	0.3	0.7	6.5	12	-73290
	00 LST	0.2	0.4	0.8	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	2.2	12	-73290
	06 LST	0.3	0.6	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	2.2	12	-73290
	12 LST	2.3	1.6	3.6	2.3	0.5	0.2	0.1	0.0	0.7	0.2	1.1	1.6	14.2	12	-73290
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.1	15.4	15.5	17.7	17.5	12.8	15.0	12.3	17.3	18.7	17.4	18.4	197.1	12	-73290
	00 LST	17.8	14.6	17.9	17.1	18.1	18.0	18.6	14.4	17.3	15.3	15.2	15.6	199.9	12	-73290
	06 LST	15.1	13.0	16.8	15.7	16.0	15.6	13.2	11.0	14.7	15.3	15.0	13.6	175.0	12	-73290
	12 LST	17.3	13.6	14.8	16.1	18.1	11.6	10.0	8.9	13.7	20.6	18.8	17.9	181.4	12	-73290
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.9	9.1	10.8	8.6	6.5	3.0	6.3	7.6	15.7	13.7	10.6	111.0	12	-73290
	00 LST	14.8	13.1	15.0	17.6	19.1	16.3	12.7	16.0	15.8	19.8	17.6	14.8	192.6	12	-73290
	06 LST	11.4	11.1	10.1	11.6	11.2	9.9	7.8	10.3	10.7	15.8	13.6	13.4	136.9	12	-73290
	12 LST	9.6	8.7	8.6	9.9	8.6	4.7	2.8	4.7	4.9	13.6	11.9	9.1	97.1	12	-73290
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	24.7	28.0	28.3	30.2	29.1	28.9	30.3	27.4	28.6	28.1	27.1	337.9	12	-73290
	00 LST	25.4	22.3	25.6	28.2	29.4	28.5	29.9	30.2	26.3	27.6	26.4	25.8	325.8	12	-73290
	06 LST	22.2	19.4	21.5	23.6	24.8	25.6	26.7	25.7	22.9	23.9	22.5	23.5	282.3	12	-73290
	12 LST	24.1	21.1	24.4	26.7	27.7	27.2	28.0	28.2	24.7	26.2	25.9	24.8	309.0	12	-73290
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.9	21.8	24.2	24.9	26.4	25.3	24.3	26.5	23.7	25.7	25.6	23.0	294.3	12	-73290
	00 LST	23.0	19.7	23.3	26.3	27.7	26.9	27.9	29.0	25.0	26.2	24.7	22.6	302.3	12	-73290
	06 LST	19.4	16.7	19.3	21.5	23.8	24.5	25.6	24.6	21.5	22.3	20.8	20.0	260.2	12	-73290
	12 LST	21.0	17.5	19.8	20.7	21.5	18.4	18.8	21.1	17.8	23.1	23.5	21.8	245.0	12	-73290
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.3	19.7	22.8	23.3	24.2	23.3	22.4	24.2	21.8	24.4	23.5	21.1	271.0	12	-73290
	00 LST	21.8	18.3	22.2	25.0	26.2	24.9	26.7	27.8	24.1	24.6	23.9	20.7	286.2	12	-73290
	06 LST	17.9	15.8	17.4	20.2	22.0	23.0	24.2	23.3	19.7	21.6	19.5	17.9	242.5	12	-73290
	12 LST	19.5	16.7	18.3	20.3	20.7	17.7	17.7	20.4	16.5	22.2	22.3	19.8	232.1	12	-73290

# TIFTON/MYERS, GEORGIA

STA NO. 73761 (IN AREA NUMBER 15)

LATITUDE 3125N

LONGITUDE 08329W

ELEVATION(FT) 00343

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	90	93	100	105	104	104	106	98	88	82	106	39	-113
MEAN MAX TMP (F)	63	65	70	78	86	90	91	91	88	80	70	63	78	39	-113
MEAN MIN TMP (F)	40	42	46	54	62	68	71	69	66	56	45	40	53	39	-113
ABS MIN TMP (F)	12	14	18	30	42	51	60	57	45	30	10	14	10	39	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	8.0	18.0	23.0	24.0	13.0	2.0	0.0	0.0	86.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	9.0	5.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	10.0	30.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	42	44	45	52	61	68	71	70	67	56	46	41	53	12	-73290
MEAN REL HUM (PCT)	72	69	65	63	66	69	73	71	72	69	68	70	69	12	-73290
MEAN PRESS ALT (FT)	133	165	206	233	256	275	238	257	259	216	160	131	211	0	-50
MEAN PRECIP (IN)	3.88	3.84	4.78	4.22	3.33	4.48	6.10	5.21	3.85	2.05	1.90	3.49	47.1	39	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	19	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	7.3	7.1	6.9	6.4	7.3	8.8	8.0	6.1	3.7	3.5	6.8	79.2	39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.0	2.0	0.8	1.4	0.5	0.7	0.7	1.1	1.0	3.9	3.2	21.4	12	-73290
MEAN NO DYS TSTMS	1.0	1.5	2.8	3.9	6.8	8.6	12.1	9.2	3.5	1.1	0.9	1.1	52.5	12	-73290
P FREQ WND SPD = OR GTR 17 KTS	3.1	4.0	4.9	3.9	0.8	0.6	0.5	0.3	0.8	0.7	1.5	2.1	1.9	12	-73290
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	12	-73290
P FREQ LES 5000 FT A/D LES 5 MI	30.9	32.7	29.7	20.6	20.6	20.3	21.4	17.1	23.7	21.2	22.4	29.6	24.4	12	-73290
P FREQ LES 1500 FT A/D LES 3 MI	14.2	15.3	15.9	4.6	3.1	4.0	4.1	1.9	9.9	9.4	10.6	13.0	8.8	12	-73290
FOR 00-02 LST	22.2	22.2	24.0	12.5	11.6	9.2	8.9	7.8	14.4	14.5	15.8	19.3	15.2	12	-73290
03-05 LST	26.8	27.4	28.4	19.6	19.5	15.8	15.4	15.5	24.0	20.3	24.1	23.8	21.7	12	-73290
06-08 LST	22.1	23.0	21.1	11.5	10.0	9.4	10.6	8.7	13.9	14.6	15.0	20.6	15.2	12	-73290
09-11 LST	11.6	12.7	12.0	3.6	2.4	2.8	1.4	1.3	6.9	7.8	7.3	11.9	6.8	12	-73290
12-14 LST	6.7	9.9	7.5	3.0	2.2	1.8	2.1	1.0	6.2	4.9	4.9	8.7	4.9	12	-73290
15-17 LST	6.7	8.3	8.6	3.6	1.7	1.3	2.4	0.6	5.4	5.3	4.0	8.5	4.7	12	-73290
18-20 LST	9.7	10.7	9.7	3.1	1.8	2.0	1.3	1.1	6.5	6.7	6.6	11.6	5.9	12	-73290
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	3.0	2.8	2.6	0.4	0.3	0.3	0.4	0.1	1.7	2.2	2.7	5.0	1.8	12	-73290
FOR 00-02 LST	7.2	4.5	5.6	1.6	1.1	0.9	1.1	1.3	1.9	3.8	5.6	6.6	3.4	12	-73290
03-05 LST	9.9	6.0	6.8	2.7	1.5	1.5	1.0	2.6	2.7	3.6	10.1	7.3	4.6	12	-73290
06-08 LST	3.8	2.0	1.8	0.3	0.2	0.1	0.2	0.3	0.3	0.5	1.9	2.7	1.2	12	-73290
09-11 LST	0.9	0.5	0.5	0.4	0.2	0.2	0.1	0.1	0.0	0.0	0.5	1.0	0.4	12	-73290
12-14 LST	0.8	0.6	0.4	0.3	0.7	0.2	0.2	0.2	0.3	0.0	0.3	0.8	0.4	12	-73290
15-17 LST	0.8	0.6	1.1	0.0	0.4	0.2	0.3	0.3	0.1	0.1	0.6	2.2	0.6	12	-73290
18-20 LST	1.3	1.3	1.0	0.0	0.1	0.3	0.2	0.1	0.2	0.6	0.9	3.4	0.8	12	-73290
21-23 LST															

# TIFTON/MYERS, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.3	29.1	29.2	30.7	29.8	30.5	30.7	28.7	29.7	28.8	28.6	331.2	12	-73290
	00 LST	28.2	25.1	28.1	29.4	30.6	29.3	30.3	30.9	28.1	28.8	27.7	27.7	344.2	12	-73290
	06 LST	24.9	22.2	24.1	25.8	27.5	27.0	27.5	26.6	24.8	25.5	24.4	25.0	305.9	12	-73290
	12 LST	28.6	25.0	28.1	29.3	30.9	29.6	31.0	30.9	28.8	29.1	27.9	28.1	347.3	12	-73290
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.8	16.9	17.0	18.7	23.0	22.7	23.5	25.6	23.7	26.7	25.6	24.0	270.2	12	-73290
	00 LST	22.6	19.3	21.7	25.1	28.0	27.1	29.1	29.9	24.4	26.0	24.2	23.1	300.5	12	-73290
	06 LST	19.1	17.2	18.5	21.3	24.6	25.3	26.7	25.4	21.7	23.8	21.2	20.7	265.5	12	-73290
	12 LST	15.7	11.7	13.1	16.5	21.9	23.4	24.2	25.4	18.2	21.1	18.3	18.0	227.5	12	-73290
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.7	1.4	1.4	0.3	0.2	0.4	0.3	0.1	0.1	0.3	0.7	6.5	12	-73290
	00 LST	0.2	0.4	0.8	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	2.2	12	-73290
	06 LST	0.3	0.6	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	2.2	12	-73290
	12 LST	2.3	1.6	3.6	2.3	0.5	0.2	0.1	0.0	0.7	0.2	1.1	1.6	14.2	12	-73290
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.1	15.4	15.5	17.7	17.5	12.8	15.0	12.3	17.3	18.7	17.4	18.4	197.1	12	-73290
	00 LST	17.8	14.6	17.9	17.1	18.1	18.0	18.6	14.4	17.3	15.3	15.2	15.6	199.9	12	-73290
	06 LST	15.1	13.0	16.8	15.7	16.0	15.6	13.2	11.0	14.7	15.3	15.0	13.6	175.0	12	-73290
	12 LST	17.3	13.6	14.8	16.1	18.1	11.6	10.0	8.9	13.7	20.6	18.8	17.9	181.4	12	-73290
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.9	9.1	10.8	4.6	6.5	3.0	6.3	7.6	15.7	13.7	10.6	111.0	12	-73290
	00 LST	14.8	13.1	15.0	17.6	19.1	16.3	12.7	16.0	15.8	19.8	17.6	14.8	192.6	12	-73290
	06 LST	11.4	11.1	10.1	11.6	11.2	9.9	7.8	10.3	10.7	15.8	13.6	13.4	136.9	12	-73290
	12 LST	9.6	8.7	8.6	9.9	8.6	4.7	2.8	4.7	4.9	13.6	11.9	9.1	97.1	12	-73290
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	24.7	28.0	28.3	30.2	29.1	28.9	30.3	27.4	28.6	28.1	27.1	337.9	12	-73290
	00 LST	25.4	22.5	25.6	28.2	29.4	28.5	29.9	30.2	26.3	27.6	26.4	25.8	325.8	12	-73290
	06 LST	22.2	19.4	21.5	23.6	24.8	25.6	26.7	25.7	22.9	23.9	22.5	23.5	282.3	12	-73290
	12 LST	24.1	21.1	24.4	26.7	27.7	27.2	28.0	28.2	24.7	26.2	25.9	24.8	309.0	12	-73290
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.9	21.8	24.2	24.9	26.4	25.3	24.3	26.5	23.7	25.7	25.6	23.0	294.3	12	-73290
	00 LST	23.0	19.7	23.3	26.3	27.7	26.9	27.9	29.0	25.0	26.2	24.7	22.6	302.3	12	-73290
	06 LST	19.4	16.7	19.5	21.5	23.8	24.5	25.6	24.6	21.5	22.3	20.8	20.0	260.2	12	-73290
	12 LST	21.0	17.5	19.8	20.7	21.5	18.4	18.8	21.1	17.8	23.1	23.5	21.9	245.0	12	-73290
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.3	19.7	22.8	23.3	24.2	23.3	22.4	24.2	21.8	24.4	23.5	21.1	271.0	12	-73290
	00 LST	21.8	18.3	22.2	25.0	26.2	24.9	26.7	27.8	24.1	24.6	23.9	20.7	286.2	12	-73290
	06 LST	17.9	15.8	17.4	20.2	22.0	23.0	24.2	23.3	19.7	21.6	19.5	17.9	242.5	12	-73290
	12 LST	19.5	16.7	18.3	20.3	20.7	17.7	17.7	20.4	16.5	22.2	22.3	19.8	232.1	12	-73290

# BAINBRIDGE, GEORGIA

STA NO. 73763 (IN AREA NUMBER 19)

LATITUDE 3059N

LONGITUDE 08438W

ELEVATION(FT) 00132

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	83	84	92	94	103	103	99	99	91	86	80	103	4	849
MEAN MAX TMP (F)	62	69	71	77	87	93	91	92	87	80	71	63	79	4	849
MEAN MIN TMP (F)	42	46	51	56	66	73	73	73	68	55	47	42	58	4	849
ABS MIN TMP (F)	28	22	21	36	49	69	67	66	52	37	31	21	21	4	849
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	10.5	25.5	21.5	23.5	11.3	1.0	0.0	0.0	94.3	4	849
MEAN NO DYS TMP = OR LES 32(F)	4.2	4.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	7.0	18.3	4	849
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	849
MEAN DEW PT TMP (F)	43	45	51	53	62	69	71	71	66	52	45	43	56	4	20281
MEAN REL HUM (PCT)	76	68	72	64	66	67	76	73	73	63	65	75	70	4	20271
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.41	3.00	9.52	4.50	2.91	2.07	6.89	5.19	4.13	0.53	1.91	3.16	49.2	4	848
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	3.9	10.0	6.5	3.5	5.5	8.5	3.0	5.7	1.3	3.3	5.0	66.9	4	848
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			4	-29
MEAN NO DYS W/DCUK VSOY LES 1/2 MI	3.3	2.9	3.0	1.0	2.0	1.0	0.5	0.5	1.6	1.6	0.3	5.6	23.3	4	849
MEAN NO DYS TSTMS	0.4	0.5	7.0	5.5	3.0	10.5	9.5	11.0	3.2	0.3	0.0	0.0	52.9	4	849
P FREQ WND SPD = OR GTR 17 KTS	2.1	2.9	2.3	2.7	0.3	0.6	0.9	0.7	0.8	0.8	1.0	2.5	1.8	4	20338
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	4	20358
P FREQ LES 3000 FT A/D LES 5 MI	58.1	55.4	48.8	30.0	21.7	19.5	28.7	26.7	29.9	17.9	33.2	49.6	35.0	4	20345
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.8	34.1	28.5	8.3	1.6	0.0	3.8	4.8	7.7	2.5	10.4	23.3	12.6	4	2543
03-05 LST	32.4	43.9	33.3	12.8	7.0	2.8	6.5	10.8	12.2	4.0	10.7	27.2	17.0	4	2544
06-08 LST	49.5	55.0	39.5	21.1	13.4	6.1	15.6	18.8	25.7	11.5	24.6	43.5	27.2	4	2542
09-11 LST	31.5	40.4	23.1	14.0	7.0	2.8	8.1	15.1	14.0	5.4	16.4	34.1	17.7	4	2544
12-14 LST	20.3	13.5	11.8	8.9	3.2	2.8	7.0	6.5	9.0	1.4	8.1	15.8	9.0	4	2546
15-17 LST	15.8	4.7	11.3	2.8	2.2	2.2	3.8	5.4	9.5	1.1	6.7	11.8	6.4	4	2544
18-20 LST	18.5	14.0	14.5	8.3	3.8	1.1	2.7	1.1	8.6	0.4	9.6	15.1	8.1	4	2545
21-23 LST	22.3	21.1	18.8	8.3	2.2	0.6	2.2	2.2	5.0	0.4	11.2	15.5	9.2	4	2538
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	5.4	1.1	0.0	0.0	0.0	0.0	2.3	0.7	0.0	7.9	1.5	4	2543
03-05 LST	3.2	2.9	7.0	0.0	0.3	0.6	0.0	3.8	3.6	1.8	2.6	12.2	3.2	4	2544
06-08 LST	9.5	11.7	8.6	1.7	4.8	3.4	0.0	3.2	4.1	3.6	5.2	16.5	6.0	4	2542
09-11 LST	3.6	7.6	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	5.7	2.0	4	2544
12-14 LST	0.9	0.6	1.1	0.0	0.3	0.0	1.6	1.1	0.5	0.0	1.1	0.7	0.7	4	2546
15-17 LST	0.9	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.9	0.0	0.0	0.4	0.3	4	2544
18-20 LST	0.9	0.0	0.5	0.0	1.1	0.0	0.5	0.0	0.9	0.0	0.7	1.1	0.5	4	2545
21-23 LST	0.0	0.6	0.5	0.0	1.1	0.0	0.5	0.5	0.0	0.0	2.2	2.5	0.7	4	2538



# BAINBRIDGE, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.4	25.5	27.5	28.5	30.0	30.0	30.0	31.0	28.8	31.0	27.7	27.3	343.7	4	849
	00 LST	25.6	21.6	24.5	28.0	31.0	30.0	30.0	31.0	28.4	30.7	27.7	24.6	333.1	4	850
	06 LST	20.5	17.2	22.5	24.5	27.0	27.5	27.0	26.5	22.7	27.3	26.0	22.0	290.7	4	849
	12 LST	26.4	24.6	27.5	29.5	30.5	30.0	29.5	30.0	28.4	30.7	28.3	27.0	342.4	4	849
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	18.6	16.0	14.5	21.5	19.5	19.0	20.5	23.1	28.6	25.3	21.6	249.1	4	849
	00 LST	19.4	16.2	18.5	24.5	30.0	29.5	29.5	29.0	24.3	28.0	24.7	18.3	291.9	4	850
	06 LST	16.7	12.3	17.0	21.0	25.5	27.0	26.0	25.5	19.9	25.3	23.3	15.3	254.8	4	849
	12 LST	14.6	10.3	11.5	14.5	21.5	21.5	22.0	24.0	17.0	20.0	18.0	14.7	209.6	4	849
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	1.0	1.6	0.5	0.0	0.0	0.5	1.0	0.4	0.0	0.0	0.3	5.7	4	832
	00 LST	0.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	2.6	4	839
	06 LST	1.3	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	3.0	4	833
	12 LST	1.3	1.0	1.0	1.0	0.5	0.0	0.5	0.5	0.4	0.3	1.0	2.0	9.5	4	838
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.4	18.6	20.2	17.9	16.7	12.0	16.5	18.0	18.3	16.0	12.8	16.0	199.4	4	832
	00 LST	17.0	16.5	18.8	18.5	20.0	21.0	22.8	19.0	17.3	16.0	12.3	14.5	213.7	4	839
	06 LST	15.5	14.2	21.2	16.5	18.0	17.5	16.7	15.5	16.7	11.0	14.8	12.8	190.4	4	833
	12 LST	18.1	14.5	19.3	19.5	21.3	8.5	15.0	12.0	16.0	18.5	19.5	16.9	199.1	4	838
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	24.1	25.0	26.5	29.0	29.0	28.0	27.5	26.7	30.0	27.0	25.0	321.2	4	849
	00 LST	20.6	17.7	20.5	26.0	31.0	30.0	29.0	29.0	26.3	30.0	26.3	22.7	309.1	4	850
	06 LST	17.6	11.8	18.5	21.5	25.5	26.5	25.5	25.0	20.7	26.7	24.3	18.3	261.9	4	849
	12 LST	21.8	18.6	24.5	23.0	26.5	27.0	25.0	25.0	23.5	29.3	25.7	21.6	291.5	4	849
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.8	19.6	21.0	23.5	23.5	23.0	22.0	23.5	21.9	26.3	23.3	20.6	267.0	4	849
	00 LST	18.6	15.2	19.0	24.5	28.5	28.0	29.0	28.0	23.9	28.0	25.0	19.7	287.4	4	850
	06 LST	16.7	10.8	19.0	17.0	24.5	24.5	24.0	23.5	19.4	24.6	23.0	16.3	239.3	4	849
	12 LST	18.4	16.7	17.5	19.0	19.5	17.5	14.0	16.0	13.4	25.6	23.3	19.7	220.6	4	849
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.6	17.2	18.5	20.5	22.0	20.5	17.5	20.0	19.4	24.3	22.3	18.7	238.5	4	849
	00 LST	16.5	14.7	18.0	22.5	26.0	28.0	29.0	28.0	22.7	26.7	23.0	19.0	276.1	4	850
	06 LST	15.1	10.8	13.0	16.5	23.5	23.0	21.0	23.0	18.6	22.0	21.7	16.0	224.2	4	849
	12 LST	16.7	16.2	16.0	19.0	19.5	17.0	11.5	14.5	12.2	24.0	22.7	17.3	206.6	4	849

SAVANNAH/HUNTER AFB, GEORGIA

STA NO. 73767 (IN AREA NUMBER 19)

LATITUDE 3200N

LONGITUDE 08108W

ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)	85	84	91	93	100	104	104	105	97	95	85	82	105	13	4379
MEAN MAX TMP (F)	61	65	68	76	84	88	90	90	85	77	69	62	76	13	4379
MEAN MIN TMP (F)	40	44	48	55	64	70	73	73	69	58	47	41	57	13	4379
ABS MIN TMP (F)	17	16	22	34	46	56	65	63	52	32	17	17	16	13	4379
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.2	5.3	12.1	17.4	17.9	4.7	0.7	0.0	0.0	58.5	13	4379
MEAN NO DYS TMP = OR LES 32(F)	7.3	3.6	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.7	6.4	21.0	13	4379
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4379
MEAN DEW PT TMP (F)	40	45	46	54	63	69	72	72	69	59	48	41	57	13	105039
MEAN REL HUM (PCT)	72	73	69	70	72	75	78	78	79	77	74	72	74	13	105038
MEAN PRESS ALT (FT)	-164	-193	-101	-75	-52	-42	-77	-52	-40	-74	-137	-163	-92	0	-50
MEAN PRECIP (IN)	2.35	3.08	4.02	3.21	3.87	4.78	7.15	6.50	6.18	2.85	1.42	2.17	47.6	13	4380
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4380
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	5.3	6.7	4.7	5.3	7.1	9.1	7.8	7.8	3.4	2.8	4.7	69.1	13	4380
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4380
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.2	3.7	2.1	1.7	1.4	1.3	0.6	0.7	2.8	2.9	4.2	4.7	30.3	13	4379
MEAN NO DYS TSTMS	0.7	0.9	2.3	3.6	5.9	9.4	11.8	10.4	6.2	0.9	0.4	0.2	52.7	13	4380
P FREQ WND SPD = OR GTR 17 KTS	2.0	2.7	3.5	2.6	0.9	0.3	0.3	0.5	0.5	1.2	1.2	1.4	1.4	13	105076
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	13	105076
P FREQ LES 5000 FT A/D LES 5 MI	28.8	29.1	27.2	21.6	20.9	23.7	21.1	20.9	31.3	28.6	26.6	28.2	25.7	13	105075
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.1	15.6	13.4	8.1	4.7	3.0	2.4	4.2	8.3	14.7	16.9	15.2	10.1	13	13131
03-05 LST	18.8	19.1	14.9	13.3	11.0	8.4	6.3	6.8	18.8	22.6	20.4	16.2	14.7	13	13133
06-08 LST	23.2	23.7	23.0	15.6	12.7	11.5	8.3	13.5	27.0	16.3	26.3	22.1	19.4	13	13135
09-11 LST	18.6	18.6	18.2	8.6	6.5	5.8	6.5	7.9	16.9	18.6	13.9	16.5	13.1	13	13134
12-14 LST	11.1	12.3	10.8	5.1	3.4	2.1	3.0	3.5	8.2	11.5	8.6	11.4	7.6	13	13136
15-17 LST	9.1	9.9	9.9	4.0	3.4	2.5	2.6	3.3	7.4	9.0	5.5	9.3	6.3	13	13134
18-20 LST	10.2	11.8	9.8	5.6	4.5	2.8	2.7	2.5	6.3	8.9	5.6	10.0	6.7	13	13136
21-23 LST	11.7	14.3	10.6	5.1	3.3	1.7	2.2	3.0	6.5	9.8	9.6	14.1	7.7	13	13136
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.1	5.4	2.4	1.9	0.5	0.3	0.1	0.4	1.9	3.8	6.9	6.6	3.0	13	13131
03-05 LST	7.8	7.9	4.5	3.9	2.3	1.7	1.5	0.9	5.1	7.1	9.5	7.9	5.0	13	13133
06-08 LST	9.2	8.2	4.5	4.2	1.5	1.9	1.3	2.0	7.9	7.4	10.6	8.9	5.6	13	13135
09-11 LST	3.5	2.3	1.2	0.4	0.0	0.0	0.1	0.4	1.2	1.3	2.2	3.8	1.4	13	13134
12-14 LST	1.6	0.9	0.5	0.0	0.0	0.2	0.2	0.4	0.2	0.3	0.6	1.4	0.5	13	13136
15-17 LST	1.8	1.1	0.3	0.5	0.1	0.4	0.5	0.6	0.4	0.2	0.4	1.2	0.6	13	13134
18-20 LST	3.0	3.0	0.7	0.3	0.3	0.6	0.4	0.1	0.2	0.9	0.8	3.0	1.1	13	13136
21-23 LST	4.1	4.3	2.5	0.6	0.0	0.2	0.1	0.0	0.4	1.6	2.3	5.4	1.8	13	13136

## SAVANNAH/HUNTER AFB, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.3	25.3	28.3	28.8	30.5	29.6	30.5	30.2	28.7	28.8	28.7	28.4	346.1	13	4379
	01 LST	27.4	24.3	27.8	27.8	30.1	29.4	30.5	29.7	28.0	26.9	25.6	26.6	334.1	13	4379
	07 LST	24.5	21.6	24.8	26.4	28.0	27.8	28.9	27.2	22.4	23.6	22.5	24.6	302.3	13	4379
	13 LST	28.6	26.0	28.5	29.2	30.7	29.8	30.7	30.7	28.8	28.7	28.5	28.6	348.8	13	4379
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.6	20.8	22.9	23.6	25.5	25.0	26.2	27.5	25.7	24.9	26.1	24.5	297.3	13	4379
	01 LST	22.6	19.6	23.3	24.6	28.0	27.6	29.2	28.7	25.7	23.7	22.1	22.4	297.5	13	4379
	07 LST	20.9	17.7	19.2	22.5	24.5	24.2	26.9	25.1	19.2	19.7	18.8	19.7	258.4	13	4379
	13 LST	14.7	11.7	12.3	13.1	16.9	20.0	23.0	22.1	18.8	16.2	16.7	17.1	202.6	13	4379
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.4	0.4	0.2	0.0	0.1	0.2	0.2	0.1	0.2	0.2	0.2	2.4	13	4301
	01 LST	0.2	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.4	13	4312
	07 LST	0.2	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.2	13	4315
	13 LST	1.6	1.8	3.0	1.8	6.6	0.2	0.2	0.4	0.3	0.7	0.8	1.4	12.8	13	4310
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	15.4	16.9	19.0	21.7	23.1	23.0	21.8	19.4	17.0	15.1	14.4	14.4	221.2	13	4301
	01 LST	13.6	12.8	14.8	14.5	13.2	13.3	11.9	11.5	11.4	13.5	13.2	13.8	157.5	13	4312
	07 LST	13.5	14.0	13.6	16.2	19.2	18.7	17.9	14.1	14.3	15.8	15.9	13.9	187.1	13	4315
	13 LST	17.1	14.3	16.6	17.5	18.2	15.2	12.6	11.5	18.2	19.0	20.5	19.2	199.9	13	4310
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.3	10.0	10.3	11.3	8.9	6.2	3.6	5.1	6.9	14.6	14.5	13.6	118.3	13	4379
	01 LST	15.2	12.6	12.6	17.0	16.3	13.9	14.3	15.4	13.4	17.3	15.3	14.2	177.5	13	4379
	07 LST	9.6	8.1	7.9	10.1	10.1	7.4	6.3	8.2	5.8	11.7	10.5	9.6	105.3	13	4379
	13 LST	9.3	7.5	7.8	7.9	6.1	2.7	1.0	0.8	2.6	8.6	11.4	9.9	75.6	13	4379
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.9	26.9	27.3	29.1	28.0	29.1	29.4	26.7	26.9	27.5	26.5	328.0	13	4379
	01 LST	25.5	22.8	26.0	26.9	29.1	28.2	29.7	29.1	26.6	25.6	24.5	25.4	319.4	13	4379
	07 LST	22.5	20.0	23.1	25.1	26.7	25.9	28.1	25.9	20.6	22.2	21.1	23.3	284.5	13	4379
	13 LST	25.8	23.5	26.3	26.9	28.1	27.2	28.1	28.3	24.6	25.3	26.7	26.1	316.9	13	4379
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.5	21.4	24.7	25.0	26.7	24.1	26.1	26.9	23.9	24.5	25.7	23.4	296.9	13	4379
	01 LST	22.7	20.6	24.0	25.3	27.3	27.0	28.6	27.9	24.4	24.1	21.9	22.5	296.3	13	4379
	07 LST	19.6	17.3	20.6	22.9	24.9	24.7	27.4	25.1	19.3	20.5	19.5	20.2	262.0	13	4379
	13 LST	21.3	18.6	21.1	20.4	20.1	15.3	15.7	16.7	15.5	20.9	23.3	23.2	232.1	13	4379
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.6	19.7	22.3	23.3	24.3	22.1	24.0	25.6	21.4	23.3	24.1	22.0	274.7	13	4379
	01 LST	21.3	18.8	22.1	24.2	25.6	25.8	27.4	27.1	23.0	23.2	20.3	10.5	279.3	13	4379
	07 LST	17.6	15.6	18.9	21.3	23.6	23.3	26.6	23.9	17.8	19.1	18.2	18.1	244.0	13	4379
	13 LST	19.5	16.9	19.4	19.4	19.1	14.6	15.2	16.4	14.4	20.3	21.8	21.3	218.3	13	4379

AMERICUS/SOUTHER FIELD, GEORGIA

STA NO. 73773 (IN AREA NUMBER 13)

LATITUDE 3206N

LONGITUDE 08411W

ELEVATION(FT) 00465

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	85	83	92	95	102	108	108	110	111	98	90	81	111	76	-113
MEAN MAX TMP (F)	60	62	70	78	86	91	92	92	88	79	68	61	77	67	-113
MEAN MIN TMP (F)	38	40	46	53	61	68	71	70	66	55	44	39	54	67	-113
ABS MIN TMP (F)	8	-3	18	30	40	45	58	57	43	29	12	8	-3	76	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.0	10.0	20.0	22.0	26.0	12.0	2.0	0.0	0.0	93.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	10.0	6.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	9.0	33.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76	-29
MEAN DEW PT TMP (F)	41	42	44	52	61	68	71	70	65	55	43	39	54	12	-73289
MEAN REL HUM (PCT)	75	72	68	68	70	71	76	74	74	73	72	74	72	12	-73289
MEAN PRESS ALT (FT)	297	288	328	355	380	399	360	381	389	346	286	257	336	0	-50
MEAN PRECIP (IN)	4.25	4.77	5.34	3.90	3.46	4.34	5.54	4.91	3.42	2.31	2.70	3.97	48.9	76	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	61	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	6.3	7.3	6.8	6.5	7.1	8.3	7.7	5.5	4.1	4.6	7.4	81.4	76	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	4.9	2.6	2.8	1.7	1.4	2.3	1.9	2.5	6.1	6.2	4.8	42.0	12	-73289
MEAN NO DYS TSTMS	1.2	2.1	3.2	4.8	6.7	8.9	13.0	9.3	2.3	1.1	1.1	0.8	54.5	12	-73289
P FREQ WND SPD = DR GTR 17 KTS	4.1	5.8	7.2	5.0	1.7	0.9	0.5	0.4	0.6	1.1	2.8	3.4	2.8	12	-73289
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73289
P FREQ LES 5000 FT A/D LES 5 MI	39.4	37.3	33.7	24.2	22.4	23.5	26.3	19.6	26.1	30.8	29.2	34.9	29.0	12	-73289
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.1	16.6	15.1	7.1	3.2	4.6	4.8	3.9	10.2	18.2	16.6	19.1	11.7	12	-73289
03-05 LST	29.4	27.3	23.4	13.2	11.4	9.7	16.9	10.9	18.3	29.7	28.1	26.7	20.6	12	-73289
06-08 LST	31.7	34.8	29.5	22.8	19.4	17.2	22.7	21.4	25.4	36.1	33.1	29.1	26.9	12	-73289
09-11 LST	27.0	26.6	19.7	13.1	10.2	8.9	14.2	9.5	15.6	16.9	19.4	22.7	17.0	12	-73289
12-14 LST	16.0	15.1	13.2	5.6	2.6	2.2	3.5	2.2	6.9	8.2	9.2	13.0	8.1	12	-73289
15-17 LST	10.5	9.8	10.5	3.3	1.8	1.9	2.9	1.4	6.5	6.0	5.2	9.3	5.8	12	-73289
18-20 LST	11.9	10.5	8.5	3.2	2.3	1.4	2.4	1.1	6.7	6.6	5.1	10.2	5.8	12	-73289
21-23 LST	12.3	13.0	11.1	4.3	2.2	1.4	2.2	1.7	6.9	7.6	7.7	12.5	6.9	12	-73289
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.7	3.1	2.0	0.8	0.6	1.4	0.9	0.5	2.4	5.3	6.1	6.5	2.9	12	-73289
03-05 LST	9.4	7.5	5.7	4.5	3.0	2.0	3.9	3.1	4.4	11.9	12.7	9.3	6.5	12	-73289
06-08 LST	11.7	11.5	8.6	6.0	3.5	2.0	4.4	4.6	6.0	13.7	15.4	9.4	8.1	12	-73289
09-11 LST	5.4	3.3	1.1	0.6	0.2	0.2	0.3	0.1	0.4	0.9	2.2	2.9	1.5	12	-73289
12-14 LST	1.2	0.7	0.5	0.3	0.0	0.2	0.2	0.0	0.3	0.0	0.4	1.1	0.4	12	-73289
15-17 LST	0.8	0.3	0.7	0.0	0.1	0.4	0.7	0.3	0.3	0.1	0.6	0.5	0.4	12	-73289
18-20 LST	0.6	0.5	0.9	0.1	0.4	1.1	0.4	0.3	0.3	0.4	0.6	1.0	0.5	12	-73289
21-23 LST	1.7	1.6	0.7	0.6	0.2	0.0	0.4	0.0	0.5	0.4	2.5	3.3	1.0	12	-73289

# AMERICUS/SOUTHER FIELD, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.4	26.0	29.4	29.3	30.4	29.5	30.3	30.5	28.8	29.8	29.3	28.8	350.5	12	-73289
	00 LST	27.0	25.4	27.9	29.0	30.2	29.2	30.1	30.4	28.1	28.1	26.6	26.6	338.6	12	-73289
	06 LST	23.3	21.1	23.3	23.4	26.0	25.6	24.4	24.4	22.9	20.6	22.1	24.0	281.1	12	-73289
	12 LST	27.2	25.0	27.9	28.7	30.7	29.7	30.4	30.7	28.9	29.1	27.8	27.7	343.8	12	-73289
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.1	18.2	17.7	19.7	24.4	24.6	26.3	27.2	26.3	26.2	24.7	23.9	280.3	12	-73289
	00 LST	21.3	19.8	21.5	25.0	28.6	28.1	29.0	29.7	26.2	25.1	23.6	22.3	300.2	12	-73289
	06 LST	17.3	15.2	16.8	19.4	23.3	23.6	22.5	22.8	19.8	17.6	17.6	19.3	235.2	12	-73289
	12 LST	15.2	11.6	12.9	15.8	20.2	21.8	24.8	26.1	20.4	20.4	16.8	17.0	223.0	12	-73289
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.5	3.6	1.3	0.7	0.4	0.2	0.2	0.2	0.6	0.3	0.6	10.3	12	-73289
	00 LST	0.4	0.8	0.6	0.6	0.0	0.1	0.0	0.1	0.0	0.2	0.4	0.7	3.9	12	-73289
	06 LST	0.3	0.8	0.8	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.6	3.0	12	-73289
	12 LST	2.7	3.3	4.7	3.2	1.3	0.3	0.3	0.2	0.2	0.7	1.8	2.4	21.1	12	-73289
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.7	11.8	13.4	13.6	12.4	9.6	8.3	8.1	9.9	7.9	8.1	10.2	124.0	12	-73289
	00 LST	7.5	7.4	10.0	5.8	3.9	2.8	2.3	2.2	4.2	3.0	6.0	6.0	63.1	12	-73289
	06 LST	6.6	5.9	7.6	4.7	2.0	2.0	1.7	1.2	4.7	4.0	4.7	5.9	51.0	12	-73289
	12 LST	12.9	11.7	13.1	14.3	14.8	10.6	9.3	9.3	14.0	15.1	11.0	13.0	148.1	12	-73289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	6.9	8.6	10.8	8.5	6.2	3.0	6.7	8.1	13.6	13.9	11.0	105.3	12	-73289
	00 LST	13.1	12.0	14.1	17.3	17.5	15.8	15.1	17.1	15.2	18.1	16.1	13.5	184.9	12	-73289
	06 LST	9.1	9.0	8.8	9.1	9.2	8.3	6.9	9.5	8.5	10.0	12.0	12.0	112.4	12	-73289
	12 LST	7.8	7.1	8.4	9.8	7.1	5.4	3.9	7.0	6.2	12.6	13.2	9.9	98.4	12	-73289
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	23.8	27.4	28.5	29.6	28.7	29.6	29.5	27.6	28.3	27.8	26.0	332.7	12	-73289
	00 LST	24.1	22.3	24.8	27.8	29.3	28.6	29.6	29.8	26.6	25.9	24.9	24.1	317.8	12	-73289
	06 LST	19.4	17.2	19.4	20.3	23.4	23.1	22.1	22.7	19.9	17.8	19.3	21.0	245.6	12	-73289
	12 LST	22.5	20.3	23.9	26.4	27.2	26.4	26.0	27.8	24.8	25.1	24.8	23.4	298.6	12	-73289
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	19.8	23.3	24.1	24.7	23.5	23.7	24.6	25.0	24.4	24.9	22.2	280.7	12	-73289
	00 LST	19.9	19.2	22.5	25.2	27.6	27.1	28.2	28.3	25.5	24.1	22.4	20.8	290.8	12	-73289
	06 LST	15.2	14.7	16.6	17.8	21.2	21.5	22.1	22.5	18.9	22.1	23.2	20.0	238.1	12	-73289
	12 LST	18.7	17.4	19.4	20.5	20.7	17.5	17.2	22.5	18.9	22.1	23.2	20.0	238.1	12	-73289
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.5	17.6	22.1	22.9	23.3	22.1	22.6	23.4	22.9	23.4	23.3	20.8	263.9	12	-73289
	00 LST	18.9	17.7	20.7	24.0	25.7	25.9	27.4	27.2	24.1	22.7	21.4	20.0	275.7	12	-73289
	06 LST	14.1	13.2	15.4	16.1	20.0	20.5	20.1	21.1	17.1	14.4	16.1	17.5	205.6	12	-73289
	12 LST	17.6	16.3	18.2	19.5	20.1	17.1	16.5	21.8	18.3	21.5	22.1	17.9	226.9	12	-73289

MOULTRIE/SPENCE AF AUXILIARY, GEORGIA

STA NO. 73779 (IN AREA NUMBER 15)

LATITUDE 3108N

LONGITUDE 08342W

ELEVATION(FT) 00292

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	81	83	89	92	99	103	101	102	100	93	85	82	103	12	2769
MEAN MAX TMP (F)	63	68	72	78	86	92	92	92	87	79	69	62	78	12	2769
MEAN MIN TMP (F)	43	47	52	57	64	71	72	72	68	57	47	42	58	12	2637
ABS MIN TMP (F)	22	21	23	37	47	58	66	63	51	35	27	22	21	12	2637
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.4	10.0	23.7	23.3	22.3	12.9	1.4	0.0	0.0	94.0	12	2769
MEAN NO DYS TMP = OR LES 32(F)	4.3	1.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5.6	14.0	12	2637
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2637
MEAN DEW PT TMP (F)	42	45	50	54	61	68	71	71	67	54	46	41	56	14	46084
MEAN REL HUM (PCT)	73	67	67	64	64	67	75	75	75	65	66	73	69	14	46060
MEAN PRESS ALT (FT)	81	114	156	184	205	224	188	206	205	162	108	80	159	0	-50
MEAN PRECIP (IN)	3.88	3.12	4.56	4.79	4.36	2.94	7.01	4.15	5.13	1.20	1.22	3.28	45.6	9	2176
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	793
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	3.8	6.7	7.0	4.5	5.0	10.7	7.9	6.0	1.9	2.7	4.2	65.7	9	2176
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	793
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	3.7	5.7	2.4	1.2	0.5	1.5	2.6	3.8	3.3	3.6	5.5	36.3	14	2230
MEAN NO DYS TSTMS	0.7	0.3	5.3	5.0	5.3	9.0	12.8	8.7	4.3	0.7	0.5	0.2	52.8	7	1270
P FREQ WND SPD = OR GTR 17 KTS	3.2	4.1	4.9	2.9	0.9	0.6	0.8	0.3	1.3	2.1	1.3	2.7	2.1	14	46543
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	14	46543
P FREQ LES 5000 FT A/D LES 5 MI	41.3	42.9	37.1	28.8	20.3	22.6	30.1	29.5	32.4	21.0	23.1	41.9	30.9	14	46594
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.2	24.9	21.4	11.8	5.9	2.2	9.0	9.2	13.2	6.1	10.7	25.1	13.8	13	3905
03-05 LST	33.0	32.5	36.3	21.2	11.5	11.8	19.2	23.8	23.7	12.7	19.5	31.5	23.1	14	5033
06-08 LST	37.2	37.9	35.6	24.4	23.5	20.0	21.7	26.0	36.1	26.1	28.6	34.3	29.3	14	10633
09-11 LST	26.3	36.8	24.9	15.4	10.1	11.6	11.6	15.4	24.2	14.0	16.5	27.4	18.7	14	10863
12-14 LST	15.2	15.3	11.0	5.5	3.2	2.7	3.1	3.4	9.2	3.7	6.8	17.1	8.2	14	10750
15-17 LST	8.9	11.0	7.0	4.7	3.1	1.9	2.3	2.4	6.8	4.4	4.5	9.2	5.5	14	10731
18-20 LST	8.3	10.8	6.0	4.7	2.0	1.5	3.5	2.6	6.7	2.8	3.9	9.7	5.2	14	8606
21-23 LST	12.9	12.1	8.1	5.0	2.4	0.4	3.7	2.6	8.1	1.7	5.8	12.6	6.3	14	6381
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	5.1	5.7	2.5	0.3	0.0	2.5	4.6	3.4	1.9	3.8	10.9	3.9	13	3905
03-05 LST	11.6	11.8	14.5	6.9	2.8	1.3	6.5	10.0	10.9	4.7	8.5	12.1	8.5	14	5033
06-08 LST	13.9	10.3	12.6	4.3	3.8	2.3	3.1	6.3	11.3	10.3	12.5	12.9	8.6	14	10633
09-11 LST	3.3	2.7	3.6	0.7	0.1	0.0	0.1	0.1	0.7	0.9	2.1	6.0	1.7	14	10863
12-14 LST	0.8	0.0	0.9	0.5	0.0	0.1	0.3	0.2	0.5	0.3	0.1	1.4	0.4	14	10750
15-17 LST	0.2	0.6	0.6	0.2	0.2	0.2	0.2	0.1	0.4	0.2	0.1	0.8	0.3	14	10731
18-20 LST	1.0	1.1	1.4	0.6	0.2	0.1	0.6	0.4	0.3	0.3	0.4	1.3	0.7	14	8606
21-23 LST	2.4	2.2	0.8	0.0	0.0	0.0	0.8	0.3	1.4	0.0	1.3	5.1	1.2	14	6381

# MOULTRIE/SPENCE AF AUXILIARY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.9	25.8	29.3	29.0	30.3	30.0	30.6	30.2	28.4	29.9	29.3	28.8	350.5	14	3607
	00 LST	26.0	24.8	28.6	28.7	30.1	30.0	29.7	30.1	27.8	30.3	28.8	26.2	341.1	14	2202
	06 LST	22.1	20.4	21.8	23.0	23.7	23.7	24.5	22.7	19.4	23.5	23.1	23.0	270.9	14	3643
	12 LST	27.7	25.0	27.8	29.0	30.3	29.7	30.4	30.3	28.4	29.7	28.4	26.2	342.9	14	3634
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.5	17.1	18.4	19.2	23.6	24.6	25.7	26.3	24.7	25.6	25.8	23.7	276.2	14	3606
	00 LST	21.3	19.6	23.1	23.4	26.5	28.0	28.8	29.5	25.7	27.2	25.2	20.7	299.0	14	2201
	06 LST	15.4	13.9	16.1	18.5	21.7	22.4	23.8	21.6	16.9	19.3	19.4	17.1	226.1	14	3643
	12 LST	16.0	11.3	14.0	17.2	22.0	23.6	25.4	24.9	19.7	20.5	18.2	15.0	227.8	14	3634
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.2	1.7	0.9	0.3	0.4	0.5	0.1	0.5	0.1	0.5	1.0	8.3	14	3532
	00 LST	0.6	0.6	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.4	3.1	14	2159
	06 LST	1.0	0.3	0.4	0.4	0.1	0.0	0.0	0.0	0.1	0.2	0.5	0.6	3.6	14	3549
	12 LST	3.0	2.6	3.5	2.9	0.8	0.3	0.0	0.1	0.5	1.1	1.2	3.0	19.0	14	3598
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.0	16.4	18.1	16.9	18.0	13.5	15.7	14.4	17.6	17.8	15.7	17.5	197.6	14	3532
	00 LST	17.2	15.1	19.2	18.1	19.7	16.7	13.9	12.6	13.7	16.2	14.0	12.7	189.1	14	2155
	06 LST	12.4	13.3	16.5	16.2	18.2	14.5	12.2	11.7	13.3	15.2	13.5	11.3	168.3	14	3549
	12 LST	16.3	14.0	16.1	17.3	17.8	11.9	12.5	11.4	14.5	17.2	17.7	15.7	182.4	14	3598
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	7.8	8.2	10.1	9.0	5.7	2.5	5.9	7.6	12.9	12.9	13.3	105.9	9	2204
	00 LST	19.3	18.6	16.9	20.3	18.6	16.3	10.5	16.2	17.4	19.9	19.7	18.8	212.5	9	820
	06 LST	11.9	10.4	8.2	11.0	9.7	8.9	5.5	10.2	6.7	13.0	12.3	13.7	121.5	10	2237
	12 LST	10.7	9.0	8.4	8.9	7.7	3.2	1.6	3.7	4.4	10.7	11.9	10.0	90.2	9	2232
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.9	23.3	27.1	27.0	28.7	28.9	28.6	29.0	27.5	28.9	27.8	26.4	330.1	14	3607
	00 LST	24.6	22.6	26.2	27.1	29.2	29.8	28.8	29.5	26.3	29.2	27.8	22.4	323.5	14	2202
	06 LST	19.1	17.6	19.2	20.6	22.6	22.8	23.9	21.9	17.7	21.7	21.8	20.4	249.3	14	3643
	12 LST	23.1	20.2	24.6	25.4	27.5	25.7	26.3	25.7	22.1	26.8	25.8	22.5	295.7	14	3634
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.7	19.6	23.7	24.1	24.6	24.1	23.7	25.6	23.6	25.9	24.4	22.5	285.5	14	3607
	00 LST	22.5	21.1	25.3	26.0	28.3	27.3	27.8	28.4	24.2	28.4	27.1	20.8	307.2	14	2202
	06 LST	16.9	15.3	16.8	19.2	21.1	22.0	22.8	21.2	16.9	19.8	20.6	17.4	230.0	14	3643
	12 LST	20.4	17.5	20.3	18.2	20.3	17.3	16.0	18.1	14.5	22.3	23.7	19.4	228.0	14	3634
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.0	18.1	22.2	23.0	23.2	22.6	22.1	24.5	21.5	24.4	23.2	21.3	267.1	14	3607
	00 LST	20.5	20.2	24.0	25.5	27.1	27.0	28.0	23.6	27.4	26.4	19.7	296.4		14	2202
	06 LST	15.8	13.7	15.1	17.4	20.3	20.8	21.8	20.2	15.7	18.5	19.3	17.1	215.7	14	3643
	12 LST	18.7	16.3	18.6	17.2	20.1	16.5	15.6	17.1	13.6	21.2	22.4	18.4	215.7	14	3634



# THOMASVILLE MUNICIPAL, GEORGIA

STA NO. 73789 (IN AREA NUMBER 15)

LATITUDE 3054N

LONGITUDE 08353W

ELEVATION(FT) 00264

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	92	95	102	104	106	104	106	97	87	83	106	68	-613
MEAN MAX TMP (F)	64	65	72	79	86	90	91	91	88	80	71	64	78	68	-113
MEAN MIN TMP (F)	42	44	50	55	63	69	71	71	68	58	47	43	57	69	-113
ABS MIN TMP (F)	14	2	22	30	41	45	60	57	45	26	19	13	2	68	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.5	9.2	17.6	20.4	21.8	10.7	1.1	0.0	0.0	81.4	12	3844
MEAN NO DYS TMP = DR LES 32(F)	5.8	2.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.3	14.4	12	3844
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3844
MEAN DEW PT TMP (F)	42	46	48	55	61	68	72	71	69	57	48	42	57	12	96588
MEAN REL HUM (PCT)	72	72	68	68	68	72	78	77	78	72	71	72	72	12	96574
MEAN PRESS ALT (FT)	52	85	129	197	178	197	161	178	175	132	79	51	131	0	-50
MEAN PRECIP (IN)	3.91	4.29	4.69	3.90	3.67	5.26	6.74	5.81	4.98	2.63	2.49	3.88	52.3	82	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	7.8	7.1	6.8	6.6	8.0	9.4	8.5	7.6	4.5	4.3	7.3	85.3	82	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3280
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.8	4.2	2.6	3.2	1.8	2.4	3.9	5.3	4.2	6.5	4.8	46.3	12	4120
MEAN NO DYS TSTMS	0.5	2.0	2.2	5.1	6.6	8.9	13.1	10.2	4.6	1.6	0.6	0.5	55.9	12	3839
P FREQ WND SPD = DR GTR 17 KTS	1.0	1.4	2.0	1.7	0.5	0.4	0.4	0.2	0.7	0.8	0.5	0.9	0.9	12	96754
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	96754
P FREQ LES 5000 FT A/D LES 5 MI	32.1	38.1	32.8	25.8	23.4	22.4	25.1	22.4	30.1	25.8	26.0	31.6	28.0	12	96752
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.3	21.1	20.1	11.6	6.9	4.8	4.6	6.1	13.7	12.3	17.3	16.2	12.8	12	11542
03-05 LST	24.8	27.2	25.8	17.4	16.5	11.3	14.6	15.3	25.4	17.3	23.1	21.3	20.0	12	12100
06-08 LST	28.8	35.0	31.8	25.0	24.2	20.3	23.5	24.9	37.6	28.2	31.3	28.5	28.3	12	12395
09-11 LST	24.0	25.6	20.9	14.5	9.0	11.6	10.9	13.9	20.9	14.4	19.4	22.7	17.3	12	12406
12-14 LST	14.3	14.9	11.1	6.2	2.8	3.9	2.7	2.9	8.7	7.6	8.9	14.3	8.2	12	12406
15-17 LST	8.3	10.1	8.8	4.5	3.4	1.8	3.5	3.2	7.5	4.6	6.4	7.9	5.8	12	12400
18-20 LST	7.4	10.3	9.8	5.2	3.2	2.0	2.3	1.9	6.8	5.9	7.0	7.3	5.8	12	12113
21-23 LST	10.3	15.4	10.1	5.8	3.0	2.3	2.4	1.9	9.0	8.8	11.0	11.5	7.6	12	11610
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	4.9	5.0	2.0	1.6	0.4	0.7	1.8	3.5	4.7	6.6	9.4	3.9	12	11542
03-05 LST	10.1	9.0	10.7	4.9	4.7	2.9	5.0	7.5	11.0	7.0	12.2	11.1	8.0	12	12100
06-08 LST	12.3	10.2	11.1	5.2	5.1	3.9	6.6	9.6	13.2	9.4	16.5	13.9	9.8	12	12395
09-11 LST	5.7	3.0	2.8	0.4	0.5	0.1	0.2	0.4	1.3	1.7	4.3	6.0	2.2	12	12406
12-14 LST	0.8	1.2	0.8	0.1	0.2	0.1	0.5	0.2	0.8	0.2	0.5	0.5	0.5	12	12406
15-17 LST	0.6	1.3	0.6	0.5	0.4	0.2	0.6	0.4	0.8	0.2	0.5	0.4	0.5	12	12400
18-20 LST	0.8	0.7	2.3	0.4	0.2	0.2	0.3	0.3	1.0	0.9	1.4	1.4	0.8	12	12113
21-23 LST	2.1	2.9	2.8	0.6	0.7	0.3	0.4	0.4	1.7	2.3	3.9	5.0	1.9	12	11610

# THOMASVILLE MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.0	26.1	28.2	29.2	30.5	29.5	30.4	30.5	28.7	29.5	28.6	29.1	349.3	12	4136
	00 LST	26.8	23.4	26.7	28.0	30.0	29.5	30.0	30.1	27.4	28.4	25.7	26.9	332.9	12	3865
	06 LST	24.1	19.9	21.9	23.8	23.8	24.9	24.0	23.0	19.2	22.9	21.4	24.0	272.9	12	4136
	12 LST	27.7	24.5	28.1	29.0	30.6	29.1	30.7	30.6	28.1	29.4	27.6	27.4	342.8	12	4145
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	25.4	20.0	20.2	22.9	25.2	24.7	25.9	27.5	24.2	27.1	26.1	25.9	295.1	12	4136
	00 LST	22.9	19.5	22.8	24.9	28.8	28.3	29.3	29.5	25.3	25.9	23.5	23.9	304.6	12	3865
	06 LST	20.4	16.4	18.3	20.7	22.3	23.5	23.5	22.4	17.3	20.3	19.8	20.4	245.3	12	4136
	12 LST	18.0	12.9	17.0	16.8	22.7	23.5	26.5	24.6	19.5	20.8	13.7	18.0	239.0	12	4145
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.3	0.3	0.4	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.2	2.3	12	4074
	00 LST	0.1	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.0	1.6	12	3813
	06 LST	0.1	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.1	12	4071
	12 LST	0.7	0.6	1.5	1.2	0.2	0.3	0.2	0.0	0.2	0.5	0.4	0.4	6.2	12	4091
SFC WND 4-10 KTS AND TMP 33-79 DEG F AND NO PRECIP.	18 LST	11.3	14.5	17.1	17.7	17.3	14.1	14.9	12.2	13.9	10.8	9.7	10.9	164.4	12	4072
	00 LST	11.0	11.5	12.0	11.0	11.4	10.2	5.9	6.6	8.6	8.6	8.0	9.8	114.6	12	3812
	06 LST	9.5	9.3	11.0	10.9	9.3	8.1	5.8	5.4	9.2	10.0	9.5	9.1	107.1	12	4071
	12 LST	16.6	14.9	17.9	17.5	18.0	13.1	12.3	12.2	15.7	18.0	18.0	16.7	190.9	12	4091
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.3	8.9	10.1	8.1	5.4	2.7	3.4	7.1	14.3	13.1	11.4	103.0	10	3555
	00 LST	15.4	13.6	13.0	16.1	19.4	14.9	13.5	14.6	15.4	18.1	15.3	16.6	185.9	10	3280
	06 LST	12.7	10.5	10.0	10.0	10.2	8.6	6.5	8.8	8.8	14.4	12.9	12.8	126.2	10	3553
	12 LST	9.6	8.3	9.1	8.6	7.3	3.7	2.3	2.5	4.1	10.6	11.9	10.1	88.1	10	3562
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.9	23.3	27.2	27.9	29.5	29.0	29.9	30.0	27.4	28.3	27.1	26.8	333.3	12	4136
	00 LST	24.5	20.8	24.8	26.1	29.6	28.6	29.5	29.4	25.9	27.0	24.4	25.7	316.3	12	3865
	06 LST	21.7	17.3	19.8	21.8	22.5	23.9	23.6	22.4	17.7	21.5	20.5	22.3	255.0	12	4136
	12 LST	23.7	19.9	24.5	24.9	28.2	26.6	27.5	26.5	23.3	26.2	25.0	24.1	300.4	12	4145
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.5	20.3	24.4	24.8	25.3	24.7	25.0	26.1	24.8	25.9	24.6	24.1	293.3	12	4136
	00 LST	22.5	19.5	22.7	25.2	28.6	27.9	28.3	28.3	24.9	25.3	23.1	23.0	299.3	12	3865
	06 LST	19.7	15.2	17.6	19.7	21.6	23.3	22.4	21.3	17.1	20.3	19.1	19.8	237.1	12	4136
	12 LST	20.1	16.1	20.0	19.5	19.4	18.7	18.7	19.7	17.1	22.6	22.6	21.2	235.7	12	4145
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.9	18.9	22.9	23.2	23.7	23.3	21.9	23.7	21.8	24.4	23.0	22.3	271.0	12	4136
	00 LST	20.9	18.2	21.5	23.7	27.3	26.8	26.9	27.6	24.1	24.2	21.8	22.2	285.2	12	3865
	06 LST	17.8	14.3	16.2	18.8	20.2	22.1	21.5	20.7	15.9	19.4	18.3	18.8	224.0	12	4136
	12 LST	18.4	14.3	18.8	18.8	18.6	18.1	17.9	19.1	15.9	21.9	20.7	19.5	222.3	12	4145

# HINESVILLE/LIBERTY AAF, GEORGIA

STA NO. 73790 (IN AREA NUMBER 19)

LATITUDE 3153N LONGITUDE 08134W ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	85	90	94	100	103	104	104	97	94	88	82	104	12	4382
MEAN MAX TMP (F)	61	65	69	77	85	89	91	91	85	77	69	62	77	12	4382
MEAN MIN TMP (F)	38	43	46	54	63	69	71	71	67	56	45	39	55	12	4382
ABS MIN TMP (F)	17	14	20	33	44	53	64	62	51	28	20	10	10	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.6	7.3	14.5	20.6	19.4	6.0	0.8	0.0	0.0	69.4	12	4382
MEAN NO DYS TMP = OR LES 32(F)	9.3	4.6	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.6	9.2	28.7	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	40	44	46	54	62	69	72	71	68	57	47	40	56	12	105158
MEAN REL HUM (PCT)	73	73	70	70	72	75	77	76	80	76	74	73	74	12	105158
MEAN PRESS ALT (FT)	-161	-129	-95	-69	-46	-35	-70	-46	-36	-72	-134	-160	-87	0	-50
MEAN PRECIP (IN)	2.33	3.16	3.84	3.31	4.54	4.92	7.85	5.84	6.71	2.74	1.65	2.26	49.1	10	3648
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3651
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	5.7	6.8	5.2	5.9	7.2	9.9	7.0	8.1	3.8	3.2	4.8	72.9	10	3648
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.3	3.4	2.3	2.9	2.4	1.4	1.1	1.4	3.8	3.7	4.7	4.3	35.7	12	4382
MEAN NO DYS TSTMS	0.6	1.0	2.9	4.8	7.8	11.3	15.6	12.5	7.1	1.1	0.4	0.3	65.4	12	4382
P FREQ WND SPD = OR GTR 17 KTS	4.1	5.5	5.6	4.3	1.2	0.8	0.7	1.1	1.7	1.8	3.0	3.5	2.8	12	105158
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	105158
P FREQ LES 5000 FT A/D LES 5 MI	28.9	29.6	28.1	23.4	21.2	20.7	17.5	19.9	29.8	27.1	26.6	27.3	25.0	12	105151
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.8	16.8	14.0	11.7	7.2	5.2	3.3	5.8	12.3	14.5	19.2	15.8	11.9	12	13146
03-05 LST	19.5	21.9	19.5	20.1	15.9	11.6	8.9	12.0	23.7	22.0	21.4	18.3	17.9	12	13145
06-08 LST	22.4	26.0	22.8	19.9	17.9	13.8	9.6	15.3	31.2	24.4	25.6	21.7	20.9	12	13145
09-11 LST	17.1	18.9	16.9	7.3	5.9	5.3	5.0	6.8	16.0	15.9	14.4	17.5	12.3	12	13143
12-14 LST	10.3	11.9	10.8	3.5	2.6	2.2	2.3	3.6	6.9	8.4	7.7	12.6	6.9	12	13143
15-17 LST	8.5	9.3	9.9	3.0	2.2	1.5	2.3	3.7	6.0	7.0	5.0	7.5	5.5	12	13143
18-20 LST	10.9	11.0	10.3	4.9	3.9	2.6	2.2	2.9	4.2	6.8	6.3	9.1	6.3	12	13144
21-23 LST	12.8	15.1	10.9	6.0	4.3	2.2	1.3	3.5	6.7	7.9	9.5	13.0	7.8	12	13142
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	5.7	3.0	2.9	1.3	0.7	0.7	1.3	3.9	4.7	8.6	6.2	3.9	12	13146
03-05 LST	7.9	8.1	4.3	8.0	6.7	4.0	3.3	3.7	9.8	9.7	10.8	8.3	7.1	12	13145
06-08 LST	9.0	8.9	5.3	5.8	4.2	3.4	1.6	4.8	10.0	7.6	13.1	9.3	6.9	12	13145
09-11 LST	2.8	2.7	1.8	0.2	0.2	0.1	0.0	0.3	0.6	1.1	2.9	2.9	1.3	12	13143
12-14 LST	1.5	0.8	0.4	0.1	0.1	0.2	0.3	0.3	0.1	0.0	0.7	0.4	0.4	12	13143
15-17 LST	1.5	1.0	0.5	0.0	0.0	0.1	0.3	0.2	0.1	0.1	0.4	0.4	0.4	12	13143
18-20 LST	3.0	1.7	0.7	0.1	0.1	0.3	0.1	0.4	0.3	0.6	0.9	2.3	0.9	12	13144
21-23 LST	4.7	4.5	1.8	0.4	0.2	0.0	0.0	0.2	0.8	1.6	2.8	5.0	1.8	12	13142

# HINESVILLE/LIBERTY AAF, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.3	25.8	28.1	28.7	30.0	29.4	30.6	30.2	28.7	29.5	28.4	28.6	346.3	12	4382
	01 LST	26.5	24.0	27.2	27.2	28.8	28.8	30.1	29.5	26.9	26.8	24.3	26.8	326.9	12	4382
	07 LST	24.7	21.4	24.1	25.5	26.5	26.6	28.1	26.3	21.1	23.9	22.7	24.7	295.6	12	4382
	13 LST	28.7	26.0	28.5	29.5	30.2	29.7	30.5	30.3	28.7	29.5	28.6	28.4	348.6	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.3	18.9	21.0	21.4	26.2	24.7	26.2	27.1	24.9	26.1	24.5	23.3	286.6	12	4382
	01 LST	19.5	17.3	20.9	22.7	27.1	26.6	28.7	27.7	24.1	22.7	19.6	20.5	277.6	12	4382
	07 LST	19.0	15.3	18.2	19.4	22.7	23.2	25.4	24.0	16.7	19.0	17.5	19.0	239.4	12	4382
	13 LST	10.7	9.7	11.2	11.9	16.9	17.4	20.2	20.6	15.2	14.2	13.8	12.1	173.9	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.6	0.9	0.5	0.6	0.2	0.0	0.3	0.2	0.1	0.0	0.3	0.3	4.0	12	4298
	01 LST	0.7	0.8	0.6	0.6	0.1	0.0	0.0	0.1	0.3	0.0	0.6	0.6	4.4	12	4315
	07 LST	0.3	0.4	0.5	0.3	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.6	2.9	12	4305
	13 LST	4.5	4.2	4.5	3.4	0.9	0.7	0.3	0.8	1.2	2.0	2.5	3.2	28.2	12	4307
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	23.4	20.6	23.2	24.5	26.7	25.3	25.4	25.7	25.4	24.3	23.2	22.8	290.5	12	4298
	01 LST	20.1	17.5	21.5	20.2	20.9	18.9	21.1	19.6	20.0	21.9	20.6	18.8	241.1	12	4315
	07 LST	17.2	16.4	20.7	20.2	23.4	23.5	23.9	21.6	19.5	20.8	20.2	17.0	246.4	12	4305
	13 LST	14.0	13.8	14.8	14.1	17.0	14.3	12.1	11.1	16.5	17.9	18.5	16.6	180.7	12	4307
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.0	11.6	10.7	13.2	9.1	6.8	5.2	7.2	8.6	16.6	15.4	14.2	132.6	12	4382
	01 LST	14.2	12.3	12.3	16.7	15.2	15.2	14.8	14.7	14.2	18.1	14.0	13.6	175.3	12	4382
	07 LST	10.0	6.4	9.3	10.8	11.5	9.9	9.1	10.3	7.4	13.9	11.2	11.0	122.8	12	4382
	13 LST	9.9	8.2	8.7	9.4	6.4	3.2	1.7	2.3	3.2	9.6	11.6	10.3	84.5	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.5	27.0	27.8	29.1	28.6	29.9	29.7	27.5	28.1	27.6	26.6	333.2	12	4382
	01 LST	24.7	22.2	25.6	26.3	28.3	27.9	29.6	28.8	25.7	25.3	23.1	25.3	313.0	12	4382
	07 LST	22.3	19.5	22.4	24.1	25.1	25.3	27.8	25.9	19.7	22.6	21.2	23.6	279.5	12	4382
	13 LST	25.7	22.7	26.7	27.9	28.7	28.4	29.1	28.2	25.4	26.5	26.1	25.3	320.7	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.1	22.3	24.5	26.0	27.3	26.9	27.6	28.5	24.3	25.4	25.6	23.6	306.1	12	4382
	01 LST	22.1	19.7	23.7	25.1	27.2	27.5	29.0	28.3	24.3	24.0	20.3	23.0	294.2	12	4382
	07 LST	19.4	16.7	19.3	22.2	23.1	24.8	27.3	24.9	18.4	21.7	19.6	20.9	258.3	12	4382
	13 LST	21.5	18.1	21.2	20.3	21.1	17.9	17.2	18.7	16.4	21.0	21.4	21.7	236.5	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.4	20.2	23.0	24.6	26.6	26.3	26.7	27.0	22.7	24.4	24.1	22.2	290.2	12	4382
	01 LST	20.7	18.6	21.7	24.0	25.8	26.6	28.4	27.2	22.8	23.4	19.0	20.8	279.0	12	4382
	07 LST	18.2	15.1	18.4	20.8	21.7	24.1	26.7	24.1	17.3	20.3	18.5	19.3	244.5	12	4382
	13 LST	20.0	16.7	20.1	19.5	20.7	17.1	16.6	18.6	15.8	20.2	20.6	20.8	226.7	12	4382

## DOUGLAS MUNICIPAL, GEORGIA

STA NO. 73793 (IN AREA NUMBER 15)

LATITUDE 3129N

LONGITUDE 08252W

ELEVATION(FT) 00255

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	82	90	93	101	104	103	102	97	97	88	81	104	17	-113
MEAN MAX TMP (F)	64	66	71	79	86	91	92	92	87	80	71	63	79	17	-113
MEAN MIN TMP (F)	41	43	47	54	62	69	71	70	66	56	44	40	55	17	-113
ABS MIN TMP (F)	10	19	22	31	40	52	60	60	45	30	16	17	10	17	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	0.3	8.0	18.0	25.0	26.0	12.0	1.0	0.0	0.0	90.6	7	-113
MEAN NO DYS TMP = OR LES 32(F)	9.0	4.0	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	3.0	12.0	30.6	6	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	41	45	47	54	62	68	72	71	68	57	48	43	56	13	-73263
MEAN REL HUM (PCT)	71	70	66	66	67	72	76	76	77	72	71	72	71	13	-73263
MEAN PRESS ALT (FT)	45	78	117	144	166	183	147	167	170	130	72	44	122	0	-50
MEAN PRECIP (IN)	3.23	3.87	4.48	4.02	3.70	4.99	6.29	4.98	3.97	2.37	1.38	3.29	46.6	22	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73263
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	7.3	7.0	6.8	6.6	7.8	9.0	7.8	6.3	4.1	2.8	6.6	78.6	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73263
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	2.7	3.3	2.6	3.5	1.8	2.4	3.3	5.1	4.5	6.0	4.4	44.4	13	-73263
MEAN NO DYS TSTMS	0.5	2.0	1.6	5.0	7.3	8.8	13.0	10.4	5.0	1.6	0.8	0.9	56.9	12	-73263
P FREQ WND SPD = OR GTR 17 KTS	0.9	1.4	2.0	1.6	0.5	0.4	0.3	0.2	0.7	0.6	0.4	0.9	0.8	13	-73263
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73263
P FREQ LES 5000 FT A/D LES 5 MI	31.0	34.2	29.6	22.0	22.6	21.6	21.3	20.2	29.4	24.5	25.6	31.6	26.1	13	-73263
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.7	18.7	19.4	10.0	8.0	5.2	3.7	5.3	11.8	11.8	17.5	15.4	12.1	13	-73263
03-05 LST	24.9	24.0	23.9	16.3	18.4	11.8	11.4	13.1	23.8	17.5	24.3	21.0	19.2	13	-73263
06-08 LST	28.6	31.9	27.3	23.1	26.1	20.8	18.3	21.6	34.1	27.9	31.8	27.5	26.6	13	-73263
09-11 LST	25.2	24.6	20.2	13.2	9.6	12.9	8.1	11.5	18.8	15.7	20.1	22.8	16.9	13	-73263
12-14 LST	14.7	13.8	11.3	5.0	2.9	3.8	1.7	2.1	7.2	7.6	9.1	13.8	7.8	13	-73263
15-17 LST	7.5	9.0	8.9	3.6	3.2	1.6	2.1	3.1	6.7	4.4	6.9	8.3	5.4	13	-73263
18-20 LST	6.8	9.0	8.5	3.8	2.7	2.1	1.5	1.7	6.6	5.8	7.4	7.5	5.3	13	-73263
21-23 LST	10.4	13.2	9.2	4.3	3.2	2.6	1.7	1.6	8.5	8.4	10.3	11.1	7.0	13	-73263
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.1	4.2	4.3	1.2	1.9	0.4	0.5	1.8	3.1	4.6	6.4	7.7	3.5	13	-73263
03-05 LST	11.2	7.5	7.7	5.1	5.3	3.4	5.0	7.1	10.6	7.6	12.5	9.4	7.7	13	-73263
06-08 LST	13.8	10.1	9.4	6.3	5.3	4.4	6.2	8.4	12.9	11.3	16.0	12.3	9.7	13	-73263
09-11 LST	6.3	2.8	2.5	0.3	0.5	0.2	0.2	0.3	1.2	1.8	3.9	4.6	2.1	13	-73263
12-14 LST	0.8	1.1	0.7	0.2	0.3	0.1	0.4	0.2	0.5	0.1	0.2	0.3	0.4	13	-73263
15-17 LST	0.5	1.1	0.6	0.5	0.3	0.2	0.5	0.4	0.5	0.3	0.3	0.4	0.5	13	-73263
18-20 LST	0.5	0.7	1.8	0.2	0.1	0.2	0.4	0.3	0.8	0.9	1.3	1.4	0.7	13	-73263
21-23 LST	2.1	2.7	3.0	0.5	0.8	0.4	0.3	0.3	1.6	2.2	3.3	4.5	1.8	13	-73263

## DOUGLAS MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.3	28.3	29.4	30.6	29.5	30.5	30.6	28.7	29.5	28.4	29.0	349.9	13	-73263
	00 LST	26.8	23.6	26.8	28.1	29.9	29.5	30.2	30.2	27.4	28.4	25.8	27.2	333.9	13	-73263
	06 LST	24.2	20.7	23.7	24.1	23.7	24.7	25.7	24.1	20.5	23.3	21.6	24.2	280.5	13	-73263
	12 LST	27.2	24.7	28.1	29.0	30.5	29.0	30.9	30.6	28.2	29.5	27.6	27.6	342.9	13	-73263
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	18 LST	25.6	19.7	20.0	22.9	25.6	24.3	26.3	27.6	24.1	27.5	25.8	25.5	294.9	13	-73263
	00 LST	22.5	20.1	22.8	25.4	28.6	28.1	29.5	29.7	25.6	26.1	23.3	24.0	255.7	13	-73263
	06 LST	20.3	17.6	20.0	21.8	21.9	23.1	25.4	23.7	18.5	21.1	19.7	20.3	258.6	13	-73263
	12 LST	17.8	13.0	16.7	18.3	23.4	23.1	27.3	25.5	20.3	21.1	18.8	17.8	243.1	13	-73263
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.3	0.3	0.4	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.2	2.3	13	-73263
	00 LST	0.2	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	1.4	13	-73263
	06 LST	0.1	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.1	13	-73263
	12 LST	0.6	0.5	1.3	1.1	0.2	0.2	0.2	0.0	0.2	0.6	0.3	0.4	5.6	13	-73263
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.0	14.5	16.6	18.1	16.4	15.1	13.5	12.2	13.3	11.7	9.8	11.1	164.3	13	-73263
	00 LST	10.4	11.7	11.6	10.3	10.3	10.6	5.9	6.7	8.7	8.7	8.6	10.5	114.0	13	-73263
	06 LST	9.2	9.7	10.8	10.5	8.2	8.4	5.4	4.9	9.1	10.6	9.8	9.2	105.8	13	-73263
	12 LST	16.6	14.9	16.8	17.4	17.9	14.2	11.2	10.4	15.7	18.0	18.0	17.1	188.2	13	-73263
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	8.9	9.3	11.0	8.5	5.3	2.6	3.6	6.6	14.2	13.1	11.5	104.7	13	-73263
	00 LST	15.3	13.6	13.4	16.4	19.2	14.7	13.5	14.1	15.2	18.4	15.8	16.0	185.6	13	-73263
	06 LST	12.8	10.9	10.0	10.4	9.8	8.3	6.7	9.1	8.2	14.0	12.9	12.3	125.4	13	-73263
	12 LST	9.4	7.9	9.3	9.0	8.0	3.9	2.2	3.1	3.6	10.7	12.0	10.0	89.1	13	-73263
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	23.8	27.2	28.3	29.7	28.8	30.4	30.1	27.2	28.3	26.8	26.6	334.4	13	-73263
	00 LST	24.4	21.6	25.0	26.6	29.5	28.4	29.9	29.7	26.2	27.2	24.5	25.5	318.5	13	-73263
	06 LST	21.6	18.5	21.6	22.6	22.2	23.6	25.4	23.7	19.0	21.9	20.3	22.3	262.7	13	-73263
	12 LST	23.6	20.6	24.7	26.0	28.4	26.5	28.2	27.8	24.7	25.9	25.0	24.0	305.4	13	-73263
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.9	21.1	24.6	25.4	26.0	24.2	25.6	25.5	23.9	26.3	24.5	23.7	294.7	13	-73263
	00 LST	22.7	20.0	22.7	25.9	28.3	27.6	29.1	28.6	24.7	25.6	23.0	22.4	300.6	13	-73263
	06 LST	19.7	16.5	19.3	21.2	21.6	23.0	24.4	22.8	18.2	20.7	19.1	19.3	245.8	13	-73263
	12 LST	20.2	17.1	20.9	21.4	21.0	20.1	20.2	21.6	19.0	22.7	22.6	21.0	247.8	13	-73263
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.3	19.7	23.0	23.8	24.5	22.9	22.6	23.8	21.7	25.0	22.5	21.8	273.6	13	-73263
	00 LST	20.9	18.6	21.1	24.7	27.0	26.4	28.0	27.6	24.0	24.4	22.0	21.5	286.2	13	-73263
	06 LST	18.2	15.9	18.0	20.2	20.5	21.9	23.5	22.5	16.6	20.1	18.5	18.2	234.1	13	-73263
	12 LST	18.9	15.7	19.7	20.7	20.5	19.7	19.3	20.9	17.8	22.0	20.9	19.3	235.4	13	-73263

# DUBLIN MUNICIPAL, GEORGIA

STA NO. 73794 (IN AREA NUMBER 15)

LATITUDE 3234N

LONGITUDE 08259W

ELEVATION(FT) 00303

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	92	99	102	108	106	105	108	101	90	83	108	49	-113
MEAN MAX TMP (F)	61	64	70	79	86	92	93	92	88	80	69	61	78	48	-113
MEAN MIN TMP (F)	38	40	45	52	60	68	70	69	65	53	43	38	53	49	-113
ABS MIN TMP (F)	10	9	17	29	39	45	55	54	43	25	11	8	8	49	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	2.0	13.0	23.0	27.0	28.0	15.0	2.0	0.0	0.0	110.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	10.0	6.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.0	11.0	36.3	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEN %T TMP (F)	39	41	44	51	60	67	70	70	66	55	44	38	54	12	-73291
MEAN REL HUM (PCT)	71	68	67	64	68	70	74	72	75	73	70	71	70	12	-73291
MEAN PRESS ALT (FT)	96	126	162	188	215	232	192	217	230	190	125	96	172	0	-50
MEAN PRECIP (IN)	3.84	4.51	4.78	3.36	3.51	4.41	5.56	4.91	3.73	2.50	2.43	3.82	47.4	68	-113
MEAN SNOW FALL (IN)	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.6	62	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	8.1	7.1	6.4	6.5	7.2	8.3	7.7	5.9	4.3	4.2	7.3	80.3	68	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	62	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.8	2.5	2.4	0.7	1.1	0.2	1.1	1.1	1.7	2.1	2.8	3.6	23.1	12	-73291
MEAN NO DYS TSTMS	0.3	2.1	2.7	4.2	6.1	8.6	12.3	9.0	3.3	0.9	0.7	0.9	51.1	12	-73291
P FREQ WND SPD = OR GTR 17 KTS	2.3	2.6	4.2	3.0	0.9	0.7	0.3	0.3	0.8	1.1	1.4	1.5	1.6	12	-73291
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73291
P FREQ LES 5000 FT A/D LES 5 MI	32.7	33.1	30.9	21.2	21.5	19.5	22.6	17.6	25.5	24.4	23.8	30.2	25.3	12	-73291
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.4	16.8	14.7	4.9	7.0	4.6	6.0	3.4	10.2	12.0	8.0	13.8	9.7	12	-73291
03-05 LST	21.0	20.5	18.6	11.2	12.5	9.1	12.1	8.3	16.3	17.2	14.0	18.4	14.9	12	-73291
06-08 LST	26.4	25.8	26.2	14.5	17.3	13.7	19.0	16.9	27.2	22.2	22.6	21.9	21.1	12	-73291
09-11 LST	20.9	23.0	21.1	10.1	10.3	8.8	12.3	9.1	19.3	16.5	18.3	18.8	15.7	12	-73291
12-14 LST	12.8	14.3	13.8	4.3	4.4	3.0	2.2	2.5	8.2	7.8	7.5	11.8	7.7	12	-73291
15-17 LST	8.9	11.6	11.6	3.3	2.7	3.1	2.3	2.1	6.9	5.8	5.6	9.0	6.1	12	-73291
18-20 LST	8.1	11.3	11.5	3.7	2.5	1.5	2.3	1.5	6.1	6.5	5.7	9.3	5.8	12	-73291
21-23 LST	10.3	11.7	11.7	2.4	3.9	1.9	3.1	2.0	7.1	7.9	5.3	9.7	6.4	12	-73291
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	3.6	2.2	0.3	0.2	0.4	0.7	0.3	0.2	1.2	1.9	4.0	1.3	12	-73291
03-05 LST	5.6	5.0	5.3	1.1	1.7	0.5	1.8	1.2	1.3	3.8	4.9	6.6	3.2	12	-73291
06-08 LST	9.2	6.3	7.3	1.2	2.0	1.0	2.4	2.5	5.5	4.2	7.3	7.6	4.7	12	-73291
09-11 LST	4.1	4.0	2.6	0.1	0.2	0.2	0.2	0.1	0.7	1.4	3.1	4.0	1.7	12	-73291
12-14 LST	1.2	1.9	0.4	0.0	0.3	0.2	0.2	0.3	0.1	0.2	0.3	1.8	0.6	12	-73291
15-17 LST	1.2	1.4	0.9	0.0	0.4	0.2	0.2	0.2	0.5	0.3	0.5	1.7	0.6	12	-73291
18-20 LST	2.1	0.9	0.8	0.2	0.1	0.2	0.2	0.3	0.6	0.1	0.6	1.5	0.6	12	-73291
21-23 LST	2.2	2.0	1.1	0.0	0.0	0.1	0.0	0.0	0.3	0.5	0.0	2.4	0.7	12	-73291



# DUBLIN MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.5	28.0	29.2	30.8	29.8	30.7	30.7	28.6	29.3	29.0	28.4	349.1	12	-73291
	00 LST	28.6	24.5	27.3	29.6	29.6	29.4	30.1	30.5	28.1	28.6	28.4	27.9	342.6	12	-73291
	06 LST	25.2	23.4	24.9	27.0	26.8	26.9	27.3	26.8	23.0	25.3	25.2	25.5	337.3	12	-73291
	12 LST	28.0	24.4	27.5	29.3	30.3	29.6	31.0	30.5	27.9	28.7	28.1	27.8	343.1	12	-73291
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	19.7	18.7	21.2	24.5	23.8	25.2	27.4	25.9	26.6	25.7	24.5	286.3	12	-73291
	00 LST	22.1	19.8	20.8	25.6	27.1	27.2	28.2	29.6	26.1	25.9	25.1	23.2	300.7	12	-73291
	06 LST	19.4	18.2	19.3	22.8	24.3	24.8	25.5	25.6	21.2	23.0	22.0	20.4	266.5	12	-73291
	12 LST	16.4	14.3	14.5	16.7	21.8	21.3	25.3	25.5	20.6	21.0	19.5	18.7	235.6	12	-73291
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.6	1.6	0.9	0.2	0.2	0.1	0.1	0.2	0.3	0.4	0.2	5.2	12	-73291
	00 LST	0.6	0.6	0.7	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.3	2.9	12	-73291
	06 LST	0.3	0.2	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.3	1.5	12	-73291
	12 LST	1.9	1.4	2.0	2.0	0.4	0.4	0.0	0.1	0.3	0.4	0.9	0.5	10.3	12	-73291
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	15.3	16.6	18.8	17.7	12.4	13.3	12.3	13.8	12.1	12.4	14.0	174.5	12	-73291
	00 LST	11.5	11.7	13.7	13.2	11.4	9.4	8.8	7.8	8.3	8.4	8.8	9.9	122.9	12	-73291
	06 LST	9.5	9.9	14.4	11.4	7.8	5.0	6.4	6.2	8.6	9.5	9.4	9.5	108.6	12	-73291
	12 LST	15.5	14.3	17.0	16.3	18.9	14.7	13.0	12.1	17.6	16.8	16.7	15.9	188.8	12	-73291
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.7	8.4	8.7	11.1	8.6	6.4	4.8	7.3	9.1	15.0	13.7	10.4	114.2	12	-73291
	00 LST	14.7	12.5	13.2	18.0	17.8	14.0	13.8	16.6	15.5	19.3	17.0	14.3	186.7	12	-73291
	06 LST	11.0	11.5	9.6	12.2	10.3	9.2	9.2	11.3	10.1	14.6	14.5	12.4	135.9	12	-73291
	12 LST	8.8	8.7	8.0	9.3	6.7	4.6	3.7	6.6	6.2	13.6	12.0	8.8	97.0	12	-73291
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.7	26.4	28.1	29.6	29.1	29.6	29.9	27.5	28.0	27.2	26.7	332.9	12	-73291
	00 LST	25.8	22.5	25.5	28.3	28.6	28.3	29.0	29.8	26.4	27.2	27.2	25.2	323.8	12	-73291
	06 LST	21.5	20.3	21.1	24.7	24.7	25.2	25.6	25.6	21.5	22.9	23.0	22.5	278.6	12	-73291
	12 LST	24.1	21.5	24.1	26.3	27.6	27.3	28.1	28.4	24.8	25.5	25.6	24.1	307.4	12	-73291
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.4	20.4	22.8	24.9	26.2	24.2	24.8	26.8	24.1	25.4	24.2	23.1	289.3	12	-73291
	00 LST	22.1	19.7	22.4	25.9	26.3	26.2	27.2	28.4	25.3	25.3	24.3	22.8	295.9	12	-73291
	06 LST	17.7	17.4	18.2	22.6	23.2	24.4	25.0	25.1	19.8	21.3	21.1	19.2	255.0	12	-73291
	12 LST	20.3	17.8	20.4	20.4	19.8	19.5	19.4	22.0	20.7	23.7	22.9	21.4	248.3	12	-73291
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.3	19.2	20.6	23.2	24.2	22.5	23.7	25.6	22.4	23.6	22.8	21.0	270.1	12	-73291
	00 LST	21.1	18.5	21.0	24.6	24.6	24.7	26.0	27.1	24.1	24.3	23.3	21.5	280.8	12	-73291
	06 LST	16.6	16.6	16.7	21.3	21.6	23.2	24.1	24.2	18.6	20.2	20.0	17.4	240.5	12	-73291
	12 LST	18.7	16.6	18.2	19.6	19.4	18.8	18.9	21.3	19.7	22.7	21.8	18.9	234.6	12	-73291

# WAYCROSS/WARE COUNTY, GEORGIA

STA NO. 73795 (IN AREA NUMBER 15)

LATITUDE 3114N

LONGITUDE 08223W

ELEVATION(FT) 00142

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	86	88	95	96	102	106	105	106	104	99	92	87	106	70	-613
MEAN MAX TMP (F)	66	67	73	80	87	92	93	92	89	81	72	65	80	63	-113
MEAN MIN TMP (F)	41	43	49	55	62	69	71	71	67	57	46	41	56	64	-113
ABS MIN TMP (F)	13	4	20	32	40	48	58	57	41	27	18	12	4	71	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0			11.7	19.8	22.4	20.5	14.5	3.7		0.0		63	-29
MEAN NO DYS TMP = OR LES 32(F)	4.0	3.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.3	16.9	4	1066
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1066
MEAN DEW PT TMP (F)	43	46	52	55	61	69	71	71	69	54	45	42	57	4	25498
MEAN REL HUM (PCT)	76	72	71	69	68	71	79	78	79	69	70	76	73	4	25490
MEAN PRESS ALT (FT)	-67	-34	4	31	51	67	32	51	53	14	-41	-68	8	0	-30
MEAN PRECIP (IN)	3.04	3.83	3.61	3.14	3.51	5.52	6.90	5.91	4.87	2.65	2.08	2.98	48.0	66	-113
MEAN SNOW FALL (IN)	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	63	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	7.3	6.6	6.2	6.5	8.3	9.5	8.6	7.4	4.5	3.8	6.2	81.1	66	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	4.9	4.3	2.0	2.0	2.0	2.7	3.7	1.3	2.0	4.0	9.0	43.2	4	1064
MEAN NO DYS 1STMS	0.3	0.6	4.0	6.0	6.3	10.7	12.3	11.0	5.3	0.3	0.5	0.0	57.3	4	1064
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.7	0.6	1.1	0.4	0.5	0.4	0.2	0.6	1.1	0.2	0.6	0.6	4	25497
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	4	25497
P FREQ LES 5000 FT A/D LES 5 MI	62.1	61.5	54.9	47.1	37.0	34.4	45.3	44.0	39.2	30.6	44.1	51.7	46.7	4	25440
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	34.1	37.6	30.1	21.3	7.2	5.2	8.6	8.3	9.3	3.3	20.3	37.2	18.5	4	3177
03-05 LST	44.1	42.4	43.1	30.4	25.8	18.9	19.1	21.1	17.8	9.9	25.6	43.7	28.5	4	3183
06-08 LST	58.8	57.3	51.3	32.6	22.9	17.8	27.2	30.8	26.7	32.8	48.0	58.4	38.7	4	3188
09-11 LST	30.5	33.9	25.9	10.7	7.7	7.4	14.7	11.8	12.6	6.2	15.1	34.6	17.8	4	3186
12-14 LST	18.1	13.3	9.4	4.8	4.3	3.3	5.4	3.6	7.4	2.9	7.8	19.4	8.3	4	3187
15-17 LST	16.3	7.8	8.6	4.1	3.2	4.5	5.4	6.5	8.5	2.2	9.4	15.4	7.7	4	3188
18-20 LST	20.1	20.5	9.7	7.4	4.0	2.6	6.1	6.5	7.4	4.4	10.6	20.4	10.0	4	3191
21-23 LST	20.9	31.7	13.6	10.8	2.2	4.8	4.3	2.5	6.7	2.9	15.6	31.2	12.3	4	3182
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.0	11.0	4.7	1.9	0.4	0.4	1.4	3.6	1.5	1.8	6.2	15.5	4.7	4	3177
03-05 LST	12.2	16.1	10.9	5.9	4.4	3.0	5.0	7.9	4.1	3.3	8.9	20.1	8.5	4	3183
06-08 LST	16.5	22.0	14.7	5.2	4.0	3.0	3.6	6.5	5.2	9.1	12.3	26.9	10.8	4	3188
09-11 LST	2.9	7.5	3.6	0.4	0.0	0.0	0.0	0.4	0.0	1.1	1.7	15.1	2.7	4	3186
12-14 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.7	1.1	0.0	1.1	1.1	2.2	0.6	4	3187
15-17 LST	0.4	0.0	0.0	0.0	0.4	0.4	1.1	0.7	0.4	1.1	0.6	1.8	0.6	4	3189
18-20 LST	1.1	0.4	0.4	0.4	0.4	0.0	0.0	0.4	0.7	1.1	1.7	4.7	0.9	4	3191
21-23 LST	4.7	4.8	1.1	1.1	0.0	0.0	0.4	0.7	0.0	0.4	2.8	9.3	2.1	4	3182

## WAYCROSS/WARE COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.0	23.4	28.3	29.0	30.3	29.6	29.6	29.3	28.3	30.3	27.5	26.0	336.6	4	1065
	01 LST	23.0	18.1	24.0	23.6	30.0	29.0	29.0	29.3	28.0	30.3	26.0	21.3	311.6	4	1065
	07 LST	16.6	13.8	13.3	19.3	19.9	23.0	21.3	19.7	21.0	18.5	15.5	16.3	218.2	4	1064
	13 LST	26.7	25.7	29.7	29.6	30.3	29.3	29.3	30.0	28.3	30.7	27.5	25.0	341.7	4	1065
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.7	17.4	23.0	20.6	21.3	24.3	25.0	24.0	25.3	28.0	24.5	22.3	278.4	4	1065
	01 LST	19.7	15.8	21.6	20.0	28.0	28.0	27.7	29.3	27.0	28.3	22.0	16.6	284.0	4	1065
	07 LST	14.0	10.5	10.3	16.7	19.5	22.0	20.3	19.3	19.3	16.5	13.5	13.0	194.9	4	1064
	13 LST	20.3	14.1	19.0	18.0	24.3	24.3	25.0	27.0	18.0	17.9	20.0	15.3	243.2	4	1065
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.6	4	1048
	01 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.6	4	1045
	07 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	1049
	13 LST	0.3	0.3	0.3	1.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.3	2.9	4	1044
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	14.6	11.2	14.8	18.0	17.6	15.3	16.5	17.5	19.1	16.3	14.5	11.7	187.1	4	1048
	01 LST	15.8	15.7	14.6	15.3	11.7	13.7	13.0	12.6	17.0	14.3	14.0	13.6	171.3	4	1045
	07 LST	14.8	9.9	11.9	10.4	9.0	14.0	12.2	13.0	14.3	16.7	19.3	12.2	157.7	4	1049
	13 LST	22.6	18.1	19.4	18.3	16.6	8.1	9.5	9.8	15.2	19.4	20.3	19.4	196.7	4	1044
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	22.7	20.7	26.7	26.0	28.3	26.3	25.6	25.0	27.0	29.0	26.0	24.0	307.3	4	1065
	01 LST	20.3	16.5	22.3	22.3	29.3	28.0	27.3	28.6	26.6	23.6	24.0	18.7	292.5	4	1065
	07 LST	12.6	12.2	11.0	17.6	19.5	22.7	19.3	19.0	20.0	17.2	14.0	14.3	199.4	4	1064
	13 LST	23.0	21.1	24.6	26.0	27.7	26.0	24.6	23.7	22.3	28.3	25.5	23.3	296.1	4	1065
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	20.0	17.8	22.0	20.0	23.7	22.7	18.0	19.3	22.7	26.3	24.5	21.6	258.6	4	1065
	01 LST	17.3	14.1	21.0	21.0	28.6	26.3	26.0	27.3	25.7	28.0	23.0	17.0	275.3	4	1065
	07 LST	11.3	11.5	10.3	15.3	18.2	27.3	18.0	18.0	18.0	15.5	13.5	12.6	184.5	4	1064
	13 LST	21.3	17.4	18.0	17.3	17.6	16.3	9.6	8.6	8.6	21.9	24.5	19.3	200.4	4	1065
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	18.3	17.8	21.0	19.0	21.0	20.6	14.0	17.3	21.0	24.9	23.0	20.3	238.2	4	1065
	01 LST	16.6	13.8	21.0	20.3	28.0	24.0	23.0	25.6	25.0	26.6	21.5	16.0	261.4	4	1065
	07 LST	9.0	10.5	10.0	12.7	15.8	21.0	16.0	15.7	16.3	14.8	12.5	12.0	166.3	4	1064
	13 LST	18.3	16.1	17.6	16.3	17.0	15.0	8.0	8.0	8.0	20.6	21.5	18.0	184.4	4	1065

## ACKWORTH/MC COLLUM, GEORGIA

STA NO. 73796 (IN AREA NUMBER 19)

LATITUDE 3401N

LONGITUDE 08436W

ELEVATION(FT) 01030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	81	88	90	99	100	102	99	95	84	75	81	102	12	-72227
MEAN MAX TMP (F)	54	59	67	78	84	89	89	85	76	65	54	53	71	12	-72227
MEAN MIN TMP (F)	35	39	44	56	63	68	70	65	55	42	34	33	50	12	-72227
ABS MIN TMP (F)	2	10	16	32	39	56	58	44	35	18	4	10	2	12	-72227
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	6.3	13.1	16.2	8.0	1.0	0.0	0.0	0.0	45.1	12	-72227
MEAN NO DYS TMP = OR LES 32(F)	13.0	7.6	2.6	0.2	0.0	0.0	0.0	0.0	0.0	5.7	14.1	15.7	58.9	12	-72227
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72227
MEAN DEW PT TMP (F)	34	36	38	46	57	64	68	67	62	51	39	34	50	12	-72227
MEAN REL HUM (PCT)	75	72	68	65	69	71	74	73	75	73	71	73	72	12	-72227
MEAN PRESS ALT (FT)	812	850	903	932	946	962	935	941	917	874	838	812	894	0	-50
MEAN PRECIP (IN)	4.97	4.74	4.88	3.45	3.30	4.61	2.88	3.24	3.32	2.17	4.57	4.00	46.1	12	-72227
MEAN SNOW FALL (IN)	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	2.2	12	-72227
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	7.5	7.0	5.6	5.5	6.9	4.2	5.4	4.0	4.4	6.5	6.7	71.6	12	-72227
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7	12	-72227
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.5	3.4	3.3	0.9	1.1	0.7	1.7	1.0	1.4	2.5	2.7	4.1	27.3	12	-72227
MEAN NO DYS TSTMS	1.8	1.7	3.5	4.7	7.4	9.7	9.1	3.6	1.2	0.8	0.4	1.0	44.9	12	-72227
P FREQ WND SPD = OR GTR 17 KTS	6.9	6.4	7.5	7.5	3.1	1.8	1.0	1.2	1.4	2.3	4.1	4.9	4.0	12	-72227
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1	12	-72227
P FREQ LES 3000 FT A/L LES 3 MI	40.0	36.1	34.0	22.9	23.6	21.5	24.5	16.8	25.0	25.9	29.3	35.5	27.9	12	-72227
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.5	20.0	16.1	8.1	10.0	7.3	7.8	4.2	9.9	14.0	15.0	19.0	12.8	12	-72227
03-05 LST	26.8	24.9	20.9	12.3	14.4	11.7	17.9	8.4	15.6	19.8	18.7	21.2	17.7	12	-72227
06-08 LST	28.9	28.7	25.2	17.3	20.3	16.6	24.6	17.0	25.3	22.7	24.1	26.4	23.1	12	-72227
09-11 LST	29.4	27.1	23.7	15.8	16.4	11.8	13.5	11.3	21.4	18.5	19.4	25.6	19.5	12	-72227
12-14 LST	21.1	20.1	17.0	8.1	5.5	3.6	3.0	2.6	8.9	11.5	12.4	19.7	11.1	12	-72227
15-17 LST	17.8	17.2	14.4	5.2	2.7	2.8	2.0	1.9	6.9	9.2	9.7	16.5	8.9	12	-72227
18-20 LST	15.7	17.3	14.5	4.7	4.9	1.6	2.2	1.3	5.5	9.9	10.6	15.1	8.7	12	-72227
21-23 LST	17.7	16.2	15.1	5.1	6.6	3.3	3.2	2.4	7.6	10.8	11.9	17.7	9.8	12	-72227
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	6.6	4.7	0.9	1.4	0.5	1.6	0.5	1.4	2.7	5.1	5.5	3.0	12	-72227
03-05 LST	8.2	8.6	5.9	1.9	3.2	1.2	5.4	1.4	2.0	5.8	5.5	7.1	4.7	12	-72227
06-08 LST	11.5	8.9	8.2	2.4	3.2	1.1	3.2	3.4	4.8	6.8	6.5	9.3	5.8	12	-72227
09-11 LST	7.9	7.4	4.0	1.3	0.7	0.2	0.2	0.3	0.6	2.4	3.0	7.5	3.0	12	-72227
12-14 LST	3.5	3.9	1.3	0.4	0.1	0.3	0.1	0.2	0.1	0.2	1.8	3.8	1.3	12	-72227
15-17 LST	3.3	4.5	1.9	0.0	0.1	0.0	0.6	0.1	0.1	0.2	1.9	3.1	1.3	12	-72227
18-20 LST	4.0	5.5	2.7	0.5	0.3	0.2	0.3	0.0	0.5	0.4	1.9	5.5	1.8	12	-72227
21-23 LST	5.6	5.8	3.9	0.8	0.6	0.1	0.4	0.1	0.6	1.8	2.9	5.8	2.4	12	-72227

## ACKWORTH/MC COLLUM, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	N7. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	23.8	27.7	28.9	30.2	29.6	30.6	30.7	28.6	28.8	27.8	27.1	340.7	12	-72227
	00 LST	25.8	23.4	27.0	28.6	29.2	28.9	29.1	30.2	27.9	27.7	26.3	26.3	330.4	12	-72227
	06 LST	23.9	21.7	24.8	25.8	26.5	26.5	24.2	26.9	24.2	25.3	24.6	24.2	298.6	12	-72227
	12 LST	25.6	22.7	26.3	28.2	30.1	29.4	30.4	30.2	27.5	27.7	26.5	25.8	330.4	12	-72227
CIG = GTR 2030 FT AND VSUY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.6	14.9	14.5	15.2	20.2	22.0	22.3	23.8	24.8	23.7	21.2	19.6	239.8	12	-72227
	00 LST	17.1	16.8	19.2	22.3	25.1	26.9	27.2	28.3	25.1	23.6	19.1	18.1	268.8	12	-72227
	06 LST	15.2	13.5	16.8	20.3	22.6	23.9	22.2	25.1	21.2	21.1	18.8	16.8	237.5	12	-72227
	12 LST	10.7	9.0	10.6	10.7	16.5	17.7	18.5	19.8	16.2	15.0	13.3	11.1	169.1	12	-72227
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.4	2.1	2.2	0.8	0.7	0.2	0.8	0.2	0.2	0.8	1.2	11.5	12	-72227
	00 LST	1.5	0.9	1.4	1.2	0.5	0.0	0.0	0.1	0.2	0.4	0.8	1.6	8.6	12	-72227
	06 LST	1.6	1.1	0.9	0.6	0.2	0.1	0.0	0.0	0.1	0.4	0.8	1.1	6.9	12	-72227
	12 LST	3.6	3.4	4.2	4.1	1.7	1.1	0.6	0.4	0.5	1.9	2.7	2.1	25.8	12	-72227
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.2	15.2	15.7	17.4	19.7	17.3	15.3	14.8	15.6	12.3	13.3	12.8	184.8	12	-72227
	00 LST	8.7	9.9	13.3	12.0	9.4	8.1	8.1	5.7	8.6	10.9	8.6	8.0	111.3	12	-72227
	06 LST	8.4	7.6	10.0	9.6	9.5	7.6	7.4	6.6	7.9	10.3	8.1	8.0	101.0	12	-72227
	12 LST	13.5	12.0	13.3	13.1	19.3	17.1	16.6	14.5	18.4	16.1	15.1	13.6	182.6	12	-72227
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	8.0	8.1	9.4	7.5	6.8	4.2	8.0	11.3	14.4	12.2	10.3	109.2	12	-72227
	00 LST	11.5	11.3	12.7	15.8	17.4	15.8	14.1	16.4	16.9	18.7	15.5	12.2	178.3	12	-72227
	06 LST	9.7	9.3	9.7	11.7	9.8	8.4	7.4	10.3	11.4	15.3	13.5	11.7	128.2	12	-72227
	12 LST	6.7	7.3	7.7	7.7	5.1	3.2	3.2	6.2	8.3	13.1	10.7	8.2	87.4	12	-72227
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	21.6	25.7	28.1	29.1	28.8	29.6	30.2	27.7	27.6	25.6	24.8	322.9	12	-72227
	00 LST	22.7	21.1	24.6	27.0	27.7	28.1	28.3	29.7	26.8	26.3	24.8	23.4	310.5	12	-72227
	06 LST	20.5	18.3	21.6	23.9	24.2	24.8	23.1	25.6	22.1	23.3	22.2	21.4	271.0	12	-72227
	12 LST	20.9	19.9	22.9	25.1	26.0	26.4	25.7	27.5	24.4	25.1	23.7	21.7	289.3	12	-72227
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.0	21.6	25.1	25.4	25.1	25.9	27.5	24.5	24.2	22.6	21.1	281.2	12	-72227
	00 LST	19.0	18.1	21.8	25.1	26.4	26.6	26.9	27.8	25.4	24.4	22.0	20.0	283.5	12	-72227
	06 LST	17.2	15.9	18.7	21.9	22.7	23.0	22.1	24.5	20.6	21.0	20.6	17.9	246.1	12	-72227
	12 LST	17.6	17.6	18.3	19.4	18.5	18.1	16.9	21.6	19.8	22.3	20.6	19.0	229.7	12	-72227
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	16.7	19.7	23.2	23.9	23.0	24.1	26.0	23.3	23.4	21.7	20.0	263.7	12	-72227
	00 LST	18.0	16.4	19.5	24.0	25.1	25.1	25.6	26.9	24.5	23.6	20.5	18.6	267.8	12	-72227
	06 LST	15.6	14.7	16.5	20.4	21.4	21.4	21.2	23.6	20.4	20.3	19.5	16.3	231.3	12	-72227
	12 LST	15.7	16.0	16.7	18.0	18.1	17.3	16.2	21.1	19.1	21.6	19.7	17.0	216.5	12	-72227

# HOMERVILLE FLIGHT STRIP, GEORGIA

STA NO. 73797 (IN AREA NUMBER 15)

LATITUDE 3103N

LONGITUDE 08246W

ELEVATION(FT) 00185

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO. (YRS) UBS
ABS MAX TMP (F)	82	84	88	91	99	104	101	100	98	94	85	80	104	12 -73263
MEAN MAX TMP (F)	63	66	70	79	86	90	91	91	87	78	70	64	78	12 -73263
MEAN MIN TMP (F)	42	46	49	57	65	71	72	72	69	59	48	43	58	12 -73263
ABS MIN TMP (F)	21	18	25	39	47	55	66	64	56	34	23	22	18	12 -73263
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	9.0	16.9	21.3	23.1	10.6	1.3	0.0	0.0	82.7	12 -73263
MEAN NO DYS TMP = DR LES 32(F)	6.0	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.0	13.8	12 -73263
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12 -73263
MEAN DEW PT TMP (F)	41	45	47	54	62	68	72	71	68	57	48	43	56	13 -73263
MEAN REL HUM (PCT)	71	70	66	66	67	72	76	76	77	72	71	72	71	13 -73263
MEAN PRESS ALT (FT)	-25	7	48	75	95	112	77	96	95	54	0	-26	51	0 -50
MEAN PRECIP (IN)	2.89	4.29	4.24	3.76	3.94	4.00	6.32	5.40	3.87	2.06	2.23	2.79	45.8	13 -73263
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13 -73263
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.1	7.0	6.1	5.3	5.5	7.0	8.9	7.5	6.1	3.1	4.3	4.8	70.7	13 -73263
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13 -73263
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	2.7	3.3	2.6	3.5	1.8	2.4	3.3	5.1	4.5	6.0	4.4	44.4	13 -73263
MEAN NO DYS TSTMS	0.5	2.0	1.6	5.0	7.3	8.8	13.0	10.4	5.0	1.6	0.8	0.9	56.9	12 -73263
P FREQ WND SPD = DR GTR 17 KTS	0.9	1.4	2.0	1.6	0.5	0.4	0.3	0.2	0.7	0.6	0.4	0.9	0.8	13 -73263
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13 -73263
P FREQ LES 5000 FT A/D LES 5 MI	31.0	34.2	29.6	22.0	22.6	21.6	21.3	20.2	29.4	24.5	25.6	31.6	26.1	13 -73263
P FREQ LES 1500 FT A/D LES 3 MI														
FOR 00-02 LST	18.7	18.7	19.4	10.0	8.0	5.2	3.7	5.3	11.8	11.8	17.5	15.4	12.1	13 -73263
03-05 LST	24.9	24.0	23.9	16.3	18.4	11.8	11.4	13.1	23.8	17.5	24.3	21.0	19.2	13 -73263
06-08 LST	28.6	31.9	27.3	23.1	26.1	20.8	18.3	21.6	34.1	27.9	31.8	27.5	26.6	13 -73263
09-11 LST	25.2	24.6	20.2	13.2	9.6	12.9	8.1	11.5	18.8	15.7	20.1	22.8	16.9	13 -73263
12-14 LST	14.7	13.8	11.3	5.0	2.9	3.8	1.7	2.1	7.2	7.6	9.1	13.8	7.8	13 -73263
15-17 LST	7.5	9.0	8.9	3.6	3.2	1.6	2.1	3.1	6.7	4.4	6.9	8.3	5.4	13 -73263
18-20 LST	6.8	9.0	8.5	3.8	2.7	2.1	1.5	1.7	6.6	5.8	7.4	7.5	5.3	13 -73263
21-23 LST	10.4	13.2	9.2	4.3	3.2	2.6	1.7	1.6	8.5	8.4	10.3	11.1	7.0	13 -73263
P FREQ LES 300 FT A/D LES 1 MI														
FOR 00-02 LST	6.1	4.2	4.3	1.2	1.9	0.4	0.5	1.8	3.1	4.6	6.4	7.7	3.5	13 -73263
03-05 LST	11.2	7.5	7.7	5.1	5.3	3.4	5.0	7.1	10.6	7.6	12.5	9.4	7.7	13 -73263
06-08 LST	13.8	10.1	9.4	6.3	5.3	4.4	6.2	8.4	12.9	11.3	16.0	12.3	9.7	13 -73263
09-11 LST	6.3	2.8	2.5	0.3	0.5	0.2	0.2	0.3	1.2	1.8	3.9	4.6	2.1	13 -73263
12-14 LST	0.8	1.1	0.7	0.2	0.3	0.1	0.4	0.2	0.5	0.1	0.2	0.3	0.4	13 -73263
15-17 LST	0.5	1.1	0.6	0.5	0.3	0.2	0.5	0.4	0.5	0.3	0.3	0.4	0.5	13 -73263
18-20 LST	0.5	0.7	1.8	0.2	0.1	0.2	0.4	0.3	0.8	0.9	1.3	1.4	0.7	13 -73263
21-23 LST	2.1	2.7	3.0	0.5	0.8	0.4	0.3	0.3	1.6	2.2	3.3	4.5	1.8	13 -73263

# HOMERVILLE FLIGHT STRIP, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.3	28.3	29.4	30.6	29.5	30.5	30.6	28.7	29.5	28.4	29.0	349.9	13	-73263
	00 LST	26.8	23.6	26.8	28.1	29.9	29.5	30.2	30.2	27.4	28.4	25.8	27.2	333.9	13	-73263
	06 LST	24.2	20.7	23.7	24.1	23.7	24.7	25.7	24.1	20.5	23.3	21.6	24.2	280.5	13	-73263
	12 LST	27.2	24.7	28.1	29.0	30.5	29.0	30.9	30.6	28.2	29.5	27.6	27.6	342.9	13	-73263
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	25.6	19.7	20.0	22.9	25.6	24.3	26.3	27.6	24.1	27.5	25.8	25.5	294.9	13	-73263
	00 LST	22.5	20.1	22.8	25.4	28.6	28.1	29.5	29.7	25.6	26.1	23.3	24.0	315.7	13	-73263
	06 LST	20.3	17.6	20.0	21.8	21.9	23.1	25.4	23.7	18.5	21.1	19.7	20.3	253.4	13	-73263
	12 LST	17.8	13.0	16.7	18.3	23.4	23.1	27.3	25.5	20.3	21.1	18.8	17.8	243.1	13	-73263
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.3	0.3	0.4	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.2	2.3	13	-73263
	00 LST	0.2	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	1.4	13	-73263
	06 LST	0.1	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.1	13	-73263
	12 LST	0.6	0.5	1.3	1.1	0.2	0.2	0.2	0.0	0.2	0.6	0.3	0.4	5.6	13	-73263
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.0	14.5	16.6	18.1	16.4	15.1	13.5	12.2	13.3	11.7	9.8	11.1	164.3	13	-73263
	00 LST	10.4	11.7	11.6	10.3	10.3	10.6	5.9	6.7	8.7	8.7	8.6	10.5	114.0	13	-73263
	06 LST	9.2	9.7	10.8	10.5	8.2	8.4	5.4	4.9	9.1	10.6	9.8	9.2	105.8	13	-73263
	12 LST	16.6	14.9	16.8	17.4	17.9	14.2	11.2	10.4	15.7	18.0	18.0	17.1	188.2	13	-73263
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	8.9	9.3	11.0	8.5	5.3	2.6	3.6	6.6	14.2	13.1	11.5	104.7	13	-73263
	00 LST	15.3	13.6	13.4	16.4	19.2	14.7	13.5	14.1	15.2	18.4	15.8	16.0	185.6	13	-73263
	06 LST	12.8	10.9	10.0	10.4	9.8	8.3	6.7	9.1	8.2	14.0	12.9	12.3	125.4	13	-73263
	12 LST	9.4	7.9	9.3	9.0	8.0	3.9	2.2	3.1	3.6	10.7	12.0	10.0	89.1	13	-73263
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	23.8	27.2	28.3	29.7	28.8	30.4	30.1	27.2	28.3	26.8	26.6	334.4	13	-73263
	00 LST	24.4	21.6	25.0	26.6	29.5	28.4	29.9	29.7	26.2	27.2	24.5	25.5	318.5	13	-73263
	06 LST	21.6	18.5	21.6	22.6	22.2	23.6	25.4	23.7	19.0	21.9	20.3	22.3	262.7	13	-73263
	12 LST	23.6	20.6	24.7	26.0	28.4	26.5	28.2	27.8	24.7	25.9	25.0	24.0	305.4	13	-73263
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.9	21.1	24.6	25.4	26.0	24.2	25.6	25.5	23.9	26.3	24.5	23.7	294.7	13	-73263
	00 LST	22.7	20.0	22.7	25.9	28.3	27.6	29.1	28.6	24.7	25.6	23.0	22.4	300.6	13	-73263
	06 LST	19.7	16.5	19.3	21.2	21.6	23.0	24.4	22.8	18.2	20.7	19.1	19.3	245.8	13	-73263
	12 LST	20.2	17.1	20.9	21.4	21.0	20.1	20.2	21.6	19.0	22.7	22.6	21.0	247.8	13	-73263
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.3	19.7	23.0	23.8	24.5	22.9	22.6	23.8	21.7	25.0	22.5	21.8	273.6	13	-73263
	00 LST	20.9	18.6	21.1	24.7	27.0	26.4	28.0	27.6	24.0	24.4	22.0	21.5	286.2	13	-73263
	06 LST	18.2	15.9	18.0	20.2	20.5	21.9	23.5	22.5	16.6	20.1	18.5	18.2	234.1	13	-73263
	12 LST	18.9	15.7	19.7	20.7	20.5	19.7	19.3	20.9	17.8	22.0	20.9	19.3	235.4	13	-73263



# TOCCOA-STEPHENS COUNTY, GEORGIA

STA NO. 73802 (IN AREA NUMBER 15)

LATITUDE 3436N

LONGITUDE 08318W

ELEVATION(FT) 00960

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	82	80	90	95	99	104	107	103	104	96	88	80	107	75	-113
MEAN MAX TMP (F)	54	56	64	73	81	88	89	88	83	73	63	54	72	66	-113
MEAN MIN TMP (F)	33	34	41	48	57	64	67	67	62	51	40	34	50	66	-113
ABS MIN TMP (F)	2	-2	9	25	34	42	51	51	39	25	9	0	-2	75	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	4.0	12.0	17.0	19.0	3.0	1.0	0.0	0.0	58.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	14.0	10.0	7.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	7.0	14.0	53.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	31	35	39	48	58	65	69	68	63	51	42	33	50	12	-72311
MEAN REL HUM (PCT)	70	71	68	66	69	72	77	75	76	73	70	70	71	12	-72311
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.22	5.55	6.01	4.56	3.99	4.36	5.71	5.79	4.20	3.55	3.50	5.57	58.0	70	-113
MEAN SNOW FALL (IN)	1.2	1.3	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.1	0.6	3.7	62	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	9.2	7.5	7.0	6.8	1.2	8.4	8.5	6.6	5.7	5.6	9.2	90.5	70	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.3	0.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	62	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	4.6	4.1	2.7	1.4	1.3	2.7	1.9	2.3	2.0	3.2	4.1	33.6	12	-72311
MEAN NO DYS TSTMS	1.0	1.6	3.6	4.4	6.0	9.0	12.4	8.5	2.6	0.6	1.0	0.6	51.3	12	-72311
P FREQ WND SPD = DR GTR 17 KTS	4.3	5.3	6.7	5.1	1.3	0.8	0.6	0.4	1.3	1.2	2.8	2.7	2.7	12	-72311
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72311
P FREQ LES 5000 FT A/D LES 5 MI	32.6	37.0	32.3	23.6	22.5	24.0	26.2	21.5	28.3	24.6	25.1	31.0	27.4	12	-72311
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.4	20.0	18.1	9.8	10.3	8.2	7.4	5.4	12.6	14.4	9.7	15.9	12.7	12	-72311
03-05 LST	23.6	25.9	21.2	19.6	13.9	14.2	16.6	13.3	19.1	17.4	14.2	17.0	17.8	12	-72311
06-08 LST	23.6	30.4	24.6	22.0	20.1	19.8	26.6	19.2	27.0	21.0	21.6	22.6	23.2	12	-72311
09-11 LST	22.3	29.8	22.9	17.3	15.3	13.2	14.6	12.2	20.2	16.2	18.0	20.7	18.6	12	-72311
12-14 LST	19.3	24.9	16.9	10.4	6.2	5.5	3.9	3.7	9.7	11.6	12.4	16.8	11.6	12	-72311
15-17 LST	16.0	19.8	14.4	8.5	3.9	3.8	2.5	2.4	7.3	8.3	9.4	12.9	9.1	12	-72311
18-20 LST	14.0	18.8	13.9	8.8	4.4	3.8	3.0	2.9	7.5	9.6	6.6	11.8	8.8	12	-72311
21-23 LST	14.3	19.6	15.4	8.8	6.5	4.5	3.6	3.9	8.8	10.3	8.5	13.9	9.8	12	-72311
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.4	11.4	5.4	3.4	2.5	0.6	1.7	0.8	2.2	3.9	4.8	6.2	4.2	12	-72311
03-05 LST	8.5	12.1	7.0	5.3	3.9	2.8	6.4	3.5	4.1	5.8	4.9	5.7	5.8	12	-72311
06-08 LST	9.7	12.8	9.3	8.3	4.0	4.9	7.4	6.1	6.9	6.8	6.4	8.2	7.6	12	-72311
09-11 LST	6.8	9.0	5.7	2.5	1.2	0.3	0.4	0.5	1.3	1.8	3.2	4.0	3.1	12	-72311
12-14 LST	4.2	5.4	1.5	0.9	0.1	0.1	0.0	0.1	0.3	0.4	1.6	0.9	1.3	12	-72311
15-17 LST	2.2	4.6	1.1	0.3	0.3	0.1	0.1	0.3	0.1	0.3	1.4	3.1	1.2	12	-72311
18-20 LST	3.1	6.3	3.0	1.2	0.4	0.1	0.3	0.4	0.4	0.9	2.4	4.5	1.9	12	-72311
21-23 LST	4.7	8.2	4.0	2.0	1.8	0.0	0.2	0.5	0.9	2.4	3.7	6.7	2.9	12	-72311

# TOCCOA-STEPHENS COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.2	27.2	27.8	29.9	29.3	30.3	30.3	28.2	28.3	27.8	27.8	337.2	12	-72311
	00 LST	26.5	23.0	26.4	27.6	28.4	28.3	29.4	29.7	27.1	27.5	27.8	26.9	328.6	12	-72311
	06 LST	24.9	21.2	24.4	23.5	26.2	24.4	23.3	25.1	23.5	25.6	25.4	25.8	293.3	12	-72311
	12 LST	26.0	22.5	26.7	27.0	29.7	29.0	31.3	30.2	28.0	27.9	27.1	26.7	331.1	12	-72311
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND = FS 10 KTS	18 LST	19.0	13.4	15.3	15.9	23.0	21.5	25.0	25.5	24.8	25.5	21.9	21.2	232.0	12	-72311
	00 LST	18.1	15.5	18.7	21.7	25.8	26.4	28.1	28.4	24.7	24.5	23.1	19.9	274.9	12	-72311
	06 LST	18.4	13.6	17.9	18.8	23.2	22.2	21.1	23.7	20.6	22.3	20.2	18.7	240.7	12	-72311
	12 LST	12.4	9.0	11.5	13.0	17.4	18.4	21.1	23.7	16.5	17.4	14.4	13.0	187.8	12	-72311
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.4	2.6	1.2	0.3	0.1	0.2	0.4	0.0	0.0	0.7	0.2	8.2	12	-72311
	00 LST	0.7	1.2	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	3.9	12	-72311
	06 LST	0.6	0.7	0.9	0.4	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.3	3.4	12	-72311
	12 LST	1.7	2.1	3.7	2.9	0.4	0.5	0.2	0.1	0.2	0.6	1.5	1.6	15.5	12	-72311
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.0	18.6	19.5	17.6	22.5	21.0	21.7	19.4	22.4	21.9	19.2	19.7	240.5	12	-72311
	00 LST	15.4	16.2	20.9	22.2	24.9	23.5	24.0	22.9	23.5	23.0	22.0	17.5	256.0	12	-72311
	06 LST	11.9	12.5	18.9	23.0	23.3	21.7	21.2	22.0	22.1	24.5	20.2	13.2	234.5	12	-72311
	12 LST	14.3	14.7	13.8	16.0	20.2	18.2	20.0	20.2	19.1	19.7	17.2	15.5	208.9	12	-72311
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.1	8.5	9.5	11.4	10.4	7.4	6.8	9.5	11.4	15.7	12.2	12.4	126.3	12	-72311
	00 LST	12.9	11.5	12.8	16.3	17.9	12.9	14.7	16.1	15.9	18.8	16.7	15.4	181.9	12	-72311
	06 LST	12.6	10.6	11.1	10.9	10.4	7.7	6.8	10.3	11.0	15.7	15.4	13.7	136.2	12	-72311
	12 LST	9.8	7.3	8.4	8.3	8.2	3.9	4.0	5.9	7.1	14.3	11.9	11.2	100.3	12	-72311
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	21.4	25.7	26.3	29.2	27.7	29.5	29.7	26.9	27.5	26.8	26.4	322.3	12	-72311
	00 LST	23.5	20.7	24.8	26.3	27.6	27.1	28.5	29.1	25.8	26.0	26.3	24.7	310.2	12	-72311
	06 LST	23.0	19.3	21.5	21.4	24.3	22.8	21.2	24.1	21.8	23.9	23.2	23.1	269.6	12	-72311
	12 LST	23.8	18.9	22.4	24.7	25.7	24.3	25.2	26.7	23.8	25.1	24.5	23.6	288.7	12	-72311
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.7	18.9	22.4	24.2	27.0	24.3	26.9	26.6	25.0	25.7	24.2	22.3	290.2	12	-72311
	00 LST	20.9	18.0	21.9	24.6	25.7	24.3	25.3	27.3	23.5	23.6	23.1	21.3	279.5	12	-72311
	06 LST	19.7	17.1	18.8	19.6	22.9	21.1	20.3	23.2	19.9	21.8	20.9	20.1	245.4	12	-72311
	12 LST	21.3	17.0	19.3	21.5	21.0	18.0	18.5	21.2	19.5	22.2	22.4	21.2	243.1	12	-72311
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.8	16.9	20.8	23.0	25.5	22.9	25.6	25.5	23.5	24.1	22.7	20.6	271.9	12	-72311
	00 LST	19.4	16.5	21.2	23.1	25.0	22.9	24.6	26.1	22.4	23.0	21.9	20.2	266.3	12	-72311
	06 LST	18.7	15.7	17.6	18.9	21.8	19.1	19.3	22.1	18.9	21.1	19.7	18.7	231.6	12	-72311
	12 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	-72311

## WINDER, GEORGIA

STA NO. 73803 (IN AREA NUMBER 15)

LATITUDE 3359N

LONGITUDE 08340W

ELEVATION(FT) 00942

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO. (YRS) DBS
ABS MAX TMP (F)	80	81	90	93	100	107	108	107	108	96	86	80	108	74 -72311
MEAN MAX TMP (F)	54	57	65	74	82	88	90	89	84	75	64	55	73	64 -72311
MEAN MIN TMP (F)	34	35	42	49	58	66	69	67	63	52	41	35	51	64 -72311
ABS MIN TMP (F)	1	-3	11	25	36	43	55	53	39	25	7	2	-3	76 -72311
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	5.4	12.2	14.6	16.7	5.8	0.0	0.0	0.0	94.7	12 -72311
MEAN NO DYS TMP = DR LES 32(F)	18.1	11.8	6.4	0.5	0.0	0.0	0.0	0.0	0.0	0.6	5.4	16.1	98.9	12 -72311
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12 -72311
MEAN DEW PT TMP (F)	31	35	39	48	58	65	69	68	63	51	42	33	50	12 -72311
MEAN REL HUM (PCT)	70	71	68	66	69	72	77	75	76	73	70	70	71	12 -72311
MEAN PRESS ALT (FT)														0 0
MEAN PRECIP (IN)	4.06	4.53	5.35	3.72	3.49	2.53	5.05	2.61	3.95	3.61	4.16	2.89	45.9	7 -113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	6 -113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	8.1	7.3	6.6	6.5	5.0	7.8	5.1	6.2	5.8	6.5	6.0	78.4	7 -29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	6 -29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	4.6	4.1	2.7	1.4	1.3	2.7	1.9	2.3	2.0	3.2	4.1	33.6	12 -72311
MEAN NO DYS TSTMS	1.0	1.6	3.6	4.4	6.0	9.0	12.4	8.5	2.6	0.6	1.0	0.6	51.3	12 -72311
P FREQ WND SPD = DR GTR 17 KTS	4.3	5.3	6.7	5.1	1.3	0.8	0.6	0.4	1.3	1.2	2.8	2.7	2.7	12 -72311
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12 -72311
P FREQ LES 5000 FT A/D LES 5 MI	32.6	37.0	1.3	23.6	22.5	24.0	26.2	21.5	28.3	24.6	25.1	31.0	27.4	12 -72311
P FREQ LES 1500 FT A/D LES 3 MI														
FOR 00-02 LST	20.4	20.0	18.1	9.8	10.3	8.2	7.4	5.4	12.6	14.4	9.7	15.9	12.7	12 -72311
03-05 LST	23.6	25.9	21.2	16.6	13.9	14.2	16.6	13.3	19.1	17.4	14.2	17.0	17.8	12 -72311
06-08 LST	23.6	30.4	24.6	22.0	20.1	19.8	26.6	19.2	27.0	21.0	21.6	22.8	23.2	12 -72311
09-11 LST	22.3	29.8	22.9	17.3	15.3	13.2	14.6	12.2	20.2	16.2	18.0	20.7	18.6	12 -72311
12-14 LST	19.3	24.9	16.9	10.6	6.2	5.5	3.9	3.7	9.7	11.6	12.4	16.8	11.8	12 -72311
15-17 LST	16.0	19.8	14.4	8.5	3.9	3.8	2.5	2.4	7.3	8.3	9.4	12.9	9.1	12 -72311
18-20 LST	14.0	18.8	13.9	8.8	4.4	3.8	3.0	2.9	7.5	9.6	6.6	11.8	8.8	12 -72311
21-23 LST	14.3	19.6	15.4	8.8	6.5	4.5	3.6	3.9	8.8	10.3	8.5	13.9	9.8	12 -72311
P FREQ LES 300 FT A/D LES 1 MI														
FOR 00-02 LST	7.4	11.4	5.4	3.4	2.5	0.6	1.7	0.8	2.2	3.9	4.8	6.2	4.2	12 -72311
03-05 LST	8.5	12.1	7.0	5.3	3.9	2.8	6.4	3.5	4.1	5.8	4.9	5.7	5.8	12 -72311
06-08 LST	9.7	12.8	9.3	8.3	4.0	4.9	7.4	6.1	6.9	6.8	6.4	8.2	7.6	12 -72311
09-11 LST	6.8	9.0	5.7	2.5	1.2	0.3	0.4	0.5	1.6	1.8	3.2	4.0	3.1	12 -72311
12-14 LST	4.2	5.4	1.5	0.9	0.1	0.1	0.0	0.1	0.3	0.4	1.8	0.9	1.3	12 -72311
15-17 LST	2.2	4.6	1.1	0.3	0.3	0.1	0.1	0.3	0.1	0.3	1.4	3.1	1.2	12 -72311
18-20 LST	3.1	6.3	3.0	1.2	0.4	0.1	0.3	0.4	0.4	0.9	2.4	4.5	1.9	12 -72311
21-23 LST	4.7	8.2	4.0	2.0	1.8	0.0	0.2	0.5	0.9	2.4	3.7	6.7	2.9	12 -72311

# WINDER, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.2	27.2	27.8	29.9	29.3	30.3	30.3	28.2	28.3	27.8	27.8	337.2	12	-72311
	00 LST	26.5	23.0	26.4	27.6	28.4	28.3	29.4	29.7	27.1	27.5	27.8	26.9	328.6	12	-72311
	06 LST	24.9	21.2	24.4	23.5	26.2	24.4	23.3	25.1	23.5	25.6	25.4	25.8	293.3	12	-72311
	12 LST	26.0	22.5	26.7	27.0	29.7	29.0	30.3	30.2	28.0	27.9	27.1	26.7	331.1	12	-72311
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.0	13.4	15.3	15.9	23.0	21.5	25.0	25.5	24.8	25.5	21.9	21.2	232.0	12	-72311
	00 LST	18.1	15.5	18.7	21.7	25.8	26.4	28.1	28.4	24.7	24.5	23.1	19.9	274.9	12	-72311
	06 LST	18.4	13.6	17.9	18.8	23.2	22.2	21.1	23.7	20.6	22.3	20.2	18.7	240.7	12	-72311
	12 LST	12.4	9.0	11.5	13.0	17.4	18.4	21.1	23.7	16.5	17.4	14.4	13.0	187.8	12	-72311
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.4	2.6	1.2	0.3	0.1	0.2	0.4	0.0	0.0	0.7	0.2	8.2	12	-72311
	00 LST	0.7	1.2	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	3.9	12	-72311
	06 LST	0.6	0.7	0.9	0.4	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.3	3.4	12	-72311
	12 LST	1.7	2.1	3.7	2.9	0.4	0.5	0.2	0.1	0.2	0.6	1.5	1.6	15.5	12	-72311
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.0	18.6	19.5	17.6	22.5	21.0	21.7	19.4	22.4	21.9	19.2	19.7	240.5	12	-72311
	00 LST	15.4	16.2	20.9	22.2	24.9	23.5	24.0	22.9	23.5	23.0	22.0	17.5	256.0	12	-72311
	06 LST	11.9	12.5	18.9	23.0	23.3	21.7	21.2	22.0	22.1	24.5	20.2	13.2	234.5	12	-72311
	12 LST	14.3	14.7	13.8	16.0	20.2	18.2	20.0	20.2	19.1	19.7	17.2	15.5	208.9	12	-72311
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.1	8.5	9.5	11.4	10.4	7.4	6.8	9.5	11.4	15.7	12.2	12.4	126.3	12	-72311
	00 LST	12.9	11.5	12.8	16.3	17.9	12.9	14.7	16.1	15.9	18.8	16.7	15.4	181.9	12	-72311
	06 LST	12.6	10.6	11.1	10.9	10.4	7.7	6.8	10.3	11.0	15.7	15.4	13.7	136.2	12	-72311
	12 LST	9.8	7.3	8.4	8.3	8.2	3.9	4.0	5.9	7.1	14.3	11.9	11.2	100.3	12	-72311
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	21.4	25.7	26.3	29.2	27.7	29.5	29.7	26.9	27.5	26.8	26.4	322.3	12	-72311
	00 LST	23.5	20.7	24.6	26.3	27.6	27.1	28.5	29.1	25.8	26.0	26.3	24.7	310.2	12	-72311
	06 LST	23.0	19.3	21.5	21.4	24.3	22.8	21.2	24.1	21.8	23.9	23.2	23.1	269.6	12	-72311
	12 LST	23.8	18.9	22.4	24.7	25.7	24.3	25.2	26.7	23.8	25.1	24.5	23.6	288.7	12	-72311
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.7	18.9	22.4	24.2	27.0	24.3	26.9	26.6	25.0	25.7	24.2	22.3	290.2	12	-72311
	00 LST	20.9	18.0	21.9	24.6	25.7	24.3	25.3	27.3	23.5	23.6	23.1	21.3	279.5	12	-72311
	06 LST	19.7	17.1	18.8	19.6	22.9	21.1	20.3	23.2	19.9	21.8	20.9	20.1	245.4	12	-72311
	12 LST	21.3	17.0	19.3	21.5	21.0	18.0	18.5	21.2	19.5	22.2	22.4	21.2	243.1	12	-72311
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.8	16.9	20.8	23.0	25.5	22.9	25.6	25.5	23.5	24.1	22.7	20.6	271.9	12	-72311
	00 LST	19.4	16.5	21.2	23.1	25.0	22.9	24.6	26.1	22.4	23.0	21.9	20.2	266.3	12	-72311
	06 LST	18.7	15.7	17.6	18.9	21.8	19.1	19.3	22.1	18.9	21.1	19.7	18.7	231.6	12	-72311
	12 LST	18.9	15.3	18.0	20.5	20.2	17.0	17.3	20.6	18.5	21.5	21.2	20.1	229.1	12	-72311

## ATLANTA/MORRIS AAF, GEORGIA

STA NO. 73804 (IN AREA NUMBER 15)

LATITUDE 3337N

LONGITUDE 08420W

ELEVATION(FT) 00939

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	87	93	97	102	103	102	102	95	84	75	103	69	-72219
MEAN MAX TMP (F)	51	54	62	71	79	86	87	86	82	72	61	52	70	68	-72219
MEAN MIN TMP (F)	35	37	43	51	60	67	70	69	64	54	43	37	53	68	-72219
ABS MIN TMP (F)	-2	-8	8	25	38	39	58	55	43	28	3	1	-8	69	-72219
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.1	10.9	12.7	13.5	4.1	0.3	0.0	0.0	43.6	13	-72219
MEAN NO DYS TMP = OR LES 32(F)	11.7	6.6	4.9	0.2	0.0	0.0	0.0	0.0	0.0	0.3	4.8	10.6	39.1	13	-72219
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	13	-72219
MEAN DEW PT TMP (F)	35	36	38	46	57	64	68	67	62	51	39	34	50	12	-72219
MEAN REL HUM (PCT)	71	68	65	62	66	70	73	71	72	69	67	70	69	12	-72219
MEAN PRESS ALT (FT)	720	759	813	842	854	870	844	848	822	780	746	720	302	0	-50
MEAN PRECIP (IN)	4.90	4.80	5.50	3.70	3.60	3.70	4.70	4.30	3.20	2.60	3.10	4.50	48.6	52	-72219
MEAN SNOW FALL (IN)	0.7	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	26	-72219
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.4	7.3	6.6	6.6	6.4	7.5	7.1	3.2	4.5	3.1	8.1	81.3	52	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72219
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	3.3	2.8	0.8	0.7	0.4	1.5	1.3	1.1	2.0	2.5	3.4	24.8	12	-72219
MEAN NO DYS TSTMS	1.0	1.0	3.0	4.0	6.0	9.0	11.0	9.0	3.0	1.0	1.0	1.0	30.0	73	-72219
P FREQ WND SPD = OR GTR 17 KTS	14.0	12.3	13.7	11.6	3.4	1.7	1.2	0.7	2.5	3.7	7.0	7.8	6.6	12	-72219
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.6	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	12	-72219
P FREQ LES 5000 FT A/D LES 5 MI	37.9	34.8	31.7	20.9	19.5	17.4	20.2	16.1	24.2	25.3	28.0	34.6	25.9	12	-72219
P FREQ LES 1500 FT A/D LES 3 MI	22.5	20.0	17.9	9.3	8.9	7.7	10.2	5.4	12.3	14.2	13.8	16.8	13.3	12	-72219
FOR 00-02 LST	26.3	24.7	22.8	14.1	14.2	13.5	18.1	9.5	18.4	18.2	17.3	21.9	18.3	12	-72219
03-05 LST	30.7	28.5	25.4	19.1	22.1	18.1	24.8	18.2	25.0	21.1	23.4	26.6	23.6	12	-72219
06-08 LST	28.9	28.0	23.8	15.2	14.4	10.6	13.2	12.1	19.7	18.4	20.4	24.8	19.1	12	-72219
09-11 LST	19.4	20.0	16.8	8.3	5.6	3.3	2.1	2.1	7.6	10.9	12.7	17.8	10.6	12	-72219
12-14 LST	14.6	15.2	13.8	4.5	3.3	2.4	1.5	1.1	6.6	8.4	8.5	15.3	7.9	12	-72219
15-17 LST	14.6	15.4	14.3	4.6	4.8	2.6	3.0	1.9	6.7	8.8	10.0	13.8	8.4	12	-72219
18-20 LST	17.2	16.0	15.6	5.8	6.9	3.6	4.2	2.8	7.3	9.9	10.9	15.6	9.7	12	-72219
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	7.3	7.6	6.0	1.7	2.0	0.9	1.5	0.4	1.7	3.5	3.6	5.6	3.5	12	-72219
FOR 00-02 LST	9.4	8.2	8.4	2.6	3.0	2.1	5.4	3.3	4.3	5.7	4.9	6.8	5.3	12	-72219
03-05 LST	11.5	10.6	10.0	4.8	3.2	2.0	5.3	4.7	5.4	7.3	7.3	9.4	6.8	12	-72219
06-08 LST	8.6	8.3	4.6	1.7	0.3	0.0	0.4	0.0	0.8	2.3	5.0	8.1	3.3	12	-72219
09-11 LST	3.8	4.6	2.0	0.5	0.0	0.1	0.1	0.1	0.3	0.4	2.4	4.0	1.5	12	-72219
12-14 LST	4.0	4.7	2.3	0.3	0.1	0.2	0.1	0.1	0.5	0.5	1.7	4.2	1.6	12	-72219
15-17 LST	4.6	5.9	3.9	0.5	0.0	0.0	0.3	0.1	0.3	1.5	2.0	5.7	2.1	12	-72219
18-20 LST	5.9	6.6	4.1	0.7	0.5	0.1	0.4	0.3	1.5	2.1	3.0	5.4	2.6	12	-72219
21-23 LST															

# ATLANTA/MORRIS AAF, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	27.1	28.8	30.5	29.5	30.6	30.6	28.6	28.8	27.8	27.5	340.7	12	-72219
	00 LST	25.8	23.4	26.6	28.2	29.1	28.5	28.8	30.0	27.6	27.6	26.7	26.8	329.1	12	-72219
	06 LST	23.7	21.6	24.9	25.4	25.2	25.6	24.6	24.4	24.6	25.6	24.7	24.6	296.9	12	-72219
	12 LST	25.6	22.4	26.0	27.8	29.8	29.1	30.7	30.4	27.8	28.1	26.5	26.1	330.3	12	-72219
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	10.7	10.4	11.5	17.1	15.7	19.2	22.2	20.8	21.8	18.2	16.4	198.7	12	-72219
	00 LST	13.1	11.5	14.3	18.0	22.6	23.5	24.8	26.6	22.1	19.7	17.4	15.1	228.9	12	-72219
	06 LST	12.2	10.2	13.2	17.5	19.2	21.4	20.6	23.7	18.4	19.1	16.4	13.1	205.0	12	-72219
	12 LST	7.2	6.1	7.3	9.3	13.4	15.2	18.5	19.4	13.7	13.1	10.7	8.3	142.0	12	-72219
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.7	3.3	4.9	4.3	0.9	0.7	0.8	0.4	0.2	1.0	2.0	1.2	23.4	12	-72219
	00 LST	3.3	2.7	2.5	1.9	0.5	0.0	0.0	0.0	0.2	0.2	1.6	2.4	15.3	12	-72219
	06 LST	3.4	2.5	2.0	1.4	0.3	0.1	0.2	0.0	0.2	0.6	1.3	2.0	14.0	12	-72219
	12 LST	6.6	5.0	7.8	7.0	1.7	0.8	0.3	0.2	0.9	2.0	3.2	4.5		12	-72219
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.8	14.3	14.4	14.4	20.1	18.4	17.9	21.1	21.5	20.7	19.4	19.0	218.0	12	-72219
	00 LST	14.0	13.7	18.0	17.5	20.7	21.1	20.5	20.0	19.0	18.4	16.2	14.9	214.0	12	-72219
	06 LST	10.4	11.1	15.8	16.4	20.3	21.0	20.6	19.7	18.7	19.0	15.8	12.9	201.7	12	-72219
	12 LST	10.9	9.8	11.2	11.8	17.1	15.9	17.8	18.6	17.5	16.4	14.4	12.4	173.8	12	-72219
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.7	8.6	10.5	9.8	6.4	5.7	9.1	11.3	15.5	12.1	11.1	119.0	12	-72219
	00 LST	12.1	11.2	12.6	16.7	17.0	15.0	13.6	15.3	15.2	18.2	14.9	12.7	174.5	12	-72219
	06 LST	9.5	10.3	10.8	13.5	11.4	10.5	8.0	11.2	12.7	16.2	13.9	11.3	139.3	12	-72219
	12 LST	7.5	7.9	8.6	9.2	7.6	4.4	4.7	6.0	8.4	13.7	11.9	9.0	98.9	12	-72219
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.2	22.7	25.6	28.1	29.2	28.7	29.9	30.1	27.8	27.9	26.3	25.4	326.9	12	-72219
	00 LST	23.1	21.0	24.2	27.0	27.9	27.8	27.7	29.5	26.1	26.2	25.1	23.7	309.3	12	-72219
	06 LST	19.8	19.0	21.6	23.4	24.0	24.5	23.5	25.5	22.6	23.9	23.0	21.7	272.5	12	-72219
	12 LST	21.4	19.9	23.5	25.7	26.3	27.7	27.5	27.5	25.1	25.3	23.6	22.0	295.5	12	-72219
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.6	19.7	22.6	25.6	27.0	26.2	26.7	28.2	25.4	25.5	23.6	21.5	293.6	12	-72219
	00 LST	19.7	18.7	22.5	25.1	26.7	26.8	26.8	28.6	24.2	24.3	22.7	20.6	286.7	12	-72219
	06 LST	16.5	16.3	19.5	21.6	22.9	23.7	22.7	24.5	21.4	21.9	21.7	18.8	251.5	12	-72219
	12 LST	18.9	17.6	19.2	20.7	20.5	20.6	21.0	21.8	20.0	22.2	20.6	18.5	241.6	12	-72219
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.3	18.1	20.5	23.4	25.1	24.5	24.7	27.2	24.2	24.3	22.3	19.5	273.1	12	-72219
	00 LST	18.2	17.3	19.9	23.9	24.6	25.0	25.7	27.3	23.5	23.1	21.8	18.3	268.6	12	-72219
	06 LST	15.1	14.5	17.7	20.4	21.9	22.7	22.1	23.6	20.6	21.0	19.8	17.0	236.4	12	-72219
	12 LST	17.0	16.4	17.9	19.8	19.5	19.6	20.5	21.6	19.6	21.7	20.0	17.5	231.1	12	-72219

# AUGUSTA/DANIEL FIELD, GEORGIA

STA NO. 73806 (IN AREA NUMBER 15)

LATITUDE 3328N

LONGITUDE 08202W

ELEVATION(FT) 00424

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	83	81	89	90	96	104	102	101	94	87	81	80	104	3	912
MEAN MAX TMP (F)	62	63	67	76	85	91	92	90	83	77	68	61	76	3	912
MEAN MIN TMP (F)	43	43	46	53	63	69	73	70	64	56	46	42	56	3	912
ABS MIN TMP (F)	15	24	27	31	50	58	68	63	49	37	30	22	15	3	912
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.7	18.3	20.5	20.5	6.5	0.0	0.0	0.0	73.8	3	912
MEAN NO DYS TMP = DR LES 32(F)	6.0	3.3	2.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.0	17.8	3	912
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	912
MEAN DEW PT TMP (F)	41	41	41	46	58	65	70	68	62	54	44	39	52	3	21834
MEAN REL HUM (PCT)	71	68	61	56	63	65	72	72	71	68	66	69	67	3	21833
MEAN PRESS ALT (FT)	211	249	296	325	332	346	321	327	301	262	231	210	284	0	-50
MEAN PRECIP (IN)	2.40	4.58	5.17	2.98	5.90	2.94	4.64	5.46	4.41	2.91	3.77	3.47	18.0	3	909
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	912
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	8.2	8.1	4.0	7.3	6.1	6.5	8.0	6.5	4.5	6.5	6.0	77.7	3	909
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	912
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.4	4.9	4.3	1.0	1.0	1.3	1.0	2.3	3.3	4.0	3.0	6.0	38.9	3	911
MEAN NO DYS TSTMS	0.0	1.3	4.7	2.0	10.3	8.6	11.0	10.0	2.5	1.5	3.5	0.0	55.4	3	912
P FREQ WND SPD = DR GTR 17 KTS	2.3	3.2	8.3	4.9	1.3	0.8	0.4	1.6	0.3	0.1	2.4	1.3	2.2	3	21835
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	3	21835
P FREQ LES 5000 FT A/D LES 5 MI	38.7	37.5	29.1	20.4	18.5	17.1	29.0	30.1	29.4	26.9	29.0	41.0	28.9	3	21831
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.0	24.3	11.5	4.1	8.2	8.6	11.3	14.0	17.8	10.8	17.8	24.7	14.6	3	2732
03-05 LST	24.0	29.8	18.6	9.3	11.5	14.1	22.0	26.6	25.0	23.1	23.3	26.5	21.2	3	2733
06-08 LST	32.6	30.2	27.6	14.8	15.8	17.5	24.2	34.8	26.7	25.3	24.4	32.3	25.5	3	2733
09-11 LST	34.9	29.0	17.6	10.4	10.8	6.7	16.2	13.7	17.4	15.6	19.6	25.3	18.1	3	2728
12-14 LST	26.2	19.6	11.1	6.7	2.5	1.1	1.6	7.0	5.0	8.1	13.9	23.1	10.5	3	2730
15-17 LST	19.4	17.3	9.0	7.4	6.5	0.0	3.2	3.2	5.0	4.8	8.9	15.6	8.4	3	2734
18-20 LST	18.9	18.0	7.2	6.3	2.2	1.1	3.8	5.4	6.7	5.4	6.7	13.5	7.9	3	2729
21-23 LST	21.5	19.6	9.3	4.8	4.3	1.5	3.8	7.0	13.3	7.5	8.9	18.4	10.0	3	2730
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.1	7.5	4.3	1.5	2.9	1.5	2.2	2.7	2.2	3.8	6.1	8.6	4.5	3	2732
03-05 LST	12.2	10.2	6.5	1.1	3.6	3.7	4.3	9.8	10.6	8.6	8.3	13.5	7.7	3	2733
06-08 LST	15.8	13.7	10.0	3.3	1.8	4.5	1.6	8.7	8.9	11.8	8.9	16.1	8.8	3	2733
09-11 LST	9.7	8.6	2.5	1.1	0.0	0.0	0.0	0.0	0.6	3.8	4.5	7.0	3.2	3	2728
12-14 LST	3.3	2.0	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.7	3	2730
15-17 LST	1.4	2.7	0.7	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.1	0.6	3	2734
18-20 LST	6.5	5.1	1.8	0.4	0.0	0.0	0.0	0.5	0.6	2.7	1.1	3.8	1.9	3	2729
21-23 LST	8.4	3.5	3.2	2.2	0.0	0.0	1.6	2.7	2.8	1.6	4.4	8.1	3.2	3	2730



# AUGUSTA/DANIEL FIELD, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	24.0	29.3	28.3	31.0	29.3	31.0	29.5	28.5	29.5	28.5	27.5	342.0	3	912
	01 LST	24.6	22.1	28.3	29.0	29.3	28.7	29.5	27.0	25.0	28.0	26.5	23.0	321.0	3	912
	07 LST	21.6	20.4	22.7	26.3	26.7	25.0	27.0	20.5	21.5	25.0	24.0	22.0	282.7	3	912
	13 LST	24.0	24.0	28.3	28.3	30.7	29.6	31.0	30.0	29.0	29.0	27.0	25.0	335.9	3	912
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.0	19.1	19.7	22.7	25.3	26.0	25.0	26.5	26.5	28.0	23.0	23.5	287.3	3	912
	01 LST	18.0	17.1	19.3	24.3	26.7	25.3	25.0	25.0	22.0	24.5	19.0	19.5	265.7	3	912
	07 LST	16.0	14.5	15.7	20.3	23.0	21.0	23.0	20.0	15.0	21.5	17.5	16.0	223.5	3	912
	13 LST	10.7	11.8	12.3	13.0	20.6	19.0	20.0	22.0	19.5	25.0	12.5	14.5	200.9	3	912
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.2	3	884
	01 LST	0.3	0.3	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3	874
	07 LST	0.0	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.2	3	860
	13 LST	2.4	2.4	5.7	4.2	0.7	0.7	0.0	0.5	0.5	0.0	2.1	0.5	19.7	3	882
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.5	18.6	17.5	22.2	20.4	17.5	21.0	19.0	20.2	19.3	18.8	22.4	235.4	3	884
	01 LST	19.1	20.0	17.8	23.1	22.3	22.0	22.0	19.8	19.7	18.2	20.2	21.2	245.4	3	874
	07 LST	17.3	13.6	16.6	22.1	22.6	22.2	22.2	15.5	19.3	21.7	19.7	19.6	232.4	3	860
	13 LST	13.7	16.2	13.9	14.8	17.3	11.6	11.7	10.0	19.3	25.3	11.0	20.5	185.3	3	882
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.3	9.2	11.7	13.0	9.3	5.3	5.0	5.0	9.0	13.5	13.5	11.0	115.8	3	912
	01 LST	11.3	11.2	12.6	15.0	12.0	12.0	13.0	13.0	11.0	18.0	17.0	14.5	160.6	3	912
	07 LST	6.7	6.2	7.7	12.0	11.7	8.6	9.0	8.5	8.5	10.0	14.0	8.5	111.4	3	912
	13 LST	7.7	6.9	8.0	11.0	8.3	4.3	1.5	3.0	6.5	9.0	13.5	8.5	88.2	3	912
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.3	21.1	28.3	27.7	29.6	29.0	30.5	29.0	27.0	28.5	27.0	24.5	326.5	3	912
	01 LST	23.0	19.1	26.7	26.6	28.6	25.7	26.0	26.0	24.0	26.5	22.5	22.0	296.7	3	912
	07 LST	19.7	17.8	20.6	25.0	25.6	24.0	22.5	20.5	20.0	22.5	21.5	20.0	259.7	3	912
	13 LST	20.0	20.1	26.3	25.7	29.3	28.0	29.0	27.0	24.0	27.5	24.0	21.5	302.4	3	912
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	21.3	18.4	23.7	24.3	26.3	25.7	24.5	25.0	25.0	26.5	22.5	20.5	283.7	3	912
	01 LST	20.0	18.1	23.3	24.3	27.0	23.6	23.0	24.0	21.0	24.0	21.0	19.5	268.8	3	912
	07 LST	15.3	15.1	17.3	23.0	24.0	23.6	21.5	20.5	17.0	21.0	20.5	16.0	234.8	3	912
	13 LST	17.6	17.8	20.0	21.3	23.7	21.3	19.5	16.5	20.0	20.0	20.0	18.0	235.7	3	912
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	20.3	17.8	22.3	21.7	25.3	25.3	24.0	24.0	24.5	24.5	22.0	19.5	271.2	3	912
	01 LST	19.3	17.1	22.0	23.3	26.0	23.0	23.0	23.5	20.5	23.5	20.5	19.5	261.2	3	912
	07 LST	15.3	14.1	15.7	21.7	23.3	23.0	19.5	20.5	17.0	19.5	19.5	15.5	224.6	3	912
	13 LST	16.3	17.1	19.0	20.0	23.7	21.0	18.5	16.5	20.0	19.5	19.0	16.5	227.1	3	912

## BRUNSWICK/MC KINNON, GEORGIA

STA NO. 73808 (IN AREA NUMBER 15)

LATITUDE 3109N

LONGITUDE 08123W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	86	89	94	101	104	104	103	101	95	89	84	104	58	-613
MEAN MAX TMP (F)	65	67	72	78	85	90	91	91	87	80	71	65	79	40	-113
MEAN MIN TMP (F)	45	47	51	58	66	71	73	73	71	62	52	46	60	40	-113
ABS MIN TMP (F)	17	13	24	35	44	55	63	63	51	36	21	19	13	58	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	4.3	13.7	14.5	15.5	4.0	0.7	0.0	0.0	52.7	7	2222
MEAN NO DYS TMP = OR LES 32(F)	2.3	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.7	9.3	7	2222
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2222
MEAN DEW PT TMP (F)	50	49	51	57	65	72	73	74	71	63	49	46	60	6	52417
MEAN REL HUM (PCT)	81	78	75	74	74	76	78	79	82	81	77	80	78	6	52411
MEAN PRESS ALT (FT)	-188	-155	-119	-92	-74	-61	-95	-74	-70	-107	-163	-188	-115	0	-50
MEAN PRECIP (IN)	2.70	3.07	3.46	3.20	3.54	5.61	7.20	6.37	7.81	3.94	1.75	2.79	51.4	61	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	6.3	6.5	6.3	6.5	8.3	9.8	9.0	11.0	6.2	3.3	5.9	84.8	61	-29
MEAN NO DYS SNFL = OR GTR 1.3 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2214
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	1.7	1.6	1.0	0.5	0.2	0.3	0.0	0.7	1.8	2.5	3.7	18.2	6	2189
MEAN NO DYS TSTMS	0.3	1.1	3.2	4.1	5.8	10.0	11.5	11.2	5.9	0.5	1.1	0.8	55.5	7	2219
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.8	2.9	2.2	1.3	1.1	1.1	1.2	1.8	1.8	1.4	1.3	1.7	6	52491
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	6	52491
P FREQ LES 5000 FT A/D LES 5 MI	22.0	23.3	18.7	14.7	10.9	15.1	13.3	14.4	25.3	25.1	17.6	26.8	18.9	6	52473
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	11.9	11.2	7.7	5.0	0.9	1.1	1.3	1.4	5.1	6.3	9.4	12.5	6.2	6	6354
03-05 LST	12.9	12.4	7.4	8.0	3.0	1.7	2.3	3.6	8.6	12.2	14.3	13.5	8.3	6	6364
06-08 LST	19.4	18.2	15.4	8.3	7.0	5.4	3.0	6.8	12.9	15.1	15.0	19.6	12.2	6	6360
09-11 LST	14.9	15.4	14.0	5.9	6.6	4.8	3.1	4.5	13.0	13.2	8.7	15.0	9.9	6	6358
12-14 LST	9.5	10.5	7.5	3.5	3.8	1.9	2.2	3.4	9.9	8.6	7.0	13.3	6.8	6	6365
15-17 LST	9.3	10.1	7.0	3.7	0.9	0.7	1.4	2.2	9.0	9.7	6.5	11.5	6.0	6	6361
18-20 LST	11.8	9.7	8.1	4.6	0.9	1.3	0.9	2.3	6.9	6.6	6.5	11.7	5.9	6	6364
21-23 LST	12.0	9.7	8.4	4.1	1.3	1.7	1.6	0.9	5.4	6.3	6.3	10.6	5.7	6	6360
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.1	3.9	1.8	1.3	0.0	0.0	0.0	0.0	0.4	1.3	4.4	6.0	2.1	6	6354
03-05 LST	7.9	4.5	2.3	2.6	1.1	0.2	0.9	0.2	1.5	5.6	6.5	6.7	3.3	6	6364
06-08 LST	12.2	5.9	3.6	1.5	0.5	0.2	0.4	0.2	1.1	4.3	6.5	8.3	3.7	6	6360
09-11 LST	6.5	1.6	1.1	0.0	0.2	0.0	0.5	0.0	0.0	0.0	1.9	2.7	1.2	6	6358
12-14 LST	0.9	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.2	0.2	0.9	1.3	0.3	6	6365
15-17 LST	2.0	1.0	0.4	0.0	0.0	0.0	0.2	0.4	0.2	1.1	0.0	2.5	0.7	6	6361
18-20 LST	4.8	1.6	1.3	0.9	0.0	0.0	0.0	0.4	0.2	0.4	0.6	2.9	1.1	6	6364
21-23 LST	5.2	1.4	0.7	0.7	0.0	0.0	0.2	0.0	0.0	0.4	2.2	4.3	1.3	6	6360

## BRUNSWICK/MC KINNON, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.3	26.0	29.1	28.8	31.0	29.8	30.8	30.5	29.2	30.0	28.5	27.8	348.8	6	2190
	01 LST	28.0	25.2	28.8	28.7	30.8	30.0	30.8	30.7	29.3	29.5	27.8	27.6	347.2	6	2190
	07 LST	24.3	23.4	26.8	28.0	29.8	28.8	30.3	29.5	27.6	26.8	25.7	25.3	326.3	6	2189
	13 LST	28.8	26.2	29.8	29.3	31.0	30.0	30.8	30.7	29.0	29.5	28.1	27.6	350.8	6	2190
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	19.0	16.9	19.3	17.8	19.5	15.2	19.3	19.2	19.3	22.2	23.5	22.1	233.3	6	2190
	01 LST	19.8	16.4	19.3	20.8	21.5	22.1	25.0	25.3	23.8	24.1	21.5	21.8	281.4	6	2190
	07 LST	18.0	15.1	18.8	20.2	19.3	19.0	21.8	24.0	21.6	19.8	20.8	19.7	238.1	6	2189
	13 LST	12.8	8.1	10.5	10.1	9.6	11.5	14.1	16.5	15.2	13.0	15.5	14.7	151.6	6	2190
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	0.3	0.8	0.3	0.2	0.5	0.8	0.5	0.2	0.0	0.3	0.0	4.7	6	2136
	01 LST	0.2	0.2	0.3	0.7	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.0	2.0	6	2150
	07 LST	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.0	1.9	6	2153
	13 LST	1.0	1.7	1.9	1.7	1.1	0.3	1.0	0.8	0.0	0.3	0.8	1.2	11.8	6	2151
SFC WND 4-10 KTS ANI. TMP 33-89 DEG F AND NO PRECIP.	19 LST	20.8	19.6	22.2	23.6	22.2	19.8	22.5	23.0	20.9	21.8	20.4	20.6	257.4	6	2135
	01 LST	20.4	18.2	23.4	20.8	21.8	21.9	22.8	21.9	21.2	21.1	19.6	19.0	252.1	6	2149
	07 LST	17.9	18.6	23.2	21.9	21.5	23.3	25.2	25.0	18.9	22.3	18.8	19.2	255.8	6	2153
	13 LST	18.0	14.7	16.2	15.6	15.3	12.7	15.2	16.4	19.8	18.7	20.2	18.9	201.7	6	2151
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.0	11.4	11.2	11.3	10.8	4.0	5.6	4.7	6.2	14.7	16.7	13.2	121.8	6	2190
	01 LST	16.0	14.2	16.6	17.2	19.0	14.3	12.5	14.0	11.5	18.0	17.6	14.2	185.1	6	2190
	07 LST	12.5	10.4	9.5	11.5	11.2	8.8	8.0	7.2	6.2	10.5	11.6	9.5	116.9	6	2189
	13 LST	9.8	9.9	9.3	10.8	9.5	5.2	3.0	3.8	2.6	7.7	13.3	10.0	94.9	6	2190
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.2	24.3	28.1	27.3	30.3	27.8	30.0	29.1	25.8	27.5	27.3	26.5	330.2	6	2190
	01 LST	26.5	23.4	27.5	28.1	30.3	28.7	30.2	29.5	26.3	28.0	26.8	25.1	330.4	6	2190
	07 LST	23.2	21.0	25.0	27.3	28.0	26.2	28.5	27.2	24.8	25.1	24.7	22.4	303.4	6	2189
	13 LST	26.5	23.2	27.5	27.7	29.0	27.7	29.1	28.3	24.7	26.0	26.5	25.3	321.5	6	2190
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.3	22.0	26.7	24.8	28.3	25.1	26.7	26.0	23.0	25.1	26.6	24.3	302.9	6	2190
	01 LST	24.8	21.2	25.8	27.0	28.8	27.8	29.5	28.6	24.0	26.3	25.5	22.8	312.1	6	2190
	07 LST	21.1	19.0	23.0	25.7	26.8	24.2	27.2	26.2	22.6	22.5	23.0	18.9	280.2	6	2189
	13 LST	23.5	20.2	23.8	24.2	25.6	23.3	23.8	24.0	19.3	22.7	24.8	21.9	277.1	6	2190
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.5	21.0	24.8	23.0	27.3	23.6	24.8	24.6	21.2	24.3	24.8	22.3	284.2	6	2190
	01 LST	23.7	20.0	24.3	26.0	27.7	27.2	29.3	27.8	22.8	25.1	23.8	20.9	298.6	6	2190
	07 LST	19.2	17.9	21.3	24.0	25.8	23.3	26.7	25.1	21.6	20.6	21.8	17.2	264.5	6	2189
	13 LST	22.0	18.4	22.2	23.0	25.3	22.7	23.2	23.7	18.0	20.6	23.2	20.3	262.6	6	2190

# MACON/SMART, GEORGIA

STA NO. 73023 (IN AREA NUMBER 15)

LATITUDE 3249N

LONGITUDE 08333W

ELEVATION(FT) 00463

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	83	88	92	99	106	105	104	102	100	88	90	106	10	3653
MEAN MAX TMP (F)	62	65	69	78	86	92	93	93	86	78	67	60	77	10	3653
MEAN MIN TMP (F)	40	42	46	53	62	69	71	70	65	54	42	39	34	10	3653
ABS MIN TMP (F)	13	14	20	31	44	48	61	55	45	26	10	17	10	10	3653
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.9	12.2	21.6	24.0	24.2	10.7	1.5	0.0	0.0	95.1	10	3553
MEAN NO DYS TMP = OR LES 32(F)	8.9	4.1	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.5	5.0	8.2	29.4	10	3653
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN DEW PT TMP (F)	39	42	42	49	59	66	69	58	64	53	41	38	53	10	87612
MEAN REL HUM (PCT)	69	68	63	61	64	66	72	70	72	69	67	70	68	10	87612
MEAN PRESS ALT (FT)	243	284	338	368	377	391	369	369	336	295	268	243	323	0	-50
MEAN PRECIP (IN)	2.39	4.55	4.45	3.47	3.87	3.30	4.68	3.29	3.74	1.64	2.93	4.46	42.8	10	3629
MEAN SNOW FALL (IN)	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	3648
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	7.5	7.2	5.6	5.4	5.7	8.5	5.9	5.6	3.4	4.2	6.8	70.6	10	3629
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3648
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	3.2	2.1	0.3	0.5	0.6	0.9	0.9	1.6	2.0	3.2	4.7	24.1	10	3652
MEAN NO DYS TSTMS	0.4	2.5	3.6	5.2	7.9	10.5	14.6	10.9	2.8	1.0	1.4	1.0	61.8	10	3653
P FREQ WND SPD = OR GTR 17 KTS	3.1	3.8	5.7	4.3	0.8	0.9	0.7	0.5	1.2	1.0	2.2	2.3	2.2	10	87611
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	10	87611
P FREQ LES 5000 FT A/D LES 5 MI	35.3	35.6	29.8	20.1	19.2	16.3	21.1	18.3	25.7	28.5	27.5	35.6	26.1	10	87604
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.4	17.7	13.9	6.8	5.5	4.3	6.8	4.8	11.1	12.9	15.0	18.6	11.1	10	10951
03-05 LST	21.4	21.8	18.3	9.4	12.6	9.1	14.6	11.5	18.1	11.8	17.2	23.5	16.4	10	10954
06-08 LST	29.8	31.2	25.2	14.7	16.3	13.6	21.9	20.6	28.7	26.3	24.3	29.1	23.5	10	10943
09-11 LST	24.3	25.1	18.2	8.7	7.2	6.2	8.6	8.0	17.0	14.8	17.1	25.1	15.0	10	10949
12-14 LST	15.7	14.5	11.1	5.0	3.3	1.8	1.3	1.8	7.7	6.0	7.9	15.3	7.6	10	10952
15-17 LST	9.1	11.8	9.7	3.4	1.6	1.6	1.7	1.9	7.1	4.1	5.9	12.5	5.9	10	10951
18-20 LST	9.0	12.2	9.2	2.8	1.1	1.3	1.3	2.2	6.4	4.2	6.1	11.3	5.6	10	10952
21-23 LST	9.8	14.3	9.7	3.1	3.7	1.4	2.8	2.6	6.9	7.0	8.8	12.0	6.8	10	10952
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	4.1	2.4	0.8	0.4	0.1	0.5	.2	3.7	1.0	2.9	6.0	1.9	10	10951
03-05 LST	6.3	7.1	4.7	1.2	1.4	1.2	1.9	1.6	1.9	4.3	5.7	8.7	3.9	10	10954
06-08 LST	9.0	8.1	5.7	1.1	1.4	0.9	2.3	2.7	4.2	5.3	8.1	10.1	4.9	10	10943
09-11 LST	4.6	3.0	1.3	0.2	0.0	0.0	0.0	0.1	0.2	0.9	2.3	5.0	1.3	10	10949
12-14 LST	1.3	1.2	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	1.2	0.4	10	10952
15-17 LST	1.0	1.2	0.2	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.6	1.3	0.4	10	10951
18-20 LST	1.9	2.1	0.3	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.6	2.2	0.6	10	10952
21-23 LST	2.9	3.4	1.2	0.0	0.0	0.0	0.4	0.0	0.3	0.4	1.4	3.5	1.1	10	10952

# MACON/SMART, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.4	25.1	28.6	29.6	30.8	30.0	30.9	30.6	28.2	29.8	28.4	27.9	348.2	10	3652
	00 LST	27.9	24.4	27.8	29.0	30.0	29.5	30.0	30.3	28.1	28.4	26.9	26.9	339.2	10	3652
	06 LST	24.8	23.0	24.9	26.7	26.8	26.8	25.9	25.5	22.6	23.3	24.5	24.1	298.9	10	3652
	12 LST	27.7	24.5	28.5	29.1	30.6	29.8	30.9	30.8	28.4	29.6	28.2	27.1	345.2	10	3652
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.4	16.8	15.5	17.0	22.4	20.6	21.5	25.3	23.8	26.2	23.9	21.1	233.5	10	3652
	00 LST	19.6	16.6	16.6	21.0	25.8	25.9	27.0	28.5	24.0	24.7	21.3	20.5	271.5	10	3652
	06 LST	17.2	15.6	18.3	20.1	23.4	24.6	23.0	23.4	18.7	19.5	20.1	17.9	241.8	10	3652
	12 LST	12.4	8.9	10.4	11.8	16.7	18.7	21.7	22.4	16.2	17.9	15.1	12.9	185.1	10	3652
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.6	1.0	0.8	0.1	0.3	0.6	0.2	0.3	0.1	0.5	0.5	5.9	10	3576
	00 LST	0.8	0.5	0.6	0.5	0.1	0.0	0.2	0.1	0.1	0.3	0.9	0.3	4.4	10	3569
	06 LST	0.7	0.6	0.7	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.4	0.3	3.1	10	3546
	12 LST	1.7	2.3	3.8	2.1	0.3	0.5	0.2	0.2	0.1	0.6	1.4	1.8	15.0	10	3576
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.0	19.5	19.7	20.0	20.0	14.7	16.7	15.3	20.9	21.3	20.7	21.4	230.5	10	3576
	00 LST	17.7	19.2	18.7	21.6	22.0	22.7	21.1	21.2	21.2	20.5	18.9	17.5	242.3	10	3569
	06 LST	16.1	15.0	19.6	19.5	19.8	20.0	20.1	16.7	19.2	20.1	16.5	15.3	217.9	10	3546
	12 LST	16.0	13.1	15.8	14.9	17.9	11.9	12.0	11.0	14.9	19.1	16.9	17.8	181.3	10	3576
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.9	10.2	9.3	11.6	11.9	8.6	7.1	9.1	8.8	16.5	14.8	11.2	130.0	10	3652
	00 LST	14.2	13.4	14.4	18.2	18.8	16.0	16.0	18.5	16.4	20.1	16.5	13.8	196.3	10	3652
	06 LST	10.0	10.5	9.8	12.7	11.8	11.6	9.7	11.7	9.3	14.0	14.0	12.3	137.4	10	3652
	12 LST	9.6	8.4	8.5	9.9	8.0	6.6	5.0	8.4	6.7	14.4	13.1	9.1	107.7	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.5	23.1	27.1	28.2	30.0	29.2	30.2	30.0	27.3	28.6	27.3	25.5	333.0	10	3652
	00 LST	25.9	22.5	25.9	27.9	28.4	28.5	29.1	29.5	26.3	27.2	25.6	24.1	320.9	10	3652
	06 LST	20.9	19.6	21.6	23.8	24.7	25.4	24.0	23.5	20.2	21.4	22.3	21.1	268.5	10	3652
	12 LST	23.7	21.1	25.1	26.3	29.0	28.0	29.3	28.4	25.9	26.8	25.6	22.8	312.0	10	3652
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.3	20.4	23.2	25.8	26.8	26.0	26.0	26.3	24.2	24.6	24.1	21.7	291.4	10	3652
	00 LST	22.2	19.5	23.9	26.0	27.5	27.1	27.6	28.2	24.6	25.2	22.8	21.3	295.9	10	3652
	06 LST	16.9	16.2	18.3	21.6	23.3	24.4	22.9	22.9	18.4	19.3	20.0	17.1	241.3	10	3652
	12 LST	19.9	18.2	19.9	20.7	22.3	20.7	19.6	22.1	20.7	23.2	22.6	18.9	248.8	10	3652
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.2	18.9	21.6	24.5	26.4	24.8	24.6	25.7	23.0	23.5	23.3	20.6	278.1	10	3652
	00 LST	20.8	18.3	22.6	24.8	26.2	26.6	26.5	27.3	23.9	24.4	22.1	20.2	283.7	10	3652
	06 LST	16.2	15.1	16.6	20.4	22.3	23.8	22.2	22.0	17.0	18.3	19.3	16.0	229.2	10	3652
	12 LST	18.3	16.9	18.8	20.0	21.8	20.3	19.3	22.1	19.8	22.8	21.5	17.5	239.1	10	3652

## ROME/RUSSELL, GEORGIA

STA NO. 75125 (IN AREA NUMBER 15)

LATITUDE 3420N

LONGITUDE 08509W

ELEVATION(FT) 00644

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
ABS MAX TMP (F)	80	77	83	91	95	102	106	101	101	96	87	78	106	12	4382
MEAN MAX TMP (F)	53	58	62	74	82	89	91	91	85	74	62	53	73	12	4382
MEAN MIN TMP (F)	31	34	38	46	55	63	67	66	60	47	35	31	48	12	4382
ABS MIN TMP (F)	5	-1	8	23	33	44	53	52	40	21	3	8	-1	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	5.5	14.0	20.2	20.6	8.3	0.9	0.0	0.0	69.7	12	4382
MEAN NO DYS TMP = OR LES 32(F)	17.7	13.6	11.5	2.8	0.0	0.0	0.0	0.0	0.0	2.4	14.4	19.2	81.6	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4382
MEAN DEW PT TMP (F)	35	33	34	46	56	64	68	68	62	53	36	31	49	9	38728
MEAN REL HUM (PCT)	74	69	67	67	69	72	74	75	75	77	70	71	72	9	38724
MEAN PRESS ALT (FT)	426	463	516	546	561	578	549	557	536	492	453	426	509	0	-50
MEAN PRECIP (IN)	4.85	5.28	5.81	4.26	3.95	3.83	4.85	3.07	4.15	2.79	3.16	5.42	51.4	12	4373
MEAN SNOW FALL (IN)	0.1	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.6	12	4380
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.6	9.2	8.6	6.2	6.2	5.9	7.8	6.3	5.4	4.4	5.5	7.4	81.5	12	4373
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	4380
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.5	1.4	2.0	0.5	1.5	1.5	2.9	2.0	4.5	4.5	1.5	0.5	26.3	6	736
MEAN NO DYS TSMTS	2.9	4.1	7.0	8.4	11.6	12.5	20.1	19.6	10.0	5.4	4.1	2.1	107.8	10	915
P FREQ WND SPG = OR GTR 17 KTS	1.9	3.2	2.7	2.9	1.1	0.1	0.2	0.4	0.3	0.3	1.3	1.6	1.3	9	38567
P FREQ WND SPG = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	38567
P FREQ LES 5000 FT A/D LES 5 MI	54.2	36.1	40.9	21.6	17.4	26.4	29.6	21.4	30.1	31.4	31.4	41.2	31.8	6	17624
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.7	17.9	19.1	2.7	1.1	6.1	5.3	5.4	15.6	21.0	10.6	17.2	12.1	7	2205
03-05 LST	28.5	22.8	19.4	2.2	5.3	17.2	17.5	10.8	20.0	26.9	12.2	18.3	16.8	5	2195
06-08 LST	24.6	22.7	18.6	10.6	15.3	13.7	20.0	14.2	17.6	23.7	19.2	20.0	18.4	12	11430
09-11 LST	22.1	19.3	18.9	7.9	7.5	5.4	8.6	6.0	10.8	13.5	15.2	18.5	12.8	12	13114
12-14 LST	15.7	15.1	12.0	3.7	2.3	1.5	1.8	1.3	3.9	6.1	9.3	13.5	7.2	12	13111
15-17 LST	14.5	12.7	10.8	3.2	2.3	1.1	0.9	0.4	3.5	5.2	6.4	11.8	6.1	12	9245
18-20 LST	13.8	13.1	9.6	3.2	2.3	0.8	1.6	0.8	4.6	6.3	8.5	11.2	6.3	12	9226
21-23 LST	15.2	13.4	10.5	3.3	2.1	3.6	2.7	1.7	7.9	8.9	10.8	14.9	7.9	11	4898
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.8	3.5	3.7	1.6	0.0	0.0	2.1	1.6	7.8	8.1	1.7	1.1	3.5	7	2205
03-05 LST	10.2	6.4	6.5	0.5	1.1	3.9	2.2	4.8	12.2	12.9	1.1	1.6	5.3	5	2195
06-08 LST	6.6	4.5	3.1	0.6	2.9	3.7	5.2	4.3	5.2	7.4	5.7	4.6	4.5	12	11430
09-11 LST	4.5	1.4	0.5	0.2	0.1	0.0	0.1	0.4	0.6	1.5	1.8	2.2	1.1	12	13114
12-14 LST	1.2	0.2	0.5	0.3	0.1	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.3	12	13111
15-17 LST	1.1	0.6	0.1	0.2	0.4	0.1	0.1	0.1	0.1	0.4	0.4	0.5	0.3	12	9245
18-20 LST	3.1	1.0	0.1	0.2	0.1	0.0	0.0	0.1	0.0	0.5	1.8	1.3	0.7	12	9226
21-23 LST	3.7	3.8	1.6	0.5	0.0	0.5	0.5	0.0	0.0	2.5	3.1	2.5	1.6	11	4898

## ROME/RUSSELL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.3	26.2	29.5	29.4	30.7	30.0	30.7	30.7	29.5	29.6	28.7	28.4	350.7	12	3093
	00 LST	27.0	25.4	27.1	29.0	30.3	28.0	30.3	30.3	27.3	26.0	27.3	26.3	334.3	10	1105
	06 LST	25.9	23.9	26.9	28.7	28.0	25.9	25.4	26.3	26.0	25.0	25.2	26.7	313.9	12	4382
	12 LST	27.5	25.3	28.9	29.7	30.7	29.7	30.8	30.9	29.3	30.0	28.2	28.3	349.3	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	16.2	16.7	17.4	24.3	24.9	26.5	26.7	25.4	24.6	22.7	20.3	264.3	12	3093
	00 LST	18.1	18.5	18.6	23.5	28.3	26.4	29.3	28.6	25.0	19.7	19.3	18.0	273.3	10	1105
	06 LST	17.1	17.9	20.1	21.3	24.1	23.5	22.5	23.8	22.5	21.3	20.2	20.2	254.5	12	4382
	12 LST	12.9	10.7	11.6	14.1	18.2	21.8	22.7	24.6	19.0	19.4	15.8	15.5	206.3	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.8	0.6	1.8	0.3	0.2	0.1	0.2	0.0	0.0	0.0	0.5	5.3	12	3009
	00 LST	0.3	1.6	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.4	4.3	11	1046
	06 LST	0.2	0.5	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	1.6	12	4138
	12 LST	1.9	2.2	2.2	3.2	0.4	0.3	0.0	0.2	0.2	0.6	0.6	1.3	13.1	12	4270
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.9	16.5	19.3	17.6	20.9	18.0	17.9	16.9	19.1	17.2	16.0	16.8	214.1	12	3009
	00 LST	10.5	6.6	15.3	14.8	13.2	10.6	11.9	14.0	12.5	12.0	8.2	7.6	137.2	11	1046
	06 LST	9.0	9.1	11.0	13.1	9.5	9.7	7.8	7.3	8.5	10.1	8.4	7.8	111.3	12	4138
	12 LST	13.9	13.3	13.2	15.7	18.9	15.3	15.9	13.9	17.4	18.6	15.7	13.7	185.5	12	4269
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	9.7	7.6	9.5	9.0	8.6	6.1	9.7	11.4	15.5	12.6	10.6	119.4	12	3092
	00 LST	9.2	11.4	9.8	12.4	14.2	12.8	13.8	14.7	10.3	14.7	12.0	10.7	146.0	10	1105
	06 LST	8.4	8.5	8.4	10.7	9.6	8.4	8.4	9.1	10.6	13.1	10.5	10.5	116.2	12	4382
	12 LST	7.6	7.8	8.5	9.2	7.8	6.7	5.2	7.5	9.8	14.4	11.2	9.3	105.0	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.8	23.1	26.1	28.1	29.9	29.6	29.9	30.6	28.4	28.5	27.1	26.4	331.5	12	3093
	00 LST	23.1	22.8	24.1	27.1	29.7	27.0	30.0	29.3	25.0	23.7	25.0	23.0	309.8	10	1105
	06 LST	20.4	19.9	22.2	24.1	24.5	23.3	22.2	23.8	23.0	22.0	21.8	21.7	268.9	12	4382
	12 LST	22.2	21.1	24.0	26.2	28.1	28.0	28.8	29.3	26.5	26.7	24.5	23.5	308.9	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	18.2	20.4	23.0	26.6	24.9	25.4	27.1	23.8	24.5	22.4	22.1	277.3	12	3093
	00 LST	15.5	18.5	18.3	23.8	28.0	25.1	28.0	29.0	21.3	20.3	19.7	17.3	264.8	10	1105
	06 LST	15.6	16.2	18.2	21.2	22.0	21.8	21.1	21.9	20.4	19.4	18.3	17.0	233.1	12	4382
	12 LST	16.7	17.2	18.0	20.3	21.0	21.5	19.3	22.7	20.5	22.2	20.8	19.2	239.4	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.0	17.5	19.1	21.2	25.4	23.9	24.0	26.2	22.9	23.7	21.4	21.0	263.3	12	3093
	00 LST	13.2	15.9	16.3	20.9	23.4	24.4	25.4	26.7	20.0	20.0	18.0	16.3	242.5	10	1105
	06 LST	14.0	14.4	16.9	19.9	20.7	21.2	20.3	21.1	19.7	18.7	17.3	15.4	219.6	12	4382
	12 LST	15.4	16.1	17.1	19.5	20.3	21.1	19.1	22.3	20.2	21.6	20.3	18.2	231.2	12	4383



## ADEL/COOK COUNTY, GEORGIA

STA NO. 75128 (IN AREA NUMBER 19)

LATITUDE 3108N

LONGITUDE 08326W

ELEVATION(FT) 00220

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	83	89	92	99	103	101	102	100	95	85	82	103	12	-73779
MEAN MAX TMP (F)	63	68	72	78	86	92	92	92	87	79	69	62	78	12	-73779
MEAN MIN TMP (F)	43	47	52	57	64	71	72	72	68	57	47	42	58	12	-73779
ABS MIN TMP (F)	22	21	23	37	47	58	66	63	51	35	27	22	21	12	-73779
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.4	10.0	23.7	23.3	22.3	12.9	1.4	0.0	0.0	94.0	12	-73779
MEAN NO DYS TMP = OR LES 32(F)	4.3	1.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5.6	14.0	12	-73779
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73779
MEAN DEW PT TMP (F)	42	45	50	54	61	68	71	71	67	54	46	41	56	14	-73779
MEAN REL HUM (PCT)	73	67	67	64	64	67	75	75	75	65	66	73	69	14	-73779
MEAN PRESS ALT (FT)	9	42	84	111	132	151	115	133	132	90	36	7	87	0	-50
MEAN PRECIP (IN)	3.32	3.77	5.19	4.58	4.01	4.38	6.83	4.46	4.00	2.63	2.26	3.30	48.7	19	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73779
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	7.2	7.2	7.1	6.8	7.2	9.4	7.3	6.3	4.5	4.0	6.6	80.2	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73779
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	3.7	5.7	2.4	1.2	0.5	1.5	2.6	3.8	3.3	3.6	5.5	36.3	14	-73779
MEAN NO DYS TSTMS	0.7	0.3	5.3	5.0	5.3	9.0	12.8	8.7	4.3	0.7	0.5	0.2	52.8	7	-73779
P FREQ WND SPD = OR GTR 17 KTS	3.2	4.1	4.9	2.9	0.9	0.6	0.8	0.3	1.3	2.1	1.3	2.7	2.1	14	-73779
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	14	-73779
P FREQ LES 5000 FT A/O LES 5 MI	41.3	42.9	37.1	28.8	20.3	22.6	30.1	29.5	32.4	21.0	23.1	41.9	30.9	14	-73779
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.2	24.9	21.4	11.8	5.9	2.2	9.0	9.2	13.2	6.1	10.7	25.1	13.8	13	-73779
03-05 LST	33.0	32.5	36.3	21.2	11.5	11.8	19.2	23.8	23.7	12.7	19.5	31.5	23.1	14	-73779
06-08 LST	37.2	37.9	35.8	24.4	23.5	20.0	21.7	26.0	36.1	26.1	28.6	34.3	29.3	14	-73779
09-11 LST	26.3	26.8	24.9	15.4	10.1	11.6	11.6	15.4	24.2	14.0	16.5	27.4	18.7	14	-73779
12-14 LST	15.2	15.3	11.0	5.5	3.2	2.7	3.1	3.4	9.2	5.7	6.8	17.1	8.2	14	-73779
15-17 LST	8.9	11.0	7.0	4.7	3.1	1.9	2.3	2.4	6.8	4.4	4.5	9.2	5.5	14	-73779
18-20 LST	8.3	10.8	6.0	4.7	2.0	1.5	3.5	2.6	6.7	2.8	3.9	9.7	5.2	14	-73779
21-23 LST	12.9	12.1	8.1	5.0	2.4	0.4	3.7	2.6	8.1	1.7	5.8	12.6	6.3	14	-73779
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.5	5.1	5.7	2.5	0.3	0.0	2.5	4.6	3.4	1.9	3.8	10.9	3.9	13	-73779
03-05 LST	11.6	11.8	14.5	6.9	2.8	1.3	6.5	10.0	10.9	4.7	8.5	12.1	8.5	14	-73779
06-08 LST	13.9	10.3	12.6	4.3	3.8	2.3	3.1	6.3	11.3	10.3	12.5	12.9	8.6	14	-73779
09-11 LST	3.3	2.7	3.6	2.7	0.1	0.0	0.1	0.1	0.7	0.9	2.1	6.0	1.7	14	-73779
12-14 LST	0.8	0.0	0.9	0.5	0.0	0.1	0.3	0.2	0.5	0.3	0.1	1.4	0.4	14	-73779
15-17 LST	0.2	0.6	0.6	0.2	0.2	0.2	0.2	0.1	0.4	0.2	0.1	0.8	0.3	14	-73779
18-20 LST	1.0	1.1	1.4	0.6	0.2	0.1	0.6	0.4	0.3	0.5	0.4	1.5	0.7	14	-73779
21-23 LST	2.4	2.2	0.8	0.0	0.0	0.0	0.8	0.3	1.4	0.0	1.3	5.1	1.2	14	-73779

## ADEL/COOK COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.9	25.8	29.3	29.0	30.3	30.0	30.6	30.2	28.4	29.9	29.3	28.8	350.5	14	-73779
	00 LST	26.0	24.8	28.6	28.7	30.1	30.0	29.7	30.1	27.8	30.3	28.8	26.2	341.1	14	-73779
	06 LST	22.1	20.4	21.8	23.0	23.7	23.7	24.5	22.7	19.4	23.5	23.1	23.0	270.9	14	-73779
	12 LST	27.7	25.0	27.8	29.0	30.3	29.7	30.4	30.3	28.4	29.7	28.4	26.2	342.9	14	-73779
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.5	17.1	18.4	19.2	23.6	24.6	25.7	26.3	24.7	25.6	25.8	23.7	276.2	14	-73779
	00 LST	21.3	19.6	23.1	23.4	26.5	28.0	28.8	29.5	25.7	27.2	25.2	20.7	299.0	14	-73779
	06 LST	15.4	13.9	16.1	18.5	21.7	22.4	23.8	21.6	16.9	19.3	19.4	17.1	226.1	14	-73779
	12 LST	16.0	11.3	14.0	17.2	22.0	23.6	25.4	24.9	19.7	20.5	18.2	15.0	227.8	14	-73779
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.2	1.7	0.9	0.3	0.4	0.5	0.1	0.5	0.1	0.5	1.0	8.3	14	-73779
	00 LST	0.6	0.6	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.4	3.1	14	-73779
	06 LST	1.0	0.3	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.2	0.5	0.6	3.6	14	-73779
	12 LST	3.0	2.6	3.5	2.9	0.8	0.3	0.0	0.1	0.5	1.1	1.2	3.0	19.0	14	-73779
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.0	16.4	18.1	16.9	18.0	13.5	15.7	14.4	17.6	17.8	15.7	17.5	197.6	14	-73779
	00 LST	17.2	15.1	19.2	18.1	19.7	16.7	13.9	12.6	13.7	16.2	14.0	12.7	189.1	14	-73779
	06 LST	12.4	13.3	16.5	16.2	18.2	14.5	12.2	11.7	13.3	15.2	13.5	11.3	168.3	14	-73779
	12 LST	16.3	14.0	16.1	17.3	17.8	11.9	12.5	11.4	14.5	17.2	17.7	15.7	182.4	14	-73779
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	7.8	8.2	10.1	9.0	5.7	2.5	5.9	7.6	12.9	12.9	13.5	105.9	9	-73779
	00 LST	19.3	18.6	16.9	20.3	18.6	16.3	10.5	16.2	17.4	19.9	19.7	18.8	212.5	9	-73779
	06 LST	11.9	10.4	8.2	11.0	9.7	8.9	5.5	10.2	6.7	13.0	12.3	13.7	121.5	10	-73779
	12 LST	10.7	9.0	8.4	8.9	7.7	3.2	1.6	3.7	4.4	10.7	11.9	10.0	90.2	9	-73779
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.4	23.3	27.1	27.0	28.7	28.9	28.6	29.0	27.5	28.9	27.8	26.4	330.1	14	-73779
	00 LST	24.6	22.6	26.2	27.1	29.2	29.8	28.8	29.5	26.3	29.2	27.8	22.4	323.5	14	-73779
	06 LST	19.1	17.6	19.2	20.6	22.6	22.8	23.9	21.9	17.7	21.7	21.8	20.4	249.3	14	-73779
	12 LST	23.1	20.2	24.6	25.4	27.5	25.7	26.3	25.7	22.1	26.8	25.8	22.5	295.7	14	-73779
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.7	19.6	23.7	24.1	24.6	24.1	23.7	25.6	23.6	25.9	24.4	22.5	285.5	14	-73779
	00 LST	22.5	21.1	25.3	26.0	28.3	27.3	27.8	28.4	24.2	28.4	27.1	20.8	307.2	14	-73779
	06 LST	16.9	15.3	16.8	19.2	21.1	22.0	22.8	21.2	16.9	19.8	20.6	17.4	230.0	14	-73779
	12 LST	20.4	17.5	20.3	18.2	20.3	17.3	16.0	18.1	14.5	22.3	23.7	19.4	228.0	14	-73779
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.0	18.1	22.2	23.0	23.2	22.6	22.1	24.5	21.5	24.4	23.2	21.3	267.1	14	-73779
	00 LST	20.5	20.2	24.0	25.5	27.1	27.0	27.0	28.0	23.6	27.4	26.4	19.7	296.4	14	-73779
	06 LST	15.8	13.7	15.1	17.4	20.3	20.8	21.8	20.2	15.7	18.5	19.3	17.1	215.7	14	-73779
	12 LST	18.7	16.3	18.6	17.2	20.1	16.5	15.6	17.1	13.6	21.2	22.4	18.4	215.7	14	-73779

## COLUMBUS/MUSCOGEE COUNTY, GEORGIA

STA NO. 75159 (IN AREA NUMBER 15)

LATITUDE 3231N

LONGITUDE 08457W

ELEVATION(FT) 00397

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	83	81	87	91	97	103	104	100	99	96	86	79	104	15	-613
MEAN MAX TMP (F)	60	62	67	77	85	90	91	91	86	77	67	60	76	15	-113
MEAN MIN TMP (F)	38	39	43	51	60	67	70	70	65	54	42	37	53	15	-113
ABS MIN TMP (F)	12	11	19	28	40	44	59	57	44	24	10	15	10	15	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.8	17.8	21.9	12.7	10.7	1.3	0.0	0.0	82.5	12	4382
MEAN NO DYS TMP = DR LES 32(F)	12.6	8.0	4.7	0.5	0.0	0.0	0.0	0.0	0.0	0.6	6.8	13.1	46.3	12	4381
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN DEW PT TMP (F)	44	41	43	50	59	67	69	69	64	54	40	38	53	5	34726
MEAN REL HUM (PCT)	75	70	65	65	66	67	72	70	72	69	69	74	70	5	34726
MEAN PRESS. ALT (FT)	190	220	260	287	315	334	293	315	326	283	221	191	270	0	-50
MEAN PRECIP (IN)	3.86	4.15	5.81	4.50	4.25	3.69	6.09	3.95	3.29	1.62	3.29	4.51	49.0	15	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.6	7.4	7.0	6.9	6.4	8.8	6.7	5.4	3.1	5.4	8.1	80.1	15	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4173
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	1.8	1.4	0.6	0.8	0.4	0.6	0.8	0.9	0.7	1.5	3.0	16.7	5	1715
MEAN NO DYS TSTMS	1.1	1.8	4.8	4.5	7.4	9.7	14.3	11.0	4.2	0.7	0.2	0.5	60.2	8	2340
P FREQ WND SPD = DR GTR 17 KTS	3.7	4.4	6.5	4.2	1.6	1.3	0.6	0.7	2.2	1.9	2.0	2.0	2.6	5	34725
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	34725
P FREQ LES 5000 FT A/D LES 5 MI	42.0	32.3	31.5	20.5	18.4	13.9	19.0	13.4	23.1	21.7	25.7	37.3	24.9	5	34723
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.9	18.5	19.7	3.3	5.7	3.4	10.9	1.1	11.7	11.2	7.2	18.9	11.1	4	2395
03-05 LST	31.7	23.5	23.6	5.9	11.6	10.2	16.5	6.5	16.2	13.5	11.7	24.2	16.3	5	3296
06-08 LST	29.9	30.7	28.3	19.2	20.5	16.6	25.2	17.4	22.3	20.5	22.9	24.3	23.2	12	13131
09-11 LST	27.1	27.8	23.3	12.7	12.2	10.2	13.8	10.1	17.2	16.3	15.7	23.0	17.7	12	13128
12-14 LST	16.3	16.2	13.9	4.5	3.3	3.1	1.3	2.3	6.1	8.3	9.4	14.6	8.3	12	13134
15-17 LST	11.3	10.5	10.4	2.7	2.1	2.1	1.6	0.5	5.1	5.8	4.9	11.1	5.7	12	13125
18-20 LST	10.3	11.3	9.1	2.5	2.3	1.8	1.7	1.3	5.8	5.0	5.2	10.5	5.6	12	13131
21-23 LST	10.5	11.8	12.9	1.0	1.9	1.5	1.8	0.8	6.6	4.5	6.6	10.4	5.9	12	6044
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.8	2.4	0.9	0.0	0.0	0.0	1.6	0.0	3.4	0.0	1.1	4.9	1.8	4	2395
03-05 LST	9.4	2.9	4.7	1.1	1.8	1.9	1.4	1.4	2.8	1.2	2.9	7.7	3.3	5	3296
06-08 LST	9.0	8.2	5.2	2.1	2.1	1.6	2.9	1.9	1.9	2.6	6.8	6.0	4.2	12	13131
09-11 LST	4.4	2.3	0.9	0.2	0.1	0.0	0.0	0.0	0.3	0.4	1.2	2.5	1.0	12	13128
12-14 LST	0.8	0.2	0.2	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.3	0.7	0.2	12	13134
15-17 LST	0.2	0.3	0.0	0.0	0.0	0.1	0.2	0.2	0.1	0.0	0.4	0.7	0.2	12	13125
18-20 LST	0.9	1.1	0.1	0.0	0.0	0.1	0.3	0.0	0.3	0.0	0.3	1.0	0.3	12	13131
21-23 LST	2.0	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	2.4	0.6	12	6044

## COLUMBUS/MUSCOGEE COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 000 FT AND VSBY = GTR 3 MI	18 LST	28.3	26.0	24.2	29.4	30.7	29.3	30.4	30.7	28.8	29.6	29.3	29.1	349.8	12	4382
	00 LST	27.4	24.7	26.4	29.1	31.0	29.5	29.5	30.5	29.0	29.6	28.1	27.1	341.9	5	857
	06 LST	24.6	22.2	27.3	26.6	26.3	26.4	24.4	26.4	24.8	26.9	25.2	25.6	304.7	12	4382
	12 LST	27.1	24.8	27.8	29.1	30.4	29.5	30.7	30.8	28.8	29.2	27.5	27.8	343.5	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.5	16.3	14.4	15.9	22.5	18.8	23.0	24.2	23.0	25.5	24.8	21.5	251.0	12	4382
	00 LST	20.9	18.5	18.2	24.2	28.5	28.5	27.1	29.5	25.8	25.4	24.8	19.8	291.2	5	857
	06 LST	17.5	14.7	17.4	21.6	23.0	23.7	22.4	25.3	20.0	22.0	20.3	19.4	247.3	12	4382
	12 LST	11.5	8.7	10.0	11.6	16.6	18.2	21.5	22.0	14.4	14.4	13.3	13.8	176.0	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.8	1.7	1.4	0.5	0.5	0.2	0.1	0.1	0.4	0.1	0.5	7.0	12	4294
	00 LST	0.3	0.3	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	2.0	5	844
	06 LST	0.2	0.6	0.6	0.2	0.0	0.0	0.0	0.0	0.2	0.1	0.2	0.3	2.4	12	4209
	12 LST	2.1	2.5	3.3	2.6	0.8	0.5	0.0	0.2	0.2	1.2	1.4	2.0	16.8	12	4297
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.6	17.8	16.6	17.6	21.4	13.9	15.3	15.9	19.9	21.7	19.5	21.3	220.5	12	4294
	00 LST	13.5	10.6	16.6	11.9	12.0	12.0	11.8	8.7	10.1	13.1	9.5	13.2	143.0	5	844
	06 LST	10.7	12.2	14.7	14.4	12.7	12.2	11.9	12.5	13.4	14.7	13.1	11.7	154.2	12	4209
	12 LST	14.5	12.7	12.8	14.0	18.5	15.9	17.9	14.7	14.8	17.6	15.8	15.5	184.7	12	4297
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	9.0	9.8	11.7	11.2	8.9	6.7	10.6	10.1	17.1	14.8	11.7	131.4	12	4382
	00 LST	12.7	13.0	12.8	17.2	17.2	21.0	15.3	16.7	15.0	19.7	20.9	11.6	193.1	5	857
	06 LST	10.0	10.1	10.6	12.6	11.5	11.6	9.6	12.6	11.9	16.6	15.2	12.9	145.2	12	4382
	12 LST	8.8	7.8	9.1	11.3	7.0	4.6	4.2	8.3	7.0	15.8	12.6	10.2	106.7	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.0	23.0	27.4	28.6	30.1	28.8	30.3	30.4	27.8	28.4	28.1	25.7	334.6	12	4382
	00 LST	23.5	21.8	22.7	26.9	29.6	29.5	26.6	30.5	26.7	26.8	26.6	23.7	314.9	5	857
	06 LST	20.6	18.5	20.6	23.4	24.1	24.9	22.8	25.2	22.4	23.6	23.1	22.5	271.7	12	4382
	12 LST	22.7	19.8	24.1	26.8	27.1	26.5	27.5	28.3	24.2	25.6	24.5	23.2	300.3	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.3	19.7	23.7	25.9	26.4	25.6	26.9	27.2	25.1	25.6	24.2	21.4	293.5	12	4382
	00 LST	19.3	19.2	20.6	24.7	27.5	29.5	25.6	29.5	24.4	24.9	24.8	19.8	289.8	5	857
	06 LST	16.3	15.6	17.6	21.1	22.8	23.3	21.7	24.2	21.2	22.2	21.4	18.7	246.1	12	4382
	12 LST	19.2	17.8	20.2	22.4	21.6	20.1	20.0	23.6	18.8	23.3	22.5	19.7	249.2	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.2	17.8	22.1	23.8	24.8	24.4	25.4	25.8	23.4	24.2	22.5	20.0	273.4	12	4382
	00 LST	18.9	18.2	19.4	23.4	25.7	28.0	24.6	28.1	22.5	23.5	23.8	16.0	272.1	5	857
	06 LST	15.1	14.3	16.3	19.9	21.1	21.8	20.8	22.8	19.4	21.4	20.2	17.9	231.0	12	4382
	12 LST	17.5	16.4	18.0	21.1	20.6	19.1	19.2	22.6	18.2	22.2	21.4	17.5	233.8	12	4381

# MARIETTA/ATLANTA NAS, GEORGIA

STA NO. 75228 (IN AREA NUMBER 15)

LATITUDE 3352N

LONGITUDE 08418W

ELEVATION(FT) 01002

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	78	84	87	93	102	101	101	97	96	84	78	102	14	4192
MEAN MAX TMP (F)	54	57	64	73	80	87	88	89	82	73	60	52	72	14	4192
MEAN MIN TMP (F)	36	38	43	50	58	66	69	68	63	52	40	35	52	14	4200
ABS MIN TMP (F)	10	9	16	28	40	46	58	55	40	24	4	12	4	14	4200
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.2	12.2	13.1	14.4	5.3	0.3	0.0	0.0	47.5	14	4192
MEAN NO DYS TMP = DR LES 32(F)	12.6	8.6	6.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	7.9	13.1	49.3	14	4200
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4200
MEAN DEW PT TMP (F)	34	36	41	48	57	64	68	67	60	50	39	37	50	7	28085
MEAN REL HUM (PCT)	75	67	64	61	65	66	70	68	67	67	70	74	68	7	28081
MEAN PRESS ALT (FT)	783	822	875	904	917	933	906	912	887	844	809	783	865	0	-50
MEAN PRECIP (IN)	2.27	2.27	3.00	3.84	2.28	1.92	3.13	0.81	1.69	1.71	1.49	2.77	29.2	12	1712
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	2024
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	4.6	6.9	5.5	4.1	5.2	6.0	2.3	1.8	2.7	4.1	5.5	53.3	12	1712
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2024
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	1.6	2.7	1.0	1.2	0.4	0.8	0.6	0.2	2.5	2.9	5.3	23.8	7	1431
MEAN NO DYS TSTMS	2.0	0.2	7.2	5.4	8.7	13.0	15.3	12.2	3.7	0.8	1.3	0.5	70.3	14	1869
P FREQ WND SPD = DR GTR 17 KTS	0.7	1.7	1.9	0.8	0.5	0.2	0.1	0.2	0.4	1.2	0.5	0.6	0.7	7	28094
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	28094
P FREQ LES 5000 FT A/D LES 5 MI	37.6	31.4	32.4	26.1	25.3	19.8	25.7	16.4	19.8	28.6	32.6	34.3	27.5	7	28101
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	21.3	15.5	10.8	13.3	19.7	2.8	11.2	2.7	5.7	11.8	16.7	22.9	12.9	6	1744
03-05 LST	25.7	22.7	22.6	17.5	22.6	7.3	20.3	8.6	11.9	19.6	21.9	25.5	18.9	7	2683
06-08 LST	33.2	32.9	28.3	21.6	19.8	19.9	27.9	22.9	26.6	29.9	27.5	33.0	27.0	13	12448
09-11 LST	31.8	31.3	26.3	18.8	15.2	14.0	19.3	12.2	18.5	22.5	25.7	31.8	22.3	13	13104
12-14 LST	23.9	23.0	19.4	10.3	7.2	4.7	4.8	4.0	9.3	12.7	16.8	26.0	13.5	13	13104
15-17 LST	19.4	18.6	15.8	8.9	4.0	3.1	3.8	3.4	7.3	10.2	14.0	20.1	10.7	13	13017
18-20 LST	17.5	17.7	14.9	8.8	5.1	3.2	3.5	2.8	5.9	9.3	13.0	18.9	10.1	13	10542
21-23 LST	17.2	16.0	17.1	8.1	7.1	4.1	3.0	1.7	7.8	8.1	11.8	17.8	10.0	9	3687
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	4.8	6.5	0.0	0.0	0.0	0.5	0.0	0.0	1.1	3.9	1.0	1.8	6	1744
03-05 LST	9.9	8.5	7.7	1.9	2.1	1.7	3.2	1.4	1.1	4.5	7.3	6.9	4.7	7	2683
06-08 LST	11.9	11.3	8.7	4.2	2.4	1.8	2.8	4.4	4.5	7.3	7.6	12.2	6.6	13	12448
09-11 LST	8.2	7.8	3.2	1.6	0.4	0.0	0.2	0.0	0.6	2.0	3.7	6.7	2.9	13	13104
12-14 LST	4.4	4.0	1.1	0.3	0.5	0.4	0.2	0.2	0.3	0.3	1.8	3.2	1.4	13	13104
15-17 LST	2.7	4.2	1.5	0.5	0.3	0.2	0.2	0.7	0.4	0.6	2.2	3.8	1.4	13	13017
18-20 LST	3.5	6.5	3.0	1.3	0.6	0.1	0.2	0.1	0.6	0.7	2.4	6.6	2.1	13	10542
21-23 LST	3.1	6.7	4.8	0.7	0.0	0.0	0.0	0.3	0.5	1.1	3.0	5.4	2.1	9	3687

# MARIETTA/ATLANTA NAS, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.1	23.0	27.1	27.8	30.5	29.5	30.5	30.4	28.4	28.2	26.3	26.0	333.8	13	4368
	00 LST	25.9	23.1	25.7	27.6	28.1	29.3	29.7	30.5	27.2	28.7	26.3	27.1	331.2	9	1128
	06 LST	23.2	20.9	24.3	24.7	25.3	24.6	22.9	23.7	22.1	23.3	23.3	22.7	281.0	13	4370
	12 LST	24.6	22.4	25.6	27.3	29.7	29.0	30.3	30.2	27.8	28.0	25.2	23.6	323.7	13	4370
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.8	16.0	14.5	17.0	23.8	24.6	25.7	27.2	25.3	25.2	21.5	19.0	259.5	13	4365
	00 LST	20.4	17.4	19.8	22.8	25.7	27.5	29.0	29.8	26.4	24.7	23.9	22.6	290.0	9	1128
	06 LST	16.2	15.8	16.7	19.5	23.6	23.0	21.5	22.8	19.4	20.0	19.2	18.3	236.0	13	4367
	12 LST	16.8	9.9	10.1	11.7	17.9	19.0	22.1	21.9	17.9	16.9	15.8	12.3	186.3	13	4367
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.3	1.1	1.0	0.1	0.2	0.0	0.1	0.1	0.2	0.2	0.2	3.6	13	4172
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	8	1064
	06 LST	0.5	0.5	0.9	0.4	0.0	0.0	0.0	0.1	0.3	0.2	0.2	0.2	3.3	13	4103
	12 LST	0.7	1.1	2.5	1.4	0.2	0.0	0.1	0.2	0.9	0.7	0.8	0.7	9.3	13	4220
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.1	19.4	19.8	20.3	22.4	21.4	19.9	20.9	20.4	19.0	17.6	18.3	239.5	13	4169
	00 LST	12.1	11.1	22.8	17.9	10.9	11.3	12.8	14.4	14.0	17.2	14.8	13.6	172.9	8	1063
	06 LST	12.8	12.5	15.5	17.7	14.1	13.9	13.6	15.3	14.7	15.1	13.6	13.1	171.9	13	4100
	12 LST	17.6	14.9	16.3	17.4	22.7	17.3	18.0	18.0	18.5	19.3	18.8	19.3	218.1	13	4217
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.7	8.3	10.6	8.6	7.4	6.0	9.9	11.8	15.6	12.3	10.9	119.0	12	3759
	00 LST	12.3	10.3	12.6	15.2	13.2	13.7	13.3	16.8	17.0	17.7	18.2	16.7	177.0	8	1127
	06 LST	10.0	10.5	9.6	12.6	11.1	11.1	8.5	10.8	11.0	14.5	13.6	11.9	135.2	13	3760
	12 LST	6.9	8.3	8.6	8.8	6.9	4.0	4.0	5.5	8.5	12.7	10.9	8.5	93.6	12	3759
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	21.4	24.6	26.5	29.1	28.3	29.1	29.6	27.8	27.2	24.5	23.5	314.9	13	4358
	00 LST	23.8	22.7	24.7	26.2	26.5	27.2	29.0	29.5	26.9	26.7	25.3	24.1	312.6	9	1128
	06 LST	19.7	18.0	20.9	22.2	24.2	23.2	21.7	23.0	20.3	21.3	21.1	20.2	255.8	13	4370
	12 LST	20.7	20.0	21.6	23.8	26.0	25.1	24.9	27.0	23.9	24.5	22.6	20.0	280.1	13	4370
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	18.7	21.4	23.4	25.0	24.8	23.7	26.3	25.0	24.5	22.1	20.3	274.7	13	4368
	00 LST	20.8	19.5	21.8	23.3	24.5	26.7	25.2	28.3	26.2	24.0	23.3	23.6	287.2	9	1128
	06 LST	16.4	15.6	18.7	20.0	22.6	22.1	20.8	22.5	19.3	20.1	19.7	18.2	236.0	13	4370
	12 LST	17.7	17.9	18.0	19.5	19.4	17.9	17.7	22.4	20.2	21.4	20.1	18.5	230.7	13	4370
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.2	16.8	20.0	22.4	24.2	23.6	22.4	25.1	24.0	23.7	20.9	19.2	260.5	13	4368
	00 LST	19.5	16.6	19.4	21.9	22.4	26.0	23.9	26.8	25.7	22.7	22.6	22.6	270.1	9	1128
	06 LST	15.2	14.8	16.6	18.5	21.6	21.5	20.1	21.4	18.5	18.9	18.5	16.7	222.3	13	4370
	12 LST	16.0	16.8	16.8	18.7	18.9	17.7	17.5	22.0	19.7	20.7	19.3	17.1	221.2	13	4370

# GAINESVILLE, GEORGIA

STA NO. 75229 (IN AREA NUMBER 19)

LATITUDE 3411N

LONGITUDE 08341W

ELEVATION(FT) 01270

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	78	84	87	92	102	101	101	97	96	84	78	102	14	4188
MEAN MAX TMP (F)	54	57	63	72	80	87	88	88	82	73	60	53	71	14	4188
MEAN MIN TMP (F)	36	38	43	50	58	66	69	68	63	52	39	36	52	14	4198
ABS MIN TMP (F)	10	9	16	28	40	46	58	55	40	24	4	12	4	14	4198
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	11.8	12.4	13.5	4.7	0.3	0.0	0.0	44.7	14	4188
MEAN NO DYS TMP = DR LES 32(F)	12.6	8.4	6.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	7.9	12.4	48.4	14	4198
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4198
MEAN DEW PT TMP (F)	34	37	43	48	56	63	68	67	61	49	39	27	50	8	35256
MEAN REL HUM (PCT)	75	70	66	63	66	67	72	70	70	68	70	74	69	8	35251
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.27	2.27	3.10	1.79	2.22	1.80	2.53	0.53	1.31	1.27	1.03	1.73	21.8	11	1472
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	1804
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	4.6	7.3	4.0	3.9	3.3	5.5	1.7	1.2	2.1	3.8	3.6	47.6	11	1472
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	1804
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.7	3.2	0.8	1.3	0.5	1.1	1.0	0.9	3.2	2.8	3.3	27.4	8	1730
MEAN NO DYS TSMS	2.0	0.3	6.9	5.6	8.2	12.5	15.0	12.2	3.7	0.8	1.3	0.7	69.2	14	1864
P FREQ WND SPD = DR GTR 17 KTS	0.7	2.2	2.8	1.6	0.9	0.2	0.2	0.2	0.8	1.0	1.2	0.6	1.0	8	35241
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	35241
P FREQ LES 5000 FT A/D LES 5 MI	37.6	38.3	34.6	27.1	26.4	20.5	29.1	19.5	23.7	28.6	33.0	34.3	29.4	8	35272
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.3	24.0	14.5	11.7	14.8	4.5	11.4	5.0	7.0	14.3	13.5	22.7	13.9	7	2640
03-05 LST	25.7	28.4	21.4	18.2	20.8	7.9	23.3	11.9	15.4	19.8	19.6	25.5	19.8	8	3579
06-08 LST	33.2	33.5	28.4	21.4	19.7	19.2	29.3	23.3	28.0	29.1	27.4	32.9	27.1	14	13417
09-11 LST	31.8	33.0	26.6	19.0	15.7	13.4	20.5	13.6	20.0	22.5	25.5	31.5	22.8	14	14073
12-14 LST	23.9	24.2	19.8	10.7	7.3	4.9	5.6	4.6	10.2	13.3	17.4	26.0	14.0	14	14072
15-17 LST	19.4	19.8	16.3	8.9	4.2	3.2	4.1	4.0	7.7	10.7	14.5	20.3	11.1	14	13985
18-20 LST	17.5	19.3	15.2	8.6	5.1	3.3	3.9	2.7	6.3	9.4	12.8	19.1	10.3	14	11511
21-23 LST	17.2	19.3	15.4	9.1	7.0	5.1	4.3	2.5	8.9	8.8	12.1	18.6	10.7	10	4631
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	9.6	8.6	0.6	0.0	0.7	1.4	0.7	0.0	3.2	4.3	1.0	2.8	7	2640
03-05 LST	9.9	10.2	7.3	2.7	3.0	1.3	3.5	2.4	2.2	7.1	7.4	6.9	5.3	8	3579
06-08 LST	11.9	11.9	8.8	4.2	2.4	1.7	3.0	4.6	5.0	7.4	7.5	12.0	6.7	14	13417
09-11 LST	8.2	8.0	3.7	1.6	0.5	0.0	0.2	0.2	0.9	2.1	4.1	7.0	3.0	14	14073
12-14 LST	4.4	4.3	1.7	0.3	0.6	0.3	0.2	0.2	0.4	0.5	1.7	3.3	1.5	14	14072
15-17 LST	2.7	4.6	1.9	0.6	0.3	0.2	0.3	0.7	0.4	0.7	2.5	3.8	1.6	14	13985
18-20 LST	3.5	6.9	3.3	1.2	0.6	0.1	0.2	0.1	0.5	0.9	2.8	6.5	2.2	14	11511
21-23 LST	3.1	8.2	6.1	0.6	0.0	0.0	0.0	0.2	0.4	1.5	3.4	5.4	2.4	10	4631



# GAINESVILLE, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.1	22.9	27.1	27.8	30.5	29.5	30.4	30.4	28.3	28.2	26.4	25.9	333.5	14	4691
	00 LST	25.9	24.1	25.8	27.4	28.7	29.2	29.6	30.4	27.3	28.4	26.0	26.6	329.4	10	1452
	06 LST	23.2	20.8	24.3	24.8	25.4	24.8	22.3	23.7	21.8	23.3	23.3	22.7	280.4	14	4693
	12 LST	24.6	22.0	25.5	27.5	29.7	29.0	30.1	30.1	27.5	27.9	25.2	23.6	322.7	14	4693
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.8	15.7	14.9	17.2	23.4	24.5	25.6	27.2	25.2	25.1	21.4	19.9	258.9	14	4688
	00 LST	20.4	16.5	19.9	23.2	25.8	27.6	28.6	29.6	26.2	24.8	22.9	22.1	287.6	10	1452
	06 LST	16.2	15.7	17.0	19.5	23.5	23.0	20.9	22.7	19.1	20.2	19.2	18.3	235.3	14	4689
	12 LST	10.8	9.9	10.2	11.8	17.6	19.1	21.8	21.8	17.6	17.2	15.5	12.5	185.8	14	4689
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.4	1.1	0.9	0.3	0.2	0.0	0.1	0.1	0.2	0.3	0.2	3.9	14	4485
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	9	1377
	06 LST	0.5	0.5	1.0	0.4	0.0	0.0	0.0	0.1	0.3	0.2	0.2	0.3	3.5	14	4410
	12 LST	0.7	1.2	2.4	1.5	0.2	0.0	0.1	0.2	0.9	0.7	0.8	0.8	9.5	14	4531
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.1	19.3	20.1	20.4	22.4	20.9	20.1	21.0	20.4	19.7	18.1	18.3	240.8	14	4482
	00 LST	12.1	11.4	23.9	18.8	14.3	11.8	13.1	14.9	15.0	17.5	15.4	13.4	181.6	9	1376
	06 LST	12.8	12.7	15.8	17.9	14.7	13.6	14.0	15.5	14.9	15.1	14.0	12.8	173.8	14	4407
	12 LST	17.6	14.9	16.3	17.5	22.6	17.6	18.4	18.2	18.6	19.3	18.9	19.0	218.9	14	4528
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.7	8.3	10.6	8.6	7.4	6.0	9.9	11.8	15.6	12.3	10.9	119.0	12	3758
	00 LST	12.3	10.3	12.6	15.2	13.2	13.7	13.3	16.8	17.0	17.7	18.2	16.7	177.0	8	1127
	06 LST	10.0	10.5	9.6	12.6	11.1	11.1	8.5	10.8	11.0	14.5	13.6	11.9	135.2	13	3760
	12 LST	6.9	8.3	8.6	8.8	6.9	4.0	4.0	5.1	8.5	12.7	10.9	8.5	93.6	12	3759
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	21.1	24.5	26.4	29.0	28.1	28.8	29.5	27.7	27.0	24.5	23.5	313.4	14	4691
	00 LST	23.8	21.7	24.8	26.4	27.2	27.4	28.6	29.4	26.9	26.4	25.2	24.0	311.8	10	1452
	06 LST	19.7	17.9	21.1	22.4	24.1	23.3	21.1	22.9	20.0	21.5	21.4	20.3	255.7	14	4693
	12 LST	20.7	19.5	21.5	23.7	25.6	25.3	24.3	26.5	23.3	24.5	22.6	20.1	277.6	14	4693
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	18.3	21.3	23.3	24.9	24.5	23.7	26.1	24.8	24.5	22.1	20.2	273.2	14	4691
	00 LST	20.8	18.3	21.9	22.9	24.0	26.8	25.4	28.1	26.3	24.0	22.7	23.3	284.5	10	1452
	06 LST	16.4	15.5	18.5	20.0	22.5	22.3	20.2	22.4	18.8	20.2	19.6	18.4	234.8	14	4693
	12 LST	17.7	17.6	17.8	19.3	19.2	18.1	17.3	22.1	19.7	21.5	20.0	18.5	228.8	14	4693
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.2	16.4	19.9	22.4	24.0	23.4	22.5	24.8	23.7	23.6	21.0	19.1	259.0	14	4691
	00 LST	19.5	16.2	19.3	21.3	22.6	26.0	24.1	26.9	25.2	22.6	21.7	22.1	267.5	10	1452
	06 LST	15.2	14.6	16.6	18.7	21.5	21.3	19.5	21.5	17.9	19.0	18.4	16.8	221.0	14	4693
	12 LST	16.0	16.2	16.7	18.4	18.7	17.8	17.1	21.6	19.2	20.7	19.1	17.0	218.5	14	4693

# CARROLLTON MUNICIPAL, GEORGIA

STA NO. 75327 (IN AREA NUMBER 19)

LATITUDE 3335N

LONGITUDE 08502W

ELEVATION(FT) 01049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	80	93	91	97	101	100	100	100	97	83	79	101	19	-113
MEAN MAX TMP (F)	55	58	64	75	82	88	90	90	84	75	64	56	73	19	-113
MEAN MIN TMP (F)	33	35	40	49	56	64	67	66	60	50	38	34	49	18	-113
ABS MIN TMP (F)	1	3	8	26	34	44	51	51	39	23	2	10	1	19	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	0.3	3.0	13.0	17.0	19.0	6.0	1.0	0.0	0.0	59.6	8	-113
MEAN NO DYS TMP = OR LES 32(F)	16.0	12.0	12.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	13.0	17.0	73.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	829	868	923	954	966	983	966	960	934	891	856	830	913	0	-50
MEAN PRECIP (IN)	4.70	4.79	6.22	4.43	3.42	3.61	4.79	3.86	3.62	2.48	3.31	4.37	49.6	31	-113
MEAN SNOW FALL (IN)	0.3	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	16	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	8.4	7.5	7.0	6.4	6.3	7.6	6.6	5.8	4.3	5.4	7.9	81.5	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CARROLLTON MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

# BAINBRIDGE/COMMODORE-DECATUR, GEORGIA

STA NO. 75328 (IN AREA NUMBER 15)

LATITUDE 3054N LONGITUDE 08436W ELEVATION(FT) 00104

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	95	97	108	106	106	106	109	99	91	86	109	67	-113
MEAN MAX TMP (F)	64	67	73	81	88	92	92	92	89	81	71	65	80	60	-113
MEAN MIN TMP (F)	41	42	48	54	62	69	71	71	67	56	45	41	56	60	-113
ABS MIN TMP (F)	12	1	21	29	40	48	60	57	42	26	15	12	1	67	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	2.0	14.0	24.0	26.0	27.0	19.0	4.0	0.0	0.0	116.3	8	-113
MEAN NO DYS TMP = OR LES 32(F)	10.0	6.0	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	5.0	10.0	34.6	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-109	-77	-34	-7	18	37	-2	18	21	-23	-79	-108	-28	0	-50
MEAN PRECIP (IN)	3.83	4.42	4.69	4.23	3.38	4.79	6.65	5.64	4.46	2.25	2.32	3.94	30.6	66	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	62	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	8.0	7.1	6.9	6.4	7.6	9.3	8.4	6.9	4.0	4.1	7.4	83.4	66	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BAINBRIDGE/COMMODORE-DECATUR, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	18 LST													0	0
3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND	18 LST													0	0
NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST													0	0
DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

SWAINSTORO/EMANUEL COUNTY, GEORGIA

STA NO. 75329 (IN AREA NUMBER 15)

LATITUDE 3236N

LONGITUDE 0822W

ELEVATION(FT) 00328

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	90	94	101	107	109	107	102	99	88	82	109	10	-113
MEAN MAX TMP (F)	61	66	69	79	87	92	93	94	88	78	70	62	78	9	-113
MEAN MIN TMP (F)	38	42	45	54	62	68	70	69	66	55	42	38	54	9	-113
ABS MIN TMP (F)	14	12	20	32	42	51	58	58	45	29	6	15	6	9	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	10.0	21.0	23.0	26.0	14.0	2.0	0.0	0.0	97.3	7	-113
MEAN NO DYS TMP = OR LES 32(F)	10.0	5.0	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	4.0	9.0	31.6	7	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	113	147	190	217	232	249	216	232	225	184	136	111	188	11	-113
MEAN PRECIP (IN)	2.57	4.29	4.52	3.67	3.54	3.23	5.61	3.28	4.78	2.79	1.99	3.51	43.8	9	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	7.8	7.0	6.6	6.5	5.9	8.3	6.0	7.3	4.7	3.6	6.9	76.2	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SWAINSBORO/EMANUEL COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO, OBS
CIG = GTR 1000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	19 LST													0	0
3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND	19 LST													0	0
NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	19 LST													0	0
DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE



# JASPER/PICKENS COUNTY, GEORGIA

STA NO. 75330 (IN AREA NUMBER 15)

LATITUDE 3427N

LONGITUDE 08425W

ELEVATION(FT) 01436

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. UBS
ABS MAX TMP (F)	79	82	84	91	99	101	102	103	100	97	84	76	103	19	-113
MEAN MAX TMP (F)	53	55	61	72	80	87	88	88	83	74	62	53	71	19	-113
MEAN MIN TMP (F)	34	34	39	48	55	63	66	65	60	50	39	33	49	19	-113
ABS MIN TMP (F)	6	-5	5	24	35	43	52	50	37	25	0	-1	-5	19	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	10.0	13.0	16.0	5.0	1.0	0.0	0.0	46.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	17.0	12.0	10.0	2.0	0.0	0.0	0.0	0.0	0.0	2.0	10.0	16.0	69.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		19	-29
MEAN DEW PT TMP (F)	34	36	39	47	58	65	68	67	61	51	38	34	50	0	-50
MEAN REL HUM (PCT)	72	75	69	66	74	74	76	75	72	70	66	73	72	13	-29
MEAN PRESS ALT (FT)	1219	1256	1307	1336	1350	1368	1339	1347	1327	1284	1244	1218	1300	0	-50
MEAN PRECIP (IN)	5.10	5.50	6.44	4.66	4.02	4.02	5.24	3.98	3.64	2.61	3.35	4.88	53.6	23	-113
MEAN SNOW FALL (IN)	0.7	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.5	17	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.7	9.1	7.6	7.1	6.8	6.8	8.0	6.8	5.8	4.5	5.7	8.5	85.4	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# JASPER/PICKENS COUNTY, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18 LST														0	0
VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR	18 LST														0	0
3 MI W/SFC AND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND	18 LST														0	0
NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST														0	0
DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND	18 LST														0	0
VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND	18 LST														0	0
VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND	18 LST														0	0
VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND	18 LST														0	0
VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

THOMASTON/ REGINALD GRANT MUNICIPAL, GEORGIA

STA NO. 75331 (IN AREA NUMBER 15)

LATITUDE 3256N

LONGITUDE 08420W

ELEVATION(F1) 00775

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	89	91	99	105	105	105	99	99	87	80	105	12	-73291
MEAN MAX TMP (F)	60	63	67	77	85	90	91	92	86	77	67	55	76	12	-73291
MEAN MIN TMP (F)	39	42	46	54	62	69	72	71	66	54	43	38	55	12	-73291
ABS MIN TMP (F)	16	11	21	32	45	51	61	57	48	27	11	16	11	12	-73291
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.7	8.6	17.4	20.6	22.1	9.7	1.1	0.0	0.0	80.2	12	-73291
MEAN NO DYS TMP = OR LES 32(F)	8.5	4.7	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.2	3.7	9.3	28.0	12	-73291
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73291
MEAN DEW PT TMP (F)	39	41	44	51	60	67	70	70	66	55	44	38	54	12	-73291
MEAN REL HUM (PCT)	71	68	67	64	68	70	74	72	75	73	70	71	70	12	-73291
MEAN PRESS ALT (FT)	555	595	650	681	691	706	682	684	652	610	581	555	637	0	-50
MEAN PRECIP (IN)	2.31	4.37	4.40	2.90	3.30	2.98	4.44	3.51	3.62	1.60	1.75	4.39	39.6	12	-73291
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73291
MEAN NO DYS PROP = OR GTR 0.1 IN	5.6	7.3	7.7	4.9	6.1	6.2	7.8	5.9	5.4	3.2	3.5	6.9	70.5	12	-73291
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73291
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.8	2.5	2.4	0.7	1.1	0.2	1.1	1.1	1.7	2.1	2.8	3.6	23.1	12	-73291
MEAN NO DYS TSTMS	0.3	2.1	2.7	4.2	6.1	8.6	12.3	9.0	3.3	0.9	0.7	0.9	51.1	12	-73291
P FREQ WND SPD = OR GTR 17 KTS	2.3	2.6	4.2	3.0	0.9	0.7	0.3	0.3	0.8	1.1	1.4	1.5	1.6	12	-73291
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73291
P FREQ LES 5000 FT A/D LES 5 MI	32.7	33.1	30.9	21.2	21.5	19.5	22.6	17.6	25.5	24.4	23.8	30.2	25.3	12	-73291
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.4	16.8	14.7	4.9	7.0	4.6	6.0	3.4	10.2	12.0	8.0	13.8	9.7	12	-73291
03-05 LST	21.0	20.5	18.6	11.2	12.5	9.1	12.1	8.3	16.3	17.2	14.0	18.4	14.9	12	-73291
06-08 LST	26.4	25.8	26.2	14.5	17.3	13.7	19.0	16.9	27.2	22.2	22.6	21.9	21.1	12	-73291
09-11 LST	20.9	23.0	21.1	10.1	10.3	8.8	12.3	9.1	19.3	16.5	18.3	18.8	15.7	12	-73291
12-14 LST	12.8	14.3	13.8	4.3	4.4	3.0	2.2	2.5	8.2	7.8	7.5	11.8	7.7	12	-73291
15-17 LST	8.9	11.6	11.6	3.3	2.7	3.1	2.3	2.1	6.9	5.8	5.6	9.0	6.1	12	-73291
18-20 LST	8.1	11.3	11.5	3.7	2.5	1.5	2.3	1.5	6.1	6.5	5.7	9.3	5.8	12	-73291
21-23 LST	10.3	11.7	11.7	2.4	3.9	1.9	3.1	2.0	7.1	7.9	5.3	9.7	6.4	12	-73291
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	3.6	2.2	0.3	0.2	0.4	0.7	0.3	0.2	1.2	1.9	4.0	1.5	12	-73291
03-05 LST	5.6	5.0	5.3	1.1	1.7	0.5	1.8	1.2	1.3	3.8	4.9	6.6	3.2	12	-73291
06-08 LST	9.2	6.3	7.3	1.2	2.0	1.0	2.4	2.5	5.5	4.2	7.3	7.6	4.7	12	-73291
09-11 LST	4.1	4.0	2.6	0.1	0.2	0.2	0.2	0.1	0.7	1.4	3.1	4.0	1.7	12	-73291
12-14 LST	1.2	1.9	0.4	0.0	0.3	0.2	0.2	0.3	0.1	0.2	0.3	1.8	0.6	12	-73291
15-17 LST	1.2	1.4	0.9	0.0	0.4	0.2	0.2	0.2	0.5	0.3	0.5	1.7	0.6	12	-73291
18-20 LST	2.1	0.9	0.8	0.2	0.1	0.2	0.2	0.3	0.6	0.1	0.6	1.5	0.6	12	-73291
21-23 LST	2.2	2.0	1.1	0.0	0.0	0.1	0.0	0.0	0.3	0.5	0.0	2.4	0.7	12	-73291

THOMASTON/ REGINALD GRANT MUNICIPAL, GEORGIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.5	28.0	29.2	30.8	29.8	30.7	30.7	28.6	29.3	29.0	28.4	349.1	12	-73291
	00 LST	28.6	24.5	27.3	29.6	29.6	29.4	30.1	30.5	28.1	28.6	28.4	27.9	342.6	12	-73291
	06 LST	25.2	23.4	24.9	27.0	26.8	26.9	27.3	26.8	23.0	25.3	25.2	25.5	307.3	12	-73291
	12 LST	28.0	24.4	27.5	29.3	30.3	29.6	31.0	30.5	27.9	28.7	28.1	27.8	343.1	12	-73291
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	23.1	19.7	18.7	21.2	24.5	23.8	25.2	27.4	25.9	26.6	25.7	24.5	286.3	12	-73291
	00 LST	22.1	19.8	20.8	25.6	27.1	27.2	28.2	29.6	26.1	25.9	25.1	23.2	300.7	12	-73291
	06 LST	19.4	18.2	19.3	22.8	24.3	24.8	25.5	25.6	21.2	23.0	22.0	20.4	266.5	12	-73291
	12 LST	16.4	14.3	14.5	16.7	21.8	21.3	25.3	25.5	20.6	21.0	19.5	18.7	235.6	12	-73291
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.6	1.6	0.9	0.2	0.2	0.1	0.1	0.2	0.3	0.4	0.2	5.2	12	-73291
	00 LST	0.6	0.6	0.7	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.3	2.9	12	-73291
	06 LST	0.3	0.2	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	1.5	12	-73291
	12 LST	1.9	1.4	2.0	2.0	0.4	0.4	0.0	0.1	0.3	0.4	0.9	0.5	10.3	12	-73291
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	15.3	16.8	18.8	17.7	12.4	13.3	12.3	13.8	12.1	12.4	14.0	174.5	12	-73291
	00 LST	11.5	11.7	13.7	13.2	11.4	9.4	8.8	7.8	8.3	8.4	8.8	9.9	122.9	12	-73291
	06 LST	9.5	9.9	14.4	11.4	7.8	6.0	6.4	6.2	8.6	9.5	9.4	9.5	108.6	12	-73291
	12 LST	15.5	14.3	17.0	16.3	18.9	14.7	13.0	12.1	17.6	16.8	16.7	15.9	188.8	12	-73291
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.7	8.4	8.7	11.1	8.6	6.4	4.8	7.3	9.1	15.0	13.7	10.4	114.2	12	-73291
	00 LST	14.7	12.5	13.2	18.0	17.8	14.0	13.8	16.6	15.5	19.3	17.0	14.3	186.7	12	-73291
	06 LST	11.0	11.5	9.6	12.2	10.3	9.2	9.2	11.3	10.1	14.6	14.5	12.4	135.9	12	-73291
	12 LST	8.8	8.7	8.0	9.3	6.7	4.6	3.7	6.6	6.2	3.6	12.0	8.8	97.0	12	-73291
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.7	26.4	28.1	29.6	29.1	29.6	29.9	27.5	28.0	27.2	26.7	332.9	12	-73291
	00 LST	25.8	22.5	23.5	28.3	28.6	28.3	29.0	29.8	26.4	27.2	27.2	25.2	323.8	12	-73291
	06 LST	21.5	20.3	21.1	24.7	24.7	25.2	25.6	25.6	21.5	22.9	23.0	22.5	278.6	12	-73291
	12 LST	24.1	21.5	24.1	26.3	27.6	27.3	28.1	28.4	24.8	25.5	25.6	24.1	307.4	12	-73291
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.4	20.4	22.8	24.9	26.2	24.2	24.8	26.8	24.1	25.4	24.2	23.1	289.3	12	-73291
	00 LST	22.1	19.7	22.4	25.9	26.3	26.2	27.2	28.4	25.3	25.3	24.3	22.8	295.9	12	-73291
	06 LST	17.7	17.4	18.2	22.6	23.2	24.4	25.0	25.1	19.8	21.3	21.1	19.2	235.0	12	-73291
	12 LST	20.3	17.8	20.4	20.4	19.8	19.5	19.4	22.0	20.7	23.7	22.9	21.4	248.3	12	-73291
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.3	19.2	20.6	23.2	24.2	22.5	23.7	25.6	22.4	23.6	22.8	21.0	270.1	12	-73291
	00 LST	21.1	18.5	21.0	24.6	24.6	24.7	26.0	27.1	24.1	24.3	23.3	21.5	280.8	12	-73291
	06 LST	16.6	16.6	16.7	21.3	21.6	23.2	24.1	24.2	18.6	20.2	20.0	17.4	240.5	12	-73291
	12 LST	18.7	16.6	18.2	19.6	19.4	18.8	18.9	21.3	19.7	22.7	21.8	18.9	234.6	12	-73291

## SYLVANIA/ ROWAN, GEORGIA

STA NO. 75332 (IN AREA NUMBER 15)

LATITUDE 3258N

LONGITUDE 0813W

ELEVATION(FT) 00150

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	84	93	94	100	107	109	106	106	100	90	81	109	87	-72218
MEAN MAX TMP (F)	58	60	67	76	84	90	91	90	86	76	66	58	75	85	-72218
MEAN MIN TMP (F)	39	40	46	53	62	69	72	71	66	55	44	39	55	85	-72218
ABS MIN TMP (F)	6	3	14	29	40	46	55	51	41	22	11	6	3	86	-72218
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.7	8.4	17.3	24.0	23.3	9.5	1.0	0.1	0.0	84.3	12	-72218
MEAN NO DYS TMP = DR LES 32(F)	14.7	8.7	5.1	0.3	0.0	0.0	0.0	0.0	0.0	1.1	8.4	14.2	52.5	12	-72218
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72218
MEAN DEW PT TMP (F)	36	39	42	51	60	67	70	70	65	53	43	36	53	12	-72218
MEAN REL HUM (PCT)	72	70	68	68	70	72	74	75	77	75	72	72	72	12	-72218
MEAN PRESS ALT (FT)	-63	-29	11	39	51	66	35	30	42	3	-42	-64	8	0	-50
MEAN PRECIP (IN)	3.44	4.11	4.49	3.37	3.20	4.15	5.06	4.67	3.53	2.44	2.56	3.38	44.6	89	-72218
MEAN SNOW FALL (IN)	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	10	-72218
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.1	7.6	7.0	6.4	6.3	6.9	7.8	7.5	5.7	4.2	4.4	6.7	77.6	89	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72218
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.3	2.0	1.6	1.4	1.2	1.8	1.1	2.1	2.6	2.6	3.2	2.7	24.6	12	-72218
MEAN NO DYS TSTMS	0.0	1.0	2.0	3.0	5.0	7.0	10.0	8.0	3.0	1.0	1.0	0.0	41.0	79	-72218
P FREQ WND SPD = DR GTR 17 KTS	1.8	2.7	3.8	3.3	0.5	0.4	0.3	0.2	0.6	0.4	1.0	1.5	1.4	12	-72218
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	-72218
P FREQ LES 3000 FT A/D LES 5 MI	30.6	30.6	29.2	21.5	22.1	21.0	21.3	21.8	29.5	27.6	29.6	28.9	26.1	12	-72218
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.6	16.4	14.1	10.3	6.6	5.2	4.0	4.1	10.8	10.3	12.2	13.3	9.9	12	-72218
03-05 LST	17.1	18.0	18.1	14.4	14.7	12.4	13.5	13.3	23.6	17.5	16.0	17.6	16.4	12	-72218
06-08 LST	21.9	20.9	22.0	16.7	20.3	17.6	19.7	22.6	30.1	26.4	23.7	21.0	21.9	12	-72218
09-11 LST	19.6	19.2	18.9	8.6	10.2	7.9	6.4	8.0	16.3	14.7	19.0	17.3	13.8	17	-72218
12-14 LST	12.9	13.0	10.9	3.5	3.8	1.6	0.8	1.6	6.5	7.7	8.4	11.5	6.9	12	-72218
15-17 LST	9.3	11.0	9.8	2.7	2.2	1.0	0.8	1.6	5.4	6.2	4.8	7.5	5.2	12	-72218
18-20 LST	9.1	10.5	9.6	3.6	2.6	1.3	0.4	1.4	4.7	6.9	4.8	8.5	5.3	12	-72218
21-23 LST	10.2	12.1	10.8	4.9	3.3	2.4	1.5	1.7	6.3	8.0	7.1	9.9	6.3	12	-72218
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.4	3.3	2.2	0.7	0.8	0.2	0.2	0.4	0.6	1.2	3.3	4.0	1.6	12	-72218
03-05 LST	3.5	5.6	2.7	3.4	3.0	2.4	1.6	3.3	5.1	4.2	6.5	5.7	3.9	12	-72218
06-08 LST	4.8	5.9	3.9	3.3	2.8	3.8	3.2	4.7	8.1	6.9	8.4	5.9	5.1	12	-72218
09-11 LST	1.4	2.0	0.8	0.0	0.1	0.0	0.0	0.4	0.3	0.6	2.3	2.2	0.8	12	-72218
12-14 LST	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.7	0.1	12	-72218
15-17 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.8	0.2	12	-72218
18-20 LST	1.2	0.5	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.6	1.3	0.4	12	-72218
21-23 LST	2.0	1.9	0.7	0.0	0.1	0.1	0.0	0.0	0.1	0.4	0.9	2.7	0.7	12	-72218

## SYLVANIA/ ROWAN, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.8	25.8	28.6	29.5	30.7	29.7	30.8	30.8	28.9	29.5	29.0	28.6	330.7	12	-72218
	01 LST	27.9	24.2	27.3	27.8	29.1	29.3	30.1	30.1	27.8	28.6	27.0	27.3	336.5	12	-72218
	07 LST	25.6	23.0	24.8	25.6	26.0	25.7	26.1	24.7	21.9	23.7	23.0	25.0	295.1	12	-72218
	13 LST	28.6	25.5	28.9	29.2	30.3	29.8	30.7	30.5	29.1	29.3	28.6	28.6	349.1	12	-72218
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.8	20.5	23.0	23.5	28.4	26.6	28.1	29.1	27.2	26.9	25.7	25.4	306.2	12	-72218
	01 LST	23.7	18.9	21.3	24.1	26.7	27.2	29.6	28.9	25.7	26.4	24.2	23.6	300.3	12	-72218
	07 LST	20.3	18.3	20.0	20.5	22.3	23.5	24.3	22.9	19.5	21.6	20.2	21.3	254.7	12	-72218
	13 LST	14.3	12.6	13.2	14.4	20.4	20.8	22.8	22.7	19.8	19.5	17.4	17.2	215.1	12	-72218
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.1	3.2	12	-72218
	01 LST	0.2	0.3	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.5	12	-72218
	07 LST	0.3	0.3	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.6	12	-72218
	13 LST	1.2	1.7	2.8	2.4	0.4	0.2	0.0	0.1	0.2	0.4	0.6	1.3	11.5	12	-72218
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	12.1	12.6	16.0	15.5	16.7	18.0	17.0	16.5	14.1	8.9	9.3	12.3	169.0	12	-72218
	01 LST	10.1	11.4	13.4	12.6	10.3	8.7	9.0	9.2	8.1	9.4	9.2	10.4	121.8	12	-72218
	07 LST	8.7	9.4	14.0	13.6	15.6	14.9	13.4	10.9	12.6	10.9	9.7	10.4	144.1	12	-72218
	13 LST	17.4	15.4	17.1	16.3	19.0	14.7	10.8	11.4	17.5	19.6	18.7	19.6	197.5	12	-72218
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	10.4	11.2	12.4	10.3	6.9	4.8	7.6	10.1	15.5	13.7	12.3	127.4	12	-72218
	01 LST	13.4	12.3	12.4	15.2	16.2	13.7	12.3	14.7	14.8	18.7	14.9	14.1	172.7	12	-72218
	07 LST	9.9	8.5	9.0	12.4	10.2	8.5	8.0	9.6	9.0	12.5	11.2	10.9	119.7	12	-72218
	13 LST	9.1	8.5	8.2	9.5	6.7	3.9	3.7	4.5	6.2	11.6	11.6	10.2	93.7	12	-72218
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.4	28.1	29.6	28.7	30.6	30.2	27.6	28.4	27.7	27.5	337.1	12	-72218
	01 LST	26.1	22.3	25.8	26.2	27.7	27.9	29.6	29.0	26.1	26.8	25.7	26.1	319.3	12	-72218
	07 LST	22.8	21.1	22.7	23.6	23.8	24.5	24.6	23.2	19.8	21.7	21.2	22.9	271.9	12	-72218
	13 LST	25.0	23.4	25.6	26.4	28.9	28.7	29.7	29.6	26.8	26.9	25.7	25.9	322.6	12	-72218
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.7	21.6	24.1	24.8	26.1	24.7	26.2	25.7	23.9	25.6	24.1	24.4	294.9	12	-72218
	01 LST	21.9	20.2	22.8	25.0	26.3	26.8	27.9	28.4	23.7	24.6	23.1	22.7	293.4	12	-72218
	07 LST	19.1	17.6	19.6	21.4	22.5	23.1	23.4	22.2	17.1	19.1	18.8	20.1	244.3	12	-72218
	13 LST	20.2	18.8	20.9	21.2	21.9	19.1	19.5	20.6	18.0	22.1	21.8	22.2	246.3	12	-72218
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.7	19.6	22.2	23.6	24.1	22.4	24.2	24.9	22.2	23.8	22.7	22.0	273.4	12	-72218
	01 LST	20.2	18.4	21.3	23.6	24.6	25.7	26.4	27.2	22.7	23.7	21.8	21.5	277.1	12	-72218
	07 LST	17.5	16.1	18.2	19.6	21.1	22.0	22.3	21.6	16.8	18.3	17.8	18.8	230.4	12	-72218
	13 LST	18.7	17.3	18.9	20.1	21.4	18.4	18.8	20.0	17.3	21.0	20.1	20.5	232.5	12	-72218

## ST. MARYS, GEORGIA

STA NO. 75333 (IN AREA NUMBER 15)

LATITUDE 3044N

LONGITUDE 08133W

ELEVATION(FT) 00024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	90	94	102	103	105	102	100	96	87	84	105	23	-72206
MEAN MAX TMP (F)	66	69	74	80	87	91	92	92	88	80	73	66	80	23	-72206
MEAN MIN TMP (F)	44	47	51	58	65	71	73	73	71	61	51	45	59	23	-72206
ABS MIN TMP (F)	16	19	25	34	41	57	62	64	54	38	22	17	16	23	-72206
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.7	11.3	17.7	24.5	23.0	11.5	1.1	0.0	0.0	90.9	12	-72206
MEAN NO DYS TMP = OR LES 32(F)	4.6	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.9	12.3	12	-72206
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72206
MEAN DEW PT TMP (F)	45	47	49	55	63	69	72	72	70	62	52	46	59	12	-72206
MEAN REL HUM (PCT)	73	70	67	67	69	72	75	76	78	77	75	74	72	12	-72206
MEAN PRESS ALT (FT)	-184	-191	-113	-86	-69	-56	-89	-70	-71	-109	-161	-185	-111	0	-50
MEAN PRECIP (IN)	2.50	2.92	3.60	3.54	3.37	5.64	7.82	6.95	8.51	5.11	1.71	2.53	54.2	23	-72206
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72206
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.4	6.1	6.6	6.5	6.4	8.4	10.4	9.5	11.8	7.7	3.3	5.5	87.6	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72206
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	2.8	2.9	2.4	1.7	0.6	0.3	1.1	0.9	3.5	4.9	4.6	30.8	12	-72206
MEAN NO DYS TSTMS	0.6	1.1	2.1	3.3	5.5	9.1	14.1	10.2	6.1	1.7	0.3	0.3	54.4	12	-72206
P FREQ WND SPD = OR GTR 17 KTS	2.9	5.0	3.6	4.0	3.0	2.8	1.3	1.5	4.7	5.1	2.3	2.9	3.3	12	-72206
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	12	-72206
P FREQ LES 5000 FT A/D LES 5 MI	28.6	27.7	23.5	17.1	15.1	13.6	12.4	14.3	23.8	30.3	24.8	29.9	21.8	12	-72206
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	17.3	12.5	7.3	4.9	2.5	1.6	3.0	6.5	13.6	18.0	18.0	10.2	12	-72206
03-05 LST	23.2	20.4	17.9	11.8	11.3	5.7	3.9	5.9	11.1	19.4	22.6	20.3	14.5	12	-72206
06-08 LST	26.8	25.4	22.6	14.9	12.5	7.2	6.0	8.6	15.9	24.0	25.3	24.3	17.8	12	-72206
09-11 LST	20.1	16.8	13.9	6.6	3.9	2.5	2.2	4.3	8.4	16.5	15.6	18.4	10.8	12	-72206
12-14 LST	8.9	9.4	7.4	3.5	1.9	2.1	2.2	2.7	5.4	10.0	7.7	12.8	6.2	12	-72206
15-17 LST	8.5	8.4	7.0	3.7	2.6	2.3	2.9	2.6	6.1	9.8	6.4	12.3	6.1	12	-72206
18-20 LST	11.2	10.4	7.3	5.1	3.4	2.4	1.4	3.0	5.0	10.5	8.7	13.1	6.8	12	-72206
21-23 LST	12.5	10.5	8.3	4.4	3.0	1.6	1.4	2.2	4.3	10.0	12.4	15.5	7.2	12	-72206
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.3	3.4	3.3	1.5	0.8	0.4	0.0	0.3	0.1	3.3	8.8	7.0	3.0	12	-72206
03-05 LST	10.3	6.6	5.5	4.9	5.1	1.6	0.7	1.9	2.4	7.0	11.9	9.6	5.6	12	-72206
06-08 LST	11.7	8.3	6.1	4.9	4.0	0.7	1.1	2.3	3.4	7.8	12.5	10.1	6.1	12	-72206
09-11 LST	4.6	2.1	1.0	0.0	0.0	0.0	0.1	0.2	0.0	0.7	2.4	3.0	1.2	12	-72206
12-14 LST	0.6	0.1	0.2	0.1	0.1	0.4	0.4	0.2	0.3	0.0	0.0	0.9	0.3	12	-72206
15-17 LST	0.4	0.5	0.2	0.1	0.4	0.3	0.4	0.1	0.3	0.3	0.1	1.5	0.4	12	-72206
18-20 LST	2.7	1.3	0.7	0.1	0.1	0.2	0.2	0.2	0.2	0.7	0.4	3.9	0.9	12	-72206
21-23 LST	3.9	2.2	2.0	0.5	0.0	0.0	0.1	0.0	0.0	2.2	3.4	6.6	1.7	12	-72206



## ST. MARYS, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.5	29.0	28.6	30.4	29.6	30.7	30.1	29.3	28.7	28.2	28.0	346.2	12	-72206
	01 LST	26.3	23.7	28.1	28.3	29.7	29.7	30.8	30.2	28.7	27.9	25.1	26.2	334.7	12	-72206
	07 LST	23.5	21.4	24.3	25.9	27.7	28.1	29.4	28.6	25.5	24.0	22.6	24.1	305.1	12	-72206
	13 LST	29.1	26.4	29.6	29.2	30.6	29.5	30.4	30.6	28.9	29.4	28.5	28.4	350.6	12	-72206
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.0	18.1	20.6	20.0	18.2	17.8	20.8	23.3	21.4	23.1	24.6	23.9	255.8	12	-72206
	01 LST	22.0	17.8	23.3	23.6	27.2	27.2	29.4	28.7	24.5	23.1	21.2	20.8	288.8	12	-72206
	07 LST	18.9	16.4	18.6	20.6	23.4	24.2	27.4	26.5	21.5	18.5	18.6	18.8	253.4	12	-72206
	13 LST	12.4	8.4	10.9	8.7	12.6	13.1	17.0	16.2	10.6	11.6	12.5	12.6	146.6	12	-72206
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.9	0.4	0.6	0.3	0.8	0.4	0.0	0.7	0.5	0.4	0.4	5.6	12	-72206
	01 LST	0.3	0.7	0.2	0.1	0.0	0.3	0.0	0.0	0.2	0.7	0.2	0.7	3.4	12	-72206
	07 LST	0.4	0.4	0.0	0.5	0.1	0.2	0.0	0.0	0.2	0.2	0.2	0.4	2.6	12	-72206
	13 LST	3.2	2.9	3.3	3.5	2.2	1.7	0.7	1.2	3.2	3.7	1.6	2.9	30.1	12	-72206
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.5	20.0	24.1	23.9	21.7	19.5	20.3	24.1	22.1	22.9	21.3	21.7	264.1	12	-72206
	01 LST	19.2	17.8	23.7	21.5	23.7	22.6	20.6	20.9	19.5	20.4	20.9	19.7	250.5	12	-72206
	07 LST	17.3	17.4	22.6	19.7	23.3	21.8	22.7	20.6	19.7	21.9	20.4	17.8	245.2	12	-72206
	13 LST	15.2	12.6	14.5	12.2	10.4	7.1	6.3	7.1	10.0	14.8	15.8	18.1	144.1	12	-72206
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	12.0	10.8	12.3	9.9	5.1	4.5	6.7	6.6	12.6	13.5	12.2	118.4	12	-72206
	01 LST	14.8	12.5	13.6	15.8	16.0	13.2	12.4	13.0	11.9	14.7	14.2	12.9	164.0	12	-72206
	07 LST	10.6	8.0	7.5	10.7	11.2	9.3	9.1	9.9	6.5	10.1	11.1	9.4	113.4	12	-72206
	13 LST	8.5	9.7	8.7	8.5	6.0	2.8	1.5	1.9	1.8	7.2	9.4	9.5	75.5	12	-72206
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.1	28.0	28.1	29.5	28.4	29.7	29.6	27.2	26.5	27.0	25.9	330.8	12	-72206
	01 LST	24.8	22.1	26.4	27.0	29.0	28.8	30.2	29.6	27.1	26.2	23.6	24.7	319.5	12	-72206
	07 LST	22.1	19.7	22.4	24.8	26.3	27.2	28.6	27.6	23.6	21.8	21.2	22.0	287.3	12	-72206
	13 LST	26.9	24.2	27.6	27.8	29.3	28.3	29.1	29.3	25.5	24.4	26.2	25.9	324.5	12	-72206
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.5	25.7	26.4	28.1	26.6	28.3	28.1	24.3	23.5	25.4	23.2	306.7	12	-72206
	01 LST	22.7	19.8	24.8	25.6	28.1	28.1	29.8	28.7	24.8	23.7	22.0	22.3	300.4	12	-72206
	07 LST	19.7	17.9	20.0	23.1	25.3	25.9	28.0	27.2	21.9	19.6	19.7	19.5	267.8	12	-72206
	13 LST	23.3	20.6	22.7	24.1	24.8	22.9	22.5	23.2	19.8	20.4	23.7	22.2	270.2	12	-72206
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.9	21.1	23.7	24.8	27.4	25.6	27.2	27.1	23.6	22.5	23.9	21.5	291.4	12	-72206
	01 LST	21.4	18.1	23.4	24.8	27.2	27.6	29.2	28.2	24.1	22.8	21.0	20.3	288.1	12	-72206
	07 LST	17.8	16.4	18.7	22.0	24.7	24.9	27.2	25.7	20.7	18.2	18.4	17.9	252.6	12	-72206
	13 LST	21.9	19.4	21.4	23.3	23.9	22.3	22.2	22.2	18.8	19.3	21.8	20.9	257.4	12	-72206

## STATESBORO MUNICIPAL, GEORGIA

STA NO. 75334 (IN AREA NUMBER 15)

LATITUDE 3228N

LONGITUDE 08144W

ELEVATION(FT) 00187

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	84	93	94	100	107	109	106	106	100	90	81	109	87	-72218
MEAN MAX TMP (F)	58	60	67	76	84	90	91	90	86	76	66	58	75	85	-72218
MEAN MIN TMP (F)	39	40	46	53	62	69	72	71	66	55	44	39	55	85	-72218
ABS MIN TMP (F)	6	3	14	29	40	46	55	51	41	22	11	6	3	86	-72218
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.7	8.4	17.3	24.0	23.3	9.5	1.0	0.1	0.0	84.3	12	-72218
MEAN NO DYS TMP = DR LES 32(F)	14.7	8.7	5.1	0.3	0.0	0.0	0.0	0.0	0.0	1.1	8.4	14.2	52.5	12	-72218
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72218
MEAN DEW PT TMP (F)	36	39	42	51	60	67	70	70	65	53	43	36	53	12	-72218
MEAN REL HUM (PCT)	72	70	68	68	70	72	74	75	77	75	72	72	72	12	-72218
MEAN PRESS. ALT (FT)	-19	10	43	69	95	106	69	96	110	75	9	-18	54	0	-50
MEAN PRECIP (IN)	3.68	4.11	4.49	3.37	3.20	4.15	5.06	4.67	3.53	2.44	2.56	3.38	44.8	89	-72218
MEAN SNOW FALL (IN)	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	10	-72218
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.1	7.6	7.0	6.4	6.3	6.9	7.8	7.5	5.7	4.2	4.4	6.7	77.6	89	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72218
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.3	2.0	1.6	1.4	1.2	1.8	1.1	2.1	2.6	2.6	3.2	2.7	24.6	12	-72218
MEAN NO DYS TSTMS	0.0	1.0	2.0	3.0	5.0	7.0	10.0	8.0	3.0	1.0	1.0	0.0	41.0	79	-72218
P FREQ WND SPD = DR GTR 17 KTS	1.8	2.7	3.8	3.3	0.5	0.4	0.3	0.2	0.6	0.4	1.0	1.5	1.4	12	-72218
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	-72218
P FREQ LES 5000 FT A/D LES 5 MI	30.6	30.6	29.2	21.5	22.1	21.0	21.3	21.8	29.5	27.6	29.6	28.9	26.1	12	-72218
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.6	16.4	14.1	10.3	6.6	5.2	4.0	4.1	10.8	10.3	12.2	13.3	9.9	12	-72218
03-05 LST	17.1	18.0	18.1	14.4	14.7	12.4	13.5	13.3	23.6	17.5	16.0	17.6	16.4	12	-72218
06-08 LST	21.9	20.9	22.0	16.7	20.3	17.6	19.7	22.6	30.1	28.4	23.7	21.0	21.9	12	-72218
09-11 LST	18.6	19.2	18.9	8.6	10.2	7.9	6.4	8.0	16.3	14.7	19.0	17.3	13.8	12	-72218
12-14 LST	12.9	13.0	10.9	3.5	3.8	1.6	0.8	1.6	6.5	7.7	8.4	11.5	6.9	12	-72218
15-17 LST	9.3	11.0	9.8	2.7	2.2	1.0	0.8	1.6	5.4	6.2	4.8	7.5	5.2	12	-72218
18-20 LST	9.1	10.5	9.6	3.6	2.6	1.3	0.4	1.4	4.7	6.9	4.8	8.5	5.3	12	-72218
21-23 LST	10.2	12.1	10.8	4.9	3.3	2.4	1.5	1.7	6.3	8.0	7.1	9.9	6.5	12	-72218
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.4	3.3	2.2	0.7	0.8	0.2	0.2	0.4	0.6	1.2	3.3	4.0	1.6	12	-72218
03-05 LST	3.5	5.6	2.7	3.4	3.0	2.4	1.6	3.3	5.1	4.2	6.5	5.7	3.9	12	-72218
06-08 LST	4.8	5.9	3.9	3.3	2.8	3.8	3.2	4.7	8.1	6.9	8.4	5.9	5.1	12	-72218
09-11 LST	1.4	2.0	0.8	0.0	0.1	0.0	0.0	0.4	0.3	0.6	2.3	2.2	0.8	12	-72218
12-14 LST	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.7	0.1	12	-72218
15-17 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.8	0.2	12	-72218
18-20 LST	1.2	0.5	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.6	1.3	0.4	12	-72218
21-23 LST	2.0	1.9	0.7	0.0	0.1	0.1	0.0	0.0	0.1	0.4	0.9	2.7	0.7	12	-72218

## STATESBORO MUNICIPAL, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.8	25.8	28.6	29.5	30.7	29.7	30.8	30.8	28.9	29.5	29.0	28.6	300.7	12	-72218
	01 LST	27.9	24.2	27.3	27.8	29.1	29.3	30.1	30.1	27.8	28.6	27.0	27.3	336.5	12	-72218
	07 LST	25.6	23.0	24.8	25.6	26.0	25.7	26.1	24.7	21.9	23.7	23.0	25.0	295.1	12	-72218
	13 LST	28.6	25.5	28.9	29.2	30.3	29.8	30.7	30.5	29.1	29.3	28.6	28.6	349.1	12	-72218
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.8	20.5	23.0	23.5	28.4	26.6	28.1	29.1	27.2	26.9	25.7	25.4	308.2	12	-72218
	01 LST	23.7	18.9	21.3	24.1	26.7	27.2	29.6	28.9	25.7	26.4	24.2	23.6	300.3	12	-72218
	07 LST	20.3	18.3	20.0	20.5	22.3	23.5	24.3	22.9	19.5	21.6	20.2	21.3	234.7	12	-72218
	13 LST	14.3	12.6	13.2	14.4	20.4	20.8	22.8	22.7	19.8	19.5	17.4	17.2	215.1	12	-72218
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.1	3.2	12	-72218
	01 LST	0.2	0.3	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.5	12	-72218
	07 LST	0.3	0.3	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.6	12	-72218
	13 LST	1.2	1.7	2.8	2.4	0.4	0.2	0.0	0.1	0.2	0.4	0.6	1.5	11.5	12	-72218
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	12.1	12.6	16.0	15.5	15.7	18.0	17.0	16.5	14.1	8.9	9.3	12.3	169.0	12	-72218
	01 LST	10.1	11.4	13.4	12.6	10.3	8.7	9.0	9.2	8.1	9.4	9.2	10.4	121.8	12	-72218
	07 LST	8.7	9.4	14.0	13.6	15.6	14.9	13.4	10.9	12.6	10.9	9.7	10.4	144.1	12	-72218
	13 LST	17.4	15.4	17.1	16.3	19.0	14.7	10.8	11.4	17.5	19.6	18.7	19.6	197.5	12	-72218
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	10.4	11.2	12.4	10.3	6.9	4.8	7.6	10.1	15.5	13.7	12.3	127.4	12	-72218
	01 LST	13.4	12.3	12.4	15.2	16.2	13.7	12.3	14.7	14.8	18.7	14.9	14.1	172.7	12	-72218
	07 LST	9.9	8.5	9.0	12.4	10.2	8.5	8.0	9.6	9.0	12.5	11.2	10.9	119.7	12	-72218
	13 LST	9.1	8.5	8.2	9.5	6.7	3.9	3.7	4.5	6.2	11.6	11.6	10.2	93.7	12	-72218
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.4	28.1	29.6	28.7	30.6	30.2	27.6	28.4	27.7	27.5	337.1	12	-72218
	01 LST	26.1	22.3	25.8	26.2	27.7	27.9	29.6	29.0	26.1	26.8	25.7	26.1	319.3	12	-72218
	07 LST	22.8	21.1	22.7	23.6	23.8	24.5	24.6	23.2	19.8	21.7	21.2	22.9	271.9	12	-72218
	13 LST	25.0	23.4	25.6	26.4	28.9	28.7	29.7	29.6	26.8	26.9	25.7	25.9	322.6	12	-72218
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.7	21.6	24.1	24.8	26.1	24.7	26.2	25.7	23.9	25.6	24.1	24.4	294.9	12	-72218
	01 LST	21.9	20.2	22.8	25.0	26.3	26.8	27.9	28.4	23.7	24.6	23.1	22.7	293.4	12	-72218
	07 LST	19.1	17.6	19.6	21.4	22.5	23.1	23.4	22.2	17.4	19.1	18.8	20.1	244.3	12	-72218
	13 LST	20.2	18.8	20.9	21.2	21.9	19.1	19.5	20.6	18.0	22.1	21.8	22.2	246.3	12	-72218
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.7	19.6	22.2	23.6	24.1	22.4	24.2	24.9	22.2	23.8	22.7	22.0	273.4	12	-72218
	01 LST	20.1	18.4	21.3	23.6	24.6	25.7	26.4	27.2	22.7	23.7	21.8	21.5	277.1	12	-72218
	07 LST	17.8	16.1	18.2	19.6	21.1	22.0	22.3	21.6	18.8	18.3	17.8	18.8	230.4	12	-72218
	13 LST	18.7	17.3	18.9	20.1	21.4	18.4	18.8	20.0	17.3	21.0	20.1	20.5	232.5	12	-72218

# SUNSET, GEORGIA

STA NO. 75335 (IN AREA NUMBER 15)

LATITUDE 3104N

LONGITUDE 08348W

ELEVATION(FT) 00294

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	85	90	94	101	104	105	104	100	97	88	82	105	28	-113
MEAN MAX TMP (F)	66	67	73	80	87	92	92	92	88	81	72	66	80	28	-113
MEAN MIN TMP (F)	43	44	49	56	63	69	71	71	67	58	47	42	57	27	-113
ABS MIN TMP (F)	15	16	22	32	44	52	60	59	47	31	17	18	15	27	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	11.0	19.0	24.0	24.0	13.0	2.0	0.0	0.0	94.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	7.0	4.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	7.0	21.3	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	82	116	159	186	207	226	190	208	206	163	110	81	161	0	-50
MEAN PRECIP (IN)	3.37	4.00	4.95	4.50	3.37	4.43	6.37	5.61	4.24	2.26	2.08	3.30	48.5	29	-113
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	24	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	7.5	7.2	7.0	6.4	7.2	9.0	8.3	6.6	4.0	3.8	6.6	80.3	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


# SUNSET, GEORGIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	18 LST													0	0
3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND	18 LST													0	0
NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST													0	0
DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

SOUTH CAROLINA



# CHARLESTON MUNICIPAL, SOUTH CAROLINA

STA NO. 72208 (IN AREA NUMBER 15)

LATITUDE 3253N

LONGITUDE 08002W

ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	085
ABS MAX TMP (F)	83	83	94	93	99	104	104	102	100	95	88	81	104	89	-613
MEAN MAX TMP (F)	58	60	65	73	80	86	88	87	83	75	66	59	73	86	-113
MEAN MIN TMP (F)	43	45	50	57	66	73	75	75	71	61	51	44	59	86	-113
ABS MIN TMP (F)	10	7	21	30	45	49	58	60	49	27	15	12	7	89	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	3.5	10.1	13.2	13.6	4.1	0.5	0.0	0.0	45.2	12	4383
MEAN NO DYS TMP = OR LES 32(F)	10.7	6.0	3.3	0.1	0.0	0.0	0.0	0.0	0.0	0.2	4.1	10.1	34.5	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	40	42	44	52	62	69	72	72	68	57	46	39	53	12	105097
MEAN REL HUM (PCT)	73	72	70	70	75	79	82	82	83	79	75	73	76	12	105097
MEAN PRESS ALT (FT)	-138	-122	-82	-52	-52	-38	-63	-57	-84	-122	-147	-160	-94	0	-50
MEAN PRECIP (IN)	2.85	3.19	3.42	2.74	3.23	4.59	7.15	6.37	5.43	3.18	2.17	2.79	47.1	90	-113
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	69	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	6.4	6.4	5.8	6.3	7.4	9.7	9.0	8.1	5.2	3.9	5.9	80.1	90	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4376
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	2.7	2.2	2.3	2.5	1.4	1.1	1.8	2.6	3.2	4.0	3.7	31.2	12	4383
MEAN NO DYS TSTMS	1.0	1.0	2.0	3.0	6.0	10.0	13.0	13.0	5.0	1.0	1.0	0.0	56.0	61	-24
P FREQ WND SPD = OR GTR 17 KTS	6.6	8.8	9.9	9.7	2.3	2.3	1.8	2.0	2.2	1.3	3.0	5.0	4.6	12	105121
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.2	0.2	12	105121
P FREQ LES 5000 FT A/D LES 5 MI	27.8	28.7	26.4	20.4	22.7	19.9	19.2	20.4	29.4	29.2	24.2	25.7	24.5	12	105110
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.5	18.5	15.2	10.6	10.0	6.3	3.6	5.9	10.9	15.6	15.8	13.8	11.9	12	13137
03-05 LST	19.1	19.6	19.8	15.7	16.4	12.8	6.7	11.5	19.6	22.2	21.0	17.5	16.8	12	13136
06-08 LST	19.1	22.3	22.0	14.3	16.2	11.9	7.7	12.4	23.5	27.5	22.5	19.2	18.2	12	13142
09-11 LST	17.5	21.0	16.9	6.6	6.9	5.3	5.3	6.6	14.3	18.4	14.0	16.0	12.4	12	13145
12-14 LST	10.4	13.6	10.6	4.4	3.9	2.5	2.8	3.0	7.6	9.5	8.1	10.3	7.2	12	13143
15-17 LST	9.5	11.5	9.5	4.2	3.6	1.7	4.1	3.6	5.7	7.3	6.9	8.9	6.4	12	13140
18-20 LST	12.1	13.9	10.8	4.9	4.5	3.2	3.4	3.2	7.2	7.6	6.5	10.0	7.3	12	13138
21-23 LST	15.3	14.8	13.2	7.3	4.9	2.8	2.5	3.7	8.3	10.2	9.0	14.0	8.8	12	13129
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	6.4	3.7	3.3	3.0	2.0	0.4	1.3	2.5	3.9	6.5	6.2	3.9	12	13137
03-05 LST	7.9	7.0	5.7	5.2	6.6	4.8	2.3	3.9	6.4	7.6	9.4	7.3	6.2	12	13136
06-08 LST	6.8	7.1	4.8	3.3	3.8	2.6	1.2	2.7	6.3	6.8	8.4	7.5	5.1	12	13142
09-11 LST	2.5	2.8	1.2	0.1	0.1	0.0	0.2	0.4	0.2	0.6	1.6	2.0	1.0	12	13145
12-14 LST	0.5	1.5	0.9	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.2	1.4	0.4	12	13143
15-17 LST	1.1	1.4	0.4	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.8	1.0	0.5	12	13140
18-20 LST	2.9	3.2	0.9	0.5	0.2	0.0	0.1	0.1	0.2	0.1	0.8	2.2	0.9	12	13138
21-23 LST	5.2	4.4	2.7	0.3	0.3	0.1	0.4	0.4	0.6	1.4	2.7	5.2	2.0	12	13129



# CHARLESTON MUNICIPAL, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.0	24.8	27.7	29.0	30.2	29.6	30.3	30.2	28.4	28.8	28.5	28.6	344.1	12	4383
	01 LST	26.4	23.2	26.7	27.4	28.7	28.5	30.2	29.7	26.6	26.6	25.7	27.2	326.9	12	4382
	07 LST	25.6	22.2	25.1	26.5	26.6	27.6	29.3	27.7	23.3	23.0	23.4	25.6	305.9	12	4383
	13 LST	26.6	25.7	28.6	29.2	30.5	29.7	30.2	30.7	28.7	29.0	28.5	28.6	348.0	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	20.3	16.5	19.0	19.9	22.3	21.0	23.3	25.1	24.3	25.2	24.0	22.4	263.3	12	4383
	01 LST	18.5	15.5	18.2	20.3	24.7	24.1	27.0	27.2	22.7	22.4	20.6	19.6	260.8	12	4382
	07 LST	18.0	15.6	17.3	18.2	19.7	20.9	24.0	23.2	17.9	17.8	18.9	19.1	230.6	12	4383
	13 LST	9.9	8.5	8.7	8.0	12.7	13.0	15.8	17.1	13.6	15.4	15.2	12.7	150.6	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	1.9	1.6	1.4	0.2	0.5	0.2	0.5	0.2	0.0	0.4	0.7	8.6	12	4294
	01 LST	0.9	1.6	1.5	0.8	0.1	0.1	0.1	0.2	0.2	0.2	0.4	1.2	7.3	12	4294
	07 LST	0.8	1.1	1.0	0.9	0.3	0.1	0.0	0.5	0.2	0.3	0.3	0.6	6.1	12	4290
	13 LST	4.9	5.4	5.9	6.3	2.3	1.8	1.1	1.1	0.9	0.9	2.2	3.8	36.6	12	4304
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.4	22.0	20.4	24.3	22.4	24.2	24.1	22.6	21.7	19.4	20.0	261.8	12	4294
	01 LST	16.1	15.5	17.1	18.4	20.8	18.7	20.7	17.6	18.7	18.8	17.8	15.6	215.8	12	4294
	07 LST	12.9	15.7	18.3	17.3	20.3	20.8	21.4	20.3	18.6	20.0	17.9	15.0	218.5	12	4290
	13 LST	13.6	11.3	11.6	10.8	14.8	12.7	13.3	14.1	16.4	18.0	18.5	14.7	169.8	12	4304
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.1	10.9	10.9	11.9	8.2	5.5	5.0	7.4	8.1	14.2	13.8	12.3	120.3	12	4383
	01 LST	12.9	12.7	12.7	14.9	15.1	12.4	12.1	13.6	12.6	15.7	13.7	13.2	161.6	12	4382
	07 LST	8.8	8.2	9.6	10.1	9.8	8.3	7.8	9.5	7.7	11.1	10.8	9.6	111.3	12	4383
	13 LST	8.6	7.7	8.0	8.7	5.1	2.9	1.4	2.4	3.3	8.9	11.7	9.2	77.9	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.6	26.8	27.4	28.9	28.2	29.2	29.4	26.6	28.0	27.9	27.2	329.9	12	4383
	01 LST	25.1	22.1	25.7	26.3	27.6	27.5	29.6	28.9	25.5	25.3	24.0	26.0	313.6	12	4382
	07 LST	23.9	21.1	23.7	24.8	25.1	26.6	28.2	26.5	21.8	21.3	22.2	24.3	289.5	12	4383
	13 LST	25.9	22.8	26.2	26.5	28.3	27.4	28.6	28.6	25.4	25.7	26.3	26.2	317.9	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.6	21.4	24.7	25.8	27.1	26.6	28.2	28.1	25.1	25.0	25.0	24.9	305.5	12	4383
	01 LST	23.0	20.0	23.8	24.7	26.2	25.8	28.8	27.8	24.4	23.8	21.8	22.9	293.0	12	4382
	07 LST	20.1	18.7	21.8	23.7	23.6	25.6	27.5	26.0	20.4	20.0	20.6	21.0	269.0	12	4383
	13 LST	21.8	19.4	21.4	21.2	19.5	18.4	17.4	19.2	16.7	20.7	23.6	22.3	241.6	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.6	19.7	23.1	24.7	26.2	25.7	26.9	27.2	23.9	24.0	23.4	22.8	289.2	12	4383
	01 LST	21.1	18.6	21.4	23.5	24.1	24.9	27.7	27.2	22.7	22.8	20.6	20.2	274.8	12	4382
	07 LST	18.1	16.8	20.0	22.3	22.2	24.3	26.5	25.2	19.1	19.0	19.1	19.7	252.3	12	4383
	13 LST	20.0	17.8	19.7	20.1	18.7	17.5	16.4	18.2	15.9	19.3	21.8	20.1	225.5	12	4383

## COLUMBIA, SOUTH CAROLINA

STA NO. 72310 (IN AREA NUMBER 15)

LATITUDE 3356N

LONGITUDE 08107W

ELEVATION(FT) 00211

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
ABS MAX TMP (F)	82	81	89	93	101	107	107	106	101	101	88	80	107	12	4382
MEAN MAX TMP (F)	59	62	65	77	85	91	93	92	85	77	66	58	76	12	4382
MEAN MIN TMP (F)	36	38	41	51	60	67	71	70	64	52	40	34	52	12	4382
ABS MIN TMP (F)	13	11	20	29	41	49	54	54	45	23	16	4	4	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	9.1	18.2	23.8	22.4	9.3	1.4	0.0	0.0	85.2	12	4382
MEAN NO DYS TMP = OR LES 32(F)	12.6	9.6	6.2	0.7	0.0	0.0	0.0	0.0	0.0	0.7	8.2	15.1	53.1	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	37	38	40	49	58	66	69	69	64	54	41	35	52	12	105100
MEAN REL HUM (PCT)	72	69	65	64	66	69	72	73	75	74	70	71	70	12	105099
MEAN PRESS ALT (FT)	2	38	81	109	116	128	103	111	91	53	19	0	71	0	-50
MEAN PRECIP (IN)	2.77	3.26	4.35	3.49	3.51	2.96	5.79	4.79	4.85	2.52	2.00	3.17	43.5	10	3648
MEAN SNOW FALL (IN)	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	10	3651
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	6.2	8.5	5.5	5.6	5.5	7.6	6.7	5.8	4.5	4.4	5.6	70.9	10	3648
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	10	3651
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	2.0	1.6	1.2	1.3	1.2	1.5	2.0	2.6	3.2	2.8	2.9	24.7	12	4382
MEAN NO DYS TSTMS	0.0	1.0	2.0	4.0	6.0	9.0	11.0	9.0	4.0	1.0	0.0	0.0	47.0	65	-24
P FREQ WND SPD = OR GTR 17 KTS	2.6	3.2	5.1	5.3	1.0	0.6	0.5	0.6	0.7	0.5	1.7	2.1	2.0	12	105099
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	105099
P FREQ LES 5000 FT A/D LES 5 MI	26.3	27.5	26.2	19.4	17.4	16.1	17.5	17.6	27.0	27.6	23.2	25.3	22.8	12	105095
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.7	15.8	14.6	7.8	6.9	5.8	5.4	6.4	12.5	14.6	12.2	14.6	10.9	12	13129
03-05 LST	18.5	18.7	17.8	13.5	14.7	13.3	14.7	15.3	22.4	20.4	15.6	16.9	16.8	12	13136
06-08 LST	24.0	20.8	21.3	16.5	18.5	18.9	22.2	20.7	31.9	28.7	19.4	19.1	21.4	12	13134
09-11 LST	20.6	18.4	16.8	10.0	8.4	4.8	7.1	6.4	16.0	17.1	14.1	17.3	13.1	12	13138
12-14 LST	14.0	13.1	10.2	5.8	4.6	1.9	1.9	2.6	7.7	9.6	8.4	10.8	7.6	12	13141
15-17 LST	10.9	9.2	9.1	3.4	3.5	1.4	0.7	2.1	6.0	7.5	5.6	7.1	5.5	12	13141
18-20 LST	9.9	9.6	10.7	4.9	3.2	1.6	1.6	3.0	5.6	9.1	6.4	6.9	6.0	12	13140
21-23 LST	11.7	11.3	11.3	6.0	3.2	2.3	1.4	3.7	7.2	11.4	7.8	8.9	7.2	12	13136
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	3.7	2.3	0.8	1.2	0.7	0.4	0.5	1.1	2.2	3.1	4.3	2.0	12	13129
03-05 LST	5.0	6.1	3.1	2.5	3.9	3.1	3.0	4.2	5.4	5.4	6.0	5.1	4.4	12	13136
06-08 LST	6.0	5.3	3.1	3.0	3.0	2.6	3.9	4.2	7.7	7.2	7.4	4.9	4.9	12	13134
09-11 LST	2.4	2.5	1.2	0.3	0.0	0.0	0.0	0.3	0.4	0.4	2.2	2.1	1.0	12	13138
12-14 LST	1.0	0.8	0.4	0.0	0.1	0.2	0.1	0.1	0.0	0.1	0.2	0.3	0.3	12	13141
15-17 LST	0.9	0.2	0.3	0.0	0.0	0.1	0.0	0.1	0.3	0.0	0.2	0.8	0.2	12	13141
18-20 LST	1.3	0.6	0.8	0.2	0.1	0.0	0.2	0.2	0.0	0.2	0.8	1.3	0.5	12	13140
21-23 LST	2.9	1.0	1.7	0.3	0.1	0.0	0.1	0.2	0.2	0.8	1.5	2.7	1.0	12	13136

## COLUMBIA, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.4	25.9	28.4	28.2	30.5	29.8	30.6	30.1	28.7	28.8	28.3	29.7	347.4	12	4382
	01 LST	27.5	24.1	27.4	28.6	29.4	29.2	29.9	29.9	27.8	27.5	26.9	27.2	335.4	12	4382
	07 LST	24.6	23.0	25.1	26.1	26.4	25.0	25.6	25.1	20.7	22.7	25.1	25.8	295.2	12	4382
	13 LST	27.8	25.3	29.0	28.9	30.0	29.6	30.7	30.4	28.5	29.1	28.1	28.4	345.8	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	20.8	20.6	21.1	27.5	24.8	27.0	27.0	26.8	26.7	24.5	23.5	296.4	12	4382
	01 LST	23.2	19.5	20.6	23.0	26.3	26.6	27.1	28.2	24.2	24.2	23.5	23.2	289.6	12	4382
	07 LST	19.3	18.7	19.0	18.7	21.6	21.7	21.7	23.7	17.3	19.7	21.8	21.8	245.0	12	4382
	13 LST	12.8	11.8	12.2	12.6	17.8	20.1	20.2	22.2	19.0	19.1	16.2	17.7	201.7	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.5	1.1	0.8	0.1	0.1	0.2	0.3	0.1	0.1	0.3	0.1	3.9	12	4270
	01 LST	0.3	0.3	0.5	0.2	0.0	0.0	0.2	0.0	0.1	0.2	0.2	0.2	2.2	12	4245
	07 LST	0.5	0.3	0.4	0.6	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	2.4	12	4221
	13 LST	2.6	2.7	3.7	4.4	1.0	0.3	0.2	0.3	0.1	0.2	0.9	1.9	18.3	12	4277
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	15.1	13.1	17.6	18.5	21.8	20.2	21.9	21.0	17.5	14.5	11.9	13.7	206.8	12	4270
	01 LST	11.6	12.3	15.3	16.7	17.1	15.1	16.7	13.1	13.4	12.9	10.7	12.2	167.1	12	4245
	07 LST	9.9	11.4	13.0	15.2	18.4	18.9	18.9	16.6	14.1	14.3	11.3	10.9	172.9	12	4221
	13 LST	14.6	13.9	14.6	14.6	17.8	12.9	11.0	11.5	18.8	20.5	17.3	18.2	185.7	12	4277
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.7	11.1	12.1	12.4	10.4	6.9	6.3	8.5	11.4	15.7	14.7	12.2	133.4	12	4382
	01 LST	13.1	11.2	13.6	15.0	15.6	13.1	11.8	14.7	13.1	16.8	15.4	14.0	167.4	12	4382
	07 LST	9.4	9.6	9.6	12.2	11.6	9.9	8.3	11.2	8.9	11.4	12.8	10.9	125.8	12	4382
	13 LST	9.5	8.7	10.0	10.1	7.5	5.9	4.5	6.7	7.8	12.2	14.4	10.9	108.2	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.5	26.9	27.8	29.6	29.1	30.4	29.6	27.6	27.7	27.6	27.6	335.5	12	4382
	01 LST	26.1	22.8	25.6	26.3	28.0	27.8	28.4	29.1	25.0	25.1	26.0	25.8	316.0	12	4382
	07 LST	21.9	21.5	23.7	24.2	24.5	23.6	23.7	23.9	18.8	21.0	23.5	24.2	274.5	12	4382
	13 LST	25.1	23.0	26.6	27.2	28.9	28.6	29.6	29.4	25.8	26.7	26.0	26.7	323.6	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.2	21.2	22.9	24.8	26.5	26.4	27.2	26.4	23.6	24.8	24.2	24.3	295.5	12	4382
	01 LST	22.2	20.1	23.3	24.4	26.5	26.3	27.2	27.8	22.7	22.6	23.3	23.0	289.4	12	4382
	07 LST	19.2	18.3	20.7	22.0	23.3	22.7	22.9	22.7	17.1	18.5	21.1	20.7	249.2	12	4382
	13 LST	21.6	19.9	21.5	22.1	23.7	23.8	23.7	25.1	21.8	23.4	23.2	23.0	272.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.1	19.2	21.0	22.8	24.2	24.7	25.6	24.8	21.8	23.5	22.6	21.8	272.9	12	4382
	01 LST	20.6	18.1	21.1	22.7	24.8	24.6	25.2	26.8	21.7	21.8	21.5	20.6	269.5	12	4382
	07 LST	17.6	16.5	19.0	20.8	22.0	21.6	21.8	22.1	16.0	17.1	19.1	19.6	233.2	12	4382
	13 LST	19.3	17.8	19.8	20.6	22.5	22.6	22.7	24.2	20.5	21.5	21.6	20.4	253.5	12	4382

# ANDERSON MUNICIPAL, SOUTH CAROLINA

STA NO. 73308 (IN AREA NUMBER 15)

LATITUDE 3429N

LONGITUDE 08242W

ELEVATION(FT) 00783

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	78	86	91	98	106	108	105	100	99	86	81	108	17	-113
MEAN MAX TMP (F)	55	57	63	74	82	90	90	90	83	74	63	54	73	17	-113
MEAN MIN TMP (F)	34	36	40	50	59	66	69	65	63	51	39	33	51	17	-113
ABS MIN TMP (F)	8	3	13	26	36	49	58	56	42	25	12	2	2	17	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	4.2	14.6	16.9	17.9	6.3	1.3	0.0	0.0	61.4	11	3318
MEAN NO DYS TMP = OR LES 32(F)	13.1	11.1	6.2	0.9	0.0	0.0	0.0	0.0	0.0	0.9	9.3	16.1	97.6	11	3318
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3318
MEAN DEW PT TMP (F)	39	37	38	45	56	66	68	67	61	51	37	34	50	7	53209
MEAN REL HUM (PCT)	75	68	65	62	65	69	71	71	71	69	68	74	69	7	53207
MEAN PRESS ALT (FT)	569	606	652	681	692	708	680	689	671	629	591	567	645	0	-50
MEAN PRECIP (IN)	4.48	4.12	5.41	3.87	3.04	2.82	4.23	3.84	3.51	2.33	3.20	4.06	44.9	17	-113
MEAN SNOW FALL (IN)	0.1	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	17	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.0	7.6	7.3	6.7	6.1	5.4	7.0	6.6	5.7	4.1	5.2	7.5	77.2	17	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	11	3310
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.6	3.6	2.8	1.1	0.8	0.7	0.8	1.3	1.1	1.3	2.6	5.9	27.6	7	2220
MEAN NO DYS TSTMS	1.2	1.1	3.4	4.5	5.6	10.4	12.5	7.9	3.1	1.0	0.7	0.6	52.0	11	3316
P FREQ WND SPD = OR GTR 17 KTS	2.0	2.3	4.8	3.4	1.3	0.3	0.6	0.7	1.4	1.9	2.0	2.4	1.9	7	53205
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	7	53205
P FREQ LES 5000 FT A/D LES 5 MI	41.1	28.4	27.1	19.0	17.8	18.6	20.0	19.7	22.0	24.2	25.9	39.2	25.3	7	53189
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	18.0	14.6	8.5	7.5	6.3	6.1	8.6	10.4	11.0	12.2	22.1	12.3	7	6652
03-05 LST	25.8	20.4	17.2	13.9	14.0	10.4	11.6	16.5	15.4	15.4	14.1	27.5	16.9	7	6657
06-08 LST	29.1	23.8	20.9	14.1	14.5	15.6	17.2	20.5	19.6	20.2	17.8	30.6	20.3	7	6646
09-11 LST	31.4	22.7	18.1	11.3	11.1	8.5	12.3	14.2	14.5	16.7	15.6	29.1	17.1	7	6653
12-14 LST	22.8	14.6	11.5	9.1	5.4	4.1	4.9	5.2	5.4	8.8	10.6	23.5	10.5	7	6653
15-17 LST	17.8	10.1	10.3	6.9	3.4	0.7	2.0	2.7	3.9	5.9	8.0	17.5	7.4	7	6644
18-20 LST	17.2	11.0	11.2	5.9	3.0	0.7	2.0	2.7	3.0	6.3	7.8	16.7	7.3	7	6647
21-23 LST	19.0	13.0	11.2	7.6	4.1	1.9	1.8	4.8	4.6	7.2	9.1	19.0	8.6	7	6649
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.2	5.7	4.1	0.7	0.5	0.2	0.7	2.0	0.4	1.4	4.3	11.7	3.4	7	6652
03-05 LST	9.1	7.5	5.7	1.7	2.2	1.9	2.3	3.1	3.3	2.7	5.7	11.7	4.7	7	6657
06-08 LST	11.5	7.9	4.0	1.9	2.2	1.9	1.1	3.4	2.8	3.6	4.5	11.9	4.7	7	6646
09-11 LST	8.1	3.9	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.2	1.1	5.3	1.5	7	6653
12-14 LST	3.2	2.4	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	2.8	0.8	7	6653
15-17 LST	2.0	1.8	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.2	0.6	2.3	0.6	7	6644
18-20 LST	3.4	2.2	0.9	0.2	0.2	0.2	0.2	0.4	0.4	0.4	1.1	5.0	1.2	7	6647
21-23 LST	7.0	3.2	2.5	0.6	0.0	0.0	0.0	1.1	0.0	0.5	2.0	7.3	2.0	7	6649

# ANDERSON MUNICIPAL, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	25.5	28.1	28.5	30.5	30.0	30.8	30.3	29.3	29.6	27.8	26.4	343.1	7	2220
	00 LST	24.8	23.5	27.2	28.3	29.0	28.7	29.1	29.0	27.7	28.6	26.8	24.8	327.5	7	2221
	06 LST	23.3	21.7	25.5	26.6	27.3	26.3	26.8	25.0	25.3	25.3	24.3	21.7	299.1	7	2221
	12 LST	25.5	25.0	28.5	28.7	30.2	29.3	30.2	30.0	29.0	29.5	27.3	25.5	338.7	7	2221
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.8	18.7	19.3	22.5	26.8	25.5	27.8	28.1	27.5	25.8	23.2	20.1	286.1	7	2220
	00 LST	20.0	20.4	21.1	22.8	26.7	26.5	27.7	27.5	25.1	24.6	22.8	19.9	285.1	7	2221
	06 LST	16.5	16.9	20.2	19.3	23.5	21.5	21.8	22.7	20.2	21.0	21.3	17.5	242.4	7	2221
	12 LST	11.7	12.9	15.2	14.2	18.7	19.3	20.8	22.5	19.3	18.7	17.2	14.0	204.5	7	2221
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.3	1.7	0.3	0.5	0.2	0.5	0.0	0.0	0.2	0.8	0.9	5.6	7	2157
	00 LST	0.3	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	2.0	7	2137
	06 LST	0.0	0.7	0.5	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.6	2.6	7	2117
	12 LST	0.7	1.4	2.3	2.6	1.2	0.0	0.0	0.5	0.2	1.0	1.5	1.5	12.9	7	2144
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.1	18.5	20.0	20.7	22.7	21.4	21.7	21.3	19.4	15.9	16.6	17.1	234.4	7	2157
	00 LST	14.8	17.9	15.4	19.0	13.5	17.8	17.5	14.3	16.5	15.7	12.4	13.2	188.0	7	2137
	06 LST	12.1	10.4	14.8	16.4	17.7	21.4	21.2	18.2	15.1	12.3	10.8	8.5	178.9	7	2117
	12 LST	20.0	15.4	17.5	17.8	20.9	10.5	11.8	12.3	17.2	18.8	18.5	18.4	199.1	7	2144
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.3	11.3	11.2	12.2	9.3	4.8	4.2	7.7	12.5	16.8	15.8	11.7	126.8	7	2220
	00 LST	10.5	13.2	13.0	15.7	17.0	16.5	13.1	15.5	16.7	19.2	16.7	12.6	179.7	7	2221
	06 LST	7.3	9.1	9.3	13.1	12.0	10.3	9.3	9.3	10.3	14.8	13.3	9.3	127.4	7	2221
	12 LST	7.7	9.6	8.2	9.0	6.7	4.5	2.7	5.7	9.0	12.6	12.5	8.7	94.9	7	2221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.8	24.2	26.8	27.5	30.0	29.8	30.1	29.1	28.5	28.5	27.5	24.2	331.0	7	2220
	00 LST	22.8	22.5	25.3	26.6	27.8	27.8	27.5	27.5	26.3	26.5	25.8	22.8	309.2	7	2221
	06 LST	19.8	20.2	22.8	24.7	25.8	24.5	24.8	23.7	23.2	23.5	23.8	20.4	277.2	7	2221
	12 LST	22.2	23.0	25.5	26.2	28.3	26.8	28.3	28.1	27.0	27.3	25.3	22.1	310.1	7	2221
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	20.9	23.5	24.5	26.2	26.5	25.3	25.1	25.3	26.0	25.0	20.1	288.9	7	2220
	00 LST	17.6	19.7	22.0	24.3	26.0	26.3	25.1	26.3	24.8	25.0	24.0	18.6	279.7	7	2221
	06 LST	14.7	18.0	21.3	22.8	23.8	23.0	24.0	21.8	20.2	21.0	21.2	17.2	249.0	7	2221
	12 LST	18.8	20.0	22.0	23.2	22.0	20.8	21.1	22.5	21.3	23.3	22.8	19.1	256.9	7	2221
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.8	19.5	22.2	22.1	23.5	24.0	23.6	23.2	23.3	24.8	23.6	19.5	288.1	7	2220
	00 LST	15.7	17.9	19.7	22.0	24.6	25.3	23.7	25.6	23.3	24.0	22.7	17.9	262.4	7	2221
	06 LST	13.1	16.7	19.0	21.0	22.2	21.8	22.2	20.0	18.8	20.6	20.2	15.9	231.5	7	2221
	12 LST	17.1	18.9	20.3	22.0	21.6	20.3	20.8	21.3	19.8	22.5	21.2	17.4	243.2	7	2221

# MYRTLE BEACH/AFB, SOUTH CAROLINA

STA NO. 73348 'IN AREA NUMBER 15)

LATITUDE 3341N

LONGITUDE 07856W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	83	88	92	93	101	97	96	99	91	83	81	101	14	4579
MEAN MAX TMP (F)	55	57	62	71	78	84	86	86	82	74	66	57	72	14	4579
MEAN MIN TMP (F)	36	38	44	53	61	68	71	70	66	53	45	36	53	14	4579
ABS MIN TMP (F)	16	9	19	29	36	48	57	56	42	31	23	11	9	14	4579
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	1.3	5.9	5.6	5.1	1.7	0.2	0.0	0.0	20.1	14	4579
MEAN NO DYS TMP = OR LES 32(F)	11.8	10.3	3.4	0.2	0.0	0.0	0.0	0.0	0.0	0.4	4.6	12.8	43.5	14	4579
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4579
MEAN DEW PT TMP (F)	38	38	41	53	62	69	72	71	67	55	47	37	55	14	109656
MEAN REL HUM (PCT)	76	73	75	74	78	79	82	81	80	77	76	74	77	14	109638
MEAN PRESS ALT (FT)	-173	-140	-103	-76	-74	-64	-90	-78	-96	-129	-160	-172	-112	0	-50
MEAN PRECIP (IN)	3.62	3.90	4.77	3.15	2.85	6.43	7.38	5.64	6.32	2.63	2.36	2.73	51.8	12	4322
MEAN SNOW FALL (IN)	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9	3226
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	6.3	7.6	5.6	5.1	7.3	10.0	7.9	5.6	4.1	4.3	4.7	74.7	12	4322
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3226
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.8	3.5	3.7	2.1	2.7	1.4	1.5	2.3	1.9	2.7	3.5	4.6	33.7	14	4576
MEAN NO DYS TSTMS	0.5	1.1	2.0	3.3	5.2	7.5	11.2	8.4	4.7	1.2	0.6	0.4	46.6	14	4578
P FREQ WND SPD = OR GTR 17 KTS	0.9	2.5	2.1	2.6	1.1	0.8	1.1	0.7	1.0	0.7	0.7	0.8	1.3	14	109794
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	14	109794
P FREQ LES 5000 FT A/D LES 5 MI	36.0	36.1	33.2	22.6	23.8	21.2	19.9	21.3	24.4	23.6	27.6	28.6	26.5	14	109760
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.7	21.4	20.7	10.6	11.8	5.8	4.1	6.7	8.0	13.6	18.5	17.6	13.5	14	13719
03-05 LST	24.5	21.8	29.0	16.1	17.5	13.3	8.6	12.6	13.9	17.0	21.1	19.4	17.6	14	13725
06-08 LST	26.6	21.9	27.1	16.2	15.8	13.9	11.0	15.9	19.5	18.7	21.8	21.3	19.1	14	13789
09-11 LST	23.2	18.6	18.3	9.4	8.9	10.9	8.2	8.8	13.6	11.7	13.5	15.8	13.4	14	13822
12-14 LST	19.5	15.4	14.2	6.7	5.0	5.7	5.5	4.0	8.2	7.6	8.3	13.3	9.5	14	13822
15-17 LST	16.2	14.3	12.9	6.2	6.2	5.6	4.8	5.1	7.3	6.4	8.6	11.9	8.8	14	13821
18-20 LST	18.2	18.1	13.7	7.9	5.6	6.2	6.1	5.9	7.3	6.8	9.3	15.3	10.0	14	13816
21-23 LST	20.3	20.2	17.8	7.7	7.1	4.3	4.7	4.9	7.6	8.9	13.6	15.0	11.0	14	13817
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.0	8.1	5.2	2.7	2.7	0.7	0.2	1.2	1.0	3.1	6.1	7.1	3.8	14	13719
03-05 LST	8.5	8.3	6.7	5.2	6.9	3.0	1.5	3.7	3.4	5.1	7.2	8.8	5.7	14	13725
06-08 LST	7.5	8.4	6.4	4.4	3.5	2.6	1.7	3.7	4.4	5.8	6.4	7.9	5.2	14	13789
09-11 LST	3.7	3.4	1.7	1.0	0.0	0.4	0.2	0.2	0.6	0.4	1.2	3.6	1.4	14	13822
12-14 LST	1.5	2.3	1.1	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.7	0.7	0.7	14	13822
15-17 LST	2.6	3.2	1.5	0.6	0.3	0.2	0.1	0.4	0.3	0.4	1.1	1.2	1.0	14	13821
18-20 LST	5.4	5.5	3.1	0.6	0.4	0.3	0.5	0.2	0.4	0.7	1.2	2.9	1.8	14	13816
21-23 LST	5.5	6.6	4.5	0.9	0.3	0.1	0.1	0.1	0.3	1.8	2.7	5.1	2.3	14	13817

# MYRTLE BEACH/AFB, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANW	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.0	22.8	25.6	27.7	29.0	29.0	30.5	29.6	28.3	24.0	25.7	26.6	327.8	14	4610
	01 LST	24.1	22.2	22.8	25.1	25.7	26.4	27.7	26.0	23.9	25.0	23.6	25.8	298.3	14	4610
	07 LST	25.9	24.9	27.7	28.5	30.0	28.7	30.2	30.3	28.2	24.3	28.2	27.7	338.6	14	4610
	13 LST	26.3	23.9	27.3	28.4	29.7	28.9	30.0	29.8	28.5	24.6	28.3	27.8	338.5	14	4609
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	20.5	18.1	20.6	23.1	26.1	25.8	27.5	27.5	25.5	25.1	22.2	22.9	284.9	14	4610
	01 LST	20.1	18.1	19.2	21.2	23.0	24.2	25.9	24.0	21.3	21.1	20.7	22.3	261.1	14	4610
	07 LST	15.1	12.5	12.4	11.4	16.2	15.8	15.3	21.3	16.7	19.7	17.7	16.1	193.2	14	4610
	13 LST	22.2	17.4	18.3	16.5	20.5	19.4	20.6	22.5	24.0	27.3	25.4	23.5	257.6	14	4609
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.3	0.1	0.4	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.2	1.6	14	4507
	01 LST	0.2	0.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.2	1.7	14	4507
	07 LST	0.6	1.4	1.2	1.2	0.3	0.2	0.8	0.2	0.7	0.2	0.8	0.5	8.3	14	4518
	13 LST	0.2	0.5	0.4	0.7	0.3	0.3	0.2	0.1	0.2	0.1	0.2	0.2	3.4	14	4520
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	12.7	12.4	15.6	16.6	15.6	14.6	14.2	12.4	14.6	14.2	13.1	12.4	168.4	14	4507
	01 LST	12.1	11.9	15.3	15.0	14.7	13.9	11.7	12.5	14.6	15.7	14.5	11.2	163.1	14	4517
	07 LST	19.6	17.6	19.3	17.2	20.8	18.2	20.6	22.2	21.7	23.6	19.6	20.2	240.6	14	4518
	13 LST	15.6	16.4	21.0	21.4	23.3	21.3	21.3	22.3	20.9	13.6	12.9	13.3	223.3	14	4519
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.8	12.1	12.7	15.4	14.2	13.0	10.1	14.2	13.0	17.9	14.4	15.6	165.4	11	3514
	01 LST	11.9	12.2	10.0	9.3	7.5	6.5	5.6	6.7	7.8	14.1	13.3	14.6	119.3	11	3515
	07 LST	7.7	8.5	9.8	10.9	6.6	5.6	3.4	4.4	6.5	12.9	11.0	10.9	98.2	11	3515
	13 LST	8.5	8.3	8.6	9.6	7.4	6.8	5.1	6.5	7.3	12.6	11.5	11.0	103.2	11	3515
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.3	21.3	23.5	26.1	27.0	26.8	28.8	28.4	26.5	26.5	23.8	25.3	307.3	14	4610
	01 LST	22.3	21.1	21.2	23.1	23.5	24.6	26.4	24.4	22.3	23.2	22.4	24.3	278.9	14	4610
	07 LST	23.0	22.5	25.3	26.5	27.9	25.8	27.0	27.7	24.8	26.2	25.7	25.5	307.9	14	4610
	13 LST	24.0	22.0	23.4	27.2	28.5	27.1	28.6	28.1	26.6	28.3	26.6	25.6	318.0	14	4609
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	21.0	19.7	21.2	24.4	25.3	25.4	26.8	27.2	24.5	24.5	21.8	23.1	284.9	14	4610
	01 LST	19.7	18.5	19.1	21.0	21.1	23.2	25.0	22.9	20.9	21.6	20.3	22.1	255.4	14	4610
	07 LST	20.9	19.5	22.3	24.5	24.8	23.3	24.1	26.3	23.5	25.0	23.2	23.7	281.1	14	4610
	13 LST	21.1	19.6	22.9	25.0	26.0	24.4	26.3	26.8	24.8	26.5	24.7	23.4	291.5	14	4609
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	18.8	17.4	19.4	22.4	23.8	23.8	25.2	25.2	23.5	23.2	20.1	21.2	264.0	14	4610
	01 LST	18.2	16.7	17.5	19.4	19.4	20.6	22.8	21.5	19.9	20.1	18.8	20.5	235.4	14	4610
	07 LST	18.1	17.8	20.4	22.6	23.4	21.6	22.6	24.2	22.0	23.4	21.7	21.8	259.6	14	4610
	13 LST	19.0	18.5	21.7	23.8	24.0	22.8	24.6	24.3	23.0	25.1	23.1	21.7	271.6	14	4609



## EASTOVER/MCENTIRE ANGB, SOUTH CAROLINA

STA NO. 73352 (IN AREA NUMBER 15)

LATITUDE 3355N

LONGITUDE 08048W

ELEVATION(FT) 00251

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	81	82	87	92	99	104	103	102	101	99	88	80	104	12	-73786
MEAN MAX TMP (F)	57	61	65	75	83	89	90	90	84	75	66	57	74	12	-73786
MEAN MIN TMP (F)	38	41	44	53	63	69	72	71	66	56	45	38	55	12	-73786
ABS MIN TMP (F)	15	9	20	32	44	55	61	60	45	33	16	14	9	12	-73786
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.5	5.6	15.7	19.5	17.6	8.0	0.9	0.0	0.0	67.8	12	-73786
MEAN NO DYS TMP = OR LES 32(F)	8.3	4.5	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.4	9.1	27.0	12	-73786
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73786
MEAN DEW PT TMP (F)	36	38	40	49	58	66	70	70	65	53	43	36	52	12	-73786
MEAN REL HUM (PCT)	68	65	64	62	65	68	74	74	75	69	67	67	68	12	-73786
MEAN PRESS ALT (FT)	43	79	120	149	155	168	142	150	131	93	60	42	111	0	-50
MEAN PRECIP (IN)	2.74	3.47	4.26	3.61	3.01	4.71	5.77	4.79	3.55	2.58	1.62	2.90	43.0	12	-73786
MEAN SNOW FALL (IN)	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	12	-73786
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.6	7.8	5.8	5.1	5.5	7.8	7.2	4.7	3.3	3.1	5.6	66.9	12	-73786
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	12	-73786
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.7	2.1	1.7	2.3	1.6	1.8	3.2	4.8	3.1	3.9	4.5	35.8	12	-73786
MEAN NO DYS TSTMS	0.2	1.0	1.9	4.0	5.7	8.8	12.6	8.8	3.8	1.1	0.5	0.4	48.8	12	-73786
P FREQ WND SPD = OR GTR 17 KTS	2.8	3.1	3.7	4.4	1.1	1.0	0.6	0.8	1.8	1.1	1.5	1.9	2.0	12	-73786
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	12	-73786
P FREQ LES 5000 FT A/D LES 5 MI	28.7	28.3	28.8	21.9	22.0	19.8	22.3	19.9	28.6	27.1	25.0	25.6	24.8	12	-73786
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.7	17.0	16.8	11.3	9.2	7.6	6.5	7.3	13.5	15.5	13.2	14.9	12.5	12	-73786
03-05 LST	21.1	19.9	20.5	14.4	17.5	13.7	12.9	13.6	23.7	20.2	18.2	17.6	17.8	12	-73786
06-08 LST	24.8	20.6	24.3	16.0	21.2	16.6	19.6	21.1	31.8	25.3	24.2	19.1	22.1	12	-73786
09-11 LST	18.2	19.8	19.0	10.0	9.9	8.5	9.8	8.9	19.0	15.5	16.5	17.4	14.4	12	-73786
12-14 LST	13.3	14.7	12.5	6.3	5.6	2.7	3.0	2.4	8.2	8.8	8.3	12.3	8.2	12	-73786
15-17 LST	11.6	10.5	10.8	4.6	4.2	1.8	3.0	2.5	6.4	7.3	6.1	9.5	6.5	12	-73786
18-20 LST	10.7	11.6	12.8	4.7	4.1	3.4	2.8	4.6	5.8	9.5	6.8	9.3	7.2	12	-73786
21-23 LST	12.7	13.2	12.9	6.3	5.1	3.5	3.9	5.1	8.0	11.5	8.4	11.5	8.5	12	-73786
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	4.1	4.8	2.4	2.2	1.1	0.7	1.6	3.4	3.7	5.6	7.0	3.7	12	-73786
03-05 LST	6.7	7.0	6.2	3.9	4.2	2.9	3.8	5.4	11.1	8.1	8.3	8.6	6.4	12	-73786
06-08 LST	7.8	7.8	6.6	4.4	4.5	2.9	4.4	6.4	14.2	8.4	11.1	8.3	7.2	12	-73786
09-11 LST	3.0	4.1	2.9	0.4	0.3	0.0	0.1	0.9	0.6	2.0	3.1	3.8	1.8	12	-73786
12-14 LST	1.9	1.3	1.6	0.1	0.2	0.2	0.4	0.4	0.3	0.4	0.1	1.6	0.7	12	-73786
15-17 LST	2.2	1.4	1.4	0.2	0.4	0.3	0.3	0.4	0.6	0.2	0.7	2.2	0.9	12	-73786
18-20 LST	2.3	2.9	2.2	0.1	0.0	0.3	0.3	0.4	0.4	1.3	1.2	2.8	1.2	12	-73786
21-23 LST	3.1	3.2	4.2	0.6	0.7	0.2	0.2	0.4	1.0	2.6	2.1	4.4	1.9	12	-73786

## EASTOVER/MCENTIRE ANGB, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.5	27.8	29.1	30.3	29.3	30.2	30.0	28.8	29.1	28.6	28.6	345.4	12	-73786
	01 LST	26.7	24.1	27.0	28.2	29.6	28.8	30.1	29.4	27.3	27.2	26.9	27.8	333.1	12	-73786
	07 LST	25.1	23.2	24.6	25.1	24.4	24.9	25.6	24.2	20.9	23.9	24.3	26.0	292.2	12	-73786
	13 LST	27.7	24.5	28.0	28.7	30.1	29.6	30.4	30.6	29.0	29.1	28.0	28.0	343.7	12	-73786
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.3	20.1	19.5	17.7	22.3	22.1	22.6	25.8	25.0	25.8	25.5	24.2	273.9	12	-73786
	01 LST	21.1	19.3	19.7	22.8	26.2	25.8	27.0	27.1	24.4	23.6	23.6	23.0	283.6	12	-73786
	07 LST	19.6	17.7	18.7	20.3	20.7	22.5	23.5	22.4	17.3	19.7	20.2	20.9	243.5	12	-73786
	13 LST	14.7	12.2	14.1	13.3	19.0	21.1	22.4	24.2	18.1	19.3	17.3	17.5	213.2	12	-73786
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	0.8	0.7	1.4	0.2	0.6	0.4	0.2	0.1	0.1	0.2	0.2	5.6	12	-73786
	01 LST	0.7	0.5	0.9	0.5	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.3	3.9	12	-73786
	07 LST	0.3	0.8	0.6	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.2	0.6	3.3	12	-73786
	13 LST	1.4	1.2	2.0	2.8	0.5	0.3	0.1	0.5	1.0	0.7	0.9	1.5	12.9	12	-73786
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	14.8	15.1	19.1	19.0	21.0	17.8	18.1	17.5	20.2	16.7	14.3	13.6	207.2	12	-73786
	01 LST	14.2	13.4	15.7	16.0	17.4	15.7	16.2	14.5	13.7	14.9	13.8	12.7	178.2	12	-73786
	07 LST	12.4	13.0	16.0	16.1	17.4	16.4	15.4	13.9	15.1	15.8	13.6	12.0	177.1	12	-73786
	13 LST	16.2	14.5	18.0	17.4	20.2	16.0	15.1	14.7	17.8	20.3	18.8	18.2	207.2	12	-73786
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	9.4	9.1	10.4	8.3	6.8	4.9	7.6	8.3	14.1	12.9	11.3	113.8	12	-73786
	01 LST	12.9	12.7	13.9	16.2	16.4	14.3	12.8	14.7	16.1	18.1	16.4	15.3	179.8	12	-73786
	07 LST	12.2	10.9	10.8	10.5	8.6	9.1	7.1	8.8	8.5	13.6	13.6	13.6	127.3	12	-73786
	13 LST	8.7	7.8	8.6	10.4	6.5	5.2	3.2	6.0	7.7	12.6	12.5	10.2	99.4	12	-73786
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.9	23.9	26.4	27.7	28.9	28.7	29.4	29.1	26.7	27.6	27.4	26.7	329.4	12	-73786
	01 LST	25.4	23.0	25.2	26.5	28.2	27.5	28.6	28.4	26.0	25.5	25.6	26.1	316.0	12	-73786
	07 LST	22.9	21.5	23.0	23.6	23.3	23.9	24.6	23.0	19.6	22.3	22.1	24.6	274.4	12	-73786
	13 LST	24.7	22.2	25.2	26.6	27.7	27.8	27.4	28.0	25.1	25.7	25.9	25.4	311.7	12	-73786
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	22.7	21.1	22.9	24.4	25.1	24.7	25.1	26.1	23.6	25.1	24.4	24.2	289.4	12	-73786
	01 LST	22.5	20.8	22.7	24.8	26.8	25.9	26.7	27.0	24.0	23.6	22.9	23.3	291.0	12	-73786
	07 LST	20.2	19.2	20.7	21.8	21.3	22.9	23.3	22.2	17.6	20.6	20.3	21.5	251.6	12	-73786
	13 LST	21.7	19.2	20.3	20.8	20.9	22.1	19.4	22.7	19.5	22.3	24.2	22.6	255.7	12	-73786
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.4	19.7	21.3	22.7	23.4	23.0	23.5	24.9	22.1	23.9	23.3	22.7	271.9	12	-73786
	01 LST	20.2	18.7	21.8	23.5	25.0	24.3	25.6	26.1	22.9	22.7	22.0	21.9	274.7	12	-73786
	07 LST	18.4	17.3	19.0	20.3	19.7	21.5	22.2	20.8	17.0	19.9	18.9	20.3	235.3	12	-73786
	13 LST	20.3	17.9	19.0	19.9	19.9	21.2	18.7	22.3	19.0	21.7	23.0	20.5	243.4	12	-73786

# BARNWELL/COUNTY, SOUTH CAROLINA

STA NO. 73385 (IN AREA NUMBER 15)

LATITUDE 3316N

LONGITUDE 08123W

ELEVATION(FT) 00235

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	84	84	92	94	100	107	109	106	106	100	90	81	109	87	-72218
MEAN MAX TMP (F)	58	60	67	76	84	90	91	90	86	76	66	58	75	85	-72218
MEAN MIN TMP (F)	39	40	46	53	62	65	72	71	66	55	44	39	55	65	-72218
ABS MIN TMP (F)	6	3	14	29	40	46	55	51	41	22	11	6	7	86	-72218
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.7	8.4	17.3	24.0	23.3	9.5	1.0	0.1	0.0	84.3	12	-72218
MEAN NO DYS TMP = OR LES 32(F)	14.7	8.7	5.1	0.3	0.0	0.0	0.0	0.0	0.0	1.1	8.4	14.2	52.5	12	-72218
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72218
MEAN DEW PT TMP (F)	36	39	42	51	60	67	70	70	65	53	43	36	53	12	-72218
MEAN REL HUM (PCT)	72	70	68	68	70	72	74	75	77	75	72	72	72	12	-72218
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.68	4.11	4.49	3.37	3.20	4.15	5.06	4.67	3.53	2.44	2.56	3.38	44.6	89	-72218
MEAN SNOW FALL (IN)	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	10	-72218
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	7.6	7.0	6.4	6.3	6.9	7.8	7.5	5.7	4.2	4.4	6.7	77.6	89	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72218
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.3	2.0	1.6	1.4	1.2	1.8	1.1	2.1	2.6	2.6	3.2	2.7	24.6	12	-72218
MEAN NO DYS TSTMS	0.0	1.0	2.0	3.0	5.0	7.0	10.0	8.0	3.0	1.0	1.0	0.0	41.0	79	-72218
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.7	3.8	3.3	0.5	0.4	0.3	0.2	0.6	0.4	1.0	1.5	1.4	12	-72218
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	-72218
P FREQ LES 3000 FT A/D LES 5 MI	30.6	30.6	29.2	21.5	22.1	21.0	21.3	21.8	29.5	27.6	29.6	28.9	26.1	12	-72218
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.6	16.4	14.1	10.3	6.6	5.2	4.0	4.1	10.8	10.3	12.2	13.3	9.9	12	-72218
03-05 LST	17.1	18.0	18.1	14.4	14.7	12.4	13.5	13.3	23.6	17.5	16.0	17.6	16.4	12	-72218
06-08 LST	21.9	20.9	22.0	16.7	20.3	17.6	19.7	22.6	30.1	26.4	23.7	21.0	21.9	12	-72218
09-11 LST	18.6	19.2	18.9	8.6	10.2	7.9	6.4	8.0	16.3	14.7	19.0	17.3	13.8	12	-72218
12-14 LST	12.9	13.0	10.9	3.5	3.8	1.6	0.8	1.6	6.5	7.7	8.4	11.5	6.9	12	-72218
15-17 LST	9.3	11.0	9.6	2.7	2.2	1.0	0.8	1.6	3.4	6.2	4.8	7.5	5.2	12	-72218
18-20 LST	9.1	10.5	9.6	3.6	2.6	1.3	0.4	1.4	4.7	6.9	4.8	8.5	5.3	12	-72218
21-23 LST	10.2	12.1	10.8	4.9	3.3	2.4	1.5	1.7	6.3	8.0	7.1	9.9	6.5	12	-72218
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.4	3.3	2.2	0.7	0.8	0.2	0.2	0.4	0.6	1.2	3.3	4.0	1.6	12	-72218
03-05 LST	3.5	5.6	2.7	3.4	3.0	2.4	1.6	3.3	5.1	4.2	6.5	5.7	3.9	12	-72218
06-08 LST	4.8	5.9	3.9	3.3	2.8	3.8	3.2	4.7	8.1	6.9	8.4	5.9	5.1	12	-72218
09-11 LST	1.4	2.0	0.8	0.0	0.1	0.0	0.0	0.4	0.3	0.6	2.3	2.2	0.8	12	-72218
12-14 LST	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.7	0.1	12	-72218
15-17 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.8	0.2	12	-72218
18-20 LST	1.2	0.5	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.6	1.3	0.4	12	-72218
21-23 LST	2.0	1.9	0.7	0.0	0.1	0.1	0.0	0.0	0.1	0.4	0.9	2.7	0.7	12	-72218

## BARNWELL/COUNTY, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.8	25.8	28.6	29.5	30.7	29.7	30.8	30.8	28.9	29.5	29.0	28.6	290.7	12	-72218
	01 LST	27.9	24.2	27.3	27.8	29.1	29.3	30.1	30.1	27.8	28.6	27.0	27.3	336.5	12	-72218
	07 LST	25.6	23.0	24.8	25.6	26.0	25.7	26.1	24.7	21.9	23.7	23.0	25.0	295.1	12	-72218
	13 LST	28.6	25.5	28.9	29.2	30.3	29.8	30.7	30.3	29.1	29.3	28.6	28.6	349.1	12	-72218
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.8	20.5	23.0	23.5	28.4	26.6	28.1	29.1	27.2	26.3	25.7	25.4	308.2	12	-72218
	01 LST	23.7	18.9	21.3	24.1	26.7	27.2	29.6	28.9	25.7	26.4	24.2	23.6	300.3	12	-72218
	07 LST	20.3	18.3	20.0	20.5	22.3	23.5	24.3	22.9	19.5	21.6	20.2	21.3	254.7	12	-72218
	13 LST	14.3	12.6	13.2	14.4	20.4	20.9	22.8	22.7	19.8	19.5	17.4	17.2	215.1	12	-72218
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.1	3.2	12	-72218
	01 LST	0.2	0.3	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.5	12	-72218
	07 LST	0.3	0.3	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.6	12	-72218
	13 LST	1.2	1.7	2.8	2.4	0.4	0.2	0.0	0.1	0.2	0.4	0.6	1.5	11.5	12	-72218
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	12.1	12.6	16.0	15.5	16.7	18.0	17.0	16.5	14.1	8.9	9.3	12.3	169.0	12	-72218
	01 LST	10.1	11.4	13.4	12.6	10.3	8.7	9.0	9.2	8.1	9.4	9.2	10.4	121.8	12	-72218
	07 LST	8.7	9.4	14.0	13.6	15.6	14.9	13.4	10.9	12.6	10.9	9.7	10.4	144.1	12	-72218
	13 LST	17.4	15.4	17.1	16.3	19.0	14.7	10.8	11.4	17.5	19.6	18.7	19.6	197.5	12	-72218
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	10.4	11.2	12.4	10.3	6.9	4.8	7.6	10.1	15.5	13.7	12.3	127.4	12	-72218
	01 LST	13.4	12.3	12.4	15.2	16.2	13.7	12.3	14.7	14.8	18.7	14.9	14.1	172.7	12	-72218
	07 LST	9.9	8.5	9.0	12.4	10.2	8.5	8.0	9.6	9.0	12.5	11.2	10.9	119.7	12	-72218
	13 LST	9.1	8.5	8.2	9.5	6.7	3.9	3.7	4.5	6.2	11.6	11.6	10.2	93.7	12	-72218
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.4	28.1	29.6	28.7	30.6	30.2	27.6	28.4	27.7	27.5	337.1	12	-72218
	01 LST	26.1	22.3	25.8	26.2	27.7	27.9	29.6	29.0	26.1	26.8	25.7	26.1	319.3	12	-72218
	07 LST	22.8	21.1	22.7	23.6	23.8	24.5	24.6	23.2	19.8	21.7	21.2	22.9	271.9	12	-72218
	13 LST	25.0	23.4	25.6	26.4	28.9	28.7	29.7	29.6	26.8	26.9	25.7	25.9	322.8	12	-72218
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.7	21.6	24.1	24.8	26.1	24.7	26.2	25.7	23.9	25.6	24.1	24.4	294.9	12	-72218
	01 LST	21.9	20.2	22.8	25.0	26.3	26.8	27.9	28.4	23.7	24.6	23.1	22.7	293.4	12	-72218
	07 LST	19.1	17.6	19.6	21.4	22.5	23.1	23.4	22.2	17.4	19.1	18.8	20.1	244.3	12	-72218
	13 LST	20.2	18.8	20.9	21.2	21.9	19.1	19.5	20.6	18.0	22.1	21.8	22.2	246.3	12	-72218
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.7	19.6	22.2	23.6	24.1	22.4	24.2	24.9	22.2	23.8	22.7	22.0	273.4	12	-72218
	01 LST	20.2	18.4	21.3	23.6	24.6	25.7	26.4	27.2	22.7	23.7	21.8	21.5	277.1	12	-72218
	07 LST	17.8	16.1	18.2	19.6	21.1	22.0	22.3	21.6	16.8	18.3	17.8	16.8	230.4	12	-72218
	13 LST	18.7	17.3	18.9	20.1	21.4	18.4	18.8	20.0	17.3	21.0	20.1	20.5	232.5	12	-72218

# MYRTLE BEACH, SOUTH CAROLINA

STA NO. 73656 (IN AREA NUMBER 15)

LATITUDE 3349N

LONGITUDE 07844W

ELEVATION(FT) 00032

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR NO. (YRS) OBS
ABS MAX TMP (F)	81	83	88	92	93	101	97	96	99	91	83	81	101	14 -73348
MEAN MAX TMP (F)	55	57	62	71	78	84	86	86	82	74	66	57	72	14 -73348
MEAN MIN TMP (F)	36	38	44	53	61	68	71	70	66	53	45	36	53	14 -73348
ABS MIN TMP (F)	16	9	19	29	36	48	57	56	42	31	23	11	9	14 -73348
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	1.3	5.9	5.6	5.1	1.7	0.2	0.0	0.0	20.1	14 -73348
MEAN NO DYS TMP = OR LES 32(F)	11.8	10.3	3.4	0.2	0.0	0.0	0.0	0.0	0.0	0.4	4.6	12.8	43.5	14 -73348
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14 -73348
MEAN DEW PT TMP (F)	38	38	45	53	62	69	72	71	67	55	47	37	55	14 -73348
MEAN REL HUM (PCT)	76	73	75	74	78	79	82	81	80	77	76	74	77	14 -73348
MEAN PRESS-ALT (FT)	-165	-132	-96	-70	-67	-58	-85	-72	-88	-120	-152	-164	-105	0 -50
MEAN PRECIP (IN)	3.62	3.90	4.77	3.15	2.85	6.43	7.38	5.64	6.32	2.63	2.36	2.73	51.8	12 -73348
MEAN SNOW FALL (IN)	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9 -73348
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	6.3	7.6	5.6	5.1	7.3	10.0	7.9	5.6	4.1	4.3	4.7	74.7	12 -73348
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9 -73348
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.8	3.5	3.7	2.1	2.7	1.4	1.5	2.3	1.9	2.7	3.5	4.6	33.7	14 -73348
MEAN NO DYS TSTMS	0.5	1.1	2.0	3.3	5.2	7.5	11.2	8.9	4.7	1.2	0.6	0.4	46.6	14 -73348
P FREQ WND SPD = OR GTR 17 KTS	0.9	2.5	2.1	2.6	1.1	0.8	1.1	0.7	1.0	0.7	0.7	0.8	1.3	14 -73348
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	14 -73348
P FREQ LES 5000 FT A/D LES 5 MI	36.0	36.1	33.2	22.6	23.8	21.2	19.9	21.3	24.4	23.6	27.6	28.6	26.5	14 -73348
P FREQ LES 1500 FT A/D LES 3 MI														
FOR 00-02 LST	22.7	21.4	20.7	10.6	11.8	5.8	4.1	6.7	8.0	13.6	18.5	17.6	13.5	14 -73348
03-05 LST	24.5	21.8	25.0	16.5	17.5	13.3	8.6	12.6	13.9	17.0	21.1	19.4	17.6	14 -73348
06-08 LST	26.6	21.9	27.1	16.2	15.8	13.9	11.0	15.9	19.5	18.7	21.8	21.3	19.1	14 -73348
09-11 LST	23.2	18.6	18.3	9.4	8.9	10.9	8.2	8.8	13.6	11.7	13.5	15.8	13.4	14 -73348
12-14 LST	19.5	15.4	14.2	6.7	5.0	5.7	5.5	4.0	8.2	7.6	8.3	13.3	9.5	14 -73348
15-17 LST	16.2	14.3	12.9	6.2	6.2	5.6	4.8	5.1	7.3	6.4	8.6	11.9	8.8	14 -73348
18-20 LST	18.2	18.1	13.7	7.9	5.6	6.2	6.1	5.9	7.3	6.8	9.3	15.3	10.0	14 -73348
21-23 LST	20.3	20.2	17.8	7.7	7.1	4.3	4.7	4.9	7.6	8.9	13.6	15.0	11.0	14 -73348
P FREQ LES 300 FT A/D LES 1 MI														
FOR 00-02 LST	8.0	8.1	5.2	2.7	2.7	0.7	0.2	1.2	1.0	3.1	6.1	7.1	3.8	14 -73348
03-05 LST	8.5	8.3	6.7	5.2	6.9	3.0	1.5	3.7	3.4	5.1	7.2	8.8	5.7	14 -73348
06-08 LST	7.5	8.4	6.4	4.4	3.5	2.6	1.7	3.7	4.4	5.8	6.4	7.9	5.2	14 -73348
09-11 LST	3.7	3.4	1.7	1.0	0.0	0.4	0.2	0.2	0.6	0.4	1.2	3.6	1.4	14 -73348
12-14 LST	1.5	2.3	1.1	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.7	0.7	0.7	14 -73348
15-17 LST	2.6	3.2	1.5	0.6	0.3	0.2	0.1	0.4	0.3	0.4	1.1	1.2	1.0	14 -73348
18-20 LST	5.4	5.5	3.1	0.6	0.4	0.3	0.3	0.2	0.4	0.7	1.2	2.9	1.8	14 -73348
21-23 LST	5.5	6.6	4.5	0.9	0.3	0.1	0.1	0.1	0.3	1.8	2.7	5.1	2.3	14 -73348

# MYRTLE BEACH, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.0	22.8	25.6	27.7	29.0	29.0	30.5	29.6	28.3	28.0	25.7	26.6	327.8	14	-73348
	01 LST	24.1	22.2	22.8	25.1	25.7	26.4	27.7	26.0	23.9	25.0	23.6	25.8	298.3	14	-73348
	07 LST	25.9	23.9	27.7	28.5	30.0	28.7	30.2	30.3	28.2	29.3	28.2	27.7	338.6	14	-73348
	13 LST	26.3	23.9	27.3	28.4	29.7	29.9	30.0	29.8	28.5	29.6	28.3	27.8	338.5	14	-73348
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	20.5	18.1	20.6	23.1	26.1	25.8	27.5	27.5	25.5	25.1	22.2	22.9	284.9	14	-73348
	01 LST	20.1	18.1	19.2	21.2	23.0	24.2	25.9	25.0	21.3	21.1	20.7	22.3	261.1	14	-73348
	07 LST	15.1	12.5	12.4	11.4	16.2	15.8	18.3	20.0	16.7	19.7	17.7	16.1	193.2	14	-73348
	13 LST	22.2	17.4	18.3	16.5	20.5	19.4	20.6	21.5	24.0	27.3	25.4	23.5	257.6	14	-73348
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.3	0.1	0.4	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.2	1.6	14	-73348
	01 LST	0.2	0.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.2	1.7	14	-73348
	07 LST	0.6	1.4	1.2	1.2	0.5	0.2	0.8	0.2	0.7	0.2	0.8	0.5	8.3	14	-73348
	13 LST	0.2	0.5	0.4	0.7	0.3	0.3	0.2	0.1	0.2	0.1	0.2	0.2	3.4	14	-73348
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	12.7	12.4	15.6	16.6	15.6	14.6	14.2	12.4	14.6	14.2	13.1	12.4	168.4	14	-73348
	01 LST	12.1	11.9	15.3	15.0	14.7	13.9	11.7	12.5	14.6	15.7	14.5	11.2	163.1	14	-73348
	07 LST	19.6	17.6	19.3	17.2	20.8	18.2	20.6	22.2	21.7	23.6	19.6	20.2	240.6	14	-73348
	13 LST	15.6	16.4	21.0	21.4	23.3	21.3	21.3	22.3	20.9	13.6	12.9	13.3	223.3	14	-73348
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.8	12.1	12.7	15.4	14.2	13.0	10.1	14.2	13.0	17.9	14.4	15.6	165.4	11	-73348
	01 LST	11.9	12.2	10.0	9.3	7.5	6.5	5.6	6.7	7.8	14.1	13.3	14.6	116.5	11	-73348
	07 LST	7.7	8.5	9.8	10.9	6.6	5.6	3.4	4.4	6.5	12.9	11.0	10.9	98.2	11	-73348
	13 LST	8.5	8.3	8.6	9.6	7.4	6.8	5.1	6.5	7.3	12.6	11.5	11.0	103.2	11	-73348
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.3	21.3	23.5	26.1	27.0	26.8	28.8	28.4	26.5	26.5	23.8	25.3	307.3	14	-73348
	01 LST	22.3	21.1	21.2	23.1	23.6	24.6	26.4	24.4	22.3	23.2	22.4	24.3	278.9	14	-73348
	07 LST	23.0	22.5	25.3	26.5	27.9	25.8	27.0	27.7	24.8	26.2	25.7	25.5	307.9	14	-73348
	13 LST	24.0	22.0	25.4	27.2	28.5	27.1	28.6	28.1	26.6	28.3	26.6	25.6	318.0	14	-73348
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	21.0	19.7	21.2	24.4	25.3	25.4	26.8	27.2	24.5	24.5	21.8	23.1	284.9	14	-73348
	01 LST	19.7	18.5	19.1	21.0	21.1	23.2	25.0	22.9	20.9	21.6	20.3	22.1	255.4	14	-73348
	07 LST	20.9	19.5	22.3	24.5	24.8	23.3	24.1	26.3	23.5	25.0	23.2	23.7	281.1	14	-73348
	13 LST	21.1	19.6	22.9	25.0	26.0	24.4	26.3	26.8	24.8	26.5	24.7	23.4	291.5	14	-73348
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	18.8	17.4	19.4	22.4	23.8	23.8	25.2	25.2	23.5	23.2	20.1	21.2	264.0	14	-73348
	01 LST	18.2	16.7	17.5	19.4	19.4	20.6	22.8	21.5	19.9	20.1	18.8	20.5	235.4	14	-73348
	07 LST	18.1	17.8	20.4	22.6	23.4	21.6	22.6	24.2	22.0	23.4	21.7	21.8	259.6	14	-73348
	13 LST	19.0	18.5	21.7	23.8	24.0	22.8	24.6	24.3	23.0	25.1	23.1	21.7	271.6	14	-73348

# ORANGEBURG MUNICIPAL, SOUTH CAROLINA

STA NO. 73785 (IN AREA NUMBER 15)

LATITUDE 3328N

LONGITUDE 08051W

ELEVATION(FT) 00195

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	93	95	101	105	107	106	106	99	89	84	107	45	-113
MEAN MAX TMP (F)	60	62	69	77	84	90	92	91	87	78	67	59	76	45	-113
MEAN MIN TMP (F)	37	39	44	52	59	68	70	69	65	53	42	37	53	45	-113
ABS MIN TMP (F)	10	10	19	30	40	47	54	53	42	27	14	8	8	45	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	9.0	17.0	23.0	24.0	11.0	2.0	0.0	0.0	87.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	15.0	9.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	0.1	6.0	14.0	49.4	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN DEW PT TMP (F)	36	38	40	49	58	66	70	70	65	53	43	36	52	12	-73786
MEAN REL HUM (PCT)	68	65	64	62	65	68	74	74	75	69	67	67	68	12	-73786
MEAN PRESS ALT (FT)	-12	23	66	95	99	113	88	94	71	32	3	-14	55	0	-50
MEAN PRECIP (IN)	2.96	3.72	3.76	3.27	3.41	4.46	5.41	5.22	4.35	2.37	2.04	3.14	44.1	44	-113
MEAN SNOW FALL (IN)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	44	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	7.1	6.7	6.3	6.4	7.3	8.2	8.0	6.7	4.1	3.7	6.4	77.0	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.7	2.1	1.7	2.3	1.6	1.8	3.2	4.8	3.1	3.9	4.5	35.8	12	-73786
MEAN NO DYS TSTMS	0.2	1.0	1.9	4.0	5.7	8.8	12.6	8.8	3.8	1.1	0.5	0.4	48.8	12	-73786
P FREQ WND SPD = OR GTR 17 KTS	2.8	3.1	3.7	4.4	1.1	1.0	0.6	0.8	1.8	1.1	1.5	1.9	2.0	12	-73786
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	12	-73786
P FREQ LES 5000 FT A/D LES 5 MI	28.7	28.3	28.8	21.9	22.0	19.8	22.3	19.9	28.6	27.1	25.0	25.6	24.8	12	-73786
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.7	17.0	16.8	11.2	9.2	7.6	6.5	7.3	13.5	15.5	13.2	14.9	12.3	12	-73786
03-05 LST	21.1	19.9	20.5	14.4	17.5	13.7	12.9	13.6	23.7	20.2	18.2	17.8	17.8	12	-73786
06-08 LST	24.8	20.6	24.3	16.0	21.2	16.6	19.6	21.1	31.8	25.3	24.2	19.1	22.1	12	-73786
09-11 LST	18.2	19.8	19.0	10.0	9.9	8.5	9.8	8.9	19.0	15.5	15.5	17.4	14.4	12	-73786
12-14 LST	13.3	14.7	12.5	6.3	5.6	2.7	3.0	2.4	8.2	8.8	8.3	12.3	8.2	12	-73786
15-17 LST	11.6	10.5	10.8	4.6	4.2	1.8	3.0	2.5	6.4	7.3	6.1	9.5	6.5	12	-73786
18-20 LST	10.7	11.6	12.8	4.7	4.1	3.4	2.8	4.6	5.8	9.5	6.8	9.3	7.2	12	-73786
21-23 LST	12.7	13.2	12.9	6.3	5.1	3.5	3.9	5.1	8.0	11.5	8.4	11.5	8.5	12	-73786
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	4.1	4.8	2.4	2.2	1.1	0.7	1.6	3.4	3.7	5.6	7.0	3.7	12	-73786
03-05 LST	6.7	7.0	6.2	3.9	4.2	2.9	3.8	5.4	11.1	8.1	8.3	8.6	6.4	12	-73786
06-08 LST	7.8	7.8	6.6	4.4	4.5	2.9	4.4	6.4	14.2	8.4	11.1	8.3	7.2	12	-73786
09-11 LST	3.0	4.1	2.9	0.4	0.3	0.0	0.1	0.9	0.4	2.0	3.1	3.8	1.8	12	-73786
12-14 LST	1.9	1.3	1.6	0.1	0.2	0.2	0.4	0.4	0.3	0.4	0.1	1.6	0.7	12	-73786
15-17 LST	2.2	1.4	1.4	0.2	0.4	0.3	0.3	0.4	0.6	0.2	0.7	2.2	0.9	12	-73786
18-20 LST	2.3	2.9	2.2	0.1	0.3	0.3	0.3	0.4	0.4	1.3	1.2	2.8	1.2	12	-73786
21-23 LST	3.1	3.2	4.2	0.6	0.7	0.2	0.2	0.4	1.0	2.6	2.1	4.4	1.9	12	-73786



# ORANGEBURG MUNICIPAL, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.5	27.8	29.1	30.3	29.3	30.2	30.0	28.8	29.1	28.5	28.6	345.4	12	-73786
	01 LST	26.7	24.1	27.0	28.2	29.6	28.8	30.1	29.4	27.3	27.2	26.9	27.8	333.1	12	-73786
	07 LST	25.1	23.2	24.6	25.1	24.4	24.9	25.6	24.2	20.9	23.9	24.3	26.0	292.2	12	-73786
	13 LST	27.7	24.5	28.0	28.7	30.1	29.6	30.4	30.6	29.0	29.1	28.0	28.0	343.7	12	-73786
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.3	20.1	19.5	17.7	22.3	22.1	22.6	25.8	25.0	25.8	25.5	24.2	273.9	12	-73786
	01 LST	21.1	19.3	19.7	22.8	26.2	25.8	27.0	27.1	24.4	23.6	23.6	23.0	283.6	12	-73786
	07 LST	19.6	17.7	18.7	20.3	20.7	22.5	23.5	22.4	17.3	19.7	20.2	20.9	243.3	12	-73786
	13 LST	14.7	12.2	14.1	13.3	19.0	21.1	22.4	24.2	18.1	19.3	17.3	17.5	213.2	12	-73786
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	0.8	0.7	1.4	0.2	0.6	0.2	0.2	0.1	0.1	0.2	0.2	5.6	12	-73786
	01 LST	0.7	0.5	0.9	0.5	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.3	3.9	12	-73786
	07 LST	0.3	0.8	0.6	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.2	0.6	3.3	12	-73786
	13 LST	1.4	1.2	2.0	2.8	0.5	0.3	0.1	0.5	1.0	0.7	0.9	1.5	12.9	12	-73786
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	14.8	15.1	19.1	19.0	21.0	17.8	18.1	17.5	20.2	16.7	14.3	13.6	207.2	12	-73786
	01 LST	14.2	13.4	15.7	16.0	17.4	15.7	16.2	14.5	13.7	14.9	13.8	12.7	178.2	12	-73786
	07 LST	12.4	13.0	16.0	16.1	17.4	16.4	15.4	13.9	15.1	15.8	13.6	12.0	177.1	12	-73786
	13 LST	16.2	14.5	18.0	17.4	20.2	16.0	15.1	14.7	17.8	20.3	18.8	18.2	207.2	12	-73786
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	9.4	9.1	10.4	8.3	6.8	4.9	7.6	8.3	14.1	12.9	11.3	113.8	12	-73786
	01 LST	12.9	12.7	13.9	16.2	16.4	14.3	12.8	14.7	16.1	18.1	16.4	15.3	179.8	12	-73786
	07 LST	12.2	10.9	10.8	10.5	8.6	9.1	7.1	8.8	8.5	13.6	13.6	13.6	127.3	12	-73786
	13 LST	8.7	7.8	8.6	10.4	6.5	5.2	3.2	6.0	7.7	12.6	12.5	10.2	99.4	12	-73786
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.9	23.9	26.4	27.7	28.9	28.7	29.4	29.1	26.7	27.6	27.4	26.7	329.4	12	-73786
	01 LST	25.4	23.0	25.2	26.5	28.2	27.5	28.6	28.4	26.0	25.5	25.6	26.1	316.0	12	-73786
	07 LST	22.9	21.5	23.0	23.6	23.3	23.9	24.6	23.0	19.6	22.3	22.1	24.6	274.4	12	-73786
	13 LST	24.7	22.2	25.2	26.6	27.7	27.8	27.4	28.0	25.1	25.7	25.9	25.4	311.7	12	-73786
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	22.7	21.1	22.9	24.4	25.1	24.7	25.1	26.1	23.6	25.1	24.4	24.2	289.4	12	-73786
	01 LST	22.5	20.8	22.7	24.8	26.8	25.9	26.7	27.0	24.0	23.6	22.9	23.3	291.0	12	-73786
	07 LST	20.2	19.2	20.7	21.8	21.3	22.9	23.3	22.2	17.6	20.6	20.3	21.5	251.6	12	-73786
	13 LST	21.7	19.2	20.3	20.8	20.9	22.1	19.4	22.7	19.5	22.3	24.2	22.6	255.7	12	-73786
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.4	19.7	21.3	22.7	23.4	23.0	23.5	24.9	22.1	23.9	23.3	22.7	271.9	12	-73786
	01 LST	20.2	18.7	21.8	23.5	25.0	24.3	25.6	26.1	22.9	22.7	22.0	21.9	274.7	12	-73786
	07 LST	18.4	17.3	19.0	20.3	19.7	21.5	22.2	20.8	17.0	19.9	18.9	20.3	235.3	12	-73786
	13 LST	20.3	17.9	19.0	19.9	19.9	21.2	18.7	22.3	19.0	21.7	23.0	20.5	243.4	12	-73786

# SUMTER/ SHAW AFB, SOUTH CAROLINA

STA NO. 73786 (IN AREA NUMBER 15)

LATITUDE 3358N

LONGITUDE 08028W

ELEVATION(FT) 00252

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	87	92	99	104	103	102	101	99	88	80	104	12	4383
MEAN MAX TMP (F)	57	61	65	75	83	89	90	90	84	75	66	57	74	12	4383
MEAN MIN TMP (F)	38	41	44	53	63	69	72	71	66	56	45	38	53	12	4383
ABS MIN TMP (F)	15	9	20	32	44	55	61	60	45	33	16	14	9	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	5.6	15.7	19.5	17.6	8.0	0.9	0.0	0.0	67.8	12	4383
MEAN NO DYS TMP = DR LES 32(F)	8.3	4.5	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.4	9.1	27.0	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	36	38	40	49	58	66	70	70	65	53	43	36	52	12	104805
MEAN REL HUM (PCT)	68	65	64	62	65	68	74	74	75	69	67	67	60	12	104805
MEAN PRESS. ALT (FT)	45	80	121	150	155	168	141	150	132	94	61	44	112	0	-50
MEAN PRECIP (IN)	2.74	3.47	4.26	3.61	3.01	4.71	5.77	4.79	3.55	2.58	1.62	2.90	43.0	12	4382
MEAN SNOW FALL (IN)	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	5.6	7.8	5.8	5.1	5.5	7.8	7.2	4.7	3.3	2.1	5.6	66.5	12	4382
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.7	2.1	1.7	2.3	1.6	1.8	3.2	4.8	3.1	3.9	4.3	35.8	12	4382
MEAN NO DYS TSTMS	0.2	1.0	1.9	4.0	5.7	8.8	12.6	8.8	3.8	1.1	0.5	0.4	48.8	12	4383
P FREQ WND SPD = DR GTR 17 KTS	2.8	3.1	3.7	4.4	1.1	1.0	0.6	0.8	1.8	1.1	1.5	1.9	2.0	12	105162
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	12	105162
P FREQ LES 5000 FT A/D LES 5 MI	28.7	28.3	28.8	21.9	22.0	19.8	22.3	19.9	28.6	27.1	25.0	25.6	24.8	12	105131
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.7	17.0	16.8	11.3	9.2	7.6	6.5	7.3	13.5	15.5	13.2	14.9	12.5	12	13141
03-05 LST	21.1	19.9	20.5	14.4	17.5	13.7	12.9	13.6	23.7	20.2	18.2	17.8	17.8	12	13145
06-08 LST	24.8	20.6	24.3	16.0	21.2	16.6	19.6	21.1	31.8	25.3	24.2	19.1	22.1	12	13144
09-11 LST	18.2	19.8	19.0	10.0	9.9	8.5	9.8	8.9	19.0	15.5	16.5	17.4	14.4	12	13139
12-14 LST	13.3	14.7	12.5	6.3	5.6	2.7	3.0	2.4	8.2	8.8	8.3	12.3	8.2	12	13139
15-17 LST	11.6	10.5	10.8	4.6	4.2	1.8	3.0	2.5	6.4	7.3	6.1	9.5	6.5	12	13142
18-20 LST	10.7	11.6	12.8	4.7	4.1	3.4	2.8	4.6	5.8	9.5	6.8	9.3	7.2	12	13142
21-23 LST	12.7	13.2	12.9	6.3	5.1	3.5	3.9	5.1	8.0	11.5	8.4	11.5	8.5	12	13139
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	4.1	4.8	2.4	2.2	1.1	0.7	1.6	3.4	3.7	5.6	7.0	3.7	12	13141
03-05 LST	6.7	7.0	6.2	3.9	4.2	2.9	3.8	5.4	11.1	8.1	8.3	8.6	6.4	12	13145
06-08 LST	7.8	7.8	6.6	4.4	4.5	2.9	4.4	6.4	14.2	8.4	11.1	8.3	7.2	12	13144
09-11 LST	3.0	4.1	2.9	0.4	0.3	0.0	0.1	0.9	0.6	2.0	3.1	3.8	1.8	12	13139
12-14 LST	1.9	1.3	1.6	0.1	0.2	0.2	0.4	0.4	0.3	0.4	0.1	1.6	0.7	12	13139
15-17 LST	2.2	1.4	1.4	0.2	0.4	0.3	0.3	0.4	0.6	0.2	0.7	2.2	0.9	12	13142
18-20 LST	2.3	2.9	2.2	0.1	0.3	0.3	0.3	0.4	0.4	1.3	1.2	2.8	1.2	12	13142
21-23 LST	3.1	3.2	4.2	0.6	0.7	0.2	0.2	0.4	1.0	2.6	2.1	4.4	1.9	12	13139

SUMTER/ SHAW AFB, SOUTH CAROLINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.5	27.8	29.1	30.3	29.3	30.2	30.0	28.8	29.1	28.6	28.5	345.4	12	4382
	01 LST	26.7	24.1	27.0	28.2	29.6	28.8	30.1	29.4	27.3	27.2	26.9	27.6	333.1	12	4382
	07 LST	25.1	23.2	24.6	25.1	24.4	24.9	25.6	24.2	20.9	23.9	24.3	26.0	292.2	12	4382
	13 LST	27.7	24.5	28.0	28.7	30.1	29.6	30.4	30.6	29.0	29.1	28.0	28.0	343.7	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.3	20.1	19.5	17.7	22.3	22.1	22.6	25.8	25.0	25.8	25.5	24.2	273.9	12	4382
	01 LST	21.1	19.3	19.7	22.8	26.2	25.8	27.0	27.1	24.4	23.6	23.6	23.0	283.6	12	4382
	07 LST	19.6	17.7	18.7	20.3	20.7	22.5	23.5	22.4	17.3	19.7	20.2	20.9	243.5	12	4382
	13 LST	14.7	12.2	14.1	13.3	19.0	21.1	22.4	24.2	18.1	19.3	17.3	17.5	213.2	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	0.8	0.7	1.4	0.2	0.6	0.2	0.2	0.1	0.1	0.2	0.2	5.6	12	4288
	01 LST	0.7	0.5	0.9	0.5	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.3	3.9	12	4280
	07 LST	0.3	0.8	0.6	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.2	0.6	3.3	12	4252
	13 LST	1.4	1.2	2.0	2.8	0.5	0.3	0.1	0.5	1.0	0.7	0.9	1.5	12.9	12	4288
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	14.6	15.1	19.1	19.0	21.0	17.8	18.1	17.5	20.2	16.7	14.3	13.6	207.2	12	4288
	01 LST	14.2	13.4	15.7	16.0	17.4	15.7	16.2	14.5	13.7	14.9	13.8	12.7	178.2	12	4280
	07 LST	12.4	13.0	16.0	16.1	17.4	16.4	15.4	13.9	15.1	15.8	13.6	12.0	177.1	12	4252
	13 LST	16.2	14.5	18.0	17.4	20.2	16.0	15.1	14.7	17.8	20.3	18.8	18.2	207.2	12	4288
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	9.4	9.1	10.4	8.3	6.8	4.9	7.6	8.3	14.1	12.9	11.3	113.8	12	4382
	01 LST	12.9	12.7	13.9	16.2	16.4	14.3	12.8	14.7	16.1	18.1	16.4	15.3	179.8	12	4382
	07 LST	12.2	10.9	10.8	10.5	8.6	9.1	7.1	8.8	8.5	13.6	13.6	13.6	127.3	12	4382
	13 LST	8.7	7.8	8.6	10.4	6.5	5.2	3.2	6.0	7.7	12.6	12.5	10.2	99.4	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.9	23.9	26.4	27.7	28.9	28.7	29.4	29.1	26.7	27.6	27.4	26.7	329.4	12	4382
	01 LST	25.4	23.0	25.2	26.5	28.2	27.5	28.6	28.4	26.0	25.5	25.6	26.1	316.0	12	4382
	07 LST	22.9	21.5	23.0	23.6	23.3	23.9	24.6	23.0	19.6	22.3	22.1	24.6	274.4	12	4382
	13 LST	24.7	22.2	25.2	26.6	27.7	27.8	27.4	28.0	25.1	25.7	25.9	25.4	311.7	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	22.7	21.1	22.9	24.4	23.1	24.7	25.1	26.1	23.6	25.1	24.4	24.2	289.4	12	4382
	01 LST	22.5	20.8	22.7	24.8	26.8	25.9	26.7	27.0	24.0	23.6	22.9	23.3	291.0	12	4382
	07 LST	20.2	19.2	20.7	21.8	21.3	22.9	23.3	22.2	17.6	20.6	20.3	21.3	251.6	12	4382
	13 LST	21.7	19.2	20.3	20.8	20.9	22.1	19.4	22.7	19.5	22.3	24.2	22.6	255.7	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.4	19.7	21.3	22.7	23.4	23.0	23.5	24.9	22.1	23.9	23.3	22.7	271.9	12	4382
	01 LST	20.2	18.7	21.8	23.5	25.0	24.3	25.6	26.1	22.9	22.7	22.0	21.9	274.7	12	4382
	07 LST	18.4	17.3	19.0	20.3	19.7	21.5	22.2	20.8	17.0	19.9	18.9	20.3	235.3	12	4382
	13 LST	20.3	17.9	19.0	19.9	19.9	21.2	18.7	22.3	19.0	21.7	23.0	20.5	243.4	12	4382

## CAMDEN/ WOODWARD FIELD, SOUTH CAROLINA

STA NO. 73787 (IN AREA NUMBER 15)

LATITUDE 3417N

LONGITUDE 08034W

ELEVATION(FT) 00306

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	85	94	95	103	111	106	103	106	100	90	82	111	73	-113
MEAN MAX TMP (F)	57	59	67	76	84	90	92	91	86	76	66	57	75	49	-113
MEAN MIN TMP (F)	34	36	41	49	58	66	70	69	62	52	40	35	51	48	-113
ABS MIN TMP (F)	-1	4	14	24	35	48	55	52	36	21	15	9	-1	72	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	0.0	17.0	23.0	22.0	8.0	1.0	0.0	0.0	78.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	17.0	14.0	10.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	11.0	19.0	73.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72	-29
MEAN DEW PT TMP (F)	36	38	40	49	58	66	70	70	65	53	43	36	52	12	-73786
MEAN REL HUM (PCT)	68	65	64	62	65	68	74	74	75	69	67	67	68	12	-73786
MEAN PRESS ALT (FT)	99	134	174	202	209	222	194	205	189	191	115	98	166	0	-50
MEAN PRECIP (IN)	3.53	3.90	3.95	3.43	3.37	4.59	5.50	5.24	3.99	2.75	2.52	3.53	46.3	99	-113
MEAN SNOW FALL (IN)	0.5	0.9	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.9	74	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.9	7.4	6.8	6.5	6.4	7.4	8.2	8.0	6.3	4.7	4.3	6.9	79.8	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	74	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.7	2.1	1.7	2.3	1.6	1.8	3.2	4.8	3.1	3.9	4.5	35.8	12	-73786
MEAN NO DYS TSTMS	0.2	1.0	1.9	4.0	5.7	8.8	12.6	8.8	3.8	1.1	0.5	0.4	48.8	12	-73786
P FREQ WND SPD = OR GTR 17 KTS	2.8	3.1	3.7	4.4	1.1	1.0	0.6	0.8	1.8	1.1	1.5	1.9	2.0	12	-73786
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	12	-73786
P FREQ LES 5000 FT A/D LES 5 MI	28.7	28.3	28.8	21.9	22.0	19.8	22.3	19.9	28.6	27.1	25.0	25.6	24.8	12	-73786
P FREQ LES 1500 FT A/D LES 3 MI	16.7	17.0	16.8	11.3	9.2	7.6	6.5	7.3	13.5	15.5	13.2	14.9	12.5	12	-73786
FOR 00-02 LST	21.1	19.9	20.5	14.4	17.5	13.7	12.9	13.6	23.7	20.2	18.2	17.8	17.8	12	-73786
03-05 LST	24.8	20.6	24.3	16.0	21.2	16.6	19.6	21.1	31.8	25.3	24.2	19.1	22.1	12	-73786
06-08 LST	18.2	19.8	19.0	10.0	9.9	8.5	9.8	8.9	19.0	15.5	16.5	17.4	14.4	12	-73786
09-11 LST	13.3	14.7	12.5	6.3	5.6	2.7	3.0	2.4	8.2	8.8	8.3	12.3	8.2	12	-73786
12-14 LST	11.6	10.5	10.8	4.6	4.2	1.8	3.0	2.5	6.4	7.3	6.1	9.5	6.5	12	-73786
15-17 LST	10.7	11.6	12.8	4.7	4.1	3.4	2.8	4.6	5.8	9.5	6.8	9.3	7.2	12	-73786
18-20 LST	12.7	13.2	12.9	6.3	5.1	3.5	3.9	5.1	8.0	11.5	8.4	11.5	8.5	12	-73786
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	7.6	4.1	4.8	2.4	2.2	1.1	0.7	1.6	3.4	3.7	5.6	7.0	3.7	12	-73786
FOR 00-02 LST	6.7	7.0	6.2	3.9	4.2	2.9	3.8	5.4	11.1	8.1	8.3	8.6	6.4	12	-73786
03-05 LST	7.8	7.8	6.6	4.4	4.5	2.9	4.4	6.4	14.2	8.4	11.1	8.3	7.2	12	-73786
06-08 LST	3.0	4.1	2.9	0.4	0.3	0.0	0.1	0.9	0.6	2.0	3.1	3.8	1.8	12	-73786
09-11 LST	1.9	1.3	1.6	0.1	0.2	0.2	0.4	0.4	0.3	0.4	0.1	1.6	0.7	12	-73786
12-14 LST	2.2	1.4	1.4	0.2	0.4	0.3	0.3	0.4	0.6	0.2	0.7	2.2	0.9	12	-73786
15-17 LST	2.3	2.9	2.2	0.1	0.3	0.3	0.3	0.4	0.4	1.3	1.2	2.8	1.2	12	-73786
18-20 LST	3.1	3.2	4.2	0.6	0.7	0.2	0.2	0.4	1.0	2.6	2.1	4.4	1.9	12	-73786
21-23 LST															

## CAMDEN/ WOODWARD FIELD, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.1	25.5	27.8	29.1	30.3	29.3	30.2	30.0	28.8	29.1	28.6	28.6	345.4	12	-73786
	01 LST	26.7	24.1	27.0	28.2	29.6	28.8	30.1	29.4	27.3	27.2	26.9	27.8	333.1	12	-73786
	07 LST	25.1	23.2	24.6	25.1	24.4	24.9	25.6	24.2	20.9	23.9	24.3	26.0	292.2	12	-73786
	13 LST	27.7	24.5	28.0	28.7	30.1	29.6	30.4	30.6	29.0	29.1	28.0	28.0	343.7	12	-73786
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.3	20.1	19.5	17.7	22.3	22.1	22.6	25.8	25.0	25.8	25.5	24.2	273.9	12	-73786
	01 LST	21.1	19.3	19.7	22.8	26.2	25.8	27.0	27.1	24.4	23.6	23.6	23.0	283.6	12	-73786
	07 LST	19.6	17.7	18.7	20.3	20.7	22.5	23.5	22.4	17.3	19.7	20.2	20.9	243.5	12	-73786
	13 LST	14.7	12.2	14.1	13.3	19.0	21.1	22.4	24.2	18.1	19.3	17.3	17.5	213.2	12	-73786
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	0.8	0.7	1.4	0.2	0.6	0.2	0.2	0.1	0.1	0.2	0.2	5.6	12	-73786
	01 LST	0.7	0.5	0.9	0.5	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.3	3.9	12	-73786
	07 LST	0.3	0.8	0.6	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.2	0.6	3.3	12	-73786
	13 LST	1.4	1.2	2.0	2.8	0.5	0.3	0.1	0.5	1.0	0.7	0.9	1.5	12.9	12	-73786
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	14.8	15.1	19.1	19.0	21.0	17.8	18.1	17.5	20.2	16.7	14.3	13.6	207.2	12	-73786
	01 LST	14.2	13.4	15.7	16.0	17.4	15.7	16.2	14.5	13.7	14.9	13.8	12.7	178.2	12	-73786
	07 LST	12.4	13.0	16.0	16.1	17.4	16.4	15.4	13.9	15.1	15.8	13.6	12.0	177.1	12	-73786
	13 LST	16.2	14.5	18.0	17.4	20.2	16.0	15.1	14.7	17.8	20.3	18.8	18.2	207.2	12	-73786
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	9.4	9.1	10.4	8.3	6.8	4.9	7.6	8.3	14.1	12.9	11.3	113.8	12	-73786
	01 LST	12.9	12.7	13.9	16.2	16.4	14.3	12.8	14.7	16.1	18.1	16.4	15.3	179.8	12	-73786
	07 LST	12.2	10.9	10.8	10.5	8.6	9.1	7.1	8.8	8.5	13.6	13.6	13.6	127.3	12	-73786
	13 LST	8.7	7.8	8.6	10.4	6.5	5.2	3.2	6.0	7.7	12.6	12.5	10.2	99.4	12	-73786
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.9	23.9	26.4	27.7	28.9	28.7	29.4	29.1	26.7	27.6	27.4	26.7	329.4	12	-73786
	01 LST	25.4	23.0	25.2	26.5	28.2	27.5	28.6	28.4	26.0	25.5	25.6	26.1	316.0	12	-73786
	07 LST	22.9	21.5	23.0	23.6	23.3	23.9	24.6	23.0	19.6	22.3	22.1	24.6	274.4	12	-73786
	13 LST	24.7	22.2	25.2	26.6	27.7	27.8	27.4	28.0	25.1	25.7	25.9	25.4	311.7	12	-73786
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	22.7	21.1	22.9	24.4	25.1	24.7	25.1	26.1	23.6	25.1	24.4	24.2	289.4	12	-73786
	01 LST	22.5	20.8	22.7	24.8	26.8	25.9	26.7	27.0	24.0	23.6	22.9	23.3	291.0	12	-73786
	07 LST	20.2	19.2	20.7	21.8	21.3	22.9	23.3	22.2	17.6	20.6	20.3	21.5	251.6	12	-73786
	13 LST	21.7	19.2	20.3	20.8	20.9	22.1	19.4	22.7	19.5	22.3	24.2	22.6	255.7	12	-73786
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.4	19.7	21.3	22.7	23.4	23.0	23.5	24.9	22.1	23.9	23.3	22.7	271.9	12	-73786
	01 LST	20.2	18.7	21.8	23.5	25.0	24.3	25.6	26.1	22.9	22.7	22.0	21.9	274.7	12	-73786
	07 LST	18.4	17.3	19.0	20.3	19.7	21.5	22.2	20.8	17.0	19.9	18.9	20.3	235.3	12	-73786
	13 LST	20.3	17.9	19.0	19.9	19.9	21.2	18.7	22.3	19.0	21.7	23.0	20.5	243.4	12	-73786

# AIKEN MUNICIPAL, SOUTH CAROLINA

STA NO. 73805 (IN AREA NUMBER 15)

LATITUDE 3338N

LONGITUDE 08140W

ELEVATION(FT) 00530

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	84	93	93	101	108	107	107	106	99	86	85	108	80	-113
MEAN MAX TMP (F)	59	61	68	77	84	90	91	90	83	77	67	59	76	58	-113
MEAN MIN TMP (F)	38	39	45	52	60	68	70	70	66	55	44	38	54	58	-113
ABS MIN TMP (F)	6	6	16	26	40	44	58	46	43	28	11	3	3	80	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	8.0	18.0	23.0	22.0	7.0	1.0	0.0	0.0	79.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	11.0	8.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	4.0	10.0	38.6	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80	-29
MEAN DEW PT TMP (F)	41	41	41	46	58	65	70	68	62	54	44	39	52	3	-73806
MEAN REL HUM (PCT)	71	68	61	56	63	65	72	72	71	68	66	69	67	3	-73806
MEAN PRESS ALT (FT)	319	356	401	430	437	451	425	432	408	369	337	317	390	0	-50
MEAN PRECIP (IN)	3.60	4.06	4.11	3.33	3.48	4.30	4.79	5.00	3.67	2.58	2.55	3.66	45.1	86	-113
MEAN SNOW FALL (IN)	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.9	80	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	7.5	6.9	6.4	6.5	7.1	7.6	7.8	5.9	4.4	4.4	7.1	78.6	86	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	80	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.4	4.9	4.3	1.0	1.0	1.3	1.0	2.5	3.5	4.0	3.0	6.0	38.9	3	-73806
MEAN NO DYS TSTMS	0.0	1.3	4.7	2.0	10.3	8.6	11.0	10.0	2.5	1.5	3.5	0.0	55.4	3	-73806
P FREQ WND SPD = OR GTR 17 KTS	2.3	3.2	8.3	4.9	1.3	0.8	0.4	1.6	0.3	0.1	2.4	1.3	2.2	3	-73806
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	3	-73806
P FREQ LES 5000 FT A/D LES 5 MI	38.7	37.5	29.1	20.4	18.5	17.1	29.0	30.1	29.4	26.9	29.0	41.0	28.9	3	-73806
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.0	24.3	11.5	4.1	8.2	8.6	11.3	14.0	17.8	10.8	17.8	24.7	14.6	3	-73806
03-05 LST	24.0	29.8	18.6	9.3	11.5	14.1	22.0	26.6	25.0	23.1	23.3	26.5	21.2	3	-73806
06-08 LST	32.6	30.2	27.6	14.8	15.8	17.5	24.2	34.8	26.7	25.3	24.4	32.3	25.5	3	-73806
09-11 LST	34.9	29.0	17.6	10.4	10.8	6.7	16.2	13.7	17.4	15.6	19.6	25.3	18.1	3	-73806
12-14 LST	26.2	19.6	11.1	6.7	2.5	1.1	1.6	7.0	5.0	8.1	13.9	23.1	10.5	3	-73806
15-17 LST	19.4	17.3	9.0	7.4	6.5	0.0	3.2	3.2	5.0	4.8	8.9	15.6	8.4	3	-73806
18-20 LST	18.9	18.0	7.2	6.3	2.2	1.1	3.8	5.4	6.7	5.4	6.7	13.5	7.9	3	-73806
21-23 LST	21.5	19.6	9.3	4.8	4.3	1.5	3.8	7.0	13.3	7.5	8.9	18.4	10.0	3	-73806
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.1	7.5	4.3	1.5	2.9	1.5	2.2	2.7	2.2	3.8	6.1	8.6	4.5	3	-73806
03-05 LST	12.2	10.2	6.5	1.1	3.6	3.7	4.3	9.8	10.6	8.6	8.3	13.5	7.7	3	-73806
06-08 LST	15.8	13.7	10.0	3.3	1.8	4.5	1.6	8.7	8.9	11.8	8.9	16.1	8.8	3	-73806
09-11 LST	9.7	8.6	2.5	1.1	0.0	0.0	0.0	0.0	0.6	3.8	4.5	7.0	3.2	3	-73806
12-14 LST	3.3	2.0	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	2.7	3	-73806
15-17 LST	1.4	2.7	0.7	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.1	1.6	3	-73806
18-20 LST	6.5	5.1	1.8	0.4	0.0	0.0	0.0	0.5	0.6	2.7	1.1	3.8	1.9	3	-73806
21-23 LST	8.4	3.5	3.2	2.2	0.0	0.0	1.6	2.7	2.8	1.6	4.4	8.1	3.2	3	-73806

# AIKEN MUNICIPAL, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	24.0	29.3	28.3	31.0	29.3	31.0	29.5	28.5	29.5	28.5	27.5	342.0	3	-73806
	01 LST	24.6	22.1	28.3	29.0	29.3	28.7	29.5	27.0	25.0	28.0	26.5	23.0	321.0	3	-73806
	07 LST	21.6	20.4	22.7	24.3	26.7	25.0	27.0	20.5	21.5	25.0	24.0	22.0	282.7	3	-73806
	13 LST	24.0	24.0	28.3	28.3	30.7	29.6	31.0	30.0	29.0	29.0	27.0	25.0	335.9	3	-73806
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.0	19.1	19.7	22.7	25.3	26.0	25.0	26.5	26.5	28.0	23.0	23.5	287.3	3	-73806
	01 LST	18.0	17.1	19.3	24.3	26.7	25.3	25.0	25.0	22.0	24.5	19.0	19.5	265.7	3	-73806
	07 LST	16.0	14.5	15.7	20.3	23.0	21.0	23.0	20.0	15.0	21.5	17.5	16.0	223.5	3	-73806
	13 LST	10.7	11.8	12.3	13.0	20.6	19.0	20.0	22.0	19.5	25.0	12.5	14.5	200.9	3	-73806
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.2	3	-73806
	01 LST	0.3	0.3	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3	-73806
	07 LST	0.0	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.2	3	-73806
	13 LST	2.4	2.4	5.7	4.2	0.7	0.7	0.0	0.5	0.5	0.0	2.1	0.5	19.7	3	-73806
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.5	18.6	17.5	22.2	20.4	17.5	21.0	19.0	20.2	19.3	18.8	22.4	235.4	3	-73806
	01 LST	19.1	20.0	17.8	23.1	22.3	22.0	22.0	19.8	19.7	18.2	20.2	21.2	245.4	3	-73806
	07 LST	17.3	13.6	16.6	22.1	22.6	22.2	22.2	15.5	19.3	21.7	19.7	19.6	232.4	3	-73806
	13 LST	13.7	16.2	13.9	14.8	17.3	11.6	11.7	10.0	19.3	25.3	11.0	20.5	185.3	3	-73806
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.3	9.2	11.7	13.0	9.3	5.3	5.0	5.0	9.0	13.5	13.5	11.0	115.8	3	-73806
	01 LST	11.3	11.2	12.6	15.0	12.0	12.0	13.0	13.0	11.0	18.0	17.0	14.5	160.6	3	-73806
	07 LST	6.7	6.2	7.7	12.0	11.7	8.6	9.0	8.5	8.5	10.0	14.0	8.5	111.4	3	-73806
	13 LST	7.7	6.9	8.0	11.0	8.3	4.3	1.5	3.0	6.5	9.0	13.5	8.5	98.2	3	-73806
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.3	21.1	28.3	27.7	29.6	29.0	30.5	29.0	27.0	28.5	27.0	24.5	326.5	3	-73806
	01 LST	23.0	19.1	26.7	26.6	28.6	25.7	26.0	26.0	24.0	26.5	22.5	22.0	296.7	3	-73806
	07 LST	19.7	17.8	20.6	25.0	25.6	24.0	22.5	20.5	20.0	22.5	21.5	20.0	259.7	3	-73806
	13 LST	20.0	20.1	26.3	25.7	29.3	28.0	29.0	27.0	24.0	27.5	24.0	21.5	302.4	3	-73806
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	21.3	18.4	23.7	24.3	26.3	25.7	24.5	25.0	25.0	26.5	22.5	20.5	283.7	3	-73806
	01 LST	20.0	18.1	23.3	24.3	27.0	23.6	23.0	24.0	21.0	24.0	21.0	19.5	268.8	3	-73806
	07 LST	15.3	15.1	17.3	23.0	24.0	23.6	21.5	20.5	17.0	21.0	20.5	16.0	234.8	3	-73806
	13 LST	17.6	17.8	20.0	21.3	23.7	21.3	19.5	16.5	20.0	20.0	20.0	18.0	235.7	3	-73806
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	20.3	17.8	22.3	21.7	25.3	25.3	24.0	24.0	24.5	24.5	22.0	19.5	271.2	3	-73806
	01 LST	19.3	17.1	22.0	23.3	26.0	23.0	23.0	23.5	20.5	23.5	20.5	19.5	261.2	3	-73806
	07 LST	15.3	14.1	15.7	21.7	23.3	23.0	19.5	20.5	17.0	19.5	19.5	15.5	224.6	3	-73806
	13 LST	16.3	17.1	19.0	20.0	23.7	21.0	18.5	16.5	20.0	19.5	19.0	16.5	227.1	3	-73806



GEORGETOWN/ COUNTY, SOUTH CAROLINA

STA NO. 73809 (IN AREA NUMBER 15)

LATITUDE 3318N

LONGITUDE 07919W

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	85	94	95	100	104	103	104	101	100	88	90	104	58	-113
MEAN MAX TMP (F)	59	61	68	75	82	88	90	89	85	77	68	60	75	58	-113
MEAN MIN TMP (F)	38	40	46	53	62	69	72	72	67	56	45	38	55	58	-113
ABS MIN TMP (F)	11	4	16	21	38	46	59	56	44	29	18	7	4	58	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	3.0	11.0	16.0	18.0	6.0	1.0	0.0	0.0	55.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	10.0	5.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	9.0	28.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	-29
MEAN DEW PT TMP (F)	40	42	44	52	62	69	72	72	68	57	46	39	55	12	-72208
MEAN REL HUM (PCT)	73	72	70	70	75	79	82	82	83	79	75	73	76	12	-72208
MEAN PRESS ALT (FT)	-160	-126	-88	-60	-59	-47	-73	-64	-85	-121	-149	-161	-98	0	-50
MEAN PRECIP (IN)	3.13	3.90	3.83	2.96	3.39	5.53	7.12	6.36	5.43	2.90	2.26	3.34	50.1	59	-113
MEAN SNOW FALL (IN)	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	59	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	7.4	6.7	6.1	6.4	8.3	9.7	9.0	8.1	4.9	4.0	6.6	83.6	59	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	59	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	2.7	2.2	2.3	2.5	1.4	1.1	1.8	2.6	3.2	4.0	3.7	31.2	12	-72208
MEAN NO DYS TSTMS	1.0	1.0	2.0	3.0	6.0	10.0	13.0	13.0	5.0	1.0	1.0	0.0	56.0	61	-72208
P FREQ WND SPD = OR CTR 17 KTS	6.6	8.8	9.9	9.7	2.3	2.3	1.8	2.0	2.2	1.5	3.0	5.0	4.6	12	-72208
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.2	0.2	12	-72208
P FREQ LES 5000 FT A/D LES 5 MI	27.8	28.7	26.4	20.4	22.7	19.9	19.2	20.4	29.4	29.2	24.2	25.7	24.5	12	-72208
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.5	18.5	15.2	10.6	10.0	6.3	3.6	5.9	10.9	15.6	15.8	13.8	11.9	12	-72208
03-05 LST	19.1	19.6	19.8	15.7	16.4	12.8	6.7	11.5	19.6	22.2	21.0	17.5	16.8	12	-72208
06-08 LST	19.1	22.3	22.0	14.3	16.2	11.9	7.7	12.4	23.5	27.5	22.5	19.2	18.2	12	-72208
09-11 LST	17.5	21.0	16.9	6.6	6.9	5.3	5.3	6.6	14.3	18.4	14.0	16.0	12.4	12	-72208
12-14 LST	10.4	13.6	10.6	4.4	3.9	2.5	2.8	3.0	7.6	9.5	8.1	10.3	7.2	12	-72208
15-17 LST	9.5	11.5	9.5	4.2	3.6	1.7	4.1	3.6	5.7	7.3	6.9	8.9	6.4	12	-72208
18-20 LST	12.1	13.9	10.8	4.9	4.5	3.2	3.4	3.2	7.2	7.6	6.5	10.0	7.3	12	-72208
21-23 LST	15.3	14.8	13.2	7.3	4.9	2.8	2.5	3.7	8.3	10.2	9.0	14.0	8.4	12	-72208
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	6.4	3.7	3.3	3.0	2.0	0.4	1.3	2.5	3.9	6.5	6.2	3.9	12	-72208
03-05 LST	7.9	7.0	5.7	5.2	6.6	4.8	2.3	3.9	6.4	7.6	9.4	7.3	6.2	12	-72208
06-08 LST	6.8	7.1	4.8	3.3	3.8	2.6	1.2	2.7	6.3	6.8	8.4	7.5	5.1	12	-72208
09-11 LST	2.5	2.8	1.2	0.1	0.1	0.0	0.2	0.4	0.2	0.6	1.6	2.0	1.0	12	-72208
12-14 LST	0.5	1.5	0.9	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.2	1.4	0.4	12	-72208
15-17 LST	1.1	1.4	0.4	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.8	1.0	0.5	12	-72208
18-20 LST	2.9	3.2	0.9	0.5	0.2	0.0	0.1	0.1	0.2	0.1	0.8	2.2	0.9	12	-72208
21-23 LST	5.2	4.4	2.7	0.8	0.3	0.1	0.4	0.4	0.6	1.4	2.7	5.2	2.0	12	-72208

GEORGETOWN/ COUNTY, SOUTH CAROLINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.0	24.8	27.7	29.0	30.2	29.6	30.3	30.2	28.4	28.8	28.5	28.6	344.1	12	-72208
	01 LST	26.4	23.2	26.7	27.4	28.7	28.5	30.2	29.7	26.6	26.6	25.7	27.2	326.9	12	-72208
	07 LST	25.6	22.2	25.1	26.5	26.6	27.6	29.3	27.7	23.3	23.0	23.4	25.6	305.9	12	-72208
	13 LST	28.6	25.7	28.6	29.2	30.5	29.7	30.2	30.7	28.7	29.0	28.5	28.6	348.0	12	-72208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	20.3	16.5	19.0	19.9	22.3	21.0	23.3	25.1	24.3	25.2	24.0	22.4	263.3	12	-72208
	01 LST	18.5	15.5	18.2	20.3	24.7	24.1	27.0	27.2	22.7	22.4	20.6	19.6	260.8	12	-72208
	07 LST	18.0	15.6	17.3	18.2	19.7	20.9	24.0	23.2	17.9	17.8	18.9	19.1	230.6	12	-72208
	13 LST	9.9	8.5	8.7	8.0	12.7	13.0	15.8	17.1	13.6	15.4	15.2	12.7	150.6	12	-72208
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	1.9	1.6	1.4	0.2	0.5	0.2	0.5	0.2	0.0	0.4	0.7	8.6	12	-72208
	01 LST	0.9	1.6	1.5	0.8	0.1	0.1	0.1	0.2	0.2	0.2	0.4	1.2	7.3	12	-72208
	07 LST	0.8	1.1	1.0	0.9	0.3	0.1	0.0	0.5	0.2	0.3	0.3	0.6	6.1	12	-72208
	13 LST	4.9	5.4	5.9	6.3	2.3	1.8	1.1	1.1	0.9	0.9	2.2	3.8	36.6	12	-72208
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.4	22.0	20.4	24.3	22.4	24.2	24.1	22.6	21.7	19.4	20.0	261.4	12	-72208
	01 LST	16.1	15.5	17.1	18.4	20.8	18.7	20.7	17.6	18.7	18.8	17.8	15.6	215.8	12	-72208
	07 LST	12.9	15.7	18.3	17.3	20.3	20.8	21.4	20.3	18.6	20.0	17.9	15.0	218.5	12	-72208
	13 LST	13.6	11.3	11.6	10.8	14.8	12.7	13.3	14.1	16.4	18.0	18.5	14.7	169.8	12	-72208
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.1	10.9	10.9	11.9	8.2	5.5	5.0	7.4	3.1	14.2	13.8	12.3	120.3	12	-72208
	01 LST	12.9	12.7	12.7	14.9	15.1	12.4	12.1	13.6	12.6	15.7	13.7	13.2	161.6	12	-72208
	07 LST	8.8	8.2	9.6	10.1	9.8	8.3	7.8	9.5	7.7	11.1	10.8	9.6	111.3	12	-72208
	13 LST	8.6	7.7	8.0	8.7	5.1	2.9	1.4	2.4	3.3	8.9	11.7	9.2	77.9	12	-72208
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.6	26.8	27.4	28.7	28.2	29.2	29.4	26.6	28.0	27.9	27.2	329.9	12	-72208
	01 LST	25.1	22.1	25.7	26.3	27.6	27.5	29.6	28.9	25.5	25.3	24.0	26.0	313.6	12	-72208
	07 LST	23.9	21.1	23.7	24.8	25.1	26.6	28.2	26.5	21.8	21.3	22.2	24.3	289.5	12	-72208
	13 LST	25.9	22.8	26.2	26.5	28.3	27.4	28.6	28.6	25.4	25.7	26.3	26.2	317.9	12	-72208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.6	21.4	24.7	25.8	27.1	26.6	28.2	28.1	25.1	25.0	25.0	24.9	305.5	12	-72208
	01 LST	23.0	20.0	23.8	24.7	26.2	25.8	28.8	27.8	24.4	23.8	21.8	22.9	293.0	12	-72208
	07 LST	20.1	18.7	21.8	23.7	23.6	25.6	27.5	26.0	20.4	20.0	20.6	21.0	269.0	12	-72208
	13 LST	21.8	19.4	21.4	21.2	19.5	18.4	17.4	19.2	16.7	20.7	23.6	22.3	241.6	12	-72208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.6	19.7	23.1	24.7	26.2	25.7	26.9	27.2	23.9	24.0	23.4	22.8	289.2	12	-72208
	01 LST	21.1	18.6	21.4	23.5	24.1	24.9	27.7	27.2	22.7	22.8	20.6	20.2	274.8	12	-72208
	07 LST	18.1	16.8	20.0	22.3	22.2	24.3	26.5	25.2	19.1	19.0	19.1	19.7	252.3	12	-72208
	13 LST	20.0	17.8	19.7	20.1	18.7	17.5	16.4	18.2	15.9	19.3	21.8	20.1	225.5	12	-72208

# CHARLESTON/ JOHNS ISLAND, SOUTH CAROLINA

STA NO. 73810 (IN AREA NUMBER 15)

LATITUDE 3242N

LONGITUDE 0800CW

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	83	94	93	99	104	104	102	100	95	88	81	104	89	-72208
MEAN MAX TMP (F)	58	60	65	73	80	86	88	87	83	75	66	59	73	86	-72208
MEAN MIN TMP (F)	43	45	50	57	66	73	75	75	71	61	51	44	59	86	-72208
ABS MIN TMP (F)	10	7	21	30	45	49	58	60	49	27	15	12	7	89	-72208
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	3.5	10.1	13.2	13.6	4.1	0.5	0.0	0.0	45.2	12	-72208
MEAN NO DYS TMP = DR LES 32(F)	10.7	6.0	3.3	0.1	3.0	0.0	0.0	0.0	0.0	0.2	4.1	10.1	34.5	12	-72208
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72208
MEAN DEW PT TMP (F)	40	42	44	52	62	69	72	72	68	57	46	39	55	12	-72208
MEAN REL HUM (PCT)	73	72	70	70	75	79	82	82	83	79	75	73	76	12	-72208
MEAN PRESS. ALT (FT)	-189	-159	-132	-107	-81	-78	-113	-81	-60	-88	-160	-187	-119	0	-90
MEAN PRECIP (IN)	2.85	3.19	3.42	2.74	3.23	4.59	7.15	6.37	5.43	3.18	2.17	2.79	47.1	90	-72208
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	69	-72208
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	6.4	6.4	5.8	6.3	7.4	9.7	9.0	8.1	5.2	3.9	5.9	80.1	90	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72208
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	2.7	2.2	2.3	2.5	1.4	1.1	1.8	2.6	3.2	4.0	3.7	31.2	12	-72208
MEAN NO DYS TSTMS	1.0	1.0	2.0	3.0	6.0	10.0	13.0	13.0	5.0	1.0	1.0	0.0	56.0	61	-72208
P FREQ WND SPD = DR GTR 17 KTS	6.6	8.8	9.9	9.7	2.3	2.3	1.8	2.0	2.2	1.5	3.0	5.0	4.6	12	-72208
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.2	0.2	12	-72208
P FREQ LES 9000 FT A/D LES 5 MI	27.8	28.7	26.4	20.4	22.7	19.9	19.2	20.4	29.4	29.2	24.2	25.7	24.5	12	-72208
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.5	18.5	15.2	10.6	10.0	6.3	3.6	5.9	10.9	15.6	15.8	13.8	11.9	12	-72208
03-05 LST	19.1	19.6	19.8	15.7	16.4	12.8	6.7	11.5	19.6	22.2	21.0	17.5	16.8	12	-72208
06-08 LST	19.1	22.3	22.0	14.3	16.2	11.9	7.7	12.4	23.5	27.5	22.5	19.2	18.2	12	-72208
09-11 LST	17.5	21.0	16.9	6.6	6.9	5.3	5.3	6.6	14.3	18.4	14.0	16.0	12.4	12	-72208
12-14 LST	10.4	13.6	10.6	4.4	3.9	2.5	2.8	3.0	7.6	9.5	8.1	10.3	7.2	12	-72208
15-17 LST	9.5	11.5	9.5	4.2	3.6	1.7	4.1	3.6	5.7	7.3	6.9	4.9	6.4	12	-72208
18-20 LST	12.1	13.9	10.8	4.9	4.5	3.2	3.4	3.2	7.2	7.6	6.5	10.0	7.3	12	-72208
21-23 LST	15.3	14.8	13.2	7.3	4.9	2.8	2.5	3.7	8.3	10.2	9.0	14.0	8.8	12	-72208
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	6.4	3.7	3.3	3.0	2.0	0.4	1.3	2.5	3.9	6.5	6.2	3.9	12	-72208
03-05 LST	7.9	7.0	5.7	5.2	6.6	4.8	2.3	3.9	6.4	7.6	9.4	7.3	6.2	12	-72208
06-08 LST	6.8	7.1	4.8	3.3	3.8	2.6	1.2	2.7	6.3	6.8	8.4	7.5	5.1	12	-72208
09-11 LST	2.5	2.8	1.2	0.1	0.1	0.0	0.2	0.4	0.2	3.6	1.6	2.0	1.0	12	-72208
12-14 LST	0.5	1.5	0.9	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.2	1.4	0.4	12	-72208
15-17 LST	1.1	1.4	0.4	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.8	1.0	0.5	12	-72208
18-20 LST	2.9	3.2	0.9	0.5	0.2	0.0	0.1	0.1	0.2	0.1	0.8	2.2	0.9	12	-72208
21-23 LST	5.2	4.4	2.7	0.8	0.3	0.1	0.4	0.4	0.6	1.4	2.7	5.2	2.0	12	-72208

CHARLESTON/ JOHNS ISLAND, SOUTH CAROLINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.0	24.8	27.7	29.0	30.2	29.6	30.3	30.2	28.4	28.8	28.5	28.6	344.1	12	-72208
	01 LST	26.4	23.2	26.7	27.4	28.7	28.5	30.2	29.7	26.6	26.6	25.7	27.2	326.9	12	-72208
	07 LST	25.6	22.2	25.1	26.5	26.6	27.6	29.3	27.7	23.3	23.0	23.4	25.6	305.9	12	-72208
	13 LST	28.6	25.7	28.6	29.2	30.5	29.7	30.2	30.7	28.7	29.0	28.5	28.6	348.0	12	-72208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	20.3	16.5	19.0	19.9	22.3	21.0	23.3	25.1	24.3	25.2	24.0	22.4	263.3	12	-72208
	01 LST	18.5	15.5	18.2	20.3	24.7	24.1	27.0	27.2	22.7	22.4	20.6	19.6	260.8	12	-72208
	07 LST	18.0	15.6	17.3	18.2	19.7	20.9	24.0	23.2	17.9	17.8	18.9	19.1	230.6	12	-72208
	13 LST	9.9	8.5	8.7	8.0	12.7	13.0	15.8	17.1	13.6	15.4	15.2	12.7	150.6	12	-72208
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	1.9	1.6	1.4	0.2	0.5	0.2	0.5	0.2	0.0	0.4	0.7	8.6	12	-72208
	01 LST	0.9	1.6	1.5	0.8	0.1	0.1	0.1	0.2	0.2	0.2	0.4	1.2	7.3	12	-72208
	07 LST	0.8	1.1	1.0	0.9	0.3	0.1	0.0	0.5	0.2	0.3	0.3	0.6	6.1	12	-72208
	13 LST	4.9	5.4	5.9	6.3	2.3	1.8	1.1	1.1	0.9	0.9	2.2	3.8	36.6	12	-72208
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.3	19.4	22.0	20.4	24.3	22.4	24.2	24.1	22.6	21.7	19.4	20.0	261.8	12	-72208
	01 LST	16.1	15.5	17.1	18.4	20.8	18.7	20.7	17.6	18.7	18.8	17.8	15.6	215.8	12	-72208
	07 LST	12.9	15.7	18.3	17.3	20.3	20.8	21.4	20.3	18.6	20.0	17.9	15.0	218.3	12	-72208
	13 LST	13.6	11.3	11.6	10.8	14.8	12.7	13.3	14.1	16.4	18.0	18.5	14.7	169.8	12	-72208
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.1	10.9	10.9	11.9	8.2	5.5	5.0	7.4	8.1	14.2	13.8	12.3	120.3	12	-72208
	01 LST	12.9	12.7	12.7	14.9	15.1	12.4	12.1	13.6	12.6	15.7	13.7	13.2	161.6	12	-72208
	07 LST	8.8	8.2	9.6	10.1	9.8	8.3	7.8	9.5	7.7	11.1	10.8	9.6	111.3	12	-72208
	13 LST	8.6	7.7	8.0	8.7	5.1	2.9	1.4	2.4	3.3	8.9	11.7	9.2	77.9	12	-72208
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.6	26.8	27.4	28.9	28.2	29.2	29.4	26.6	26.0	27.9	27.2	329.9	12	-72208
	01 LST	25.1	22.1	25.7	26.3	27.6	27.5	29.6	28.9	25.5	25.3	24.0	26.0	313.6	12	-72208
	07 LST	23.9	21.1	23.7	24.8	25.1	26.6	28.2	26.5	21.8	21.3	22.2	24.3	289.5	12	-72208
	13 LST	25.9	22.8	26.2	26.5	28.3	27.4	28.6	28.6	25.4	25.7	26.3	26.2	317.9	12	-72208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.6	21.4	24.7	25.8	27.1	26.6	28.2	26.1	25.1	25.0	25.0	24.9	305.5	12	-72208
	01 LST	23.0	20.0	23.8	24.7	26.2	25.8	28.8	27.8	24.4	23.8	21.8	22.9	293.0	12	-72208
	07 LST	20.1	18.7	21.8	23.7	23.6	25.6	27.5	26.0	20.4	20.0	20.6	21.0	269.0	12	-72208
	13 LST	21.8	19.4	21.4	21.2	19.5	18.4	17.4	19.2	16.7	20.7	23.6	22.3	241.6	12	-72208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.6	19.7	23.1	24.7	26.2	25.7	26.9	27.2	23.9	24.0	23.4	22.8	289.2	12	-72208
	01 LST	21.1	18.6	21.4	23.5	24.1	24.9	27.7	27.2	22.7	22.8	20.6	20.2	274.8	12	-72208
	07 LST	18.1	16.8	20.0	22.3	22.2	24.3	26.5	25.2	19.1	19.0	19.1	19.7	232.3	12	-72208
	13 LST	20.0	17.8	19.7	20.1	18.7	17.5	16.4	18.2	15.9	19.3	21.8	20.1	225.5	12	-72208

## COLUMBIA/ OWENS, SOUTH CAROLINA

STA NO. 73816 (IN AREA NUMBER 15)

LATITUDE 3358N

LONGITUDE 08059W

ELEVATION(FT) 00203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (°)	82	83	93	96	101	105	106	106	106	99	86	81	106	73	-113
MEAN MAX TMP (°)	56	59	66	75	83	89	90	89	85	75	65	57	74	73	-113
MEAN MIN TMP (°)	38	39	45	53	61	68	71	70	66	54	44	36	54	73	-113
ABS MIN TMP (°)	6	-2	18	28	40	47	54	55	42	29	15	8	-2	73	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	8.0	17.0	23.0	22.0	8.0	1.0	0.0	0.0	80.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	10.0	6.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	11.0	33.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73	-29
MEAN DEW PT TMP (°)	37	38	40	49	58	66	69	69	64	54	41	35	52	12	-72310
MEAN REL HUM (PCT)	72	69	65	64	66	69	72	73	75	74	70	71	70	12	-72310
MEAN PRESS ALT (FT)	-5	30	72	101	107	121	94	103	83	45	11	-6	63	0	-50
MEAN PRECIP (IN)	2.96	3.78	3.51	3.15	3.08	3.91	5.62	5.42	3.68	2.45	1.99	2.97	42.5	73	-113
MEAN SNOW FALL (IN)	0.4	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.1	73	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	7.2	6.5	6.2	6.2	6.7	8.4	8.2	5.9	4.3	3.6	6.1	75.4	73	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	73	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	2.0	1.6	1.2	1.3	1.2	1.5	2.0	2.6	3.2	2.8	2.9	24.7	12	-72310
MEAN NO DYS TSTMS	0.0	1.0	2.0	4.0	6.0	9.0	11.0	9.0	4.0	1.0	0.0	0.0	47.0	65	-72310
P FREQ WND SPD = OR GTR 17 KTS	2.6	3.2	5.1	5.3	1.0	0.6	0.5	0.6	0.7	0.5	1.7	2.1	2.0	12	-72310
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	-72310
P FREQ LES 5000 FT A/D LES 5 MI	28.3	27.5	26.2	19.4	17.4	16.1	17.5	17.6	27.0	27.6	23.2	25.3	22.8	12	-72310
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.7	15.8	14.6	7.8	6.9	5.8	5.4	6.4	12.5	14.6	12.2	14.6	10.9	12	-72310
03-05 LST	18.5	18.7	17.8	13.5	14.7	13.3	14.7	15.3	22.4	20.4	15.6	16.9	16.8	12	-72310
06-08 LST	24.0	20.8	21.3	16.5	18.5	18.9	22.2	20.7	31.9	28.7	19.4	19.1	21.8	12	-72310
09-11 LST	20.6	18.4	16.8	10.0	8.4	4.8	7.1	6.4	16.0	17.1	14.1	17.3	13.1	12	-72310
12-14 LST	14.0	13.1	10.2	5.8	4.6	1.9	1.9	2.6	7.7	9.6	8.4	10.8	7.6	12	-72310
15-17 LST	10.9	9.2	9.1	3.4	3.5	1.4	0.7	2.1	6.0	7.5	5.6	7.1	5.5	12	-72310
18-20 LST	9.9	9.6	10.7	4.9	3.2	1.6	1.6	3.0	5.6	9.1	6.4	6.9	6.0	12	-72310
21-23 LST	11.7	11.3	11.3	6.0	3.2	2.3	1.4	3.7	7.2	11.4	7.8	8.9	7.2	12	-72310
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	3.7	2.3	0.8	1.2	0.7	0.4	0.5	1.1	2.2	3.1	4.3	2.0	12	-72310
03-05 LST	5.0	6.1	3.1	2.5	3.9	3.1	3.0	4.2	5.4	5.4	6.0	5.1	4.4	12	-72310
06-08 LST	6.0	5.3	3.1	3.0	3.0	2.6	3.9	4.2	7.7	7.2	7.4	4.9	4.9	12	-72310
09-11 LST	2.4	2.5	1.2	0.3	0.0	0.0	0.0	0.3	0.4	0.4	2.2	2.1	1.0	12	-72310
12-14 LST	1.0	0.8	0.4	0.0	0.1	0.2	0.1	0.1	0.0	0.1	0.2	0.3	0.3	12	-72310
15-17 LST	0.9	0.2	0.3	0.0	0.0	0.1	0.0	0.1	0.3	0.0	0.2	0.8	0.2	12	-72310
18-20 LST	1.3	0.6	0.8	0.2	0.1	0.0	0.2	0.2	0.0	0.2	0.8	1.3	0.5	12	-72310
21-23 LST	2.9	1.0	1.7	0.3	0.1	0.0	0.1	0.2	0.2	0.8	1.5	2.7	1.0	12	-72310

## COLUMBIA/ OWENS, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	28.4	25.9	28.4	28.2	30.5	29.8	30.6	30.1	28.7	28.8	28.3	29.7	347.4	12	-72310
	01 LST	27.5	24.1	27.4	28.6	29.4	29.2	29.9	29.9	27.8	27.5	26.9	27.2	335.4	12	-72310
	07 LST	24.6	23.0	25.1	26.1	26.4	25.0	25.6	25.1	20.7	22.7	25.1	25.6	295.2	12	-72310
	13 LST	27.8	25.3	29.0	28.9	30.0	29.6	30.7	30.4	28.5	29.1	28.1	28.4	345.8	12	-72310
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.1	20.8	20.6	21.1	27.5	24.8	27.0	27.0	26.8	26.7	24.5	25.5	296.4	12	-72310
	01 LST	23.2	19.5	20.6	23.0	26.3	26.6	27.1	28.2	24.2	24.2	23.5	23.2	289.6	12	-72310
	07 LST	19.3	18.7	19.0	18.7	21.6	21.7	21.7	23.7	17.3	19.7	21.8	21.8	245.0	12	-72310
	13 LST	12.8	11.8	12.2	12.6	17.8	20.1	20.2	22.2	19.0	19.1	16.2	17.7	201.7	12	-72310
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.5	1.1	0.8	0.1	0.1	0.2	0.3	0.1	0.1	0.3	0.1	3.9	12	-72310
	01 LST	0.3	0.3	0.5	0.2	0.0	0.0	0.2	0.0	0.1	0.2	0.2	0.2	2.2	12	-72310
	07 LST	0.5	0.3	0.4	0.6	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.3	2.4	12	-72310
	13 LST	2.6	2.7	3.7	4.4	1.0	0.3	0.2	0.3	0.1	0.2	0.9	1.9	18.3	12	-72310
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	15.1	13.1	17.6	18.5	21.8	20.2	21.9	21.0	17.5	14.5	11.9	13.7	206.8	12	-72310
	01 LST	11.6	12.3	15.3	16.7	17.1	15.1	16.7	13.1	13.4	12.9	10.7	12.2	167.1	12	-72310
	07 LST	9.9	11.4	13.0	15.2	18.4	18.9	18.9	16.6	14.1	14.3	11.3	10.9	172.9	12	-72310
	13 LST	14.6	13.9	14.6	14.6	17.8	12.9	11.0	11.5	18.8	20.5	17.3	18.2	185.7	12	-72310
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.7	11.1	12.1	12.4	10.4	6.9	6.3	8.5	11.4	15.7	14.7	12.2	133.4	12	-72310
	01 LST	13.1	11.2	13.6	15.0	15.6	13.1	11.8	14.7	13.1	16.8	15.4	14.0	167.4	12	-72310
	07 LST	9.4	9.6	9.6	12.2	11.6	9.9	8.3	11.2	8.9	11.4	12.8	10.9	125.8	12	-72310
	13 LST	9.5	8.7	10.0	10.1	7.5	5.9	4.5	6.7	7.8	12.2	14.4	10.9	108.2	12	-72310
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.5	26.9	27.8	29.6	29.1	30.4	29.6	27.6	27.7	27.6	27.6	335.5	12	-72310
	01 LST	26.1	22.8	25.6	26.3	28.0	27.8	28.4	29.1	25.0	25.1	26.0	25.8	316.0	12	-72310
	07 LST	21.9	21.5	23.7	24.2	24.5	23.6	23.7	23.9	18.8	21.0	23.5	24.2	274.5	12	-72310
	13 LST	25.1	23.0	26.6	27.2	28.9	28.6	29.6	29.4	25.8	26.7	26.0	26.7	323.6	12	-72310
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.2	21.2	22.9	24.8	26.5	26.4	27.2	26.4	23.6	24.8	24.2	24.3	295.5	12	-72310
	01 LST	22.2	20.1	23.3	24.4	26.5	26.3	27.2	27.8	22.7	22.6	23.3	23.0	289.4	12	-72310
	07 LST	19.2	18.3	20.7	22.0	23.3	22.7	22.9	22.7	17.1	18.5	21.1	20.7	249.2	12	-72310
	13 LST	21.6	19.9	21.5	22.1	23.7	23.8	23.7	25.1	21.8	23.4	23.2	23.0	272.8	12	-72310
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.1	19.2	21.0	22.8	24.2	24.7	25.6	24.8	21.8	23.5	22.6	21.6	272.9	12	-72310
	01 LST	20.6	18.1	21.1	22.7	24.8	24.6	25.2	26.8	21.7	21.8	21.5	20.6	269.5	12	-72310
	07 LST	17.6	16.5	19.0	20.8	22.0	21.6	21.8	22.1	16.0	17.1	19.1	19.6	233.2	12	-72310
	13 LST	19.3	17.8	19.8	20.6	22.5	22.6	22.7	24.2	20.5	21.5	21.6	20.4	253.5	12	-72310

BEAUFORT/ MCAS, SOUTH CAROLINA

STA NO. 75151 (IN AREA NUMBER 19)

LATITUDE 3228N

LONGITUDE 08043W

ELEVATION(FT) 00038

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	77	84	89	93	97	103	98	97	98	91	88	77	103	10	3049
MEAN MAX TMP (F)	57	60	66	75	83	97	98	98	84	76	69	59	74	10	3049
MEAN MIN TMP (F)	38	41	47	57	65	71	73	73	69	38	30	40	57	10	3049
ABS MIN TMP (F)	18	16	24	36	41	59	65	65	53	37	24	12	12	10	3049
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	5.5	8.6	11.6	12.0	5.0	0.2	0.0	0.0	43.1	10	3049
MEAN NO DYS TMP = OR LES 32(F)	8.9	5.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	7.0	23.4	10	3049
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3049
MEAN DEW PT TMP (F)	38	41	45	55	63	70	73	73	69	57	51	39	56	10	69716
MEAN REL HUM (PCT)	74	73	72	71	73	77	80	80	80	75	76	73	75	10	69716
MEAN PRESS ALT (FT)	-168	-137	-107	-82	-57	-50	-85	-56	-40	-71	-139	-166	-96	0	-50
MEAN PRECIP (IN)	3.46	4.21	4.98	3.42	3.36	5.92	9.36	7.69	6.46	3.18	1.71	1.93	55.7	10	3014
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3003
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	6.9	8.9	5.5	5.0	9.0	11.8	8.4	5.6	4.5	3.5	4.5	80.7	10	3014
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3003
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	2.7	3.5	2.1	1.2	1.2	0.9	2.1	2.5	2.2	5.3	2.9	31.0	10	3047
MEAN NO DYS TSTMS	0.9	1.3	2.7	3.6	5.2	8.9	14.4	10.9	4.6	1.6	0.8	0.1	55.0	10	3047
P FREQ WND SPD = OR GTR 17 KTS	1.4	3.4	1.9	2.8	0.9	0.7	0.2	0.2	2.0	0.8	1.7	1.3	1.4	10	69673
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	10	69673
P FREQ LES 5000 FT A/D LES 5 MI	30.7	33.4	28.2	22.1	21.8	24.4	23.3	22.2	27.3	23.0	27.6	25.2	25.8	10	69703
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	17.3	17.7	15.5	8.2	6.1	4.7	4.3	5.5	7.1	10.8	18.1	12.0	10.6	10	8712
03-05 LST	19.6	21.7	19.8	13.9	11.8	10.4	8.0	8.5	16.3	15.7	23.7	14.2	15.3	10	8716
06-08 LST	24.3	27.3	26.1	18.3	15.7	13.9	11.8	17.1	23.3	23.8	28.8	17.5	20.8	10	8783
09-11 LST	20.8	23.0	18.0	10.9	9.9	10.7	12.0	10.5	12.5	14.9	15.8	17.2	14.8	10	8813
12-14 LST	15.7	19.0	12.9	7.9	5.3	5.6	6.7	4.7	6.4	9.9	9.8	11.7	9.6	10	8808
15-17 LST	13.2	12.1	10.6	5.8	4.2	5.7	4.3	4.6	7.3	7.8	7.7	12.8	8.0	10	8805
18-20 LST	13.6	15.6	12.3	6.7	4.1	5.5	5.5	4.2	9.5	6.1	7.4	11.0	8.5	10	8747
21-23 LST	12.9	13.8	14.5	6.5	4.6	4.3	4.4	3.5	6.8	7.7	11.9	10.6	8.5	10	8722
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.9	5.9	5.9	1.2	0.3	0.1	0.1	0.5	0.7	1.9	6.5	3.4	2.7	10	3712
03-05 LST	6.5	8.4	6.2	3.9	2.6	2.1	1.2	1.9	4.2	4.2	9.1	5.8	4.7	10	8716
06-08 LST	10.1	9.8	8.4	4.8	2.9	0.9	1.9	3.2	6.0	6.9	9.6	6.2	5.9	10	8783
09-11 LST	5.1	4.8	3.2	0.8	0.1	0.1	0.3	0.4	1.1	1.1	2.8	3.4	1.9	10	8813
12-14 LST	3.1	1.6	0.9	0.4	0.3	0.4	0.3	0.8	0.7	0.4	0.4	0.3	0.8	10	8808
15-17 LST	3.5	2.1	1.3	0.4	0.3	0.5	0.8	0.4	0.8	0.2	0.5	1.9	1.1	10	8805
18-20 LST	5.3	2.9	3.1	1.1	0.1	0.4	0.8	0.4	0.8	0.9	0.9	2.3	1.6	10	8747
21-23 LST	5.0	3.2	4.4	0.3	0.1	0.0	0.1	0.1	0.0	0.5	2.8	2.7	1.6	10	8722



# BEAUFORT/ MCAS, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.4	23.9	27.5	28.2	30.2	29.2	30.2	30.2	27.6	29.6	28.6	28.5	341.1	10	3078
	01 LST	26.8	23.8	26.6	27.8	29.8	28.8	30.4	30.0	28.0	28.2	25.2	28.0	333.4	10	3052
	07 LST	24.0	20.7	22.1	24.8	26.9	26.1	28.0	26.5	22.4	23.3	21.2	25.7	291.7	10	3079
	13 LST	27.4	23.8	28.4	28.7	30.0	28.5	30.2	30.3	28.9	29.1	28.5	28.0	341.8	10	3079
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.9	17.9	21.9	21.5	24.3	23.0	25.2	26.1	23.8	27.0	25.1	24.4	284.1	10	3077
	01 LST	21.5	17.4	22.1	22.0	26.1	26.6	28.0	28.5	24.6	24.7	21.4	23.0	285.9	10	3052
	07 LST	19.2	15.1	17.2	18.9	22.8	21.9	26.0	24.9	19.6	20.6	16.4	20.4	243.0	10	3078
	13 LST	17.5	12.7	13.7	13.0	18.1	20.0	21.4	24.6	18.8	19.9	17.1	17.5	214.3	10	3078
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	1.0	0.1	0.6	0.1	0.1	0.0	0.0	0.2	0.1	0.3	0.4	2.9	10	2997
	01 LST	0.7	0.6	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	2.3	10	2971
	07 LST	0.1	0.3	0.0	0.0	0.1	0.1	0.0	0.0	0.2	0.1	0.5	0.0	1.4	10	2992
	13 LST	1.0	2.2	1.3	1.9	0.3	0.3	0.1	0.0	0.5	0.4	1.1	1.2	10.3	10	3014
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	15.6	17.1	21.9	23.9	26.4	24.3	22.7	22.5	16.6	14.3	16.1	15.0	236.4	10	2997
	01 LST	13.9	13.3	15.5	17.6	17.4	15.7	14.8	13.1	12.6	15.0	13.4	16.5	178.8	10	2971
	07 LST	13.5	12.6	15.4	17.5	19.9	18.9	20.1	16.1	13.8	17.2	15.1	13.1	193.2	10	2992
	13 LST	18.8	16.4	18.2	17.3	20.0	18.2	17.2	18.0	17.4	20.8	17.9	18.7	218.9	10	3014
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.3	8.8	8.0	12.1	7.8	5.9	3.7	5.1	8.6	15.4	12.1	13.6	112.4	10	2920
	01 LST	12.5	11.8	11.7	15.6	14.7	13.2	10.7	14.4	15.2	18.1	13.2	15.2	166.3	10	2892
	07 LST	10.1	7.8	7.0	9.8	10.2	7.0	4.0	5.5	7.2	12.4	8.9	10.1	100.0	10	2922
	13 LST	8.9	6.9	8.1	9.4	5.3	3.0	1.6	2.1	4.2	11.1	10.6	10.5	81.9	10	2921
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	25.7	21.9	26.0	26.6	29.0	26.6	28.3	28.9	25.2	28.1	26.6	26.1	319.0	10	3078
	01 LST	24.5	21.3	25.0	26.1	28.2	27.7	28.9	28.9	27.2	26.5	23.9	26.4	314.6	10	3052
	07 LST	22.4	18.5	20.4	23.5	25.9	24.7	27.3	25.1	21.9	22.0	19.5	23.3	274.5	10	3079
	13 LST	24.6	20.9	24.9	25.4	27.7	24.1	25.4	27.4	24.6	25.9	25.5	25.5	301.9	10	3079
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.4	19.4	23.0	25.0	26.9	24.1	25.2	26.0	24.1	25.4	24.8	23.1	291.2	10	3078
	01 LST	22.6	19.3	22.8	25.1	26.4	26.9	27.9	28.0	26.3	25.6	21.8	24.5	297.2	10	3052
	07 LST	20.1	15.8	17.5	21.6	24.3	23.4	26.6	24.9	20.6	20.6	17.8	20.9	254.1	10	3079
	13 LST	20.4	18.1	21.9	21.8	22.5	18.7	19.4	22.2	20.9	23.3	22.8	23.5	255.5	10	3079
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	20.9	18.1	20.9	23.3	25.9	21.5	22.4	25.4	21.8	23.9	22.4	22.2	268.7	10	3078
	01 LST	20.1	18.1	20.9	24.0	25.5	25.5	26.6	27.1	25.4	24.5	20.4	22.4	280.5	10	3052
	07 LST	18.1	14.7	16.0	20.4	23.1	22.2	23.5	22.7	19.6	19.3	15.7	19.0	234.3	10	3079
	13 LST	18.8	17.2	21.1	20.6	21.3	17.9	18.2	20.7	19.5	21.9	21.2	21.4	239.8	10	3079

## GREENWOOD/ COUNTY, SOUTH CAROLINA

STA NO. 75160 (IN AREA NUMBER 15)

LATITUDE 3415N

LONGITUDE 08209W

ELEVATION(FT) 00631

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
A60 MAX TMP (F)	82	81	89	96	102	105	109	107	104	100	85	80	109	77	-113
MEAN MAX TMP (F)	54	56	64	73	82	89	90	89	84	74	63	54	73	66	-113
MEAN MIN TMP (F)	34	34	41	49	59	66	69	68	63	51	41	34	51	66	-113
ABS MIN TMP (F)	4	-5	14	27	37	42	53	51	41	27	13	8	-5	77	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	6.0	16.0	22.0	23.0	8.0	1.0	0.0	0.0	76.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	16.0	12.0	9.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	7.0	17.0	62.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		77	-29
MEAN DEW PT TMP (F)	39	37	38	45	56	66	68	67	61	51	37	34	50	7	-73308
MEAN REL HUM (PCT)	75	68	65	62	65	69	71	71	71	69	68	74	69	7	-73308
MEAN PRESS ALT (FT)	418	455	501	529	539	553	526	535	515	475	439	417	492	0	-50
MEAN PRECIP (IN)	4.04	4.52	4.58	3.43	3.66	3.89	4.99	4.78	3.77	2.84	2.65	4.17	47.3	68	-113
MEAN SNOW FALL (IN)	0.5	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.1	77	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	8.1	7.1	6.5	6.6	6.7	7.8	7.6	6.0	4.8	4.5	7.7	80.9	68	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	77	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.6	3.6	2.8	1.1	0.8	0.7	0.8	1.3	1.1	1.3	2.6	5.9	27.6	7	-73308
MEAN NO DYS TSTMS	1.2	1.1	3.4	4.5	5.6	10.4	12.5	7.9	3.1	1.0	0.7	0.6	52.0	11	-73308
P FREQ WND SPD = DR GTR 17 KTS	2.0	2.5	4.8	3.4	1.3	0.3	0.6	0.7	1.4	1.9	2.0	2.4	1.9	7	-73308
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	7	-73308
P FREQ LES 5000 FT A/D LES 5 MI	41.1	28.4	27.1	19.0	17.8	18.6	20.0	19.7	22.0	24.2	25.9	39.2	25.3	7	-73308
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	18.0	14.6	8.5	7.5	6.3	6.1	8.6	10.4	11.0	12.2	22.1	12.3	7	-73308
03-05 LST	25.8	20.4	17.2	13.9	14.0	10.4	11.6	16.5	15.4	15.4	14.1	27.5	16.9	7	-73308
06-08 LST	29.1	23.8	20.9	14.1	14.5	15.6	17.2	20.5	19.6	20.2	17.8	30.6	20.3	7	-73308
09-11 LST	31.4	22.7	18.1	11.3	11.1	8.5	12.3	14.2	14.5	16.7	15.6	29.1	17.1	7	-73308
12-14 LST	22.8	14.6	11.5	9.1	5.4	4.1	4.9	5.2	5.4	8.8	10.6	23.5	10.5	7	-73308
15-17 LST	17.8	10.1	10.3	6.9	3.4	0.7	2.0	2.7	3.9	5.7	8.0	17.5	7.4	7	-73308
18-20 LST	17.2	11.0	11.2	5.9	3.0	0.7	2.0	2.7	3.0	6.3	7.8	16.7	7.3	7	-73308
21-23 LST	19.0	13.0	11.2	7.6	4.1	1.9	1.8	4.8	4.6	7.2	9.1	19.0	8.6	7	-73308
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.2	5.7	4.1	0.7	0.5	0.2	0.7	2.0	0.4	1.4	4.3	11.7	3.4	7	-73308
03-05 LST	9.1	7.5	5.7	1.7	2.2	1.9	2.3	3.1	3.3	2.7	5.7	11.7	4.7	7	-73308
06-08 LST	11.5	7.5	4.0	1.9	2.2	1.9	1.1	3.4	2.8	3.6	4.5	11.9	4.7	7	-73308
09-11 LST	8.1	3.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.2	1.1	5.3	1.5	7	-73308
12-14 LST	3.2	2.4	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	2.8	0.8	7	-73308
15-17 LST	2.0	1.8	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.2	0.6	2.3	0.6	7	-73308
18-20 LST	3.4	2.2	0.9	0.2	0.2	0.2	0.2	0.4	0.4	0.4	1.1	5.0	1.2	7	-73308
21-23 LST	7.0	3.2	2.5	0.6	0.0	0.0	0.0	1.1	0.0	0.5	2.0	7.3	2.0	7	-73308

GREENWOOD/ COUNTY, SOUTH CAROLINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.3	25.5	26.1	28.5	30.5	30.0	30.8	30.3	29.3	29.6	27.8	26.4	343.1	7	-73308
	01 LST	24.8	23.5	27.2	28.3	29.0	28.7	29.1	29.0	27.7	28.6	26.8	24.8	327.5	7	-73308
	07 LST	23.3	21.7	25.5	26.6	27.3	26.3	26.8	25.0	25.3	25.3	24.3	21.7	299.1	7	-73308
	13 LST	25.5	25.0	28.5	28.7	30.2	29.3	30.2	30.0	29.0	29.5	27.3	25.5	338.7	7	-73308
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	20.8	18.7	19.3	22.5	26.8	25.5	27.8	28.1	27.5	25.8	23.2	20.1	286.1	7	-73308
	01 LST	20.0	20.4	21.1	22.8	26.7	26.5	27.7	27.5	25.1	24.6	22.8	19.9	285.1	7	-73308
	07 LST	16.5	16.9	20.2	19.3	23.5	21.5	21.8	22.7	20.2	21.0	21.3	17.5	242.4	7	-73308
	13 LST	11.7	12.9	15.2	14.2	18.7	19.3	20.8	22.5	19.3	18.7	17.2	14.0	204.5	7	-73308
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.2	0.3	1.7	0.3	0.5	0.2	0.5	0.0	0.0	0.2	0.8	0.9	5.6	7	-73308
	01 LST	0.3	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	2.0	7	-73308
	07 LST	0.0	0.7	0.5	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.6	2.6	7	-73308
	13 LST	0.7	1.4	2.3	2.6	1.2	0.0	0.0	0.5	0.2	1.0	1.5	1.5	12.9	7	-73308
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.1	18.5	20.0	20.7	22.7	21.4	21.7	21.3	19.4	15.9	16.6	17.1	234.4	7	-73308
	01 LST	14.8	17.9	15.4	19.0	13.5	17.8	17.5	14.3	16.5	15.7	12.4	13.2	188.0	7	-73308
	07 LST	12.1	10.4	14.8	16.4	17.7	21.4	21.2	18.2	15.1	12.3	10.8	8.5	178.9	7	-73308
	13 LST	20.0	15.4	17.5	17.8	20.9	10.5	11.8	12.3	17.2	18.8	18.5	18.4	199.1	7	-73308
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.3	11.3	11.2	12.2	9.3	4.8	4.2	7.7	12.5	16.8	15.8	11.7	126.8	7	-73308
	01 LST	10.5	13.2	13.0	15.7	17.0	16.5	13.1	15.5	16.7	19.2	16.7	12.6	179.7	7	-73308
	07 LST	7.3	9.1	9.3	13.1	12.0	10.3	9.3	9.3	10.3	14.8	13.3	9.3	127.4	7	-73308
	13 LST	7.7	9.6	8.2	9.0	6.7	4.5	2.7	3.7	9.0	12.6	12.5	8.7	94.9	7	-73308
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.8	24.2	26.0	27.5	30.0	29.8	30.1	29.1	28.5	28.5	27.5	24.2	331.0	7	-73308
	01 LST	22.8	22.5	25.3	26.6	27.8	27.8	27.5	27.5	26.3	26.5	25.8	22.8	309.2	7	-73308
	07 LST	19.8	20.2	22.8	24.7	25.8	24.5	24.8	23.7	23.2	23.5	23.8	20.4	277.2	7	-73308
	13 LST	22.2	23.0	25.5	26.2	28.3	26.8	28.3	28.1	27.0	27.3	25.3	22.1	310.1	7	-73308
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	20.5	20.9	23.5	24.5	26.2	26.5	25.3	25.1	25.3	26.0	25.0	20.1	288.9	7	-73308
	01 LST	17.6	19.7	22.0	24.3	26.0	26.3	25.1	26.3	24.8	25.0	24.0	18.6	279.7	7	-73308
	07 LST	14.7	18.0	21.3	22.8	23.8	23.0	24.0	21.8	20.2	21.0	21.2	17.2	249.0	7	-73308
	13 LST	18.8	20.0	22.0	23.2	22.0	20.6	21.1	22.5	21.3	23.3	22.8	19.1	256.9	7	-73308
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	18.8	19.5	22.2	22.1	23.5	24.0	23.6	23.2	23.3	24.8	23.6	19.5	268.1	7	-73308
	01 LST	15.7	17.9	19.7	22.0	24.6	25.3	23.7	25.6	23.3	24.0	22.7	17.9	262.4	7	-73308
	07 LST	13.1	16.7	19.0	21.0	22.2	21.8	22.2	20.0	18.8	20.6	20.2	15.9	231.5	7	-73308
	13 LST	17.1	18.9	20.3	22.0	21.6	20.3	20.8	21.3	19.8	22.5	21.2	17.4	243.2	7	-73308

ABBIEVILLE/ HESTER MEMORIAL, SOUTH CAROLINA

STA NO. 75506 (IN AREA NUMBER 15)

LATITUDE 3405N

LONGITUDE 08233W

ELEVATION(FT) 00517

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	85	83	92	97	102	106	109	109	111	100	87	82	111	42	-113
MEAN MAX TMP (F)	56	59	66	75	83	90	92	91	86	77	65	57	75	38	-113
MEAN MIN TMP (F)	32	35	40	49	58	66	69	68	63	50	39	33	50	38	-113
ABS MIN TMP (F)	-2	5	11	26	37	47	55	51	41	23	10	5	-2	42	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	6.0	17.0	22.0	24.0	10.0	2.0	0.0	0.0	81.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	20.0	14.0	9.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	12.0	19.0	76.0	8	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	300	337	383	412	423	438	410	419	400	359	322	299	375	0	-50
MEAN PRECIP (IN)	4.11	4.62	4.89	3.63	3.69	3.82	4.89	4.04	3.68	2.88	2.50	4.41	47.2	60	-113
MEAN SNOW FALL (IN)	0.4	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.3	59	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	8.2	7.2	6.6	6.6	6.6	7.7	6.8	5.9	4.8	4.3	7.9	80.2	60	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	59	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ABBEVILLE/ HESTER MEMORIAL, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	18 LST													0	0
3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND	18 LST													0	0
NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST													0	0
DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

# SUMTER MUNICIPAL, SOUTH CAROLINA

STA NO. 75507 (IN AREA NUMBER 19)

LATITUDE 3359N

LONGITUDE 08021W

ELEVATION(FT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	86	96	94	104	103	105	104	102	100	90	84	105	35	-113
MEAN MAX TMP (F)	60	62	69	78	85	91	92	91	86	78	68	59	77	35	-113
MEAN MIN TMP (F)	37	38	44	51	60	67	70	69	64	52	42	36	53	35	-113
ABS MIN TMP (F)	9	7	15	26	36	42	53	55	43	25	16	9	7	35	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	8.0	18.0	24.0	22.0	10.0	1.0	0.0	0.0	84.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	13.0	9.0	6.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	7.0	15.0	51.3	8	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-23	11	30	79	84	97	71	80	62	24	-8	-25	42	0	-50
MEAN PRECIP (IN)	2.69	3.44	3.80	3.41	3.41	4.56	5.66	5.12	4.31	2.70	2.19	3.41	44.7	36	-113
MEAN SNOW FALL (IN)	0.1	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	36	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	6.0	6.7	6.4	6.4	7.4	8.4	7.9	6.7	4.6	3.9	6.7	77.6	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SUMTER MUNICIPAL, SOUTH CAROLINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE



# AREA 15

UNITED STATES OF AMERICA		SOUTHEAST REGION				LATITUDE 3200N		LONGITUDE 08300W						
BOUNDARIES		3010N 08800W		3200N 08650W		3200N 08650W		3300N 08645W		3300N 08645W		3300N 08600W		
		3500N 08600W		3400N 07800W										
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		65	68	72	79	85	90	91	91	87	80	72	65	79
MEAN MIN TMP (F)		44	46	51	57	64	70	72	72	69	60	50	45	58
LARGEST MEAN PRECIP(IN)		5.41	5.56	9.52	6.35	6.73	11.35	12.70	9.36	10.24	9.18	5.32	5.90	97.6
SMALLEST MEAN PRECIP(IN)		1.21	0.27	1.31	0.94	1.82	1.80	2.53	0.53	1.31	0.53	0.47	0.94	13.7
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.7	25.7	28.9	29.0	30.5	29.4	30.6	30.5	29.0	29.8	28.7	28.7	349.5
	00 LST	26.8	24.3	27.6	28.2	29.8	29.3	30.3	30.3	28.5	29.0	27.2	26.8	338.1
	06 LST	23.4	20.9	24.3	25.5	26.8	27.1	28.1	27.6	25.3	25.4	24.1	24.2	302.7
	12 LST	28.4	25.7	26.9	29.1	30.6	29.5	30.5	30.5	28.9	29.7	28.5	28.3	348.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.6	18.6	19.4	19.5	22.4	22.8	25.3	26.3	24.2	24.9	23.8	23.2	273.0
	00 LST	20.9	18.7	21.5	23.3	26.8	27.1	28.8	28.9	25.4	24.4	22.6	21.4	290.2
	06 LST	17.5	15.3	18.1	19.8	22.8	24.0	25.8	25.6	21.6	21.0	19.4	18.4	249.3
	12 LST	13.9	11.3	12.2	12.9	17.2	18.8	21.0	21.6	17.6	17.3	15.7	15.0	194.5
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.7	1.0	0.8	0.4	0.3	0.2	0.2	0.3	0.4	0.4	0.5	5.8
	00 LST	0.5	0.5	0.6	0.4	0.1	0.1	0.0	0.0	0.2	0.3	0.4	0.5	3.6
	06 LST	0.5	0.6	0.6	0.4	0.1	0.1	0.0	0.0	0.2	0.4	0.4	0.4	3.7
	12 LST	2.2	2.5	3.0	2.7	1.0	0.6	0.3	0.4	0.9	1.3	1.4	1.9	18.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.1	17.4	19.7	19.7	20.8	18.9	19.0	18.6	18.3	17.4	17.1	17.4	222.4
	00 LST	15.5	14.7	17.0	16.8	15.8	14.5	13.8	13.2	14.2	15.4	15.1	14.8	180.8
	06 LST	14.7	13.7	16.4	16.5	16.8	16.0	15.1	14.3	14.9	16.0	15.4	14.5	184.3
	12 LST	16.7	14.3	15.7	15.6	17.1	13.3	13.2	12.5	15.7	18.4	17.5	17.1	187.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.7	10.4	10.3	10.7	9.2	5.9	3.9	5.3	7.3	13.8	13.8	12.3	114.6
	00 LST	14.3	13.2	14.2	16.1	17.5	14.7	14.0	15.1	13.9	17.4	15.8	14.3	180.5
	06 LST	10.0	9.0	9.1	10.6	10.7	8.7	7.5	9.3	8.1	12.2	11.6	10.4	117.2
	12 LST	8.5	7.9	8.5	8.5	6.9	3.8	2.2	3.3	4.2	9.5	10.3	9.0	82.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.1	27.4	27.8	29.4	28.1	29.4	29.2	27.2	28.3	27.4	26.9	332.2
	00 LST	24.8	22.5	26.0	27.0	28.9	28.4	29.6	29.6	27.1	27.6	25.9	25.0	322.4
	06 LST	20.9	18.7	22.1	23.7	25.3	25.8	26.9	26.5	23.6	23.8	22.5	22.2	282.0
	12 LST	25.2	22.8	26.1	26.7	28.4	27.1	27.0	27.9	25.3	26.7	26.1	25.1	315.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.5	21.2	24.3	24.9	26.1	24.9	25.8	26.3	24.3	25.8	25.0	23.6	295.7
	00 LST	22.0	20.0	23.6	25.1	27.5	27.4	28.6	28.7	25.8	26.0	23.8	22.2	300.7
	06 LST	17.9	16.1	19.7	21.7	23.9	24.8	26.1	25.7	22.4	22.1	20.6	19.1	260.1
	12 LST	20.9	18.9	20.9	20.8	21.3	19.6	19.2	20.3	18.7	22.2	22.7	21.4	246.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.9	19.7	22.7	23.4	24.7	23.2	24.0	24.7	22.7	24.5	23.5	22.0	277.0
	00 LST	20.7	18.7	22.2	23.9	26.4	26.4	27.8	28.0	24.9	24.7	22.6	20.8	287.3
	06 LST	16.4	14.8	18.1	20.3	22.8	23.7	25.1	24.8	21.3	20.7	19.2	17.6	249.0
	12 LST	19.3	17.6	19.6	19.9	20.6	18.9	18.5	19.7	17.7	21.2	21.3	19.8	234.1