

DISTRIBUTION STATEMENT A. Approved for public release: distribution unlimited.

UNITED STATES NAVAL OBSERVATORY  
CIRCULAR NO. 171

---

U. S. Naval Observatory, Washington, D. C. 20392

February 19, 1987

---

Computer Programs for Sun and Moon Illuminance  
With Contingent Tables and Diagrams

by

P. M. Janiczek and J. A. DeYoung

**Computer Programs for Sun and Moon Illuminance  
With Contingent Tables and Diagrams**

by

P. M. Janiczek and J. A. DeYoung

Nautical Almanac Office

U. S. Naval Observatory

Washington, D. C.

## **CORRECTIONS & NOTES**

for

### **UNITED STATES NAVAL OBSERVATORY CIRCULAR 171**

**Computer Programs for Sun and Moon Illuminance  
With Contingent Tables and Diagrams**

by

**P. M. Janiczek and J. A. DeYoung**

**February 19, 1987**

- 1. Pages 18 and 28 contain several lines of computer code that are out of proper sequence. Replacements for these pages are attached.**
- 2. It has come to our attention that the BASIC code listed in the Circular may not execute under Microsoft QBasic unless modified. The QBasic interpreter is very limited, especially in regard to program structure and use of subroutines.**
- 3. The program listings provided in Circular 171 and in the attached replacement pages are provided "as is." The U. S. Naval Observatory cannot provide any additional technical support regarding these programs.**

*The FORTRAN Program*

```
IMPLICIT DOUBLE PRECISION (A-Z)
INTEGER IY,IM,ID,IH,L,I,K,N,J,IAZ,IHA
DIMENSION A(4), B(2)
RD = 57.29577951D0
DR = 1.0D0/RD
A(1) = -0.01454D0
A(2) = -0.10453D0
A(3) = -0.20791D0
A(4) = +0.00233D0
CE = 0.91775D0
SE = 0.39715D0
100  WRITE (*,*) ' '
      WRITE (*,*) ' '
      WRITE (*,*) ' INPUT LONGITUDE (DEG.), ENTER NULL LINE TO END) '
      READ (*,*,END=9999) LO
      LI = DABS(LO)
      WRITE (*,*) ' INPUT LATITUDE (DEG.)'
      READ (*,*) F
      FO = F
      F = F*DR
      SI = DSIN(F)
      CI = DCOS(F)
125   WRITE (*,*) ' INPUT YEAR (YYYY), NUMERAL'
      READ (*,*) IY
150   WRITE (*,*) ' INPUT MONTH (MM), NUMERAL'
      READ (*,*) IM
175   WRITE (*,*) ' INPUT DAY (DD), NUMERAL'
      READ (*,*) ID
      C = 360.0D0
      J = 367*IY-INT(7*(IY+INT((IM+9)/12))/4)+INT(275*IM/9)+ID-730531
      WRITE (*,*) ' INPUT TIME ZONE SELECTION'
      WRITE (*,*) ' '
      WRITE (*,*) '     0 -> TIME IS UT (GMT)'
      WRITE (*,*) '     1 -> TIME IS STANDARD (ZONE) TIME'
      WRITE (*,*) '     2 -> TIME IS LOCAL MEAN TIME'
      READ (*,*) Z
      ZT = Z
      DT = 0
      IF (Z .EQ. 0.0D0) DT = -LO/360.0D0
      IF (Z .EQ. 1.0D0) DT = (LI-15.0D0*DINT((LI+7.5D0)/15.0D0))/C
      &   *DSIGN(1.0D0,-LO)
200   WRITE (*,*) ' '
      WRITE (*,*) ' '
      WRITE (*,*) ' INPUT TIME OF DAY AS HOURS AND MINUTES OF 24',
      &   ' HOUR CLOCK (HHMM), OR'
      WRITE (*,*) ' INPUT ANY NEGATIVE NUMBER TO COMPUTE PHENOMENA',
      &   ' (RISE/SET, ETC.), OR'
      WRITE (*,*) ' INPUT NULL LINE TO END'
      READ (*,*,END=9999) H
      IF (H .GE. 0.0D0) GOTO 600
      WRITE (*,205) LO,FO
```

*The BASIC Program for Computers*

```
10 DEF FNARCCOS (ARG) = 1.570796 - ATN(ARG / SQR(1! - ARG * ARG))
20 DEF FNARCSIN (ARG) = ATN(ARG / SQR(1! - ARG * ARG))
30 DEF FNDEG (ARG) = INT(ARG) + ((ARG - INT(ARG)) * 10!) / 6!
40 DEF FNDMS (ARG) = INT(ARG) + 6! * (ARG - INT(ARG)) / 10!
50 RD = 57.29578
60 DR = 1! / RD
70 DIM A(4)
80 DIM B(2)
90 A(1) = -.01454
100 A(2) = -.10453
110 A(3) = -.20791
120 A(4) = .00233
130 CE = .91775
140 SE = .39715
150 INPUT "LONGITUDE IN DEG."; LO
160 LI = ABS(LO)
170 INPUT "LATITUDE IN DEG."; F
180 F = F * DR
190 SI = SIN(F)
200 CI = COS(F)
210 INPUT "YEAR (4 DIGITS)"; IY
220 INPUT "MONTH (NUMERAL)"; IM
230 INPUT "DAY (NUMERAL)"; ID
240 C = 360!
250 J = 367*IY - INT(7*(IY + INT((IM+9)/12))/4) + INT(275*IM/9) + ID - 730531!
260 INPUT "UNIVERSAL TIME = 0, ZONE TIME = 1, LOCAL MEAN TIME = 2"; Z
270 DT = 0!
280 IF Z = 0! THEN LET DT = -LO / C
290 IF Z = 1! THEN LET DT = -(LI - 15 * INT((LI + 7.5) / 15)) / C * SGN(LO)
300 INPUT "HOUR (4 DIGIT NUMERAL ON 24 HOUR CLOCK)"; H
310 Z0# = J - .5
320 IF H > 0 THEN GOTO 870
330 PRINT "DATA FOR "; IY; ", MONTH "; IM; ", DAY "; ID
340 FOR L = 1 TO 4
350 ON L GOTO 370, 650, 650, 360
360 C = 347.81
370 M = .5 + DT
380 K = 1
390 M = M - DT
400 E = M - LO / 360!
410 GOSUB 430
420 GOTO 530
430 D# = Z0# + E
440 IF ABS(E) >= 1 THEN LET E = E - SGN(E)
450 GOSUB 1220
460 IF L = 4 THEN GOSUB 1720
470 T = T + LO + 360! * E
480 T = T - INT(T / 360!) * 360!
490 U=T-AS
500 IF ABS(U) > 180! THEN LET U = U - 360! * SGN(U)
510 U = U / C
520 RETURN
```

## CONTENTS

Introduction	1
Section:	
I      Description of Terms	3
II     Computer Programs	10
The FORTRAN Program	16
The BASIC Program for Computers	25
The BASIC Routine for Programmable Calculator	33
III    Contingent Tables and Diagrams	40
Table 1 -- Sun Meridian Passage Increment and Declination	50
Table 2	52
Table 3 -- Longitude, Time Adjustments	69
Altitude, Azimuth Diagrams	70
Sun Illuminance Diagram	103
Moon Illuminance Diagrams	104
Appendices:	
A     Geographic Coordinates	106
B     Illuminance	129

## INTRODUCTION

There is an ever increasing need for quantitative information concerning everyday astronomical events as they affect the range of private, civil and military activities. The information most needed is usually one or a combination of the following:

1. rise and set times of the Sun and Moon,
2. beginning and ending times of twilight,
3. total number of daylight hours,
4. maximum height of the Sun or Moon above the horizon with corresponding time of occurrence,
5. at specific instants, the angular distance of the Sun or Moon from the horizon and from a cardinal direction,
6. the amount of natural light at a designated time of day or night.

These data not only may differ from day to day (continuously in the case of 5. and 6.), but also differ appreciably as experienced at one place on the Earth as opposed to another, even at the same instant.

Despite the calculational complexities implied, it is possible not only to satisfy the needs for all such data in a straightforward way, but also to place appropriate tools for producing the data directly into the hands of those who need it. This publication is intended for a large number of people who have requirements for the type of data listed, but whose education has placed no special emphasis on astronomy. In what follows there are the means for calculating the needed information either by one of the self-contained computer routines provided, or by use of tables, diagrams (also included) and simple arithmetic. There is no requirement to understand the theory of the calculations; and the mathematical development is not given. To properly specify the quantities required by the calculations and to properly interpret the results however, the associated terminology should be familiar. Section I, therefore, is a list and discussion of terms.

Electronic computing has steadily become more accessible and inexpensive. Accordingly, three versions of a self-contained computing routine are described and provided in Section II. The first is a FORTRAN program for use with a variety of personal (and larger) computers for which FORTRAN compilers are available. A version in BASIC is provided to use with personal computers for which that programming language is appropriate. A third program, also in BASIC (but in a separate dialect) is given. It was designed for so-called pocket computers and powerful, programmable calculators which incorporate BASIC interpreters. For successful implementation of a computer routine, the user must learn how to use the specific device and must satisfy the syntax requirements of its compiler or interpreter.

Use of a computing device is not always possible. But it is possible to obtain the same data, at least for the Sun, from the tables and diagrams which are included here, with instructions, as Section III.

The methods used to construct the tables, graphs and computer codes are approximate and give times of events to the nearest minute and angles to the nearest degree. At latitudes less than 60 degrees, the output of the computer routines should agree with more refined calculations to within one or two minutes of time. The tables may be expected to give less precise times (up to four minutes in certain cases) on account of those compromises in their construction which maintain simplicity. At extreme North and South latitudes more exacting calculations are generally necessary to achieve one minute of time precision; and in comparisons, the computer routines provided here produced errors of up to four minutes and, in one case, failed to find a phenomenon altogether. Although it is possible to improve the precision of both the computer procedure and the tables, the improvements are not justified for several reasons:

1. the price to be paid would be much larger, slower computer code in the first instance, and a lengthy, complex table look-up and calculation process in the second;
2. the user would be required to specify geographic coordinates and the instantaneous orientation of the Earth in space, define the actual terrain and measure atmospheric parameters to an accuracy that is not attainable except in extraordinary circumstances;
3. rising, setting and twilight are always physically uncertain to some extent, and definitely so at extreme latitudes;
4. a critical examination of the conduct of any human activity almost always demonstrates that very precise times of astronomical events and precise light levels are simply not needed.

The computer and tabular procedures were designed to be valid for the 30 year period beginning at 1985. If used beyond this interval, the degradation in precision will be gradual but definite.

## SECTION I

### Description of Terms


This section is meant to be read from the beginning. Terms are introduced as needed or as they occur; consequently, they are not in alphabetical order.

**Meridian:** At any point on the Earth one might imagine a line that passes through that point and meets the North and South poles. Such a line, known as the meridian, also intersects the Earth's equator at right angles. Any point on the Earth has only one meridian, but each meridian passes through many points.

**Latitude, Longitude:** In order to unambiguously specify the location of a point on the Earth, two numbers (called coordinates) are needed. One of the numbers is the latitude, or the distance of the point from the equator. Latitude is expressed as an angle and measured northward or southward from zero degrees at the equator, along the meridian of the point, to the point itself. The other required number is the longitude, which is the distance of the meridian of the point from a reference (prime) meridian. Longitude is also expressed as an angle, and it is measured eastward or westward, from the prime meridian which passes through Greenwich, England, to the meridian of the point of interest. In this system of coordinates, the maximum possible latitudes are 90 degrees North, which is the position of the North Pole, and 90 degrees South, which corresponds to the South Pole. At 180 degrees West or East of the prime meridian is the International Date Line (certain parts of the Date Line depart from 180 degrees in order to accommodate geographic boundaries) and 180 degrees is the maximum value (limit) of longitude. See Figure 1.

The latitude and longitude of a place must be known in order to use the materials in the next two sections. There are many sources for coordinates. For example, an atlas or gazetteer is a convenient reference. Survey records as well as maps and charts issued by governments are usually obtainable. Coordinates may be obtained directly from various navigation systems now in use; certainly during long distance travel in open ocean the navigation-determined position is the only source. Appendix A to this publication lists coordinates for many locations in the United States. The user should be aware that the conventional manner of stating coordinates is degrees, minutes (and sometimes also seconds) of arc. For computer input degrees and decimals of a degree is the more convenient form.

**Date, Time:** The complete statement of an event such as sunset or an instantaneous position such as the altitude of the moon, relative to a location on the Earth, must include the date (year, month, day) and time of day. Specification of the date (in the Gregorian Calendar) poses no special problem; but one complication may arise and it will be discussed below. The time of day may be stated in several ways. Local Mean Time, although not an everyday term, arises naturally during the



*Figure 1 -- In this representation of the Earth, the North and South poles are at N and S, the equator is denoted by the arc WABE and the center of the Earth is at point O. Arc NCAS is the Local Meridian of the point C on the surface of the Earth; arc NBS is the Prime Meridian. Arc AC is the latitude of point C and is equal to the angle between the lines OC and OA. Arc BA is the longitude of point C and equal to the angle between the lines OB and OA.*

procedures of Sections II and III. It is a measure of time referred to the meridian of the location of interest. As such, it is an isolated time measure of no importance to any other meridian. Times which are the input and output quantities of the computer routines may be expressed as Local Mean Time at the users discretion.

The most widely used system of specifying time is that of Zone Time or Standard Time. In that system, the Earth's 360 degree circumference is divided into 24 zones; and at all locations within each zone, all clocks are set to the same hour and minute. From any zone to the next adjacent zone, the Standard Time differs by exactly one hour. The geometrically obvious method for dividing the Earth into 24 zones is to place the boundaries at integral multiples of 15 degrees in longitude. In practice, the limits are established by considerations of commerce, transportation and political boundaries. On a global scale, the departures from uniform 15 degree divisions are small, and the methods of the next two sections provide for time adjustments based on zones that are exactly 15 degrees apart. An additional practical complication for the Standard Time zone system is a seasonal one in which the legal time for a political entity may be temporarily advanced by one or more hours. The dates of the year when these periods are in effect vary among the countries of the world which use such Daylight (Savings) or Summer Time and no general guidelines can be given for converting to and from Standard Time, except to note the necessity for the user to maintain awareness.

Universal Time, equivalent to the previously used Greenwich Mean Time for ordinary purposes, is the time kept on the Greenwich meridian -- at zero degrees longitude. It is widely used elsewhere, especially for purposes of long distance communication, since it avoids questions of zone boundaries and advanced time. The computer routines of Section II incorporate provisions for the use of Universal Time, under control of the user, and a table is given in Section III for adjusting among Mean, Zone and Universal Time systems for calculations without a computer.

When the longitudes of two places differ considerably and Universal Time is used, it is convenient to maintain time in a 24 hour notation, as it eliminates the suffix A.M. or P.M. from calculations and thereby reduces the chance for blunders. In the 24 hour notation, which maintains its advantage when computing with zone or mean time, the hours from midnight beginning the day until noon are the same as ordinary clock time. From noon until the end of the day, the hours are denoted by the numerals 12 through 23. When this system is used, the minutes part of the hour are appended to the hour to form a 4 digit number, without a colon separating the two. Thus, for example, 8:15 A.M. is written 0815 and 9:47 P.M. becomes 2147. The advantages of the 24 hours notation are so great that it is used throughout the remainder of this publication.

When the end result of calculation by the methods of the next sections produce one or more times exceeding 24 hours, the time or times may be adjusted by 24 hours provided the calendar date is advanced by one day. The computer routines should

never yield negative times, but the calculations of Section III may. In those cases, 24 hours may be added to make the times positive, provided the calendar date is also retarded by one day.

**Meridian Passage:** For any specific meridian, the Sun will cross it at some instant during the course of a day. Put another way, at any arbitrary time during a day, the Sun is crossing some meridian of the Earth. These statements are true even for arctic regions where the Sun may not be visible for months. Generally, the same statements may be made for the Moon. However, about once per month the Moon may cross a particular meridian a little before the midnight beginning a day and again a little past the midnight beginning the next day, so that there is no crossing on the day itself. Neither the Sun nor the Moon cross any specific meridian at exactly the same time every day; but since the crossings are significant in several applications, the times of occurrence may be calculated. The time when the Sun or Moon crosses the meridian of a place is designated meridian passage.

**Horizon:** Wherever one is located on the surface of the Earth, the Earth in the immediate vicinity appears essentially as a flat plane, while the sky appears much like the interior of a sphere or dome. The horizon is the intersection of the sky with the plane and appears to be a large circle with its center at the observer, just as the sky appears as one-half of a large sphere also centered at the observer.

**Rise, Set:** During the course of a day the Earth rotates once on its axis causing the phenomena of rising and setting. All celestial bodies, stars and planets included, seem to appear in the sky at the horizon to the East of any particular place, then to cross the sky and again disappear at the horizon to the West. The most noticeable of these events, and the most significant in regard to ordinary affairs, are the rising and setting of the Sun and Moon. Because the Sun and Moon appear as circular disks and not as points of light, a definition of rise or set must be very specific, for not all of either body is seen to rise or set at once; and the quantitative information that is usually required is the time at which a rise or set occurs. Therefore, sunrise and sunset are considered to occur when the upper edge of the disk of the Sun appears to be exactly on the horizon. The same statement applies to the Moon.

The times of rising and setting produced by the methods in this publication refer to the upper edge of the Sun or Moon. In addition, the computed times are for a horizon that is unobstructed relative to the location of interest, the atmospheric conditions are average and the location is in a level region on the Earth's surface.

For points on the Earth North of the Arctic Circle and South of the Antarctic Circle, rising and setting do not occur at an unbroken daily interval. There are days when the Sun and Moon do not rise or do not set. In limiting cases during the solar year, and during the lunar month, rising and setting are physically uncertain at such extreme latitudes.

**Length of the Day:** The total number of hours of daylight refers to the interval from the moment of sunrise until that of sunset. The meaning of the expression length of the day is somewhat arbitrary since there is some indirect sunlight available before sunrise and after sunset. Associating the length of the day with the discrete events of rise and set permits a definite measure of time to be assigned to the interval of daylight.

**Twilight:** Before sunrise and again after sunset there are periods of time, twilight, during which there is natural light provided by the upper atmosphere, which scatters sunlight. Some outdoor activities may be conducted without artificial illumination during these periods, and it is useful to have some means to set limits beyond which a certain activity must be assisted by artificial lighting if possible or, if not, then terminated. The major determinant of the amount of natural light during twilight is the atmosphere. Nevertheless, it is possible to establish useful though necessarily approximate limits applicable to large classes of activities by considering only the position of the Sun below the local horizon. Several arbitrary but reasonable definitions have evolved. Thus, *civil twilight* begins in the morning and ends at sunrise or begins at sunset and ends in the evening when the Sun is geometrically six degrees below the local horizon. Before morning civil twilight and after evening civil twilight, artificial illumination is ordinarily required. *Nautical twilight* begins in the morning and ends in the evening when the Sun is geometrically 12 degrees below the horizon. As the name implies, the principal use of the term nautical twilight is in navigational astronomy, and during the intervals between civil twilight and nautical twilight the brightest stars are visible and the sea horizon is clearly defined. Before morning nautical twilight and after evening nautical twilight the horizon is generally not visible and cannot be used as a reference without aided vision. *Astronomical twilight* begins and ends when the Sun is geometrically 18 degrees below the horizon. It is of significance principally in observational astronomy and indicates those times when scattered Sunlight on a horizontal surface becomes approximately equivalent to the light of the night sky. Times of civil and nautical twilight are provided by the computer routines in Section II and from the tables of Section III. The amount of available light during twilight is so greatly dependent upon the atmosphere, and especially upon cloudiness and haze, that only the most conservative approach to interpreting the times of twilight is justified when considering outdoor activity.

**Altitude:** As in the case of a position on the Earth, two coordinates are required to specify the position of an object on the sky. For convenience, one coordinate is measured in the sky and is known as altitude (in some applied sciences it is called elevation). The other coordinate is measured along the horizon on the plane of the observer, which is the other "half" of the observer's "universe." From the point that is directly above the location of interest (position of the observer) an arc (curved line) may be drawn through the point occupied by the object in the sky and extended to the horizon. The arc meets the horizon at a 90 degree angle and

is, therefore, perpendicular to the horizon. The altitude is an angle measured along the arc from the point where the arc meets the horizon, upward to the point occupied by the celestial object. The maximum altitude that an object may possibly have is 90 degrees, when it is directly above the geographic point of interest, and the object is then said to be "in the zenith." When meridian passage of an object occurs, the altitude is (or is nearly) a maximum (not usually 90 deg.) and the altitude at that instant takes on special significance to navigation and surveying. The Sun's altitude at meridian passage also has special interest in solar energy studies. See Figure 2.

**Azimuth:** On the horizon plane of an observer, or at some other location of interest, the meridian provides a North, South reference line. It may be thought of as a straight line extending from the observation point to true North (or South). Another straight line may be imagined to connect the observation point to the point on the horizon from which altitude is measured. The angle between these two lines is called the azimuth (of the object in the sky). The angle is measured along the horizon from North (zero degrees) toward East (90 degrees), and completes 360 degrees around the entire horizon. Azimuth, with altitude, allows the complete specification of a point or object in the sky, relative to a point or location on the Earth. See Figure 2.

**Illuminance:** This term may be defined as the flux received on a unit area of a surface. Flux is defined as the amount of radiation in a unit of time, usually the second. In the context of this publication, the definitions require qualification. Here, we refer to radiation only in the visible portion of the electromagnetic spectrum; that is, radiation capable of stimulating the human sense of sight. The illuminance calculated within the computer routines, and exhibited graphically in Section III, refers to visible natural light only. Further, the light of the sky is included and, therefore, the sea level, horizontal surface is assumed to be exposed to all parts of the sky. In ordinary terms then, illuminance is the amount of natural light reaching the surface of the Earth. The illuminance is given in lux, or lumens per square meter. The older term foot-candle may be more familiar to some, and to obtain illuminance in foot-candles, divide the quantity given in lux by 10.764. In addition to the restrictions already mentioned, the condition of the atmosphere modifies the illuminance to a considerable degree. This is accommodated in a rough way by the computer routines and graphs. At the user's option, the values of illuminance are divided by the numbers assigned to the conditions stated:

- 1 - Average clear sky, less than 70 percent covered by (scattered) clouds; the direct rays of the Sun or Moon are unobstructed relative to the location of interest.
- 2 - The Sun or Moon easily visible but direct rays obstructed by thin clouds.
- 3 - The direct rays of the Sun or Moon are obstructed by average clouds.
- 10 - Dark stratus clouds cover the entire sky.

The recommended approach to interpreting calculated illuminance is to consider the numbers as threshold values which, without additional knowledge, determine only whether a particular activity should not be planned or carried out. Even simple questions such as driving without headlamps, or detecting and identifying distant objects cannot be completely decided by knowledge of the illuminance alone. Other information specific to the illuminated surfaces, the nature of the activity, the conditions of vision, and other immediate circumstances must be included in planning and decision making processes.

The value of the illuminance calculated by the computer routines may appear in the output as a number with as many as 10 digits. Only the first two digits are significant, the remainder are necessary to accommodate the extreme variability of the illuminance - 124000 lux to .0005 lux.

Calculation of illuminance is described in more detail in Appendix B.

**Percent of the Moon Illuminated:** Considering the Moon as a circular disk, the ratio of its illuminated area to its total area is the fraction illuminated. The percent illuminated is the same number multiplied by 100. At New Moon the percent illuminated is 0; it is 50 at First and Last Quarters, and 100 at Full Moon.

Percent of the Moon illuminated is produced by the computer routines; but independently of the fraction or percent illuminated, the amount of light provided by the Moon may vary by a factor of 300, depending upon the Moon's altitude above the horizon. The percentage illuminated, therefore, is of value principally during the initial stages of planning, preferably when it is available in the form of a daily or half-daily tabulation.




Figure 2 -- C is a point on the Earth's surface. The horizon plane, centered at C, is represented by ENDWS. The sky is shown by the arcs EZW and ZPD. The point directly overhead at C is the zenith (Z) and the direction of the vertical at C is CZ. P is the position of the Sun or Moon with direction CP as seen from C. The altitude of P is arc DP on the sky and equal to the angle between the lines CP and CD. Azimuth is the angle measured from line CN, positive eastward on the horizon plane, to line CD.

## SECTION II

### Computer Programs

The purpose of this section is to provide three self-contained routines for use with computers and powerful programmable calculators. The first is a FORTRAN code which was tested by compiling and executing on a large so-called main-frame computer, and with no changes, on two personal computers of different manufacture. The second version of the code is written in BASIC and was tested on three personal computers of different manufacture without modification, and two additional devices after some revisions. The third routine, again in BASIC, was written and tested on a scientific programmable calculator.

Despite the number and variety of computing devices now available, the FORTRAN and BASIC languages have much in common from one system to another. Differences among compilers and interpreters do exist in addition to machine architecture differences, however. For that reason, the computer codes given on the following pages have been kept simple and have not been optimized. In adapting them to one particular device or another, any required changes should be simple and straightforward (syntax, for example). Nevertheless, the burden of making the routines workable necessarily belongs to the user and the Naval Observatory cannot undertake to advise anyone concerning computers, software systems or alterations to the routines.

The design goal for the computer routines was 0.5 degrees in angle and, consequently, two minutes of time. Rounding of numbers may cause discrepancies larger than these amounts in some cases. A realistic interpretation of the angles and times which are the output would be to take the last digit as uncertain by one unit. Illuminance is given in lux (lumens per square meter), formally accurate to one or two digits. There are situations in which the calculated illuminance differs from the real light level by a factor of 10 or more, depending on the local atmospheric circumstances. The illuminated fraction of the Moon is independent of Earth's atmosphere, but approximations in the formulas for calculating it may produce errors of 1 or 2 units in the computed quantity.

There are characteristics common to the operation (use) of all three routines and they are, therefore, given here. Notes concerning a particular routine are provided with the routine.

The operation (execution) of the programs is primarily interactive. The programs prompt the user by displaying key words and phrases.

Dialog is initiated by the programs by requesting the longitude and latitude. These coordinates must be specified by the user as degrees and decimals. Although

it is possible to enter more precise values, accuracy of the programs is such that degrees and tenths are more than adequate.

Longitude must be entered as a positive number if East of the prime meridian and a negative number if West. North latitude is entered as a positive number and South latitude entered as a negative number.

Year, month and day are next requested. These are entered sequentially in order to provide flexibility to the programs. Their format is obvious from Figure 3 which shows a complete example (using the FORTRAN version).

The system of time measurement wanted by the user is then requested. The selection is to be specified by the user by entering one digit in response. It is important to remember that the next input after selecting the time system, and even the date itself, must be expressed in the selected system. Furthermore, all output quantities will be in the selected time system.

When the program prompts the user for time of day, it should be entered in the 24 hour clock scheme, as described in the Introduction.

With time of day entered as a positive number, the program will ask for an estimate of the sky condition. Reference should be made to the discussion of illuminance in the Introduction for an explanation. The number given by the user to the computer at this point will divide calculated illuminance before it appears as output.

Following the sky condition prompt and response, the program provides the following, for the desired time and relative to the specified location:

Sun's azimuth, altitude, illuminance

Moon's azimuth, altitude, illuminance

Percent of the Moon illuminated (phase)

Total (Sun + Moon + night sky background) illuminance

As an alternative to specifying the time, any negative number may be entered. If, instead of entering a time of day, the user enters a negative number, the program provides 13 quantities relative to the Sun and Moon for the date and place specified. These are shown in Figure 3 following the entry of a "negative" time. Figure 3 is the record of an actual computer run and may be used as a test case during installation of the programs. Additional test cases are provided by Table A to assist with verification of program performance.

#### *Special Cases*

1. At high northern or southern latitudes some events may not always occur. The Moon may remain above or below the horizon for more than one day. The Sun may remain above or below the horizon for months; and, during that period, twilight may not occur, or it may last for long periods of time. When these conditions prevail, one or more lines of output will be missing from the computer output. The user may determine the significance of the missing information by examining the altitude of

EXECUTION BEGINS...

```
INPUT LONGITUDE (DEG.), ENTER NULL LINE TO END)
?
-4.0-
INPUT LATITUDE (DEG.)
?
58.0
INPUT YEAR (YYYY), NUMERAL
?
1987
INPUT MONTH (MM), NUMERAL
?
5
INPUT DAY (DD), NUMERAL
?
11
INPUT TIME ZONE SELECTION

    0 => TIME IS UT (GMT)
    1 => TIME IS STANDARD (ZONE) TIME
    2 => TIME IS LOCAL MEAN TIME
?
0
```

INPUT TIME OF DAY AS HOURS AND MINUTES OF 24 HOUR CLOCK (HHMM), OR  
INPUT ANY NEGATIVE NUMBER TO COMPUTE PHENOMENA (RISE/SET, ETC.), OR  
INPUT NULL LINE TO END

?
2215
INPUT SKY CONDITION

```
    1 => SUN/MOON VISIBLE, SKY < 70% OVERCAST
    2 => SUN/MOON OBSCURED BY THIN CLOUDS
    3 => SUN/MOON OBSCURED BY AVERAGE CLOUDS
   10 => SUN/MOON OBSCURED BY DARK STRATUS CLOUDS (RARE)
```

?
1
AT -4.0 DEG LONGITUDE, 58.0 DEG LATITUDE
DATA FOR 1987, MONTH 5, DAY 11, AT 2215 HOURS
SOLAR AZIMUTH (DEG.) 332
SOLAR ALTITUDE (DEG.) -10
SOLAR ILLUMINANCE (LUX) 0.0278
LUNAR AZIMUTH (DEG.) 172
LUNAR ALTITUDE (DEG.) 18
LUNAR ILLUMINANCE (LUX) 0.0317
( 97% OF MOON IS ILLUMINATED)
TOTAL ILLUMINANCE (LUX) 0.0600

Figure 3 -- Interactive Input, Output (FORTRAN).

INPUT TIME OF DAY AS HOURS AND MINUTES OF 24 HOUR CLOCK (HHMM), OR  
INPUT ANY NEGATIVE NUMBER TO COMPUTE PHENOMENA (RISE/SET, ETC.), OR  
INPUT NULL LINE TO END

?

-1

AT -4.0 DEG LONGITUDE, 58.0 DEG LATITUDE

DATA FOR 1987, MONTH 5, DAY 11

TIME OF SOLAR MERIDIAN PASSAGE	1212
ALTITUDE AT MERIDIAN PASSAGE (DEG.)	50
TIME OF SUNRISE	0402
TIME OF SUNSET	2025
TOTAL HOURS AND MINUTES OF DAYLIGHT	1623
TIME BEGINNING CIVIL TWILIGHT	0309
TIME ENDING CIVIL TWILIGHT	2118
TIME BEGINNING NAUTICAL TWILIGHT	0144
TIME ENDING NAUTICAL TWILIGHT	2246
TIME OF LUNAR MERIDIAN PASSAGE	2248
ALTITUDE AT MERIDIAN PASSAGE (DEG.)	18
TIME OF MOONRISE	1757
TIME OF MOONSET	0318

INPUT LONGITUDE (DEG.), ENTER NULL LINE TO END)

?

*Figure 3 -- continued.*

the Sun or Moon at meridian passage using the following scheme:

<u>missing output:</u>	<u>alt. at mer. pass:</u>	<u>signifies:</u>
rise/set	{ positive negative	{ body continuously above horizon body continuously below horizon
civil twilight	{ Sun alt. -6 deg. or greater Sun alt. less than -6 deg.	{ twilight lasts all night civil twilight does not occur
nautical twilight	{ Sun alt. -12 deg. or greater Sun alt. less than -12 deg.	{ twilight lasts all night darkness exceeds 24 hours

Since the Earth and Moon are in continuous motion, the program tests are not infallible at extremes of latitude. For limiting cases, the calculations may deviate in the sense that predicted events may not actually take place. Or, they may occur when the program tests indicate their absence. More exacting calculations are possible, but the improvement in reliability and accuracy is marginal for the plain reason that physical conditions at the extreme latitudes render the actual occurrence of events uncertain. Also, this may be easily seen by reference to the graphs of Section III where, for example, at latitudes above 65 degrees, the track of the Sun is seen to intersect the horizon at very shallow angles during certain times of the year.

2. About once per month at any latitude, there will be a 24 hour day during which the Moon does not cross the meridian. In this case, the Moon's meridian passage will appear in the program output with a time greater than 24 hours. This is normal and merely signifies that the next meridian passage after the beginning of a day will be on the following day. Moonrise and moonset may also appear with times exceeding 24 hours. These are also normal events, with a period of about one lunar month, and can occur at any latitude.
3. At high latitudes, the Moon may rise or set twice in one day. These are very infrequent events and the computer program will produce only one of the double phenomena.
4. Occasionally, a time of an event may appear with the minutes part equal to 60 (eg., 1060). Program code to avoid this possibility was deliberately omitted, as the significance of such numbers is obvious (1060=1100).
5. For some purposes it may be necessary to have the times of events expressed both in a local Zone Time and in Universal Time. The computer routines may be used to compute the times in both systems. Some results, when compared, may appear discordant, however. For an illustration, consider the beginning and end of nautical twilight computed for 1986 September 13 at longitude 77 deg. West and latitude 39 deg. North. With Zone Time specified, the results are 0449 and 1918. With UT specified, the results are 0949 and 0020. It is known that the Zone Time differs from UT by exactly 5 hours, and it is perfectly correct to add 5 hours to the Zone Time to obtain the UT times. Adding 5 hours to the Zone Times of the events produces 0949 and 2418. The second number exceeds 24 hours and can be written 0018 provided the date is increased by one day. It is also correct procedure to subtract 5 hours from the UT times to obtain the Zone Times. The results are then 0949-0500 = 0449; and 0020-0500 = -0440, or 1920 provided the date is retarded by one day. The results are collected in the following scheme for time ending nautical twilight:

<u>September:</u>	12	13	14
Zone Time:	1920	1918	
Universal Time:		0020	0018

It is seen that, for September 13, the computer programs have given results that do not refer to the same, identical event. Once a date is specified within the computer programs, it is invariant and the programs will not change it. The date is also that date associated with the time reference meridian specified by the time zone parameter which is entered by the user. Clearly, the proper interpretation of the data shown above is that the times computed for events depend upon the date which is kept at the reference meridian of the specified time zone. As a result, computed times of events which do not agree after adjustment for longitude difference may both be correct; each within its own frame of date and time measurement, but each referring to a separate event. In the illustration, the

end of nautical twilight for the given location on September 13, occurred at 1918 when reckoned according to date and time on the 75th meridian (September 14 at 0018 for date and time on the prime meridian). When reckoned according to date and time of the prime meridian it occurred on September 13 at 0020 (Sept. 12 at 1920 for date and time on the 75th meridian).

*Table A, Test Cases for Program Certification*

	I	II	III	IV	V	VI	VII
Longitude	+35.5	-150	-135.8	+180	+180	0	+39.5
Latitude	+46.0	+ 45	- 23.4	+ 70	+ 70	-68	+21.3
Year	1986	1986	1986	1987	1987	1988	1988
Month	7	9	12	2	2	1	8
Day	3	28	18	19	19	1	13
Zone	1	1	0	2	0	0	2
Hour	-1	-3	2100	-9	-1	-2	-3
Sky			1				
Sun merid. pass.	1142	1151		1214	0014	1203	1205
Alt. at m.p.	67	43		9	9	45	83
Sunrise	0352	0554		0819	2014		0538
Sunset	1932	1746		1610	0410		1831
Tot. daylight	1540	1152		0751	0756		1254
Beg. civil twi.	0314	0525		0712	1908		0514
End civil twi.	2010	1815		1717	0517		1855
Beg. naut. twi.	0223	0451		0601	1757		0447
End naut. twi.	2101	1849		1829	0629		1922
Moon merid. pass.	0835	0803		0340	1627	2216	1244
Alt. at m.p.	66	69		8	3	-7	81
Moonrise	0048	2504		2555	1356		0612
Moonset	1635	1558		0725	1835		1912
Hour							1831
Sky							1
Sun azimuth			346				286
Sun altitude			90				0
Sun illuminance			123786				697
Moon azimuth			282				278
Moon altitude			-62				8
Moon illuminance			0				0
(% illuminated)			94				1
Tot. illuminance			123786				697

## The FORTRAN Program

The complete program consists of a main program, eight subroutines and three function statements. All are listed on succeeding pages. The following notes supplement those beginning with the first page of this section and apply to the FORTRAN code.

### 1. Precision

The program is in double precision for use with computers having 4 byte single precision words. If a computer can consistently maintain 8 significant digits during computation, then a single precision version of the program could be constructed.

### 2. Changes to the program

The leading statement IMPLICIT DOUBLE PRECISION (A-Z) may be changed to read IMPLICIT REAL\*8 (A-Z) in order to satisfy syntax requirements of certain compilers.

If a single precision version of the program is desired and is possible, then all references to the following double precision functions must be converted to corresponding single precision references:

DABS    DINT    DASIN    DCOS    DEXP  
  DACOS    DSIGN    DSIN    DTAN    DATAN

Constants written in double precision format (D) convert to E format. The leading (IMPLICIT....) statement of the main program, subroutines and functions must be changed.

Program flow may be altered to some extent. As provided here, the flow follows certain ideas concerning probable usage. The main program statement following statement 580 may be changed to redirect execution. From GOTO 100, the statement may be altered to

GOTO 125 to rerun with a new year, month and day

GOTO 150 to input only a new month and day

GOTO 175 to input only a new day of the month

GOTO 200 to input a time during the year, month and day already specified

The main program statement following statement 805 may be altered from GOTO 200 to GOTO 125, or 150, or 175 with the same results as above. All of these changes will cause the program to produce data for the same longitude and latitude. To compute data for a different geographic place, at least one of the above GOTO statements must direct a transfer to statement 100.

### 3. Other changes

An experienced programmer might make changes to the program other than those described above. The programmer should be extremely cautious, however. Several of the variables are multiply-defined and certain computational sequences must not be disturbed or their results may be totally false. In the worst case, the end results may appear reasonable.

#### **4. Operation**

Once the program begins to execute, operation is interactive with prompting. The user should refer to Fig. 3 for an example, and is encouraged to reproduce the example at least once in order to gain familiarity with program usage.

*The FORTRAN Program*

```
IMPLICIT DOUBLE PRECISION (A-Z)
INTEGER IY,IM,ID,IH,L,I,K,N,J,IAZ,IHA
DIMENSION A(4), B(2)
RD = 57.29577951D0
DR = 1.0D0/RD
A(1) = -0.01454D0
A(2) = -0.10453D0
A(3) = -0.20791D0
A(4) = +0.00233D0
CE = 0.91775D0
SE = 0.39715D0
100  WRITE (*,*) ''
      WRITE (*,*) ''
      WRITE (*,*) 'INPUT LONGITUDE (DEG.), ENTER NULL LINE TO END'
      READ (*,*,END=9999) LO
      WRITE (*,*) 'INPUT LATITUDE (DEG.)'
      READ (*,*) F
125  WRITE (*,*) 'INPUT YEAR (YYYY), NUMERAL'
      READ (*,*) IY
150  WRITE (*,*) 'INPUT MONTH (MM), NUMERAL'
      READ (*,*) IM
175  WRITE (*,*) 'INPUT DAY (DD), NUMERAL'
      READ (*,*) ID
C = 360.0D0
LI = DABS(LO)
FO = F
F = F*DR
SI = DSIN(F)
CI = DCOS(F)
J = 367*IY-INT(7*(IY+INT((IM+9)/12))/4)+INT(275*IM/9)+ID-730531
WRITE (*,*) 'INPUT TIME ZONE SELECTION'
WRITE (*,*) ''
      WRITE (*,*) '    0 => TIME IS UT (GMT)'
      WRITE (*,*) '    1 => TIME IS STANDARD (ZONE) TIME'
      WRITE (*,*) '    2 => TIME IS LOCAL MEAN TIME'
      READ (*,*) Z
ZT = Z
DT = 0
IF (Z .EQ. 0.0D0) DT = -LO/360.0D0
IF (Z .EQ. 1.0D0) DT = (LI-15.0D0*DINT((LI+7.5D0)/15.0D0))/C
&   *DSIGN(1.0D0,-LO)
200  WRITE (*,*) ''
      WRITE (*,*) ''
      WRITE (*,*) 'INPUT TIME OF DAY AS HOURS AND MINUTES OF 24',
&   ' HOUR CLOCK (HHMM), OR'
      WRITE (*,*) 'INPUT ANY NEGATIVE NUMBER TO COMPUTE PHENOMENA',
&   ' (RISE/SET, ETC.), OR'
      WRITE (*,*) 'INPUT NULL LINE TO END'
      READ (*,*,END=9999) H
      IF (H .GE. 0.0D0) GOTO 600
      WRITE (*,205) LO,FO
```

```

205    FORMAT (' AT ',F6.1,' DEG LONGITUDE, ',F5.1,' DEG LATITUDE')
        WRITE (*,210) IY,IM,ID
210    FORMAT (' DATA FOR ',I4,', MONTH ',I2,', DAY ',I2)
        Z = J-0.5D0
        DO 580 L = 1, 4
            GOTO (260,390,390,250), L
250    C = 347.81D0
260    M = 0.5D0+DT
        K = 1
280    IF (L .LT. 4) K = K+1
            M = M-DT
            E = M-LO/360.0D0
            D = Z+E
            CALL CRCT (D,E,L,LO,C,DR,RD,CE,SE,U,DS,SD)
            M = M-U+DT
            GOTO (360,285,360,300,360,370), K
285    IF (M .GE. 0.0D0 .AND. M .LT. 1.0D0) GOTO 370
            GOTO 320
300    IF(M .GE. 0.0D0) GOTO 370
320    M = M-DSIGN(1.0D0,M)
360    K = K+1
            GOTO 280
370    H = DASIN(DCOS(F-DS))*RD
            IF(L .EQ. 4) H = H-.95*DCOS(H*DR)
            CALL REFR (H,DR,HA)
390    CALL HORX (A,L,SI,SD,CI,DS,C,RD,H)
            B(1) = M-H
            B(2) = M+H
            DO 560 I = 1, 2
                K = 2*I-3
                N = 1
450    IF (L .LT. 4) N = N+1
                B(I) = B(I)-DT
                E = B(I)-LO/360.0D0
                D = Z+E
                CALL CRCT (D,E,L,LO,C,DR,RD,CE,SE,U,DS,SD)
                CALL HORX (A,L,SI,SD,CI,DS,C,RD,H)
                B(I) = B(I)+K*H-U+DT
                GOTO (550,460,550,470,550,560), N
460    IF (B(I) .GE. 0.0D0 .AND. B(I) .LT. 1.0D0) GOTO 560
            GOTO 480
470    IF (B(I) .GE. 0.0D0) GOTO 560
480    B(I) = B(I) - DSIGN(1.0D0,B(I))
550    N = N+1
            GOTO 450
560    CONTINUE
            CALL OUT (ZT,M,HA,B,L)
580    CONTINUE
            GOTO 100
600    WRITE (*,*) 'INPUT SKY CONDITION'
        WRITE (*,*) ''
        WRITE (*,*) '1 => SUN/MOON VISIBLE, SKY < 70% OVERCAST'

```

```

        WRITE (*,*) '2 => SUN/MOON OBSCURED BY THIN CLOUDS      '
        WRITE (*,*) '3 => SUN/MOON OBSCURED BY AVERAGE CLOUDS   '
        WRITE (*,*) '10 => SUN/MOON OBSCURED BY DARK STRATUS CLOUDS',
        ' (RARE)'
&      READ  (*,*) SK
        IH = DINT(H)
        WRITE (*,205) LO,FO
        WRITE (*,610) IY,IM,ID,IH
610     FORMAT (' DATA FOR ',I4,', MONTH ',I2,', DAY ',I2,', AT ',I4.4,
        ' HOURS')
        E = DEG(H/100.0D0)/24.0D0-DT-LO/360.0D0
        D = J-0.5D0+E
        N = 1
        CALL SUN (D,DR,RD,CE,SE,T,G,LS,AS,SD,DS)
        T = T+360.0D0*E+LO
660     IF (N .EQ. 2) CALL MOON (D,G,CE,SE,RD,DR,V,CB,AS,SD,DS)
        H = T-AS
        CALL ALTAZ (DS,H,SD,CI,SI,DR,RD,AZ)
        Z = H*DR
        H = H-0.95D0*(N-1)*DCOS(H*DR)
        CALL REFR (H,DR,HA)
        CALL ATMOS (HA,DR,M)
        HA = DSIGN(DINT(DABS(HA)+0.5D0),HA)
        GOTO (750,790), N
750     IS = 133775.0D0*M/SK
        IAZ = DINT(AZ)
        WRITE (*,751) IAZ
751     FORMAT (' SOLAR AZIMUTH (DEG.)',14X,I4.3)
        IHA = DINT(HA)
        WRITE (*,752) IHA
752     FORMAT (' SOLAR ALTITUDE (DEG.)',14X,I3)
        WRITE (*,753) IS
753     FORMAT (' SOLAR ILLUMINANCE (LUX)',9X,F11.4)
        N = 2
        GOTO 660
790     E = DACOS(DCOS(V-LS)*CB)
        P = 0.892D0*DEXP(-3.343D0/((DTAN(E/2.0D0))**0.632D0))+0.0344D0*
&          (DSIN(E)-E*DCOS(E))
        P = 0.418D0*P/(1.0D0-0.005D0*DCOS(E)-0.03D0*DSIN(Z))
        IL = P*M/SK
        IS = IS+IL+0.0005D0/SK
        IAZ = DINT(AZ)
        WRITE (*,801) IAZ
801     FORMAT (' LUNAR AZIMUTH (DEG.)',14X,I4.3)
        IHA = DINT(HA)
        WRITE (*,802) IHA
802     FORMAT (' LUNAR ALTITUDE (DEG.)',14X,I3)
        WRITE (*,803) IL
803     FORMAT (' LUNAR ILLUMINANCE (LUX)',9X,F11.4)
        IHA = DINT(50.0D0*(1.0D0-DCOS(E))+0.5D0)
        WRITE (*,804) IHA
804     FORMAT (' (',I3,'% OF MOON IS ILLUMINATED)')

```

```

      WRITE (*,805) IS
805   FORMAT (' TOTAL ILLUMINANCE (LUX)',9X,F11.4)
      GOTO 200
9999  CONTINUE
      END
C-----
      SUBROUTINE CRCT (D,E,L,LO,C,DR,RD,CE,SE,U,DS,SD)
      IMPLICIT DOUBLE PRECISION (A-Z)
      INTEGER L
      IF (DABS(E) .GE. 1.0D0) E = E-DSIGN(1.0D0,E)
      CALL SUN (D,DR,RD,CE,SE,T,G,LS,AS,SD,DS)
      IF (L .EQ. 4) CALL MOON (D,G,CE,SE,RD,DR,V,CB,AS,SD,DS)
      T = T+LO+360.0D0*E
      T = T-DINT(T/360.0D0)*360.0D0
      U = T-AS
      IF (DABS(U) .GT. 180.0D0) U = U-DSIGN(360.0D0,U)
      U = U/C
      RETURN
      END
C-----
      SUBROUTINE SUN (D,DR,RD,CE,SE,T,G,LS,AS,SD,DS)
      IMPLICIT DOUBLE PRECISION (A-Z)
      T = 280.46D0+0.98565D0*D
      T = T-DINT(T/360.0D0)*360.0D0
      IF (T .LT. 0.0D0) T = T+360.0D0
      G = (357.5D0+0.98560D0*D)*DR
      LS = (T+1.91D0*DSIN(G))*DR
      AS = DATAN(CE*DTAN(LS))*RD
      Y = DCOS(LS)
      IF (Y .LT. 0.0D0) AS = AS+180.0D0
      SD = SE*DSIN(LS)
      DS = DASIN(SD)
      T = T-180.0D0
      RETURN
      END
C-----
      SUBROUTINE MOON (D,G,CE,SE,RD,DR,V,CB,AS,SD,DS)
      IMPLICIT DOUBLE PRECISION (A-Z)
      V = 218.32D0+13.1764D0*D
      V = V-DINT(V/360.0D0)*360.0D0
      IF (V .LT. 0.0D0) V = V+360.0D0
      Y = (134.96D0+13.06499D0*D)*DR
      O = (93.27D0+13.22935D0*D)*DR
      W = (235.7D0+24.38150D0*D)*DR
      SB = DSIN(Y)
      CB = DCOS(Y)
      X = DSIN(O)
      S = DCOS(O)
      SD = DSIN(W)
      CD = DCOS(W)
      V = (V+(6.29D0-1.27D0*CD+0.43D0*CB)*SB+(0.66D0+1.27D0*CB)*SD
      & -0.19D0*DSIN(G)-0.23D0*X*S)*DR

```

```

Y = ((5.13D0-0.17D0*CD)*X+(0.56D0*SB+0.17D0*SD)*S)*DR
SV = DSIN(V)
SB = DSIN(Y)
CB = DCOS(Y)
Q = CB*DCOS(V)
P = CE*SV*CB-SE*SB
SD = SE*SV*CB+CE*SB
AS = DATAN(P/Q)*RD
IF (Q .LT. 0.0D0) AS = AS+180.0D0
DS = DASIN(SD)
RETURN
END

```

C-----

```

SUBROUTINE HORX (A,L,SI,SD,CI,DS,C,RD,H)
IMPLICIT DOUBLE PRECISION (A-Z)
INTEGER L
DIMENSION A(4)
H = (A(L)-SI*SD)/(CI*DCOS(DS))
IF (DABS(H) .GT. 1.0D0) GOTO 5040
H = DACOS(H)*RD/C
RETURN
5040 H = 1.5D0
RETURN
END

```

C-----

```

SUBROUTINE ALTAZ (DS,H,SD,CI,SI,DR,RD,AZ)
IMPLICIT DOUBLE PRECISION (A-Z)
CD = DCOS(DS)
CS = DCOS(H*DR)
Q = SD*CI-CD*SI*CS
P = -CD*DSIN(H*DR)
AZ = DATAN(P/Q)*RD
IF (Q.LT. 0.0D0) AZ = AZ+180.0D0
IF (AZ .LT. 0.0D0) AZ = AZ+360.0D0
AZ = DINT(AZ+0.5D0)
H = DASIN(SD*SI+CD*CI*CS)*RD
RETURN
END

```

C-----

```

SUBROUTINE REFR (H,DR,HA)
IMPLICIT DOUBLE PRECISION (A-Z)
HA = H
IF (H .LT. (-5.0D0/6.0D0)) RETURN
HA = H+1.0D0/(DTAN((H+8.6D0/(H+4.42D0))*DR))/60.0D0
RETURN
END

```

C-----

```

SUBROUTINE ATMOS (HA,DR,M)
IMPLICIT DOUBLE PRECISION (A-Z)
U = DSIN(HA*DR)
X = 753.66156D0
S = DASIN(X*DCOS(HA*DR)/(X+1.0D0))

```

```

M = X*(DCOS(S)-U)+DCOS(S)
M = DEXP(-0.21D0*M)*U+0.0289D0*DEXP(-0.042D0*M)*(1.0D0+
& (HA+90.0D0)*U/57.29577951D0 )
RETURN
END

C-----
SUBROUTINE OUT (ZT,M,HA,B,L)
IMPLICIT DOUBLE PRECISION (A-Z)
INTEGER I,L,IR1,IHA
DIMENSION B(2)
GOTO (3000,3050,3050,3260), L
3000 IR1 = DINT(TIMES(M))
IF (ZT .EQ. 1.0D0) THEN
    WRITE(*,*) '*** FOR DAYLIGHT (SUMMER) TIME ADD ONE HOUR ***'
END IF
WRITE (*,3001) IR1
3001 FORMAT (' TIME OF SOLAR MERIDIAN PASSAGE ',6X,I4.4)
3030 IHA = DINT(DSIGN(DINT(DABS(HA)+0.5D0),HA))
WRITE (*,3031) IHA
3031 FORMAT (' ALTITUDE AT MERIDIAN PASSAGE (DEG.)',2X,I3)
3050 I = 1
3060 R = TIMES(B(I))
IF (R .GE. 4800.0D0 .OR. R .LT. 0.0D0) GOTO 3330
GOTO (3100,3120,3180,3200,3220,3240,3300,3320), 2*(L-1)+I
3100 IR1 = DINT(R)
WRITE (*,3101) IR1
3101 FORMAT (' TIME OF SUNRISE ',21X,I4.4)
GOTO 3330
3120 IR1 = DINT(R)
WRITE (*,3121) IR1
3121 FORMAT (' TIME OF SUNSET ',22X,I4.4)
R = B(2)-B(1)
IF (R .LT. 0.0D0) R = R+1
R = TIMES(R)
IR1 = DINT(R)
WRITE (*,3171) IR1
3171 FORMAT (' TOTAL HOURS AND MINUTES OF DAYLIGHT ',I4.4)
GOTO 3330
3180 IR1 = DINT(R)
WRITE (*,3181) IR1
3181 FORMAT (' TIME BEGINNING CIVIL TWILIGHT ',7X,I4.4)
GOTO 3330
3200 IR1 = DINT(R)
WRITE (*,3201) IR1
3201 FORMAT (' TIME ENDING CIVIL TWILIGHT ',10X,I4.4)
GOTO 3330
3220 IR1 = DINT(R)
WRITE (*,3221) IR1
3221 FORMAT (' TIME BEGINNING NAUTICAL TWILIGHT ',4X,I4.4)
GOTO 3330
3240 IR1 = DINT(R)
WRITE (*,3241) IR1

```

```

3241  FORMAT (' TIME ENDING NAUTICAL TWILIGHT',7X,I4.4)
      GOTO 3330
3260  R = TIMES(M)
      IR1 = DINT(R)
      WRITE (*,3261) IR1
3261  FORMAT (' TIME OF LUNAR MERIDIAN PASSAGE',6X,I4.4)
      GOTO 3030
3300  IR1 = DINT(R)
      WRITE (*,3301) IR1
3301  FORMAT (' TIME OF MOONRISE',20X,I4.4)
      GOTO 3330
3320  IR1 = DINT(R)
      WRITE (*,3321) IR1
3321  FORMAT (' TIME OF MOONSET',21X,I4.4)
3330  I = I + 1
      IF (I .LT. 3) GOTO 3060
      RETURN
      END

```

C-----

```

DOUBLE PRECISION FUNCTION TIMES (X)
IMPLICIT DOUBLE PRECISION (A-Z)
TIMES = DINT(100.0D0*DMS(X*24.0D0)+0.5D0)
RETURN
END

```

C-----

```

DOUBLE PRECISION FUNCTION DMS (X)
IMPLICIT DOUBLE PRECISION (A-Z)
DMS = DINT(X)+6.0D0*(X-DINT(X))/10.0D0
RETURN
END

```

C-----

```

DOUBLE PRECISION FUNCTION DEG (X)
IMPLICIT DOUBLE PRECISION (A-Z)
DEG = DINT(X)+((X-DINT(X))*10.0D0)/6.0D0
RETURN
END

```

## The BASIC Program for Computers

This version of the program consists of a main program which begins at statement 10 and ends at statement 1210. There are several subprograms which are written in open style so that variables do not pass through calling sequences. One of these is embedded in the main program. Definition statements for such functions as *arccosine*, *arcsine* are at the beginning of the program, as required. These functions may be available in some interpreters. The notes which follow apply to the BASIC code for personal computers and supplement the general notes beginning with the first page of this Section.

### 1. Precision

The program is written using a mixed precision; that is, most of the program uses single precision. There are several calculations which produce large numbers, and to retain significance at the half-degree level, extended precision is required. The use of extended or double precision must be identified to the interpreter in some way. In the BASIC dialect given here, that is accomplished by appending the symbol # to certain variables and constants. There are some computers in which numbers are stored and manipulated with sufficient precision such that extended or double precision is not needed and is not an interpreter option. For such configurations of machine and language, the following statements should be edited and the symbol # deleted:

310, 430, 900, 1220, 1230, 1250, 1260, 1720,  
1730, 1750, 1760, 1770, 1780, 1790, 1800.

### 2. Changes to the program

Syntax rules for BASIC interpreters vary considerably and not all possibilities can be explored here. Nevertheless, since it is to be expected that some changes will be required for implementation of the program, a few guidelines can be given.

It will be seen in the code that the words THEN and LET frequently appear in combination. In testing, it was found that LET was not required by one interpreter. Another interpreter required LET but not THEN. Still another, older interpreter required LET to precede any equality or equation statement and required it in combination with THEN in conditional statements. Obviously, the user should explore the possibilities and requirements of the particular machine/language combination for simplifications.

Many versions of BASIC allow multicharacter variable and function names to be defined. Of these, some versions will actually use only the initial two characters when referencing the function or variable. If this is not known to the programmer or user, the results can be unpredictable. In the worst case tested, some of the program output actually contained valid results. Should it be found that two character function and variable names are required, the program given here can be easily modified. Only function names, not variable names, need to be changed. In

order to avoid conflicts, the following functions could be renamed as shown:

ARCOS	- RC
ARCSIN	- RS
DEG	- DG
DMS	- DM

Of course, program references to the functions must be changed accordingly.

In addition to the restriction of two-character variable and user defined function references, the interpreter may offer an expanded set of commands. Unfortunately, corresponding to the expanded command set is a similarly enlarged list of words or acronyms which are described as reserved, protected, or privileged. Since it is not possible to predict which two-character combinations will infringe upon the reserved set of every computer/interpreter configuration, the program user must be aware of possible consequences. Those should be addressed in the literature describing the interpreter and its use. Often, infringement triggers syntax error messages, so that the offending variable may be readily found and redefined.

Some versions of BASIC do not allow function definitions by the user, but do provide the functions. The user should then modify this program so that the function ARCOS is replaced, where used, by whatever is provided for computing the *arccosine*. The *arcsine* function (ARCSIN) should be replaced likewise. The functions DEG and DMS can be re-defined as subroutines, and statements 890 and 1700 modified accordingly.

Statement 1100 requires that a trigonometric *tangent* be raised to the fractional exponent .632. As given here, the operation is specified by the symbol ^.  
(Specifically, the character is an ASCII hexadecimal 5E or decimal 94.)  
This is acceptable to several versions of BASIC; but in one dialect encountered, the required symbol for the same operation was a vertical arrow. The user should be aware of this and related variations of notation.

Program flow may be altered to some extent. As provided here, the flow reflects certain ideas concerning probable usage. Other modes may be more convenient for certain applications. The statements numbered 860 and 1200 may be changed to redirect execution:

GO TO 150 to initialize all input  
GO TO 170 to input a new year, month, day, etc.  
GO TO 180 to input a new month, day, etc.  
GO TO 190 to input a new day, etc.  
GO TO 300 to input a time during the year, month and day already specified.  
Statement 1200 transfers control to 300. It may be changed to send control to statements 150, 170, 180 or 190, as above. At least one of the statements (860 or 1200) should direct a transfer to statement 150 if data for more than one location are to be computed during a session.

### **3. Other changes**

An experienced programmer might make changes to the program other than those already described. However, caution must be used. Several variables are multiply-defined and certain computational sequences may not be disturbed or their results will be false. In the worst case, the end results may appear reasonable.

### **4. Operation**

Once the program has been implemented, operation should proceed interactively with prompting by key words and phrases provided. The user should refer to Fig. 3 for an example of use. Output of the BASIC program will differ from the example in appearance, but not in data sequence or actual content.

*The BASIC Program for Computers*

```
10 DEF FNARCCOS(ARG)=1.570796-ATN(ARG/SQR(1.-ARG*ARG))
20 DEF FNARCSIN(ARG)=ATN(ARG/SQR(1.-ARG*ARG))
30 DEF FNDEG(ARG)=INT(ARG)+((ARG-INT(ARG))*10.)/6.
40 DEF FNDMS(ARG)=INT(ARG)+6.*(ARG-INT(ARG))/10.
50 RD=57.29578
60 DR=1./RD
70 DIM A(4)
80 DIM B(2)
90 A(1)=-.01454
100 A(2)=-.10453
110 A(3)=-.20791
120 A(4)=.00233
130 CE=.91775
140 SE=.39715
150 INPUT"LONGITUDE IN DEG. ";LO
160 INPUT"LATITUDE IN DEG. ";F
170 INPUT"YEAR (4 DIGITS)";IY
180 INPUT"MONTH (NUMERAL)";IM
190 INPUT"DAY (NUMERAL)";ID
200 F=F*DR
210 C=360.
220 LI=ABS(LO)
230 SI=SIN(F)
240 CI=COS(F)
250 J=367*IY-INT(7*(IY+INT((IM+9)/12))/4)+INT(275*IM/9)+ID-730531.
260 INPUT"UNIVERSAL TIME = 0, ZONE TIME = 1, LOCAL MEAN TIME = 2";Z
270 DT=0.
280 IF Z=0. THEN LET DT=-LO/C
290 IF Z=1. THEN LET DT=-(LI-15*INT((LI+7.5)/15))/C*SGN(LO)
300 INPUT"HOUR (4 DIGIT NUMERAL ON 24 HOUR CLOCK)";H
310 Z0#=J-.5
320 IF H>0 THEN GOTO 870
330 PRINT"DATA FOR ";IY; ", MONTH ";IM; ", DAY ";ID
340 FOR L=1 TO 4
350 ON L GOTO 370,650,650,360
360 C=347.81
370 M=.5+DT
380 K=1
390 M=M-DT
400 E=M-LO/360.
410 GOSUB 430
420 GOTO 530
430 D#=Z0#+E
440 IF ABS(E)>=1 THEN LET E=E-SGN(E)
450 GOSUB 1220
460 IF L=4 THEN GOSUB 1720
470 T=T+LO+360.*E
480 T=T-INT(T/360.)*360.
490 U=T-AS
500 IF ABS(U)>180. THEN LET U=U-360.*SGN(U)
510 U=U/C
520 RETURN
```

```

530 M=M-U+DT
540 IF L<4 THEN LET K=K+1
550 ON K GOTO 600,560,600,580,600,620
560 IF M>=0. AND M<1. THEN GOTO 620
570 GOTO 590
580 IF M>=0. THEN GOTO 620
590 M=M-SGN(M)
600 K=K+1
610 GOTO 390
620 H=FNARCSIN(COS(F-DS))*RD
630 IF L=4 THEN LET H=H-.95*COS(H)
640 GOSUB 2160
650 GOSUB 2000
660 B(1)=M-H
670 B(2)=M+H
680 FOR I=1 TO 2
690 K=2*I-3
700 FOR N=1 TO 6
710 B(I)=B(I)-DT
720 E=B(I)-LO/360.
730 GOSUB 430
740 GOSUB 2000
750 B(I)=B(I)+K*H-U+DT
760 IF L<4 THEN LET N=N+1
770 ON N GOTO 820,780,820,800,820,830
780 IF B(I)>=0. AND B(I)<1. THEN GOTO 830
790 GOTO 810
800 IF B(I)>=0. THEN GOTO 830
810 B(I)=B(I)-SGN(B(I))
820 NEXT N
830 NEXT I
840 ON L GOSUB 1350,1400,1400,1610
850 NEXT L
860 GOTO 150
870 INPUT"SKY CONDITION = 1,2,3,10,";SK
880 PRINT"DATA FOR ";IY;" MONTH ";IM;" DAY ";ID;" AT ";H;" HOURS"
890 E=FNDEG(H/100.)/24.-DT-LO/360.
900 D#=Z0#+E
910 N=1
920 GOSUB 1220
930 T=T+360.*E+LO
940 IF N=2 THEN GOSUB 1720
950 H=T-AS
960 GOSUB 2060
970 Z=H*DR
980 H=H-.95*(N-1)*COS(H*DR)
990 GOSUB 2160
1000 GOSUB 2200
1010 HA=INT(ABS(HA)+.5)*SGN(HA)
1020 ON N GOTO 1030,1090
1030 IS=133775.*M/SK
1040 PRINT"SUN AZIMUTH (DEG.)      ";AZ

```

```

1050 PRINT"SUN ALTITUDE (DEG.)      ";HA
1060 PRINT"SUN ILLUMINANCE (LUX)    ";IS
1070 N=2
1080 GOTO 940
1090 E=FNARCOS(COS(V-LS)*CB)
1100 P=.892*EXP(-3.343/((TAN(E/2.))^.632))+.0344*(SIN(E)-E*COS(E))
1110 P=.418*P/(1.-.005*COS(E)-.03*SIN(Z))
1120 IL=P*M/SK
1130 IS=IS+IL+.0005/SK
1140 PRINT"MOON AZIMUTH (DEG.)      ";AZ
1150 PRINT"MOON ALTITUDE (DEG.)     ";HA
1160 PRINT"MOON ILLUMINANCE (LUX)   ";IL
1170 IL=INT(50.*(.1-COS(E))+.5)
1180 PRINT" (";IL;"% OF MOON ILLUMINATED)"
1190 PRINT"TOTAL ILLUMINANCE (LUX)  ";IS
1200 GOTO 300
1210 END
1220 TD#=280.46#.98565#*D#
1230 T=TD#-INT(TD#/360#)*360#
1240 IF T<0. THEN LET T=T+360.
1250 TD#=357.5#.9856#*D#
1260 G=(TD#-INT(TD#/360#)*360#)*DR
1270 LS=(T+1.91*SIN(G))*DR
1280 AS=ATN(CE*TAN(LS))*RD
1290 Y=COS(LS)
1300 IF Y<0. THEN LET AS=AS+180.
1310 SD=SE*SIN(LS)
1320 DS=FNARCSIN(SD)
1330 T=T-180.
1340 RETURN
1350 R=M
1360 GOSUB 1700
1370 PRINT"SUN MERIDIAN PASSAGE AT ";R
1380 HA=INT(ABS(HA)+.5)*SGN(HA)
1390 PRINT"ALTITUDE AT MER. PASS.   ";HA
1400 FOR I=1 TO 2
1410 R=B(I)
1420 GOSUB 1700
1430 IF R>=4800. OR R<0. THEN GOTO 1680
1440 ON 2*(L-1)+I GOTO 1450,1470,1530,1550,1570,1590,1650,1670
1450 PRINT"TIME OF SUNRISE        ";R
1460 GOTO 1680
1470 PRINT"TIME OF SUNSET          ";R
1480 R=B(2)-B(1)
1490 IF R<0. THEN LET R=R+1.
1500 GOSUB 1700
1510 PRINT"TOTAL DAYLIGHT         ";R
1520 GOTO 1680
1530 PRINT"BEGIN CIVIL TWILIGHT AT ";R
1540 GOTO 1680
1550 PRINT"END CIVIL TWILIGHT AT   ";R
1560 GOTO 1680

```

```

1570 PRINT"BEGIN NAUTICAL TWILIGHT ";R
1580 GOTO 1680
1590 PRINT"END NAUTICAL TWILIGHT ";R
1600 GOTO 1680
1610 R=M
1620 GOSUB 1700
1630 PRINT"MOON MERIDIAN PASSAGE AT";R
1640 GOTO 1380
1650 PRINT"TIME OF MOONRISE ";R
1660 GOTO 1680
1670 PRINT"TIME OF MOONSET ";R
1680 NEXT I
1690 RETURN
1700 R=INT(100.*FNDMS(R*24.)+.5)
1710 RETURN
1720 TD#=218.32#+13.1764#*D#
1730 V=TD#-INT(TD#/360#)*360#
1740 IF V<0. THEN LET V=V+360.
1750 TD#=134.96#+13.06499#*D#
1760 Y=(TD#-INT(TD#/360#)*360#)*DR
1770 TD#=93.27#+13.22935#*D#
1780 O=(TD#-INT(TD#/360#)*360#)*DR
1790 TD#=235.7#+24.3815#*D#
1800 W=(TD#-INT(TD#/360#)*360#)*DR
1810 SB=SIN(Y)
1820 CB=COS(Y)
1830 X=SIN(O)
1840 S=COS(O)
1850 SD=SIN(W)
1860 CD=COS(W)
1870 V=V+(6.29-1.27*CD+.43*CB)*SB+(.66+1.27*CB)*SD-.19*SIN(G)-.23*X*S
1880 V=V*DR
1890 Y=((5.13-.17*CD)*X+(.56*SB+.17*SD)*S)*DR
1900 SV=SIN(V)
1910 SB=SIN(Y)
1920 CB=COS(Y)
1930 Q=CB*COS(V)
1940 P=CE*SV*CB-SE*SB
1950 SD=SE*SV*CB+CE*SB
1960 AS=ATN(P/Q)*RD
1970 IF Q<0. THEN LET AS=AS+180.
1980 DS=FNARCSIN(SD)
1990 RETURN
2000 H=(A(L)-SI*SD)/(CI*COS(DS))
2010 IF ABS(H)>1. THEN GOTO 2040
2020 H=FNARCOS(H)*RD/C
2030 RETURN
2040 H=1.5
2050 RETURN
2060 CD=COS(DS)
2070 CS=COS(H*DR)
2080 Q=SD*CI-CD*SI*CS

```

```
2090 P=-CD*SIN(H*DR)
2100 AZ=ATN(P/Q)*RD
2110 IF Q<0. THEN LET AZ=AZ+180.
2120 IF AZ<0. THEN LET AZ=AZ+360.
2130 AZ=INT(AZ+.5)
2140 H=FNARCSIN(SD*SI+CD*CI*CS)*RD
2150 RETURN
2160 HA=H
2170 IF H<(-5./6.) THEN GOTO 2190
2180 HA=H+1./(TAN((H+8.59/(H+4.42))*DR))/60.
2190 RETURN
2200 U=SIN(HA*DR)
2210 X=753.6616
2220 S=FNARCSIN(X*COS(HA*DR)/(X+1.))
2230 M=X*(COS(S)-U)+COS(S)
2240 M=EXP(-.21*M)*U+.0289*EXP(-.042*M)*(1.+(HA+90.)*U/57.29578)
2250 RETURN
```

## **The BASIC Routine for Programmable Calculator**

This version of BASIC was written for a particular unit having a dual mode of operation -- one as a calculator with single keystroke trigonometric, power, root and other functions, the other as a computer having a BASIC interpreter resident in read-only-memory. The salient feature of a device of the type is a random-access-memory which retains programs when power is turned off. Coupled with small size and low cost, machines having these features may become attractive for many small scale computer needs and applications and, therefore, widely owned and used. There are limitations to this type of device too. Among them is the display, which holds only one line of prompt or output at one time; and that is further limited to relatively few characters. An attached printer would be more than a convenience.

Most of the comments applicable to the BASIC routine for personal computers apply to this routine also. The notes which follow supplement the general notes which begin this Section and those applicable to the routines for personal computers.

With the exception of one embedded subroutine, the main program begins at statement 10 and ends at statement 117. The remaining statements belong to the subroutines. The user may add code in statements 1 through 9, reserved for the purpose.

### **1. Precision**

All scientific calculators routinely provide at least 8 to 10 digits of precision, so that consideration of extended or double precision code was unnecessary.

### **2. Changes to the program**

Any changes required by syntax rules of various versions of BASIC must be accommodated. Some of these are discussed in the notes for the personal computer version.

If the DMS (convert to degrees, minutes, seconds) and DEG (convert to degrees and decimals) functions are not built in functions, they may be coded as user defined functions or as subroutines, according to the specific dialect available. If coded as subroutines, then statements 85 and 166 must be changed to GOSUB commands. If DMS and DEG are coded as user defined functions, then statement 85 may stand as it is. In the case of change to either subroutine or defined function form, the computation performed at statement 166 must be changed such that the constant .7 is replaced by .5. Statements which define the DMS and DEG functions are to be found on lines 30 and 40 of the personal computer version of the program, and should be keyed in to this version with line numbers less than 10.

Programmable calculators generally provide for recording programs so that they may be re-loaded without keying the instruction sequence. The user may find that a

label, title, or some other identification is then required at the head of the program. This may be added as statement number 1, if required.

At line 158 in the program is the single command BEEP. On some machines this produces audible tones. It was included at that point in the program to signal that a lengthy computation has been completed for the Moon; thus it allows the user to divert his attention for a time. The statement may be removed if the feature is not available or not wanted.

A printer connected to the calculator, or integrated, is a definite asset. The program may be modified to direct output to a printer by replacing all PRINT commands, (which usually only display output) if necessary, with whatever commands are necessary to produce actual printing. Examples include PRINT# and LPRINT. It may be possible, as an alternative, to issue a command which redefines the output device. One example of this is the statement PRINT=LPRINT which is required at some point in the program prior to the first PRINT command. It can be inserted in this program by assigning it using a line number less than 10. The user must not make any of the changes described before reading the requirements of the specific machine-interpreter configuration. The examples cited are not general or standard options.

Program execution may be re-directed to a limited degree. As provided here, the flow reflects certain ideas concerning probable usage. Other modes may be more convenient for some applications. Statement 82 may be altered to read GOTO 28, for entering a time of day. Statement 116 may be changed to read GOTO 18, for entering a new set of geographic coordinates and date. At least one of the statements should transfer to statement 18 for purposes of reinitializing.

### 3. Other changes

Relative to current programmable calculators, this is a large program. Changes other than those described in the preceding paragraph should be made with caution. Although some other changes could be made, it is possible that memory would be exceeded. Also, several variables are multiply-defined and certain computational sequences may not be disturbed or their results will be false. In the worst case, the end results (output) may appear reasonable.

### 4. Operation

Some devices are capable of operation with other than decimal numbers and, or, with angles in radians or grads. Decimal and degree modes must be specified before using this program.

Once the program has been implemented, operation should proceed interactively, with prompting by key words and phrases provided. Of necessity, abbreviations are used for prompting.

Figure 4 illustrates what is typically to be expected from the calculator version of the program. Two characteristics may be noted. For input to the program, no decimal points were used; the calculator is indifferent in this regard.

In the output, the times of events include decimal points, although not needed. The calculator assumes all numbers should have a decimal point. This should not trouble the user. The second characteristic is the appearance of a possibly unfamiliar notation for values of the illuminance. This form of writing a number is known as scientific notation, exponential form, or as power of 10 notation. The illuminance can vary through the course of a day by a *factor* of 100 million, yet calculated values may only contain one or two significant digits. Scientific notation is an appropriate way to represent the numbers and is, in fact, almost unavoidable. Any user who is unfamiliar with this notation can usually find it described fully in the literature which is supplied with the calculator.

```
LONG=-77
LAT=39
YEAR=1986
MONTH=9
DAY=13
UT=0,STD=1,LMT=2
1
HOUR=1955
SKY=1,2,3,10?1
SUN AZ.      291.
SUN ALT.     -19.
SUN ILL.    2.7E-06
MOON AZ.      169.
MOON ALT.     24.
MOON ILL.   2.0E-02
%MOON ILL.    79.
TOT. ILL.   2.1E-02
HOUR=-3
SUN M.P.     1204
ALT AT MP    55.
SUNRISE      547.
SUNSET       1820.
DAYLIGHT     1233.
BEG. C.T.    520.
END C.T.    1847.
BEG. N.T.    449.
END N.T.    1918.
MOON M.P.    2039.
ALT AT MP    25.
MOONRISE    1603.
MOONSET      8.
```

Figure 4 -- Interactive Input, Output (programmable calculator).

*The BASIC Routine for Programmable Calculator*

```
10 DIM A(4)
11 DIM B(2)
12 A(1)=-.01454
13 A(2)=-.10453
14 A(3)=-.20791
15 A(4)=.00233
16 CE=.91775
17 SE=.39715
18 INPUT "LONG=";LO,"LAT=";F,"YEAR=";Y,"MONTH=";M,"DAY=";D
19 C=360
20 L=ABS LO
21 SI=SIN F
22 CI=COS F
23 J=367*Y-INT(7*(Y+INT((M+9)/12))/4)+INT(275*M/9)+D-730531
24 INPUT "UT=0,STD=1,LMT=2";Z
25 DT=0
26 IF Z=0 LET DT=-LO/C
27 IF Z=1 LET DT=-(L-15*INT((L+7.5)/15))/C*SGN LO
28 INPUT "HOUR=";H
29 Z=J-.5
30 IF H>0 GOTO 83
31 FOR L=1 TO 4
32 ON L GOTO 34,61,61,33
33 C=347.81
34 M=.5+DT
35 FOR K=1 TO 6
36 M=M-DT
37 E=M-LO/360
38 GOSUB 40
39 GOTO 50
40 D=Z+E
41 IF ABS E >=1 LET E=E-SGN E
42 GOSUB 118
43 IF L=4 GOSUB 168
44 T=T+LO+360*E
45 T=T-INT(T/360)*360
46 U=T-AS
47 IF ABS U >180 LET U=U-360*SGN U
48 U=U/C
49 RETURN
50 M=M-U+DT
51 IF L<4 LET K=K+1
52 ON K GOTO 57,53,57,55,57,58
53 IF M>=0 AND M<1 GOTO 58
54 GOTO 56
55 IF M>=0 GOTO 58
56 M=M-SGN M
57 NEXT K
58 H=ASN(COS(F-DS))
59 IF L=4 LET H=H-.95*COS H
60 GOSUB 208
61 GOSUB 192
```

```

62 B(1)=M-H
63 B(2)=M+H
64 FOR I=1 TO 2
65 K=2*I-3
66 FOR N=1 TO 6
67 B(I)=B(I)-DT
68 E=B(I)-LO/360
69 GOSUB 40
70 GOSUB 192
71 B(I)=B(I)+K*H-U+DT
72 IF L<4 LET N=N+1
73 ON N GOTO 78,74,78,76,78,79
74 IF B(I)>=0 AND B(I)<1 GOTO 79
75 GOTO 77
76 IF B(I)>=0 GOTO 79
77 B(I)=B(I)-SGN B(I)
78 NEXT N
79 NEXT I
80 ON L GOSUB 130,135,135,156
81 NEXT L
82 GOTO 18
83 INPUT"SKY=1,2,3,10?";SK
84 PRINT"AT ";H;" HOURS"
85 E=DEG(H/100)/24-DT-LO/360
86 D=Z+E
87 N=1
88 GOSUB 118
89 T=T+360*E+LO
90 IF N=2 GOSUB 168
91 H=T-AS
92 GOSUB 198
93 Z=H
94 H=H-.95*(N-1)*COS H
95 GOSUB 208
96 GOSUB 212
97 HA=INT(ABS HA+.5)*SGN HA
98 ON N GOTO 99,105
99 I=133775.*M/SK
100 PRINT"SUN AZ.",AZ
101 PRINT"SUN ALT.",HA
102 PRINT"SUN ILL.",I
103 N=2
104 GOTO 90
105 E=ACS(COS(V-LS)*CB)
106 P=.892*EXP(-3.343/((TAN(E/2))^.632))+.0344*(SIN E-E/57.29578*COS E)
107 P=.418*P/(1-.005*COS E-.03*SIN Z )
108 L=P*M/SK
109 I=I+L+.0005/SK
110 PRINT"MOON AZ.",AZ
111 PRINT"MOON ALT.",HA
112 PRINT"MOON ILL.",L
113 L=INT(50*(1-COS E)+.5)

```

```

114 PRINT "% MOON ILL.",L
115 PRINT "TOT.ILL.",I
116 GOTO 28
117 END
118 T=280.46+.98565*D
119 T=T-INT(T/360)*360
120 IF T<0 LET T=T+360
121 G=SIN(357.5+.9856*D)
122 LS=T+1.91*G
123 AS=ATN(CE*TAN LS)
124 Y=COS LS
125 IF Y<0 LET AS=AS+180
126 SD=SE*SIN LS
127 DS=ASN SD
128 T=T-180
129 RETURN
130 R=M
131 GOSUB 166
132 PRINT "SUN M.P.",R
133 HA=INT(ABS HA+.5)*SGN HA
134 PRINT "ALT AT MP",HA
135 FOR I=1 TO 2
136 R=B(I)
137 GOSUB 166
138 IF R>=4800 OR R<0 GOTO 164
139 ON 2*(L-1)+I GOTO 140,142,148,150,152,154,161,163
140 PRINT "SUNRISE",R
141 GOTO 164
142 PRINT "SUNSET",R
143 R=B(2)-B(1)
144 IF R<0 LET R=R+1
145 GOSUB 166
146 PRINT "DAYLIGHT",R
147 GOTO 164
148 PRINT "BEG. C.T.",R
149 GOTO 164
150 PRINT "END C.T.",R
151 GOTO 164
152 PRINT "BEG. N.T.",R
153 GOTO 164
154 PRINT "END N.T.",R
155 GOTO 164
156 R=M
157 GOSUB 166
158 BEEP 3
159 PRINT "MOON M.P.",R
160 GOTO 133
161 PRINT "MOONRISE",R
162 GOTO 164
163 PRINT "MOONSET",R
164 NEXT I
165 RETURN

```

```

166 R=INT(100*DMS(R*24)+.7)
167 RETURN
168 V=218.32+13.1764*D
169 V=V-INT(V/360)*360
170 IF V<0 LET V=V+360
171 Y=134.96+13.06499*D
172 O=93.27+13.22935*D
173 W=235.7+24.3815*D
174 SB=SIN Y
175 CB=COS Y
176 X=SIN O
177 S=COS O
178 SD=SIN W
179 CD=COS W
180 V=V+(6.29-1.27*CD+.43*CB)*SB+(.66+1.27*CB)*SD-.19*G-.23*X*S
181 Y=(5.13-.17*CD)*X+(.56*SB+.17*SD)*S
182 SV=SIN V
183 SB=SIN Y
184 CB=COS Y
185 Q=CB*COS V
186 P=CE*SV*CB-SE*SB
187 SD=SE*SV*CB+CE*SB
188 AS=ATN(P/Q)
189 IF Q<0 LET AS=AS+180
190 DS=ASN SD
191 RETURN
192 H=(A(L)-SI*SD)/(CI*COS DS)
193 IF ABS H>1 GOTO 196
194 H=(ACS H)/C
195 RETURN
196 H=1.5
197 RETURN
198 CD=COS DS
199 CS=COS H
200 Q=SD*CI-CD*SI*CS
201 P=-CD*SIN H
202 AZ=ATN(P/Q)
203 IF Q<0 LET AZ=AZ+180
204 IF AZ<0 LET AZ=AZ+360
205 AZ=INT(AZ+.5)
206 H=ASN(SD*SI+CD*CI*CS)
207 RETURN
208 HA=H
209 IF H<(-5/6) GOTO 211
210 HA=H+1/(TAN(H+8.6/(H+4.42)))/60
211 RETURN
212 U=SIN HA
213 X=753.66156
214 S=ASN (X*COS(HA)/(X+1))
215 M=X*(COS S-U)+COS S
216 M=EXP(-.21*M)*U+.0289*EXP(-.042*M)*(1+(HA+90)*U/57.29578)
217 RETURN

```

## SECTION III

### Contingent Tables and Diagrams

As the heading suggests, the tables and diagrams are for use when a computing device is not available. For the Sun, all of the data provided by the computer routines are also available from the tables and diagrams. Tables required for manual calculation of the Moon's positions and phenomena are not provided, since they would be numerous and complex. Graphs of lunar illuminance are included should the altitude and phase be available from other sources. Otherwise, the graphs will provide only an indication of available moonlight, based on whatever information concerning Moon visibility is at hand.

The terminology and descriptions found in Section I are relevant to the methods described in this section and are not repeated. Declination is a term not described in Section I. It is one of the coordinates used to specify the position of an object on the celestial sphere, in a manner analogous to latitude on the Earth. Since the Sun's declination is used here only to determine other quantities, it can be considered as an intermediate quantity, and a full description or visualization of it is not strictly necessary.

These tables and diagrams are not new; variations have appeared in handbooks and other literature in the past. Many of those publications are no longer available. Moreover, many were less extensive and more complicated to use correctly. These tables and diagrams are complete and, it is hoped, more direct. Nevertheless, at extreme latitudes, it is to be expected that they will produce times of rising, setting and twilight which may compare poorly to more refined calculations and to the times of the actual events. The altitude, azimuth diagrams for such latitudes demonstrate that the Sun's path will approach and cross the horizon slowly and at shallow angles during certain times of the year. Meteorological conditions, rarely nominal in those regions, cause wide variations in refraction, which in turn combines almost directly with the geometry of the situation to produce significant differences between calculated and observed events.

#### Description of the tables and diagrams:

*Table 1 -- Sun Meridian Passage Increment and Declination:* For each day of the year, the table provides an adjustment (MP) which must be applied to Noon and to all other event times to express them in Local Mean Time. It also gives the Sun's declination, for the date, which is required for the use of Table 2 or the altitude, azimuth diagrams. The meridian passage increment is given to the nearest minute and the Sun's declination to the nearest half-degree. The fractional degree is provided for estimating times halfway between those given by Table 2, should the

user desire. Ordinarily this will not be required. (At latitudes where the Sun will rise or set and then remain above or below the horizon for long periods, the declination column for Table 2 provides for direct entry to the nearest half-degree). Following Table 1 are graphs showing MP and DEC which may be used in place of Table 1, if desired.

*Table 2:* For the latitude of the location of interest, and for the Sun's declination from Table 1, Table 2 immediately provides the altitude of the Sun above the horizon when it crosses the meridian (AL) and the length of the day (LD) from sunrise to sunset. Table 2 also yields three quantities which are the core times for the calculation of sunrise, sunset (R/S), and civil (CT) and nautical (NT) twilight. The interval of latitude between 0 and 82 degrees is one degree throughout. Declination is generally at a one degree interval, but there are exceptions. The maximum solar declination is about 23.5 degrees and that value is tabulated on every page of the table. Half-degree values of solar declination near the condition which produces periods of continuous sunlight or darkness are also included.

*Table 3 -- Longitude, Time Adjustments:* This table, entered with longitude, provides adjustments which convert Local Mean Time to Universal Time (UT) or to Zone Time (ZC), or conversely. The interval of longitude is one degree which corresponds to the UT and ZC intervals of four minutes. The table may be interpolated visually for fractions of a degree of longitude corresponding to the nearest minute of time, if desired. In applying the adjustment from Mean Time to Zone Time, if Daylight (Summer) Time is in effect, or if the legal time of a place is not within the boundaries of the uniform system, the table may still be used with an additional hour added or subtracted afterward, as dictated by the circumstances.

*Altitude, Azimuth Diagrams:* These are 33 diagrams which transform a time of day and solar declination into altitude and azimuth referred to the geographic position of interest. The diagrams are drawn for whole multiples of five degrees of latitude and marked with offsets which make them useful for any latitude, from the equator to 82 degrees North and South. Cardinal directions are indicated. On the diagrams, lines extending North to South (the meridian) are intersected by lines from East to West at the origin, which point corresponds to the latitude printed at the top of the page in large type. Above and below the origin are short line segments representing one and two degrees of latitude greater or less than that for which the figure was drawn. These are used to reckon altitudes and azimuths for latitudes which are not multiples of five degrees. Azimuth is indicated for every two degrees at the edge of the diagrams, but one degree resolution is easily achieved by eye. The outermost circle (boundary) represents an altitude of six degrees below the horizon and corresponds to civil twilight. The horizon circle is drawn inside the twilight circle. On each diagram, there are curves representing the path of the Sun from morning civil twilight through rise, meridian passage and set, to evening civil twilight. The interval between these paths is two degrees of

solar declination except for the limiting values of 23.5 degrees, which are also shown. Curves representing every 10 degrees of declination are accented and labelled. Time lines drawn at 10 minute intervals, with each hour accented, intersect the declination curves. The time lines are labelled at an hourly interval but, with the exception of the Noon line, only with two digits. At the foot of each diagram is an altitude scale.

When the Sun is nearly overhead, at a specific location, the azimuth is poorly determined by the diagrams. This approximates the real situation of indeterminate azimuth when the Sun is in the zenith.


The diagrams can also be used inversely to obtain times and dates when the Sun is at specific altitudes or azimuths.

*Solar Illuminance Diagram:* This single diagram gives the illuminance by the Sun on a horizontal surface as a function of altitude. The scale of illuminance is logarithmic. The altitude scale is expanded for solar altitude less than +10 deg., since the change in illuminance with altitude is greatest when the Sun is near the horizon. Above 10 deg. altitude the change in illuminance is less dramatic, as far as vision is concerned, and the exact amount of illuminance is less important for practical concerns. Four curves are shown in the diagram. Each corresponds to a sky condition, or factor, described in Section I and is indicated by the letter F with numerical suffix to the right of the diagram.

*Lunar Illuminance Diagrams:* Four diagrams are provided, each corresponding to a condition of the sky as described in Section I. Each diagram shows illuminance on a horizontal surface as a function of altitude. But the illuminance by the Moon also depends upon its phase. Phase is a continuous function of the angular separation of the Moon from the Sun (elongation), and for quantitative purposes it is better represented by the percent of the Moon illuminated than by the traditional, restrictive terms Quarter, Full, etc. At the right of each diagram, therefore, the illuminance curves are designated by percent illuminated and by corresponding values of the elongation. Values of the percent of the Moon illuminated must be taken from other sources. *The Air Almanac*, for example, gives the quantity in tabular format at semi-daily interval.

Figure 5 shows an altitude, azimuth diagram for an actual location which has an obstructed horizon. The shaded area was determined by crude measurements of altitudes and azimuths of the obstructions which included trees and buildings on rolling landscape. For example, the spike at azimuth 155 deg. is a tower supporting environmental sensors; at azimuth 350 deg. is a church tower. The profile of the shaded area was faired by hand, since the particular application of the diagram was not critical. The shading suggests collateral uses for the diagrams, as well as the obvious applications in which the availability of direct sunlight is a factor. It should also amplify the significance of the assumptions made in determining illuminance by calculation or graphically. In Figure 5, for example, it is seen that when the Sun's azimuth is greater than 212 deg. while its

altitude is less than 12 deg., there is no direct sunlight. The actual illuminance would be considerably less than predicted, for the circumstances. Also, less (indirect) skylight would be available at any time, since not all of the sky is visible at the location. On the other hand, both natural and manmade obstructions reflect various amounts of incident light, so that it is not generally possible to estimate the attenuated light level from the geometry of the figure only. The safe interpretation of illuminance figures, therefore, is to postulate that they are the maximum possible amounts. This may be adequate to determine whether certain activities are possible without artificial lighting or aided vision.



*Figure 5 -- Altitude, Azimuth Diagram showing obstructed horizon.*

**Instructions for calculation of events using the tables:**

1. Obtain and record the geographic coordinates to the nearest degree of latitude and longitude for the location of interest. Label the latitude with N or S according to whether the location is North or South of the equator. Label the longitude E or W according to whether the location is East or West of the prime meridian.
2. Enter Table 1 (page 50) at the month (column) and day of the month (row). Take out the quantity MP with its positive (+) or negative (-) sign, and DEC with its prefix N or S. Write MP with its sign under the number 1200 and perform the indicated operation of addition or subtraction. Record the result as the Local Mean Time of the Sun's meridian passage.
3. Open Table 2 (page 52) at the latitude. Two tables will be found on each page. If the latitude and DEC are both N or both S, use the table headed "Latitude and Declination SAME." If the latitude and DEC are not both N or both S use the table labelled "Latitude and Declination OPPOSITE." In the column under the numerical value of the latitude and at the row indicated by the numerical value of declination, take out and record the quantities AL, LD, R/S, CT, NT. The quantity AL is the altitude of the Sun at the time of its meridian passage (crossing), LD is the length of the day (number of hours of daylight) from sunrise until sunset.
4. Write MP with its sign under the quantities R/S, CT, NT and perform the indicated operation (addition or subtraction). The results are the Local Mean Times of sunrise and beginning morning civil and nautical twilight respectively.
5. Add LD to the LMT of sunrise. The result is the LMT of sunset.
6. Subtract the quantities CT and NT, as given by Table 2, from 24 hours. This is accomplished more readily by subtracting each from the equivalent quantity 2360.
7. Write MP with its sign under each result found by step 6. Perform the indicated operation (addition or subtraction). The results are the Local Mean Times for the end of evening civil and nautical twilight.
8. Turn to Table 3 (page 69). Identify the column and row containing the longitude, under the heading Lo. If zone (standard) time is required, continue at step 10.
9. If Universal Time is required, take from Table 3 the UT adjustment found in the same column at the same row as the longitude.

- 9a. If the longitude is West (W) of the prime meridian, add the UT adjustment to the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight. The events are now expressed in Universal Time. Continue at step 11.
- 9b. If the longitude is East (E) of the prime meridian, subtract the UT adjustment from the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight. The events are now expressed in Universal Time. Continue at step 11.
10. To express the times of events in zone (standard) time, find the quantity ZC (zone adjustment) in the last column of Table 3 on the same row as the longitude.
- 10a. If the longitude is West of the nearest standard meridian (center of the zone), add the ZC adjustment to the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight. Continue at step 11.
- 10b. If the longitude is East of the nearest standard meridian (center of the zone), subtract the ZC adjustment from the Local Mean Times of the Sun's meridian passage, sunrise, sunset and the beginning and ending times of civil and nautical twilight.
11. Do not apply the UT or ZC adjustments to the length of the day. After applying the adjustment to the specified events:
  - 11a. If the time of any event is greater than 2400, subtract 2400 from the time AND increase the date by one day. This completes the calculation.
  - 11b. If the time of any event is less than 0000, add 2400 to the time AND decrease the date by one day. This completes the calculation.

Two examples illustrating the use of the tables are given on the next page. The first is straightforward. The second includes the use of visual interpolation in Table 2 (not a requirement) and involves an addition to the date. For both examples, all information required to begin the calculations is stated on the first line, and all events have been computed. The latter is rarely required in practice. The examples might be read in conjunction with the instructions, for better comprehension of both. It is recommended that the user adopt a work form for calculation; it should reduce the possibility for error. The form used for the examples is intended to be suggestive only.

### EXAMPLE 1

Date: 17 Nov., Latitude: N13, Longitude: E145, Event Times: Zone

Table 1: MP= -15 DEC= S19

Table 2: (OPPOSITE), AL= 58deg., LD= 1131, R/S= 0615, CT= 0552, NT= 0526

Table 3: (Zone Time adjustment to 150th meridian) ZC= 20

	1200	CT 0552	NT 0526
Merid. Pass.	MP <u>-15</u> 1145 LMT	MP <u>-15</u> Beg. Civ. Twi. 0537 LMT	MP <u>-15</u> Beg. Naut. Twi. 0511 LMT
	R/S 0615	(24 hours) 2360	(24 hours) 2360
Sunrise	MP <u>-15</u> 0600 LMT	CT <u>-0552</u> 1808	NT <u>-0526</u> 1834
	LD <u>1131</u>	MP <u>-15</u> End Civ. Twi. 1753 LMT	MP <u>-15</u> End Naut. Twi. 1819 LMT
Local Mean Time	M.P. 1145	Rise 0600	Set 1731
ZC (adjustment)	+20	+20	+20
Zone time	1205	0620	1751
		BCT 0537	ECT 1753
			BNT 0511
			ENT 1819

### EXAMPLE 2

Date: 3 Feb., Latitude: S59, Longitude: W55, Event Times: Universal

Table 1: MP= +14, DEC= S16.5

Table 2: (SAME), AL=47.5\*deg., LD= 1612\*, R/S= 0354\*, CT= 0300\*, NT=0136\*

Table 3: (Universal Time adjustment) UT= 0340

	1200	CT 0300*	NT 0136*
Merid. Pass.	MP <u>+14</u> 1214 LMT	MP <u>+14</u> Beg. Civ. Twi. 0314 LMT	MP <u>+14</u> Beg. Naut. Twi. 0150 LMT
	R/S 0354*	(24 hours) 2360	(24 hours) 2360
Sunrise	MP <u>+14</u> 0408 LMT	CT <u>-0300*</u> 2100	NT <u>-0136*</u> 2224
	LD <u>1612*</u>	MP <u>+14</u> End Civ. Twi. 2114 LMT	MP <u>+14</u> End Naut. Twi. 2238 LMT
Local Mean Time	M.P. 1214	Rise 0408	Set 2020
UT (adjustment)	+0340	+0340	+0340
U.T., 3 Feb.	1554	0748	2400
		BCT 0314	ECT 2114
			BNT 0150
			ENT 2238
U.T., 4 Feb.			-2400
			0054
			-2400
			0218

\* Interpolated from Table 2 by inspection with DEC= 16.5.

**Instructions for calculation of the Sun's altitude, azimuth and illuminance:**

1. Obtain and record the geographic coordinates to the nearest degree of latitude and longitude for the location of interest. Label the latitude with N or S according to whether the location is in the northern or southern hemisphere. Label the longitude E or W according to whether the location is East or West of the prime meridian.
2. Enter Table 3 (page 69). Identify the column and row containing the longitude, under the heading Lo. If the time of day is given in Zone (Standard) Time, proceed at Step 3. If the time of day is given in Universal Time, take from Table 3 the UT adjustment found in the same column at the same row as the longitude.
  - 2a. If the longitude is West of the prime meridian, subtract the UT adjustment from the given time of day. Continue at step 4.
  - 2b. If the longitude is East of the prime meridian, add the UT adjustment to the given time of day. Continue at step 4.
3. To convert Zone Time, find the ZC adjustment in the last column of Table 3 on the same row as the longitude.
  - 3a. If the longitude is West of the nearest standard meridian, subtract the ZC adjustment from the given time of day. Continue at step 4.
  - 3b. If the longitude is East of the nearest standard meridian, add the ZC adjustment to the given time of day.
4. Enter Table 1 (page 50) with the month (column) and day of the month (row). Take out the MP increment and write it under the Local Mean Time found by step 2 or step 3 but with its sign changed (plus to minus or minus to plus), unless the value of MP is zero. Perform the indicated operation of combining MP with LMT to produce the reference times for the altitude, azimuth diagram. Also take the declination of the Sun (DEC) from Table 1.
5. Determine which multiple of five degrees, North or South, is nearest to the given latitude and open the diagram pages (page 70) at that latitude. To prevent deterioration through repeated use, working copies of the page should be made so that notes and azimuth (bearing) lines can be placed on the copies.
6. Near the edge of the diagram locate the Sun's declination curve which corresponds most nearly to the value of DEC taken from Table 1. Follow the declination curve to the time line which corresponds most nearly to the reference time found by step 4. Mark the intersection of the reference time line and the declination curve on the diagram.

7. Locate the origin for the given latitude on the diagram. If the given latitude is one or two degrees South of the latitude for which the diagram is drawn, the offset origin will be found at the first or second line segment below the East-West line. If the given latitude is one or two degrees North of the diagram latitude, the offset origin will be at the first or second line segment above the East-West line.
8. Place a ruler or straightedge on the diagram in such a way as to connect the latitude origin and the Sun's position determined in step 6. The straightedge or ruler should then intersect the graduated outer circle of the diagram where the azimuth is read immediately.
9. Mark the straightedge or ruler where it meets the origin for the given latitude and where it meets the Sun's indicated position (step 6). Place the straightedge parallel to the altitude scale at the bottom of the diagram so that one of the marks coincides with the point designated 90. The other mark then gives the point on the scale at which the Sun's altitude is read. Dividers may also be used to find the altitude.
10. Referring to the Solar Illuminance Diagram (page 103), locate the Sun's altitude, found above, on the horizontal scale. The appropriate illuminance curve is selected by estimating the cloud cover according to the criteria given in Section 1. The illuminance is then read from the vertical scale of the diagram.

Two examples are given to illustrate the use of an altitude, azimuth diagram, both for the location 37 deg. North and 122 deg. West, under clear skies.

*Example 3: To find the azimuth, altitude and solar illuminance on 15 March at 0927 (Pacific) Standard Time.*

*Example 4: To find the azimuth, altitude and solar illuminance on 6 October at 0121 Universal Time.*

The calculations and results are summarized on the next page, which also shows the corresponding diagram with azimuth lines drawn. Example 3 is a straightforward application of the instructions. In plotting the position of the Sun for Example 4 however, the declination and reference time indicate a point midway between grid lines, and visual interpolation was used to locate the point. Also, it should be noted that, for the given longitude, the conversion from Universal to Local Mean Time necessitates a change to the date.

### EXAMPLE 3

Date: 15 Mar., Lat: N37, Long: W122

Sky: clear

Table 3: (Zone Time) ZC= 08

Table 1: MP= +09; DEC= S 2

Zone Time 0927

ZC (adjustment) -08

LMT 0919

MP (opposite sign) -09

Reference time 0910 (for diagram)

Diagram: Azimuth = 124 deg.

Altitude = +34 deg.

Graph: (F1) Illuminance = 60,000 lux

### EXAMPLE 4

Date: 6 Oct., Lat: N37, Long: W122

Sky: clear

Table 3: (Universal Time) UT= 0808

Table 1: MP= -12, DEC= S 5

Universal Time 0121

UT (adjustment) -0808

5 Oct., LMT 1713

MP (opposite sign) +12

Reference time 1725 (for diagram)

Diagram: Azimuth = 260 deg.

Altitude = + 4 deg.

Graph: (F1) Illuminance = 4000 lux




Table 1 -- Sun Meridian Passage Increment and Declination

DAY	Jan.		Feb.		Mar.		Apr.		May		June	
	MP DEC		MP DEC		MP DEC		MP DEC		MP DEC		MP DEC	
	m	o	m	o	m	o	m	o	m	o	m	o
1	+03	S23.0	+13	S17.0	+12	S 7.5	+04	N 4.5	-03	N15.0	-02	N22.0
2	+04	S23.0	+14	S17.0	+12	S 7.0	+04	N 5.0	-03	N15.5	-02	N22.0
3	+04	S23.0	+14	S16.5	+12	S 6.5	+03	N 5.5	-03	N15.5	-02	N22.5
4	+05	S22.5	+14	S16.0	+12	S 6.5	+03	N 6.0	-03	N16.0	-02	N22.5
5	+05	S22.5	+14	S16.0	+11	S 6.0	+03	N 6.0	-03	N16.5	-01	N22.5
6	+06	S22.5	+14	S15.5	+11	S 5.5	+02	N 6.5	-03	N16.5	-01	N22.5
7	+06	S22.5	+14	S15.5	+11	S 5.0	+02	N 7.0	-03	N17.0	-01	N22.5
8	+07	S22.0	+14	S15.0	+11	S 5.0	+02	N 7.5	-03	N17.0	-01	N23.0
9	+07	S22.0	+14	S14.5	+10	S 4.5	+02	N 7.5	-03	N17.5	-01	N23.0
10	+07	S22.0	+14	S14.5	+10	S 4.0	+01	N 8.0	-04	N17.5	-01	N23.0
11	+08	S22.0	+14	S14.0	+10	S 3.5	+01	N 8.5	-04	N18.0	00	N23.0
12	+08	S21.5	+14	S13.5	+10	S 3.0	+01	N 8.5	-04	N18.0	00	N23.0
13	+09	S21.5	+14	S13.5	+09	S 3.0	+01	N 9.0	-04	N18.5	00	N23.0
14	+09	S21.5	+14	S13.0	+09	S 2.5	00	N 9.5	-04	N18.5	00	N23.0
15	+09	S21.0	+14	S12.5	+09	S 2.0	00	N10.0	-04	N19.0	+01	N23.5
16	+10	S21.0	+14	S12.5	+09	S 1.5	00	N10.0	-04	N19.0	+01	N23.5
17	+10	S20.5	+14	S12.0	+08	S 1.5	00	N10.5	-04	N19.5	+01	N23.5
18	+10	S20.5	+14	S11.5	+08	S 1.0	-01	N11.0	-03	N19.5	+01	N23.5
19	+11	S20.5	+14	S11.5	+08	S 0.5	-01	N11.0	-03	N20.0	+01	N23.5
20	+11	S20.0	+14	S11.0	+07	0.0	-01	N11.5	-03	N20.0	+02	N23.5
21	+11	S20.0	+14	S10.5	+07	N 0.5	-01	N12.0	-03	N20.0	+02	N23.5
22	+11	S19.5	+13	S10.0	+07	N 0.5	-01	N12.5	-03	N20.5	+02	N23.5
23	+12	S19.5	+13	S10.0	+07	N 1.0	-02	N12.5	-03	N20.5	+02	N23.5
24	+12	S19.0	+13	S 9.5	+06	N 1.5	-02	N13.0	-03	N21.0	+02	N23.5
25	+12	S19.0	+13	S 9.0	+06	N 2.0	-02	N13.0	-03	N21.0	+03	N23.5
26	+12	S18.5	+13	S 8.5	+06	N 2.5	-02	N13.5	-03	N21.0	+03	N23.5
27	+13	S18.5	+13	S 8.5	+05	N 2.5	-02	N14.0	-03	N21.5	+03	N23.5
28	+13	S18.0	+12	S 8.0	+05	N 3.0	-02	N14.0	-03	N21.5	+03	N23.0
29	+13	S18.0	+12	S 7.5	+05	N 3.5	-03	N14.5	-03	N21.5	+03	N23.0
30	+13	S17.5			+04	N 4.0	-03	N15.0	-02	N22.0	+04	N23.0
31	+13	S17.5			+04	N 4.0			-02	N22.0		




Table 1 -- Sun Meridian Passage Increment and Declination

DAY	July		Aug.		Sep.		Oct.		Nov.		Dec.	
	MP	DEC										
	m	o	m	o	m	o	m	o	m	o	m	o
1	+04	N23.0	+06	N18.0	00	N 8.0	-10	S 3.5	-16	S14.5	-11	S22.0
2	+04	N23.0	+06	N17.5	00	N 8.0	-11	S 3.5	-16	S15.0	-10	S22.0
3	+04	N23.0	+06	N17.5	-01	N 7.5	-11	S 4.0	-16	S15.0	-10	S22.0
4	+04	N23.0	+06	N17.0	-01	N 7.0	-11	S 4.5	-16	S15.5	-10	S22.0
5	+05	N22.5	+06	N17.0	-01	N 6.5	-12	S 5.0	-16	S15.5	-09	S22.5
6	+05	N22.5	+06	N16.5	-02	N 6.5	-12	S 5.0	-16	S16.0	-09	S22.5
7	+05	N22.5	+06	N16.5	-02	N 6.0	-12	S 5.5	-16	S16.5	-08	S22.5
8	+05	N22.5	+06	N16.0	-02	N 5.5	-12	S 6.0	-16	S16.5	-08	S22.5
9	+05	N22.5	+05	N16.0	-03	N 5.0	-13	S 6.5	-16	S17.0	-08	S23.0
10	+05	N22.0	+05	N15.5	-03	N 5.0	-13	S 6.5	-16	S17.0	-07	S23.0
11	+05	N22.0	+05	N15.0	-03	N 4.5	-13	S 7.0	-16	S17.5	-07	S23.0
12	+06	N22.0	+05	N15.0	-04	N 4.0	-13	S 7.5	-16	S17.5	-06	S23.0
13	+06	N22.0	+05	N14.5	-04	N 3.5	-14	S 8.0	-16	S18.0	-06	S23.0
14	+06	N21.5	+05	N14.5	-04	N 3.5	-14	S 8.0	-15	S18.5	-05	S23.0
15	+06	N21.5	+04	N14.0	-05	N 3.0	-14	S 8.5	-15	S18.5	-05	S23.0
16	+06	N21.5	+04	N13.5	-05	N 2.5	-14	S 9.0	-15	S19.0	-04	S23.5
17	+06	N21.0	+04	N13.5	-06	N 2.0	-15	S 9.5	-15	S19.0	-04	S23.5
18	+06	N21.0	+04	N13.0	-06	N 2.0	-15	S 9.5	-15	S19.0	-03	S23.5
19	+06	N21.0	+04	N12.5	-06	N 1.5	-15	S10.0	-14	S19.5	-03	S23.5
20	+06	N20.5	+03	N12.5	-07	N 1.0	-15	S10.5	-14	S19.5	-02	S23.5
21	+06	N20.5	+03	N12.0	-07	N 0.5	-15	S11.0	-14	S20.0	-02	S23.5
22	+06	N20.0	+03	N11.5	-07	0.0	-15	S11.0	-14	S20.0	-01	S23.5
23	+06	N20.0	+03	N11.5	-08	0.0	-16	S11.5	-13	S20.5	-01	S23.5
24	+06	N20.0	+02	N11.0	-08	S 0.5	-16	S12.0	-13	S20.5	00	S23.5
25	+06	N19.5	+02	N10.5	-08	S 1.0	-16	S12.0	-13	S21.0	00	S23.5
26	+06	N19.5	+02	N10.5	-09	S 1.5	-16	S12.5	-13	S21.0	+01	S23.5
27	+06	N19.0	+01	N10.0	-09	S 1.5	-16	S13.0	-12	S21.0	+01	S23.5
28	+06	N19.0	+01	N 9.5	-09	S 2.0	-16	S13.0	-12	S21.5	+02	S23.0
29	+06	N18.5	+01	N 9.5	-10	S 2.5	-16	S13.5	-12	S21.5	+02	S23.0
30	+06	N18.5	+01	N 9.0	-10	S 3.0	-16	S14.0	-11	S21.5	+03	S23.0
31	+06	N18.0	00	N 8.5			-16	S14.0			+03	S23.0




Table 2

Latitude and Declination SAME										Latitude and Declination OPPOSITE															
DEC	LAT. 2					LAT. 1					LAT. 0					LAT. 1									
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT					
0	o	h m	h m h m h m	h m h m h m	h m h m h m	88	1207	557	536	512	89	1207	557	536	512	89	1207	557	536	512	88	1207	557	536	512
1	89	1207	557	536	512	90	1207	557	536	512	89	1207	557	536	512	88	1207	557	536	512	87	1206	557	536	512
2	90	1207	556	536	512	89	1207	557	536	512	88	1207	557	536	512	87	1206	557	536	512	86	1206	557	536	512
3	89	1208	556	536	511	88	1207	556	536	512	87	1207	557	536	512	86	1206	557	536	512	85	1206	557	536	512
4	88	1208	556	535	511	87	1207	556	536	512	86	1207	557	536	512	85	1206	557	536	512	84	1206	557	536	512
5	87	1208	556	535	511	86	1207	556	536	511	85	1207	557	536	512	84	1206	557	536	512	83	1205	557	537	512
6	86	1208	556	535	511	85	1208	556	535	511	84	1207	557	536	512	83	1206	557	536	512	82	1205	557	537	513
7	85	1209	556	535	511	84	1208	556	535	511	83	1207	557	536	512	82	1206	557	536	512	81	1205	558	537	513
8	84	1209	556	535	510	83	1208	556	535	511	82	1207	557	536	512	81	1206	557	536	512	80	1204	558	537	513
9	83	1209	555	534	510	82	1208	556	535	511	81	1207	557	536	511	80	1205	557	536	512	79	1204	558	537	513
10	82	1210	555	534	510	81	1208	556	535	511	80	1207	557	536	511	79	1205	557	536	512	78	1204	558	537	513
11	81	1210	555	534	509	80	1208	556	535	510	79	1207	557	536	511	78	1205	557	536	512	77	1204	558	537	513
12	80	1210	555	534	509	79	1209	556	535	510	78	1207	557	535	511	77	1205	557	536	512	76	1203	558	537	513
13	79	1211	555	533	509	78	1209	556	534	510	77	1207	557	535	511	76	1205	558	536	512	75	1203	558	537	513
14	78	1211	555	533	508	77	1209	556	534	509	76	1207	557	535	511	75	1205	558	536	512	74	1203	559	537	513
15	77	1211	554	533	508	76	1209	555	534	509	75	1207	557	535	510	74	1205	558	536	511	73	1203	559	537	512
16	76	1212	554	533	508	75	1209	555	534	509	74	1207	557	535	510	73	1205	558	536	511	72	1202	559	537	512
17	75	1212	554	532	507	74	1209	555	534	509	73	1207	557	535	510	72	1205	558	536	511	71	1202	559	537	512
18	74	1212	554	532	507	73	1210	555	533	508	72	1207	556	535	509	71	1204	558	536	511	70	1202	559	537	512
19	73	1213	554	532	506	72	1210	555	533	508	71	1207	556	535	509	70	1204	558	536	511	69	1202	559	537	512
20	72	1213	554	532	506	71	1210	555	533	507	70	1207	556	534	509	69	1204	558	536	510	68	1201	559	537	512
21	71	1213	553	531	505	70	1210	555	533	507	69	1207	556	534	509	68	1204	558	536	510	67	1201	559	537	512
22	70	1214	553	531	505	69	1210	555	532	506	68	1207	556	534	508	67	1204	558	536	510	66	1201	600	537	511
23	69	1214	553	530	504	68	1211	555	532	506	67	1207	556	534	508	66	1204	558	536	510	65	1200	600	537	511
23.5	69	1214	553	530	504	68	1211	555	532	506	67	1207	556	534	508	66	1204	558	536	509	65	1200	600	537	511

Table 2, Latitude and Declination SAME

DEC	LAT. 3					LAT. 4					LAT. 5					LAT. 6					LAT. 7				
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m h m h m	h m h m h m	87	1207	557	536	512	86	1207	557	536	512	85	1207	557	536	512	84	1207	557	536	512
1	88	1207	556	536	512	87	1207	556	536	512	88	1208	556	535	511	86	1208	556	535	511	85	1208	556	535	511
2	89	1208	556	536	511	88	1208	556	535	511	89	1208	556	535	511	88	1209	556	535	510	86	1209	556	535	511
3	90	1208	556	535	511	90	1209	556	535	511	90	1209	555	534	510	89	1210	555	534	510	86	1210	555	534	510
4	89	1208	556	535	511	88	1209	556	535	511	88	1210	555	534	510	88	1211	555	534	509	87	1211	555	534	509
5	88	1209	556	535	511	89	1210	555	534	510	90	1210	555	534	510	89	1211	555	534	509	88	1212	554	533	509
6	87	1209	555	535	510	88	1210	555	534	510	89	1211	555	534	509	90	1212	554	533	509	89	1213	554	533	508
7	86	1210	555	534	510	87	1211	555	534	509	88	1212	554	533	509	89	1213	554	533	508	90	1214	553	532	508
8	85	1210	555	534	510	86	1211	554	533	509	87	1212	554	533	508	88	1214	553	532	508	89	1215	553	532	507
9	84	1211	555	534	509	85	1212	554	533	509	86	1213	553	532	508	87	1214	553	532	507	88	1216	552	531	506
10	83	1211	554	533	509	84	1212	554	533	508	85	1214	553	532	507	86	1215	552	531	507	87	1217	552	530	506
11	82	1211	554	533	509	83	1213	553	532	508	84	1215	553	532	507	85	1216	552	531	506	86	1218	551	530	505
12	81	1212	554	533	508	82	1214	553	532	507	83	1215	552	531	506	84	1217	551	530	505	85	1219	551	529	504
13	80	1212	554	533	508	81	1214	553	532	507	82	1216	552	531	506	83	1218	551	530	505	84	1220	550	529	504
14	79	1213	554	532	507	80	1215	553	531	506	81	1217	552	530	505	82	1219	551	529	504	83	1221	550	528	503
15	78	1213	553	532	507	79	1216	552	531	506	80	1218	551	530	505	81	1220	550	529	503	82	1222	549	527	502
16	77	1214	553	532	506	78	1216	552	530	505	79	1218	551	529	504	80	1221	550	528	503	81	1223	548	527	501
17	76	1214	553	531	506	77	1217	552	530	505	78	1219	550	529	503	79	1222	549	527	502	80	1224	548	526	501
18	75	1215	553	531	505	76	1217	551	529	504	77	1220	550	528	503	78	1223	549	527	501	79	1225	547	525	500
19	74	1215	552	530	505	75	1218	551	529	503	76	1221	550	528	502	77	1224	548	526	500	78	1226	547	525	459
20	73	1216	552	530	504	74	1219	551	529	503	75	1222	549	527	501	76	1225	548	525	500	77	1228	546	524	458
21	72	1216	552	530	504	73	1219	550	528	502	74	1223	549	526	500	75	1226	547	525	459	76	1229	546	523	457
22	71	1217	552	529	503	72	1220	550	528	501	73	1223	548	526	500	74	1227	547	524	458	75	1230	545	522	456
23	70	1217	551	529	502	71	1221	550	527	501	72	1224	548	525	459	73	1228	546	523	457	74	1231	544	522	455
23.5	70	1218	551	529	502	71	1221	549	527	500	72	1225	548	525	458	73	1228	546	523	456	74	1232	544	521	455

Latitude and Declination OPPOSITE

DEC	LAT. 3					LAT. 4					LAT. 5					LAT. 6					LAT. 7				
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m h m h m	h m h m h m	87	1207	557	536	512	86	1207	557	536	512	85	1206	557	536	512	84	1206	557	536	512
1	86	1206	557	536	512	85	1206	557	536	512	84	1206	557	536	512	83	1205	557	537	512	82	1205	558	537	513
2	85	1206	557	536	512	84	1206	557	536	512	83	1205	557	537	512	82	1205	557	537	513	81	1205	558	537	513
3	84	1205	557	537	513	83	1205	557	537	513	82	1205	558	537	513	81	1204	558	537	513	80	1204	558	537	513
4	83	1205	557	537	513	82	1204	558	537	513	81	1204	558	537	513	80	1203	558	538	513	79	1203	559	538	514
5	82	1205	558	537	513	81	1204	558	537	513	80	1203	558	538	513	79	1203	559	538	514	78	1202	559	538	514
6	81	1204	558	537	513	80	1203	558	538	513	79	1203	559	538	514	78	1202	559	538	514	77	1201	600	539	514
7	80	1204	558	537	513	79	1203	559	538	514	78	1202	559	538	514	77	1201	600	539	514	76	1200	600	539	515
8	79	1203	558	537	513	78	1202	559	538	514	77	1201	559	539	514	76	1200	600	539	515	75	1159	601	540	515
9	78	1203	559	538	513	77	1202	559	538	514	76	1200	600	539	514	75	1159	600	539	515	74	1158	601	540	516
10	77	1203	559	538	513	76	1201	559	538	514	75	1200	600	539	515	74	1158	601	540	515	73	1157	602	540	516
11	76	1202	559	538	513	75	1201	600	539	514	74	1159	600	539	515	73	1157	601	540	516	72	1156	602	541	516
12	75	1202	559	538	513	74	1200	600	539	514	73	1158	601	540	515	72	1157	602	540	516	71	1155	603	541	517
13	74	1201	559	538	513	73	1159	600	539	514	72	1158	601	540	515	71	1156	602	541	516	70	1154	603	542	517
14	73	1201	600	538	514	72	1159	601	539	514	71	1157	602	540	515	70	1155	603	541	516	69	1153	604	542	517
15	72	1200	600	538	514	71	1158	601	539	515	70	1156	602	540	516	69	1154	603	541	517	68	1152	604	543	518
16	71	1200	600	538	513	70	1158	601	540	515	69	1155	602	541	516	68	1153	603	542	517	67	1151	605	543	518
17	70	1200	600	539	513	69	1157	601	540	515	68	1155	603	541	516	67	1152	604	542	517	66	1150	605	543	518
18	69	1159	600	539	513	68	1157	602	540	515	67	1154	603	541	516	66	1151	604	542	517	65	1149	606	544	518
19	68	1159	601	539	513	67	1156	602	540	515	66	1153	603	541	516	65	1151	605	543	517	64	1148	606	544	519
20	67	1158	601	539	513	66	1155	602	540	515	65	1153	604	542	516	64	1150	605	543	518	63	1147	607	545	519
21	66	1158	601	539	513	65	1155	603	540	515	64	1152	604	542	516	63	1149	606	543	518	62	1146	607	545	519
22																									

**Table 2, Latitude and Declination SAME**

DEC	LAT. 8					LAT. 9					LAT. 10					LAT. 11					LAT. 12							
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT			
0	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m		
1	82 1207	557 536 512	81 1207	557 536 511	80 1207	557 536 511	79 1207	557 536 511	78 1207	557 535 511	78 1207	557 535 511	78 1209	556 535 510	79 1209	556 535 510	78 1209	557 535 511	78 1209	557 535 511	78 1209	557 535 511	78 1209	557 535 511	78 1209	557 535 511	78 1209	557 535 511
2	83 1208	556 535 511	82 1208	556 535 511	81 1208	556 535 511	80 1208	556 535 511	80 1208	556 535 510	80 1208	556 535 510	80 1210	555 534 509	81 1210	555 534 509	80 1210	555 534 509	80 1210	555 534 509	80 1210	555 534 509	80 1210	555 534 509	80 1210	555 534 509	80 1210	555 534 509
3	84 1209	556 535 510	83 1209	555 534 510	82 1209	555 534 509	81 1209	555 534 509	80 1209	555 534 509	80 1211	554 533 509	81 1211	554 533 509	80 1211	554 533 509	80 1211	554 533 509	80 1211	554 533 509	80 1211	554 533 509	80 1211	554 533 509	80 1211	554 533 509	80 1211	554 533 509
4	85 1210	555 534 510	84 1211	555 534 509	83 1211	555 534 509	82 1211	554 533 509	81 1211	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508
5	86 1211	554 533 509	85 1212	554 533 509	84 1212	554 533 509	83 1212	554 533 509	82 1212	554 533 509	81 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508	80 1212	554 533 508
6	87 1212	554 533 508	86 1213	553 532 508	85 1213	553 532 508	84 1213	553 532 508	83 1213	553 532 507	82 1213	553 532 507	81 1213	553 532 507	80 1213	553 532 507	80 1213	553 532 507	80 1213	553 532 507	80 1213	553 532 507	80 1213	553 532 507	80 1213	553 532 507	80 1213	553 532 507
7	88 1214	553 532 508	87 1214	553 532 507	86 1214	553 532 507	85 1214	553 532 507	84 1214	553 532 507	83 1214	552 531 506	82 1214	552 531 506	81 1214	552 531 506	80 1214	552 531 506	80 1214	552 531 506	80 1214	552 531 506	80 1214	552 531 506	80 1214	552 531 506	80 1214	552 531 506
8	89 1215	553 532 507	88 1216	552 531 506	87 1216	552 531 506	86 1216	552 531 506	85 1216	552 531 506	84 1216	551 530 505	83 1216	551 530 505	82 1216	551 530 505	81 1216	550 529 504	80 1216	550 529 504	80 1216	550 529 504	80 1216	550 529 504	80 1216	550 529 504	80 1216	550 529 504
9	90 1216	552 531 506	89 1217	551 530 506	88 1217	551 530 506	87 1217	551 530 506	86 1217	551 530 505	85 1217	550 529 504	84 1217	550 529 504	83 1217	550 528 503	82 1217	550 528 503	81 1217	550 528 503	80 1217	550 528 503	80 1217	550 528 503	80 1217	550 528 503		
10	91 1217	551 530 506	90 1218	551 530 505	89 1218	550 529 505	88 1218	550 529 504	87 1218	550 529 504	86 1218	550 529 504	85 1218	549 528 503	84 1218	549 528 503	83 1218	549 527 502	82 1218	549 526 501	81 1218	549 526 501	80 1218	549 526 501	80 1218	549 526 501		
11	87 1219	550 529 504	88 1220	550 528 503	87 1220	549 527 502	86 1220	548 526 501	85 1220	547 525 500	84 1220	546 525 499	83 1220	545 525 499	82 1220	545 524 498	81 1220	545 524 498	80 1220	545 524 498	79 1220	545 524 498	78 1220	545 524 498	77 1220	545 524 498		
12	86 1221	550 528 503	87 1222	549 527 502	86 1222	548 526 501	85 1222	547 525 500	84 1222	546 524 499	83 1222	545 524 499	82 1222	544 523 498	81 1222	543 523 498	80 1222	542 523 498	79 1222	542 523 498	78 1222	542 523 498	77 1222	542 523 498	76 1222	542 523 498		
13	85 1222	549 528 503	86 1224	548 527 501	85 1224	547 526 500	84 1224	546 525 499	83 1224	545 525 499	82 1224	544 524 498	81 1224	543 524 498	80 1224	542 524 498	79 1224	541 524 498	78 1224	541 524 498	77 1224	541 524 498	76 1224	541 524 498	75 1224	541 524 498		
14	84 1223	548 527 502	85 1225	547 526 501	84 1225	546 526 501	83 1225	545 525 501	82 1225	544 525 501	81 1225	543 525 501	80 1225	542 525 501	79 1225	541 525 501	78 1225	540 525 501	77 1225	540 525 501	76 1225	540 525 501	75 1225	540 525 501	74 1225	540 525 501		
15	83 1224	548 526 501	84 1226	547 525 500	83 1226	546 525 500	82 1226	545 525 500	81 1226	544 525 500	80 1226	543 525 499	79 1226	542 525 499	78 1226	541 525 499	77 1226	540 525 499	76 1226	539 525 499	75 1226	538 525 499	74 1226	537 525 499	73 1226	536 525 499		
16	82 1225	547 525 500	83 1228	546 524 499	82 1228	545 524 499	81 1228	544 524 498	80 1228	543 524 498	79 1228	542 524 498	78 1228	541 524 498	77 1228	540 524 498	76 1228	539 524 498	75 1228	538 524 498	74 1228	537 524 498	73 1228	536 524 498	72 1228	535 524 498		
17	81 1227	547 525 499	82 1229	546 524 498	81 1229	545 524 498	80 1229	544 524 498	79 1229	543 524 498	78 1229	542 524 498	77 1229	541 524 498	76 1229	540 524 498	75 1229	539 524 498	74 1229	538 524 498	73 1229	537 524 498	72 1229	536 524 498	71 1229	535 524 498		
18	80 1228	546 524 498	81 1231	545 523 497	80 1231	545 523 497	79 1231	544 523 497	78 1231	543 523 497	77 1231	542 523 497	76 1231	541 523 497	75 1231	540 523 497	74 1231	539 523 497	73 1231	538 523 497	72 1231	537 523 497	71 1231	536 523 497	70 1231	535 523 497		
19	79 1229	545 523 497	80 1232	544 522 497	79 1232	543 522 497	78 1232	542 522 497	77 1232	541 522 497	76 1232	540 522 497	75 1232	539 522 497	74 1232	538 522 497	73 1232	537 522 497	72 1232	536 522 497	71 1232	535 522 497	70 1232	534 522 497	69 1232	533 522 497		
20	78 1231	545 522 496	79 1234	543 521 495	78 1234	542 521 495	77 1234	541 521 495	76 1234	540 521 495	75 1234	539 521 495	74 1234	538 521 495	73 1234	537 521 495	72 1234	536 521 495	71 1234	535 521 495	70 1234	534 521 495	69 1234	533 521 495	68 1234	532 521 495		
21	77 1232	544 522 495	78 1235	542 521 495	77 1235	541 520 495	76 1235	540 520 495	75 1235	539 520 495	74 1235	538 520 495	73 1235	537 520 495	72 1235	536 520 495	71 1235	535 520 495	70 1235	534 520 495	69 1235	533 520 495	68 1235	532 520 495	67 1235	531 520 495		
22	76 1233	543 521 494	77 1237	542 519 494	76 1237	541 519 494	75 1237	540 519 494	74 1237	539 519 494	73 1237	538 519 494	72 1237	537 519 494	71 1237	536 519 494	70 1237	535 519 494	69 1237	534 519 494	68 1237	533 519 494	67 1237	532 519 494	66 1237	531 519 494		
23	75 1235	543 520 493	76 1238	541 518 493	75 1238	540 518 493	74 1238	539 518 493	73 1238	538 518 493	72 1238	537 518 493	71 1238	536 518 493	70 1238	535 518 493	69 1238	534 518 493	68 1238	533 518 493	67 1238	532 518 493	66 1238	531 518 493	65 1238	530 518 493		
23.5	75 1235	542 519 493	76 1239	541 518 491	75 1239	540 518 491	74 1239	539 518 491	73 1239	538 518 491	72 1239	537 518 491	71 1239	536 518 491	70 1239	535 518 491	69 1239	534 518 491	68 1239	533 518 491	67 1239	532 518 491	66 1239	531 518 491	65 1239	530 518 491		

**Latitude and Declination OPPOSITE**

DEC	LAT. 8					LAT. 9					LAT.10					LAT.11					LAT.12					
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	
0	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m
1	82 1207	557 536 512	81 1207	557 536 511	80 1207	557 536 511	79 1207	557 536 512	78 1207	557 536 512	77 1207	557														

Table 2, Latitude and Declination SAME

		LAT.13					LAT.14					LAT.15					LAT.16					LAT.17				
DEC		AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	o	h m	h m h m h m	h m h m h m	h m h m h m	77	1207	557	535	511	76	1207	557	535	511	75	1207	557	535	510	74	1207	557	535	510
1	0	77	1207	557	535	511	76	1207	557	535	511	75	1207	557	535	510	74	1207	557	535	510	73	1207	557	535	510
2	1	78	1209	556	534	510	77	1209	556	534	509	78	1209	556	534	509	76	1209	555	534	509	75	1209	555	534	509
3	2	79	1211	555	533	509	78	1211	555	533	508	79	1211	554	533	508	76	1212	554	533	508	75	1212	554	532	507
4	3	80	1212	554	533	508	79	1213	554	532	507	78	1213	553	532	507	77	1214	553	532	506	76	1214	553	531	506
5	4	81	1214	553	532	507	80	1215	553	531	506	79	1216	552	531	506	78	1216	552	530	505	77	1217	552	530	505
6	5	82	1216	552	531	506	81	1217	552	530	505	80	1218	551	530	505	79	1218	551	529	504	78	1219	550	529	503
7	6	83	1218	551	530	505	82	1219	551	529	504	81	1220	550	529	503	80	1221	550	528	503	79	1222	549	527	502
8	7	84	1220	550	529	504	83	1221	550	528	503	82	1222	549	527	502	81	1223	548	527	501	80	1224	548	526	501
9	8	85	1222	549	528	503	84	1223	548	527	502	83	1224	548	526	501	82	1225	547	525	500	81	1227	547	525	499
10	9	86	1224	548	527	501	85	1225	547	526	501	84	1226	547	525	500	83	1228	546	524	499	82	1229	545	523	498
11	10	87	1226	547	526	500	86	1227	546	525	499	85	1229	546	524	498	84	1230	545	523	497	83	1232	544	522	496
12	11	88	1228	546	525	499	87	1229	545	524	498	86	1231	545	523	497	85	1233	544	522	496	84	1234	543	521	495
13	12	89	1230	545	523	498	88	1231	544	522	497	87	1233	543	521	496	86	1235	542	520	494	85	1237	542	519	493
14	13	90	1231	544	522	497	89	1233	543	521	496	88	1235	542	520	494	87	1238	541	519	493	86	1240	540	518	492
15	14	89	1233	543	521	496	90	1236	542	520	494	89	1238	541	519	493	88	1240	540	518	492	87	1242	539	516	490
16	15	88	1235	542	520	494	89	1238	541	519	493	90	1240	540	518	491	89	1242	539	516	490	88	1245	538	515	488
17	16	87	1238	541	519	493	88	1240	540	518	492	89	1242	539	516	490	90	1245	538	515	487	89	1248	536	514	487
18	17	86	1240	540	518	492	87	1242	539	516	490	88	1245	538	515	488	89	1248	536	514	487	90	1250	535	512	485
19	18	85	1242	539	517	490	86	1244	538	515	489	87	1247	536	514	487	88	1250	535	512	485	89	1253	534	511	483
20	19	84	1244	538	515	489	85	1247	537	514	487	86	1250	535	512	485	87	1253	534	511	484	88	1256	532	509	482
21	20	83	1246	537	514	487	84	1249	535	513	486	85	1252	534	511	484	86	1255	532	509	482	87	1259	531	507	480
22	21	82	1248	536	513	486	83	1251	534	511	484	84	1255	533	509	482	85	1258	531	508	480	86	1301	529	506	478
23	22	81	1250	535	512	485	82	1254	533	510	482	83	1257	531	508	480	84	1301	530	506	478	85	1304	528	504	476
23.5	23	80	1252	534	510	483	81	1256	532	508	481	82	1300	530	507	479	83	1304	528	504	476	84	1307	526	502	474
	23.5	80	1254	533	510	482	81	1257	531	508	480	82	1301	529	506	478	83	1305	528	504	475	84	1309	526	502	473

Latitude and Declination OPPOSITE

		LAT.13					LAT.14					LAT.15					LAT.16					LAT.17				
DEC		AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	o	h m	h m h m h m	h m h m h m	h m h m h m	77	1207	557	535	511	76	1207	557	535	511	75	1207	557	535	510	74	1207	557	535	510
1	0	77	1207	557	535	511	76	1207	557	535	511	75	1207	557	535	510	74	1207	557	535	510	73	1207	557	535	510
2	1	76	1205	558	536	512	75	1205	558	536	512	74	1205	558	536	511	73	1205	558	536	511	72	1205	558	536	511
3	2	75	1203	558	537	513	74	1203	559	537	513	73	1203	559	537	512	72	1202	559	537	512	71	1202	559	537	512
4	3	74	1201	559	538	513	73	1201	600	538	514	72	1200	600	538	514	71	1200	600	538	513	70	1200	600	539	513
5	4	73	1159	600	539	514	72	1159	601	539	514	71	1158	601	539	515	70	1158	602	541	516	69	1155	602	541	516
6	5	72	1158	601	540	515	71	1157	602	540	515	70	1156	602	540	516	69	1154	603	541	517	68	1153	603	542	517
7	6	71	1156	602	541	516	70	1155	603	541	516	69	1154	603	541	517	68	1153	603	542	517	67	1152	604	542	517
8	7	70	1154	603	542	517	69	1153	604	542	517	68	1152	604	543	518	67	1151	605	543	518	66	1150	605	543	518
9	8	69	1152	604	543	518	68	1151	605	543	518	67	1150	605	544	519	66	1149	606	544	519	65	1147	606	545	519
10	9	68	1150	605	543	519	67	1149	606	544	519	66	1148	606	545	520	65	1146	607	545	520	64	1145	608	546	520
11	10	67	1148	606	544	519	66	1147	607	545	520	65	1145	607	546	521	64	1144	608	546	521	63	1142	609	547	522
12	11	66	1146	607	545	520	65	1145	608	546	521	64	1143	608	547	522	63	1142	609	547	522	62	1140	610	548	523
13	12	65	1144	608	546	521	64	1143	609	547	522	63	1141	610	548	522	62	1139	610	548	523	61	1137	611	549	524
14	13	64	1143	609	547	522	63	1141	610	548	523	62	1139	611	549	523	61	1137	612	550	524	60	1135	613	550	525
15	14	63	1141	610	548	523	62	1139	611	549	523	61	1136	612	550	524	60	1134	613	551	525	59	1132	614	552	526
16	15	62	1139	611	549	523	61	1136	612	550	524	60	1134	613	551	525	59	1132	614	552	526	58	1130	615	553	527
17	16	61	1137	612	550	524	60	1134	613	551	525	59	1132	614	552	526	58	1130	615	553	527	57	1127	616	554	528
18	17	60	1135	613	550	525	59	1132	614	552	526	58	1130	615	553	527	57	1127	616	554	528	56	1124	618	555	529
19	18	59	1133	614	55																					

Table 2, Latitude and Declination SAME

	LAT.18					LAT.19					LAT.20					LAT.21					LAT.22				
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m h m h m	h m h m h m	72	1207	556	535	509	71	1207	556	535	509	70	1207	556	534	509	69	1207	556	534	509
1	73	1210	555	533	508	72	1210	555	533	508	73	1213	554	532	506	71	1210	555	533	507	70	1210	555	532	506
2	74	1212	554	532	507	73	1215	553	531	505	74	1215	552	530	505	73	1216	552	530	504	71	1217	552	529	503
3	75	1215	553	531	505	75	1218	551	529	503	75	1219	551	529	503	73	1219	550	528	502	72	1220	550	528	501
4	76	1217	551	529	504	76	1221	550	528	502	75	1222	549	527	501	74	1223	549	526	500	73	1223	548	526	500
5	77	1220	550	528	503	76	1224	548	526	500	76	1225	548	525	500	75	1226	547	525	49	74	1227	547	524	458
6	78	1223	549	527	501	78	1226	547	525	459	77	1228	546	524	458	76	1229	546	523	457	75	1230	545	522	456
7	79	1225	547	525	500	79	1229	545	523	457	78	1231	545	522	456	77	1232	544	522	455	76	1233	543	521	454
8	80	1228	546	524	458	80	1232	544	522	456	79	1234	543	521	455	78	1235	542	520	453	77	1237	542	519	452
9	81	1231	545	523	457	81	1235	542	520	454	80	1237	542	519	453	79	1238	541	518	452	78	1240	540	517	450
10	82	1233	543	521	455	82	1238	541	519	452	81	1240	540	518	451	80	1242	539	516	450	79	1243	538	515	448
11	83	1236	542	520	454	83	1241	540	517	451	82	1243	539	516	449	81	1245	538	515	448	80	1247	537	514	447
12	84	1239	541	518	452	84	1244	538	515	449	83	1246	537	514	447	82	1248	536	513	446	81	1250	535	512	445
13	85	1242	539	517	450	85	1247	537	514	447	84	1249	535	513	446	83	1251	534	511	444	82	1254	533	510	442
14	86	1244	538	515	449	86	1250	535	512	445	85	1252	534	511	444	84	1255	533	509	442	83	1257	531	508	440
15	87	1247	536	514	447	87	1253	534	511	444	86	1255	532	509	442	85	1258	531	508	440	84	1301	530	506	438
16	88	1250	535	512	445	88	1256	532	509	442	87	1259	531	507	440	86	1301	529	506	438	85	1304	528	504	436
17	89	1253	534	511	443	89	1259	531	507	440	88	1302	529	506	438	87	1305	528	504	436	86	1308	526	502	434
18	90	1256	532	509	442	90	1302	529	506	438	89	1305	527	504	436	88	1308	526	502	434	87	1312	524	500	432
19	89	1259	531	507	440	90	1302	529	506	438	90	1309	526	502	434	89	1315	522	458	429	88	1319	520	456	427
20	88	1302	529	506	438	88	1305	527	504	436	89	1312	524	500	431	89	1316	522	458	429	89	1319	520	456	427
21	87	1305	528	504	436	88	1308	526	502	434	89	1312	524	500	431	90	1316	520	456	427	90	1323	518	454	424
22	86	1308	526	502	434	87	1312	524	500	432	88	1315	522	458	429	89	1319	520	456	427	89	1327	517	452	422
23	85	1311	524	500	432	86	1315	523	458	429	87	1319	521	456	427	88	1323	519	454	424	89	1329	516	451	421
23.5	85	1313	524	459	431	86	1317	522	457	428	87	1321	520	455	426	88	1325	518	453	423	89	1329	516	451	421

Latitude and Declination OPPOSITE

	LAT.18					LAT.19					LAT.20					LAT.21					LAT.22				
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m h m h m	h m h m h m	72	1207	556	535	509	71	1207	556	535	509	70	1207	556	534	509	69	1207	556	534	508
1	71	1204	558	536	511	70	1204	558	536	511	69	1204	558	536	510	68	1204	558	536	510	67	1204	558	536	510
2	70	1202	559	537	512	69	1202	559	537	512	68	1201	559	537	512	67	1201	559	537	512	66	1201	600	537	511
3	69	1159	600	539	513	68	1159	601	539	513	67	1158	601	539	513	66	1158	601	539	513	65	1157	601	539	513
4	68	1157	602	540	515	67	1156	602	540	515	66	1155	602	540	515	65	1155	603	540	515	64	1154	603	541	515
5	67	1154	603	541	516	66	1153	603	541	516	65	1153	604	542	516	64	1152	604	542	516	63	1151	604	542	516
6	66	1151	604	542	517	65	1151	605	543	517	64	1150	605	543	518	63	1149	606	543	518	62	1148	606	544	518
7	65	1149	606	544	518	64	1148	606	544	519	63	1147	607	545	519	62	1146	607	545	519	61	1145	608	545	519
8	64	1146	607	545	520	63	1145	608	545	520	62	1144	608	546	520	61	1142	609	546	521	60	1141	609	547	521
9	63	1144	608	546	521	62	1142	609	547	521	61	1141	610	547	522	60	1139	610	548	522	59	1138	611	549	522
10	62	1141	610	548	522	61	1139	610	548	523	60	1138	611	549	523	59	1136	612	549	524	58	1135	613	550	524
11	61	1138	611	549	523	60	1136	612	550	524	59	1135	613	550	524	58	1133	613	551	525	57	1131	614	552	526
12	60	1135	612	550	524	59	1134	613	551	525	58	1132	614	552	526	57	1130	615	552	526	56	1128	616	553	527
13	59	1133	614	551	526	58	1131	615	552	526	57	1129	616	553	527	56	1127	617	554	528	55	1125	618	555	529
14	58	1130	615	553	527	57	1128	616	554	528	56	1126	617	555	528	55	1123	618	555	529	54	1121	619	556	530
15	57	1127	616	554	528	56	1125	618	555	529	55	1123	619	556	530	54	1120	620	557	531	53	1118	621	558	532
16	56	1125	618	555	529	55	1122	619	556	530	54	1119	620	557	531	53	1117	622	559	532	52	1114	623	600	533
17	55	1122	619	556	530	54	1119	620	558	531	53	1116	622	559	532	52	1114	623	600	533	51	1111	625	601	535
18	54	1119	621	558	531	53	1116	622	559	533	52	1113	623	600	534	51	1110	625	602	535	50	1107	626	603	536
19	53	1116	622	559	533	52	1113	623	600	534	51	1110	625	602	535	50	1107	627	603	536	49	1104	628	605	537
20	52	1113	623	600	534	51	1110	625	602	535	50	1107	627	603	536	49	1103	628	605	538	48	1100	630	606	539
21	51	1110	625	602	535	50	1107	627	603	536	49	1103	628	605	538	48	1100	630	606	539	47	1056	632	608	540
22	50	1107	626																						

**Table 2, Latitude and Declination SAME**

DEC	LAT.23					LAT.24					LAT.25					LAT.26					LAT.27									
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT					
0	o	h m	h m h m h m	h m h m h m	h m h m h m	67	1207	556	534	508	66	1207	556	534	507	65	1207	556	534	507	64	1207	556	533	507	63	1207	556	533	506
1	68	1211	555	532	506	68	1211	555	532	506	67	1211	554	532	505	66	1211	554	531	504	65	1211	554	531	504	64	1212	554	531	504
2	69	1214	553	530	504	68	1214	553	530	504	69	1218	551	528	502	68	1219	551	528	501	67	1219	550	527	500	66	1220	550	527	500
3	70	1217	551	529	502	69	1218	551	528	502	70	1222	549	526	500	69	1222	549	526	459	68	1223	548	525	458	67	1224	548	525	457
4	71	1221	550	527	501	70	1222	549	526	500	71	1225	547	525	458	70	1226	547	524	457	69	1227	546	523	456	68	1228	546	523	455
5	72	1224	548	525	459	71	1225	547	525	458	72	1229	546	523	456	71	1230	545	522	455	70	1231	545	521	454	69	1232	544	520	453
6	73	1228	546	523	457	72	1229	546	523	456	73	1232	544	521	454	72	1234	543	520	453	71	1235	543	519	452	70	1236	542	518	451
7	74	1231	544	522	455	73	1232	544	521	454	74	1236	542	519	452	73	1238	541	518	451	72	1239	541	517	450	71	1240	540	516	448
8	75	1235	543	520	453	74	1236	542	519	452	75	1240	540	517	450	74	1241	539	516	449	73	1243	539	515	447	72	1245	538	514	446
9	76	1238	541	518	451	75	1240	540	517	450	76	1243	538	515	448	75	1245	537	514	447	74	1247	536	513	445	73	1249	536	512	444
10	77	1242	539	516	449	76	1243	538	515	448	77	1251	535	511	444	76	1249	535	512	444	75	1251	534	511	443	74	1253	533	510	441
11	78	1245	537	514	447	77	1247	536	513	446	78	1251	535	511	444	77	1253	533	510	442	76	1255	532	509	440	75	1257	531	507	439
12	79	1249	536	512	445	78	1251	535	511	444	79	1255	533	509	441	78	1257	531	508	440	77	1259	530	506	438	76	1302	529	505	436
13	80	1252	534	510	443	79	1255	533	509	441	80	1259	531	507	439	79	1301	529	506	437	78	1304	528	504	436	77	1306	527	503	434
14	81	1256	532	508	441	80	1259	531	507	439	81	1302	529	505	437	80	1305	527	503	435	79	1308	526	502	433	78	1311	525	500	431
15	82	1300	530	507	439	81	1302	529	505	437	82	1306	527	503	435	81	1309	525	501	433	80	1312	524	500	431	79	1315	522	458	428
16	83	1304	528	504	436	82	1306	527	503	435	83	1310	525	501	432	82	1313	523	459	430	81	1316	522	457	428	80	1320	520	455	426
17	84	1307	526	502	434	83	1310	525	501	432	84	1314	523	459	430	83	1318	521	457	428	82	1321	520	455	425	81	1324	518	453	423
18	85	1311	524	500	432	84	1314	523	459	430	85	1318	521	456	427	84	1322	519	454	425	83	1325	517	452	423	82	1329	516	450	420
19	86	1315	523	458	429	85	1318	521	456	427	86	1322	519	454	425	85	1325	517	452	423	84	1330	515	450	420	83	1334	513	448	417
20	87	1319	521	456	427	86	1322	519	454	425	85	1326	517	452	422	84	1330	515	450	420	83	1334	513	448	417	82	1338	511	445	414
21	88	1323	519	454	424	87	1327	517	452	422	86	1331	515	450	419	85	1334	513	447	417	86	1339	510	445	414	85	1343	508	442	411
22	89	1327	517	452	422	88	1331	515	449	419	87	1335	513	447	417	87	1344	508	442	411	86	1348	506	440	408	85	1351	505	438	406
23.5	90	1333	513	448	418	90	1337	511	446	415	89	1342	509	443	412	88	1346	507	441	409	87	1351	505	438	406					

**Latitude and Declination OPPOSITE**

DEC	LAT.23					LAT.24					LAT.25					LAT.26					LAT.27									
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT					
0	o	h m	h m h m h m	h m h m h m	h m h m h m	67	1207	556	534	508	66	1207	556	534	507	65	1207	556	534	507	64	1207	556	533	507	63	1207	556	533	506
1	66	1204	558	536	510	65	1204	558	536	509	64	1204	558	535	509	63	1204	558	535	508	62	1203	558	535	508	61	1159	600	537	510
2	65	1200	600	537	511	64	1200	600	537	511	63	1200	600	537	511	62	1200	600	537	510	61	1156	600	539	512	60	1155	602	539	512
3	64	1157	601	539	513	63	1157	602	539	513	62	1156	602	539	513	61	1156	602	539	512	60	1155	602	539	512	59	1151	604	541	514
4	63	1154	603	541	515	62	1153	603	541	515	61	1152	604	541	514	60	1152	604	541	514	59	1148	606	543	516	58	1147	606	543	516
5	62	1150	605	542	516	61	1149	605	543	516	60	1149	606	543	516	59	1145	608	545	518	58	1144	608	545	518	57	1143	609	545	518
6	61	1147	607	544	518	60	1146	607	544	518	59	1145	608	545	518	58	1141	609	546	520	57	1140	610	547	520	56	1139	611	547	520
7	60	1143	608	546	520	59	1142	609	546	520	58	1141	609	546	520	57	1137	611	548	522	56	1136	612	549	522	55	1135	613	549	522
8	59	1140	610	547	521	58	1139	611	548	521	57	1137	611	548	521	56	1134	613	550	524	55	1132	614	551	524	54	1131	615	551	524
9	58	1137	612	549	523	57	1135	612	550	523	56	1134	613	550	524	55	1130	615	552	525	54	1128	616	553	526	53	1126	617	553	526
10	57	1133	613	551	524	56	1131	614	551	525	55	1130	615	552	525	54	1126	617	554	527	53	1124	618	555	528	52	1122	619	555	528
11	56	1130	615	552	526	55	1128	616	553	527	54	1126	617	554	527	53	1122	619	556	529	52	1120	620	557	529	51	1118	621	557	530
12	55	1126	617	554	528	54	1124	618	555	528	53	1122	619	556	529	52	1118	621	558	531	51	1116	622	558	531	50	1114	623	559	532
13	54	1122	619	556	529	53	1120	620	557	530	52	1118	621	558	531	51	1116	622	558	531	50	1114	623	559	532	49	1109	625	601	534
14	53	1119	621	557	531	52	1117	622	558	532	51	1114	623	559	532	50	1110	625	601	534	49	1108	626	602	535	48	1105	627	603	536
15	52	1115	622	559	532	51	1113	624	600																					

Table 2, Latitude and Declination SAME

DEC	LAT. 28					LAT. 29					LAT. 30					LAT. 31					LAT. 32				
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m h m h m	h m h m h m	62	1208	556	533	506	61	1208	556	533	505	60	1208	556	532	504	59	1208	556	532	503
1	63	1212	554	531	503	62	1212	554	530	503	63	1217	552	528	500	62	1217	552	528	500	61	1217	551	527	459
2	64	1216	552	528	501	64	1221	550	526	458	64	1221	549	525	457	63	1222	549	525	456	62	1222	546	522	454
3	65	1220	550	526	459	65	1225	547	524	456	65	1225	547	523	455	64	1227	546	522	454	62	1228	546	521	453
4	66	1225	548	524	457	66	1230	545	521	453	66	1231	545	520	452	64	1232	544	520	451	63	1233	544	519	450
5	67	1229	546	522	454	67	1234	543	519	451	66	1236	542	518	450	65	1237	542	517	448	64	1238	541	516	447
6	68	1233	543	520	452	68	1239	541	517	448	67	1240	540	516	447	66	1242	539	515	446	65	1243	538	514	444
7	69	1238	541	517	450	69	1243	538	514	446	68	1245	537	513	444	67	1247	537	512	443	66	1248	536	511	442
8	70	1242	539	515	447	70	1248	536	512	443	69	1250	535	511	442	68	1252	534	509	440	67	1253	533	508	439
9	71	1246	537	513	445	71	1253	534	509	441	70	1255	533	508	439	69	1257	532	507	438	68	1259	531	506	436
10	72	1251	535	511	442	72	1257	531	507	438	71	1259	530	506	436	70	1302	529	504	435	69	1304	528	503	433
11	73	1255	532	508	440	73	1302	529	504	435	72	1304	528	503	434	71	1307	527	502	432	70	1309	525	500	430
12	74	1300	530	506	437	74	1307	527	502	433	73	1309	525	500	431	72	1312	524	499	429	71	1315	523	457	427
13	75	1304	528	503	435	75	1311	524	459	430	74	1314	523	458	428	73	1317	521	456	426	72	1320	520	454	424
14	76	1309	526	501	432	76	1316	522	457	427	75	1319	520	455	425	74	1322	519	453	423	73	1325	517	451	420
15	77	1313	523	459	429	77	1321	519	454	424	76	1324	518	452	422	75	1328	516	450	419	74	1331	515	448	417
16	78	1318	521	456	426	78	1326	517	452	421	77	1330	515	450	419	76	1333	514	447	416	75	1336	512	445	414
17	79	1323	519	453	423	79	1331	514	449	418	78	1335	513	447	416	77	1338	511	445	413	76	1342	509	442	410
18	80	1328	516	451	421	80	1336	512	446	415	79	1340	510	444	412	78	1344	508	441	410	77	1348	506	439	407
19	81	1333	514	448	418	81	1341	509	443	412	80	1345	507	441	409	79	1350	505	438	406	78	1354	503	436	403
20	82	1337	511	445	415	82	1347	507	440	409	81	1351	505	438	406	80	1355	502	435	403	79	1400	500	433	359
21	83	1342	509	443	411	83	1352	504	437	405	82	1356	502	435	402	81	1401	459	432	359	80	1406	457	429	356
22	84	1348	506	440	408	84	1357	501	434	402	83	1402	459	432	358	82	1407	457	429	355	81	1412	454	426	352
23	85	1353	504	437	405	85	1400	500	433	400	84	1405	457	430	357	83	1410	455	427	353	82	1415	452	424	350
23.5	86	1355	502	436	403																				

Latitude and Declination OPPOSITE

DEC	LAT. 28					LAT. 29					LAT. 30					LAT. 31					LAT. 32				
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m h m h m	h m h m h m	62	1208	556	533	506	61	1208	556	533	505	60	1208	556	532	504	59	1208	556	532	503
1	61	1203	558	535	508	60	1203	558	535	507	59	1203	558	535	507	58	1203	559	534	506	57	1203	559	534	506
2	60	1159	600	537	510	59	1159	601	537	510	58	1158	601	537	509	57	1158	601	537	509	56	1158	601	537	508
3	59	1155	603	539	512	58	1154	603	539	512	57	1154	603	539	511	56	1153	603	539	511	55	1153	604	539	511
4	58	1151	605	541	514	57	1150	605	541	514	56	1149	605	542	514	55	1149	606	542	514	54	1148	606	542	513
5	57	1146	607	543	516	56	1145	607	544	516	55	1145	608	544	516	54	1144	608	544	516	53	1143	609	544	516
6	56	1142	609	546	518	55	1141	610	546	518	54	1140	610	546	518	53	1139	611	546	518	52	1138	611	547	518
7	55	1138	611	548	520	54	1136	612	548	521	53	1135	612	548	521	52	1134	613	549	521	51	1133	614	549	521
8	54	1133	613	550	522	53	1132	614	550	523	52	1131	615	551	523	51	1129	615	551	523	50	1128	616	552	523
9	53	1129	615	552	525	52	1127	616	552	525	51	1126	617	553	525	50	1124	618	554	525	49	1123	619	554	526
10	52	1125	618	554	527	51	1123	619	555	527	50	1121	619	555	527	49	1119	620	556	528	48	1117	621	557	528
11	51	1120	620	556	529	50	1118	621	557	529	49	1116	622	558	530	48	1114	623	558	530	47	1112	624	559	531
12	50	1116	622	558	531	49	1114	623	559	531	48	1112	624	600	532	47	1109	625	601	532	46	1107	626	602	533
13	49	1111	624	600	533	48	1109	625	601	533	47	1107	627	602	534	46	1104	628	603	535	45	1102	629	604	535
14	48	1107	627	602	535	47	1104	628	603	535	46	1102	629	604	536	45	1059	630	606	537	44	1056	632	607	538
15	47	1102	629	605	537	46	1100	630	606	538	45	1057	632	607	538	44	1054	633	608	539	43	1051	634	609	540
16	46	1058	631	607	539	45	1055	633	608	540	44	1052	634	609	541	43	1049	636	610	542	42	1046	637	612	543
17	45	1053	633	609	541	44	1050	635	610	542	43	1047	637	612	543	42	1044	638	613	544	41	1040	640	614	545
18	44	1048	636	611	543	43	1045	637	612	544	42	1042	639	614	545	41	1038	641	615	546	40	1035	643	617	547
19	43	1044	638	613	545	42	1040	640	615	546	41	1037	642	616	547	40	1033	644	618	549	39	1029	645	619	550
20	42	1039	641	615	547	41	1035	642	617	548	40	1031	644	619	550	39	1027	646	620	551	38	1023	648	622	552
21	41	1034	643	618	549	40	1030	645	619	550	39	1026	647	621	552	38	1022	649	623	553	37	1018	651	625	555
22	40	1029	645	620	551	39	1025	6																	

Table 2, Latitude and Declination SAME

DEC	LAT.33					LAT.34					LAT.35					LAT.36					LAT.37						
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT		
0	o	o h m	h m h m h m	h m h m h m	h m h m h m	57 1208	556 531 503	56 1208	556 531 502	55 1208	556 531 501	54 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500
1	58 1213	553 529 500	57 1213	553 528 459	56 1214	553 528 458	57 1214	550 525 455	58 1225	548 522 452	59 1231	545 519 449	59 1237	541 515 445	59 1237	541 515 445	59 1237	541 515 445	59 1237	541 515 445	59 1237	541 515 445	59 1237	541 515 445	59 1237	541 515 445	
2	59 1218	551 526 457	58 1219	551 526 456	57 1219	550 525 455	58 1225	548 522 452	59 1231	545 519 449	59 1232	544 518 448	59 1232	544 518 448	59 1232	544 518 448	59 1232	544 518 448	59 1232	544 518 448	59 1232	544 518 448	59 1232	544 518 448	59 1232	544 518 448	
3	60 1224	548 523 454	59 1224	548 523 453	58 1225	548 522 452	59 1231	545 519 449	59 1232	544 518 448	59 1233	544 518 447	59 1233	544 518 447	59 1233	544 518 447	59 1233	544 518 447	59 1233	544 518 447	59 1233	544 518 447	59 1233	544 518 447	59 1233	544 518 447	
4	61 1229	546 521 452	60 1230	545 520 451	59 1231	545 519 449	59 1232	544 518 448	59 1233	544 518 447	59 1234	543 518 447	59 1234	543 518 447	59 1234	543 518 447	59 1234	543 518 447	59 1234	543 518 447	59 1234	543 518 447	59 1234	543 518 447	59 1234	543 518 447	
5	62 1234	543 518 449	61 1235	542 517 448	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	60 1236	542 516 446	
6	63 1239	540 515 446	62 1241	540 514 445	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	61 1242	539 513 443	
7	64 1245	538 513 443	63 1246	537 512 442	62 1248	536 510 440	63 1253	533 507 437	63 1253	533 507 437	62 1255	532 506 435	62 1255	532 506 435	62 1255	532 506 435	62 1255	532 506 435	62 1255	532 506 435	62 1255	532 506 435	62 1255	532 506 435	62 1255	532 506 435	
8	65 1250	535 510 440	64 1252	534 509 439	63 1253	533 507 437	64 1259	530 504 434	64 1259	530 504 434	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	
9	66 1255	532 507 437	65 1257	531 506 435	64 1259	530 504 434	64 1259	530 504 434	64 1259	530 504 434	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	63 1301	529 503 432	
10	67 1301	530 504 434	66 1303	529 503 432	65 1305	527 501 430	66 1305	527 501 430	66 1305	527 501 430	66 1307	526 500 428	66 1307	526 500 428	66 1307	526 500 428	66 1307	526 500 428	66 1307	526 500 428	66 1307	526 500 428	66 1307	526 500 428	66 1307	526 500 428	
11	68 1306	527 501 431	67 1309	526 500 429	66 1311	525 498 427	65 1313	523 497 425	65 1313	523 497 425	64 1316	522 495 423	64 1316	522 495 423	64 1316	522 495 423	64 1316	522 495 423	64 1316	522 495 423	64 1316	522 495 423	64 1316	522 495 423	64 1316	522 495 423	
12	69 1312	524 498 428	68 1314	523 497 426	67 1317	522 495 424	68 1323	519 492 420	67 1326	517 490 418	67 1332	514 487 416	67 1332	514 487 416	67 1332	514 487 416	67 1332	514 487 416	67 1332	514 487 416	67 1332	514 487 416	67 1332	514 487 416	67 1332	514 487 416	
13	70 1317	521 495 425	69 1320	520 494 422	68 1323	519 492 420	69 1329	516 489 417	68 1332	514 487 416	68 1332	514 487 416	68 1332	514 487 416	68 1332	514 487 416	68 1332	514 487 416	68 1332	514 487 416	68 1332	514 487 416	68 1332	514 487 416	68 1332	514 487 416	
14	71 1323	519 492 421	70 1326	517 491 419	69 1329	516 489 417	70 1329	516 489 417	70 1332	514 487 416	70 1332	514 487 416	70 1332	514 487 416	70 1332	514 487 416	70 1332	514 487 416	70 1332	514 487 416	70 1332	514 487 416	70 1332	514 487 416	70 1332	514 487 416	
15	72 1329	516 489 418	71 1332	514 487 415	70 1335	512 485 413	70 1335	512 485 413	69 1339	511 483 410	68 1342	509 481 407	68 1342	509 481 407	68 1342	509 481 407	68 1342	509 481 407	68 1342	509 481 407	68 1342	509 481 407	68 1342	509 481 407	68 1342	509 481 407	
16	73 1334	513 486 415	72 1338	511 484 412	71 1341	509 482 409	70 1345	508 480 406	69 1349	506 478 403	69 1349	506 478 403	69 1349	506 478 403	69 1349	506 478 403	69 1349	506 478 403	69 1349	506 478 403	69 1349	506 478 403	69 1349	506 478 403	69 1349	506 478 403	
17	74 1340	510 483 411	73 1344	508 481 408	72 1348	506 479 405	71 1352	504 476 402	70 1356	502 473 399	70 1356	502 473 399	70 1356	502 473 399	70 1356	502 473 399	70 1356	502 473 399	70 1356	502 473 399	70 1356	502 473 399	70 1356	502 473 399	70 1356	502 473 399	
18	75 1346	507 480 407	74 1350	505 478 405	73 1354	503 476 402	72 1358	501 473 398	71 1402	495 470 395	71 1402	495 470 395	71 1402	495 470 395	71 1402	495 470 395	71 1402	495 470 395	71 1402	495 470 395	71 1402	495 470 395	71 1402	495 470 395	71 1402	495 470 395	
19	76 1352	504 477 404	75 1356	502 474 401	74 1401	500 472 397	73 1405	498 469 394	72 1409	495 466 391	72 1409	495 466 391	72 1409	495 466 391	72 1409	495 466 391	72 1409	495 466 391	72 1409	495 466 391	72 1409	495 466 391	72 1409	495 466 391	72 1409	495 466 391	
20	77 1358	501 473 400	76 1403	499 471 397	75 1407	496 468 395	74 1412	494 465 390	73 1417	492 462 386	73 1417	492 462 386	73 1417	492 462 386	73 1417	492 462 386	73 1417	492 462 386	73 1417	492 462 386	73 1417	492 462 386	73 1417	492 462 386	73 1417	492 462 386	
21	78 1404	498 468 396	77 1409	496 467 393	76 1414	493 464 390	75 1419	491 461 385	74 1424	489 458 382	74 1424	489 458 382	74 1424	489 458 382	74 1424	489 458 382	74 1424	489 458 382	74 1424	489 458 382	74 1424	489 458 382	74 1424	489 458 382	74 1424	489 458 382	
22	79 1411	495 466 392	78 1416	492 464 389	77 1421	490 461 386	76 1426	487 458 383	75 1431	484 455 380	75 1431	484 455 380	75 1431	484 455 380	75 1431	484 455 380	75 1431	484 455 380	75 1431	484 455 380	75 1431	484 455 380	75 1431	484 455 380	75 1431	484 455 380	
23	80 1417	491 463 388	79 1422	489 460 385	78 1428	486 457 382	77 1433	483 454 379	76 1439	479 451 376	76 1439	479 451 376	76 1439	479 451 376	76 1439	479 451 376	76 1439	479 451 376	76 1439	479 451 376	76 1439	479 451 376	76 1439	479 451 376	76 1439	479 451 376	
23.5	81 1420	485 458 373	80 1426	482 455 370	79 1431	479 452 367	78 1437	476 449 364	77 1443	473 446 361	77 1443	473 446 361	77 1443	473 446 361	77 1443	473 446 361	77 1443	473 446 361	77 1443	473 446 361	77 1443	473 446 361	77 1443	473 446 361	77 1443	473 446 361	

Latitude and Declination OPPOSITE

DEC	LAT.33					LAT.34					LAT.35					LAT.36					LAT.37						
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT		
0	o	o h m	h m h m h m	h m h m h m	h m h m h m	57 1208	556 531 503	56 1208	556 531 502	55 1208	556 531 501	54 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500	53 1208	556 530 500
1	56 1203	559 534 505	55 1203	559 534 505	54 1203	559 533 504	53 1203	559 533 503	52 1202	559 533 503	51 1202	559 533 503	50 1202	559													

**Table 2, Latitude and Declination SAME**

DEC	LAT.38					LAT.39					LAT.40					LAT.41					LAT.42				
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m			o	h m	h m h m h m			o	h m	h m h m h m			o	h m	h m h m h m			o	h m	h m h m h m		
0	52	1208	556	530	459	51	1209	556	529	458	50	1209	556	529	457	49	1209	556	528	456	48	1209	556	528	455
1	53	1215	553	526	456	52	1215	552	526	455	51	1215	552	525	454	50	1216	552	525	452	49	1216	552	524	451
2	54	1221	550	523	452	53	1222	549	523	451	52	1222	549	522	450	51	1223	549	521	449	50	1223	548	520	447
3	55	1227	546	520	449	54	1228	546	519	448	53	1229	546	518	446	52	1230	545	518	445	51	1231	545	517	444
4	56	1234	543	517	446	55	1235	543	516	444	54	1236	542	515	443	53	1237	542	514	441	52	1238	541	513	440
5	57	1240	540	513	442	56	1241	539	512	441	55	1242	539	511	439	54	1244	538	510	437	53	1245	537	509	436
6	58	1246	537	510	439	57	1248	536	509	437	56	1249	535	508	435	55	1251	535	507	434	54	1253	534	505	432
7	59	1253	534	507	435	58	1254	533	506	433	57	1256	532	504	432	56	1258	531	503	430	55	1300	530	502	428
8	60	1259	530	504	432	59	1301	529	502	430	58	1303	528	501	428	57	1305	527	499	426	56	1307	526	458	423
9	61	1306	527	500	428	60	1308	526	499	426	59	1310	525	457	424	58	1312	524	455	422	57	1315	523	454	419
10	62	1312	524	457	424	61	1314	523	455	422	60	1317	521	453	420	59	1320	520	452	417	58	1322	519	450	415
11	63	1319	521	453	420	62	1321	519	452	418	61	1324	518	450	416	60	1327	517	448	413	59	1330	515	446	410
12	64	1325	517	450	417	63	1328	516	448	414	62	1331	514	446	412	61	1334	513	444	409	60	1338	511	442	406
13	65	1332	514	446	413	64	1335	512	444	410	63	1338	511	442	407	62	1342	509	440	404	61	1345	507	438	401
14	66	1339	511	443	409	65	1342	509	440	406	64	1346	507	438	403	63	1349	505	436	400	62	1353	503	433	357
15	67	1346	507	439	405	66	1349	505	437	402	65	1353	503	434	358	64	1357	501	432	355	63	1401	459	429	352
16	68	1353	504	435	400	67	1357	502	433	357	66	1401	500	430	354	65	1405	458	427	350	64	1409	455	425	347
17	69	1400	500	431	356	68	1404	458	429	353	67	1408	456	426	349	66	1413	454	423	345	65	1418	451	420	342
18	70	1407	457	427	352	69	1411	454	425	348	68	1416	452	422	344	67	1421	450	419	340	66	1426	447	415	336
19	71	1414	453	423	347	70	1419	451	420	343	69	1424	448	417	339	68	1429	445	414	335	67	1435	443	411	331
20	72	1422	449	419	342	71	1427	447	416	338	70	1432	444	413	334	69	1438	441	409	330	68	1443	438	406	325
21	73	1429	445	415	337	72	1435	443	412	333	71	1440	440	408	329	70	1446	437	405	324	69	1452	434	401	319
22	74	1437	442	411	332	73	1443	439	407	328	72	1449	436	404	323	71	1455	433	400	318	70	1501	429	356	313
23	75	1445	438	406	327	74	1451	435	403	323	73	1457	431	359	318	72	1504	428	355	312	71	1510	425	351	307
23.5	76	1449	436	404	325	75	1455	433	400	320	74	1501	429	356	315	73	1508	426	352	309	72	1515	422	348	303

**Latitude and Declination OPPOSITE**

DEC	LAT.38					LAT.39					LAT.40					LAT.41					LAT.42				
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m			o	h m	h m h m h m			o	h m	h m h m h m			o	h m	h m h m h m			o	h m	h m h m h m		
0	52	1208	556	530	459	51	1209	556	529	458	50	1209	556	529	457	49	1209	556	528	456	48	1209	556	528	455
1	51	1202	559	533	502	50	1202	559	532	501	49	1202	559	532	500	48	1202	559	532	500	47	1202	559	531	459
2	50	1156	602	536	505	49	1156	602	536	505	48	1155	602	535	504	47	1155	603	535	503	46	1155	603	535	502
3	49	1150	605	539	508	48	1149	605	539	508	47	1149	606	539	507	46	1148	606	539	507	45	1147	606	539	506
4	48	1143	608	542	512	47	1143	609	542	511	46	1142	609	542	511	45	1141	610	542	510	44	1140	610	542	510
5	47	1137	611	545	515	46	1136	612	545	514	45	1135	612	545	514	44	1134	613	546	514	43	1133	614	546	513
6	46	1131	615	548	518	45	1130	615	549	518	44	1128	616	549	517	43	1127	617	549	517	42	1126	617	549	517
7	45	1125	618	551	521	44	1123	618	552	521	43	1121	619	552	521	42	1120	620	552	521	41	1118	621	553	521
8	44	1118	621	554	524	43	1116	622	555	524	42	1115	623	555	524	41	1113	624	556	524	40	1111	625	556	524
9	43	1112	624	558	527	42	1110	625	558	527	41	1108	626	559	527	40	1106	627	559	528	39	1104	628	600	528
10	42	1105	627	601	530	41	1103	628	601	530	40	1101	630	602	531	39	1059	631	603	531	38	1056	632	604	531
11	41	1059	631	604	533	40	1056	632	605	534	39	1054	633	606	534	38	1051	634	606	534	37	1049	636	607	535
12	40	1052	634	607	536	39	1050	635	608	537	38	1047	637	609	537	37	1044	638	610	538	36	1041	639	611	538
13	39	1046	637	610	539	38	1043	639	611	540	37	1040	640	612	541	36	1037	642	613	541	35	1033	643	615	542
14	38	1039	640	613	542	37	1036	642	615	543	36	1033	644	616	544	35	1029	645	617	545	34	1026	647	618	545
15	37	1032	644	617	545	36	1029	646	618	546	35	1025	647	619	547	34	1022	649	621	548	33	1018	651	622	549
16	36	1025	647	620	548	35	1022	649	621	549	34	1018	651	623	550	33	1014	653	624	551	32	1010	655	626	552
17	35	1019	651	623	552	34	1015	653	625	553	33	1010	655	626	554	32	1006	657	628	555	31	1002	659	629	556
18	34	1012	654	626	555	33	1007	656	628	556	32	1003	659	630	557	31	958	701	631	55					

**Table 2, Latitude and Declination SAME**

DEC	LAT.43					LAT.44					LAT.45					LAT.46					LAT.47					
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	
0	o	h m	h m h m h m	o	h m	h m h m h m	46	1209	555 527 454	46	1209	555 527 453	45	1209	555 526 452	44	1210	555 525 450	43	1210	555 525 449	o	h m	h m h m h m	o	h m
1	47	1209	555 527 454	47	1217	552 523 450	47	1217	552 523 449	46	1217	551 522 447	46	1225	547 518 443	45	1218	551 521 446	44	1218	551 520 444	47	1217	547 516 440	46	1236
2	48	1217	552 523 450	49	1224	548 520 446	48	1225	548 519 445	49	1233	544 515 440	48	1233	543 514 439	47	1235	543 513 437	46	1236	542 512 435	47	1244	538 507 431	48	1243
3	49	1224	548 520 446	50	1232	544 516 442	49	1233	544 515 440	50	1240	540 511 438	49	1242	539 510 434	48	1243	539 508 433	47	1244	538 507 431	49	1251	534 504 428	48	1253
4	50	1232	544 516 442	51	1239	540 512 438	50	1240	540 511 436	51	1248	536 507 432	50	1250	535 505 430	49	1251	534 504 428	48	1253	534 503 426	49	1302	529 458 421	48	1253
5	51	1239	540 512 438	52	1247	537 508 434	51	1248	536 507 432	52	1256	532 503 428	51	1258	531 501 425	50	1300	530 500 423	49	1302	529 458 421	48	1302	529 458 421	49	1308
6	52	1247	537 508 434	53	1254	533 504 430	52	1256	532 503 428	53	1302	529 500 425	52	1304	528 459 423	51	1306	527 457 421	50	1310	525 454 416	51	1319	520 449 411	50	1317
7	53	1254	533 504 430	54	1302	529 500 425	53	1304	528 459 423	54	1312	524 454 419	53	1314	523 453 416	52	1323	519 448 411	51	1325	517 446 409	50	1328	516 444 406	51	1328
8	54	1302	529 500 425	55	1310	525 456 421	54	1312	524 454 419	55	1320	520 450 414	54	1323	519 448 411	53	1325	517 446 409	52	1328	516 444 406	51	1337	511 439 400	50	1337
9	55	1310	525 456 421	56	1317	521 452 417	55	1320	520 450 414	56	1328	517 448 412	55	1331	515 444 407	54	1334	513 442 404	53	1343	509 437 358	52	1343	509 437 358	51	1346
10	56	1317	521 452 417	57	1325	517 448 412	56	1328	516 446 409	57	1336	512 442 405	56	1339	510 439 402	55	1343	509 437 358	54	1356	502 430 349	53	1356	502 430 349	52	1357
11	57	1325	517 448 412	58	1333	513 444 408	57	1336	512 442 405	58	1344	508 437 400	57	1348	506 435 357	56	1352	504 432 353	55	1364	507 434 355	54	1364	507 434 355	53	1377
12	58	1333	513 444 408	59	1341	510 439 403	58	1344	508 437 400	59	1353	504 433 355	58	1357	502 430 351	57	1401	500 427 348	56	1405	457 424 344	55	1405	457 424 344	54	1415
13	59	1341	510 439 403	60	1349	505 435 358	59	1353	504 433 355	60	1401	459 428 350	59	1406	457 425 346	58	1410	455 422 342	57	1415	453 419 338	56	1415	453 419 338	55	1424
14	60	1349	505 435 358	61	1357	501 431 353	60	1401	459 428 350	61	1410	455 423 344	60	1415	453 420 340	59	1419	450 417 336	58	1424	448 414 332	57	1424	448 414 332	56	1429
15	61	1357	501 431 353	62	1406	457 426 348	61	1410	455 423 344	62	1419	451 419 339	61	1424	448 415 335	60	1429	446 412 330	59	1434	443 409 325	58	1434	443 409 325	57	1438
16	62	1406	457 426 348	63	1414	453 422 343	62	1419	451 419 339	63	1428	446 414 333	62	1433	444 410 329	61	1438	441 407 324	60	1444	438 403 319	59	1444	438 403 319	58	1448
17	63	1414	453 422 343	64	1422	449 417 338	63	1428	446 414 333	64	1437	442 409 327	63	1442	439 405 323	62	1448	436 401 317	61	1454	433 357 312	60	1454	433 357 312	59	1458
18	64	1422	449 417 338	65	1431	444 412 332	64	1437	442 409 327	65	1446	437 404 321	64	1452	434 400 316	63	1458	431 356 311	62	1505	428 352 305	61	1505	428 352 305	60	1505
19	65	1431	444 412 332	66	1440	440 407 326	65	1446	437 404 321	66	1452	437 404 321	65	1458	431 356 311	64	1508	426 350 304	63	1515	422 346 258	62	1515	422 346 258	61	1519
20	66	1440	440 407 326	67	1449	435 402 320	66	1455	432 358 315	67	1505	428 353 309	66	1512	424 349 303	65	1519	421 344 256	64	1526	417 339 250	63	1526	417 339 250	62	1529
21	67	1449	435 402 320	68	1458	431 357 314	67	1505	428 353 309	68	1515	423 347 302	67	1522	419 343 255	66	1529	415 338 249	65	1537	411 333 241	64	1537	411 333 241	63	1549
22	68	1458	431 357 314	69	1508	426 352 308	68	1515	423 347 302	69	1525	418 342 254	68	1532	414 337 248	67	1540	410 332 240	66	1549	406 326 233	65	1554	406 326 233	64	1554
23	69	1508	426 352 308	70	1517	421 346 301	69	1525	418 342 254	70	1530	415 339 251	69	1538	411 334 244	68	1546	407 328 236	67	1554	403 323 228	66	1554	403 323 228	65	1554
23.5	70	1517	421 346 301	71	1522	419 343 257	70	1530	415 339 251	71	1532	419 343 257	70	1538	411 334 244	69	1546	407 328 236	67	1554	403 323 228	66	1554	403 323 228	65	1554

**Latitude and Declination OPPOSITE**

DEC	LAT.43					LAT.44					LAT.45					LAT.46					LAT.47					
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	
0	o	h m	h m h m h m	o	h m	h m h m h m	46	1209	555 527 454	46	1209	555 527 453	45	1209	555 526 452	44	1210	555 525 450	43	1210	555 525 449	o	h m	h m h m h m	o	h m
1	47	1209	555 527 454	48	1202	559 531 458	45	1202	559 530 457	44	1201	559 530 456	43	1201	559 530 455	42	1201	559 529 453	41	1201	559 529 453	40	1153	604 533 458	41	1153
2	48	1202	559 531 458	49	1154	603 535 502	45	1154	603 534 501	44	1153	603 534 500	43	1153	603 534 499	42	1153	603 534 499	41	1145	608 538 502	40	1145	608 538 502	39	1136
3	49	1154	603 535 502	50	1147	607 538 505	44	1146	607 538 505	42	1145	607 538 504	41	1137	611 542 508	40	1136	612 542 507	39	1128	616 546 512	38	1127	617 546 511	37	1120
4	50	1147	607 538 505	51	1132	614 546 513	41	1131	615 546 513	40	1129	615 546 512	39	1121	619 550 516	38	1112	620 550 516	37	1118	621 551 515	36	1111	624 554 520	35	1109
5	51	1132	614 546 513	52	1124	618 550 517	40	1123	619 550 516	39	1121	619 550 516	38	1113	623 554 520	37	1111	624 554 520	36	1109	625 555 520	35	1103	629 559 524	34	1054
6	52	1124	618 550 517	53	1117	622 553 520	39	1115	623 554 520	38	1105	628 558 524	37	1105	628 558 524	36	1103	629 559 524	35	1101	630 559 524	34	1052	634 603 528	33	1046
7	53	1117	622 553 520	54	1109	625 557 524	38	1107	626 557 524	37	1095	624 558 524	36	1093	629 559 524	35	1054	633 603 528	34	1052	634 603 528	33	1046			
8	54	1109	625 557 524	55	1035	643 613 539	34	1035	643 613 539	33	1032	644 614 540	32	1028	646 615 540	31	1019	650 619 544	30	1016	652 621 545	29	1006	657 625 549	28	997
9	55	1035	643 613 539	56	1027	647 617 543	33	1027	647 617 543	32	1023	648 618 544	31	1015	653 622 548	30	1011	655 624 548	29	1006	657 625 549	28	997	657 625 549	27	947
10	56	1027	647 617 543	57	1010	655 625 551	31	1010	655 625 551</																	

**Table 2, Latitude and Declination SAME**

DEC	LAT.48					LAT.49					LAT.50					LAT.51					LAT.52					
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	
0	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m
0	42	1210	555 524 448	41	1210	555 523 446	40	1210	555 523 445	39	1211	555 522 443	38	1211	555 521 441	38	1211	555 521 441	38	1211	555 521 441	38	1211	555 521 441	38	1211
1	43	1219	551 520 443	42	1219	550 519 441	41	1220	550 518 439	40	1220	550 517 438	39	1221	549 516 436	39	1221	549 516 436	39	1221	549 516 436	39	1221	549 516 436	39	1221
2	44	1228	546 515 438	43	1229	546 514 436	42	1229	545 513 434	41	1230	545 512 432	40	1231	544 510 430	40	1231	544 510 430	40	1231	544 510 430	40	1231	544 510 430	40	1231
3	45	1237	542 510 433	44	1238	541 509 431	43	1239	540 508 429	42	1240	540 507 427	41	1242	539 505 424	41	1242	539 505 424	41	1242	539 505 424	41	1242	539 505 424	41	1242
4	46	1246	537 506 428	45	1247	536 504 426	44	1249	536 503 424	43	1250	535 501 421	42	1252	534 500 419	42	1252	534 500 419	42	1252	534 500 419	42	1252	534 500 419	42	1252
5	47	1255	533 501 423	46	1256	532 500 421	45	1258	531 458 418	44	1300	530 456 416	43	1302	529 454 413	43	1302	529 454 413	43	1302	529 454 413	43	1302	529 454 413	43	1302
6	48	1304	528 456 418	47	1306	527 455 416	46	1308	526 453 413	45	1310	525 451 410	44	1313	524 449 407	44	1313	524 449 407	44	1313	524 449 407	44	1313	524 449 407	44	1313
7	49	1313	524 452 413	48	1315	522 450 410	47	1318	521 448 407	46	1321	520 446 404	45	1323	518 443 401	45	1323	518 443 401	45	1323	518 443 401	45	1323	518 443 401	45	1323
8	50	1322	519 447 408	49	1325	518 445 405	48	1328	516 443 402	47	1331	515 440 358	46	1334	513 438 354	46	1334	513 438 354	46	1334	513 438 354	46	1334	513 438 354	46	1334
9	51	1331	514 442 403	50	1334	513 440 359	49	1338	511 437 356	48	1341	509 435 352	47	1345	508 432 348	47	1345	508 432 348	47	1345	508 432 348	47	1345	508 432 348	47	1345
10	52	1341	510 437 357	51	1344	508 434 353	50	1348	506 432 350	49	1352	504 429 346	48	1356	502 426 341	48	1356	502 426 341	48	1356	502 426 341	48	1356	502 426 341	48	1356
11	53	1350	505 432 351	52	1354	503 429 348	51	1358	501 426 343	50	1402	495 423 339	49	1407	497 420 335	49	1407	497 420 335	49	1407	497 420 335	49	1407	497 420 335	49	1407
12	54	1400	500 427 346	53	1404	498 424 341	52	1408	495 421 337	51	1413	493 418 332	50	1418	491 414 328	50	1418	491 414 328	50	1418	491 414 328	50	1418	491 414 328	50	1418
13	55	1409	495 421 340	54	1414	493 418 335	53	1419	491 415 330	52	1424	488 412 326	51	1429	485 408 320	51	1429	485 408 320	51	1429	485 408 320	51	1429	485 408 320	51	1429
14	56	1419	490 416 333	55	1424	488 413 329	54	1430	485 409 324	53	1435	483 405 318	52	1441	480 402 313	52	1441	480 402 313	52	1441	480 402 313	52	1441	480 402 313	52	1441
15	57	1429	445 411 327	56	1435	443 407 322	55	1440	440 403 317	54	1446	437 359 311	53	1452	434 355 305	53	1452	434 355 305	53	1452	434 355 305	53	1452	434 355 305	53	1452
16	58	1440	440 405 320	57	1445	437 401 315	56	1451	434 357 309	55	1458	431 353 303	54	1504	428 348 256	54	1504	428 348 256	54	1504	428 348 256	54	1504	428 348 256	54	1504
17	59	1450	435 359 313	58	1456	432 355 308	57	1503	429 351 301	56	1509	425 346 255	55	1517	422 341 248	55	1517	422 341 248	55	1517	422 341 248	55	1517	422 341 248	55	1517
18	60	1501	430 353 306	59	1507	426 349 300	58	1514	423 344 253	57	1521	419 339 246	56	1529	415 334 238	56	1529	415 334 238	56	1529	415 334 238	56	1529	415 334 238	56	1529
19	61	1511	424 347 259	60	1518	421 342 252	59	1526	417 338 245	58	1534	413 332 237	57	1542	409 327 228	57	1542	409 327 228	57	1542	409 327 228	57	1542	409 327 228	57	1542
20	62	1522	419 341 251	61	1530	415 336 244	60	1538	411 331 236	59	1546	407 325 227	58	1555	402 319 218	58	1555	402 319 218	58	1555	402 319 218	58	1555	402 319 218	58	1555
21	63	1534	413 334 242	62	1542	409 329 235	61	1550	405 323 226	60	1559	400 317 216	59	1609	356 311 206	59	1609	356 311 206	59	1609	356 311 206	59	1609	356 311 206	59	1609
22	64	1545	407 328 234	63	1554	403 322 225	62	1603	358 316 215	61	1613	354 309 205	60	1623	349 302 153	60	1623	349 302 153	60	1623	349 302 153	60	1623	349 302 153	60	1623
23	65	1557	401 320 224	64	1607	357 314 215	63	1616	352 308 204	62	1627	347 301 152	61	1637	341 253 138	61	1637	341 253 138	61	1637	341 253 138	61	1637	341 253 138	61	1637
23.5	66	1604	358 317 219	65	1613	353 311 209	64	1623	348 304 158	63	1634	343 256 145	62	1645	338 249 129	62	1645	338 249 129	62	1645	338 249 129	62	1645	338 249 129	62	1645

**Latitude and Declination OPPOSITE**

DEC	LAT.48					LAT.49					LAT.50					LAT.51					LAT.52					
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	
0	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m
1	41	1201	559 529 452	40	1201	600 528 451	39	1201	600 527 450	38	1201	600 527 448	37	1201	600 526 446	36	1150	605 531 452	36	1150	605 531 452	36	1150	605 531 452	36	1150
2	40	1152	604 533 457	39	1152	604 533 456	38	1151	604 532 454	37	1151	605 532 453	36	1141	610 537 458	35	1131	614 542 503	34	1130	615 541 502	34	1130	615 541 502	34	1130
3	39	1143	608 537 501	38	1143	609 537 500	37	1142	609 537 459	36	1142	610 542 504	35	1123	619 546 509	34	1121	619 547 508	33	1119	620 547 508	33	1119	620 547 508	33	1119
4	38	1134	613 542 506	37	1133	613 542 505	36	1124	618 546 510	35	1123	619 546 509	34	1113	624 551 514	33	1111	624 551 513	32	1109	625 552 513	32	1109	625 552 513	32	1109
5	37	1125	617 546 510	36	1124	618 546 510	35	1123	619 546 509	34	1113	624 551 514	33	1111	629 556 519	32	1101	629 556 518	31	1059	631 557 518	31	1059	631 557 518	31	1059
6	36	1116	622 551 515	35	1115	623 551 514	34	1105	627 556 519	33	1103	628 556 519	32	1053	633 601 523	31	1051	635 601 523	30	1048	636 602 523	30	1048	636 602 523	30	1048
7	35	1107	626 555 519	34	1105	627 556 519	33	1094	638 606 528	32	1094	638 606 528	31	1041	640 606 528	30	1041	640 606 528	29	1038	641 607 528	29	1038	641 607 528	29	1038
8	34	1058	631 600 524	33	1056	632 600 524	32	1046	637 605 528	31	1034	643 610 533	30	1030	645 611 533	29	1027	647 612 533	28	1027	647 612 533	28	1027	647 612 533	28	1027
9	33	1049	635 604 528	32	1046	637 605 528	31	1017	651 619 542	30	1024	648 615 538	29	1020												

Table 2, Latitude and Declination SAME

DEC	LAT.53					LAT.54					LAT.55					LAT.56					LAT.57							
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT			
0	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m		
0	37 1211	554 520 439	36 1211	554 519 437	35 1212	554 518 435	34 1212	554 517 433	33 1212	554 516 430	33 1212	554 516 430	32 1200	600 523 439	32 1200	600 522 437	31 1148	606 529 445	31 1148	606 528 443	30 1135	612 535 451	30 1135	612 534 450	29 1123	619 541 456	29 1123	619 541 456
1	38 1222	549 515 433	37 1222	549 513 431	36 1223	548 512 429	35 1224	548 511 426	34 1225	548 509 424	34 1225	548 509 424	33 1225	548 508 422	33 1225	548 508 422	32 1200	600 523 439	32 1200	600 522 437	31 1148	606 529 445	31 1148	606 528 443	30 1135	612 535 451	30 1135	612 534 450
2	39 1232	544 509 428	38 1233	543 508 425	37 1235	543 506 423	36 1236	542 505 420	35 1237	542 503 417	35 1237	542 503 417	34 1237	542 502 415	34 1237	542 502 415	33 1237	542 501 413	33 1237	542 500 412	32 1200	600 523 439	32 1200	600 522 437	31 1148	606 529 445	31 1148	606 528 443
3	40 1243	538 504 422	39 1244	538 502 419	38 1246	537 500 416	37 1248	536 499 413	36 1249	535 497 410	36 1249	535 497 410	35 1249	535 495 408	35 1249	535 495 408	34 1249	535 494 406	34 1249	535 493 405	33 1249	535 492 403	33 1249	535 491 402	32 1200	600 523 439	32 1200	600 522 437
4	41 1254	533 458 416	40 1256	532 456 413	39 1258	531 454 410	38 1300	530 452 406	37 1302	529 450 403	37 1302	529 450 403	36 1302	528 448 401	36 1302	528 448 401	35 1302	528 446 399	35 1302	528 445 398	34 1302	528 444 396	34 1302	528 443 395	33 1302	528 442 393	33 1302	528 441 392
5	42 1305	528 452 410	41 1307	527 450 406	40 1309	525 448 403	39 1312	524 446 399	38 1314	523 444 395	38 1314	523 444 395	37 1316	522 442 392	37 1316	522 442 392	36 1318	521 440 389	36 1318	521 440 389	35 1320	519 438 386	35 1320	519 438 385	34 1322	518 436 383	34 1322	518 435 382
6	43 1315	522 447 403	42 1318	521 445 400	41 1321	520 442 396	40 1324	518 440 393	39 1327	516 437 389	39 1327	516 437 389	38 1329	515 436 391	38 1329	515 436 391	37 1331	514 434 388	37 1331	514 434 388	36 1333	513 432 385	36 1333	513 432 385	35 1335	510 430 383	35 1335	510 430 383
7	44 1326	517 441 357	43 1329	515 438 353	42 1333	514 436 349	41 1336	512 433 345	40 1340	510 430 340	40 1340	510 430 340	41 1341	510 432 346	40 1344	508 429 342	39 1345	508 429 342	38 1348	506 426 337	38 1348	506 426 337	37 1353	504 424 334	37 1353	504 424 334		
8	45 1337	511 435 351	44 1341	510 432 346	43 1345	508 429 342	42 1349	506 426 337	41 1353	504 424 334	41 1353	504 424 334	40 1357	502 423 334	39 1357	502 423 334	38 1406	495 420 329	38 1406	495 420 329	37 1406	497 416 324	37 1406	497 416 324				
9	46 1349	506 429 344	45 1353	504 426 339	44 1357	502 423 334	43 1401	495 420 329	42 1406	493 419 325	42 1406	493 419 325	41 1410	490 417 320	40 1414	485 413 321	39 1414	485 413 321	38 1419	480 409 315	38 1419	480 409 315	37 1423	477 406 306	37 1423	477 406 306		
10	47 1400	500 423 337	46 1404	498 420 332	45 1409	496 416 327	44 1414	493 413 321	43 1419	490 409 315	43 1419	490 409 315	42 1416	485 411 320	41 1421	484 409 311	40 1427	477 406 306	40 1427	477 406 306	39 1432	464 404 306	39 1432	464 404 306				
11	48 1411	454 417 330	47 1416	452 413 324	46 1421	449 410 319	45 1427	447 406 313	44 1432	444 401 306	44 1432	444 401 306	43 1428	446 407 317	42 1434	443 403 310	41 1440	440 398 304	40 1446	437 354 257	40 1446	437 354 257	39 1453	433 351 255	39 1453	433 351 255		
12	49 1423	449 411 322	48 1428	446 407 317	47 1434	443 403 310	46 1440	440 398 304	45 1453	433 351 255	45 1453	433 351 255	44 1453	433 353 300	43 1500	430 348 253	42 1507	427 343 245	41 1514	423 338 236	41 1514	423 338 236	40 1514	423 338 236	40 1514	423 338 236		
13	50 1435	443 404 315	49 1441	440 400 308	48 1447	437 356 302	47 1453	433 351 255	46 1500	430 348 253	46 1500	430 348 253	45 1507	427 343 245	44 1514	423 338 236	43 1529	416 329 224	43 1529	416 329 224	42 1535	412 327 223	42 1535	412 327 223	41 1544	408 320 212	41 1544	408 320 212
14	51 1447	437 357 306	50 1453	433 353 300	49 1500	430 348 253	48 1507	427 343 245	47 1514	423 338 236	47 1514	423 338 236	46 1521	420 335 234	45 1529	416 329 224	45 1529	416 329 224	44 1535	412 327 223	44 1535	412 327 223	43 1544	408 320 212	43 1544	408 320 212		
15	52 1459	431 351 258	51 1506	427 346 251	50 1513	423 341 243	49 1521	420 335 234	48 1529	416 329 224	48 1529	416 329 224	47 1535	412 327 223	46 1544	408 320 212	46 1544	408 320 212	45 1550	405 318 211	45 1550	405 318 211	44 1559	400 311 158	44 1559	400 311 158		
16	53 1511	424 343 249	52 1519	421 338 241	51 1527	417 333 233	50 1535	412 327 223	49 1544	408 320 212	49 1544	408 320 212	48 1550	405 318 211	47 1559	400 311 158	47 1559	400 311 158	46 1605	358 309 157	46 1605	358 309 157	45 1615	352 302 142	45 1615	352 302 142		
17	54 1524	418 336 240	53 1532	414 331 231	52 1541	410 325 221	51 1550	405 318 211	50 1605	358 309 157	50 1605	358 309 157	49 1605	350 300 141	48 1632	350 300 141	47 1632	344 251 124	47 1632	344 251 124	46 1632	344 251 124	46 1632	344 251 124	45 1632	344 251 124	45 1632	344 251 124
18	55 1537	411 329 230	54 1546	407 323 220	53 1555	402 316 209	52 1605	350 300 141	51 1605	350 300 141	51 1605	350 300 141	50 1605	350 300 141	49 1605	350 300 141	48 1636	342 250 123	48 1636	342 250 123	47 1636	337 239 059	47 1636	337 239 059	46 1706	327 229 000	46 1706	327 229 000
19	56 1551	405 321 219	55 1600	400 314 208	54 1610	355 307 156	53 1620	350 300 141	52 1620	350 300 141	52 1620	350 300 141	51 1620	350 300 141	50 1620	350 300 141	49 1620	349 250 123	49 1620	349 250 123	48 1620	348 250 123	48 1620	348 250 123	47 1620	347 250 123	47 1620	347 250 123
20	57 1605	358 312 207	56 1615	353 305 155	55 1625	347 258 140	54 1636	342 250 123	53 1649	336 240 059	53 1649	336 240 059	52 1645	345 256 139	51 1641	339 248 122	50 1653	333 239 059	50 1653	333 239 059	49 1706	327 229 000	49 1706	327 229 000	48 1706	327 229 000	47 1706	327 229 000
21	58 1619	351 304 154	57 1630	345 256 139	56 1641	339 248 122	55 1653	333 239 059	54 1706	327 229 000	54 1706	327 229 000	53 1645	337 246 121	52 1657	331 237 058	51 1711	325 227 000	51 1711	325 227 000	50 1725	318 216 111	50 1725	318 216 111	49 1725	318 216 111	49 1725	318 216 111
22	59 1634	343 255 139	58 1645	337 246 121	57 1657	331 237 058	56 1711	325 226 000	55 1729	316 215 111	55 1729	316 215 111	54 1738	311 208 111	53 1738	311 208 111	52 1738	308 202 111	52 1738	308 202 111	51 1755	303 154 111	51 1755	303 154 111	50 1755	303 154 111	50 1755	303 154 111
23	60 1649	335 245 121	59 1701	329 236 058	58 1715	323 226 000	57 1729	316 215 111	56 1738	311 208 111	56 1738	311 208 111	55 1755	308 202 111	54 1764	308 202 111	53 1773	303 154 111	53 1773	303 154 111	52 1781	303 154 111	52 1781	303 154 111	51 1789	303 154 111	51 1789	303 154 111
23.5	61 1657	332 240 110	60 1710	325 230 041	59 1724	318 220 111	58 1738	311 208 111	57 1755	308 202 111	57 1755	308 202 111	56 1773	303 154 111	55 1789	303 154 111	54 1797	303 154 111	54 1797	303 154 111	53 1811	298 154 111	53 1811	298 154 111	52 1825	298 154 111	52 1825	298 154 111

/// = Twilight lasts all night.

### Latitude and Declination OPPOSITE

DEC	LAT.53					LAT.54					LAT.55					LAT.56					LAT.57				
	AL	LD	R/S</																						

**Table 2, Latitude and Declination SAME**

LAT.58						LAT.59						LAT.60						LAT.61						LAT.62																	
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT											
0	o	o	h	m	h	m	h	m	h	m	o	h	m	h	m	h	m	h	m	h	o	h	m	h	m	h	m	h	m												
0	32	1213	554	514	428	31	1213	554	513	425	30	1213	553	512	422	29	1214	553	510	418	28	1214	553	509	415	29	1229	545	501	406											
1	33	1225	547	508	421	32	1226	547	506	417	31	1227	546	505	414	30	1228	546	503	410	30	1244	538	453	358	31	1300	530	445	349											
2	34	1238	541	501	413	33	1240	540	459	410	32	1241	539	457	406	31	1243	539	455	402	32	1257	531	448	354	31	1315	523	437	339											
3	35	1251	534	455	406	34	1253	533	452	402	33	1255	532	450	358	32	1257	531	448	354	33	1312	524	440	345	32	1330	515	429	330											
4	36	1304	528	448	359	35	1307	527	445	354	34	1309	525	443	350	33	1312	524	440	345	33	1330	515	429	330	34	1346	507	420	320											
5	37	1317	521	441	351	36	1320	520	438	346	35	1323	518	435	341	34	1327	517	432	336	33	1342	509	424	326	34	1402	459	412	310											
6	38	1330	515	434	343	37	1334	513	431	338	36	1338	511	428	332	35	1352	504	420	323	36	1357	502	416	317	36	1418	451	403	259											
7	39	1344	508	427	335	38	1348	506	423	329	37	1352	497	412	314	37	1412	454	408	307	37	1434	443	354	247	38	1450	435	344	234											
8	40	1357	501	420	326	39	1402	459	416	320	38	1407	449	404	304	38	1427	446	359	256	39	1507	426	335	221	40	1524	418	325	206											
9	41	1411	455	412	318	40	1416	452	408	311	39	1421	449	404	304	39	1443	438	350	244	39	1516	422	331	219	41	1542	409	314	149											
10	42	1424	448	405	308	41	1430	445	400	301	40	1437	442	355	253	40	1459	430	341	232	40	1557	424	330	222	41	1619	350	251	103											
11	43	1439	441	357	259	42	1445	437	352	251	41	1452	434	347	242	41	1562	422	331	219	41	1639	341	238	000	42	1721	320	209	///											
12	44	1453	434	349	249	43	1500	430	343	240	42	1508	426	338	230	42	1533	414	321	204	42	1743	309	152	///	43	1747	297	197	///											
13	45	1507	426	340	238	44	1515	422	335	228	43	1524	418	328	217	43	1550	405	311	148	43	1760	400	303	129	44	1807	257	131	///											
14	46	1522	419	332	226	45	1531	415	326	215	44	1540	410	319	203	44	1565	402	300	128	44	1782	254	130	///	45	1832	244	105	///											
15	47	1538	411	323	214	46	1547	407	316	201	45	1557	402	308	146	45	1608	356	300	128	45	1659	330	224	///	46	1721	320	209	///											
16	48	1553	403	314	200	47	1604	358	306	145	46	1614	353	258	127	46	1645	337	236	000	46	1747	309	152	///	47	1760	306	150	///											
17	49	1610	355	304	144	48	1621	350	255	126	47	1632	344	246	101	47	1705	327	222	///	47	1743	309	152	///	48	1807	257	131	///											
18	50	1626	347	253	125	49	1638	341	244	101	48	1651	334	234	000	48	1726	317	207	///	48	1747	309	152	///	49	1832	244	105	///											
19	51	1644	338	242	100	50	1657	332	232	000	49	1711	325	221	///	49	1918	221	///	49	1947	206	///	49	1950	230	000	///													
20	52	1702	329	230	000	51	1716	322	219	///	50	1731	314	206	///	50	1748	306	150	///	50	1812	254	130	///	51	1930	215	///	51	1947	206	///	51	1950	230	000	///			
21	53	1721	320	217	///	52	1736	312	204	///	51	1753	304	149	///	51	1837	242	104	///	51	1904	228	000	///	52	1930	215	///	52	1947	206	///	52	1950	230	000	///			
22	54	1740	310	203	///	53	1757	301	148	///	52	1816	252	129	///	52	1837	242	104	///	52	1904	228	000	///	53	1930	215	///	53	1947	206	///	53	1950	230	000	///			
23	55	1801	259	147	///	54	1820	250	128	///	53	1841	240	103	///	53	1918	221	///	53	1947	206	///	53	1950	230	000	///	54	1930	215	///	54	1947	206	///	54	1950	230	000	///
23.5	56	1812	254	137	///	55	1832	244	116	///	54	1854	233	045	///	54	1918	221	///	54	1947	206	///	54	1950	230	000	///	55	1930	215	///	55	1947	206	///	55	1950	230	000	///

/// = Twilight lasts all night.

## **Latitude and Declination OPPOSITE**

	LAT.58					LAT.59					LAT.60					LAT.61					LAT.62				
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	o	h	m	h	m	h	m	h	m	o	h	m	h	m	o	h	m	h	m	o	h	m	h	m
0	32	1213	554	514	428	31	1213	554	513	425	30	1213	553	512	422	29	1214	553	510	418	28	1214	553	509	415
1	31	1200	600	521	434	30	1200	600	520	432	29	1159	600	519	429	28	1159	600	518	426	27	1159	600	516	423
2	30	1147	607	527	441	29	1146	607	527	439	28	1146	607	526	437	27	1145	608	525	434	26	1144	608	524	431
3	29	1134	613	534	448	28	1133	614	533	446	27	1132	614	533	444	26	1130	615	532	442	25	1129	615	531	439
4	28	1121	619	540	455	27	1120	620	540	453	26	1118	621	540	451	25	1116	622	539	449	24	1114	623	539	447
5	27	1108	626	547	501	26	1106	627	547	500	25	1104	628	547	458	24	1101	629	547	457	23	1059	631	546	455
6	26	1055	632	553	508	25	1053	634	553	507	24	1050	635	554	505	23	1047	637	554	504	22	1043	638	554	503
7	25	1042	639	559	514	24	1039	641	600	513	23	1035	642	600	512	22	1032	644	601	511	21	1028	646	602	510
8	24	1029	645	606	521	23	1025	647	607	520	22	1021	649	607	519	21	1017	652	608	519	20	1012	654	609	518
9	23	1016	652	612	527	22	1011	654	613	527	21	1007	657	614	526	20	1002	659	615	526	19	956	702	617	525
10	22	1002	659	619	533	21	957	701	620	533	20	952	704	621	533	19	946	707	623	533	18	940	710	624	533
11	21	948	706	625	540	20	943	709	627	540	19	937	712	628	540	18	931	715	630	540	17	924	718	632	540
12	20	935	713	632	546	19	928	716	634	546	18	922	719	636	547	17	915	723	638	547	16	907	726	640	548
13	19	920	720	638	552	18	914	723	641	553	17	906	727	643	554	16	858	731	645	555	15	850	735	647	555
14	18	906	727	645	559	17	858	731	648	600	16	850	735	650	601	15	842	739	653	602	14	833	744	655	603
15	17	851	734	652	605	16	843	739	655	606	15	834	743	657	608	14	825	748	700	609	13	815	753	703	610
16	16	836	742	659	612	15	827	746	702	613	14	818	751	705	615	13	807	756	708	616	12	756	802	712	618
17	15	821	750	706	618	14	811	755	709	620	13	800	800	712	622	12	749	805	716	624	11	737	811	720	626
18	14	805	758	713	625	13	754	803	716	627	12	743	809	720	629	11	731	815	724	631	10	717	821	729	633
19	13	748	806	720	631	12	737	812	724	634	11	724	818	728	636	10	711	824	733	639	9	656	832	737	641
20	12	731	814	727	638	11	719	821	732	641	10	705	827	736	643	9	651	835	741	646	8	635	843	746	649
21	11	714	823	735	645	10	700	830	740	648	9	645	837	745	651	8	629	845	750	654	7	612	854	756	657
22	10	655	832	743	652	9	640	840	748	655	8	624	848	753	658	7	607	857	759	702	6	547	906	805	706
23	9	636	842	751	659	8	620	850	756	702	7	602	859	802	706	6	543	909	808	710	5	521	920	815	714
23.5	9	626	847	755	702	8	609	855	801	706	7	551	905	807	710	6	530	915	813	714	5	507	927	820	718

Table 2, Latitude and Declination SAME

	LAT.63					LAT.64					LAT.65					LAT.66					LAT.67				
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m
1	27	1215	553	507	411	26	1215	552	505	407	25	1216	552	503	402	24	1216	552	500	357	23	1217	551	458	351
2	28	1230	545	459	402	27	1232	544	456	357	26	1233	544	454	352	25	1234	543	451	346	24	1236	542	448	340
3	29	1246	537	450	353	28	1248	536	448	348	27	1250	535	445	342	26	1252	534	442	335	25	1255	533	438	328
4	30	1302	529	442	343	29	1305	528	439	338	28	1308	526	436	331	27	1311	525	432	324	26	1314	523	428	316
5	31	1318	521	434	334	30	1321	519	430	327	29	1325	517	426	320	28	1329	516	422	312	27	1333	513	417	303
6	32	1334	513	425	323	31	1338	511	421	316	30	1343	509	417	308	29	1348	506	412	259	28	1353	504	407	249
7	33	1350	505	416	313	32	1355	502	412	305	31	1401	500	407	256	30	1406	457	401	246	29	1412	454	356	234
8	34	1407	457	407	302	33	1413	454	402	253	32	1419	451	357	243	31	1425	447	351	231	30	1433	444	344	217
9	35	1424	448	358	250	34	1430	445	352	240	33	1437	441	346	228	32	1445	438	340	215	31	1453	433	332	159
10	36	1441	440	348	237	35	1448	436	342	226	34	1456	432	335	212	33	1505	428	328	157	32	1514	423	320	137
11	37	1458	431	338	223	36	1506	427	331	210	35	1515	422	324	155	34	1525	418	316	135	33	1536	412	306	108
12	38	1516	422	328	208	37	1525	418	320	153	36	1535	413	312	133	35	1546	407	303	107	34	1558	401	252	000
13	39	1534	413	317	151	38	1544	408	309	132	37	1555	402	259	106	36	1607	356	249	000	35	1621	350	237	///
14	40	1553	404	306	130	39	1604	358	256	105	38	1616	352	246	000	37	1630	345	234	///	36	1645	338	220	///
15	41	1612	354	254	104	40	1624	348	243,000	000	39	1638	341	231	///	38	1653	333	218	///	37	1710	325	201	///
16	42	1632	344	241	000	41	1646	337	229	///	40	1701	330	215	///	39	1718	321	159	///	38	1736	312	139	///
17	43	1653	334	227	///	42	1708	326	213	///	41	1725	318	157	///	40	1744	308	137	///	39	1805	258	110	///
18	44	1714	323	211	///	43	1731	314	155	///	42	1750	305	136	///	41	1811	254	109	///	40	1835	242	000	///
19	45	1737	311	154	///	44	1756	302	134	///	43	1817	251	108	///	42	1841	240	000	///	41	1909	226	///	///
20	46	1802	259	133	///	45	1823	249	107	///	44	1846	237	000	///	43	1914	223	///	///	42	1946	207	///	///
21	47	1828	246	106	///	46	1851	234	000	///	45	1918	221	///	///	44	1951	205	///	///	43	2030	145	///	///
22	48	1856	232	000	///	47	1923	219	///	///	46	1955	203	///	///	45	2034	143	///	///	44	2126	117	///	///
23	49	1927	217	///	///	48	1958	201	///	///	47	2037	141	///	///	46	2129	116	///	///	45	2302	029	///	///
23.5	50	2002	159	///	///	49	2040	140	///	///	48	2131	114	///	///	47	2303	029	///	///	46	2400	+++	...	...
	51	2021	149	///	///	50	2105	128	///	///	49	2207	056	///	///	48	2400	+++	...	...	47	2400	+++	...	...

/// = Twilight lasts all night.

+++ = No rise or Set. Sun remains above the horizon.

Latitude and Declination OPPOSITE

	LAT.63					LAT.64					LAT.65					LAT.66					LAT.67				
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m	o	o h m	h m h m h m	h m h m h m	h m h m h m
1	26	1159	601	515	420	25	1159	601	513	416	24	1159	601	512	412	23	1158	601	510	407	22	1158	601	508	402
2	25	1143	608	523	428	24	1142	609	522	425	23	1141	609	520	421	22	1140	610	519	417	21	1139	610	517	413
3	24	1128	616	531	437	23	1126	617	530	434	22	1124	618	529	431	21	1122	619	528	427	20	1120	620	527	423
4	23	1112	624	539	445	22	1109	625	538	442	21	1107	627	538	440	20	1104	628	537	437	19	1101	629	536	433
5	22	1056	632	546	453	21	1053	634	546	451	20	1050	635	546	449	19	1046	637	546	446	18	1042	639	546	443
6	21	1040	640	554	501	20	1036	642	554	459	19	1032	644	555	458	18	1028	646	555	455	17	1023	649	555	453
7	20	1024	648	602	509	19	1019	650	603	508	18	1014	653	603	506	17	1009	655	604	505	16	1003	658	605	503
8	19	1007	656	610	517	18	1002	659	611	516	17	956	702	612	515	16	950	705	613	514	15	943	708	614	512
9	18	951	705	618	525	17	945	708	619	524	16	938	711	620	524	15	931	715	622	523	14	923	718	623	522
10	17	934	713	626	533	16	927	717	627	532	15	919	720	629	532	14	911	724	631	532	13	903	729	633	531
11	16	917	722	634	540	15	909	726	636	541	14	900	730	638	541	13	851	734	640	541	12	841	739	643	541
12	15	859	730	642	548	14	850	735	644	549	13	841	740	647	549	12	831	745	650	550	11	820	750	653	550
13	14	841	739	650	556	13	832	744	653	557	12	821	749	656	558	11	810	755	659	559	10	757	802	702	559
14	13	823	749	658	604	12	812	754	702	605	11	800	800	705	606	10	748	806	709	608	9	734	813	713	609
15	12	804	758	707	612	11	752	804	710	613	10	739	810	714	615	9	725	818	718	617	8	709	825	723	618
16	11	744	808	715	620	10	731	814	719	622	9	717	822	724	624	8	701	829	729	626	7	644	838	734	628
17	10	724	818	724	628	9	710	825	729	630	8	654	833	734	632	7	636	842	739	635	6	616	852	745	638
18	9	703	829	733	636	8	647	837	738	639	7	629	845	744	641	6	610	855	749	644	5	547	906	756	648
19	8	641	840	742	644	7	623	849	748	647	6	603	858	754	650	5	541	909	800	654	4	516	922	808	658
20	7	617	851	752	652	6	558	901	758	656	5	535	912	805	700	4	510	925	812	703	3	441	939	820	708
21	6	552	904	802	701	5	530	915	808	705	4	505	927	816	709	3	436	942	82						

Table 2, Latitude and Declination SAME

DEC	LAT.68					LAT.69					LAT.70					LAT.71					LAT.72																													
	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT																									
o	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m	o h m	h m h m h m																								
0	22 1218	551 455 345	21 1219	551 452 338	20 1219	550 449 330	19 1220	550 445 321	18 1222	549 441 311	17 1222	549 441 311	16 1224	538 433 306	19 1246	537 428 254	18 1222	549 441 311	17 1222	549 441 311	18 1222	549 441 311	17 1222	549 441 311	16 1224	537 428 254	17 1222	549 441 311																						
1	23 1238	541 445 333	22 1239	540 441 325	21 1242	539 437 316	20 1244	538 433 306	19 1244	538 433 306	18 1246	537 428 254	19 1246	537 428 254	18 1246	537 428 254	19 1246	537 428 254	18 1246	537 428 254	19 1246	537 428 254	18 1246	537 428 254	19 1246	537 428 254	18 1246	537 428 254																						
2	24 1258	531 434 320	23 1300	530 430 311	22 1304	528 425 301	21 1307	526 420 249	20 1311	524 414 235	21 1331	515 407 231	20 1331	524 414 235	21 1331	524 414 235	20 1331	524 414 235	21 1331	524 414 235	20 1331	524 414 235	21 1331	524 414 235	20 1331	524 414 235	21 1331	524 414 235																						
3	25 1318	521 423 307	24 1322	519 418 257	23 1326	517 413 245	22 1349	506 400 227	23 1355	503 353 210	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149																						
4	26 1338	511 412 253	25 1343	508 407 241	24 1349	506 400 227	23 1355	503 353 210	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149	21 1336	512 400 214	22 1402	459 345 149	21 1336	512 400 214																						
5	27 1358	501 401 237	26 1405	458 354 224	25 1412	454 347 207	24 1419	450 339 146	23 1428	446 330 117	22 1428	446 330 117	21 1428	446 330 117	20 1428	446 330 117	19 1428	446 330 117	18 1428	446 330 117	17 1428	446 330 117	16 1428	446 330 117	15 1428	446 330 117	14 1428	446 330 117																						
6	28 1419	450 349 220	27 1427	447 342 204	26 1435	443 334 143	25 1444	438 324 115	24 1454	433 314 000	23 1454	433 314 000	22 1454	433 314 000	21 1454	433 314 000	20 1454	433 314 000	19 1454	433 314 000	18 1454	433 314 000	17 1454	433 314 000	16 1454	433 314 000	15 1454	433 314 000																						
7	29 1440	440 337 201	28 1449	435 329 141	27 1459	431 319 113	26 1509	425 309 000	25 1521	419 256 ///	24 1521	419 256 ///	23 1521	419 256 ///	22 1521	419 256 ///	21 1521	419 256 ///	20 1521	419 256 ///	19 1521	419 256 ///	18 1521	419 256 ///	17 1521	419 256 ///	16 1521	419 256 ///																						
8	30 1502	429 324 139	29 1512	424 315 111	28 1523	418 304 000	27 1536	412 252 ///	26 1550	405 237 ///	25 1550	405 237 ///	24 1550	405 237 ///	23 1550	405 237 ///	22 1550	405 237 ///	21 1550	405 237 ///	20 1550	405 237 ///	19 1550	405 237 ///	18 1550	405 237 ///	17 1550	405 237 ///																						
9	31 1524	418 310 110	30 1536	412 300 000	29 1549	406 248 ///	28 1603	359 233 ///	27 1619	351 216 ///	26 1619	351 216 ///	25 1619	351 216 ///	24 1619	351 216 ///	23 1619	351 216 ///	22 1619	351 216 ///	21 1619	351 216 ///	20 1619	351 216 ///	19 1619	351 216 ///	18 1619	351 216 ///																						
10	32 1547	406 256 000	31 1600	400 244 ///	30 1615	353 229 ///	29 1631	344 212 ///	28 1650	335 150 ///	27 1650	335 150 ///	26 1650	335 150 ///	25 1650	335 150 ///	24 1650	335 150 ///	23 1650	335 150 ///	22 1650	335 150 ///	21 1650	335 150 ///	20 1650	335 150 ///	19 1650	335 150 ///																						
11	33 1611	354 240 ///	32 1626	347 226 ///	31 1642	339 209 ///	30 1701	330 148 ///	29 1722	319 118 ///	28 1722	319 118 ///	27 1722	319 118 ///	26 1722	319 118 ///	25 1722	319 118 ///	24 1722	319 118 ///	23 1722	319 118 ///	22 1722	319 118 ///	21 1722	319 118 ///	20 1722	319 118 ///	19 1722	319 118 ///																				
12	34 1636	342 223 ///	33 1652	334 206 ///	32 1711	325 145 ///	31 1732	314 116 ///	30 1757	302 000 ///	29 1757	302 000 ///	28 1757	302 000 ///	27 1757	302 000 ///	26 1757	302 000 ///	25 1757	302 000 ///	24 1757	302 000 ///	23 1757	302 000 ///	22 1757	302 000 ///	21 1757	302 000 ///	20 1757	302 000 ///																				
13	35 1701	329 204 ///	34 1720	320 143 ///	33 1741	309 114 ///	32 1806	257 000 ///	31 1835	243 ///	30 1835	243 ///	29 1835	243 ///	28 1835	243 ///	27 1835	243 ///	26 1835	243 ///	25 1835	243 ///	24 1835	243 ///	23 1835	243 ///	22 1835	243 ///	21 1835	243 ///																				
14	36 1729	316 141 ///	35 1750	305 113 ///	34 1814	253 000 ///	33 1843	239 ///	32 1917	221 ///	31 1917	221 ///	30 1917	221 ///	29 1917	221 ///	28 1917	221 ///	27 1917	221 ///	26 1917	221 ///	25 1917	221 ///	24 1917	221 ///	23 1917	221 ///	22 1917	221 ///	21 1917	221 ///																		
15	37 1758	301 111 ///	36 1822	249 000 ///	35 1850	235 ///	34 1924	218 ///	33 2007	157 ///	32 2007	157 ///	31 2007	157 ///	30 2007	157 ///	29 2007	157 ///	28 2007	157 ///	27 2007	157 ///	26 2007	157 ///	25 2007	157 ///	24 2007	157 ///	23 2007	157 ///	22 2007	157 ///																		
16	38 1829	246 000 ///	37 1857	232 ///	36 1930	215 ///	35 2012	154 ///	34 2109	125 ///	33 2109	125 ///	32 2109	125 ///	31 2109	125 ///	30 2109	125 ///	29 2109	125 ///	28 2109	125 ///	27 2109	125 ///	26 2109	125 ///	25 2109	125 ///	24 2109	125 ///	23 2109	125 ///	22 2109	125 ///																
17	39 1903	229 ///	38 1936	212 ///	37 2017	151 ///	36 2113	123 ///	35 2256	032 ///	34 2256	032 ///	33 2256	032 ///	32 2256	032 ///	31 2256	032 ///	30 2256	032 ///	29 2256	032 ///	28 2256	032 ///	27 2256	032 ///	26 2256	032 ///	25 2256	032 ///	24 2256	032 ///	23 2256	032 ///	22 2256	032 ///														
18	40 1941	209 ///	39 2022	149 ///	38 2117	122 ///	37 2257	031 ///	36 2400	+++ ... ...	35 2400	+++ ... ...	34 2400	+++ ... ...	33 2400	+++ ... ...	32 2400	+++ ... ...	31 2400	+++ ... ...	30 2400	+++ ... ...	29 2400	+++ ... ...	28 2400	+++ ... ...	27 2400	+++ ... ...	26 2400	+++ ... ...	25 2400	+++ ... ...	24 2400	+++ ... ...	23 2400	+++ ... ...	22 2400	+++ ... ...												
19	41 2026	147 ///	40 2120	120 ///	39 2258	031 ///	38 2400	+++ ... ...	37 2400	+++ ... ...	36 2400	+++ ... ...	35 2400	+++ ... ...	34 2400	+++ ... ...	33 2400	+++ ... ...	32 2400	+++ ... ...	31 2400	+++ ... ...	30 2400	+++ ... ...	29 2400	+++ ... ...	28 2400	+++ ... ...	27 2400	+++ ... ...	26 2400	+++ ... ...	25 2400	+++ ... ...	24 2400	+++ ... ...	23 2400	+++ ... ...	22 2400	+++ ... ...										
20	42 2123	118 ///	41 2300	030 ///	40 2400	+++ ... ...	39 2400	+++ ... ...	38 2400	+++ ... ...	37 2400	+++ ... ...	36 2400	+++ ... ...	35 2400	+++ ... ...	34 2400	+++ ... ...	33 2400	+++ ... ...	32 2400	+++ ... ...	31 2400	+++ ... ...	30 2400	+++ ... ...	29 2400	+++ ... ...	28 2400	+++ ... ...	27 2400	+++ ... ...	26 2400	+++ ... ...	25 2400	+++ ... ...	24 2400	+++ ... ...	23 2400	+++ ... ...	22 2400	+++ ... ...								
21	43 2301	030 ///	42 2400	+++ ... ...	41 2400	+++ ... ...	40 2400	+++ ... ...	39 2400	+++ ... ...	38 2400	+++ ... ...	37 2400	+++ ... ...	36 2400	+++ ... ...	35 2400	+++ ... ...	34 2400	+++ ... ...	33 2400	+++ ... ...	32 2400	+++ ... ...	31 2400	+++ ... ...	30 2400	+++ ... ...	29 2400	+++ ... ...	28 2400	+++ ... ...	27 2400	+++ ... ...	26 2400	+++ ... ...	25 2400	+++ ... ...	24 2400	+++ ... ...	23 2400	+++ ... ...	22 2400	+++ ... ...						
22	44 2400	+++ ... ...	43 2400	+++ ... ...	42 2400	+++ ... ...	41 2400	+++ ... ...	40 2400	+++ ... ...	39 2400	+++ ... ...	38 2400	+++ ... ...	37 2400	+++ ... ...	36 2400	+++ ... ...	35 2400	+++ ... ...	34 2400	+++ ... ...	33 2400	+++ ... ...	32 2400	+++ ... ...	31 2400	+++ ... ...	30 2400	+++ ... ...	29 2400	+++ ... ...	28 2400	+++ ... ...	27 2400	+++ ... ...	26 2400	+++ ... ...	25 2400	+++ ... ...	24 2400	+++ ... ...	23 2400	+++ ... ...	22 2400	+++ ... ...				
23	45 2400	+++ ... ...	44 2400	+++ ... ...	43 2400	+++ ... ...	42 2400	+++ ... ...	41 2400	+++ ... ...	40 2400	+++ ... ...	39 2400	+++ ... ...	38 2400	+++ ... ...	37 2400	+++ ... ...	36 2400	+++ ... ...	35 2400	+++ ... ...	34 2400	+++ ... ...	33 2400	+++ ... ...	32 2400	+++ ... ...	31 2400	+++ ... ...	30 2400	+++ ... ...	29 2400	+++ ... ...	28 2400	+++ ... ...	27 2400	+++ ... ...	26 2400	+++ ... ...	25 2400	+++ ... ...	24 2400	+++ ... ...	23 2400	+++ ... ...	22 2400	+++ ... ...		
23.5	46 2400	+++ ... ...	45 2400	+++ ... ...	44 2400	+++ ... ...	43 2400	+++ ... ...	42 2400	+++ ... ...	41 2400	+++ ... ...	40 2400	+++ ... ...	39 2400	+++ ... ...	38 2400	+++ ... ...	37 2400	+++ ... ...	36 2400	+++ ... ...	35 2400	+++ ... ...	34 2400	+++ ... ...	33 2400	+++ ... ...	32 2400	+++ ... ...	31 2400	+++ ... ...	30 2400	+++ ... ...	29 2400	+++ ... ...	28 2400	+++ ... ...	27 2400	+++ ... ...	26 2400	+++ ... ...	25 2400	+++ ... ...	24 2400	+++ ... ...	23 2400	+++ ... ...	22 2400	+++ ... ...

/// = Twilight lasts all night.

DEC	LAT.68					LAT.69					LAT.70					LAT.71		
-----	--------	--	--	--	--	--------	--	--	--	--	--------	--	--	--	--	--------	--	--

Table 2, Latitude and Declination SAME

	LAT.73					LAT.74					LAT.75					LAT.76					LAT.77				
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m
0	17	1223	549	436	259	16	1224	548	431	244	15	1226	547	425	226	14	1228	546	418	203	13	1230	545	409	130
1	18	1249	535	422	239	17	1252	534	416	222	16	1256	532	408	159	15	1300	530	359	127	14	1305	528	349	000
2	19	1316	522	407	217	18	1320	520	400	155	17	1326	517	351	124	16	1332	514	340	000	15	1340	510	328	///
3	20	1342	509	352	152	19	1349	505	343	121	18	1357	502	333	000	17	1406	457	320	///	16	1416	452	305	///
4	21	1409	455	336	119	20	1418	451	326	000	19	1428	446	313	///	18	1439	440	258	///	17	1453	434	239	///
5	22	1437	441	319	000	21	1448	436	307	///	20	1500	430	252	///	19	1514	423	233	///	18	1531	415	209	///
6	23	1506	427	301	///	22	1518	421	246	///	21	1533	413	228	///	20	1551	405	205	///	19	1611	355	131	///
7	24	1535	413	242	///	23	1550	405	224	///	22	1608	356	200	///	21	1629	346	128	///	20	1653	333	000	///
8	25	1605	357	219	///	24	1623	348	157	///	23	1644	338	125	///	22	1709	325	000	///	21	1739	310	///	///
9	26	1637	341	153	///	25	1658	331	122	///	24	1723	318	000	///	23	1753	304	///	///	22	1830	245	///	///
10	27	1711	325	120	///	26	1736	312	000	///	25	1805	257	///	///	24	1842	239	///	///	23	1928	216	///	///
11	28	1747	307	000	///	27	1816	252	///	///	26	1852	234	///	///	25	1938	211	///	///	24	2042	139	///	///
12	29	1826	247	///	///	28	1901	229	///	///	27	1946	207	///	///	26	2048	136	///	///	25	2245	037	///	///
13	30	1910	225	///	///	29	1954	203	///	///	28	2055	133	///	///	27	2248	036	///	///	26	2400	+++	...	...
14	31	2001	200	///	///	30	2100	130	///	///	29	2250	035	///	///	28	2400	+++	...	...	27	2400	+++	...	...
15	32	2105	128	///	///	31	2252	034	///	///	30	2400	+++	...	...	29	2400	+++	...	...	28	2400	+++	...	...
16	33	2254	033	///	///	32	2400	+++	...	...	31	2400	+++	...	...	30	2400	+++	...	...	29	2400	+++	...	...
17	34	2400	+++	...	...	33	2400	+++	...	...	32	2400	+++	...	...	31	2400	+++	...	...	30	2400	+++	...	...
18	35	2400	+++	...	...	34	2400	+++	...	...	33	2400	+++	...	...	32	2400	+++	...	...	31	2400	+++	...	...
19	36	2400	+++	...	...	35	2400	+++	...	...	34	2400	+++	...	...	33	2400	+++	...	...	32	2400	+++	...	...
20	37	2400	+++	...	...	36	2400	+++	...	...	35	2400	+++	...	...	34	2400	+++	...	...	33	2400	+++	...	...
21	38	2400	+++	...	...	37	2400	+++	...	...	36	2400	+++	...	...	35	2400	+++	...	...	34	2400	+++	...	...
22	39	2400	+++	...	...	38	2400	+++	...	...	37	2400	+++	...	...	36	2400	+++	...	...	35	2400	+++	...	...
23	40	2400	+++	...	...	39	2400	+++	...	...	38	2400	+++	...	...	37	2400	+++	...	...	36	2400	+++	...	...
23.5	41	2400	+++	...	...	40	2400	+++	...	...	39	2400	+++	...	...	38	2400	+++	...	...	37	2400	+++	...	...

/// = Twilight lasts all night.

+++ = No rise or Set. Sun remains above the horizon.

## Latitude and Declination OPPOSITE

	LAT.73					LAT.74					LAT.75					LAT.76					LAT.77				
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT
0	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m	o	h m	h m h m h m	h m	h m
0	17	1223	549	436	259	16	1224	548	431	244	15	1226	547	425	226	14	1228	546	418	203	13	1230	545	409	130
1	16	1157	602	450	317	15	1156	602	446	304	14	1156	602	441	250	13	1155	602	435	231	12	1155	603	428	208
2	15	1130	615	504	333	14	1128	616	500	323	13	1126	617	456	311	12	1123	618	452	256	11	1120	620	447	237
3	14	1104	628	517	349	13	1100	630	515	340	12	1056	632	512	330	11	1051	635	509	318	10	1045	637	505	303
4	13	1038	641	530	404	12	1032	644	529	357	11	1026	647	527	348	10	1018	651	525	338	9	1010	655	522	326
5	12	1011	655	543	419	11	1003	658	543	412	10	955	703	542	405	9	945	708	541	357	8	934	713	540	347
6	11	943	708	556	433	10	934	713	557	428	9	923	718	557	422	8	911	725	557	415	7	856	732	557	407
7	10	915	722	609	447	9	904	728	611	442	8	851	735	612	438	7	835	742	613	432	6	817	751	615	426
8	9	847	737	623	500	8	833	744	625	457	7	817	752	627	453	6	758	801	629	449	5	737	812	632	444
9	8	817	752	636	513	7	801	800	639	511	6	742	809	642	509	5	720	820	646	506	4	653	833	650	502
10	7	746	807	649	527	6	727	817	653	525	5	704	828	657	524	4	638	841	702	522	3	606	857	708	520
11	6	714	823	703	540	5	651	834	708	539	4	625	848	713	539	3	553	904	719	538	2	513	924	727	537
12	5	639	840	717	553	4	613	854	723	553	3	541	910	729	554	2	502	929	737	554	1	410	955	746	554
13	4	602	859	731	606	3	531	915	738	607	2	452	934	746	609	1	402	959	755	610	0	248	1036	806	612
13.5	4	542	909	739	612	3	508	926	746	614	2	424	948	755	616	1	326	1017	805	618	0	146	1107	817	621
14	3	521	919	746	619	2	443	938	754	621	1	354	1003	804	624	0	242	1039	815	626	-1	000	---	828	629
14.5	3	459	930	754	626	2	417	952	803	628	1	319	1020	813	631	0	142	1109	825	634	-1	000	---	839	638
15	2	435	942	802	632	1	347	1006	811	635	0	237	1041	822	639	-1	000	---	835	643	-2	000	---	851	647
15.5	2	410	955	810	639	1	313	1023	820	643	0	139	1110	832	646	-1	000	---	846	651	-2	000	---	904	656
16	1	341	1010	818	646	0	233	1044	829	650	-1	000	---	842	654	-2	000	---	858	659	-3	000	---	917	705
16.5	1	308	1026	826	653	0	136	1112	838	657	-1	000	---	853	702	-2	000	---	910	708	-3	000	---	932	714
17	0	228	1046	835	659	-1	000	---	848	704	-2	000	---	904	710	-3	000	---	923	716	-4	000	---	948	724
17.5	0	134	1113	844	706	-1	000	---	858	712	-2	000	---	915	718	-3	000	---	937	725	-4	000	---	1006	733
18	-1	000	---	854	713	-2	000	---	909	720	-3	000	---	928	726	-4	000	---</td							

Table 2, Latitude and Declination SAME

	LAT.78					LAT.79					LAT.80					LAT.81					LAT.82					
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	
0	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m
0	12	1232	544 359 000	11	1235	543 347 ///	10	1238	541 332 ///	9	1243	539 312 ///	8	1248	536 245 ///	8	1248	536 245 ///	8	1248	536 245 ///	8	1248	536 245 ///	8	1248
1	13	1310	525 337 ///	12	1316	522 322 ///	11	1324	518 302 ///	10	1334	513 236 ///	9	1346	507 156 ///	9	1346	507 156 ///	9	1346	507 156 ///	9	1346	507 156 ///	9	1346
2	14	1348	506 313 ///	13	1359	501 253 ///	12	1411	455 227 ///	11	1426	447 149 ///	10	1445	437 000 ///	10	1445	437 000 ///	10	1445	437 000 ///	10	1445	437 000 ///	10	1445
3	15	1428	446 246 ///	14	1442	439 220 ///	13	1459	430 143 ///	12	1521	420 000 ///	11	1548	406 /// ///	11	1548	406 /// ///	11	1548	406 /// ///	11	1548	406 /// ///	11	1548
4	16	1508	426 214 ///	15	1527	417 139 ///	14	1550	405 000 ///	13	1619	351 /// ///	12	1656	332 /// ///	12	1656	332 /// ///	12	1656	332 /// ///	12	1656	332 /// ///	12	1656
5	17	1550	405 134 ///	16	1614	353 000 ///	15	1644	338 /// ///	14	1722	319 /// ///	13	1813	253 /// ///	13	1813	253 /// ///	13	1813	253 /// ///	13	1813	253 /// ///	13	1813
6	18	1635	342 000 ///	17	1705	328 /// ///	16	1743	309 /// ///	15	1834	243 /// ///	14	1948	206 /// ///	14	1948	206 /// ///	14	1948	206 /// ///	14	1948	206 /// ///	14	1948
7	19	1723	318 /// ///	18	1801	300 /// ///	17	1851	235 /// ///	16	2003	159 /// ///	15	2226	047 /// ///	15	2226	047 /// ///	15	2226	047 /// ///	15	2226	047 /// ///	15	2226
8	20	1816	252 /// ///	19	1905	227 /// ///	18	2015	153 /// ///	17	2231	044 /// ///	16	2400	+++ ... ...	16	2400	+++ ... ...	16	2400	+++ ... ...	16	2400	+++ ... ...	16	2400
9	21	1917	221 /// ///	20	2025	148 /// ///	19	2235	042 /// ///	18	2400	+++ ... ...	17	2400	+++ ... ...	17	2400	+++ ... ...	17	2400	+++ ... ...	17	2400	+++ ... ...	17	2400
10	22	2034	143 /// ///	21	2239	040 /// ///	20	2400	+++ ... ...	19	2400	+++ ... ...	18	2400	+++ ... ...	18	2400	+++ ... ...	18	2400	+++ ... ...	18	2400	+++ ... ...	18	2400
11	23	2243	039 /// ///	22	2400	+++ ... ...	21	2400	+++ ... ...	20	2400	+++ ... ...	19	2400	+++ ... ...	19	2400	+++ ... ...	19	2400	+++ ... ...	19	2400	+++ ... ...	19	2400
12	24	2400	+++ ... ...	23	2400	+++ ... ...	22	2400	+++ ... ...	21	2400	+++ ... ...	20	2400	+++ ... ...	20	2400	+++ ... ...	20	2400	+++ ... ...	20	2400	+++ ... ...	20	2400
13	25	2400	+++ ... ...	24	2400	+++ ... ...	23	2400	+++ ... ...	22	2400	+++ ... ...	21	2400	+++ ... ...	21	2400	+++ ... ...	21	2400	+++ ... ...	21	2400	+++ ... ...	21	2400
14	26	2400	+++ ... ...	25	2400	+++ ... ...	24	2400	+++ ... ...	23	2400	+++ ... ...	22	2400	+++ ... ...	22	2400	+++ ... ...	22	2400	+++ ... ...	22	2400	+++ ... ...	22	2400
15	27	2400	+++ ... ...	26	2400	+++ ... ...	25	2400	+++ ... ...	24	2400	+++ ... ...	23	2400	+++ ... ...	23	2400	+++ ... ...	23	2400	+++ ... ...	23	2400	+++ ... ...	23	2400
16	28	2400	+++ ... ...	27	2400	+++ ... ...	26	2400	+++ ... ...	25	2400	+++ ... ...	24	2400	+++ ... ...	24	2400	+++ ... ...	24	2400	+++ ... ...	24	2400	+++ ... ...	24	2400
17	29	2400	+++ ... ...	28	2400	+++ ... ...	27	2400	+++ ... ...	26	2400	+++ ... ...	25	2400	+++ ... ...	25	2400	+++ ... ...	25	2400	+++ ... ...	25	2400	+++ ... ...	25	2400
18	30	2400	+++ ... ...	29	2400	+++ ... ...	28	2400	+++ ... ...	27	2400	+++ ... ...	26	2400	+++ ... ...	26	2400	+++ ... ...	26	2400	+++ ... ...	26	2400	+++ ... ...	26	2400
19	31	2400	+++ ... ...	30	2400	+++ ... ...	29	2400	+++ ... ...	28	2400	+++ ... ...	27	2400	+++ ... ...	27	2400	+++ ... ...	27	2400	+++ ... ...	27	2400	+++ ... ...	27	2400
20	32	2400	+++ ... ...	31	2400	+++ ... ...	30	2400	+++ ... ...	29	2400	+++ ... ...	28	2400	+++ ... ...	28	2400	+++ ... ...	28	2400	+++ ... ...	28	2400	+++ ... ...	28	2400
21	33	2400	+++ ... ...	32	2400	+++ ... ...	31	2400	+++ ... ...	30	2400	+++ ... ...	29	2400	+++ ... ...	29	2400	+++ ... ...	29	2400	+++ ... ...	29	2400	+++ ... ...	29	2400
22	34	2400	+++ ... ...	33	2400	+++ ... ...	32	2400	+++ ... ...	31	2400	+++ ... ...	30	2400	+++ ... ...	30	2400	+++ ... ...	30	2400	+++ ... ...	30	2400	+++ ... ...	30	2400
23	35	2400	+++ ... ...	34	2400	+++ ... ...	33	2400	+++ ... ...	32	2400	+++ ... ...	31	2400	+++ ... ...	31	2400	+++ ... ...	31	2400	+++ ... ...	31	2400	+++ ... ...	31	2400
23.5	36	2400	+++ ... ...	35	2400	+++ ... ...	34	2400	+++ ... ...	33	2400	+++ ... ...	32	2400	+++ ... ...	32	2400	+++ ... ...	32	2400	+++ ... ...	32	2400	+++ ... ...	32	2400

/// = Twilight lasts all night.

+++ = No rise or Set. Sun remains above the horizon.


### Latitude and Declination OPPOSITE


	LAT.78					LAT.79					LAT.80					LAT.81					LAT.82						
DEC	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT	AL	LD	R/S	CT	NT		
0	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	h m h m h m	o	h m	
0	12	1232	544 359 000	11	1235	543 347 ///	10	1238	541 332 ///	9	1243	539 312 ///	8	1248	536 245 ///	7	1151	605 325 ///	6	1054	633 359 ///	5	956	702 431 ///	4	855	733 501 000
1	11	1154	603 420 133	10	1154	603 411 000	9	1153	603 359 ///	8	1152	604 344 ///	7	1101	629 414 ///	6	1054	633 359 ///	5	956	702 431 ///	4	855	733 501 000	3	751	805 530 155
2	10	1117	622 441 213	9	1113	624 434 138	8	1108	626 425 000	7	1021	649 449 142	6	1010	655 441 000	5	917	722 507 148	4	821	749 533 234	3	751	805 530 155	2	640	840 558 244
3	9	1039	641 500 244	8	1031	645 455 219	7	1021	649 449 142	6	934	713 512 226	5	917	722 507 148	4	821	749 533 234	3	751	805 530 155	2	640	840 558 244	1	518	921 627 323
4	8	1000	700 520 311	7	948	706 516 252	6	905	728 537 320	5	845	737 535 300	4	821	749 533 234	3	751	805 530 155	2	640	840 558 244	1	518	921 627 323	0	332	1014 656 358
5	7	920	720 539 335	6	819	751 557 357	5	730	815 618 409	4	658	831 621 357	3	722	819 558 311	2	616	852 623 343	1	518	921 627 323	0	332	1014 656 358	-1	000	--- 726 429
6	6	839	740 557 357	5	730	815 618 409	4	658	831 621 357	3	557	902 644 423	2	522	919 655 435	1	415	953 702 426	0	214	1053 711 414	-1	000	--- 726 429	-1	000	--- 742 444
7	5	756	802 616 418	4	710	825 635 438	3	638	841 639 431	2	557	902 644 423	1	445	938 707 447	0	320	1020 715 439	-1	000	--- 726 429	-1	000	--- 742 444	-1	000	--- 758 518
8	4	710	825 635 438	3	610	855 650 442	2	540	910 700 453	1	445	938 707 447	0	310	1025 732 510	-1	000	--- 740 505	-2	000	--- 758 518	-2	000	--- 815 514			
8.5	4	646	837 645 448	2	540	910 700 453	1	445	938 707 447	0	200	1100 744 522	-1	000	--- 758 518	-2	000	--- 813 531	-3	000	--- 833 528	-3	000	--- 852 542			
9	3	621	850 655 458	1	445	938 707 447	0	200	1100 744 522	-1	000	--- 811 544	-2	000	--- 828 544	-3	000	--- 845 556	-4	000	--- 912 557	-4	000	--- 936 611			
9.5	3	554	903 704 508	0	300	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---
10	2	525	917 714 517	-1	431	944 722 514	0	300	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---
10.5	2	454	933 725 527	1	351	1005 733 524	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000	---
11	1	420	950 735 536	0	302	1029 745 535	-1	000	---	-1	000	---	-1	000	---	-1	000	---	-1	000</td							


**Table 3 -- Longitude, Time Adjustments**


Lo	UT	Lo	UT	ZC								
deg	h m	deg	h m	m								
1	004	31	204	61	404	91	604	121	804	151	1004	04
2	008	32	208	62	408	92	608	122	808	152	1008	08
3	012	33	212	63	412	93	612	123	812	153	1012	12
4	016	34	216	64	416	94	616	124	816	154	1016	16
5	020	35	220	65	420	95	620	125	820	155	1020	20
6	024	36	224	66	424	96	624	126	824	156	1024	24
7	028	37	228	67	428	97	628	127	828	157	1028	28
												Note
8	032	38	232	68	432	98	632	128	832	158	1032	28
9	036	39	236	69	436	99	636	129	836	159	1036	24
10	040	40	240	70	440	100	640	130	840	160	1040	20
11	044	41	244	71	444	101	644	131	844	161	1044	16
12	048	42	248	72	448	102	648	132	848	162	1048	12
13	052	43	252	73	452	103	652	133	852	163	1052	08
14	056	44	256	74	456	104	656	134	856	164	1056	04
15	100	45	300	75	500	105	700	135	900	165	1100	00
16	104	46	304	76	504	106	704	136	904	166	1104	04
17	108	47	308	77	508	107	708	137	908	167	1108	08
18	112	48	312	78	512	108	712	138	912	168	1112	12
19	116	49	316	79	516	109	716	139	916	169	1116	16
20	120	50	320	80	520	110	720	140	920	170	1120	20
21	124	51	324	81	524	111	724	141	924	171	1124	24
22	128	52	328	82	528	112	728	142	928	172	1128	28
												Note
23	132	53	332	83	532	113	732	143	932	173	1132	28
24	136	54	336	84	536	114	736	144	936	174	1136	24
25	140	55	340	85	540	115	740	145	940	175	1140	20
26	144	56	344	86	544	116	744	146	944	176	1144	16
27	148	57	348	87	548	117	748	147	948	177	1148	12
28	152	58	352	88	552	118	752	148	952	178	1152	08
29	156	59	356	89	556	119	756	149	956	179	1156	04
30	200	60	400	90	600	120	800	150	1000	180	1200	00


**Note:** In a uniform system of time zones, boundaries are located midway between the longitudes in the table, at the lines indicated. The corresponding adjustment is 30 minutes, to be applied according to the time actually kept at the location of interest.




































































































*Sun Illuminance*



### Moon Illuminance



*Moon Illuminance*



## APPENDIX A

### Geographic Coordinates

This list of geographic places in the United States was compiled from data furnished by the U.S. Geological Survey and from a special purpose coordinate file maintained at the U.S. Naval Observatory. For each listed place, geographic coordinates (without headings) are given to the nearest whole degree as appropriate to, and for use with, the procedures described in the main text. West longitude and North latitude precede each place name in the list, but the list is arranged alphabetically by state and within each state for convenience.

From base data files representing approximately 140,000 geographic places, those included here were selected for the purpose of providing uniform coverage of each state in latitude and longitude primarily, and of providing specific reference places for every county or parish within each state secondarily. As a result, many densely populated places are excluded because of their proximity to similar places previously selected in the compilation process. Also, that a listed place, within a rural county for example, might be neither the county seat nor the most populous place, is another consequence of the process. Some listed places, included for the purpose of geographic and political completeness, may be recognized only by those familiar with the area. In a few instances of this type, a place may have no permanent population but nevertheless has been accorded recognition by the United States Board on Geographic Names.

Alaska is a general exception. Complete coverage according to the stated criteria was impractical. Listed coordinates thus include larger population centers only (based upon 1980 census data and projections through 1984).

ALABAMA			
87 33 Alabaster	85 32 Phenix City	109 31 Cazador	
86 34 Albertville	86 32 Prattville	110 36 Chinle	
86 33 Alexander City	85 34 Ranburne	109 33 Clifton	
88 33 Aliceville	85 33 Roanoke	110 31 Douglas	
86 34 Anniston	88 35 Russellville	109 34 Eagar	
87 35 Athens	86 35 Scottsboro	115 34 Ehrenberg	
87 31 Atmore	87 32 Selma	112 35 Flagstaff	
85 33 Auburn	88 35 Sheffield	109 36 Fort Defiance	
87 33 Bessemer	86 33 Talladega	113 36 Frazier Wells	
87 34 Birmingham	86 33 Tallassee	113 37 Fredonia	
87 33 Brent	86 32 Troy	111 33 Globe	
88 32 Butler	88 33 Tuscaloosa	112 36 Grand Canyon	
87 32 Camden	86 32 Tuskegee	110 35 Holbrook	
87 31 Castleberry	86 32 Union Springs	110 37 Kayenta	
86 34 Centre	88 34 Vernon	114 35 Kingman	
88 31 Chatom	88 32 York	114 34 Lake Havasu City	
87 33 Clanton	ALASKA	114 37 Littlefield	
87 34 Cullman	177 52 Adak Station	111 31 Nogales	
87 35 Decatur	150 61 Anchorage	111 37 Page	
88 33 Demopolis	157 71 Barrow	111 34 Payson	
85 31 Dothan	162 61 Bethel	112 33 Phoenix	
86 31 Elba	146 61 Cordova	110 33 Safford	
85 32 Eufaula	158 59 Dillingham	115 32 San Luis	
88 33 Eutaw	147 65 Eielson	112 31 Sasabe	
88 34 Fayette	148 65 Fairbanks	112 32 Sells	
88 35 Florence	146 64 Fort Greely	110 34 Show Low	
88 30 Foley	152 60 Homer	110 32 Sierra Vista	
87 32 Fort Deposit	134 58 Juneau	109 35 St. Johns	
86 34 Fort Payne	151 61 Kenai	111 36 Tuba City	
86 34 Gadsden	132 55 Ketchikan	111 32 Tucson	
86 31 Geneva	152 58 Kodiak	114 34 Vicksburg Junction	
86 33 Goodwater	163 67 Kotzebue	113 34 Wickenburg	
88 33 Greensboro	132 55 Metlakatla	111 35 Winslow	
87 32 Greenville	151 61 Nikishka	115 33 Yuma	
88 34 Haleyville	165 65 Nome	ARKANSAS	
88 34 Hamilton	149 62 Palmer	93 34 Arkadelphia	
85 31 Headland	133 57 Petersburg	94 34 Ashdown	
87 35 Huntsville	149 60 Seward	91 35 Augusta	
88 32 Jackson	135 57 Sitka	92 36 Batesville	
87 34 Jasper	151 60 Soldotna	93 35 Benton	
85 33 Lanett	167 54 Unalaska	94 36 Berryville	
87 30 Lillian	146 61 Valdez	90 36 Blytheville	
86 33 Lineville	132 56 Wrangell	91 35 Brinkley	
86 32 Luverne	ARIZONA	93 36 Bull Shoals	
87 33 Marion	113 32 Ajo	92 35 Cabot	
88 31 Mobile	109 32 Apache	93 34 Camden	
87 32 Monroeville	113 35 Bagdad	92 36 Cave City	
86 32 Montgomery	115 35 Berry	93 35 Clarksville	
87 34 Moulton	109 37 Bitlabilo	92 36 Clinton	
86 34 Oneonta	114 36 Bonelli Landing	92 35 Conway	
86 31 Opp	113 33 Buckeye	93 36 Cotter	
86 31 Ozark	112 33 Casa Grande	92 33 Crossett	
86 34 Pell City		93 35 Dardanelle	

94 34	De Queen	91 35	West Helena	122 41	Redding
91 35	Des Arc	90 35	West Memphis	124 40	Redway
91 34	Dumas	91 35	Wynne	119 37	Reedley
93 33	El Dorado			118 36	Ridgecrest
91 33	Eudora		CALIFORNIA	117 34	Riverside
94 36	Fayetteville	116 35	Afton	121 39	Roseville
92 34	Fordyce	121 41	Alturas	121 39	Sacramento
91 35	Forrest City	119 35	Bakersfield	121 38	San Andreas
94 35	Fort Smith	117 35	Barstow	118 33	San Clemente
92 34	Hampton	120 38	Bear Valley	117 33	San Diego
93 36	Harrison	117 37	Beatty Junction	122 38	San Francisco
92 35	Heber Springs	118 38	Benton	122 37	San Jose
94 34	Hope	118 37	Bishop	121 35	San Luis Obispo
93 35	Hot Springs	114 34	Black Meadow Landing	122 38	San Mateo
91 36	Hoxie	115 34	Blythe	123 38	San Rafael
94 36	Huntsville	120 41	Brockman	120 34	Santa Barbara
93 36	Jasper	115 36	Calada	121 37	Santa Clara
91 36	Jonesboro	115 33	Calexico	122 37	Santa Cruz
92 35	Little Rock	122 36	Carmel Valley	120 35	Santa Maria
93 33	Magnolia	120 42	Cedarville	123 38	Santa Rosa
93 34	Malvern	122 40	Chico	117 36	Searles Valley
92 36	Mammoth Spring	122 39	Colusa	120 38	Sonora
91 35	Marianna	122 38	Concord	120 39	South Lake Tahoe
93 36	Marshall	123 40	Covelo	121 38	Stockton
92 36	Melbourne	124 42	Crescent City	121 40	Susanville
94 35	Mena	122 39	Davis	121 42	Tulelake
92 34	Monticello	116 36	Death Valley Junction	123 39	Ukiah
93 35	Morrilton	122 42	Dorris	122 38	Vallejo
94 35	Mount Ida	116 33	El Centro	119 36	Visalia
92 36	Mountain View	121 36	El Paso de Robles	123 41	Weaverville
94 34	Murfreesboro	124 41	Eureka	122 40	Willows
94 34	Nashville	124 39	Fort Bragg	123 42	Yreka
94 35	Ozark	120 37	Fresno	122 39	Yuba City
91 36	Paragould	121 39	Grass Valley		COLORADO
94 35	Paris	120 36	Hanford	106 37	Alamosa
93 35	Perryville	121 37	Hollister	107 39	Aspen
90 36	Piggott	116 34	Indio	105 40	Aurora
92 34	Pine Bluff	121 38	Ione	105 40	Boulder
91 36	Pocahontas	123 39	Lakeport	109 41	Bower Place
93 34	Prescott	118 35	Lancaster	104 37	Branson
92 34	Rison	122 39	Linda	102 39	Burlington
93 35	Russellville	118 34	Los Angeles	105 38	Canon City
92 35	Searcy	120 40	Loyalton	105 39	Castle Rock
92 34	Sheridan	120 37	Madera	106 38	Center
95 36	Siloam Springs	119 38	Mammoth Lakes	106 40	Central City
93 33	Stamps	120 37	Mariposa	102 39	Cheyenne Wells
92 34	Star City	120 37	Merced	108 39	Clifton
92 35	Stuttgart	121 38	Modesto	105 39	Cortez
94 33	Texarkana	122 38	Napa	108 41	Craig
91 36	Trumann	115 35	Needles	107 38	Creede
91 36	Tuckerman	122 38	Oakland	107 41	Columbine
94 35	Van Buren	119 34	Oxnard	109 37	Craig
94 35	Waldron	120 40	Portola	108 41	Creede
92 34	Warren	122 40	Red Bluff	108 39	Delta

105 40	Denver	102 40	Wray	82 30	Hastings
108 37	Durango	103 40	Yuma	83 28	Holiday
103 38	Eads			80 25	Homestead
105 39	Elizabeth		CONNECTICUT	81 26	Immokalee
105 40	Englewood	74 42	Amenia Union	82 30	Jacksonville
106 40	Estes Park	73 41	Bridgeport	81 30	Jacksonville Beach
106 39	Fairplay	73 42	Hartford	83 31	Jasper
105 41	Fort Collins	73 42	Middletown	82 25	Key West
104 40	Fort Morgan	73 41	New Haven	81 28	Kissimmee
106 40	Frisco	72 41	New London	82 30	Lake Butler
103 38	Gilpin	72 42	Norwich	83 30	Lake City
109 39	Grand Junction	74 41	Stamford	82 29	Leesburg
104 41	Grover	72 42	Storrs	82 30	Macclenny
107 39	Gunnison	72 42	Willimantic	83 30	Madison
102 38	Holly			81 25	Marathon
102 41	Holyoke		DELAWARE	85 31	Marianna
106 38	Hooper	76 40	Wilmington	83 30	Mayo
103 39	Hugo	76 39	Dover	81 28	Melbourne
105 40	Idaho Springs	75 40	Claymont	80 26	Miami
102 41	Julesburg	75 39	Milford	87 31	Milton
106 40	Kremmling	75 38	Selbyville	84 31	Monticello
104 38	La Junta	76 38	Delmar	82 26	Naples
107 38	Lake City			82 29	Ocala
105 40	Lakewood		DISTRICT OF COLUMBIA	81 27	Okeechobee
103 38	Lamar	77 39	Washington	82 30	Orange Park
103 38	Las Animas			81 29	Orlando
106 39	Leadville		FLORIDA	82 30	Palatka
104 39	Limon	85 30	Apalachicola	86 30	Panama City
105 38	Lombard Village	82 27	Arcadia	87 30	Pensacola
108 39	Maher	81 27	Belle Glade	84 30	Perry
106 37	Manassa	85 30	Blountstown	82 27	Port Charlotte
106 38	Monte Vista	86 31	Bonifay	85 31	Quincy
108 38	Montrose	83 27	Bradenton	81 29	Sanford
109 38	Nucla	83 30	Branford	83 27	Sarasota
104 38	Ordway	85 30	Bristol	81 27	Sebring
108 38	Ouray	82 29	Brooksville	82 30	Starke
107 37	Pagosa Springs	83 28	Clearwater	80 27	Stuart
105 38	Pueblo	81 27	Clewiston	84 30	Tallahassee
109 40	Rangely	84 30	Crawfordville	82 28	Tampa
108 40	Rifle	83 30	Cross City	83 30	Trenton
106 39	Salida	86 30	Crystal Lake	80 28	Vero Beach
105 37	San Luis	83 29	Crystal River	81 27	Washington Park
108 38	Silverton	81 29	Daytona Beach	82 28	Wauchula
103 37	Springfield	86 31	De Funiak Springs	80 27	West Palm Beach
107 40	Steamboat Springs	88 31	Enon	85 30	Wewahitchka
103 41	Sterling	81 31	Fernandina Beach	82 29	Wildwood
108 38	Telluride	87 31	Ferry Pass	82 29	Williston
105 37	Trinidad	81 29	Flagler Beach	82 28	Winter Haven
106 40	Vail	83 25	Fort Jefferson	82 31	Yulee
106 41	Walden	80 26	Fort Lauderdale		
105 38	Walsenburg	82 27	Fort Myers		
102 37	Walsh	80 27	Fort Pierce		
105 38	Westcliffe	87 30	Fort Walton Beach		
105 39	Woodland Park	82 30	Gainesville		

GEORGIA			
83 31 Adel	84 35	Dahlonega	82 32 Metter
83 32 Ailey	85 34	Dallas	83 33 Milledgeville
83 32 Alamo	85 35	Dalton	82 33 Millen
84 32 Albany	81 31	Darien	85 33 Molena
83 31 Alexis	84 32	Dawson	84 34 Monroe
85 33 Allendale	83 32	Denton	84 32 Montezuma
82 32 Alma	85 31	Donalsonville	84 33 Monticello
84 32 Americus	83 32	Douglas	84 31 Moultrie
84 32 Andersonville	83 33	Dublin	82 31 Nahanta
85 31 Arlington	84 35	East Ellijay	83 31 Nashville
84 32 Ashburn	83 32	Eastman	85 33 Newman
83 34 Athens	83 33	Eatonton	84 31 Newton
84 34 Atlanta	83 34	Elberton	84 34 North Atlanta
82 33 Augusta	84 32	Ellaville	83 32 Ocilla
85 31 Bainbridge	83 32	Fitzgerald	85 33 Peachtree City
84 33 Barnesville	84 34	Forest Park	83 31 Pearson
82 32 Baxley	84 33	Forsyth	82 32 Pembroke
82 31 Blackshear	85 32	Fort Gaines	85 32 Preston
84 35 Blairsville	84 33	Fort Valley	84 31 Quitman
85 31 Blakely	85 33	Franklin	85 32 Richland
83 33 Blountsville	84 34	Gainesville	84 33 Roberta
84 35 Blue Ridge	83 33	Gibson	83 32 Rochelle
84 31 Boston	82 32	Glennville	85 34 Rome
85 34 Bremen	83 33	Gordon	83 33 Sandersville
81 31 Brunswick	83 34	Greensboro	81 32 Savannah
85 32 Buena Vista	84 33	Griffin	83 32 Soperton
84 33 Butler	83 34	Hartwell	83 33 Sparta
84 31 Cairo	83 32	Hawkinsville	82 32 Statesboro
85 35 Calhoun	82 32	Hinesville	82 30 Stokesville
84 31 Camilla	83 34	Homer	85 34 Summerville
84 34 Canton	83 31	Homerville	84 35 Sunnyside
85 34 Cartersville	84 33	Jackson	82 33 Swainsboro
81 33 Cedar Bluff Landing	84 34	Jasper	82 33 Sylvania
85 34 Cedartown	83 33	Jeffersonville	84 32 Sylvester
85 35 Chatsworth	82 32	Jesup	85 33 Talbotton
82 32 Claxton	82 31	Kingsland	84 33 Thomaston
83 35 Clayton	85 35	La Fayette	83 33 Thomson
84 35 Cleveland	85 33	La Grange	84 31 Tifton
83 32 Cochran	83 31	Lakeland	83 35 Toccoa
85 31 Colquitt	83 34	Lavonia	86 35 Trenton
85 32 Columbus	84 34	Lawrenceville	83 31 Valdosta
83 34 Comer	84 32	Leesburg	82 32 Vidalia
83 34 Commerce	82 34	Lincolnton	84 32 Vienna
84 34 Conyers	85 34	Lithia Springs	85 34 Villa Rica
84 32 Cordele	82 33	Louisville	84 33 Warner Robins
84 35 Cornelia	82 32	Ludowici	83 33 Warrenton
84 34 Covington	85 34	Mableton	83 34 Washington
83 34 Crawford	84 33	Macon	83 34 Watkinsville
83 34 Crawfordville	83 34	Madison	85 33 Waverly Hall
85 32 Crossroads	85 33	Manchester	82 31 Waycross
84 34 Cumming	82 34	Martinez	82 33 Waynesboro
85 32 Cusseta	84 33	McDonough	85 35 Westside
85 32 Cuthbert	83 32	McRae	84 34 Winder
			83 33 Wrightsville

HAWAII			
156 19 Captain Cook	117 44 Payette	91 39 Hardin	
155 20 Hilo	117 47 Plummer	89 38 Harrisburg	
156 20 Holualoa	112 43 Pocatello	90 40 Havana	
158 21 Honolulu	112 42 Preston	89 41 Henry	
156 21 Kahului	112 44 Rexburg	89 39 Hillsboro	
159 22 Kapaa	112 44 Rigby	90 40 Jacksonville	
160 22 Kekaha	114 43 Rupert	90 39 Jerseyville	
155 19 Pahala	114 45 Salmon	88 42 Joliet	
158 22 Wahiawa	114 43 Shoshone	88 41 Kankakee	
157 21 Wailuku	112 43 Soda Springs	90 41 Kewanee	
	115 44 Stanley	88 39 Lawrenceville	
	114 43 Twin Falls	89 40 Lincoln	
IDAHO			
115 45 Abstein Place	116 47 Wallace	91 40 Macomb	
113 43 American Falls	117 44 Weiser	89 38 Marion	
113 44 Arco		88 39 Marshall	
111 44 Ashton	ILLINOIS	89 38 McLeansboro	
117 45 Bear	91 41 Aledo	89 37 Metropolis	
116 42 Bengoechea Place	89 37 Anna	92 40 Meyer	
112 43 Blackfoot	90 43 Apple River	91 41 Monmouth	
116 49 Bonners Ferry	90 40 Athens	89 40 Monticello	
115 47 Cayuse Junction	88 42 Aurora	88 41 Morris	
117 48 Coeur d'Alene	90 40 Beardstown	89 37 Mounds	
117 42 Crutcher Crossing	90 39 Belleville	88 38 Mount Carmel	
111 44 Driggs	89 42 Belvidere	91 40 Mount Sterling	
112 44 Dubois	90 39 Breese	89 38 Mount Vernon	
115 46 Elk City	89 37 Cairo	89 38 Nashville	
116 41 Elkhorn	90 41 Canton	88 39 Neoga	
116 44 Emmett	89 38 Carbondale	88 39 Newton	
115 43 Fairfield	90 39 Carlinville	89 41 Normal	
114 46 Gibbonsville	88 38 Carmi	88 39 Olney	
115 43 Gooding	89 39 Centralia	91 41 Oquawka	
115 42 Hollister	88 40 Champaign	89 41 Ottawa	
116 44 Horseshoe Bend	88 39 Charleston	88 40 Paris	
111 43 Irwin	90 38 Chester	88 40 Paxton	
115 43 Jerome	88 42 Chicago	90 41 Pekin	
116 46 Kamiah	89 40 Clinton	90 41 Peoria	
116 48 Kellogg	88 42 Crystal Lake	89 38 Pinckneyville	
114 44 Ketchum	88 40 Danville	91 40 Pittsfield	
111 45 Lake	89 42 De Kalb	89 42 Plano	
117 49 Lamb Creek	89 40 Decatur	89 41 Princeton	
113 45 Leadore	89 42 Dixon	90 41 Princeville	
117 46 Lewiston	88 41 Dwight	91 40 Quincy	
112 42 Malad City	89 39 Effingham	88 39 Robinson	
113 42 Malta	88 42 Elmhurst	89 42 Rochelle	
116 45 McCall	89 41 Eureka	91 42 Rock Island	
117 43 Melba	88 39 Flora	89 42 Rockford	
116 44 Meridian	90 42 Freeport	88 37 Rosiclare	
111 42 Montpelier	90 41 Galesburg	91 40 Rushville	
117 47 Moscow	88 37 Golconda	90 42 Savanna	
116 43 Mountain Home	90 39 Granite City	88 38 Shawneetown	
117 44 Nampa	89 41 Granville	89 39 Shelbyville	
114 42 Oakley	88 38 Grayville	90 40 Springfield	
116 46 Orofino	89 39 Greenville	90 42 Sterling	
	91 40 Hamilton	89 40 Sullivan	

89 40	Taylorville	85 41	Kendallville	87 41	Winamac
88 40	Tuscola	87 41	Kentland	85 40	Winchester
89 39	Vandalia	86 41	Kewanna		
89 37	Vienna	86 40	Kokomo	IOWA	
90 38	Waterloo	87 40	Lafayette	97 43	Akron
88 41	Watseka	85 42	Lagrange	93 41	Albia
88 42	Waukegan	85 39	Lawrenceburg	94 43	Algona
89 38	Wayne City	86 40	Lebanon	93 42	Altoona
89 38	West Frankfort	85 40	Liberty	94 42	Ames
90 39	White Hall	87 39	Linton	91 42	Anamosa
90 40	Winchester	86 41	Logansport	95 41	Atlantic
		87 39	Loogootee	95 42	Audubon
INDIANA		85 39	Madison	95 41	Bedford
88 40	Ambia	86 39	Martinsville	92 41	Bloomfield
86 40	Anderson	87 41	Merrillville	94 42	Boone
85 42	Angola	87 42	Michigan City	91 41	Burlington
86 39	Annandale Estates	87 41	Monticello	95 42	Carroll
87 40	Attica	85 40	Muncie	92 43	Cedar Falls
85 41	Auburn	86 38	New Albany	92 42	Cedar Rapids
86 39	Austin	85 40	New Castle	93 41	Chariton
86 41	Barbee	86 39	New Pekin	93 43	Charles City
85 39	Batesville	86 40	New Whiteland	96 43	Cherokee
86 39	Bedford	87 41	North Judson	90 42	Clinton
85 41	Berne	86 39	North Vernon	95 41	Corning
87 39	Bloomington	86 38	Oak Park	96 41	Council Bluffs
85 41	Bluffton	86 39	Paoli	92 43	Cresco
87 38	Boonville	86 41	Peru	94 41	Creston
87 40	Brazil	87 38	Petersburg	91 42	Davenport
85 39	Brookville	86 41	Plymouth	92 43	Decorah
86 40	Brownsburg	87 42	Portage	95 42	Denison
86 40	Carmel	85 40	Portland	94 42	Des Moines
85 41	Columbia City	88 38	Poseyville	91 43	Dubuque
86 39	Columbus	88 38	Princeton	94 43	Eagle Grove
85 40	Connersville	87 41	Rensselaer	95 43	Emmetsburg
86 38	Corydon	85 40	Richmond	95 43	Estherville
87 40	Crawfordsville	85 39	Rising Sun	92 41	Fairfield
87 41	Delphi	86 41	Rochester	94 43	Forest City
88 41	Dyer	87 38	Rockport	94 42	Fort Dodge
86 42	Elkhart	87 40	Rockville	94 43	Garner
88 38	Evansville	85 40	Rushville	97 41	Genoa
87 40	Fairview Park	86 39	Seymour	96 41	Glenwood
87 39	Farmersburg	86 40	Shelbyville	94 41	Greenfield
85 41	Fort Wayne	86 42	South Bend	93 42	Grinnell
87 40	Frankfort	87 39	Spencer	93 42	Grundy Center
87 42	Gary	87 39	Sullivan	95 42	Guthrie Center
86 40	Gas City	87 38	Tell City	91 43	Guttenberg
87 40	Greencastle	87 39	Terre Haute	96 41	Hamburg
86 40	Greenfield	86 40	Tipton	93 43	Hampton
85 39	Greensburg	85 39	Vevay	95 42	Harlan
88 42	Hammond	88 39	Vincennes	94 43	Humboldt
85 40	Hartford City	86 41	Wabash	95 42	Ida Grove
85 41	Huntington	86 41	Warsaw	92 42	Independence
86 40	Indianapolis	87 39	Washington	94 41	Indianola
87 38	Jasper	87 40	Williamsport	92 42	Iowa City

93 43	Iowa Falls	KANSAS	95 39	Lawrence	
94 42	Jefferson	97 39	Abilene	95 39	Leavenworth
91 40	Keokuk	96 39	Alma	101 38	Leoti
92 41	Keosauqua	98 37	Anthony	101 37	Liberal
95 42	Kimballton	97 37	Arkansas City	98 38	Lyons
94 41	Lamoni	100 37	Ashland	97 39	Manhattan
91 42	Manchester	95 40	Atchison	98 40	Mankato
91 42	Maquoketa	101 40	Atwood	102 38	Manter
92 42	Marengo	98 40	Belleville	97 40	Marysville
93 42	Marshalltown	98 39	Beloit	98 38	McPherson
93 43	Mason City	102 40	Bird City	100 37	Meade
96 42	Missouri Valley	96 38	Burlington	99 37	Medicine Lodge
93 41	Moulton	95 38	Chanute	98 39	Minneapolis
94 41	Mount Ayr	100 38	Cimarron	96 37	Neodesha
92 41	Mount Pleasant	96 37	Coffeyville	100 38	Ness City
92 43	New Hampton	101 39	Colby	97 38	Newton
93 42	Newton	99 37	Coldwater	100 40	Norton
93 43	Northwood	98 40	Concordia	101 39	Oakley
92 43	Oelwein	97 38	Cottonwood Falls	101 40	Oberlin
96 42	Onawa	96 39	Council Grove	96 39	Osage City
96 43	Orange City	100 38	Dighton	99 39	Osborne
93 43	Osage	100 38	Dodge City	95 39	Overland Park
94 41	Osceola	95 39	Dunavant	95 39	Paola
93 41	Oskaloosa	97 38	El Dorado	95 37	Parsons
92 41	Ottumwa	102 37	Elkhart	99 40	Phillipsburg
93 43	Parkersburg	98 39	Ellsworth	95 37	Pittsburg
93 41	Pella	96 38	Emporia	99 39	Plainville
94 42	Perry	96 38	Eureka	95 38	Pleasanton
95 43	Pocahontas	95 38	Fort Scott	99 38	Pratt
95 41	Red Oak	95 37	Galena	100 39	Quinter
96 43	Rock Rapids	101 38	Garden City	94 38	Richmond
95 42	Rockwell City	95 38	Garnett	99 39	Russell
95 42	Sac City	102 39	Goodland	98 38	Saint Paul
96 43	Sheldon	99 38	Great Bend	98 39	Salina
95 41	Shenandoah	99 38	Greensburg	101 38	Scott City
96 43	Sibley	99 39	Hays	96 37	Sedan
92 41	Sigourney	96 40	Hiawatha	101 40	Selden
96 43	Sioux City	100 39	Hill City	96 40	Seneca
95 43	Spencer	97 38	Hillsboro	102 39	Sharon Springs
95 43	Spirit Lake	96 39	Holton	99 40	Smith Center
95 43	Storm Lake	96 37	Howard	99 38	Stafford
93 42	Tama	101 37	Hugoton	101 37	Sublette
91 42	Tipton	98 38	Hutchinson	98 39	Sylvan Grove
92 40	Vincennes	95 38	Iola	102 38	Syracuse
92 42	Vinton	100 38	Jetmore	96 39	Topeka
92 41	Washington	97 39	Junction City	101 38	Ulysses
91 43	Waukon	103 38	Kanco	95 39	Valley Falls
92 43	Waverly	95 39	Kansas City	100 39	Wa Keeney
94 42	Webster City	98 38	Kingman	97 39	Wakefield
91 42	West Liberty	99 38	Kinsley	96 39	Wamego
94 41	Winterset	99 39	La Crosse	97 40	Washington
		101 38	Lakin	95 40	Wathena
		96 38	Landergin	97 37	Wellington
		99 38	Larned	97 38	Wichita

96 38	Yates Center	85 37	Greensburg	88 37	Smithland
		86 38	Hardinsburg	85 37	Somerset
KENTUCKY		85 38	Harrodsburg	82 38	South Williamson
85 37	Albany	83 37	Hazard	85 38	Springfield
83 37	Altro	88 38	Henderson	85 38	Stamping Ground
85 38	Anderson City	86 37	Hillview	85 38	Stanford
85 37	Argyle	83 37	Hindman	84 38	Stanton
83 37	Asher	86 38	Hodgenville	86 37	Tompkinsville
83 38	Ashland	87 37	Hopkinsville	83 39	Vanceburg
84 38	Ashland Park	86 37	Horse Cave	85 38	Versailles
84 39	Augusta	84 38	Irvine	85 39	Warsaw
84 37	Barbourville	83 37	Jenkins	83 38	West Liberty
85 38	Bardstown	85 38	Junction City	84 37	Whitley City
85 37	Barrier	89 37	La Center	89 37	Wickliffe
84 38	Beattyville	85 38	La Grange	85 39	Williamstown
82 38	Beauty	85 38	Lancaster	84 38	Winchester
87 37	Beaver Dam	85 38	Lawrenceburg		LOUISIANA
85 39	Bedford	85 38	Lebanon	92 31	Alexandria
88 37	Benton	86 37	Leitchfield	91 31	Alice
84 37	Booneville	87 38	Lewisport	93 33	Arcadia
86 37	Bowling Green	87 37	Livermore	91 31	Baker
86 38	Brandenburg	84 37	London	92 33	Bastrop
84 37	Brodhead	83 38	Louisa	91 30	Baton Rouge
85 37	Burkesville	86 38	Louisville	90 31	Bogalusa
88 37	Cadiz	87 37	Madisonville	89 29	Boothville
85 37	Campbellsville	84 37	Manchester	94 33	Bossier City
84 38	Campton	88 37	Marion	92 30	Breaux Bridge
84 38	Carlisle	89 37	Mayfield	92 31	Bunkie
85 39	Carrollton	84 39	Maysville	93 30	Cameron
87 37	Central City	84 37	McKee	90 30	Chalmette
83 38	Clearfield	88 38	Morganfield	91 29	Chauvin
89 37	Clinton	87 37	Morgantown	92 32	Clarks
85 37	Columbia	84 38	Mount Sterling	93 32	Colfax
84 37	Corbin	88 37	Murray	93 32	Coushatta
85 39	Covington	84 39	Newport	92 30	Crowley
83 37	Cumberland	85 38	Nicholasville	93 31	De Ridder
84 38	Cynthiana	87 38	Owensboro	91 30	Denham Springs
85 38	Danville	85 39	Owenton	91 30	Donaldsonville
88 37	Eddyville	89 37	Paducah	91 33	Epps
86 37	Edmonton	83 38	Paintsville	92 33	Farmerville
86 38	Elizabethtown	84 38	Paris	91 33	Forest
82 37	Elkhorn City	84 37	Pineville	90 29	Galliano
87 37	Elkton	83 38	Prestonsburg	91 31	Greensburg
85 38	Eminence	88 37	Princeton	90 31	Hammond
84 39	Falmouth	84 38	Richmond	93 33	Homer
83 39	Flatwoods	85 37	Russell Springs	91 31	Jackson
84 38	Flemingsburg	87 37	Russellville	92 32	Jena
85 39	Florence	84 38	Salt Lick	93 30	Jennings
85 38	Frankfort	83 38	Salyersville	93 32	Jonesboro
87 37	Franklin	83 38	Sandy Hook	92 32	Jonesville
84 38	Frenchburg	86 37	Scottsville	92 30	Kaplan
89 37	Fulton	88 38	Sebree	92 30	Lafayette
86 37	Glasgow	85 38	Shelbyville	93 30	Lake Charles
83 38	Grayson	86 38	Shepherdsville		

91 33	Lake Providence	69 44	Rockland	85 43	Alma
90 30	Laplace	71 45	Rumford	83 45	Alpena
93 31	Leesville	71 43	Sanford	84 42	Ann Arbor
91 30	Lutcher	67 46	Vanceboro	87 45	Arthur Bay
94 32	Mansfield	70 45	Waterville	83 44	Bad Axe
93 32	Many			86 44	Baldwin
94 31	Merryville	MARYLAND			
90 30	Metairie	77 39	Baltimore	85 42	Battle Creek
93 33	Minden	78 39	Brunswick	84 44	Bay City
92 33	Monroe	77 38	California	85 44	Big Rapids
91 30	Morgan City	76 39	Cambridge	84 45	Biggs Settlement
93 32	Natchitoches	76 39	Centreville	85 45	Boyne City
92 30	New Iberia	76 39	Chestertown	84 47	Brassar
90 30	New Orleans	77 39	Columbia	84 43	Burton
91 31	New Roads	76 38	Crisfield	85 44	Cadillac
91 32	Newellton	79 40	Cumberland	83 43	Caro
90 30	Norco	76 39	Easton	85 43	Charlotte
93 31	Oakdale	76 40	Elkton	84 46	Cheboygan
92 31	Opelousas	77 40	Emmitsburg	85 44	Clare
91 30	Pierre Part	76 39	Essex	85 42	Coldwater
91 30	Plaquemine	76 39	Federalsburg	86 47	Deer Park
91 30	Port Allen	77 39	Glen Burnie	83 42	Detroit
92 32	Rayville	78 40	Hagerstown	86 42	Dowagiac
91 30	Rhodes	78 40	Halfway	83 44	East Tawas
93 33	Ruston	76 40	Havre De Grace	85 45	Elk Rapids
94 33	Shreveport	75 38	Ocean City	87 46	Emerson
90 30	Slidell	77 39	Oxon Hill	84 43	Escanaba
91 32	Tallulah	77 39	Prince Frederick	86 45	Flint
91 32	Vidalia	76 38	Salisbury	86 43	Frankfort
92 31	Ville Platte	77 39	Silver Spring	85 45	Fremont
94 30	Vinton	77 39	Waldorf	85 45	Gaylord
93 32	Winnfield	79 39	Westernport	84 44	Gladwin
92 32	Winnsboro	77 40	Westminster	85 45	Grayling
				85 43	Greenville
				83 45	Harrisville
<b>MAINE</b>					
70 46	Attean	71 42	Boston	84 45	Hillman
69 45	Bangor	71 42	Brockton	85 42	Hillsdale
68 44	Bar Harbor	72 43	Fitchburg	86 43	Holland
70 44	Bath	73 43	Greenfield	89 47	Houghton
69 44	Belfast	70 42	Hyannis	85 44	Houghton Lake
70 43	Biddeford	71 43	Lowell	84 43	Howell
70 44	Boothbay Harbor	71 42	Lynn	85 43	Ionia
67 45	Calais	70 41	Nantucket	88 46	Iron Mountain
70 47	Clayton Lake	71 42	New Bedford	89 46	Iron River
69 45	Dover-Foxcroft	73 43	North Adams	90 46	Ironwood
68 45	Ellsworth	73 42	Northampton	84 42	Jackson
69 47	Fort Kent	71 42	Quincy	86 42	Kalamazoo
68 46	Houlton	73 42	Springfield	85 45	Kalkaska
71 46	Keough	71 41	Vineyard Haven	88 47	L'Anse
70 44	Lewiston	72 42	Worcester	85 44	Lake City
69 46	Millinocket			85 43	Lansing
71 44	Norway	<b>MASSACHUSETTS</b>			
70 44	Portland	84 42	Adrian	83 43	Lapeer
68 47	Presque Isle	86 43	Allegan	88 47	Laurium
				87 44	Little Point Sable
				86 44	Ludington

85 46	Mackinac Island	91 48	Clear Lake	95 46	Sauk Centre
85 46	Mackinaw City	93 45	Coon Rapids	94 46	Sauk Rapids
86 44	Manistee	93 45	Cottage Grove	94 45	Shakopee
86 46	Manistique	97 48	Crookston	91 47	Silver Bay
87 47	Marquette	96 47	Detroit Lakes	96 44	Slayton
88 45	Menominee	92 47	Duluth	92 44	Spring Valley
85 43	Middleville	96 46	Elbow Lake	95 46	Staples
84 44	Midland	92 48	Ely	96 48	Thief River Falls
83 42	Monroe	94 44	Fairmont	96 47	Twin Valley
87 46	Munising	93 44	Faribault	96 44	Tyler
86 43	Muskegon	96 46	Fergus Falls	93 48	Virginia
87 42	New Buffalo	92 45	Frontenac	95 46	Wadena
86 45	Northport	94 45	Gaylord	97 48	Warren
84 43	Ovid	95 46	Glenwood	95 49	Warroad
85 45	Petoskey	90 48	Grand Marais	94 44	Waseca
83 43	Pontiac	94 47	Grand Rapids	96 46	Wheaton
82 43	Port Huron	96 45	Granite Falls	95 45	Willmar
86 44	Reed City	97 49	Hallock	95 44	Windom
88 48	Rock Harbor Lodge	92 46	Holyoke	92 44	Winona
84 45	Rogers City	94 45	Hutchinson	96 44	Worthington
84 43	Saginaw	93 49	International Falls		MISSISSIPPI
83 43	Sandusky	95 44	Jackson	90 35	Abbeville
85 44	Shepherd	93 44	Kasson	89 33	Ackerman
86 42	South Haven	92 44	Lake City	88 34	Amory
84 44	Standish	93 45	Lindstrom	90 34	Batesville
83 43	Sterling Heights	95 45	Litchfield	89 32	Bay Springs
85 42	Sturgis	94 46	Little Falls	89 31	Beatrice
86 45	Traverse City	94 48	Littlefork	89 31	Beaumont
84 44	West Branch	96 44	Luverne	90 33	Belzoni
90 47	White Pine	94 44	Madelia	89 30	Biloxi
89 48	Windigo	96 45	Madison	89 35	Booneville
86 43	Wyoming	96 47	Mahnomen	90 32	Brandon
		94 44	Mankato	90 32	Brookhaven
		96 44	Marshall	89 34	Bruce
MINNESOTA		93 45	Minneapolis	91 31	Bude
94 47	Aitkin	94 45	Minnetonka	90 35	Byhalia
93 44	Albert Lea	96 45	Montevideo	90 33	Canton
95 46	Alexandria	97 47	Moorhead	91 31	Centreville
93 44	Austin	93 46	Mora	90 34	Charleston
95 48	Bagley	96 46	Morris	91 34	Clarksdale
95 49	Baudette	94 45	New Prague	90 32	Collins
95 47	Bemidji	94 44	New Ulm	90 31	Columbia
96 45	Benson	94 44	North Mankato	88 33	Columbus
94 49	Birchdale	95 45	Olivia	90 32	Crystal Springs
94 44	Blue Earth	93 44	Owatonna	89 33	De Kalb
97 45	Bonanza Grove	95 47	Park Rapids	90 33	Durant
94 46	Brainerd	93 46	Pine City	89 34	Eupora
97 46	Breckenridge	96 44	Pipestone	91 32	Fayette
94 45	Buffalo	94 46	Princeton	89 32	Forest
93 45	Burnsville	96 48	Red Lake Falls	88 34	Fulton
91 44	Caledonia	95 45	Redwood Falls	90 30	Gainesville
93 46	Cambridge	92 44	Rochester	91 31	Gloster
95 47	Cass Lake	96 49	Roseau	91 33	Greenville
94 45	Chaska	93 45	Roseville		
93 47	Chisholm				

90 34	Grenada	94 38	Appleton City	94 37	Lamar
89 31	Hattiesburg	90 38	Arnold	93 41	Lancaster
88 30	Helena	94 37	Aurora	93 38	Lebanon
90 35	Hernando	93 37	Ava	94 39	Lexington
89 35	Hickory Flat	91 39	Ballwin	92 38	Linn
89 34	Houston	92 38	Belle	91 39	Louisiana
88 32	Hurricane Creek	93 36	Blue Eye	90 37	Lutesville
91 33	Indianola	93 38	Bolivar	92 40	Macon
90 33	Itta Bena	93 39	Boonville	93 39	Marshall
88 35	Iuka	93 37	Branson	93 37	Marshfield
90 32	Jackson	93 40	Brookfield	94 40	Maysville
91 35	Jeffries	93 38	Buffalo	92 40	Memphis
92 31	Kienstra	94 38	Butler	94 41	Mercer
90 33	Kosciusko	93 39	California	92 39	Mexico
89 32	Laurel	93 38	Camdenton	93 40	Milan
90 33	Lena	92 40	Canton	92 39	Moberly
89 33	Louisville	90 37	Cape Girardeau	94 37	Monett
89 31	Lucedale	93 39	Carrollton	92 40	Monroe City
89 33	Macon	94 37	Carthage	92 39	Montgomery City
90 32	Magee	90 36	Caruthersville	95 40	Mound City
90 34	Marks	94 36	Caverna	92 37	Mountain Grove
91 33	Mayersville	89 37	Charleston	94 37	Neosho
90 31	McComb	94 40	Chillicothe	94 38	Nevada
89 32	Meridian	92 39	Columbia	91 39	O'Fallon
90 32	Monticello	92 36	Cornertown	93 37	Ozark
91 34	Mound Bayou	91 38	Cuba	92 39	Paris
89 34	New Albany	91 36	Current View	90 38	Perryville
89 32	Newton	90 37	Dexter	91 37	Piedmont
89 33	Philadelphia	95 38	Drexel	95 39	Platte City
90 31	Picayune	92 40	Edina	94 40	Plattsburg
89 34	Pontotoc	93 38	Eldon	90 37	Poplar Bluff
91 32	Port Gibson	91 37	Ellington	90 36	Portageville
90 32	Prentiss	90 38	Farmington	91 38	Potosi
89 31	Purvis	93 39	Fayette	94 39	Richmond
90 32	Raleigh	91 38	Flat River	94 40	Ridgeway
89 35	Rienzi	90 38	Fredericktown	92 38	Rolla
89 35	Ripley	92 39	Fulton	95 40	Saint Joseph
91 33	Rolling Fork	92 37	Gainesville	92 38	Salem
90 35	Senatobia	94 40	Gallatin	93 39	Salisbury
89 33	Starkville	95 39	Gladstone	95 40	Savannah
88 31	State Line	94 40	Grant City	93 39	Sedalia
90 35	Tunica	94 37	Greenfield	92 40	Shelbina
89 34	Tupelo	94 40	Hamilton	90 37	Sikeston
90 31	Tylertown	91 40	Hannibal	93 37	Springfield
90 33	Vaiden	91 39	Hermann	90 39	St. Louis
91 32	Vicksburg	95 41	Hopkins	95 40	Stanberry
90 34	Water Valley	92 37	Houston	94 38	Stockton
89 32	Waynesboro	94 39	Independence	92 37	Thayer
89 34	West Point	91 38	Ironton	94 40	Trenton
90 33	Winona	92 39	Jefferson City	91 39	Troy
90 33	Yazoo City	95 37	Joplin	91 38	Union
		95 39	Kansas City	93 40	Unionville
		90 36	Kennett	91 37	Van Buren
MISSOURI		93 40	Kirksville	93 38	Versailles
92 41	Anson				

94 39	Warrensburg	111 46	Livingston	101 41	Curtis
93 38	Warsaw	107 45	Lodge Grass	99 41	Dannebrog
91 39	Washington	108 48	Malta	97 41	David City
96 40	Watson	108 47	Melstone	100 42	Dunning
92 38	Waynesville	106 46	Miles City	100 41	Elwood
94 38	Weaubleau	114 47	Missoula	97 40	Fairbury
92 37	West Plains	106 49	Opheim	96 40	Falls City
94 39	Windsor	115 47	Plains	101 42	Flats
91 37	Winona	105 49	Plentywood	99 40	Franklin
		114 48	Polson	96 41	Fremont
MONTANA		105 48	Poplar	98 41	Fullerton
104 45	Albion	106 45	Quietus	98 41	Geneva
110 45	Alpine	109 48	Rattlesnake	102 43	Gordon
113 46	Anaconda	109 45	Red Lodge	98 41	Grand Island
114 49	Apgar	109 46	Ryegate	102 41	Grant
104 46	Baker	105 49	Scobey	104 43	Harrison
110 48	Big Sandy	112 49	Shelby	97 43	Hartington
110 46	Big Timber	104 48	Sidney	98 41	Hastings
109 46	Billings	110 47	Stanford	97 41	Havelock
107 49	Bone Crossing	116 49	Sylvanite	101 41	Hayes Center
116 47	Borax	105 47	Terry	98 40	Hebron
112 46	Boulder	115 48	Thompson Falls	103 42	Hemingford
111 46	Bozeman	112 46	Townsend	99 40	Holdrege
105 45	Broadus	108 49	Turner	97 40	Hubbell
113 49	Browning	111 45	West Yellowstone	102 42	Hyannis
113 46	Butte	104 49	Westby	102 41	Imperial
111 49	Chester	111 47	White Sulphur Springs	99 41	Kearney
109 49	Chinook	104 47	Wibaux	104 41	Kimball
113 48	Choteau	108 47	Winnett	100 41	Lexington
106 47	Circle	106 48	Wolf Point	97 41	Lincoln
109 46	Columbus			99 41	Loup City
112 48	Conrad	NEBRASKA		97 42	Madison
112 49	Cut Bank	100 43	Ainsworth	101 40	McCook
113 46	Deer Lodge	98 42	Albion	99 40	Minden
113 45	Dillon	99 40	Alma	101 42	Mullen
113 47	Drummond	100 42	Anselmo	96 41	Nebraska City
105 46	Ekalaka	102 42	Arthur	98 42	Neligh
112 45	Ennis	99 43	Atkinson	101 41	North Platte
115 49	Eureka	96 40	Auburn	99 42	O'Neill
107 46	Forsyth	98 41	Aurora	102 41	Ogallala
108 45	Fort Smith	99 42	Bartlett	96 41	Omaha
107 48	Glasgow	100 43	Bassett	99 42	Ord
105 47	Glendive	97 40	Beatrice	102 41	Oshkosh
111 48	Great Falls	96 41	Bellevue	96 40	Pawnee City
114 46	Hamilton	102 40	Benkelman	97 42	Pender
108 46	Hardin	96 42	Blair	98 42	Pierce
110 46	Harlowton	98 43	Bloomfield	96 41	Plattsmouth
110 49	Havre	103 42	Bridgeport	99 40	Red Cloud
112 47	Helena	99 42	Burwell	103 42	Redington
107 46	Hysham	100 40	Cambridge	95 40	Rulo
107 47	Jordan	98 41	Central City	97 41	Schuyler
114 48	Kalispell	103 43	Chadron	104 42	Scottsbluff
109 47	Lewistown	102 41	Chappell	97 41	Seward
116 48	Libby	97 41	Columbus	103 41	Sidney

96 42	South Sioux City	115 35	Laughlin	109 31	Antelope Wells
98 42	Spalding	118 40	Lovelock	104 33	Artesia
99 43	Spencer	118 42	McDermitt	103 37	Atencio
100 43	Springview	120 39	Minden	109 35	Black Rock
97 42	Stanton	114 37	Overton	108 34	Box Bar Place
101 41	Stapleton	120 40	Reno	104 32	Carlsbad
98 41	Stromsburg	119 41	Sulphur	106 34	Carrizozo
98 40	Superior	116 38	Tempiute	105 37	Cimarron
98 41	Sutton	114 40	Tippett	103 36	Clayton
99 42	Taylor	117 38	Tonopah	103 34	Clovis
96 40	Tecumseh	120 42	Vya	108 36	Crownpoint
96 42	Tekamah	115 41	Wells	108 32	Deming
101 42	Thedford	118 41	Winnemucca	107 37	Dulce
101 40	Trenton	119 39	Yerington	103 32	Eunice
101 43	Valentine	NEW HAMPSHIRE			
97 41	Wahoo	72 43	Claremont	104 34	Fort Sumner
97 42	Wakefield	71 45	Colebrook	105 32	Four Wells
97 42	Wayne	72 43	Concord	109 36	Gallup
97 42	West Point	71 43	Dover	108 35	Grants
97 40	Wilber	72 45	Groveton	103 33	Hobbs
98 41	York	71 44	Laconia	107 36	Jemez Pueblo
NEVADA					
114 38	Acoma	72 44	Lebanon	107 32	Las Cruces
117 39	Adits Mill	71 43	Manchester	103 35	Logan
116 40	Alpha	73 43	North Hinsdale	109 32	Lordsburg
117 40	Amador	71 43	Portsmouth	105 36	Los Alamos
115 37	Arrowhead	71 44	Wolfeboro	105 34	Mesa
114 39	Baker	NEW JERSEY			
119 40	Bango	74 39	Atlantic City	106 35	Moriarty
117 41	Battle Mountain	75 40	Camden	103 34	Portales
118 38	Blair	74 41	Elizabeth	106 37	Questa
116 39	Bull Fork	75 41	Flemington	104 37	Raton
116 37	Cactus Springs	75 40	Glassboro	109 34	Reserve
115 38	Caliente	75 41	Hopatcong	105 33	Roswell
120 39	Carson City	74 41	Jersey City	104 36	Ruidoso
117 42	Cathcart	74 40	Lakewood	106 35	San Felipe Pueblo
120 41	Cavin Place	74 40	Long Branch	106 36	Santa Fe
116 42	Charleston	74 41	Madison	105 35	Santa Rosa
116 36	Charleston Park	74 41	Newark	109 37	Shiprock
119 42	Chinatown	74 41	North Plainfield	108 33	Silver City
119 40	Clark	75 39	Ocean City	107 34	Socorro
114 41	Clifside	74 41	Paterson	107 33	Truth Or Consequences
115 42	Contact	76 40	Pennsville	104 35	Tucumcari
115 40	Currie	75 41	Phillipsburg	106 33	Tularosa
119 38	Del Monte	74 40	Piscataway	106 36	Upper Frijoles Crossing
116 41	Elko	74 41	Teaneck	109 33	Virden
115 39	Ely	75 40	Trenton	105 36	Wagon Mound
119 39	Fallon	75 39	Vineland	106 32	White Sands
118 39	Gabbs	75 40	Willingboro	NEW YORK	
114 36	Gold Butte	NEW MEXICO			
117 37	Gold Point.	108 31	Alamo Hueco	74 41	Adelphi
116 40	Jiggs	107 35	Albuquerque	74 43	Albany
115 36	Las Vegas			74 43	Amsterdam
				74 41	Annadale
				77 43	Auburn

73 42	Austerlitz	76 43	Syracuse	78 35	Hookerton
78 43	Betavia	75 43	Utica	81 35	Kannapolis
76 42	Binghamton	76 44	Watertown	80 36	King
73 41	Brentwood	77 42	Watkins Glen	78 35	Kinston
79 43	Buffalo	77 42	Waverly	79 35	Laurinburg
74 42	Catskill	78 42	Wellsville	82 36	Lenoir
75 41	Centereach	74 40	West Glens Falls	80 36	Lexington
74 43	Cobleskill	80 42	Westfield	81 35	Lincolnton
77 42	Corning	73 44	Whitehall	75 35	Little Kinnakeet
76 43	Cortland	74 41	Yonkers	80 35	Locust
71 41	East Hampton	NORTH CAROLINA			
74 41	Eastchester	77 36	Ahoskie	78 36	Louisburg
77 42	Elmira	80 35	Albemarle	79 35	Lumberton
78 43	Geneseo	76 36	Alder Branch	82 36	Marion
77 43	Geneva	82 37	Apple Grove	83 36	Mars Hill
74 43	Gloversville	80 36	Asheboro	77 35	Maysville
75 44	Gouverneur	83 36	Asheville	79 37	Milton
73 43	Hoosick Falls	76 35	Atlantic	81 36	Mocksville
75 43	Ilion	82 36	Bacchus	81 35	Monroe
76 42	Ithaca	82 36	Banner Elk	82 36	Morganton
74 41	Jamaica	77 35	Bayboro	84 35	Murphy
79 42	Jamestown	77 36	Belhaven	81 36	Newton
74 42	Kingston	76 35	Beulah	81 36	North Wilkesboro
74 42	Levittown	82 36	Boone	79 36	Oxford
76 44	Lowville	83 35	Brevard	77 36	Plymouth
74 41	Mahopac	83 35	Bryson City	79 35	Raeford
74 45	Malone	78 35	Burgaw	79 36	Raleigh
78 43	Medina	79 36	Burlington	78 36	Roanoke Rapids
75 42	Monticello	79 36	Carrboro	84 35	Robbinsville
76 45	Morristown	80 37	Central Area	80 35	Rockingham
74 41	New City	81 35	Charlotte	78 36	Rocky Mount
74 41	New York	78 35	Clinton	75 36	Rodanthe
77 43	Newark	76 36	Columbia	79 36	Roxboro
74 42	Newburgh	82 35	Columbus	80 36	Salisbury
79 43	Niagara Falls	76 37	Corys	79 35	Sanford
76 43	Norwich	79 35	Dunn	77 37	Severn
75 45	Ogdensburg	79 36	Durham	82 35	Shelby
78 42	Olean	77 36	Edenton	79 36	Siler City
76 43	Oneida	76 36	Elizabeth City	78 36	Smithfield
75 42	Oneonta	78 36	Elm City	79 35	Southern Pines
77 43	Oswego	79 35	Fayetteville	78 34	Southport
77 43	Penn Yan	78 37	Gaston	81 37	Sparta
78 43	Perry	81 35	Gastonia	82 36	Spruce Pine
73 45	Plattsburgh	77 36	Gatesville	81 36	Statesville
74 42	Poughkeepsie	78 35	Goldsboro	83 35	Sylva
78 43	Rochester	80 36	Greensboro	78 36	Tarboro
74 44	Saranac Lake	77 36	Greenville	81 36	Taylorsville
74 43	Saratoga Springs	77 35	Havelock	77 34	Thomas Landing
74 43	Schenectady	84 35	Hayesville	81 37	Toast
77 43	Seneca Falls	78 36	Henderson	80 35	Troy
75 42	Sidney	82 35	Hendersonville	80 35	Wadesboro
72 41	South Hampton	76 36	Hertford	78 36	Warrenton
72 41	Southampton	83 35	Highlands	78 35	Warsaw
74 43	Speculator			83 35	Waynesville

79 34	Whiteville	99 48	New Rockford	83 40	Lancaster
77 36	Williamston	98 48	Park River	82 40	Logan
78 34	Wilmington	104 46	Rhame	82 41	Lorain
77 36	Windsor	100 48	Rugby	83 41	Mansfield
80 36	Winston-Salem	102 48	Stanley	81 39	Marietta
81 36	Yadkinville	100 47	Steele	83 41	Marion
		98 47	Valley City	81 40	Martins Ferry
NORTH DAKOTA		101 48	Velva	82 39	McArthur
99 46	Ashley	97 46	Wahpeton	82 40	McConnelsville
104 47	Beach	103 48	Watford City	81 42	Mentor
100 49	Belcourt	101 49	Westhope	82 39	Middleport
102 47	Beulah	104 48	Williston	84 39	Milford
101 47	Bismarck			82 41	Millersburg
100 49	Bottineau	OHIO		83 41	Mount Gilead
102 49	Bowbells	82 41	Akron	82 40	Mount Vernon
103 46	Bowman	82 41	Ashland	84 41	Napoleon
99 48	Cando	81 42	Ashtabula	85 40	New Paris
99 47	Carrington	82 39	Athens	81 40	New Philadelphia
101 47	Center	84 40	Bellefontaine	82 40	Newark
98 47	Cooperstown	84 41	Bowling Green	83 41	Norwalk
103 49	Crosby	82 41	Brunswick	83 42	Oregon
99 48	Devils Lake	83 41	Bucyrus	84 41	Ottawa
103 47	Dickinson	82 40	Byesville	85 40	Oxford
97 49	Drayton	81 40	Cadiz	85 41	Paulding
102 46	Elgin	82 40	Caldwell	83 39	Piketon
99 46	Ellendale	81 41	Canton	85 42	Pioneer
103 47	Fairfield	81 41	Carrollton	84 40	Piqua
97 47	Fargo	85 41	Celina	83 40	Plain City
98 48	Finley	81 42	Chardon	83 42	Port Clinton
101 46	Fort Yates	82 38	Chesapeake	83 39	Portsmouth
101 48	Garrison	83 39	Chillicothe	83 40	Richwood
97 48	Grand Forks	84 39	Cincinnati	84 39	Ripley
104 49	Grenora	83 40	Circleville	83 41	Sandusky
98 46	Gwinner	82 41	Cleveland	84 40	Sidney
100 48	Harvey	83 40	Columbus	83 38	South Point
103 46	Hettinger	82 40	Coshocton	84 40	Springfield
99 47	Jamestown	82 40	Crooksville	81 40	Steubenville
102 49	Kemnare	84 40	Dayton	83 41	Tiffin
103 47	Killdeer	84 41	Defiance	84 42	Toledo
98 46	La Moure	83 40	Delaware	83 41	Upper Sandusky
98 48	Lakota	85 39	Delhi Hills	84 40	Urbana
98 49	Langdon	81 41	East Liverpool	85 41	Van Wert
99 48	Leeds	82 42	Euclid	84 41	Wapakoneta
100 46	Linton	84 40	Fairborn	81 41	Warren
98 46	Lisbon	84 41	Findlay	84 42	Wauseon
101 47	Mandan	84 41	Fort Shawnee	83 39	Wellston
104 46	Marmarth	84 40	Franklin	84 39	West Union
97 47	Mayville	83 41	Fremont	84 39	Wilmington
100 47	McClusky	82 39	Gallipolis	81 40	Woodsfield
101 48	Minot	85 40	Greenville	82 41	Wooster
102 49	Mohall	84 39	Hillsboro	81 41	Youngstown
102 46	Mott	84 40	Jamestown	82 40	Zanesville
99 49	Munich	81 41	Kent		
100 47	Napoleon	84 41	Kenton		

OKLAHOMA			
97 35 Ada	96 37 Pawhuska	123 42 Grants Pass	
99 35 Altus	97 36 Perry	122 45 Gresham	
99 37 Alva	94 35 Pocola	122 46 Gresham	
98 35 Anadarko	97 37 Ponca City	120 45 Heppner	
96 34 Antlers	95 35 Poteau	122 46 Hood River	
97 34 Ardmore	97 35 Purcell	117 43 Jordan Valley	
96 34 Atoka	95 35 Sallisaw	118 45 La Grande	
96 37 Bartlesville	96 36 Sapulpa	123 45 Lake Oswego	
101 37 Beaver	99 36 Seiling	120 42 Lakeview	
103 37 Boise City	97 35 Seminole	121 45 Madras	
99 35 Burns Flat	100 36 Shattuck	121 42 Malin	
96 35 Checotah	97 35 Shawnee	123 45 McMinnville	
98 37 Cherokee	95 35 Stigler	123 42 Medford	
100 36 Cheyenne	97 36 Stillwater	118 46 Milton	
98 35 Chickasha	95 36 Stilwell	124 45 Newport	
95 36 Chouteau	97 36 Stroud	122 44 Oakridge	
96 36 Claremore	97 35 Sulphur	117 44 Ontario	
96 36 Cleveland	95 36 Tahlequah	121 43 Paisley	
96 35 Coalgate	97 34 Tishomingo	119 46 Pendleton	
98 35 Duncan	96 36 Tulsa	119 45 Pilot Rock	
96 34 Durant	95 37 Vinita	123 46 Portland	
94 34 Eastport	95 36 Wagoner	121 44 Prineville	
100 34 Eldorado	98 34 Walters	124 44 Reedsport	
99 35 Elk City	98 36 Watonga	123 43 Roseburg	
98 36 Enid	98 34 Waurika	123 45 Salem	
98 36 Fairview	99 36 Weatherford	123 46 St. Helens	
99 34 Frederick	95 35 Wilburton	124 45 Tillamook	
102 37 Goodwell	99 36 Woodward	118 44 Unity	
95 37 Grove	98 36 Yukon	120 43 Wagontire	
97 36 Guthrie	OREGON	121 46 Wasco	
101 37 Guymon	123 45 Albany	PENNSYLVANIA	
101 36 Hitchland	122 42 Altamont	80 41 Aliquippa	
99 35 Hobart	119 42 Andrews	75 41 Allentown	
96 35 Holdenville	124 46 Astoria	78 41 Altoona	
100 35 Hollis	119 43 Frenchglen	79 40 Bedford	
96 34 Hugo	117 46 Bartlett	76 41 Berwick	
95 34 Idabel	118 42 Basque	75 41 Bethlehem	
98 36 Kingfisher	123 45 Beaverton	79 42 Bradford	
100 37 Laverne	121 44 Bend	80 41 Butler	
98 35 Lawton	120 46 Boardman	76 42 Carbondale	
97 34 Madill	124 42 Brookings	77 40 Carlisle	
100 35 Mangum	119 44 Burns	78 40 Chambersburg	
97 34 Marietta	122 43 Chiloquin	79 41 Clarion	
96 35 McAlester	121 46 City of The Dalles	78 42 Coudersport	
98 37 Medford	120 45 Condon	77 41 Danville	
95 37 Miami	124 43 Coos Bay	79 41 Du Bois	
95 36 Muskogee	123 45 Corvallis	76 42 Dushore	
97 35 Norman	123 45 Dallas	75 41 East Stroudsburg	
96 37 Nowata	120 44 Dayville	78 42 Emporium	
96 35 Okemah	118 43 Dunnean	80 42 Erie	
98 35 Oklahoma City	117 45 Enterprise	75 42 Forest City	
96 36 Okmulgee	123 44 Eugene	77 40 Gettysburg	
97 35 Pauls Valley	120 45 Fossil	77 40 Harrisburg	

75 42	Honesdale	SOUTH CAROLINA	104 45	Belle Fourche	
78 40	Huntingdon	82 34	Abbeville	96 45	Big Stone City
79 41	Indiana	81 33	Allendale	98 46	Britton
80 40	Jefferson	83 35	Anderson	97 44	Brookings
79 40	Johnstown	81 33	Barnwell	104 46	Buffalo
80 41	Kittanning	80 35	Bennettsville	97 43	Canton
76 40	Lancaster	80 34	Bishopville	99 44	Chamberlain
76 40	Lebanon	81 34	Camden	98 45	Clark
76 41	Lehighton	81 34	Cameron	97 45	Clear Lake
77 41	Lewisburg	81 34	Cayce	104 44	Custer
78 41	Lewistown	80 33	Charleston	98 44	De Smet
77 41	Lock Haven	80 35	Cheraw	102 45	Dupree
77 42	Mansfield	81 35	Chester	101 45	Eagle Butte
77 40	Marysville	82 33	Clearwater	104 43	Edgemont
75 41	Matamoras	81 34	Columbia	97 45	Estelline
78 40	Mc Connellsburg	80 34	Darlington	102 45	Faith
80 41	New Castle	81 33	Denmark	99 45	Faulkton
80 41	New Kensington	83 35	Easley	97 44	Flandreau
75 40	Norristown	82 34	Edgefield	100 44	Fort Pierre
80 41	Oil City	80 32	Edisto Beach	99 44	Fort Thompson
81 42	Pennline	80 34	Florence	100 45	Gettysburg
75 40	Philadelphia	82 35	Gaffney	99 43	Gregory
80 40	Pittsburgh	79 33	Georgetown	100 46	Herreid
77 41	Port Royal	80 33	Goose Creek	99 45	Highmore
76 41	Pottsville	82 35	Greenville	102 43	Hisle
79 41	Punxsutawney	82 34	Greenwood	103 43	Hot Springs
76 40	Reading	81 33	Hampton	98 44	Howard
77 42	Sayre	81 32	Hardeeville	98 44	Huron
76 41	Scranton	81 32	Hilton Head Island	99 45	Ipswich
77 41	Selinsgrove	83 34	Homeland Park	102 44	Kadoka
81 41	Sharon	80 34	Kingstree	102 46	Lemmon
79 40	Somerset	81 35	Lancaster	99 46	Leola
79 41	St. Marys	82 34	Laurens	103 46	Ludlow
78 41	State College	81 35	Lockhart	97 44	Madison
77 41	Sunbury	80 34	Manning	102 43	Martin
79 42	Tionesta	79 34	Marion	101 46	McLaughlin
76 42	Tunkhannock	82 34	McCormick	99 45	Miller
80 40	Uniontown	79 35	Minturn	101 43	Mission
75 40	Upper Darby	79 34	Myrtle Beach	98 44	Mitchell
75 40	Warminster	82 34	Newberry	100 46	Mobridge
79 42	Warren	81 33	Orangeburg	101 44	Murdo
81 40	West Alexander	82 34	Saluda	103 45	Newell
76 40	West Chester	33 35	Seneca	96 43	North Sioux City
76 41	Wilkes-Barre	82 35	Spartanburg	100 45	Onida
77 41	Williamsport	80 33	Summerville	97 43	Parker
77 40	York	80 34	Sumter	98 43	Parkston
RHODE ISLAND		81 33	Walterboro	102 44	Philip
71 42	Bristol	81 34	Winnsboro	100 44	Pierre
71 41	Newport	81 35	York	103 43	Pine Ridge
71 42	Providence	SOUTH DAKOTA		98 44	Plankinton
71 42	Warwick	98 45	Aberdeen	100 44	Presho
72 41	Westerly	98 44	Alexandria	103 44	Rapid City
72 42	Woonsocket	98 43	Armour	99 45	Redfield
				97 44	Salem

97 44	Sioux Falls	88 36	Hohenwald	88 36	Waverly
97 46	Sisseton	89 36	Humboldt	88 35	Waynesboro
104 44	Spearfish	89 36	Jackson	86 35	Winchester
98 43	Springfield	85 36	Jamestown	86 36	Woodbury
96 44	Valley Springs	83 36	Jefferson City		
97 43	Vermillion	84 37	Jellico		TEXAS
98 43	Wagner	82 36	Johnson City	100 32	Abilene
97 45	Watertown	83 37	Kingsport	99 33	Albany
98 45	Webster	84 36	Knoxville	98 28	Alice
99 44	Wessington Springs	86 37	Lafayette	104 30	Alpine
101 44	White River	87 35	Lawrenceburg	102 35	Amarillo
100 43	Winner	86 36	Lebanon	95 30	Anahuac
98 44	Woonsocket	84 36	Lenoir City	103 32	Andrews
97 43	Yankton	87 35	Lewisburg	107 32	Anthony
		88 36	Lexington	99 34	Archer City
TENNESSEE		88 36	Linden	98 27	Armstrong
89 36	Alamo	85 36	Livingston	100 33	Aspermont
87 36	Ashland City	86 35	Lynchburg	96 32	Athens
85 35	Benton	89 36	Martin	94 33	Atlanta
84 36	Blaine	84 36	Maryville	98 30	Austin
89 35	Bolivar	84 36	Maynardville	100 32	Ballinger
82 37	Bristol	86 36	Mc Minnville	99 30	Bandera
89 36	Brownsville	89 36	Mckenzie	94 34	Barkman
85 37	Byrdstown	90 35	Memphis	103 29	Basin Junction
88 36	Camden	83 36	Morristown	96 29	Bay City
86 36	Carthage	82 36	Mountain City	94 30	Beaumont
86 37	Celina	86 36	Murfreesboro	98 28	Beeville
87 36	Centerville	87 36	Nashville	101 31	Big Lake
85 35	Chattanooga	83 36	Newport	101 32	Big Spring
87 37	Clarksville	84 36	Oak Ridge	98 30	Blanco
85 35	Cleveland	84 36	Oliver Springs	99 30	Boerne
87 36	Columbia	85 37	Oneida	96 34	Bonham
86 36	Cookeville	88 36	Paris	101 36	Booker
90 36	Covington	88 36	Parsons	101 36	Borger
88 37	Crossland	85 36	Pikeville	105 30	Borrachio
85 36	Crossville	87 35	Pulaski	98 34	Bowie
85 35	Dayton	90 36	Ripley	100 29	Brackettville
85 36	Decatur	88 35	Savannah	99 31	Brady
87 36	Dickson	89 35	Selmer	99 33	Breckenridge
88 36	Dover	84 36	Sevierville	96 30	Brenham
85 35	Dunlap	86 35	Shelbyville	102 33	Brownfield
89 36	Dyersburg	86 36	Smithville	97 26	Brownsville
82 36	Elizabethton	83 37	Sneedville	99 32	Brownwood
84 35	Englewood	89 35	Somerville	96 31	Buffalo
88 36	Erin	89 37	South Fulton	98 31	Burnet
82 36	Erwin	86 35	South Pittsburg	97 31	Caldwell
87 35	Fayetteville	85 36	Sparta	98 28	Calliham
87 36	Franklin	85 36	Spencer	97 31	Cameron
86 36	Gainesboro	87 37	Springfield	100 30	Camp Wood
83 36	Greeneville	84 36	Sweetwater	100 36	Canadian
85 36	Harriman	84 36	Tazewell	96 33	Canton
86 36	Hartsville	89 36	Tiptonville	100 29	Carrizo Springs
89 35	Henderson	86 35	Tracy City	101 30	Carta Valley
87 36	Hendersonville	86 35	Tullahoma	94 32	Carthage

104	29	Castolon	97	33	Fort Worth	95	33	Longview
94	32	Center	99	30	Fredericksburg	102	34	Lubbock
100	34	Childress	103	35	Friona	95	31	Lufkin
99	32	Cisco	101	33	Gail	96	31	Madisonville
101	35	Clarendon	97	34	Gainesville	97	31	Marlin
95	34	Clarksville	95	29	Galveston	94	33	Marshall
101	35	Claude	101	32	Garden City	99	31	Mason
97	32	Cleburne	98	28	George West	101	34	Matador
95	30	Cleveland	97	30	Giddings	102	31	Mc Camey
98	32	Clifton	95	33	Gladewater	98	26	McAllen
99	32	Clyde	98	32	Glen Rose	100	31	Menard
99	32	Coleman	99	31	Goldthwaite	104	32	Mentone
96	31	College Station	97	29	Goliad	101	31	Mertzon
101	32	Colorado City	97	30	Gonzales	96	32	Mexia
97	30	Columbus	99	33	Graham	101	36	Miami
99	32	Comanche	98	32	Granbury	102	32	Midland
95	30	Conroe	96	33	Greenville	95	33	Mineola
96	33	Cooper	97	29	Hallettsville	98	33	Mineral Wells
98	31	Copperas Cove	98	32	Hamilton	96	30	Missouri City
97	28	Corpus Christi	100	33	Hamlin	103	32	Monahans
96	32	Corsicana	100	33	Haskell	103	34	Morton
99	28	Cotulla	97	31	Hearne	95	33	Mount Pleasant
102	31	Crane	99	27	Hebronville	103	34	Muleshoe
95	31	Crockett	94	31	Hemphill	100	33	Munday
100	34	Crowell	95	32	Henderson	95	32	Nacogdoches
100	29	Crystal City	98	34	Henrietta	96	30	Navasota
97	29	Cuero	102	35	Hereford	98	30	New Braunfels
95	33	Daingerfield	97	32	Hillsboro	94	31	Newton
103	36	Dalhart	99	29	Hondo	102	32	Odessa
97	33	Dallas	95	30	Houston	104	32	Old Christian Place
98	33	Decatur	96	31	Huntsville	94	30	Orange
101	29	Del Rio	98	33	Jacksboro	101	31	Ozona
105	32	Dell City	95	32	Jacksonville	100	34	Paducah
97	33	Denton	94	31	Jasper	96	32	Palestine
103	33	Denver City	101	33	Jayton	101	36	Pampa
102	35	Dimmitt	94	33	Jefferson	101	35	Panhandle
102	36	Dumas	100	30	Junction	96	34	Paris
100	29	Eagle Pass	98	29	Kenedy	99	29	Pearsall
96	30	East Bernard	103	32	Kermit	103	31	Pecos
100	31	Eden	99	30	Kerrville	101	36	Perryton
97	29	Edna	98	31	Killeen	95	33	Pittsburg
96	29	El Campo	98	31	Kingsland	102	34	Plainview
97	27	El Martillo	98	28	Kingsville	97	33	Plano
106	32	El Paso	97	30	La Grange	98	29	Pleasanton
101	31	Eldorado	106	31	La Isla	96	28	Port O'Conner
97	30	Elgin	95	29	Lake Jackson	97	28	Portland
96	33	Emory	101	35	Lakeview	101	33	Post
96	32	Fairfield	102	33	Lamesa	96	30	Prairie View
98	27	Falfurrias	98	31	Lampasas	100	34	Quanah
103	30	Farwell	100	28	Laredo	101	34	Ralls
100	34	Finney	102	34	Levelland	98	26	Raymondville
98	29	Floresville	102	34	Littlefield	97	28	Refugio
101	34	Floydada	95	31	Livingston	99	26	Rio Grande City
103	31	Fort Stockton	98	30	Lockhart	97	28	Rockport

96 33	Rockwall	UTAH	73 44	Randolph	
98 31	Round Rock	112 37	Alton	73 44	Rutland
100 31	San Angelo	109 37	Aneth	72 43	Springfield
98 29	San Antonio	113 38	Beaver	73 45	Swanton
94 32	San Augustine	109 38	Blanding	72 44	White River Junction
98 28	San Diego	110 37	Bluff		
98 30-	San Marcos	109 40	Bonanza		VIRGINIA
99 31	San Saba	112 41	Bountiful	82 37	Abingdon
102 30	Sanderson	114 40	Callao	77 39	Alexandria
96 30	Sealy	113 38	Cedar City	78 37	Amelia Court House
98 30	Seguin	112 38	Circleville	77 39	Annandale
103 33	Seminole	109 39	Cottonwood	79 37	Appomattox
99 34	Seymour	113 39	Delta	77 39	Arlington
100 35	Shamrock	113 40	Dugway	77 37	Barnetts
95 30	Shepherd	109 41	Dutch John	80 37	Bedford
97 34	Sherman	114 38	Enterprise	78 39	Berryville
94 30	Silsbee	112 39	Ephraim	83 37	Big Stone Gap
101 34	Silverton	114 39	Eskdale	78 37	Blackstone
101 33	Snyder	111 37	Halls Crossing	81 37	Bland
101 31	Sonora	111 41	Heber	80 39	Blue Grass
101 36	Spearman	110 38	Hite	80 37	Blue Ridge
101 33	Spur	113 41	Hogup	81 37	Bluefield
100 33	Stamford	111 39	Huntington	77 38	Bowling Green
102 32	Stanton	113 37	Hurricane	82 37	Bristol
98 32	Stephenville	112 42	Logan	79 38	Buena Vista
101 32	Sterling City	110 39	Moab	76 37	Cape Charles
102 36	Stratford	112 41	Morgan City	78 38	Charlottesville
96 33	Sulphur springs	112 41	Ogden	76 37	Chesapeake
100 32	Sweetwater	112 38	Panguitch	77 37	Chester
102 33	Tahoka	111 41	Park City	75 38	Chincoteague
97 31	Temple	111 40	Price	80 37	Christiansburg
96 33	Terrell	112 40	Provo	77 37	Claremont
94 33	Texarkana	111 42	Randolph	80 38	Clifton Forge
99 33	Throckmorton	112 39	Richfield	82 37	Clintwood
95 31	Trinity	110 41	Roosevelt	77 38	Colonial Beach
102 35	Tulia	112 41	Salt Lake City	77 37	Colonial Heights
95 32	Tyler	113 42	Snowville	77 37	Courtland
100 29	Uvalde	114 37	St. George	80 38	Covington
104 31	Valentine	111 38	Torrey	78 38	Culpeper
105 31	Van Horn	110 40	Vernal	77 39	Dale City
102 35	Vega	114 41	Wendover	79 37	Danville
99 34	Vernon	114 42	Yost	76 38	Deltaville
97 29	Victoria			78 38	Dillwyn
97 32	Waco			78 37	Emporia
97 32	Waxahachie	73 45	Alburg	77 39	Falls Church
98 33	Weatherford	73 44	Barre	78 37	Farmville
100 35	Wellington	73 43	Bennington	78 38	Farmville (Cumberland)
98 34	Wichita Falls	73 43	Brattleboro	80 37	Floyd
95 33	Winnsboro	73 44	Burlington	77 37	Fort Lee
94 31	Woodville	72 45	Hardwick	77 37	Franklin
99 27	Zapata	72 45	Island Pond	77 38	Fredericksburg
		73 44	Middlebury	78 39	Front Royal
		73 45	Morrisville	81 37	Galax
		72 45	Newport	83 37	Gate City

84 37	Gibson Mill	78 38	Stanardsville	122 46	North Bonneville
79 37	Glenwood	79 38	Staunton	123 48	Oak Harbor
76 37	Gloucester Point	77 39	Sterling Park	123 47	Olympia
78 38	Goochland	80 37	Stuart	120 48	Omak
76 37	Hampton	77 37	Suffolk	119 49	Oroville
79 38	Harrisonburg	77 38	Tappahannock	119 47	Othello
76 38	Heathsille	79 37	Timberlake	119 46	Pasco
81 37	Hillsville	78 38	Tuckahoe	118 46	Pomeroy
77 37	Hopewell	82 37	Vansant	123 48	Port Townsend
81 37	Independence	78 37	Victoria	117 47	Pullman
78 38	Jefferson	76 37	Virginia Beach	119 49	Republic
77 37	Jericho	80 38	Warm Springs	122 48	Seattle
78 37	Keysville	78 39	Warrenton	117 48	Spokane
76 38	Kilmarnock	77 38	Warsaw	118 47	Starbuck
77 38	King George	78 39	Washington	122 47	Tacoma
78 37	Lawrenceville	77 37	Waverly	120 46	Toppenish
82 37	Lebanon	79 38	Waynesboro	123 46	Vancouver
79 38	Lexington	77 38	West Point	118 46	Walla Walla
78 38	Louisa	77 37	Williamsburg	120 47	Wenatchee
79 38	Lovingston	78 39	Winchester	121 47	Yakima
78 39	Luray	79 37	Wolf Trap		
79 37	Lynchburg	79 39	Woodstock		
78 38	Madison	81 37	Wytheville		
79 37	Madison Heights				<b>WEST VIRGINIA</b>
77 39	Manassas Park			81 38	Beckley
82 37	Marion			81 39	Belmont
80 37	Martinsville			81 37	Bluefield
76 37	Mathews			79 39	Brandywine
78 37	Mc Kenny			80 39	Buckhannon
77 38	Mechanicsville			78 39	Charles Town
81 37	Narrows			82 38	Charleston
77 38	New Kent			81 41	Chester
80 38	Newcastle			80 39	Clarksburg
76 37	Newport News			81 38	Clay
76 37	Norfolk			81 38	Cowen
83 37	Norton			81 39	Elizabeth
76 38	Onancock			80 39	Elkins
78 38	Orange			80 39	Fairmont
77 37	Petersburg			81 38	Fayetteville
76 37	Poquoson			81 40	Follansbee
76 37	Portsmouth			81 39	Gassaway
81 37	Pulaski			81 39	Glenville
77 39	Quantico Station			80 39	Grafton
81 37	Radford			81 39	Grantsville
77 38	Richmond			82 38	Hamlin
80 37	Roanoke			81 39	Harrisville
80 37	Rocky Mount			78 40	Hedgesville
80 37	Salem			81 38	Hinton
78 38	Scottsville			82 38	Huntington
77 38	Shacklefords			82 38	Hurricane
77 37	Smithfield			83 38	Kenova
79 37	South Boston			79 39	Keyser
78 37	South Hill			80 39	Kingwood
78 38	Spotsylvania			82 38	Logan
				82 38	Madison
				80 38	Marlinton

78 39	Martinsburg	88 43	Kenosha	WYOMING
79 39	Moorefield	91 44	La Crosse	104 45 Aladdin
80 40	Morgantown	91 45	Ladysmith	107 43 Alcova
81 40	Moundsville	89 43	Madison	111 44 Alta
81 38	Mullens	88 44	Manitowoc	108 41 Baggs
81 40	New Martinsville	90 44	Mauston	110 45 Bannock Ford
78 39	Oakland	90 45	Medford	107 44 Buffalo
81 40	Paden City	92 45	Menomonie	106 43 Casper
82 39	Parkersburg	88 43	Mequon	105 41 Cheyenne
80 39	Parsons	90 45	Merrill	106 45 Clearmont
79 39	Petersburg	90 43	Middleton	109 45 Cody
80 39	Philippi	88 43	Milwaukee	105 43 Douglas
82 39	Point Pleasant	92 45	Mondovi	110 44 Dubois
82 39	Ravenswood	90 43	Monroe	111 41 Evanston
81 38	Richwood	89 44	Montello	109 41 Firehole Canyon
79 39	Romney	91 45	Neillsville	106 44 Gillette
81 39	Spencer	89 45	Neopit	105 45 Hulett
80 37	Waiteville	88 44	New Holstein	111 43 Jackson
82 37	Welch	89 44	New London	108 42 Jeffrey City
81 39	West Union	88 46	Niagara	111 42 Kemmerer
80 39	Weston	88 45	Oconto	110 42 La Barge
81 40	Wheeling	89 44	Oshkosh	109 43 Lander
80 38	White Sulphur Springs	90 46	Park Falls	106 41 Laramie
79 40	Wiley Ford	90 43	Platteville	108 45 Lovell
82 38	Williamson	89 44	Portage	104 43 Lusk
		91 43	Prairie du Chien	110 41 Lyman
		88 43	Racine	111 45 Mammoth
WISCONSIN		89 46	Rhinelander	106 42 Medicine Bow
87 45	Algoma	92 46	Rice Lake	109 44 Meeteetse
92 45	Amery	90 43	Richland Center	104 44 Newcastle
89 45	Antigo	93 45	River Falls	104 41 Pine Bluffs
88 44	Appleton	89 45	Shawano	110 43 Pinedale
92 44	Arcadia	88 44	Sheboygan	107 42 Rawlins
91 47	Ashland	92 46	Spooner	108 43 Riverton
88 46	Aurora	90 45	Stevens Point	109 42 Rock Springs
90 43	Baraboo	87 45	Sturgeon Bay	107 41 Saratoga
89 43	Beaver Dam	92 47	Superior	107 45 Sheridan
89 42	Bergen	91 44	Tomah	108 44 Thermopolis
89 44	Berlin	91 44	Viroqua	104 42 Torrington
91 44	Black River Falls	91 47	Watertown	105 44 Upton
90 47	Cedar	88 43	Waukesha	105 42 Wheatland
91 45	Chippewa Falls	90 45	Wausau	108 44 Worland
89 46	Crandon	89 44	Wautoma	
90 43	Darlington	88 43	West Bend	
89 46	Eagle River	90 44	Wisconsin Rapids	
91 45	Eau Claire			
88 44	Fond du Lac			
90 44	Friendship			
88 42	Genoa City			
93 46	Grantsburg			
88 45	Green Bay			
91 46	Hayward			
93 45	Hudson			

## APPENDIX B

### Illuminance

The light of the Sun, Moon and night sky which reaches the surface of the Earth is modified by the atmosphere, which refracts, absorbs, polarizes and scatters the radiation passing through it in rather complex ways. For practical work it is often impossible to obtain measurements of atmospheric parameters that would be required to support a detailed and precise calculation of illuminance. Consequently, some general approximations must be made.

For the direct rays of the Sun or Moon, it is necessary to specify the location of each body relative to the point on the Earth in question. The mathematical methods adopted for the computer programs, tables and diagrams to provide altitude and azimuth are explained in textbooks on spherical astronomy (1,2) and are not reproduced here. Some additional considerations in the formulation, needed to compute illuminance, are discussed below.

The model for illuminance calculation recognizes three contributions at ground level: the direct rays of the Sun and Moon, indirect or skylight and the light of the night sky background. With the angular distance from the horizon of the Sun or Moon known, the effect of the atmosphere was modelled using the computed altitude as independent variable. For the direct rays of the Sun or Moon, the illuminance is that at the top of the atmosphere, reduced by the scattering and absorption of the mass of air along the light path to the surface. To approximate the atmosphere, we have adopted a spherical, homogeneous (or constant density) model; and for the air mass, the values determined by Bemporad (3) were fit. The formulation thus reduces to a simple differential equation, the solution of which introduces a parameter specifying the extinction of light per unit of air mass. To estimate the extinction coefficient, the data provided by Jones and Condit (4) as a result of their exhaustive study were used. The resulting expression for the direct rays is then a simple exponential formula, factored by the *sine* of the altitude to provide the horizontal component of illuminance by direct radiation.

For the light of the sky with direct rays excluded, the second contribution to total illuminance, a purely empirical representation was built up from the tables for indirect light provided by Jones and Condit. The tables give values for altitude ranging from the zenith to three degrees above the horizon.

Altitudes of the Sun closer to the horizon are of special importance in many applications, however. In order to model the situation near rising, setting and twilight, the formulas were extended to fit data collected and reduced by Brown (5), which provide light levels for solar altitude ranging from +90 deg. to -90

deg. The data published by Brown are of a different character than those of Jones and Condit. The separate contributions to illuminance by direct and scattered light are not distinguished. However, the data represent a more complete range of solar altitude, collected over a vast geographic area, and the final values are based on smoothing of an impressive number of measurements. The basic curve constructed by Brown is still relied upon for assessments of natural lighting and has appeared intact or enhanced in numerous studies and handbooks. But the original report by Brown is no longer readily accessible and his instrumental and reduction procedures are not well known. A digression in order to quote all relevant parts of his original report appears to be justified:

*"Derivation of Basic Curve and Table.* More than 12,000 measurements were made by the author in the Arctic, Antarctic, and the temperate and torrid zones of both hemispheres between January 1943 and May 1947. Photoelectric illuminometers manufactured by the General Electric Company were used for the measurement of light levels above one foot candle. Lower levels were measured by means of a Luckiesh-Taylor Brightness Meter and a calibrated test plate. The illuminometers were calibrated by the U.S. Bureau of Standards before and after the measurements were made. The brightness photometers were calibrated by the Nela Park Laboratory of the General Electric Company.

"The original data were plotted at large scale and a smooth curve was drawn. This basic curve was found to be in good agreement with fractional curves published in the scientific literature by Jones and Condit and others.

"The first plate (unnumbered) is the basic curve which gives the illumination as a function of solar altitude. The second plate (also unnumbered) is a table of illumination values corresponding to each degree of altitude of the sun from -90 to -21 degrees and from 65 to 90 degrees. Illumination values are given for each tenth of degree of solar altitude from -20 to 64 degrees. In most cases, the figures given are representative of the precision indicated; however, in the lowest levels of illumination, below  $5 \times 10^{-3}$  (when the sun is 19.5 degrees or more below the horizon), three significant figures are not justified by the data. Likewise, above 1000-foot candles (9.9 degrees solar altitude and above) the value of illumination is considered significant to no more than three figures although four are occasionally given in the table. Actually, the values given in the table were taken from a minute reading of the basic curve, greatly enlarged in scale, and present a truer picture of the curve than could be made by straight interpolation of the table had only two or three figures been given."

In regard to departures from a clear sky, Brown first notes that his basic graph refers to an average, not exceptionally, clear sky:

*"Clear vs. Cloudy Conditions.* The charts and tables contained herein, refer to light conditions during average clear days, clear days being defined as less than seven tenths overcast and with the sun's rays unobstructed to the locality in question.

When the sun is obstructed by thin clouds, the values given should be divided by two. For average cloud conditions obstructing the sun's rays, the values given for clear days should be divided by three. Occasionally, for dark stratus clouds preceding a heavy thunder storm, the values given should be divided by ten. However, this is not common."

The formula finally adopted in the present work represents the data of the two cited works for altitudes of the Sun from the zenith to that of nautical twilight. The third component of illuminance, which can vary unpredictably, has been represented by a constant, additive term equal to .0005 lux.

Thus far, what has been described applies to sunlight and the night sky. The same applies to illuminance by the Moon, with additional considerations. In addition to atmospheric attenuation of light, the Moon's illuminance depends upon its phase and its distance from the point on the Earth's surface being considered. For the phase function, the approximation derived by Lumme and Bowell (6) was adopted, using representative values of the multiple scattering factor and zero phase magnitude published by Lumme and Irvine (7) for the visible part of the spectrum. To account for the eccentricity of the lunar orbit and a topocentric (rather than geocentric) reference point, the ratio of mean to true distances was formulated and introduced as a factor of the Moon's illuminance. This is one exception to ordinary calculations of the Moon's position in which only the direction (altitude and azimuth) is of interest.

Another exception to the straightforward calculation for either the Sun or Moon should be noted. The usual situation in navigation, astronomy and other disciplines is one in which an observed altitude of the celestial body must be corrected for refraction in order to obtain a strictly geometric altitude. The calculation of air mass, needed for determination of extinction, requires apparent altitude; that is, the altitude affected by refraction. Theories and tables for refraction give corrections for the usual case: the reduction from observed to geometric altitude. Formulas derived by Bennett (8) are succinct and particularly attractive for such purposes. It was found that by changing one constant in Bennett's first approximate formula, his equation G, the same expression produced the amount of refraction to be added to the geometric altitude in order to obtain the apparent altitude required for the computation of air mass. The modified formula was coded into the computer routines of this work.

It is important to note a few of the limitations of the computer programs which have not been explicitly stated. Of the many factors which influence the real illuminance, it was not possible to include the effect of height above sea level, the moisture or dust content of air, the albedo of the ground itself, or the non-uniform distribution of illuminance from the sky (which may be important near times of sunrise or sunset). Also, isothermal and polytropic models of the atmosphere would be more realistic than the one adopted. That the criteria for factoring illuminance to accommodate cloud cover is questionable is acknowledged. However, the main purpose of the work is to provide manageable tools for ordinary

purposes and means. To include many of the refinements would be to expand the computer programs and to make their use both complicated and dependent on direct measurements of the atmosphere. In regard to the factors for clouds, it was thought best to maintain the criteria stated by Brown, since it does not seem possible to retrieve his original raw data and notes. But the factors are entered into the computer routines directly, so that it is entirely possible for a user to compare measured values of illuminance with computed, and to devise and apply a set of factors more suited to particular circumstances, without making any program changes.

With shortcomings noted, it is worthwhile to repeat a point that has been stated throughout: Calculated values of illuminance should be regarded with caution.

### References

1. Woolard, Edgar W. and Clemence, Gerald M., *Spherical Astronomy*, New York, Academic Press, 1966.
2. Green, Robin M., *Spherical Astronomy*, Cambridge, Cambridge University Press, 1985.
3. Schoenburg, E., *Handbuch der Astrophysik*, vol. 2, Berlin, Julius Springer, 1929.
4. Jones, Loyd A. and Condit, H. R., *Jour. Opt. Soc. Amer.*, vol. 38, No. 2, Feb. 1948.
5. Brown, (CDR) Dayton R. E., *Natural Illumination Charts*, Bur. of Ships, U. S. Navy, Report No. 374-1, Sept. 1952.
6. Lumme, Kari and Bowell, Edward, *Astron. Jour.*, vol. 86, No. 11, Nov. 1981.
7. Lumme, Kari and Irvine, William M., *Astron. Jour.*, vol. 87, No. 7, July 1982.
8. Bennett, G. G., *Jour. Inst. Navigation (UK)*, vol. 35, No. 2, May 1982.