Seabed Variability and Its Influence on Acoustic Prediction Uncertainty

PI: James P.M. Syvitski,
INSTAAR, Univ. of Colorado, 1560 30th St., Boulder CO, 80309-0450
phone: (303) 492-7909 fax: (303) 492-3287 email: james.syvitski@colorado.edu

Award Number: N000149511281

LONG-TERM GOALS

Assess and mitigate uncertainty in the tactical naval environment, in terms of accurate acoustic detection with specific reference to geoacoustics through two overarching goals:

1. Assess and characterize seafloor variability in shelf environments
2. Determine the impact of the seafloor variability on acoustic prediction uncertainty.

OBJECTIVES

- 1) Determine the uncertainty related to the natural variability in the environmental parameters that drive the modular modeling approach of **2D-SedFlux** (primitive geological parameters). These include ocean climate and the sediment supply to the ocean margin from land. Of interest is how this variability couples with, or is independent of, model error (numerical, prediction-precision, and accuracy), in terms of local and regional characterization of uncertainty of properties of seafloor of continental margins.
- 2) Provide **2D-SedFlux** realizations in areas of interest to the seafloor geoacoustic team (Pratson, Holland). These realizations provide the sampling field from which Goff will sample via Monte Carlo or other statistical techniques in order to conduct uncertainty experiments. The realizations provide data sets for seismic convolution experiments (Pratson), inverse experiments (Holland), propagation experiments (Odom) and reverberation experiments (LePage). Convolve the **SedFlux** output with known calibrated source signatures, for studies of attenuation and scattering. **SedFlux** runs provide information on seafloor layering (bed coherency, bed attributes), likely location of sub-seafloor gas, proxies of seafloor roughness (ripples vs. sediment waves), and high porosity vs. low porosity zones.
- 3) Introduce the concept of uncertainty to the ONR-Geoclutter Modeling group to provide information on uncertainty related to false-target acquisition to our seafloor geoacoustic team. This effort would explore seafloor uncertainty related to the estimate of the location of buried channels, morphology and orientation of these channels.
- 4) Determine which continental margins, presently of interest to the operational Navy, would/could experience seasonal or inter-annual changes in the nature of its seafloor properties through the impact of events (earthquakes, ocean storms, river floods).

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2001	2. REPORT TYPE		3. DATES COVERED 00-00-2001 to 00-00-2001		
4. TITLE AND SUBTITLE Seabed Variability and Its Influence on Acoustic Prediction Uncertainty			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) INSTAAR, Univ. of Colorado,,1560 30th St.,Boulder,,CO, 80309			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

APPROACH

- 1) Using MODAS and other ocean data, and *Hydrotrend* discharge predictions, characterize the natural variability of the environmental forcing functions controlling the seabed at the selected sites.
- 2) Conduct a series of *SedFlux* realizations of seafloor attributes that captures the natural variability of the modern climatology, and then show how the seafloor properties would change under climate change scenarios (wetter, drier, hotter, colder). Here the emphasis is on both spatial and temporal changes in the seafloor properties.
- 3) Provide to the geoacoustic team, 3D numerically derived data that characterize a margin like the New Jersey margin, and where buried channels (sandy in a mud matrix, or muddy in a sand matrix), or surface bedforms, may dominate the sub-seafloor acoustic response.
- 4) Using SedFlux, conduct experiments to determine the impact of single events (e.g. a large 100yr flood) on the seafloor characteristics. Determine the magnitude of the change in the seafloor character, and develop a method to provide this information in some probability density function. (This set of experiments targets continental margins of the type commonly found around China, S.E. Asia, Korea, etc).

WORK COMPLETED

This project is in its very early phase. Work completed includes recoding the numerical model *HydroTrend* so that it is able to predict the sediment delivery to the world coastlines in a more operational manner. The previous method relied on being able to estimate the rating coefficients for the different water sources (snow and ice melt, groundwater, etc). The new method uses an algorithm based on more universally accessible drainage basin properties (soil thickness, relief, temperature, etc) and reduces model uncertainty by reducing the number of tuneable parameters. The *SedFlux* model has been upgraded to employ Monte Carlo sampling of the probability density distributions produced from *HydroTrend* simulations. Once operational, we will test the various ‘type’ littoral zones for their sensitivity to ocean and river storms impacting seafloor properties. A schema is being developed to track the uncertainty of model results due to a) environmental input parameters, and b) model resolution and boundary conditions. A beta version of *SedFlux* now predicts the geoacoustic attributes of the seafloor simulations, needed for later full convolution with acoustic source signatures.

RESULTS

This project is in its very early phase.

IMPACT/APPLICATIONS

New numerical tools are being refined to allow for predicting the general nature of seafloor morphology and the developing sediment stratigraphy. The tools are being refined to allow for simulations in the littoral zone. The tools are being coupled to acoustic models and used to assess acoustic reverberation and propagation. Because these tools are driven by environmental data they offer the promise to provide seafloor acoustical information of continental margins at the global level.

RELATED PROJECTS

ONR Geoclutter: Predicting the Distribution and Properties of Buried Submarine Topography on Continental Shelves

ONR Mine Burial: Sediment Flux to the Coastal Zone: Predictions for the Navy

ONR EuroSTRATAFORM: Modeling the Effect of Climatic and Human Impacts on Margin Sedimentation

NSF MARGINS: Experimental and Theoretical Study of Linked Sedimentary Systems

NSF MARGINS: Community Sedimentary Model Science Plan for Sedimentology and Stratigraphy.

PUBLICATIONS

Morehead, M., Syvitski, J.P., Hutton, E.W.H., and Peckham, S.D. (in press) Modeling the inter-annual and intra-annual variability in the flux of sediment in ungauged river basins. Global and Planetary Change.

Morehead, M., Syvitski, J.P., and Hutton, E.W.H., 2001. The link between abrupt climate change and basin stratigraphy: A numerical approach. Global and Planetary Science, v. 28: 115-135.

Paola, C., J. Mullin, C. Ellis, D. C. Mohrig, J. B. Swenson, G. Parker, T. Hickson, P. L. Heller, L. Pratson, J.P.M. Syvitski, B. Sheets, N. Strong, 2001. Experimental Stratigraphy, GSA Today, July, p. 4-9.

Parsons, J.D., Bush, J., and Syvitski, J.P.M., 2001. Hyperpycnal plume formation with small sediment concentrations. Sedimentology, 48: 465-478.

Syvitski, J.P., and Hutton, E.H., 2001. 2D SEDFLUX 1.0C: An advanced process-response numerical model for the fill of marine sedimentary basins. Computers and Geoscience 27(6); 731-754.

Syvitski, J.P.M., and Bahr, D.B., 2001. Numerical Models of Marine Sediment Transport and Deposition. Computers and Geosciences, 27(6): 617-753.