

**UNCLASSIFIED**

**AD 416303**

**DEFENSE DOCUMENTATION CENTER**

FOR

**SCIENTIFIC AND TECHNICAL INFORMATION**

CAMERON STATION, ALEXANDRIA, VIRGINIA



**UNCLASSIFIED**

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Report #11

MONTHLY PROGRESS REPORT

Development of Explosives and Initiators for  
Special Operations (U)

by


Theodore B. Johnson

July 1 - July 20, 1963

Contract No. DA-19-020-AMC-0115 (A)  
OMS Code: 5561,12.46810.03  
PA Control: PA-AG 63-27

CATALOGED BY DDC416303  
AS AD NO. \_\_\_\_\_

416303



Remington Arms Company, Inc.  
Bridgeport, Conn.

for

Picatinny Arsenal  
Dover, New Jersey

Copy No. 7

DEVELOPMENT OF EXPLOSIVES AND INITIATORS  
FOR SPECIAL WARFARE OPERATIONS

Due to a Plant shutdown for the two weeks ending August 4 and August 11, 1963, this Report, No. 4, is being submitted early and covers only the first three weeks of July.

Work during this report period has been concentrated on testing and improving the improvised fuses described last month. The results obtained with the third picrate fuse described in Report No. 3 have been confirmed. This fuse, prepared by forming the picric acid-litharge initiating explosive in the presence of string impregnated with liquid glue, burns uniformly at the previously reported rate of about  $2/3$  inch per second. It was noted in these follow up tests that it is important to allow sufficient time for the fuse to dry. The two days air dry reported last month is sufficient at relatively low humidity, but longer periods will be necessary at high humidity.

Samples of the picrate fuse have been tested in the improvised picrate cartridge case detonator, described in Report No. 2. In these tests 2 grams of the optimum picric acid-litharge initiator (Report No. 2) were pressed lightly in a fired 7.62mm cartridge case, a twenty inch length of the picrate fuse was inserted through the case mouth into the initiator and the mouth was sealed with beeswax. The initiator detonated sharply 30 seconds after the fuse was lit, giving fragmentation equivalent to that obtained in previous tests in which ignition was provided by a commercial electric squib instead of the improvised fuse. A second test performed one week later gave comparable results. Extension of these tests to the initiation of a 50 gram picric acid booster will be carried out as soon as the preparation of an additional dry sample of the picrate initiator is concluded.

Additional preparations of silver oxalate were carried out by mixing solutions of oxalic acid and silver nitrate, decanting and/or filtering and air drying. Solution concentrations did not appear to be critical. A slurry was made by wetting the silver oxalate with a 50% solution of ammonium nitrate. A fuse made by impregnating a string with this slurry burned slowly and consistently when thoroughly dried but was quite sensitive to moisture pickup at high humidities, making the fuse undependable under these conditions. Since silver oxalate does not appear to undergo a controllable deflagration, a fuse could not be made by impregnating string with this material alone. However, silver oxalate does detonate sharply with relatively little confinement and tests as the initiator in the improvised cartridge case detonator are planned.

The number of man hours worked in July was not available at the time this report was written. It will be reported next month.

DISTRIBUTION

Monthly  
Progress  
Report

|   |    |
|---|----|
| Commanding Officer<br>Picatinny Arsenal<br>ATTN: Purchasing Office<br>Dover, New Jersey                   | 4  |
| Armed Forces Technical Info. Agency<br>Arlington Hall Station<br>Arlington, Virginia                      | 10 |
| Commanding Officer<br>Diamond Fuze Labs<br>Connecticut Ave & Van Ness Street, N.W.<br>Washington 25, D.C. | 1  |
| Commanding General<br>U.S. Army Munitions Command<br>Dover, New Jersey                                    | 1  |
| Commanding Officer<br>Special Warfare Combat Dev. Agency<br>Fort Bragg, North Carolina                    | 1  |
| Commanding Officer<br>Special Doctrine & Equipment Group<br>Fort Belovir, Virginia                        | 1  |
| Commanding Officer<br>Picatinny Arsenal<br>ATTN: SMJPA-DR4<br>Dover, New Jersey                           | 2  |
| Commanding General<br>U.S. Army Materiel Command<br>ATTN: AMCOR<br>Washington 25, D.C.                    | 1  |
| Commanding Officer<br>Frankford Arsenal<br>Philadelphia, Pennsylvania                                     | 1  |
| Commanding Officer<br>Boston Procurement District<br>Army Base, Boston 10, Mass.<br>ATTN: AMXBO-LD        | 1  |

**UNCLASSIFIED**

**UNCLASSIFIED**