

AD

TECHNICAL REPORT

72-54-FL

**EFFECT OF COOKING AND FAT LEVEL ON THE
OXYGEN UPTAKE OF
FREEZE-DRIED COOKED GROUND BEEF**

by

R. L. Helmer

and

J. M. Tuomy

Approved for public release;
distribution unlimited.

December 1971

**UNITED STATES ARMY
NATICK LABORATORIES
Natick, Massachusetts 01760**



Food Laboratory

FL-150

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

Approved for public release
and sale; distribution
unlimited.

AD _____

TECHNICAL REPORT

72-54-FL

EFFECT OF COOKING AND FAT LEVEL ON THE OXYGEN UPTAKE
OF FREEZE-DRIED COOKED GROUND BEEF

By

R. L. Helmer and J. M. Tuomy

Project reference:
1J662713A034

Series: FL-150

December 1971

Food Laboratory
US ARMY NATICK LABORATORIES
Natick, Massachusetts 01760

FOREWORD

Oxygen has been recognized to have an adverse effect on the quality of freeze-dried foods. It has been found in previous studies that the freeze-dried combination foods such as used in the Food Packet, Long Range Patrol vary widely for their affinity to oxygen. At least one product can be stored in atmosphere for six months at 100°F. and still be edible while most of the others become inedible in a few weeks under the same conditions.

There was some evidence that the cooking of the beef component in combination foods affected oxygen uptake. Therefore, this study was conducted to further isolate the effect of cooking.

The work was performed under project LJ662713AD34, Military Food Service and Subsistence Technology.

TABLE OF CONTENTS

	Page No.
Abstract	iv
Introduction	1
Experimental Methods	2
Results and Discussion	3
References	4
List of Tables	
Table No.	
1. Fat percentages as determined analytically in the four levels	5
2. Headspace gas analyses in percent of gas composition	6
3. Analysis of variance results showing significance of the factors and the percent of variance attributable to them for O ₂ uptake.	7
4. Analysis of variance results showing significance of the factor and percent of variance attributable to them for CO ₂ production.	8

ABSTRACT

Ground beef with fat levels of 10, 15, 20 and 25 percent which was cooked in water to 180°F and cooked with boiling for 20 minutes was freeze-dried and stored at 100°F. Products were withdrawn at 2, 4, 8 and 12 weeks and the head space gas analyzed.

It was found that the more severe cooking resulted in higher oxygen uptakes statistically significant at the 1 percent level. The higher fat levels caused significantly higher uptakes, but they were a small part of the total variance observed.

INTRODUCTION

The adverse effect of oxygen on freeze-dried foods is well known and dictates that these products be packaged and maintained in low oxygen atmospheres. This is expensive and sometimes rather difficult to do through processing and handling in the field. However, investigations concerned with oxygen uptake of freeze-dried foods have shown that they vary widely in their susceptibility to oxygen uptake (Tuomy et al, 1970). Reasons for this are not well understood, but the differences are substantial enough so that while one freeze-dried combination item, such as beef with rice, will still be quite edible after 6 months storage at 100°F canned atmosphere, another, such as spaghetti with meat sauce, will be practically inedible after 4-6 weeks under the same conditions. Both of these products contain ground beef. In a further study attempting to determine the effect of ingredients on oxygen uptake (Tuomy and Fitzmaurice, 1971) it was found that ingredients determined the uptake and that the meat component plays the biggest part. As an offshoot of this study, indications were found that the method of cooking the beef had a bearing on the oxygen uptake of four of the combination meat items studied.

Fat content in the raw meat specified for freeze-dried products used by the Armed Services is held to less than 25 percent due to rehydration problems encountered with higher levels. Although oxidation of freeze-dried meats does not take place with the fat in the way that it does with fresh meats, the level of fat may have some effect on the oxygen uptake of freeze-dried meats.

Zipser and Watts (1961) stated that antioxidants are produced in meat by prolonged cooking above 100°C. However, these investigators did not attempt to identify the compounds formed nor was the meat freeze-dried.

Ground beef is used in four of the eight freeze-dried main components of the Food Packet, Long Range Patrol. In addition, diced beef is used in a fifth item. Furthermore, additional items containing beef are under consideration for other rations and for compressed bars. If it can be shown that the method of cooking the beef has a significant effect on the oxygen susceptibility of the final product, the products can be designed or redesigned to take advantage of this. Therefore, this study was designed to obtain more information as to the effects of the beef cooking on oxygen uptake over a period of storage. Fat level was included in the design.

EXPERIMENTAL METHODS

U. S. choice boneless top rounds were used in the study. The beef was trimmed and the trimmed fat used to make up the fat to the desired levels. The lean and fat were ground through a 1-inch plate separately, analyzed for fat, and then made up to obtain roughly 10, 15, 20 and 25 percent fat on the basis of the analyses. Actual fats obtained after the products were freeze-dried are shown in Table 1. After the fat and lean were mixed, the products were ground through a 3/8 inch plate.

Cooking was accomplished in a steam jacketed kettle in much the same way it would be done if combination products were being made. Half of the products at each fat level were mixed with an equal weight of cold water and heated to 180°F. The meat and water mixtures were then spread thinly on dehydrator trays and frozen in a blast freezer for freeze-drying. The other half of the products were mixed with equal weights of cold water, heated to a boil, and boiled for 20 minutes. The meat and water mixtures were also spread thinly on dehydrator trays and frozen. The frozen products were freeze-dried with a platen temperature of 125°F (radiant heat) and a dehydrator pressure of 100-300 microns to a moisture of approximately 1 percent. The dried products were canned at atmospheric pressure, 125 grams to a No. 2½ can and stored at 100°F. Withdrawals were at 2, 3, 8 and 12 weeks.

Headspace gas analysis was performed by chromatographic means in accordance with the procedure outlined by Bishov and Henick (1966). Sample size was 250 to 500 µl. Experience indicates an anticipated error for the method of approximately ± 0.25 percent. Cans were equilibrated to ambient temperature overnight before the analyses were run.

Total headspace volume in the cans was determined by compressing 125 gms of product in a laboratory press at 5000 pounds per square inch for 10 seconds and subtracting this volume from the volume of the can. This method is not completely accurate, but since the volume of headspace is very large in comparison with the absolute volumes of the products any error is considered to be of little consequence.

RESULTS AND DISCUSSION

Headspace gas analysis for the various products are shown in Table 2. Analysis of variance with percent of variance on the oxygen uptake is shown in Table 3. All of the factors and two factor interactions are shown to be statistically significant at the 1 percent level. However, percent of variance indicates that storage time, method of cooking, and their interaction comprise most of the observed variance with the method of cooking x fat content interaction comprising 2.6 percent of the variance.

The time in storage comprises a large part of the variance, (54.2 percent) which is to be expected. The method of cooking has a large effect (28.6 percent) on the oxygen uptake with the more severe cooking resulting in the largest oxygen uptake. The interaction of these two variables made up 13.0 percent of the observed variance with the direction of the largest uptake in the direction of greater storage time and the most severe cook. These results are in line with the results of Tuomy and Fitzmaurice (1971).

While the fat content was statistically significant it made up only 0.4 percent of the variance and is not particularly important. When the means are tested by Duncan's multiple range test, the lowest fat is shown to produce the smallest oxygen content and to be the only mean significantly different from the other three at the five percent level.

Analysis of variance for CO₂ production is shown in Table 4. The production of CO₂ follows the oxygen uptake results quite closely except that the storage time x fat content interaction was not significant. In addition, Duncan's multiple range test shows that all of the fat means are significantly different.

References

1. Bishov, S. J. and A. S. Henick, 1966. A gas chromatograph method for continuous accelerated study of O₂ uptake in fats. J. Am. Oil Chemists' Soc 43, 477.
2. Tuomy, J.M., L.C. Hinnergardt and R.L. Helmer. 1970. Response of cooked, freeze-dried combination meat items to oxygen. US Army Natick Laboratories Technical Report 70-64-FL.
3. Tuomy, J.M. and Walter Fitzmaurice. 1971. Effect of ingredients on the oxygen uptake of cooked, freeze-dried combination foods. J. Agr. Food Chem. 19, 503.
4. Zipser, M.W. and B.M. Watts. 1961. Lipid oxidation in heat-sterilized beef. Food Tech. 15, 445.

Table 1. Fat percentages as determined analytically in the four levels.

Fat as calculated % (new product)	Fat as determined % (freeze-dried product)
10	33.6
15	38.2
20	49.1
25	55.7

Table 2. Headspace gas analyses in percent of gas composition

Cooking Method	Fat Content %	Time - Weeks							
		2		4		8		12	
		O ₂	CO ₂	O ₂	CO ₂	O ₂	CO ₂	O ₂	CO ₂
Cooked to 180 min.	10	17.5	0.2	15.8	0.3	13.1	0.3	10.0	0.4
		17.5	0.2	15.9	0.3	13.1	0.3	10.0	0.4
		17.4	0.2	16.1	0.3	13.2	0.3	10.0	0.4
	15	17.9	0.3	16.2	0.5	13.9	0.4	11.2	0.5
		17.8	0.2	16.4	0.3	13.8	0.4	11.0	0.4
		17.8	0.2	16.3	0.4	13.6	0.4	10.9	0.4
	20	18.0	0.3	16.5	0.3	14.3	0.4	12.0	0.5
		17.9	0.3	16.5	0.3	14.8	0.4	11.4	0.5
		17.9	0.3	16.7	0.3	14.4	0.4	12.0	0.5
25	20.8	0.3	20.9	0.0	14.3	0.6	12.4	0.6	
	17.8	0.3	20.0	0.2	14.6	0.5	12.4	0.6	
	17.8	0.3	16.7	0.4	14.5	0.5	12.5	0.6	
Boiled for 20 min.	10	14.6	0.3	12.6	0.4	8.3	0.5	3.9	0.6
		15.0	0.3	12.7	0.3	7.9	0.3	3.7	0.6
		14.7	0.3	12.5	0.3	8.7	0.5	3.8	0.6
	15	13.2	0.4	10.0	0.5	5.4	0.6	1.5	0.8
		13.1	0.4	9.7	0.6	5.5	0.6	1.3	0.8
		13.7	0.4	10.6	0.5	5.9	0.6	1.2	0.8
	20	12.8	0.5	9.2	0.7	2.2	0.9	1.3	1.0
		13.7	0.6	8.8	0.6	2.9	0.9	1.2	0.9
		12.7	0.5	9.5	0.8	1.6	0.8	1.2	0.9
25	12.9	0.5	9.8	0.7	1.3	1.0	1.3	1.0	
	12.5	0.6	8.7	0.7	1.3	0.9	1.2	1.0	
	13.0	0.5	10.1	0.7	1.3	1.0	1.2	1.0	

Table 3. Analysis of variance results showing significance of the factors and the percent of variance attributable to them for O₂ uptake.

Factor	Degrees of Freedom	Significance	Percent of Variance
A (storage time)	4	xx	54.2
B (cooking method)	1	xx	28.6
C (fat content)	3	xx	0.4
AB	4	xx	13.0
AC	12	xx	0.4
BC	3	xx	2.6
Remainder	92	-	0.8

xx Significant at the 1 percent level.

Table 4. Analysis of variance results showing significance of the factor and percent of variance attributable to them for CO₂ production.

Factor	Degrees of Freedom	Significance	Percent of Variance
A (storage time)	4	xx	26.3
B (cooking method)	1	xx	40.8
C (fat content)	3	xx	13.0
AB	4	x	3.7
AC	12	n.s.	
BC	3	xx	7.5
Remainder	9	-	8.7

n.s. not significant

x significant at the 5 percent level

xx significant at the 1 percent level.

Copies

- 1 - Technical Service Branch
Technical Operation Division
Directorate Subsistence
Defense Personnel Support Center
ATTN: Director of Subsistence
DPSC-STS
2800 South 20th Street
Philadelphia, Pennsylvania 19101
- 1 - Director
Biology Sciences Division
Office of Naval Research
Department of the Navy
Washington, D. C. 20360
- 1 - U. S. Department of Agriculture
Consumer & Marketing Service
ATTN: Ch, Product Standards Branch
Standards & Services Division
Washington, D. C. 20250
- 1 - Headquarters, Defense Supply Agency
ATTN: Mr. Jobe, DSAH-OP
Cameron Station
Alexandria, Virginia 22314
- 1 - Dr. William H. Brown
Chairman, Committee on Radiation
Preservation of Food, NAS/NRC
President, American Bacteriology
& Chemical Research Corp.
P.O. Box 1557
Gainesville, Florida 32601
- 1 - Stimson Library
ATTN: Documents Librarian
US Army Medical Field Service School
Brooke Army Medical Center
Fort Sam Houston, Texas 78234
- 1 - Arctic Medical Research
Laboratory (USARIEM) Alaska
APO, Seattle, Washington 98731

Copies

- 1 - Colonel James L. Fowler, VC
Ch, Food Hygiene Division
U.S. Army Medical Research &
Nutrition Laboratory
Fitzsimons General Hospital
Denver, Colorado 80240
- 1 - Consumer Products Division, 730
Bureau of Domestic Commerce
U.S. Department of Commerce
Washington, D. C. 20230
- 1 - R. J. Reynolds Tobacco Company
ATTN: J. E. Roberts
Winston-Salem, North Carolina 27102
- 1 - HQDA (DARD-ARL)
WASH DC 20310
- 1 - Subsistence Management Policy
Director
ATTN: OASD (I&L)
Pentagon 2B323
Washington, D. C. 20301
- 3 - Office of the Coordinator of
Research
University of Rhode Island
Kingston, Rhode Island 02881
- 3 - Exchange & Gift Division
Library of Congress
Washington, D. C. 20540
- 1 - Headquarters, USAF (AF/RDPS)
DCS/Research & Development
Washington, D. C. 20330
- 1 - Subsistence & Culinary Arts
Department
U.S. Army QM School
Ft Lee, Virginia 23801
- 1 - Logistics Library
Bunker Hall
Fort Lee, Virginia 23801

Copies

- 1 - Library
USDA, Southern Marketing &
Nutrition Research Division
P.O. Box 19687
New Orleans, Louisiana 70119
- 5 - U.S. Department of Agriculture
Animal & Plant Health & Inspection
Service
ATTN: Director, Standards &
Services Division
Washington, D..C. 20250
- 1 - USDA, National Agricultural Library
Current Serial Record
Beltsville, Maryland 20705
- 1 - Administrator
Agricultural Research Service
U.S. Department of Agriculture
ATTN: Dr. Sam R. Hoover
Washington, D. C. 20250
- 1 - Dr. I. A. Wolff, Director
Eastern Marketing & Nutrition
Research Division
Agricultural Research Service
U.S. Department of Agriculture
Wyndmoor, Pennsylvania 19118
- 1 - Dr. C. H. Fisher, Director
Southern Marketing & Nutrition
Research Division
Agricultural Research Service
U.S. Department of Agriculture
1100 Robert E. Lee Blvd
New Orleans, Louisiana 70119
- 1 - Dr. C. H. Harry Newfeld, Director
Southeastern Marketing & Nutrition
Research Division
Agricultural Research Service
U.S. Department of Agriculture
P.O. Box 5677
Athens, Georgia 30604

Copies

- 1 - Mr. Dean F. Davis, Acting Director
Market Quality Research Division
Agricultural Research Service
U.S. Department of Agriculture
Federal Center Building
Hyattsville, Maryland 20782
- 2 - Headquarters 12th Support Brigade
ACofS Services
ATTN: Food Advisor
Fort Bragg, North Carolina 28307
- 1 - Chief, U.S. Army Food Service
Center
ATTN: Dir/Commissary Operations
Fort Lee, Virginia 23801
- 2 - Dr. Frank R. Fisher
Executive Director, ABMPS
National Academy of Sciences
National Research Council
2101 Constitution Avenue
Washington, D. C. 20418
- 1 - Dr. K. C. Emerson
Assistant for Research
Office of Assistant Secretary of
the Army (R&D)
Department of the Army
Washington, D. C. 20310
- 1 - CDR Harold J. Janson, MSC, USN
Head, Food Service Branch
Bureau of Medicine & Surgery
Navy Department
Washington, D. C. 20390
- 1 - Dr. Louis J. Ronsivalli
Fishery Products Technology Laboratory
U.S. Department of Commerce
National Oceanic & Atmospheric
Administration
National Marine Fisheries Service
Northern Region
Emerson Avenue
Gloucester, Massachusetts 01930

FOOD LABORATORY DISTRIBUTION LIST

Animal Products

Copies

- 1 - Commanding General
US Army Combat Development
Command
ATTN: CDCMS-O
Fort Belvoir, Virginia 22060
- 1 - Commanding General
US Army Materiel Command
ATTN: AMCRD-JI
Department of the Army
Washington, D.C. 20315
- 2 - Commanding Officer
U.S. Army Combat Development
Command
Supply Agency
ATTN: CDCSA-R
Fort Lee, Virginia 23801
- 2 - Commanding Officer
U.S. Army Medical Nutrition
Laboratory
Fitzsimons General Hospital
Denver, Colorado 80240
- 1 - Commanding Officer
U.S. Navy Subsistence Office
ATTN: Mrs. Marjorie Kehoe
Washington, D. C. 20390
- 1 - Commanding Officer
U.S. Air Force Service Office
(AFIC)
ATTN: Mrs. Germaine Gotshall
2800 South 20th Street
Philadelphia, Pennsylvania 19101
- 1 - Commanding Officer
U.S. Army Foreign Science &
Technical Center
ATTN: AMXST-GE (Victoria Dibbern)
220 7th Street, N. E.
Charlottesville, Virginia 22901

Copies

- 1 - Commanding General
U.S. Army Medical Research &
Development Command
ATTN: SGRD-MDI-N
Washington, D. C. 20314
- 2 - Commandant of the Marine Corps
Headquarters U.S. Marine Corps
ATTN: Code AX-44
Washington, D. C. 20380
- 2 - Commandant of the Marine Corps
Headquarters U.S. Marine Corps
ATTN: Code COB-2
Washington, D. C. 20380
- 1 - Commandant of the Marine Corps
Headquarters U.S. Marine Corps
ATTN: Code AO4G
Washington, D. C. 20380
- 1 - Commandant of the Marine Corps
Headquarters U.S. Marine Corps
ATTN: CSY-4
Washington, D. C. 20380
- 1 - Commanding General
Marine Corps Supply Activity
ATTN: Code 826
1100 South Broad Street
Philadelphia, Pennsylvania 19146
- 1 - Director AF Hospital Food Service
ATTN: Lt Col Chaska
Headquarters USAF/SGB-1
6B153 James Forrestal Building
Washington, D. C. 20314
- 1 - Director
Division of Biology & Medicine
U.S. Atomic Energy Commission
Washington, D. C. 20545

Copies

- 2 - HQDA (DALO-TSS)
WASH DC 20310
- 2 - Chief, US Army Food Service Center
ATTN: Dir/Food Service Operations
Fort Lee, Virginia 23801
- 1 - Chief, U.S. Army Food Service
Center
ATTN: Chief, Menu Planning
Division
Fort Lee, Virginia 23801
- 16 - NRC Committee Members

FOOD LABORATORY INTERNAL DISTRIBUTION LIST

Copies

- 22 - Program Coordination Office, Food Laboratory, NLABS
(12 for transmittal to Defense Documentation Center)
- 2 - Technical Library, NLABS
- 7 - Division Chiefs, Food Laboratory, NLABS
- 2 - Marine Liaison Officer, NLABS
- 3 - Air Force Liaison Officer, NLABS
- 1 - Special Assistant for DOD Food Program, ATTN: Dr. E.E. Anderson, NLABS
- 1 - US Army Representative for DOD Food Program, NLABS
- 1 - US Air Force Representative for DOD Food Program, NLABS
- 1 - US Navy Representative for DOD Food Program, NLABS
- 2 - Chief, Quality Assurance and Engineering Office, ATTN:
Standardization Management and Quality Assurance Branch
(Mr. Richman), NLABS
- 3 - Director, General Equipment and Packaging Laboratory, NLABS
- 3 - Director, Pioneering Research Laboratory, NLABS
- 25 - Project Officer, Food Laboratory, NLABS
- 10 - Alternate Project Officer, Food Laboratory, NLABS

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) US Army Natick Laboratories Natick, Massachusetts 01760	2a. REPORT SECURITY CLASSIFICATION Unclassified
	2b. GROUP

3. REPORT TITLE
Effect of Cooking and Fat Level on the Oxygen Uptake of Freeze-Dried Cooked Ground Beef

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

5. AUTHOR(S) (First name, middle initial, last name)
R. L. Helmer and J. M. Tuomy

6. REPORT DATE December, 1971	7a. TOTAL NO. OF PAGES 19	7b. NO. OF REFS 4
----------------------------------	------------------------------	----------------------

8a. CONTRACT OR GRANT NO. b. PROJECT NO. 1J662713A034 c. d.	9a. ORIGINATOR'S REPORT NUMBER(S)
	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) FL-150

10. DISTRIBUTION STATEMENT
This document has been approved for public release and sale; its distribution is unlimited.

11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY US Army Natick Laboratories Natick, Massachusetts 01760
-------------------------	--

13. ABSTRACT

Ground beef with fat levels of 10, 15, 20 and 25 percent was cooked in water to 180°F and cooked with boiling for 20 minutes was freeze-dried and stored at 100°F. Products were withdrawn at 2, 4, 8 and 12 weeks and the head space gas analyzed.

It was found that the more severe cooking resulted in higher oxygen uptakes statistically significant at the 1 percent level. The higher fat levels caused significantly higher uptakes, but they were a small part of the total variance observed.

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Cooking	6					
Fats	6					
Oxygen	7		9,6			
Freeze-Dried Foods	9		7			
Beef	9		7			
Ground	0		0			
Raw	0		0			
Analysis			8			
Headspace Oxygen			9,6			
Acceptability			7			
Rehydration			7			
Storage			4			