

AD-A061 108


CONSTRUCTION ENGINEERING RESEARCH LAB (ARMY) CHAMPAI--ETC F/G 13/2
ENGINEERING AND DESIGN COST/RATE FORECASTING SYSTEM. VOLUME II.--ETC(U)
SEP 78 R D NEATHAMMER

UNCLASSIFIED

CERL-TR-P-94-VOL-2

NL

| OF |
AD
A061 108



END
DATE
FILMED
1-79
DDC

construction
engineering
research
laboratory

11
5e


TECHNICAL REPORT P-94
September 1978

ADA061108

LEVEL

ENGINEERING AND DESIGN COST/RATE
FORECASTING SYSTEM, VOLUME II:
USER'S MANUAL

by
R. D. Neathammer



DDC FREE

78 11 08 012

Approved for public release; distribution unlimited.

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

***DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED
DO NOT RETURN IT TO THE ORIGINATOR***

COMPUTER PROGRAM DATA SHEET

Title: Engineering and Design (E&D) Cost/Rate Forecasting System

Proponent: Directorate of Military Construction Data Processing Installation: Construction Division of MC Operations and Planning Branch

Language: BASIC

Hardware: TEKTRONIX 4051

Availability: Corps of Engineers Engineering Computer Programs Library

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER CERL-TR-P-94✓	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 6 ENGINEERING AND DESIGN COST/RATE FORECASTING SYSTEM, VOLUME II, USER'S MANUAL		5. TYPE OF REPORT & PERIOD COVERED 9 FINAL Repts
7. AUTHOR(s) R. D. Neathammer		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. ARMY ENGINEER CONSTRUCTION ENGINEERING RESEARCH LABORATORY P.O. Box 4005, Champaign, IL 61820	405 279	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS O&MA FAD No. 78-1 and Change No. 1
11. CONTROLLING OFFICE NAME AND ADDRESS		11. REPORT DATE 11 September 1978
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. NUMBER OF PAGES 21
10 Robert D. Neathammer		15. SECURITY CLASS. (of this report) Unclassified
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
12 24 p		
17. DISTRIBUTION STATEMENT FOR THE ABSTRACT (entered in Block 20, if different from Report) 14 CERL-TR-P-94-Vol-2		
18. SUPPLEMENTARY NOTES Copies are obtainable from National Technical Information Service Springfield, VA 22151		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) E&D data forecasting manual future costs		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This volume describes the use of the Engineering and Design (E&D) Cost/Rate Forecasting System to maintain E&D data, to update the E&D forecasting model, and to forecast future E&D costs and rates. Volume I provides information on the model development and data analysis.		

FOREWORD

This research was conducted for the Directorate of Military Construction, Office of the Chief of Engineers (OCE), under O&MA FAD No. 78-1 dated 1 October 1977, and FAD Change No. 1 dated 29 November 1977. The OCE Technical Monitor was Mr. David A. Spivey, DAEN-MCC-C.

The work was performed by the Facility Systems Division (FS), U.S. Army Construction Engineering Research Laboratory (CERL), Champaign, IL. The Principal Investigator was Mr. Robert D. Neathammer. The computer programming was performed by Mr. Robert Lidral and Mr. Lincoln Little, both of CERL. Mr. E. A. Lotz is Chief of FS.

COL J. E. Hays is Commander and Director of CERL, and Dr. L. R. Shaffer is Technical Director.

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	B. II Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
SPECIAL	
A	

CONTENTS

	<u>Page</u>
DD FORM 1473	1
FOREWORD	3
LIST OF FIGURES	5
1 INTRODUCTION.....	7
Background	
Objective	
Outline of Report	
2 GENERAL SYSTEM USE.....	8
3 COMMANDS.....	10
Add a Division/District Database	
Delete a Division/District Database	
Change a Division/District Database	
Display a Division/District Database	
Perform Regression Analysis	
Display Model Equation and Statistics	
Plot E&D Cost/Rate Curves	
Forecast E&D Cost/Rate	

DISTRIBUTION

FIGURES

<u>Number</u>		<u>Page</u>
1	System Menu Display	9
2	Add a Division/District Database Command	11
3	Delete a Division/District Database Command	12
4	Change a Division/District Database Command	13
5	Display a Division/District Database Command	15
6	Sample Database Display	16
7	Display Model Equation and Statistics Command	17
8	Sample Model Equation and Statistics Display	18
9	Plot E&D Cost/Rate Curves Command	19
10	Sample Plot of E&D Cost/Rate Curves	20
11	Forecast E&D Cost/Rate Command	21

ENGINEERING AND DESIGN COST/RATE
FORECASTING SYSTEM--VOLUME II: USER'S MANUAL

1 INTRODUCTION

Background

Recently, the Office of the Chief of Engineers (OCE) requested that the Construction Engineering Research Laboratory (CERL) develop methods to predict contract and in-house engineering and design (E&D) costs. CERL developed a statistical model for E&D costs/rates forecasting to help the Directorate of Military Construction (DMC) establish E&D limits for each Military Construction Division and District, as discussed in Volume I. The E&D Cost/Rate Forecasting System is a computer program which provides DMC with the capability to maintain, update, and use the E&D forecasting model. The system maintains and updates estimated costs of construction and E&D cost data for each Military Construction Division and District for 9 fiscal years. It performs multiple linear regression analyses on these data to update the statistical models for predicting E&D costs and rates and provides 95 percent prediction limits for each Division/District. The E&D Cost/Rate Forecasting System is implemented on a TEKTRONIX 4051 in BASIC. Programs and data reside on tape cassettes.

Objective

The objective of this report is to describe and provide examples of commands for the E&D Cost/Rate Forecasting System program and to explain the general system use.

Outline of Report

Chapter 2 provides general instructions for system use, and Chapter 3 describes system commands.

2 GENERAL SYSTEM USE

Three types of E&D costs are forecast by the system: (1) contract, (2) in-house, and (3) total. In this manual, the term "E&D" represents any of the three types of E&D costs; all three types are on one cassette: total in databases 1-9, in-house in databases 21-39, and contract in databases 41-49.

The E&D cost/rate forecasting system is loaded by inserting the tape cassette on which it resides into the TEKTRONIX 4051 and pressing AUTO LOAD. Once loaded, the program displays the system menu and prompts the user for further input, as illustrated in Figure 1. For example, if the user wishes to display the data for total E&D costs for Alaska, he/she should respond by typing "4,1". The execution of any command causes the menu to be cleared from the screen and appropriate command information to be displayed. Each command display includes the description of the command being executed and the name of the database on which it is operating. Prompts for additional user action and the output from the command are displayed as appropriate. Completion of each command is indicated by the prompt for a new command. Upon detection of an error, an error message is displayed and the processing of the command or subcommand is terminated. If an error occurs which is not handled by the system and thus aborts the program, recovery may be accomplished easily by pressing AUTO LOAD; results of previous, successful commands will still be valid.

ENGINEERING AND DESIGN COST/RATE
FORECASTING SYSTEM

COMMANDS

<u>ID</u>	<u>DESCRIPTION</u>
1	ADD A DIVISION/DISTRICT DATABASE
2	DELETE A DIVISION/DISTRICT DATABASE
3	CHANGE A DIVISION/DISTRICT DATABASE
4	DISPLAY A DIVISION/DISTRICT DATABASE
5	PERFORM REGRESSION ANALYSIS
6	DISPLAY MODEL EQUATION AND STATISTICS
7	PLOT E&D COST/RATE CURVES
8	FORECAST E&D COST/RATE

DATABASES

<u>ID</u>	<u>NAME</u>	<u>ID</u>	<u>NAME</u>
1	ALASKA (TOTAL)	2	BALTIMORE (TOTAL)
3	FORT WORTH (TOTAL)	4	MOBILE (TOTAL)
5	NEW YORK (TOTAL)	6	OMAHA (TOTAL)
7	PACIFIC (TOTAL)	8	SACRAMENTO (TOTAL)
9	SAVANNAH (TOTAL)	21	ALASKA (INHOUSE)
22	BALTIMORE (INHOUSE)	23	FORT WORTH (INHOUSE)
24	MOBILE (INHOUSE)	25	NEW YORK (INHOUSE)
26	OMAHA (INHOUSE)	27	PACIFIC (INHOUSE)
28	SACRAMENTO (INHOUSE)	29	SAVANNAH (INHOUSE)
41	ALASKA (CONTRACT)	42	BALTIMORE (CONTRACT)
43	FORT WORTH (CONTRACT)	44	MOBILE (CONTRACT)
45	NEW YORK (CONTRACT)	46	OMAHA (CONTRACT)
47	PACIFIC (CONTRACT)	48	SACRAMENTO (CONTRACT)
49	SAVANNAH (CONTRACT)		

ENTER "<COMMAND ID>" <DATABASE ID>
OR "M" FOR MENU OR "Q" TO QUIT
>

Figure 1. System menu display.

3 COMMANDS

Add a Division/District Database

This command is used to add a new database to the system. The new database ID must not be the same as the ID of any existing database and must be a positive integer between 1 and 99, inclusive; in addition, the database name must not be the same as that of any existing database. The system will prompt the user for the database name and data as illustrated in Figure 2. A database name may be any alphanumeric string up to 20 characters long.

Delete a Division/District Database

This command deletes the entire nine-record database for the specified Division/District. To prevent accidental deletions, this command prompts the user to verify that he/she really wishes to delete the dataset. Figure 3 is an example of this command.

Change a Division/District Database

This command is used to change data records and to add the newest record (or oldest), and to delete the oldest (or newest) record in the existing database. The system issues the following prompt:

The fiscal year must be a two-digit number equal to either (1) one of the years in the existing database, (2) 1 year earlier than the earliest year, or (3) 1 year later than the latest existing year. The estimated cost of construction and E&D cost are decimal numbers that express the costs in millions of dollars. If the fiscal year entered by the user matches the fiscal year of an existing data record, then that record's data will be replaced with the new input data after the user is prompted for verification. If the fiscal year is one greater than the most recent or one less than the least recent, then the whole database is shifted 1 year to accommodate the new data, deleting the record at the opposite end of the database (in either case, the user is informed of the deletion). If all three values are zero, the command terminates. Upon successful completion of a change transaction (other than one with three zeroes), the change prompt is reissued. Changes to a Division/District database will "zero out" the previously existing forecasting model for that Division/District to insure that all forecasts are based on the current database. Figure 4 is an example of how this command is used.

ADD A DIVISION/DISTRICT DATABASE

DATABASE ID = 1

ENTER "<DATABASE NAME>"
>ALASKA (TOTAL)

DATA FOR 9 CONSECUTIVE YEARS MUST BE ENTERED IN ASCENDING ORDER (2 DIGIT
FY, COST IN MILLIONS)

ENTER RECORD 1: "<FY>, <ESTIMATED COST OF CONSTRUCTION>, <E&D COSTS>"
>69, 17.498, 1.157

ENTER RECORD 2 FOR FY70: "<ESTIMATED COST OF CONSTRUCTION>, <E&D
COSTS>"
>16.238, 1.201

.
.
.

ENTER RECORD 9 FOR FY77: "<ESTIMATED COST OF CONSTRUCTION>, <E&D
COSTS>"

>38.552, 2.654

ENTER "<COMMAND ID>, <DATABASE>"
OR "M" FOR MENU OR "Q" TO QUIT
>

Figure 2. Add a Division/District database command.

DELETE A DIVISION/DISTRICT DATABASE

DATABASE 1 FOR DIVISION/DISTRICT ALASKA
TYPE "YES" TO DELETE, ANYTHING ELSE TO LEAVE AS IS
>YES
DATABASE 1 FOR DIVISON/DISTRICT ALASKA DELETED

ENTER "<COMMAND ID>, <DATABASE ID>"
OR "M" FOR MENU OR "Q" TO QUIT

Figure 3. Delete a Division/District database command.

CHANGE A DIVISION/DISTRICT DATABASE
CHANGE DATABASE 1 FOR DIVISION/DISTRICT ALASKA

ENTER DATABASE CHANGES: TO TERMINATE, ENTER THREE ZEROES

ENTER "<FY>, <COST OF CONSTRUCTION >, <E&D COST>"

>64, 24.3, 1.6

ADDING YEAR TO BEGINNING OF DATA; LAST YEAR DISCARDED

ENTER "<FY>, <COST OF CONSTRUCTION>; <E&D COST>"

>68, 21.731, 1.636

CHANGING DATA FOR FY68

DO YOU WISH TO CHANGE THIS DATA (YES OR NO)?

YES

ENTER "<FY>, <COST OF CONSTRUCTION>, <E&D COST>"

>76, 38.287, 2.336

ADDING YEAR AT END OF DATA; FIRST YEAR DISCARDED

ENTER "<FY>, <COST OF CONSTRUCTION >, <E&D COST>"

>0, 0, 0

ENTER "<COMMAND ID>, <DATABASE ID >"

OR "M" FOR MENU OR "Q" TO QUIT

>

Figure 4. Change a Division/District Database command.

Display a Division/District Database

This command displays the database for a specified Division/District, either on the graphic screen or on a hardcopy device, at the user's option. Figure 5 demonstrates the use of this command, and Figure 6 shows a sample display.

Perform Regression Analysis

This command performs multiple linear regressions and statistical analyses necessary to determine the forecasting model for the specified Division/District database. There are no further user prompts for this command.

Display Model Equation and Statistics

This command displays the forecasting model and statistics for the specified Division/District, either on the graphic screen or on a hardcopy device at the user's option. Figure 7 demonstrates the use of this command, and Figure 8 shows a sample display.

Plot E&D Cost/Rate Curves

This command plots the E&D cost and E&D rate predictions vs. estimated cost of construction for the next fiscal year for the specified Division/District. Output is displayed on either the graphic screen or on the digital plotter at the user's option. If a plot over the entire allowable range for estimated cost of construction is not desired, a subrange may be specified. Figure 9 shows an example of using this command, and Figure 10 shows a sample plot made by the digital plotter.

Forecast E&D Cost/Rate

This command calculates and displays the predicted E&D cost and rate for the next fiscal year as a function of the estimated cost of construction for the specified Division/District. The system prompts the user for the estimated cost of construction and displays the forecasts as shown in Figure 11. A zero estimated cost of construction value will terminate the command.

DISPLAY A DIVISION/DISTRICT DATABASE

DATABASE 1 FOR DIVISION/DISTRICT ALASKA

WHICH DEVICE "SCREEN" OR "HARDCOPY"?
>HARDCOPY

ENTER "<COMMAND ID>, <DATABASE ID >"
OR "M" FOR MENU OR "Q" TO QUIT
>

Figure 5. Display a Division/District Database command.

DISPLAY A DIVISION/DISTRICT
BALTIMORE (CONTRACT)

<u>FY</u>	<u>CONSTRUCTION COST (MILLION \$)</u>	<u>E&D COST (MILLION \$)</u>	<u>E&D RATE (%)</u>
69	35.697	1.345	3.77
70	46.865	2.051	4.38
71	86.439	3.731	4.32
72	133.997	5.961	4.45
73	152.460	7.028	4.61
74	152.560	6.462	4.24
75	128.000	5.655	4.42
76	106.050	4.632	4.37
77	138.535	6.361	4.59

Figure 6. Sample database display.

DISPLAY MODEL FUNCTION AND STATISTICS

WHICH DEVICE "SCREEN" OR "HARDCOPY"?
>HARDCOPY

ENTER "<COMMAND ID>, <DATABASE ID>"
OR "M" FOR MENU OR "Q" TO QUIT
>

Figure 7. Display Model Equation and Statistics command.

DISPLAY MODEL EQUATIONS AND STATISTICS
BALTIMORE (CONTRACT)

FY69 THRU FY77 DATA

$$\text{E\&D COST} = -0.217 + 0.0461C + 0.000T + 0.00000CT$$

STANDARD ERROR OF THE ESTIMATE: $S = 0.182$
COEFFICIENT OF DETERMINATION: $R^{**2} = 0.993$

E&D COST IN MILLIONS OF DOLLARS
C = ESTIMATED COST OF CONSTRUCTION IN MILLIONS OF DOLLARS
T = TIME, WHERE FY77 = 9, FY78 = 10

Figure 8. Sample Model Equation and Statistics display.

PLOT E&D COST/RATE CURVES

ENTER DEVICE: "1" FOR GRAPHIC SCREEN, "2" FOR DIGITAL PLOTTER

>2

ENTER ESTIMATED COST OF CONSTRUCTION RANGE: "<MINIMUM>, <MAXIMUM>" OR CR
>(return)

TO PLOT GRAPH, PRESS RETURN
WHEN THE GRAPH IS FINISHED, PRESS
RETURN AGAIN TO CLEAR THE SCREEN
(return)
(return)

ENTER "<COMMAND ID>, <DATABASE ID > "
OR "M" FOR MENU OR "Q" TO QUIT
>

Figure 9. Plot E&D Cost/Rate Curves command.

E AND D COST/RATE VS ESTIMATED COST OF CONSTRUCTION

BALTIMORE (CONTRACT) - FY78

— PREDICTED VALUE

--- 95% PREDICTION LIMITS




Figure 10. Sample plot of E&D Cost/Rate curves.

FORECAST E&D COST/RATE
ALASKA
FY77

ENTER "<ESTIMATED COST OF CONSTRUCTION>" (MILLION \$: "0" TO QUIT)
>40

E&D COST = 2.50 + 0.60 MILLION DOLLARS (95% PREDICTION LIMITS)
E&D RATE = 6.21 + 1.59 PERCENT (95% PREDICTION LIMITS)

ENTER "<ESTIMATED COST OF CONSTRUCTION>" (MILLION \$ = "0" TO QUIT)
>0

ENTER "<COMMAND ID>, <DATABASE ID >"
OR "M" FOR MENU OR "Q" TO QUIT
>

Figure 11. Forecast E&D Cost/Rate command.

CERL DISTRIBUTION

Chief of Engineers
ATTN: DAEN-ASI-L (2)
ATTN: DAEN-MPR
ATTN: DAEN-MPC-C (20)
Dept of the Army
WASH DC 20314

Defense Documentation Center
ATTN: DDA (12)
Cameron Station
Alexandria, VA 22314

Neathammer, Robert D

Engineering and design cost / rate forecasting system. - Champaign, IL ; Construction Engineering Research Laboratory ; Springfield, VA ; available from National Technical Information Service, 1978.

2 v., ; 27 cm. (Technical report. - Construction Engineering Research Laboratory ; P-94)

Contents. v. 1, Model development and data analysis.
v. 2, User's manual.

1. Engineering design - costs - computer programs. 2. Building - estimates - computer programs. I. Title. II. Series : U.S. Construction Engineering Research Laboratory. Technical report ; P-94.