

AD-A170 826

SOLID PARTICLE FORMATION MECHANISMS(U) BATTILLE  
MEMORIAL INST RESEARCH TRIANGLE PARK NC P G GRODZKA  
APR 86 CRDEC-CR-86027

1/1


UNCLASSIFIED

F/G 20/2

NL



END  
DATE  
FILMED  
9 '86



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A170 826

**CHEMICAL  
RESEARCH,  
DEVELOPMENT &  
ENGINEERING  
CENTER**

**CRDEC-CR-86027**

**SOLID PARTICLE FORMATION  
MECHANISMS**

by **P. G. Grodzka**  
**BATTELLE MEMORIAL INSTITUTE**  
**Research Triangle Park, NC 27700**

**April 1986**



**U.S. ARMY  
ARMAMENT  
MUNITIONS  
CHEMICAL COMMAND**

**Aberdeen Proving Ground, Maryland 21010-5423**

**This document has been approved  
for public release and sale; its  
distribution is unlimited.**

**Disclaimer**

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorizing documents.

**Distribution Statement**

Approved for public release; distribution is unlimited.

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release; distribution is unlimited.	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		4. PERFORMING ORGANIZATION REPORT NUMBER(S) <b>CRDEC-CR-86027</b>	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) <b>CRDEC-CR-86027</b>		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION <b>Battelle Memorial Institute</b>	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION	
6c. ADDRESS (City, State, and ZIP Code) <b>Research Triangle Park, NC 27700</b>		7b. ADDRESS (City, State, and ZIP Code)	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION <b>CRDEC</b>	8b. OFFICE SYMBOL (if applicable) <b>SMCCR-RSP-B</b>	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER <b>TCN 85-013</b>	
8c. ADDRESS (City, State, and ZIP Code) <b>Aberdeen Proving Ground, MD 21010-5423</b>		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) <b>SoIid Particle Foꝛmation Mechanisms</b>			
12. PERSONAL AUTHOR(S) <b>Grodzka, P. G.</b>			
13a. TYPE OF REPORT <b>Contractor</b>	13b. TIME COVERED FROM <b>84 06</b> TO <b>85 06</b>	14. DATE OF REPORT (Year, Month, Day) <b>1986 April</b>	15. PAGE COUNT <b>28</b>
16. SUPPLEMENTARY NOTATION <b>COR: Glenn O. Rubel, Ph.D., (301) 671-2326</b>			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD <b>07</b>	GROUP <b>04</b>	crystal growth gas phase kinetic-controlled	
		metallic fibers nucleation	
		solution phase diffusion-controlled (continued on reverse)	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The objective of this study is to identify the parameters which control the formation and growth of solid, non-spherical particles, specifically the formation of metallic fibers in magnetic fields and platelet particles in flames. The influence of hydrodynamic and magnetic forces are discussed. It is shown that materials with high entropy of phase transition exhibit selective morphological growth, while materials with low entropy of phase transition exhibit random, amorphous growth. Natural convection has the effect of increasing the temperature or concentration gradients near growing crystal interfaces. It thus has the effect of increasing heat and mass transport at the crystal surface. As the convective hydrodynamic forces increase, the growth mechanism changes from diffusion-controlled to kinetic-controlled with the net effect that particles grow isotropically. The application of magnetic fields to ferromagnetic particles induces particle-particle interactions, and the chaining of the primary particles to form non-spherical particles with large aspect ratios.			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>	
22a. NAME OF RESPONSIBLE INDIVIDUAL <b>TIMOTHY E. HAMPTON</b>		22b. TELEPHONE (Include Area Code) <b>(301) 671-2914</b>	22c. OFFICE SYMBOL <b>SMCCR-SPD-R</b>

**UNCLASSIFIED**

**SECURITY CLASSIFICATION OF THIS PAGE**

**18. SUBJECT TERMS (continued).**

entropy of transformation  
two-dimensional nucleation  
surface entropy factor  
screw dislocation

**UNCLASSIFIED**

**SECURITY CLASSIFICATION OF THIS PAGE**

FOREWORD

The results of a Short Term Analysis Study (STAS) of the phenomenology underlying crystal growth are presented. The study objective was to identify the parameters which control the formation and growth of solid, non-spherical particles, specifically the formation of metallic fibers in magnetic fields and platelet particles in flames.

The specific tasks performed included the assessment of crystal growth from liquid solution and the vapor phase (both without and with chemical reaction) with regard to the thermodynamic correlations and the influence of the hydrodynamics and magnetic fields. The reactivity of the particles, formed as a function of size, material and composition of the ambient atmosphere, was also assessed.

The STAS was administered by the Battelle Memorial Institute, Research Triangle Park, NC 27700, under Battelle Contract D01336, TCN85-013.



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A1	

RECEIVED

THE UNIVERSITY OF CHICAGO  
LIBRARY  
540 EAST 57TH STREET  
CHICAGO, ILL. 60637

BLANK

## PREFACE

The work described in this report was authorized under Contract No. TCN 85-013. This work was started in June 1984 and completed in June 1985.

The use of trade names or manufacturers' names in this report does not constitute endorsement of any commercial products. This report may not be cited for purposes of advertisement.

Reproduction of this document in whole or in part is prohibited except with permission of the Commander, U.S. Army Chemical Research, Development and Engineering Center, ATTN: SMCCR-SPD-R, Aberdeen Proving Ground, Maryland 21010-5423. However, the Defense Technical Information Center and the National Technical Information Service are authorized to reproduce the document for U.S. Government purposes.

This report has been cleared for release to the public.



## CONTENTS

	<u>Page</u>
INTRODUCTION . . . . .	9
GENERAL PHENOMONOLOGY OF CRYSTAL GROWTH . . . . .	10
GROWTH OF SOLUTIONS . . . . .	21
CRYSTAL GROWTH FROM THE VAPOR PHASE . . . . .	22
EFFECTS OF MAGNETIC FIELDS . . . . .	25
OXIDATION OF SMALL METAL PARTICLES . . . . .	26
REFERENCES . . . . .	27

..

CONTENTS

1941

1. ... ..

2. ... ..

3. ... ..

4. ... ..

5. ... ..

6. ... ..

7. ... ..

8. ... ..

9. ... ..

10. ... ..

BLANK

## SOLID PARTICLE FORMATION MECHANISMS

### INTRODUCTION

Knowledge of the mechanisms by which solid particles form from various fluid media opens the way for tailoring the process variables to produce particles of desired sizes and shapes. Although a great deal of information exists in the literature on mechanisms of formation of specific material particles, a general practical guide for the production of solid particles of specific sizes and shapes is lacking. This document attempts to remedy this situation by presenting an overview, as assessed from current literature, of solid particle formation phenomenology. The cases of formation of micron size particles from solution and vapor (without and with chemical reaction) media are then considered in more detail. The effects of magnetic fields during growth are also considered as are some aspects of particle oxidation after formation.

## GENERAL PHENOMENOLOGY OF CRYSTAL GROWTH

### Rate Phenomena

The sizes and shapes of crystals formed from a fluid phase is determined by the interplay of three basic processes: nucleation, crystal growth, and material and heat transport. The following is a general overall description of the interplays in the case of crystal growth from the melt.

To initiate the formation of a solid phase from a liquid phase solid nuclei must form a large enough size (critical size) that further growth decreases the free energy of the system. The rate at which such nuclei form is a function of supercooling, generally as shown by curve A in Fig. 1.




Fig. 1 Crystal Growth and Nucleation Rates as a Function of Supercooling

The rate of crystal growth subsequent to nucleation is generally as shown by curve B in Fig. 1.

The initial increase in rate as the supercooling increases is the result of an increased thermodynamic driving force for phase change. The subsequent decrease in rates at extreme supercooling is the result of increased activation energies as made manifest by increased viscosity.

Depending on the particular degree of supercooling, a variety of outcomes can occur. If the rate of nucleation is relatively high and the crystal growth rate low, a shower of minute crystals can result. On the other hand, if the rate of nucleation is relatively low and the rate of crystal growth high, a few large crystals can be the result.

The overall rate of crystal growth, once nucleation occurs, is determined by the relative rates of the atomic attachment processes or interface kinetics and the rate of heat or mass transport. For example, consider a crystal growing in a melt. As the crystal grows, latent heat of fusion is liberated which has to be removed if the crystal is to grow further. If the rate of heat removal is slower than the rate at which the atomic attachment processes can occur, the interface temperature remains just a little below the equilibrium phase change temperature because latent heat is being liberated fast enough to replace that lost by transport. The overall rate of phase change can be said to be heat-controlled. If, on the other hand, the rate of the atomic attachment processes is low while that of heat or mass transport is high, the interface temperature falls considerably below the equilibrium phase change temperature. The overall rate of phase change in such a case can be said to be kinetically controlled.

A semi-quantitative guide to whether a process is kinetically controlled or heat controlled was presented by W.B. Hillig (Ref. 1) in 1959. Hillig's treatment yields an  $\alpha$  factor which is defined by the relationship:

$$\alpha = \left(1 + \frac{U}{V}\right)^{-1}$$

where  $U$  is the crystal growth rate assuming total kinetic control, i.e., the temperature of the solid-liquid interface,  $T_i$ , is assumed equal to the ambient or reservoir temperature,  $T_\infty$ .  $V$  is the crystal growth rate assuming that the rate is totally determined by the heat flow rate, i.e.,  $T_i$  is equal to the solid-liquid equilibrium temperature,  $T_e$ . Approximate expressions for these two terms are:

$$U = \frac{\lambda^3 f D \Delta S_f (T_e - T_\infty)}{\lambda^2 RT}$$

$$V = \frac{gK}{\Delta H_f X} (T_e - T_\infty)$$

$$\frac{U}{V} = M = \frac{3fD\Delta S_f \Delta H_f X}{\lambda RT_\infty gK}$$

where:

- $f$  = fraction of molecules having the proper orientation to incorporate into the crystal
- $D$  = the self-diffusion coefficient
- $\Delta S_f$  = molar entropy of fusion
- $\Delta H_f$  = enthalpy of fusion per square centimeter
- $\lambda^2$  = an area of molecular dimension
- $T_\infty$  = temperature of thermostat
- $T_e$  = equilibrium phase change temperature
- $K$  = mean thermal conductivity
- $X$  = characteristic length for the advancing interface
- $g$  = constant of the order of unity which depends on the geometry of the system.

The factor assumes values of  $>0.9$  for kinetically controlled processes and  $<0.1$  for heat transport processes. The M factor furthermore gives some information about the types of materials that can be shown kinetically controlled. Hillig sets the conditions that  $M \leq 1$  for a kinetic process to be observed at all. M can be shown to be approximately equal to  $10^6 f(D/K)$ , where f is the fraction of molecules having the proper orientation to incorporate into the crystal, D is the self-diffusion coefficient, and K is the mean thermal conductivity of the material. The M factor for various materials is summarized in Table 1.

Table 1 CALCULATED M VALUES FOR VARIOUS MATERIALS

Metals	$10^{2.5} f$
Water	$10^4 f$
Ionic Melt	$10^4 f$
Viscous Ionic Melt	$<1$

The M values given in Table 1 indicate that the crystallization of a viscous ionic melt would be expected to generally be kinetically controlled, while the crystallization of the other materials would generally be expected to be heat-controlled.

#### Material Factors

Shapes or morphologies of crystalline particles are determined both by the rate-controlling process and by the nature of the material itself. The statistical mechanical treatment of Jackson and Chalmers (Ref. 2) of the atomic attachment processes gives an insight into the role of the material in determining crystalline morphology. According to Jackson and Chalmers, when additional molecules are added randomly to an initially plane surface at its equilibrium temperature  $T_e$ , the change in free energy is given by:

$$\frac{\Delta F}{NkT_e} = \alpha x(1-x) + x \ln x + (1-x) \ln(1-x)$$

where

$$\alpha = \frac{\Delta L}{RT_e} = \frac{\Delta S}{R} \xi$$

The terms in the above expressions are identified as:

- x = fraction of the N possible sites on an initially plane face
- k = Boltzmann constant
- $\Delta L$  = latent heat of transformation
- R = gas constant
- $\Delta S$  = entropy of transformation
- $\xi$  = fraction of the total binding energy which binds a molecule in a layer parallel to the plane face to other molecules in the layer. The factor is always less than unity and is largest for the most closely packed planes. For these it is invariably greater than or equal to 0.5.

A plot of  $\Delta F/NkT_e$  vs x for different values of  $\alpha$  is shown in Fig. 2.




Fig. 2 Free Energy of an Interface vs Occupied Fraction of Surface Sites (after Jackson)

For  $\alpha < 2$ , the lowest free energy configuration corresponds to half the available sites filled and thus may be taken as a rough interface on an atomic or microscopic scale. For  $\alpha > 2$ , few molecules are missing from the completed layer, and thus this case may be taken as a smooth interface.

The effect of undercooling is to change the curves so that faces which are smooth at equilibrium may become rough at some large undercooling. For most materials, however, the effect of undercooling is to shift the maxima slightly.


For materials with  $\Delta S/R < 2$ , even the most closely packed planes should be rough, and the initiation of new layers relatively easy. On an atomic scale, the interface will be rough. Rough interfaces, exhibiting as they do, low energetic barriers to growth, tend generally to have transport-controlled growth rates. Low  $\Delta S/R$  materials will thus tend to exhibit non-faceted morphologies and little growth rate anisotropy. For  $\Delta S/R > 4$ , the most closely packed faces should be smooth, and the initiation of new layers difficult. Less closely packed faces are expected to be rough. Materials with high  $\Delta S/R$  will tend to show faceted morphologies, sizeable growth rate anisotropy, and kinetically controlled growth rates.

Materials of intermediate  $\Delta S/R$  values would be expected to show either non-faceted and faceted morphology depending on the actual conditions of growth.

#### Particle Morphologies and Conditions of Growth


The question of crystal morphology as a function the rate-controlling process is rather complicated because the growth mechanisms and growth rates of the separate crystal faces as a function of undercooling are generally not known. Rather elaborate rate studies are required to specify a particular sequence for a particular material. However, the following generalization can serve to indicate general tendencies.

For growth from the melt, the following sequence of morphologies as a function of undercooling occurs for materials of low  $\Delta S/R$  and under condition of heat-control (Ref. 3).




The spherulite morphology is generally thought to be the result of the large undercooling producing such a high density of needles that the thermal fields of each overlap suppressing side branching.

Materials of high  $\Delta S/R$  generally show anisotropic growth. In such cases the fastest growing face will soon be grown out leaving a crystal bounded by the slowest growing faces. The differences in growth rates of the various faces may be the result of: (1) intrinsic differences because of different molecular forces in different crystal plane; or of (2) the occurrence of a screw dislocation on certain faces which makes growth on those faces much easier than on other faces; or (3) the occurrence of a twin crystal, or (4) preferential absorption of impurities on certain crystal faces, retarding or enhancing growth on those faces. For high entropy materials and heat-control conditions the following sequences of morphologies as a function of undercooling can be projected:



Under kinetically controlled conditions high entropy materials would be expected to show the following sequences:



In this case the needle or whisker, morphology is generated as the result of a screw dislocation mechanism on one face of the crystal causing a faster growth in one direction. As the undercooling increases two-dimensional nucleation increases, causing the other faces to increase their growth rates.

Recently a couple of works (Refs. 4 and 5) have expanded the concept of a controlling entropy term to include the cases of crystal growth from solution, from vapor, and from solid media. In the treatment of Bourne and Davey (Ref. 4), a surface entropy factor,  $\alpha$ , is taken as the definitive parameter. The surface entropy factor,  $\alpha$ , is defined by these authors as follows:

$$\alpha = 4 \gamma / kT$$

where  $\gamma$  is the edge energy or the energy gain upon the creation of a solid-fluid bond. For qualitative purposes  $\alpha$  can be taken as:

$$\alpha = \frac{n_s}{n_{ot}} \frac{\Delta S}{R}$$

where  $\Delta S$  is the entropy of phase transition and  $n_s$  and  $n_t$  the number of nearest neighbors parallel to the crystal surface and in the bulk crystal respectively. The appropriate entropy terms for the cases of crystal growth from solution and vapor are as follows:

<u>Case</u>	<u>Entropy Term</u>
Growth from Solution	Entropy of Solution $\Delta S = \Delta S_F + \Delta S_M$
Growth from Vapor	$\Delta S = \Delta S_{Sub}$

where the entropy terms  $\Delta S_F$ ,  $\Delta S_M$  and  $\Delta S_{Sub}$  are for the processes of fusion, mixing and sublimation.

In this treatment rough interfaces are characterized by  $\alpha$  values of 3.2 or less and smooth interfaces by  $\alpha$  values of greater than 4. Furthermore, because the energy gain upon the creation of a solid-fluid bond at the interface is a function of solvent-solute interactions, the value of  $\lambda$  may have different values for different solvents. Thus a given face of a crystal may grow by different growth mechanisms from different solvents.

In another study, B. Lewis (Ref. 5) defines an edge energy coefficient  $\beta$  for crystal growth from solution as:

$$\beta = \Delta H_S - 2\rho \quad T\Delta S_S \quad 2\rho$$

where  $\Delta H_S$  is the enthalpy of solution,  $\Delta S_S$  the entropy of solution, and  $\rho$  is the surface energy. Lewis' analysis leads to the conclusion that  $\beta$  is the primary material parameter for two-dimensional nucleation (2DN) and also for screw dislocation (SDG). When  $\beta/kT > 10$  which is typical of growth from the vapor on low energy plans, 2DN is slower than SDG. When  $\beta/kT < 8$ , which is typical of melt growth, 2DN is faster than SDG at moderate supercooling and slower at low supercooling. When  $\beta/kT \sim 2$ , growth by either mechanism is unimpeded at all supersaturations.

In earlier studies of whisker formation (Refs. 6 through 9) Sears found that whisker growth occurs only when the supersaturation ratio remains below

a critical value, which is determined by the supersaturation at which two-dimensional nucleation occurs. Sears postulates that a nucleus with a built-in screw dislocation grows axially at low supersaturation by the action of the dislocation with absorbed atoms feeding the growth. Radial growth, however, cannot occur because the supersaturation is below the critical value for two-dimensional nucleation.

Lewis' work indicates that materials of  $\beta/kT > 10$ , i.e., materials with high entropy of phase transition, readily form whisker and platelets over a wide range of processing parameters. Materials of lower  $\beta/kT$  will require careful adjustment of processing parameters such as the supersaturation to effect whisker or platelet formation.

The cited studies described in the preceding discussion has prompted the use of model materials to verify or to illuminate some points of crystal growth either for theoretical or practical purposes. For example, organic materials of low melting points, low entropies of fusion, and transparent melts have been taken as models for crystallization of metals from the melt (Ref. 9). Solutions of ammonium chloride in water have been studied as models for crystallization phenomena in alloy castings (Ref. 10). The model materials work has been exceptionally fruitful in explaining and elucidating many processes involved metal crystallization.

The entropy of phase transition also plays a role in nucleation kinetics. For purposes of the present study it is sufficient to note materials with high entropies of phase transition are generally difficult to nucleate and will require either extreme supercooling, supersaturation, seeding, or catalysts to effect.

#### Convection Effects on Crystal Growth

Natural convection has the effect of increasing the temperature or concentration gradients near growing crystal interfaces. It thus has the effect of increasing heat or mass transfer to growing crystal surfaces.

This increased mass or heat transport can affect crystal growth in a variety of ways. The increased gradients can not only increase crystal growth rate, but also, in certain cases, change the controlling process from heat or mass transfer to that of kinetic-control. The crystal morphologies will thus then to change from dendrite to more three-dimensional, particle-like structures. In the case of the kinetically-controlled process of whisker growth, convection currents can increase the mass flow to the side of the crystal, encouraging a thickening of the crystal by 2-D nucleation. In the absence of convection, i.e., the pure diffusion case, less mass would reach the sides and more the ends of the whiskers, thus encouraging growth lengthwise.

Natural convection can also introduce areas of nonuniform temperatures or concentrations along the growing crystal surface and can thus lead to a number of crystalline defects.

#### Conclusions

On the basis of the preceding discussion, the following generalization for growing micron sized particles of specified shapes are drawn. Materials with high entropy of phase transition can be expected to be easily grown in the specified morphologies, particularly from the vapor or solution phases. Materials with lower entropies of phase transition possibly can be grown to the specified shapes by carefully controlling the processing parameters.

## GROWTH FROM SOLUTION

As a crystal grows from solution it depletes solute in the solution adjacent to the growing crystal surface, thereby creating a concentration gradient. The concentration gradient provides the driving force for species diffusion toward the growing interface. If the interface kinetics are fast enough, compared to the transport processes, the surface concentration equals the solubility of the crystal or  $C_e$ . If the interface kinetics are slow compared to the transport processes, the surface concentration will be higher than  $C_e$ , approaching  $C_f$ , the concentration in the bulk of the solution, in cases of very slow interface kinetics. Heat effects accompanying the crystallization can usually be ignored because the diffusivity of heat in solution is so much larger than the diffusion of solution species.

In crystal growth from solution, the rate of nucleation increases extremely rapidly with a small increase in supersaturation beyond the "metastable region." Furthermore crystals of highly soluble compounds are grown with great ease, while slightly soluble compounds are grown with great difficulty. Also, the maximum rate at which growth without propagation of flaws can be obtained decreases as the size of the crystal surface increases. This critical growth rate increases with increasing temperature.

These characteristics of solution growth mean generally that profuse amounts of small crystals of polyhedral shapes can be easily obtained while large perfect crystals are hard to obtain. One notable feature of crystal growth from solution is that the crystal morphologies can be easily changed by the addition of impurities or by a change of solvent.

## CRYSTAL GROWTH FROM THE VAPOR PHASE

### Without Chemical Reaction

Numerous reports exist of the growth of fine metal crystallites from the vapor. Of particular interest to the present study are reports on the technique of evaporating a metal in an atmosphere of inactive gas such as He, Ar, or Xe. With such a technique it is possible to form clouds of smoke directly (Refs. 11, 12, and 13). Studies on Fe, Zn, Mn, Be, Mg, Co and others have been performed by this technique. The crystalline structures produced by this technique are generally polyhedra with some instances of platelets and rods. Particles of ferromagnetic material made by this technique often, but not always, display remarkable "necklace-like arrangements" (Ref. 14).

The prediction that materials with similar entropies of transition show similar crystallization behavior finds support in the data reported in these studies. A number of instances are reported where the morphologies of the metal particles are similar to those found in snow. Also the morphologies of the particle could be changed drastically by the addition of a small amount of another gas such as oxygen. For Be, Mg, Zn, and Cd the structure became very rough and irregular, while for Fe, Mg, and other similar metals the metals became smooth and nearly circular. The latter behavior strongly suggests that adsorption of oxygen species on the growing crystallites increased the rate of the intrinsic kinetic processes.

### With Chemical Reaction

Growth of crystals from a vapor phase which is chemically reactive is really not much different from the case of crystal growth from the vapor

without chemical reaction. The only difference is that some sort of chemical reaction must precede the crystal growth. For example, the semiconductor crystal germanium telluride can be grown utilizing the reaction:



Source GeTe(s) is reacted with GeI<sub>4</sub>(g) at the hot end of a reaction tube producing the gases GeI<sub>2</sub> and Te<sub>2</sub>. These gases transport to the cold end of the tube where they interact to deposit single crystal GeTe.

If the rate of chemical reaction is fast compared to the diffusion and crystal growth processes, then the chemical reaction itself plays a minor role in the subsequent crystal growth processes. For example, in the case of GeTe it was found that the morphology of GeTe particles was affected primarily by the transport processes (Ref. 15). Diffusive transport yielded predominately octahedral type crystals, while convective flows received mainly platelet type crystals with random imperfections, growth spirals, and station patterns. These results are in keeping with the morphology sequence given on page 9 for high entropy materials under diffusion control. Convection has the effect of thinning the diffusion boundary layer next to the crystal surface thereby increasing the supersaturation.

Related to the growth of crystals from the vapor by chemical reaction is the growth of iron whiskers by reduction of solid ferrous chloride by a hydrogen stream (Ref. 16). In this case the rate is limited by the rate of halide vapor adsorption at the growth site of the growing whisker. The addition of carbon black to the ferrous chloride results in a profusion of whiskers (Ref. 17). The carbon black particles act to increase the heat of adsorption of halide vapor resulting in increased nucleation rate.

In cases of whisker growth from the vapor phase, with or without chemical reaction, it was found that the presence of additional gases can exert profound effects on crystal morphology.

## EFFECTS OF MAGNETIC FIELDS

Discussion of the effect of magnetic fields on crystal growth requires the recognition that the magnetic field in question may be internally or externally generated. Internally generated fields are caused by the particles of interest themselves. For example, iron particles of an appropriate size ( $\sim 150\text{\AA}$ ) are ferromagnetic and thus attract each other to form chain-like necklaces when they are formed by deposition from the vapor phase (Ref. 18). One study of the formation of iron sulfide particles found that chains occur far from the evaporation source and can be composed of different shaped particles, depending on the pressure during evaporation (Ref. 19). If a magnetic field is applied during the formation of chains, the chains arranged themselves parallel to the applied field.

## OXIDATION OF SMALL METAL PARTICLES

Most metal particles rapidly acquire an oxide film. The film, however, usually reaches a limiting film thickness which is characteristic of the particular surface and temperature. In the case of iron powder produced from the carbon and annealed in hydrogen, an oxide film of the order of 20 Å develops in the first few minutes after exposure to the atmosphere (Ref. 20). The film increases to 35 Å after 100 hr. Small particles of Fe-Co alloy (~150 Å) in diameter were subjected to an accelerated aging test in another study (Ref. 21) These particles were kept at 95% humidity and 40 C for ten days, which is considered to correspond to an aging for two years in the open air. The saturation magnetization of the particles shows no detectable change. This stability is attributed to protection by preexisting surface oxide layers. The presence of the oxide layer, however, reduced the magnetization to about 80 percent of those of the bulk metals.

## REFERENCES

1. Hillig, W. B., "Kinetics of Solidification from Nonmetallic Liquids," in Kinetics of High-Temperature Processes, W. D. Kingery, Editor, MIT Press and John Wiley & Sons, Inc., New York, 1959.
2. Jackson, K. A., D. R. Uhlman, and J. D. Hunt, "On the Nature of Growth from the Melt," J. Crystal Growth, Vol. 1, 1967, pp. 1-36.
3. Ovsienko, D. E., G. A. Alfintsev, and V. V. Moslov, "Kinetics and Shape of Crystals Growth from the Melt for Substances with Low  $L/kT$  Values," J. Crystal Growth, Vol. 26, 1974, pp. 233-238.
4. Bourne, J. R., and R. J. Davey, "The Role of Solvent-Solute Interactions in Determining Crystal Growth Mechanisms from Solution I and II," J. Crystal Growth, Vol. 36, 1976, pp. 278-286, 287-296.
5. Lewis, B., "The Growth of Crystals of Low Supersaturation, I and II", J. Crystal Growth, Vol. 21, 1979, pp. 29-39, pp. 40-50.
6. Sears, G. W., "A Growth Mechanism for Mercury Whiskers," Acta Metallurgica, Vol. 3, 1955, pp. 361-366.
7. Sears, G. W., "Mercury Whiskers," Acta Metallurgica, Vol. 1, 1953, pp. 457-459.
8. Sears, G. W., "A Mechanism of Whisker Growth," Acta Metallurgica, Vol. 3, 1955, pp. 367-369.
9. "Transparent Model Simulates Metal Solidification Mechanism," Metals and Materials, May 1967, pp. 153-154.
10. Cisse, J., G. S. Cole, and G. F. Bolling, "A Transparent Model for Simulation of Ingot Front Solidification," Metallurgical Transactions, Vol. 2, 1971, pp. 3243-3245.
11. Uyeda, R., "Growth of Polyhedral Metal Crystallites in Inactive Gas," J. Crystal Growth, Vol. 45, 1978, pp. 485-489.
12. Saito, Y., S. Yatsuga, K. Mihama, and R. Uyeda, "Crystal Structure and Habit of Fine Metal Particles Formed by Gas-Evaporation Technique; bcc Metals (V, Fe, Cr, O, and W)," J. Crystal Growth, Vol. 45, 1978, pp. 501-505.

13. Kimoto, K., and I. Nishida, "An Electron Microscopic and Electron Diffraction Study of Fine Smoke Particles Prepared by Evaporation in Argon Gas at Low Pressure," Japanese J. Applied Physics, Vol. 6, 1967, pp. 1047-1059.
14. Kimoto, K., Y. Kamiya, M. Nonoyama, and R. Uyeda, "An Electron Microscope Study of Fine Metal Particles Prepared by Evaporation in Argon Gas at Low Pressure," Japanese J. Applied Physics, Vol. 2, 1963, pp. 702-713.
15. Wiedemeier, H., E. A. Irene, and A. K. Chandhuri, "Crystal Growth by Vapor Transport of GeSe, GeSe<sub>2</sub>, and GeTe and Transport Mechanism and Morphology of GeTe," J. Crystal Growth, Vol. 13/14, 1972, pp. 393-396.
16. Kaneko., T.; and S. Kittaka, "Effect of Added Carbon Black on Iron Whisker Growth," J. Crystal Growth, Vol. 42, 1977, pp. 171-174.
17. Kaneko, T., "Growth Rate of Iron Whiskers," J. Crystal Growth, Vol. 44, 1978, pp. 14-22.
18. Tanaka, T., and N. Tamagawa, "Magnetic Properties of Fe-Co Alloy Fine Particles," Japanese J. Applied Physics, Vol. 6, 1967, pp. 1096-1100.
19. Osaha, T., H. Nakozawa, T. Hatano, and K. Sakayucki, "Formation of Iron Sulfide Fine Particles by Evaporation in Argon Gas," J. Crystal Growth, Vol. 34, 1976, pp. 92-102.
20. Winterbotton, A. B., Trans. Electrochem. Soc., Vol. 76, 1939, pp. 326-327.
21. Kusaka, K., N. Wada, and A. Tasaki, "Magnetic Properties of Ferromagnetic Metal Alloy Fine Particles Prepared by Evaporation in Inert Gases," Japanese J. Applied Physics, Vol. 8, 1969, p. 603.

ATE  
LMED  
—8