

AD-A285 617



INTENTION PAGE Dist. A

Form Approved GPO Ac. 274-078

Notes: 1. Abstracts are prepared by the DTIC staff. 2. Reviewing the abstracts for accuracy and comments regarding the abstracts should be sent to the DTIC staff. 3. Source: DTIC Washington Headquarters Service, Directorate for Information Operations and Reports, 4800 Marking Road, Alexandria, VA 22304-6145. 4. Office of Management and Budget, Paperwork Reduction Project (7042-0188)

1. REPORT DATE		3. REPORT TYPE AND DATES COVERED ANNUAL 1 Apr 93 TO 31 Mar 94	
4. TITLE AND SUBTITLE DESIGN, SYNTHESIS AND CHARACTERIZATION OF NOVEL NONLINEAR OPTICAL MATERIALS		5. FUNDING NUMBERS F49620-93-C-0017 61102F 2303/CS	
6. AUTHOR(S) Dr Paras N. Prasad			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Photonics Research Laboratory Dept of Chemistry State University of New York at Buffalo Buffalo NY 14260-3000		8. PERFORMING ORGANIZATION REPORT NUMBER AFOSR-TR-94-0649	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NL 110 Duncan Ave Suite B115 Bolling AFB DC 20332-0001 Dr Charles Y-C. Lee		10. SPONSORING MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited. DTIC QUALITY INSPECTED 2		12b. DISTRIBUTION CODE A	
13. ABSTRACT (Maximum 200 words) This project consisted of four tasks each dealing with a different class of nonlinear optical materials. Task (I): Second-Order material. During the past year we used theoretical and experimental studies to develop a new class of materials in which a commonly used electron donor chromophore was replaced by a thiophene ring. To efficiently pole a second-order ionic chromophore, the use of a bulky counter-ion in order to reduce ionic conductivity was demonstrated. We also investigated the imaginary part of X(2) by electro-absorption. Task (II): Third-Order Materials. We synthesized a group of phosphoylides which contain a polarizable P atom. Their X(3) behavior were experimentally investigated using femtosecond Kerr gate. Using our new method of optically heterodyned and phase-tuned Kerr gate method, we investigated both the signs and the magnitudes of the real and the imaginary components of X(3). We showed that in the case of one-photon saturation, the sign of imaginary part is negative, while for two-photon absorption, this sign is positive. A very efficient two-photon induced fluorescence was also found for another nonlinear chromophore, diethylaminonitrostyrene, in the crystalline form. Task (III): Photorefractive polymeric composites. Using a			
14. SUBJECT TERMS		15. NUMBER OF PAGES	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT (U)	18. SECURITY CLASSIFICATION OF THIS PAGE (U)	19. SECURITY CLASSIFICATION OF ABSTRACT (U)	20. LIMITATION OF ABSTRACT (U)

plasticizer which improved our processing and efficiency of electric field poling, we were able to improve on the efficiency of holographic diffraction efficiency to 50% and the two-beam coupling gain to 120 cm<sup>-1</sup> in the DEANST: PVK:C60 composite. In order to understand the kinetics of the process, we studied the dynamics of grating formation and decay and their dependence on the electric field and the light intensity. Task (IV): sol-gel processed nonlinear optical materials. The first task we undertook was to understand the microstructure of the sol-gel processed material. We used both steady state and time-resolved fluorescence anisotropy of a nonlinear chromophore, Prodan to study the microstructure and its evolution as a function of aging of the sol-gel processed system.

<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/Avail _____	
<b>Availability Codes</b>	
Dist	Avail and/or Special
A-1	

**ANNUAL PROGRESS REPORT**

**PROJECT:** Design, Synthesis and Characterization of Novel Nonlinear Optical Materials

**PERIOD:** April 1, 1993 to March 31, 1994

**CONTRACT NO.:** AFOSR F49620-93-C-0017

**PRINCIPAL INVESTIGATOR:** Dr. Paras N. Prasad, Professor  
Photonics Research Laboratory  
Department of Chemistry  
State University of New York at Buffalo  
Buffalo, NY 14260-3000

**94-32599**



1398

94-

## ABSTRACT

This project consisted of four tasks each dealing with a different class of nonlinear optical materials. Task (I): Second-Order material. During the past year we used theoretical and experimental studies to develop a new class of materials in which a commonly used electron donor chromophore was replaced by a thiophene ring. To efficiently pole a second-order ionic chromophore, the use of a bulky counter-ion in order to reduce ionic conductivity was demonstrated. We also investigated the imaginary part of  $\chi^{(2)}$  by electro-absorption. Task (II): Third-Order Materials. We synthesized a group of phosphoylides which contain a polarizable P atom. Their  $\chi^{(3)}$  behavior were experimentally investigated using femtosecond Kerr gate. Using our new method of optically heterodyned and phase-tuned Kerr gate method, we investigated both the signs and the magnitudes of the real and the imaginary components of  $\chi^{(3)}$ . We showed that in the case of one-photon saturation, the sign of imaginary part is negative, while for two-photon absorption, this sign is positive. A very efficient two-photon induced fluorescence was also found for another nonlinear chromophore, diethylaminonitrostyrene, in the crystalline form. Task (III): Photorefractive polymeric composites. Using a plasticizer which improved our processing and efficiency of electric field poling, we were able to improve on the efficiency of holographic diffraction efficiency to 50% and the two-beam coupling gain to  $120 \text{ cm}^{-1}$  in the DEANST:PMMA composite. In order to understand the kinetics of the process, we studied the dynamics of grating formation and decay and their dependence on the electric field and the light intensity. Task (IV): sol-gel processed nonlinear optical materials. The first task we undertook was to understand the microstructure of the sol-gel processed material. We used both steady state and time-resolved fluorescence anisotropy of a nonlinear chromophore, Prodan to study the microstructure and its evolution as a function of aging of the sol-gel processed system.

We reported experimental and theoretical studies of the nonlinear optical properties of a new class of compounds which differ from traditional second-order molecules in the sense that a commonly used electron donor chromophore is replaced by a thiophene ring. The molecular second-order nonlinear optical coefficients,  $\beta$ , as determined by the electric field-induced second-harmonic generation technique, for 2-nitro-1-(2-thienyl)ethene and 4-nitro-1-(2-thienyl)-1,3-butadiene are, respectively, one and three times that of *para*-nitroaniline. *Ab initio* time - dependent coupled perturbed Hartree-Fock results are in agreement with the experimental findings. A Mulliken population analysis indicates that the sulfur atom in the thiophene ring acts as an electron donor. Both the experimental and the theoretical results confirm that a thiophene ring acts as an efficient donor, giving rise to highly efficient second-order nonlinear optical properties. We also show that with this type of chromophore one can use a thiophene oligomer, in place of a thiophene monomer, to amplify the nonlinearity.

We have synthesized new glassy methacrylate polymers containing a molecular-ionic (N-methylpyridinium) nonlinear optical chromophore in the side chain. A bulky tetraphenylborate (TPB) counterion was substituted at the salt unit in order to reduce the migration of the counterion during the process of poling. The poling-induced chromophore alignment of the TPB-containing polymer is significantly improved compared to that of the iodide or bromide containing polymers. The second-order nonlinear optical susceptibility,  $\chi^{(2)}(-2\omega; \omega, \omega)$ , of the poled TPB-containing polymer is approximately five times larger than that of the corresponding iodide analogue. Also, the temporal stability of the poled structure of the TPB-containing polymer is found to be considerably improved over that of the analogous iodide containing polymer.

We investigated the linear electroabsorption in a second-order optically nonlinear medium. The spectral behavior of the effect is determined by the dispersion of the imaginary part of the second order susceptibility,  $\chi^{(2)}(-\omega; \omega, 0)$ . Experimentally, we performed spectral measurements of both the dispersion of the complex linear electro-optic coefficient and the electroabsorption in poly[vinylcarbazole] doped with a second order active molecule, 4-(N,N-diethylamino)- $\beta$ -nitrostyrene, in the range from 400 to 700 nm. The induced absorption is linear in the applied field and exhibits a single peak at 560 nm that coincides with the wavelength at which the imaginary part of electro-optic coefficient exhibits maximum. This peak is distinctly shifted from the maximum of the linear absorption band of the films, observed at 470 nm.

Third-order nonlinear optical susceptibility of solutions of a triphenodithiazine derivative in dichloromethane was measured at several different wavelengths utilizing sub-picosecond degenerate four-wave mixing. The values of the second hyperpolarizability,  $\gamma$ , for the neutral and for the oxidized form (dication) are reported. The measurements performed at the wavelengths corresponding to the absorption maxima of the neutral and the dication forms (578 nm and 800 nm, respectively) indicate a twofold increase of the  $\gamma/\sigma$  figure of merit (where  $\sigma$  is

the absorption cross section) for the dication molecule. Time resolved experiments reveal different dynamics of photoexcitation relaxation in the neutral and the oxidized molecules. The photoexcited dication returns to the ground state following a single-exponential decay law, whereas the photoexcited neutral molecule exhibits a more complex dynamics. Analysis of the heterodyned optical Kerr effect as well as the transient absorption experiment performed with a 90 fs resolution indicates an intermediate state generated during the fast decay of the primary photoexcited neutral molecules.

We analyzed the merits of the new method of phase-tuned optically heterodyned femtosecond Kerr gate relatively to the inner reference method in relation to obtaining the magnitudes and the signs of both the real and the imaginary components of the third-order optical susceptibility. The results obtained on several representative dyes showed that, as expected, near a one-photon resonance, the saturation effect leads to a negative imaginary component while near a two-photon resonance the sign of the imaginary component is positive.

The  $\chi^{(3)}$  resonant behavior of two model compounds, one of them being a representative of the newly synthesized group of phosphoylide chromophores, was investigated. The results of femtosecond phase tuned optically heterodyned OKG at the wavelength of 796 nm and DFWM at 602 nm were reported. A representative phosphoylide, triphenylphosphonium cyclopentadiene-2,5-bis(4-ethenylene pyridinium methyl iodide), abbreviated here to as TPCEPM, was investigated at the wavelength of 602 nm using the inner reference method in conjunction with the degenerate four-wave mixing technique. We derived  $\gamma_{RE} = 8.1 \times 10^{-32}$  esu and  $\gamma_{IM} = 22.3 \times 10^{-32}$  esu for the chromophore. Another chromophore which incorporates some of the earlier modelled  $\gamma$ -enhancing features was 2,5-dimethoxyphenylene-1,4-bis(4-ethenylene pyridinium methyl iodide), referred to as DMPEPM. We investigated this chromophore at the wavelength of 796 nm, where it is virtually transparent, and two-photon absorption is the resonantly enhancing mechanism. Using the technique of phase-tuned optically heterodyned Kerr gate we derived at that wavelength:  $\gamma_{RE} = 1.6 \times 10^{-32}$  esu and  $\gamma_{IM} = 2.1 \times 10^{-32}$  esu, in agreement with the 2-photon contribution predictions.

Polymeric composite materials constitute a new and very promising class of photorefractive materials. The results of experimental and theoretical studies in newly developed photorefractive polymeric composite of PVK/C<sub>60</sub>/DEANST were analyzed. In the design of Polymeric Photorefractive Materials we use a multicomponent composites in which each necessary functionality can be independently optimized. The investigated composite was devised of charge transporting polymeric matrix of poly[N-vinylcarbazole] (PVK), C<sub>60</sub> fullerene photosensitizing molecules, and optically second-order active molecules of diethylaminonitrostyrene (DEANST), and dibutyl phthalate as the plasticizer.

Photorefractive properties of the material were investigated using erasable volume holography in a non-degenerate four-wave mixing geometry and two-beam coupling techniques. A previously developed model of space-charge field grating formation in photoconductive polymers was used to explain the field dependence of four-wave mixing diffraction efficiency. The model takes into account the field dependence of three important parameters for polymeric materials: (i) charge photogeneration quantum yield, (ii) carrier field mobility, and (iii) electro-optic coefficient. Necessary information about these parameters was obtained from the results of photoconductivity and electro-optic modulation experiments. Two-beam coupling gain of  $4 \text{ cm}^{-1}$  and diffraction efficiencies of 2% were measured. With improved processing, we have successfully increased the two-beam coupling to  $120 \text{ cm}^{-1}$  and the diffraction efficiency to 50% at  $6328 \text{ \AA}$ .

Special attention was focused on the kinetics of photorefractive response in the composite. It was found that a very effective switching of diffraction efficiency induced by dc electric field occurs in this system. Electric field induced switching in the tens of millisecond time scale is possible. Also the results of kinetic studies of the index grating writing and its subsequent light-induced erasure are reported. Light-induced grating erasure times of 30 ms were observed at standard light intensities of  $1 \text{ W/cm}^2$ . Experimental and theoretical effort has also been devoted to the influence of the slanted grating experimental geometry on holographic diffraction efficiency measurements performed in poled polymeric composite thin films. The dependence of the diffraction efficiency on the grating slant angle, as well as the difference between the two fundamental s- and p-polarized readouts were investigated. We show and discuss the influence of the poling-induced anisotropy of the second-order nonlinear optical activity and the birefringence of the medium on the angular dependence of the diffraction efficiency.

We reported steady-state and time-resolved fluorescence results for Prodan-doped TMOS derived sol-gels as a function of aging time. The steady-state results show that the microenvironment of sol-gels remains constant well beyond the gelation point. The fluorescence emission characteristics of Prodan indicate that the expulsion of solvent is a step-wise process, in which the removal of ethanol is followed by that of water. Our previous work using R6G did not observe this phenomena because R6G is not nearly as environmentally sensitive compared with Prodan. There is significant rotational freedom of the entrapped probe even after drying the sol-gel under ambient conditions. Time-resolved fluorescence results are in agreement with steady-state measurements. The excited-state intensity decay of Prodan is best described by a unimodal continuous Gaussian distribution throughout the entire sol-gel process. Earlier work with R6G did not reveal such a distribution mainly because R6G's decay kinetics are not easily affected by the physicochemical properties of its local environment. The expulsion of solvent changes the Prodan lifetime distribution, finally resulting in a microenvironment that is intermediate between that of water and ethanol. The microenvironment of the sol-gels is

heterogeneous immediately after the onset of gelation. This heterogeneity increases upon expulsion of ethanol but decreases as water is removed from the sol-gel matrix. One possible interpretation of the recovered intensity decay data is a corresponding distribution of microviscosities. We have shown that the microviscosity change is minimal until the removal of solvent. The recovered final mean microviscosity sensed by Prodan is significantly lower than that previously reported for the bulk viscosity of sol-gels but agrees well without previous R6G results. This result again demonstrates that there is mobility of some dopants within the sol-gel network. The non-linear optical properties of Prodan doped in a sol-gel matrix is currently under investigation. This systems shows great promise for second-order optical nonlinearity.



## Publications Resulting from AFOSR Support

1. "Second Harmonic Generation Studies of Differences in Molecular Orientation of Langmuir-Blodgett Films Fabricated by Vertical and Horizontal Dipping Techniques" W.M.K.P. Wijekoon, S. P. Karna, G. B. Talapatra, and P. N. Prasad, *J. Opt. Soc. Am. B.* 10, 213-221 (1993).
2. "Dynamics of Third-Order Nonlinearity of Canthaxanthin Carotenoid by Optically Heterodyned Phase-Tuned Femtosecond Optical Kerr Gate" M. E. Orczyk, M. Samoc, J. Swiatkiewicz and P. N. Prasad, *J. Chem. Phys.* 98, 2524-2533 (1993).
3. "Characterization of Rhodamine 6G-Doped Thin Sol-Gel Films" U. Narang, F. V. Bright and P. N. Prasad, *Appl. Spectroscopy* 47, 229-234 (1993).
4. "Multiple Mode-Locking of the Q-Switched Nd-Yag Laser with a Coupled Resonant Cavity" G. S. He, Y. Cui, G. C. Xu and P. N. Prasad, *Opt. Commun.* 96, 321-329 (1993).
5. "Difference of Spectral Superbroadening Behavior in Kerr-type and non-Kerr Type Liquids Pumped with Ultrashort Laser Pulses", G. S. He, G. C. Xu, Y. Cui, and P. N. Prasad, *Appl. Opt.* 32, 4507-4512 (1993).
6. "The Third-Order Nonlinear Optical Properties of Some Tetrasubstituted Cumulenes" I. Kminek, J. Klimovic, and P. N. Prasad, *Chem. Materials* 5, 357-360 (1993).
7. "Anisotropy in the Complex Refractive Index and the Third-Order Nonlinear Optical Susceptibility of a Stretch-Oriented Film of Poly(p-phenylene vinylene)" J. Swiatkiewicz, P. N. Prasad and F. E. Karasz, *J. Appl. Phys.* 74, 525 (1993).
8. "Ab Initio Time-Dependent Coupled Perturbed Hartree-Fock Studies of Optical Nonlinearities of Organic Molecules: Alkyl Derivatives of 4-Amino- $\beta$ -Nitro-Styrene" V. Keshari, S. P. Karna and P. N. Prasad, submitted for publication to *J. Phys. Chem.* 97, 3525-3529 (1993).
9. "Third-Order Optical Nonlinearity of Poly(Thienylene Vinylene)/Silica Sol-Gel Composite" K. S. Lee, H. M. Kim, C. J. Wung and P. N. Prasad, *Synth. Metals* 55-57, 3992 (1993).

10. "Sol-Gel Processed Conjugated Polymers for Optical Waveguides" K. S. Lee, C. J. Wung, P. N. Prasad, J. C. Kim, C. K. Park, J. I. Jin and H. K. Shim, *Mol. Cryst. Liq. Cryst.* **224**, 33 (1993).
11. "Picosecond Photoresponse in Y-Ba-Cu-O Ultrathin Films" L. Shi, G. L. Huang, C. Lehane, D. Kim, H. S. Kwok, J. Swiatkiewicz, G. C. Xu and P. N. Prasad, *Phys. Rev.* **13** **48**, 6550-6555 (1993).
12. "Nonlinear Optical Properties of Novel Thiophene Derivatives: Experimental and Ab Initio DCPHF Theoretical Studies" S. P. Karna, Y. Zhang, M. Samoc, P. N. Prasad, B. A. Reinhardt and A. G. Dillard, *J. Chem. Phys.* **99**, 9984-9993 (1993).
13. "Two-Photon Induced Fluorescence Behavior of DEANST Organic Crystal", G. S. He, J. Zieba, J. J. Bradshaw, M. R. Kazmierczak and P. N. Prasad, *Opt. Commun.* **104**, 102-106 (1993).
14. "Structure and Morphology of Sol-Gel Prepared Polymer-Ceramic Composite Thin Films" F. W. Embs, E. L. Thomas, C. J. Wung and P. N. Prasad, *Polymer.* **34**, 4607-4612 (1993).
15. "A Chemical Sensor Based on an Artificial Receptor Element Trapped in a Porous Sol-Gel Glass Matrix" U. Narang, R. A. Dunbar, F. V. Bright, and P. N. Prasad, *Appl. Spectroscopy* **47**, 1700-1703 (1993).
16. "Affinity of Antifluorescein Antibodies Encapsulated Within a Transparent Sol-Gel Glass" R. Wang, U. Narang, P. N. Prasad and F. V. Bright, *Anal. Chem.* **65**, 2671-2675 (1993).
17. "New Photonics Media Prepared by Sol-Gel Process" R. Burzynski, M. K. Casstevens, Y. Zhang, J. Zieba and P. N. Prasad, *SPIE Proceedings Vol. 1853*, Ed. P. M. Rentzepis (1993) p. 158.
18. "Recent Advances in Polymeric and Composite Materials for Nonlinear Optics" P. N. Prasad in *Organic Materials for Nonlinear Optics III*, ed. G. Ashwell and D. Bloor, Royal Society of Chemistry, U. K., London (1993) p. 139-155.
19. "Photorefractivity in Polymeric Composite Materials" M. E. Orczyk, J. Zieba and P. N. Prasad, *SPIE Proceeding, Vol. 2025*, 298-308 (1993).

20. "Resonant Third-Order Optical Nonlinearity of the Neutral and the Dication Molecules of a Triphenadithiazine Model Compound" J. Swiatkiewicz, M. E. Orczyk, P. N. Prasad, C. W. Spangler and M. He, SPIE Proceedings, Vol. 2025, 400-407 (1993).
21. "Fast Photorefractive Response in a Polymeric Composite Film: Kinetics of PVK/C<sub>60</sub>/DEANST System", M. E. Orczyk, J. Zieba and P. N. Prasad, Optical Society of America, Technical Digest Vol. 17, p. 224-227 (1993).
22. "Nonlinear Optics and Photonic Applications of Photorefractive Polymeric Composite Materials", M. E. Orczyk, Y. Zhang, J. Zieba and P. N. Prasad, Optics Photonics News, 4, 45-46 (1993).
23. "Photonics and Nonlinear Optics with Sol-Gel Processed Inorganic Glass: Organic Polymer R. Burzynski and P. N. Prasad in "Sol-Gel Optics - Processing and Application" Ed. L. C. Klein, Kluwer (Norwell, Massachusetts, 1994) p. 417-449.
24. "Second-Order Nonlinear Optical Effects in Novel Polymethacrylates Containing a Molecular-Ionic Chromophore in the Side-Chain", D. H. Choi, W. M. K. P. Wijekoon, H. M. Kim, and P. N. Prasad, Chem. Materials 6, 234-238 (1994).
25. "Effects of Aging on the Dynamics of Rhodamine 6G in Tetramethyl Orthosilicate Derived Sol-Gels" U. Narang, R. Wang, P. N. Prasad and F. V. Bright, J. Phys. Chem. 98, 17-22 (1994).
26. "Study of Resonant Third-Order Nonlinear Optical Susceptibilities by the Phase-tuned Optically Heterodyned Kerr Gate Technique" M. E. Orczyk, J. Swiatkiewicz, G. Huang and P. N. Prasad, J. Phys. Chem. 98, 7307-7312 (1994).
27. "Probing the Cybotactic Region of Prodan in Tetramethyl Orthosilicate Derived Sol-Gels" U. Narang, J. D. Jordan, P. N. Prasad and F. V. Bright, J. Phys. Chem. 98, 8101 (1994).

## Invited Lectures on Work Supported by AFOSR

1. University of Michigan, Department of Chemistry, Ann Arbor, MI., April 15, 1993.  
"Nonlinear Optical Effects in Molecules and Polymers".
2. 6th OGAMM Meeting, Los Angeles, CA, July 8, 1993.  
"Multifunctional Organic Heterostructures for Electro-Optics Applications".
3. SPIE Meeting, San Diego, CA, July 12, 1993. Symposium on Nonlinear Optical Properties of Organic Materials.  
"Photorefractivity in Polymeric Composite Materials".
4. Nonlinear Optics Summer School, Rochester, NY, July 18, 1993, Tutorial Course.  
"Nonlinear Optical Materials".
5. University of Hyderabad, School of Physics, Hyderabad, India, August 6, 1993.  
"Nonlinear Optical Processes in Organic Molecules and Polymers".
6. Second International School and Topical Meeting on Applications of Nonlinear Optics, Prague, Czech Republic, August 16, 1993.  
"Nonlinear Optics of Novel Organic and Polymeric Materials".
7. BASF, Ludwigshafen, Germany, August 19, 1993.  
"Novel Trends in the Field of Molecular, Polymeric and Composite Materials for Nonlinear Optics".
8. American Chemical Society, National Meeting, Polymer Chemistry Symposium on Marvel Award, August 24, 1993.  
"Novel Polymeric Composites for Photonics".
9. 2nd Brazilian Polymer Conference, Sao Paulo, Brazil, October 6, 1993.  
"Polymers for Photonics".
10. A series of five lectures at Telebras, the telecommunication company of Brazil, Campinas, Brazil, October 8-14, 1993.  
Titles: (i) Organic and Polymeric Materials for Nonlinear Optics and Photonics: An Overview.  
(ii) Measurements and Characterization Techniques for Second-Order Processes.  
(iii) Molecular Engineering and Materials Processing for Electro-Optic Devices.  
(iv) Waveguides, Interconnects and Electro-Optics Devices.  
(v) Current Status, New Trends and Future Directions for Materials and Applications for Electro-Optics and Photorefractivity.

11. Polymex-93, International Symposium on Polymers, Cancun, Mexico, November 2, 1993.  
"Novel Polymeric Composites Materials for Nonlinear Optics and Photonics".
12. El-Sayed Symposium, Los Angeles, CA, November 6, 1993.  
"Nonlinear Optical Processes in Molecules and Polymers".
13. NLO Polymer Program Review, Washington, DC, November 8.  
"Recent Progress in  $\chi^{(3)}$  Materials".
14. NLO Polymer Program Review, Washington, DC, November 9.  
"Progress in  $\chi^{(2)}$  Materials".
15. ICONO'1, International Conference on Organic Nonlinear Optics, Val Thorens, France, January 11, 1994.  
"Third-Order Nonlinear Optics of Polymers and Composites".
16. SPIE-The International Society for Optical Engineering Symposium on Organic, Metallo-Organic and Polymeric Materials for Nonlinear Optical Applications, Los Angeles, January 24, 1993.  
"Polymeric Composite Photorefractive Materials for Nonlinear Optics Applications".
17. The University of Southern Mississippi, Department of Chemistry and Biochemistry, Hattiesburg, Mississippi, Seminar, February 11, 1994.  
"Polymers for Photonics".
18. Thirty-Fourth Sanibel Symposium, Sawgrass, Florida, February 18, 1993.  
"Nonlinear Optical Effects in Molecules and Polymers: Issues and Opportunities".
19. American Chemical Society National Meeting, Symposium on "Organic Nonlinear Optics: Business Opportunity on Academic Curiosity", San Diego, CA, March 16, 1994.  
"New Chromophores and Composite Materials vs. Technological Requirements for Nonlinear Optics".
20. American Chemical Society National Meeting, Symposium on Hybrid Organic-Inorganic Composites, San Diego, CA, March 16, 1994.  
"Novel Organic: Inorganic Composite Materials for Photonics".