


REPORT DOCUMENTATION PAGE

Form Approved **12**  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 1/21/94	3. REPORT TYPE AND DATES COVERED Final Report 1/1/89 - 12/31/93
4. TITLE AND SUBTITLE The Effects of Interstitial Elements on the Phase Stability and Mechanical Behavior of Intermetallics		5. FUNDING NUMBERS N00014-89-J-1503 orin 005-04 N66005
6. AUTHOR(S) Carl C. Koch		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) North Carolina State University Office of Research Administration P. O. Box 5356 Raleigh, NC 27695		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000		10. SPONSORING / MONITORING AGENCY REPORT NUMBER ONR Resident Representative 1960 Kenny Road Columbus, OH 43210-1063

11. SUPPLEMENTARY NOTES



12a. DISTRIBUTION AVAILABILITY STATEMENT  
Unlimited distribution

This document has been approved for public release and sale; its distribution is unlimited.

13. ABSTRACT (Maximum 200 words)

This document constitutes the final report for ONR sponsored research entitled "The Effects of Interstitial Elements on the Phase Stability and Mechanical Behavior of Intermetallics". Alloying with interstitial elements O, N, or C induced structural changes from the A15 crystal structure to the ordered fcc L1<sub>2</sub> or L'1<sub>2</sub> structures in 16 alloy systems. The L1<sub>2</sub> or L'1<sub>2</sub> structures exhibited higher fracture toughness values than those of the original A15 structure compounds.

**DTIC QUALITY INSPECTED 8**

14. SUBJECT TERMS Intermetallic compounds, interstitial elements, structural changes, hardness, fracture toughness		15. NUMBER OF PAGES	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL

19950620 152

Final Report

Grant N00014-89-J-1503

**THE EFFECTS OF INTERSTITIAL ELEMENTS ON THE PHASE STABILITY  
AND MECHANICAL BEHAVIOR OF INTERMETALLICS**

Carl C. Koch  
Materials Science and Engineering Department  
North Carolina State University  
Raleigh, NC 27695-7907

January 25, 1994

Final Report for Period January 1, 1989-December 31, 1993

Approved for public release: distribution is unlimited

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

*Prepared for:*

Office of Naval Research  
Dr. George Yoder, Scientific Officer  
800 North Quincy Street  
Arlington, Virginia 22217

# FINAL REPORT

## Introduction — Description of Research Goals

The objective of the research was to explore the potential for mechanical behavior enhancement by structure modification of certain refractory metal-based high melting temperature intermetallics. Three approaches were used toward this end. The first comprised an experimental investigation of the phase-stability, crystal structure, and microstructure of selected intermetallic compounds as a function of interstitial element additions (eg. O, C, N, B). The second involved the prediction of the stabilization of close-packed phases — such as the  $L1_2$  or the  $L'1_2$  — induced by interstitial alloying in complex crystal structures (eg. A15) in high temperature intermetallics. Here, the development of empirical correlations utilized such elemental parameters as atomic radii, electronegativity, and valence electron number. The third consisted of a study of the mechanical behavior, particularly fracture toughness, of interstitially stabilized structures.

## Major Accomplishments

1) The survey explored over twenty intermetallic alloy  $A_3B$  compounds — mostly with the complex  $Cr_3Si$  (A15) crystal structure. It was found that no less than sixteen of these were capable of being transformed into the simpler ordered fcc  $L1_2$  or  $L'1_2$  structure by interstitial alloying.

2) In most material systems, structure stability diagrams were found to classify or predict the expected crystal structure; however, in some instances, there was disagreement between the predicted and the observed crystal structure. In the cases where there was disagreement, the violations were in such a way that they may actually represent small modifications to the maps.

3) The fracture toughness of selected intermetallic compounds was

estimated using a method that involves the measurement of crack lengths emanating from the corners the Vickers indenter impressions (method of Marion — ASTM Special Techniques Publication No. 678). The toughness values of the transformed fcc structure alloys were observed to be superior those of the untransformed base alloys. In some cases, the toughness value,  $K_{IC}$ , more than doubled after complete transformation. In the same instances, diamond point microhardness measurements were determined and found to decrease in most cases and increase in very few cases — typically involving the interstitial alloying of carbon.

4) The application of fractal geometry measurements to the evaluation of fracture toughness of brittle intermetallics was examined. Boundary fractal dimensions of planar sections through the fracture surface of the intermetallic compound  $V_3Au + O$  were determined at varying oxygen percentages — up to 20 atomic percent. It was shown that the mean measured fractal dimension maintained a consistent relationship with the fracture toughness values obtained using the indentation technique. Furthermore, it was observed that this behavior agrees with data from the literature involving two very different families of brittle materials: polycrystalline alumina and glass-ceramics. General agreement was observed despite the large differences in grain size, modulus, and fracture energy of the materials and suggests the possibility of a new method of surveying fracture toughness where conventional techniques may not be applicable.

5) Hot hardness behavior of the A15  $V_3Au$  and  $L'1_2 V_3AuO$  were measured by Dr. Steve Bruemmer at PNL. The magnitude of the hardness for  $V_3AuO$  crosses and exceeds that for  $V_3Au$  at temperatures above  $650^\circ C$ . This suggests that the fcc-like  $L'1_2$  perovskite phase is stronger at elevated temperatures than the A15 phase.

6) The dependence of diamond point hardness on grain size was determined for the  $V_3Au$  A15 base alloy and the  $V_3AuO$   $L'1_2$  perovskite alloy. In both cases the behavior was fit to a Hall-Petch relationship.

7) A miniature disk-bend test (MDBT) apparatus was fabricated and calibrated to known samples. The device, used in conjunction with a tensile machine, is capable of yielding the stress vs. strain relationships of small thin disks.

8) Miniature bend-bars of the  $V_3Au$  intermetallic alloy (base A15 and transformed  $L'1_2$ ) were produced. The bend specimens were clamped in compression, then buckled until fracture occurred. Fracture strains obtained in this manner were in qualitative agreement with fracture toughness measurements made using the indentation technique.

9) TEM studies were conducted to observe the microstructural behavior of low oxygen (0 – 1 atomic percent) content  $V_3Au$  alloys. In this regime, the hardness is observed to increase sharply. TEM revealed that this effect is due to the initial formation of the  $L'1_2$  perovskite phase as a very fine (less than one micron) dispersion at the grain boundaries.

### Publications

1. M. A. Kassem, Y. Fahmy and C. C. Koch, "The Influence of Interstitial Alloying Elements on the Phase Stability and Fracture Toughness of  $V_3Au$ ", Materials Research Society Symposium Proceedings, Vol. 186, 369–374 (1991).
2. M. A. Kassem and C. C. Koch, "Effect of Interstitials on the Phase Stability of Selected Intermetallics", Materials Research Society Symposium Proceedings, Vol. 213, 801–806 (1991).

3. Y. Fahmy, J. C. Russ and C. C. Koch, "Application of Fractal Geometry Measurements to the Evaluation of Fracture Toughness of Brittle Materials", *Journal of Materials Research*, Vol. 6, No. 9, 1856–1861 (1991).
4. Y. Fahmy, C. T. Benfield and C. C. Koch, "The Effects of Interstitial Elements on the Phase Stability and Mechanical Behavior of Selected Intermetallics", *Materials Science and Engineering*, A170, 19–27 (1993).

#### Dissertations

1. Magdy A. Kassem, "Effect of Interstitial Elements on Phase Stability of Selected Intermetallics". Doctor of Philosophy Thesis, December 1990.
2. Yusef Fahmy, "The Influence of Interstitial Elements on the Mechanical Behavior of the  $V_3Au$  Intermetallic Compound". Master of Science Thesis, May 1992.
3. Timothy C. Benfield, "The Influence of Interstitial Elements on the Phase and Mechanical Behavior of Selected Intermetallic Compounds". Master of Materials Science and Engineering, December 1992.
4. Yusef Fahmy, "Modification of the Mechanical Behavior in A15 Intermetallic Compounds by Structural Changes Induced by Interstitial Alloying". Doctor of Philosophy, in preparation, 1994.

#### Invited Presentations

1. C. C. Koch, "The Effects of Interstitial Alloying Elements on the Phase Stability and Mechanical Behavior of Intermetallics", General Electric Corporate Research Laboratory, Schenectady, New York, February 17, 1989.
2. C. C. Koch, "Stabilization of  $AuCu_3$  and Perovskite Structure Types by Interstitial Carbon, Nitrogen, and Oxygen", TMS Hume-Rothery Memorial Symposium, New Orleans, LA, February 18, 1991.

3. C. C. Koch, "The Effects of Interstitial Elements on the Phase Stability and Mechanical Behavior of Intermetallics", Industrial Technology Research Institute, Materials Research Laboratories, Hsinchu, Taiwan, Republic of China, May 17, 1991.
4. C. C. Koch, invited presentations at ONR review meetings of "Ordered Intermetallics" Program contractors.
  - a) Arlington, VA, May 12, 1989
  - b) Arlington, VA, May 17, 1990
  - c) Annapolis, MD, June 24-25, 1991
  - d) Annapolis, MD, October 14-15, 1992.