

REPORT DOCUMENTATION PAGE

AFOSR-TR-97

OSI2

Public reporting burden for this collection of information is estimated to average 1 hour per response, including gathering and maintaining the data needed, and completing and reviewing the collection of information, collection of information, including suggestions for reducing this burden, to Washington Headquarters Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Pa

its sources, pect of this 5 Jefferson

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. REPORT TYPE AND DATES COVERED FINAL 15 May 94 To 14 May 97
4. TITLE AND SUBTITLE THE EFFECTS OF CHRONIC JP-8 JET FUEL EXPOSURE ON LUNG FUNCTION			5. FUNDING NUMBERS F49620-94-1-0297 2312/AS 61102F
6. AUTHOR(S) Dr Mark L. Witten			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Arizona Arizona Health Sciences Center, Room 3352A Dept of Pediatric & Center for Toxicology 1501 N. Campbell Avenue Tucson AZ 85724-0001			8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NL 110 Duncan Ave Room b115 Bolling AFB DC 2033-8050 Dr Walter Kozumbo			10. SPONSORING / MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			

19971009 025

12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; distribution unlimited.	12b. DISTRIBUTION CODE
---	------------------------

13. ABSTRACT (Maximum 200 words)
The past three years of work for the Air Force Office of Scientific Research has resulted in the development of a congenic mouse model of JP-8 jet fuel exposure, the role of substance P in the JP-8 jet fuel-induced lung injury process, and development of extensive collaborations with Dr David Harris (University of Arizona), Drs Korngut and Siegel (University of Wisconsin), and Dr Frank Witzman (Indiana University). We demonstrated that congenic mice deficient in the aryl hydrocarbon hydroxylase and N-acetyl transferase enzymes have increased lung permeability and pathological lung injury resulting from exposure to JP-8 jet fuel compared to their C57BL/6 parent strain. Consequently, we can conclude that one or both of these enzymes plays a role in the metabolism of JP-8 fuel in the lungs. Finally, we have conducted field studies for JP-8 jet fuel exposure at the Montana Air National Guard Base in Great Falls, Montana in March of 1997 and at Davis Monthan Air Force Base in Tucson, Arizona. The purpose of this semi-cold weather (30 degree) F-16A engine start and warm weather (102 degree) F-16A engine start were to determine "real-life" JP-8 jet fuel exposures at the ground crew positions and determine average JP-8 jet fuel concentration and particle size. The data was then compared against similar data generated in our JP-8 jet fuel exposure model.

14. SUBJECT TERMS			15. NUMBER OF PAGES
DTIC QUALITY INSPECTED 2			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT (U)	18. SECURITY CLASSIFICATION OF THIS PAGE (U)	19. SECURITY CLASSIFICATION OF ABSTRACT (U)	20. LIMITATION OF ABSTRACT (UL)

SUMMARY ABSTRACT

The past three years of work for the Air Force Office of Scientific Research has resulted in the development of a congenic mouse model of JP-8 jet fuel exposure, the role of substance P in the JP-8 jet fuel-induced lung injury process, and development of extensive collaborations with Dr. David Harris (University of Arizona), Drs. Kornguth and Siegel (University of Wisconsin), and Dr. Frank Witzman (Indiana University).

We demonstrated that congenic mice deficient in the aryl hydrocarbon hydroxylase and N-acetyl transferase enzymes have increased lung permeability and pathological lung injury resulting from exposure to JP-8 jet fuel compared to their C57BL/6 parent strain. Consequently, we can conclude that one or both of these enzymes plays a role in the metabolism of JP-8 jet fuel in the lungs.

In the past year of work, we have determined a possible role for substance P in the clearance of JP-8 jet fuel from the lungs. The work conducted by my doctoral student, Raymond F. Robledo, was centered about the development of a gas chromatography-mass spectroscopy method for determination of various JP-8 jet fuel metabolites in lung tissue. Preliminary results indicate that [Sar⁹, Met (O₂)¹¹]-substance P increases JP-8 jet fuel clearance by approximately 50% within 15 minutes after an acute jet fuel exposure. Mr. Robledo will present this work at the International Tachykinins Conference in Cairns, Australia in September 1997.

Additional work in the last two years centered about acute exposure to JP-8 jet fuel of between 1000 mg/m³ and 2500 mg/m³. This insult caused pulmonary injury that was characterized by increased alveolar permeability to ^{99m}Tc-DTPA and bronchoalveolar lavage fluid (BALF) increases of total protein, lactate dehydrogenase (LDH), N-acetyl-β-D-glucosaminidase (NAG), and alveolar macrophages. Seven day sub-chronic exposures have resulted in a threshold response at 1000 mg/m³, with increased ^{99m}Tc-DTPA permeability and increases in BALF total protein and LDH. Sub-chronic exposed mice also had type II alveolar epithelial cell alterations and necrotic Clara cells that may have contributed to the observed increase in total pulmonary compliance. In contrast to the acute exposures, sub-chronic exposures had a decrease in BALF alveolar macrophages and NAG. Using a congenic mouse strain (aryl hydrocarbon hydroxylase and N-acetyltransferase enzyme deficient) that has been shown to be sensitive to JP-8 jet fuel, the objective of this research was to determine if [Sar⁹, Met (O₂)¹¹]-substance P (substance P receptor agonist) administration could attenuate pulmonary toxicity to JP-8 jet fuel. Mice administered [Sar⁹, Met (O₂)¹¹]-substance P (1 μM aerosol), for 15 min immediately following each 1000 mg/m³ JP-8 jet fuel exposure, had control values for all pulmonary injury biomarkers. To further support these findings, mice were treated with CP-96,345 (substance P receptor antagonist, 2.5 mg/kg, i.p.) prior to each JP-8 jet fuel exposure. CP-96,345 pretreated mice had a potentiated increase in ^{99m}Tc-DTPA permeability and a potentiated decrease in alveolar macrophages compared to mice exposed to 1000 mg/m³ JP-8 jet fuel alone. These mice also had an increase in in type II alveolar epithelial cell alterations, Clara cell necrosis, and pulmonary edema.

Finally, we have conducted field studies for JP-8 jet fuel exposure at the Montana Air National Guard Base in Great Falls, Montana in March of 1997 and at Davis-Monthan Air Force Base in Tucson, Arizona. The purpose of this semi-cold weather (30° F) F-16A engine start and warm weather (102° F) F-16A engine start were to determine "real-life" JP-8 jet fuel exposures at the ground crew positions and determine average JP-8 jet fuel concentration and particle size. This data was then compared against similar data generated in our JP-8 jet fuel exposure model. We determined that our mean aerosol

particle size of 1.2 μm was very comparable to the particle size range determined in our F-16A engine start field tests which ranged from 0.7 to 1.5 μm .

PUBLICATIONS FROM PROJECT: To May 14, 1997

- (1) Witten ML, Pfaff JK, Lantz RC, Parton KH, Chen H, Hays A, Kage R, Leeman SE: Capsaicin pretreatment before JP-8 jet fuel exposure causes a large increase in airway sensitivity in rats. *REGULATORY PEPTIDES*, 1992, S1:S176.
- (2) Witten ML: Chronic effects of JP-8 jet fuel exposure on the lungs. *GOVERNMENT REPORTS, ANNOUNCEMENTS, & INDEX*, Issue 17, 1992.
- (3) Witten ML, Pfaff JK, Parton K, Lantz RC, Carter D, Leeman SE: JP-8 jet fuel exposure alters lung chemical mediator and substance P activity in rats. *THE FASEB JOURNAL*, 1992, 6:A1065.
- (4) Chen H, Witten ML, Pfaff JK, Lantz RC, Carter D: JP-8 jet fuel exposure increases alveolar permeability in rats. *THE FASEB JOURNAL*, 1992, 6:A1064.
- (5) Pfaff J, Erickson R, Lantz R, Witten M: Influence of aryl hydrocarbon hydroxylase activity on lung injury from JP-8 jet fuel exposure in the congenic mouse. *THE FASEB JOURNAL*, 1992, 6:A1065.
- (6) Witten ML, Grad R, Quan SF, Lantz RC, Sobonya RE, Lemen RJ: Effects of respiratory viruses on pulmonary alveolar macrophages. *PEDIATRIC PULMONOLOGY*, 1992, 12:105-112.
- (7) Witten ML, Figueroa JT, McKee JL, Lantz RC, Quan SF, Sobonya RE, Lemen RJ: Fractal and morphometric analysis of lung structures after canine adenovirus-induced bronchiolitis in beagle puppies. *PEDIATRIC PULMONOLOGY*, 1993, 16:62-68.
- (8) Parton KH, Pfaff J, Hays AM, Witten M: Effects of JP-8 jet fuel inhalation on the liver of F-344 rats. *THE TOXICOLOGIST*, 1993, 13:83.
- (9) Pfaff J, Parlman G, Parton K, Lantz R, Chen H, Hays A, Witten M: Pathologic changes after JP-8 jet fuel inhalation in Fischer 344 rats. *THE FASEB JOURNAL*, 1993, 7:A408.
- (10) Tollinger BJ, Hays AM, Lantz RC, Rittenhouse PA, Witten ML: Ala-p-nitroanilide, a substrate cleavage product of neutral endopeptidase, levels are increased after jet fuel exposure in rats. *THE FASEB JOURNAL*, 1994, 8:A122.
- (11) Hays AM, Tollinger BJ, Tinajero JP, Robledo RF, Lantz RC, Witten ML: Changes in lung permeability after chronic exposure to JP-8 jet fuel. *THE FASEB JOURNAL*, 1994, 8:A122.

- (12) Parton KH: The effects of JP-8 jet fuel inhalation on liver and kidney function in male F-344 rats. Master's Thesis in the Department of Pharmacology/Toxicology, University of Arizona, that was approved on May 5, 1994.
- (13) Pfaff JK, Parton K, Lantz RC, Chen H, Hays AM, Witten ML: Inhalation exposure to JP-8 jet fuel alters pulmonary function and Substance P levels in Fischer 344 rats. *JOURNAL OF APPLIED TOXICOLOGY*, 1995, 15:249-256.
- (14) Hays AM, Parlman G, Tollinger BJ, Tinajero JP, Robledo RF, Lantz RC, Witten ML: Changes in lung permeability correlate with pathology after chronic exposure to JP-8 jet fuel. *TOXICOLOGY & INDUSTRIAL HEALTH*, 1995, 11:325-336.
- (15) Robledo RF, Breceda V, Tollinger BJ, Wang S, Lantz RC, Leeman SE, Witten ML: Substance P attenuates lung injury caused by chronic hydrocarbon exposure. PROCEEDINGS OF TACHYKININS '95 INTERNATIONAL MEETING, Florence, Italy, 1995, pp. 190.
- (16) Robledo RF, Breceda V, Tollinger BJ, Wang S, Lantz RC, Witten ML: JP-8 jet fuel exposure causes lung injury in enzyme-deficient C57BL6 mice compared to their parent strain. *INTERNATIONAL TOXICOLOGIST*, 1995, 19-P-2.
- (17) Witten ML, Robledo RF, Lantz RC, Breceda V: Chronic effects of JP-8 jet fuel exposure. PROCEEDINGS OF THE AIR FORCE OFFICE OF SCIENTIFIC RESEARCH REVIEW, Dayton, Ohio, 1995, pp. 20.
- (18) Pfaff JK, Parton K, Lantz RC, Chen H, Hays AM, Leeman SE, Witten ML: Neutral endopeptidase (NEP) and its role in pathological pulmonary change with inhalation exposure to JP-8 jet fuel. *TOXICOLOGY & INDUSTRIAL HEALTH*, 1996, 12:93-103.
- (19) Robledo RF, Breceda V, Lantz RC, Wang S, Witten ML: Substance P antagonist, CP-96,345, potentiates JP-8 jet fuel induced lung injury in C57BL6 mice. *THE TOXICOLOGIST*, 1996, 30:98.
- (20) Lantz RC, Witten ML, Lemen RJ: Interaction between respiratory viruses and alveolar macrophages. In: Lung Macrophages and Dendritic Cells in Health and Disease. Lipscomb MF, Russell SW (eds.), Marcel Dekker, Inc., New York, New York, 1996, pp. 551-570.
- (21) Witten ML, McKee JL, Lantz RC, Hays AM, Quan SF, Sobonya RE, Lemen RJ: Fractal and morphometric analysis of lung structures after canine adenovirus-induced bronchiolitis in beagle puppies. In: Chaos in Medicine, Sataloff RT, ed., Singular Publications Group, Inc., San Diego, CA. (in press).
- (22) Witten ML, Robledo RF, Lantz RC, Breceda V: The role of substance P in a JP-8 jet fuel exposure model. PROCEEDINGS OF THE AIR FORCE OFFICE OF SCIENTIFIC RESEARCH REVIEW, Dayton, Ohio, 1996, pp. 18.

- (23) Harris DT, Sakiestewa D, Robledo RF, Witten M: Immunotoxicological effects of JP-8 jet fuel exposure. *TOXICOLOGY & INDUSTRIAL HEALTH*, 1997, 13:43-55.
- (24) Tinajero J, Robledo RF, Lantz RC, Sobonya RE, Quan SF, Lemen RJ, Tollinger BJ, Witten ML: Fractal analysis of lung alveoli during the acute phase vs. repair phase of an adenoviral infection in canines. *RESEARCH COMMUNICATIONS IN MOLECULAR PATHOLOGY AND PHARMACOLOGY*, 1997, 95:275-285.
- (25) Robledo RF, Breceda V, Wang S, Lantz RC, Witten ML: Substance P receptor agonist ameliorates JP-8 jet fuel-induced lung injury. *THE TOXICOLOGIST*, 1997, 36:331.
- (26) Harris DT, Sakiestewa D, Robledo RF, Witten M: Protection from JP-8 jet fuel induced immunotoxicity by administration of aerosolized substance P. *TOXICOLOGY & INDUSTRIAL HEALTH*, 1997, 13:571-588.
- (27) Robledo RF, Witten ML: [Sar⁹, Met (O₂)¹¹]-Substance P may protect against JP-8 jet fuel-induced lung injury via increased JP-8 lung clearance. PROCEEDINGS OF THE 1997 TACHYKININS IN HEALTH & DISEASE INTERNATIONAL CONFERENCE, Cairns, Australia, pp. 40, 1997.
- (28) Witten ML, Harris DT, Robledo RF, Srinivasan D: Aerosolized [Sar⁹, Met (O₂)¹¹]-Substance P causes immunostimulation in three different animal models. PROCEEDINGS OF THE 1997 TACHYKININS IN HEALTH & DISEASE INTERNATIONAL CONFERENCE, Cairns, Australia, pp. 19, 1997.
- (29) Harris DT, Sakiestewa D, Robledo RF, Witten M: Short-term exposure to JP-8 jet fuel results in longterm immunotoxicity. *TOXICOLOGY & INDUSTRIAL HEALTH*, 1997, 13:559-570.

PARTICIPATING PROFESSIONALS

- | | | |
|-----|---|------------------------|
| (1) | Mark L. Witten, Ph.D.
University of Arizona College of Medicine | Principal Investigator |
| (2) | Raymond F. Robledo
University of Arizona College of Pharmacy | Doctoral Student |
| (3) | Veronica Breceda
University of Arizona | Research Associate |
| (4) | Susan E. Leeman, Ph.D.
Boston University College of Medicine | Consultant |
| (5) | Robert C. Lantz, Ph.D.
University of Arizona College of Medicine | Co-Investigator |
| (6) | Dr. David T. Harris, Ph.D.
University of Arizona College of Medicine | Co-Investigator |

- | | | |
|-----|--|-------------------------|
| (7) | Carol M. Baldwin, Ph.D.
University of Arizona College of Medicine | Post-Doctoral Fellow |
| (8) | R. Scott Young
University of Arizona College of Medicine | Research Technician |
| (9) | Dr. Carol Barnes
University of Arizona College of Medicine | Neuroscience Consultant |

COUPLING ACTIVITIES

As stated previously in this report, we have active collaborations with the following investigators:

- | | | |
|-----|------------------------|-------------------------|
| (1) | Dr. David T. Harris | University of Arizona |
| (2) | Drs. Siegel & Kornguth | University of Wisconsin |
| (3) | Dr. Frank Witzmann | Indiana University |

We are coordinating our JP-8 jet fuel research with the following Air Force agencies:

- | | |
|-----|--|
| (1) | Major Wade H. Weisman
Toxicology Division, Armstrong Laboratory, Wright-Patterson AFB, Ohio |
| (2) | Captain Les Miller
Toxicology Division, Armstrong Laboratory, Wright-Patterson AFB, Ohio |
| (3) | Major Leslie B. Smith, Head, JP-8 IPT.
Industrial Hygiene Consultant, Armstrong Laboratory, Brooks AFB, Texas |
| (4) | Major Gary Carlton
Chief, Industrial Hygiene Branch, Armstrong Laboratory, Brooks AFB, Texas |

DISCOVERIES, INVENTIONS, PATENT DISCLOSURES, AND SPECIFIC APPLICATIONS

A provisional patent application entitled, "Substance P for Treatment of Immunosuppression" was filed with the United States Patent Office in Crystal City, Virginia on July 23, 1996. This provisional patent application originated from work performed in our Air Force Office of Scientific Research-sponsored JP-8 jet fuel research in conjunction with Dr. David Harris who is also supported by the Air Force Office of Scientific Research. Because of the laws and regulations involving "public disclosure" in the patent process, we have been unable to generate manuscripts for publication until the regular patent application was filed on March 28, 1997. We will file for world-wide patent application by July 23, 1997. We are in the process of commercializing this patent application and at this point in time have negotiations underway with three pharmaceutical companies and one investment capital firm.

RESEARCH ACCOMPLISHMENTS

In the past three years, we have established that JP-8 jet fuel metabolism in the lungs is dependent upon either or both the aryl hydrocarbon hydroxylase enzyme and N-acetyl transferase enzyme. Additionally, we have determined that substance P administration attenuates JP-8 jet fuel-induced lung injury, possibly by "clearing" the jet fuel from the lungs in an expeditious manner. Finally, we have determined the extent of lung injury from JP-8 jet fuel exposures in the range of 1,000 to 2,500 mg/m³.

We believe that our patent entitled "Substance P for Treatment of Immunosuppression" may have clinical benefits in the treatment of AIDS, maintaining the immune systems of both elderly and young patients, as a vaccine additive to boost the immune system's response to the vaccine, possible therapy for environmental toxicants such as cigarette smoke exposure and air pollution, and bone marrow transplants.

We have also correlated our JP-8 jet fuel exposure model with "real-life" jet fuel exposure situations in regular Air Force operations in a semi-cold weather F-16A engine start at the Montana Air National Guard Base and a warm weather F-16A engine start at Davis-Monthan AFB, Arizona.

Finally, Mr. Robledo's abstract at the 1997 Society of Toxicology National Meeting in Cincinnati, Ohio was awarded the "Outstanding Graduate Student Presentation Award" in the inhalation toxicology section in March of 1997.