

REPORT DOCUMENTATION PAGE

AFRL-SR-AR-TR-03-

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestion Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork

ing
son

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE

3. REPORT T

0038

08-JAN-2003

FILED (VICTON-2002 10 30-NOV-2002)

4. TITLE AND SUBTITLE

THIRD INTERNATIONAL ALLOY CONGERENCE (IAC-3)

5. FUNDING NUMBERS

F49620-02-1-0267

6. AUTHOR(S)

PROFESSOR A. GONIS

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

UNITED ENGINEERING FOUNDATION, INC
THREE PARK AVENUE, 27TH FLOOR
NEW YORK, NY 10016-5902

8. PERFORMING ORGANIZATION
REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

AFOSR/NA
4015 WILSON BOULVARD
ARLINGTON, VA 22203

10. SPONSORING/MONITORING
AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

Approved for public release;
distribution unlimited.

13. ABSTRACT (Maximum 200 words)

Research on inorganic materials is facilitated by identifying the common features such as theoretical treatments of structure-property relationships and experimental techniques applicable to a wide range of materials. This conference helps to disseminate knowledge of such approaches and to inform scientists of common problems and interests.

14. SUBJECT TERMS

20030305 082

15. NUMBER OF PAGES

46

16. PRICE CODE

17. SECURITY CLASSIFICATION
OF REPORT

UNCLASSIFIED

18. SECURITY CLASSIFICATION
OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION
OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

Program

Third International Alloy Conference (IAC-3) *An Interdisciplinary Approach to the Science of Alloys in Metals, Minerals and Other Materials Systems*

June 30 – July 5, 2002

**Hotel Estoril Sol
Estoril /Cascais (near Lisbon), Portugal**

Conference Co-Chairs:

**A. Gonis, A. Meike, and P.E.A. Turchi
Lawrence Livermore National Laboratory**

**K. Rajan
Rensselaer Polytechnic Institute**



**United Engineering Foundation, Inc.
Three Park Avenue, 27th Floor
New York, NY 10016-5902
T: 1-212-591-7836 - F: 1-212-591-7441
engfnd@aol.com www.engfnd.org**

***We wish to thank the following organizations
for their financial support of the conference:***

The Air Force Office of Scientific Research

The Army Research Office

The Lawrence Livermore National Laboratory

The Office of Naval Research

The Metals, Minerals and Materials Society

The United Engineering Foundation, Inc.

Sunday, June 30, 2002

2:00 pm	Participant arrival and hotel check-in
5:00 pm - 7:00 pm	Registration (Hotel Lobby)
6:00 pm - 8:00 pm	Reception (Hotel Lobby)
8:00 pm - 10:00 pm	Dinner (Restaurante)

Notes

All technical sessions will be in the Cascais Room

Please, no smoking at conference technical sessions or social functions

Lunches each day (except Wednesday when you will receive a boxed lunch) are on your own

Monday, July 1, 2002

7:00 am - 8:00 am

Breakfast Buffet (Restaurante)

8:00 am - 8:30 am

Welcome and Introductions
Tony Gonis, Conference Co-Chair
Norm Stoloff, UEF Technical Liaison

Session I:

Chairperson: Bernard Guy

8:30 am - 9:00 am

COMPUTER SIMULATION OF MOLTEN AND GLASSY SILICA AND ITS MIXTURES WITH SODIUM OXIDE AND ALUMINIUM OXIDE
Kurt Binder, Johannes Gutenberg Universitat Mainz, Germany

9:00 am - 9:30 am

PARTIAL DISORDER AND BONDING IN $A_2B_2O_7$ PYROCHLORE SOLID SOLUTIONS AS A FUNCTION OF COMPOSITION AND TEMPERATURE
Bernhardt J. Wuensch, Massachusetts Institute of Technology, USA

9:30 am - 10:00 am

THE BEHAVIOR OF SOLID SOLUTIONS IN GEOLOGICAL TRANSPORT PROCESSES: THE QUANTIZATION OF ROCK COMPOSITION BY FLUID-ROCK INTERACTION
Bernard Guy, Ecole des Mines, France

10:00 am - 10:30 am

CATIONIC DISORDER INFLUENCE ON *AB INITIO* PHONON MODES IN THE $MgAl_2O_4$ SPINEL
Pascal Thibaudeau, C.E.A./ Le Ripault, France

10:30 am - 11:00 am

Coffee Break (Hall/Balcony)

Session II

Chairperson: Goran Grimvall

11:00 am - 11:30 am

TEMPERATURE-DEPENDENT PROPERTIES OF FERROMAGNETIC SEMICONDUCTORS
Joseph Kudrnovsky, Institute of Physics AS CR, Czech Republic

11:30 am - 12:00 pm

HETEROEPITAXIAL METAL GROWTH WITH INTERMIXING: A DFT-KMC APPROACH
Rossitza Pentcheva, University of Munich, Germany

12:00 pm - 12:30 pm

AN ATOMIC SCALE STUDY OF PHYSICAL PROPERTIES OF DELTA PLUTONIUM AND Pu: Al ALLOYS
Bruno Siberchicot, CEA/DAM-DIF, France

Monday, July 1, 2002 (continued)

12:30 pm – 1:00 pm

TIGHT-BINDING STUDIES OF METALLIC AND SEMICONDUCTING ALLOYS

Dimitri Papaconstantopoulos, Naval Research Laboratory, USA

1:00 pm - 4:30 pm

Ad hoc sessions/free time

4:30 pm – 5:00 pm

Afternoon Coffee (Hall/Balcony)

Session III

Chairperson: William J. Boettinger

5:00 pm - 5:30 pm

MICROSCOPICAL DERIVATION OF GINZBURG-LANDAU-TYPE FOR ALLOYS AND THEIR APPLICATIONS TO STUDIES OF ANITPHASE AND INTERPHASE BOUNDARIES

V. G. Vaks, RRC Kurchatov Institute, Russia

5:30 pm - 6:00 pm

WETTING BEHAVIOR IN THE Co-Pt SYSTEM

Yann Le Bouar, CNRS/ONERA LEM, France

6:00 pm - 6:30 pm

PHASE-FIELD SIMULATIONS ON MICROSTRUCTURE EVOLUTION IN STEELS

Janin Eiken, Access e.V., Germany

6:30 pm – 7:00 pm

A COMPUTER MODEL OF CARBONITRIDE PRECIPITATION IN STEEL

Phillipe Maugis, IRSID – Arcelor Group, France

7:00 pm - 7:30 pm

Discussion

8:00 pm - 9:30 pm

Dinner (Restaurante)

9:30 pm – 10:30 pm

Social Hour (Lobby)

Tuesday, July 2, 2002(continued)

Session VI:

Chairperson: Tony Gonis

4:45 pm - 5:15 pm

**THE CONCENTRATION AND TEMPERATURE
DEPENDENCE OF SHORT-RANGE ORDER
PARAMETERS IN FCC BINARY ALLOYS**
Sam Faulkner, Florida Atlantic University, USA

5:15 pm – 5:45 pm

**ALLOY THERMODYNAMICS: FROM AB INITIO TO
PHENOMENOLOGY**
Patrice E. A. Turchi, Lawrence Livermore National
Laboratories, USA

5:45 pm – 6:15 pm

**TOWARD QUANTITATIVELY ACCURATE ALLOY
THEORY: SCREENED GPM INTERACTIONS**
A. V. Ruban, Technical University of Denmark, Denmark

6:15 pm – 6:45 pm

**FIRST-PRINCIPLES CALCULATIONS AND
THERMODYNAMIC MODELING OF LAVES PHASES**
Zi-Kui Liu, Pennsylvania State University, USA

6:45 pm – 7:15 pm

**ANOMALOUS STRUCTURAL AND ELECTRONIC
PROPERTIES OF C_3P_4 SOLIDS**
Y. P. Feng, National University of Singapore, Singapore

7:15 pm - 7:30 pm

Discussion

8:00 pm - 9:30 pm

Dinner (Restaurante)

Wednesday, July 3, 2002

7:00 am - 8:30 am

Breakfast (Restaurante)

Session VII

Chairperson: Patrice Turchi

8:30 am - 9:00 am

CURRENT AND FUTURE APPLICATIONS OF CALPHAD TECHNOLOGY

Larry Kaufman, Massachusetts Institute of Technology, USA

9:00 am - 9:30 am

CHECKING EXPERIMENTAL DATA CONSISTENCY BY MEANS OF THE CALPHAD APPROACH

Suzana Fries, Access e.V., Germany

9:30 am - 10:00 am

A THERMODYNAMIC RE-ASSESSMENT OF THE GOLD-TIN SYSTEM

Fred Hayes, University of Manchester, United Kingdom

10:00 am - 10:30 am

MODELLING OF PHASE SEPARATION IN IRON-BASED TERNARY ALLOYS

Yoshiyuki Saito, Waseda University, Japan

10:30 am - 11:00 am

Coffee Break (Hall/Balcony)

Session VIII

Chairperson: Alan Ardell

11:00 am - 11:30 am

TEXTURE EVOLUTION DURING GRAIN GROWTH IN ELECTRODEPOSITED NANOCRYSTALLINE Ni-Fe ALLOYS

Yong Bum Park, Sunchon National University, Korea

11:30 am - 12:00 pm

REJUVENATION OF DEFORMATION-INDUCED INTERGRANULAR CAVITIES BY MAGNETIC FIELD ANNEALING

Tadao Watanabe, Tohoku University, Japan

12:00 pm - 12:30 pm

SIMULATION OF STRUCTURE AND THERMOPHYSICAL PROPERTIES OF HETEROGENEOUS CONDENSED MIXTURE

S. A. Rashkovsky, Moscow Institute of Heat Technology, Russia

12:30 pm - 1:00 pm

COMBINATORIAL DESIGN OF ALLOYS AND MATERIALS INFORMATICS

Krishna Rajan, Rensselaer Polytechnic Institute, USA

1:15 pm

Boxed Lunch Distribution and Departure for Optional Excursion. Free time for those not going on excursion.

8:00 pm - 10:00 pm

Conference Banquet (Restaurante)

Thursday, July 4, 2002

7:00 am - 8:30 am

Breakfast (Restaurante)

Session IX

Chairperson: Vaclav Drchal

8:30 am - 9:00 am

**THERMODYNAMICS OF ALKALI-LANTHANIDE
HALIDES SYSTEMS: UNDERSTANDING, AND
PREDICTING THE PROPERTIES OF SUCH SYSTEMS**
Marcelle Gaune-Escard, Ecole Polytechnique, France

9:00 am - 9:30 am

**ORIGINS OF NON-STOICHIOMETRY AND VACANCY
ORDERING IN TITANIUM CARBIDE**
Barry M. Klein, University of California, USA

9:30 am - 10:00 am

AB INITIO STUDY OF VACANCY ORDERING IN TiC_x
P. A. Korzhavyi, Royal Institute of Technology (KTH),
Sweden

10:00 am - 10:30 am

**CHARGE TRANSFER AND STRAIN EFFECTS IN
DISORDERED ALLOYS**
Vaclav Drchal, Institute of Physics AS CR, Czech
Republic

10:30 am - 11:00 am

Coffee Break (Hall/Balcony)

Session X

Chairperson: Sam Faulkner

11:00 am - 11:30 am

**ELECTRONIC PROPERTIES OF RANDOM ALLOYS:
THE EMTO-CPA THEORY**
Igor Abrikosov, Uppsala University, Sweden

11:30 am - 12:00 pm

**CHARGE TRANSFERS IN METALLIC ALLOYS: A
CHARGE EXCESS FUNCTIONAL THEORY**
E. Bruno, University of Messina, Italy

12:00 pm - 12:30 pm

ON THE DEVELOPMENT OF ALLOY THEORY
A. Gonis, Lawrence Livermore National Laboratories,
USA

12:30 pm - 4:30 pm

Ad hoc sessions/free time

4:30 pm - 5:00 pm

Afternoon Coffee (Hall/Balcony)

Thursday, July 4, 2002 (continued)

Session XI

Chairperson: Suzana Fries

5:00 pm - 5:30 pm

DEPENDENCE OF ELASTIC CONSTANTS ON ALLOY COMPOSITION

Goran Grimvall, Royal Institute of Technology (KTH-SCFAB), Sweden

5:30 pm - 6:00 pm

THEORETICAL STRENGTH, MAGNETISM AND STABILITY OF INTERMETALLIC COMPOUNDS

Mojmir Sob, Institute of Physics of Materials AS CR, Czech Republic

6:00 pm - 6:30 pm

FIRST-PRINCIPLES CALCULATION OF L₁₀-DISORDER PHASE DIAGRAM FOR Fe-Pd AND Fe-Pt SYSTEMS

Ying Chen, RACE - University of Tokyo, Japan

6:30 pm - 7:00 pm

ELASTIC ADSORBATE-ADSORBATE INTERACTIONS MEDIATED BY SUBSTRATE DEFORMATIONS

Alain Pasturel, CNRS, France

7:00 pm - 7:30 pm

Discussion

8:00 pm - 9:30 pm

Dinner (Restaurante)

Friday, July 5, 2002

7:00 am - 8:30 am

Breakfast (Restaurante)

Session XII

Chairperson: Alphonse Finel

8:30 am - 9:00 am

STATISTICAL-THERMODYNAMIC DESCRIPTION OF THE ALLOYS WITHIN THE RING APPROXIMATION
R. V. Chepulsii, National Academy of Sciences, Ukraine

9:00 am - 9:30 am

STUDY OF STRUCTURAL PHASE TRANSFORMATION AND PHASE STABILITY OF HCP METALS BY STATISTICAL MOMENT AND CLUSTER VARIATION METHODS
K. Masuda-Jindo, Tokyo Institute of Technology, Japan

9:30 am - 10:00 am

ORDERING PROCESS ANALYZED BY PHASE FIELD METHOD, CVM AND PPM
Tetsuo Mohri, Hokkaido University, Japan

10:00 am - 10:30 am

MONTE CARLO STUDY OF THE PRECIPITATION KINETICS OF Al_3Zr IN Al
Emmanuel Clouet, Pechiney, Centre de Recherches de Voreppe, France

10:30 am - 11:00 am

Coffee Break (Hall/Balcony)

Session XIII

Chairperson: Annemarie Meike

11:00 am - 11:30 am

DEPOSITION OF HARD ALUMINA-BASED DISPERSED DIAMONDS COMPOSITE COATINGS
S. Yerakhavets, NAMATEX Systems Division, Belarus

11:30 am - 12:00 pm

MICROSCOPICAL THEORY OF THE BIMETALLIC INTERFACE: ADHESION ENERGY OF THE SPHERICAL INCLUSION AND MATRIX
S. D. Kaim, Odessa National University, Ukraine

12:00 pm - 12:30 pm

TRIBOLOGICAL PARAMETERS OF DEPOSITED MoS_2 AND MoS_2 -ALUMINA COATINGS
M. Kireitseu, NAMATEX Systems Division, Belarus

12:30 pm - 1:00 pm

MECHANICAL PROPERTIES OF ALUMINA-BASED COMPOSITES HARDENED BY CrC AND DIAMONDS
M. Istomin, NAMATEX Systems Division, Belarus

1:30 pm

Discussion and close of conference

POSTERS

INVESTIGATION INTO REGULARITY IN BINARY SYSTEMS BY USING "PAULING FILE BINARIES"

Ying Chen, RACE – University of Tokyo, Japan

PSEUDOPOTENTIAL THEORY OF THE SURFACE ENERGY AND TENSION OF THE LIQUID METALLIC ALLOYS

S.D.Kaim, Odessa National University, Ukraine

MANYPARTICLE INTERACTIONS IN METALLIC SYSTEMS AND SPONTANEOUS GENERATION OF INHOMOGENEOUS STATES

S.D.Kaim, Odessa National University, Ukraine

CHANGES OF LRO IN ANISOTROPIC L1₀-ORDERED FePd

W. Pfeiler, University of Vienna, Austria

CHARGE TRANSFERS IN METALLIC ALLOYS: A CPA THEORY

Leon Zingales, University of Messina, Italy

DETERMINATION OF THE CRITICAL NUCLEUS SIZE OF PRECIPITATES

Toru Miyazaki, Nagoya Institute of Technology

TEXTURE EVOLUTION DURING GRAIN GROWTH IN ELECTRODEPOSITED NANOCRYSTALLINE NI-FE ALLOYS

Yong Bum Park, Department of Materials Science and Metallurgical Engineering

Sunchon National University, Suncheon, Chonnam, 540-742, Korea

COMPUTER SIMULATION OF MOLTEN AND GLASSY SILICA AND ITS MIXTURES WITH SODIUM OXIDE AND ALUMINIUM OXIDE

Kurt Binder, Institut für Physik, Johannes Gutenberg Universität Mainz

Staudinger Weg 7, Mainz, 55099, Germany

PHASE DISTRIBUTION AND TRANSFORMATION DYNAMICS USING IN-SITU SYNCHROTRON DIFFRACTION METHODS

Joe Wong, Lawrence Livermore National Laboratory

PO Box 808, L-356, Livermore, CA, 94551, USA

A COMPUTER MODEL OF CARBONITRIDE PRECIPITATION IN STEEL

P. Maugis, IRSID - Arcelor Group

Voie Romaine - BP 30320, Maizières-lès-Metz, F, 57283, France

THEORETICAL STRENGTH, MAGNETISM AND STABILITY OF INTERMETALLIC COMPOUNDS

M. Sob, Institute of Physics of Materials, Acad. Sci. of the Czech Republic

Zizkova 22, Brno, CZ-616 62, Czech Republic

PHASE FIELD METHOD AND DISLOCATIONS.

Alphonse Finel, LEM (ONERA-CNRS)

BP 72, Chatillon Cedex, 92322, France

ORIGINS OF NON-STOICHIOMETRY AND VACANCY ORDERING IN TITANIUM CARBIDE

Barry M. Klein, University of California

DEPOSITION OF HARD ALUMINA-BASED DISPERSED DIAMONDS COMPOSITE COATINGS

S. Yerakhavets, NAMATEX System Division, Institute of Machine Reliability (INDMASH)

Lesnoe 19 - 62, Minsk, none, 223052, Belarus

TRIBOLOGICAL PARAMETERS OF DEPOSITED MOS₂ AND MOS₂-ALUMINA COATINGS

M. Kireitseu, NAMATEX System Division, Institute of Machine Reliability (INDMASH)

Lesnoe 19 - 62, Minsk, none, 223052, Belarus

MECHANICAL PROPERTIES OF ALUMINA-BASED COMPOSITES HARDENED BY CRC AND DIAMONDS

M. Istomin, NAMATEX System Division, Institute of Machine Reliability (INDMASH)

Lesnoe 19 - 62, Minsk, none, 223052, Belarus

STATISTICAL-THERMODYNAMIC DESCRIPTION OF THE ALLOYS WITHIN THE RING APPROXIMATION

R. V. Chepulskaa, Department of Solid State Theory, Institute for Metal Physics

36 Vernadsky blvd., Kyiv-142, UA-03680, Ukraine

DEPENDENCE OF ORDERING PROCESS IN NI-BASED 1 1/2 0 ALLOYS ON ALLOYING ELEMENTS

S. Hata, Interdisciplinary Graduate School of Engineering Sciences, Kyushu University

6-1 Kasugakouen, Kasuga, Fukuoka, 816-8580, Japan

CHANGES OF LRO IN ANISOTROPIC L1₀-ORDERED FE₂P

W. Pfeiler, Institut für Materialphysik, University of Vienna
Strudlhofgasse 4, Vienna, A-1090, Austria

VACANCY-MEDIATED PHASE TRANSFORMATIONS: HOMOGENEOUS OR HETEROGENEOUS?

W. Pfeiler, Institut für Materialphysik
Strudlhofgasse 4, Vienna, A-1090, Austria

CHARGE TRANSFER AND STRAIN EFFECTS IN DISORDERED ALLOYS

Vaclav Drchal, Institute of Physics AS CR
Na Slovance 2, Praha 8, none, CZ-182 21, Czech Republic

MICROSCOPICAL THEORY OF THE BIMETALLIC INTERFACE: ADHESION ENERGY OF THE SPHERICAL INCLUSION AND MATRIX

Ya.S.Kaim, Odessa National University
2 Dvoryans'ka Str., Odessa, none, 65026, Ukraine

TEMPERATURE-DEPENDENT PROPERTIES OF FERROMAGNETIC SEMICONDUCTORS

Josef Kudrnovsky, Institute of Physics AS CR
Na Slovance 2, Prague, CZ-182 21, Czech Republic

MICROSCOPICAL THEORY OF THE BIMETALLIC INTERFACE THERMODYNAMIC PROPERTIES: ADHESION ENERGY AND INTERFACIAL TENSION OF TWO LIQUID METALS

S.D.Kaim, Odessa National University
2 Dvoryans'ka Str., Odessa, none, 65026, Ukraine

PSEUDOPOTENTIAL THEORY OF THE SURFACE ENERGY AND TENSION OF THE LIQUID METALLIC ALLOYS

S.D.Kaim, Odessa National University
2 Dvoryans'ka Str., Odessa, none, 65026, Ukraine

MANYPARTICLE INTERACTIONS IN METALLIC SYSTEMS AND SPONTANEOUS GENERATION OF INHOMOGENEOUS STATES

S.D.Kaim, Odessa National University
Dvorjanskaja, 2, Odessa, none, 65026, Ukraine

A DIFFUSION MOBILITY DATABASE FOR NI-BASE SUPERALLOYS

William J. Boettinger, Metallurgy Division; NIST
Mailstop 8555, Gaithersburg, MD, 20899, USA

ORDERING PROCESS ANALYZED BY PHASE FIELD METHOD, CVM AND PPM

Tetsuo MOHRI, Graduate School of Engineering, Hokkaido University
Kita-13 Nishi-8, Kita-ku, Sapporo, none, 060-8628, JAPAN

FIRST-PRINCIPLES CALCULATION OF LI0-DISORDER PHASE DIAGRAM FOR FE-PD AND FE-PT SYSTEMS

Ying CHEN, RACE, University of Tokyo
Komaba 4-6-1, Meguro-ku, Tokyo, none, 153-8904, JAPAN

MODELLING OF PHASE SEPARATION IN IRON-BASED TERNARY ALLOYS

Yoshiyuki Saito, Waseda University
Dept. of Materials Science and Engineering, 3-4-1 Okubo, Shinjuku-ku, Tokyo, 169-8555, Japan

INVESTIGATION INTO REGULARITY IN BINARY SYSTEMS BY USING "PAULING FILE BINARIES"

Ying CHEN, Research into Artifacts, Center for Engineering (RACE), University of Tokyo
Komaba 4-6-1, Meguro-ku, Tokyo, 153-8904, Japan

AB INITIO STUDY OF VACANCY ORDERING IN TIC_x

P. A. Korzhavyi, Royal Institute of Technology (KTH)
Brinellvagen 23, Stockholm, Stockholm, SE-100 44, Sweden

THERMODYNAMICS OF ALKALI-LANTHANIDE HALIDES SYSTEMS: UNDERSTANDING, AND PREDICTING THE PROPERTIES OF SUCH SYSTEMS

Marcelle Gaune-Escard, Ecole Polytechnique-IUSTI-UMR 6595 CNRS
5 rue Enrico Fermi, Marseille, 13453, FRANCE

TOWARD QUANTITATIVELY ACCURATE ALLOY THEORY: SCREENED GPM INTERACTIONS

A. V. Ruban, Technical University of Denmark
Departemnt of Physics, CAMP, Lyngby, DK-2800, Denmark

SIMULATION OF STRUCTURE AND THERMOPHYSICAL PROPERTIES OF HETEROGENEOUS CONDENSED MIXTURE

S.A. Rashkovsky, Moscow Institute of Heat Technology
Dzerzhinskaja St, 12-24, Dzerzhinskij, Moscow Region, 140090, Russia

ELECTRONIC PROPERTIES OF RANDOM ALLOYS: THE EMTO-CPA THEORY

Igor Abrikosov, Uppsala University
Angstromlaboratory, Box-530, Uppsala, 75121, Sweden

„□, %„Ž, □, „, %„□, Ž OF THE CRITICAL NUCLEUS SIZE OF PRECIPITATES IN THE EDGE OF MISCIBILITY GAP.

Toru Miyazaki, Nagoya Institute of Technology
973-223 Minamiyama, Komenoki-cho., Nisshin., Aichi., 470-0111, Japan

AN ATOMIC SCALE STUDY OF PHYSICAL PROPERTIES OF DELTA PLUTONIUM AND PU:AL ALLOYS

Bruno Siberchicot, CEA/DAM-DIF
BP 12, Bruyeres-le-Chatel, 91680, France

MONTE CARLO STUDY OF THE PRECIPITATION KINETICS OF AL₃ZR IN AL

Emmanuel Clouet, Pechiney, Centre de Recherches de Voreppe
BP27, Voreppe cedex, 38341, France

GINZBURG-LANDAU FUNCTIONALS AT NOT SMALL VALUES OF ORDER PARAMETERS AND THEIR APPLICATIONS TO STUDIES OF INTERPHASE BOUNDARIES IN ALLOYS

V. G. Vaks, RRC Kurchatov Institute
Kurchatov square 1, Moscow, 123182, Russia

STUDY OF STRUCTURAL PHASE TRANSFORMATION AND PHASE STABILITY OF HCP METALS BY STATISTICAL MOMENT AND CLUSTER VARIATION METHODS

K. Masuda-Jindo, Tokyo Institute of Technology
Nagsatsuta 4259, Midori-ku, Yokohama, Kanagawa, 226-8503, Japan

MULTIPHASE-FIELD MODEL FOR MULTICOMPONENT ALLOYS COUPLED TO THERMODYNAMIC DATABASES

B. Böttger, ACCESS e.V.
Intzestrasse 5, Aachen, D-52072, Germany

PHASE-FIELD SIMULATIONS ON MICROSTRUCTURE EVOLUTION IN STEELS

J. Eiken, ACCESS e.V.
Intzestrasse 5, Aachen, D-52072, Germany

COMBINATORIAL DESIGN OF ALLOYS AND MATERIALS INFORMATICS

KRISHNA RAJAN, Rensselaer Polytechnic Institute
Materials Sci & Eng Department, Troy, NY, 12180-3590, USA

THE CONCENTRATION AND TEMPERATURE DEPENDENCE OF SHORT-RANGE ORDER PARAMETERS IN FCC BINARY ALLOYS.

J. S. Faulkner, Alloy Research Center, Department of Physics, Florida Atlantic University
777 Glades Road, Boca Raton, Florida, 33431, USA

QUANTUM CONDUCTANCE OF CARBON NANOTUBES

Madhu Menon, University of Kentucky
Department of Physics, Lexington, KY, 40506, USA

THERMODYNAMICS OF EPSILON IRON AT HIGH PRESSURES AND TEMPERATURES

Surendra K. Saxena, Center for the Study of Matter at Extreme Conditions
Florida International University, VH-150, University Park, Miami, FL, 33199, USA

PRECIPITATION OF DISORDERED NI-X SOLID SOLUTION PHASES IN OFF-STOICHIOMETRIC ORDERED NI₃X ALLOYS

Alan J. Ardell, UCLA
Department of Materials Science and Engineering, Los Angeles, CA, 90095-1595, USA

WETTING BEHAVIOR IN THE CO-PT SYSTEM

LE BOUAR, Yann M., CNRS
LEM, CNRS/ONERA, BP72, Chatillon, 923322, FRANCE

PHASE FIELD MICROELASTICITY MODELING OF EVOLUTION OF COMPLEX STRUCTURES IN SINGLE AND POLYCRYSTALS

Armen G. Khachaturyan, Rutgers University
Department of Ceramic and Materials Engineering, 607 Taylor Rd., Piscataway, NJ, 08854, USA

PARTIAL DISORDER AND BONDING IN A₂B₂O₇ PYROCHLORE SOLID SOLUTIONS AS A FUNCTION OF COMPOSITION AND TEMPERATURE

Bernhardt J. Wuensch, Massachusetts Institute of Technology
Room 13-4037, 77 Massachusetts Avenue, Cambridge, MA, 02139-4307, USA

ANOMALOUS STRUCTURAL AND ELECTRONIC PROPERTIES OF C₃P₄ SOLIDS

Y P Feng, National University of Singapore
Department of Physics, National University of Singapore, Singapore, 117542, Singapore

A THERMODYNAMIC RE-ASSESSMENT OF THE GOLD-TIN SYSTEM

F.H.Hayes, University of Manchester and UMIST
Materials Science Centre, Grosvenor Street, Manchester, England, M1 7HS, United Kingdom

ALLOY THERMODYNAMICS: FROM AB INITIO TO PHENOMENOLOGY

P. E. A. Turchi, Lawrence Livermore National Laboratory
C&MS (L-353), P.O. Box 808, Livermore, CA, 94551, USA

CURRENT AND FUTURE APPLICATIONS OF CALPHAD TECHNOLOGY

Larry Kaufman, Massachusetts Institute of Technology
140 Clark Road, Brookline, Massachusetts, 02445-5848, USA

DEPENDENCE OF ELASTIC CONSTANTS ON ALLOY COMPOSITION

Goran Grimvall, Department of physics
KTH-SCFAB, Stockholm, SE-106 91, Sweden

FIRST-PRINCIPLES CALCULATIONS AND THERMODYNAMIC MODELING OF LAVES PHASES
Zi-Kui Liu, The Pennsylvania State University
Department of Materials Science and Engineering, University Park, PA, 16802, USA

CHECKING EXPERIMENTAL DATA CONSISTENCY BY MEANS OF THE CALPHAD APPROACH.
Suzana G. Fries, Access e. V. RWTH-Aachen
Intzestrasse 5, Aachen, D-52072, Germany

CHARGE TRANSFERS IN METALLIC ALLOYS: A CPA THEORY.

Leon Zingales, Dipartimento di Fisica e INFM, Universita' di Messina
Salita Sperone, Contrada Papardo CP 31, Messina, Me, 98166, Italy

CATIONIC DISORDER INFLUENCE ON *AB INITIO* PHONON MODES IN THE MGAL2O4 SPINEL

Pascal Thibaudeau, Commissariat à l'Energie Atomique
Le Ripault, BP-16, Monts, F-37360, FRANCE

HETEROEPITAXIAL METAL GROWTH WITH INTERMIXING: A DFT-KMC APPROACH

Rossitza Pentcheva, Institute of Crystallography and Applied Mineralogy, University of Munich

COMPUTER SIMULATION OF MOLTEN AND GLASSY SILICA AND ITS MIXTURES WITH SODIUM OXIDE AND ALUMINIUM OXIDE

Kurt Binder, Institut für Physik, Johannes Gutenberg Universität Mainz
Staudinger Weg 7, Mainz, 55099, Germany
T: +49-6131-3923348, F: +49-6131-3925441, kurt.binder@uni-mainz.de
Jürgen Horbach, Institut für Physik, Johannes Gutenberg Universität Mainz
Walter Kob, Laboratoire de Verres, Université Montpellier 2
Anke Winkler, Institut für Physik, Johannes Gutenberg Universität Mainz

Molecular Dynamics simulations of silicium dioxide melts and mixtures with sodium and aluminium oxide are presented, and the static properties of these systems are analyzed, studying coordination numbers, partial structure factors, pair distribution functions, etc. We discuss the extent to which the tetrahedral SiO₄ network is maintained in these melts and corresponding silicate glasses. Also the diffusion mechanism of the various ions is investigated [1]. Comparisons with various experimental data show good agreement and validate the (generalized) BKS-potential used for these simulations [2-4]. This potential has also been used successfully to study the alpha-beta-phase transition of crystalline quartz [5].

[1] J. Horbach, W. Kob, K. Binder: *Chemical Geology* 174, 87 (2001)

[2] J. Horbach, W. Kob: *Phys. Rev. B* 60, 3169 (1999)

[3] K. Binder: *J. Noncryst. Solids* 274, 332 (2000)

[4] J. Horbach, W. Kob, K. Binder: *Eur. Phys. J. B* 19, 531 (2001)

[5] M. H. Müser, K. Binder: *Phys. Chem. Minerals* 28, 746 (2001)

HETEROEPITAXIAL METAL GROWTH WITH INTERMIXING: A DFT-KMC APPROACH

Rossitza Pentcheva, Institute of Crystallography and Applied Mineralogy, University of Munich, Fritz-Haber Institute
Theresienstr. 41, Munich, 80333, Germany
T: +49 89 2180 4352, F: +49 89 2180 4334, pentcheva@lrz.uni-muenchen.de
Kristen Fichthorn, Pennsylvania State University, University Park, U.S.A.
Matthias Scheffler, Fritz-Haber-Institut der MPG, Berlin, Germany

Co on Cu(001) is a model system where growth involves substantial intermixing. This growth mode does not fit in the traditional picture of island nucleation as a result of binary collisions of adatoms on the surface and is not yet well understood. In a combined density-functional theory and kinetic Monte Carlo approach we demonstrate that exchange processes can have important consequences on the scaling behavior of island density and island morphology.

We employ DFT with the FP-LAPW method to identify the basic mechanisms of island nucleation and calculate their activation barriers. These processes include hopping of Co and Cu adatoms on the clean and stepped Cu(001)-surface as well as atomic exchange. Furthermore we investigate the nucleation potential of substitutionally adsorbed Co and its influence on the hopping barrier of adatoms on the surface. The rates of the microscopic processes obtained with DFT are plugged into a kinetic Monte-Carlo (kMC) simulation of the initial growth of Co on Cu(001). The scaling of the island density clearly deviates from the typical Arrhenius behavior and instead exhibits a N shape. This result was confirmed in ion-scattering [1] and STM experiments [2]. The driving mechanisms actuating this unexpected behavior are discussed.

Finally, we investigate the thermodynamic stability of a $c(2 \times 2)$ -surface alloy which was evidenced in STM experiments of a Co monolayer on Cu(001) annealed at 450K [3].

[1] R. Pentcheva, K. Fichthorn, M. Scheffler, T. Bernhard, R. Pfandzelter and H. Winter, to be published.

[2] F. Nouvertne, U. May, M. Bamming, A. Rampe, U. Korte, G. Güntherodt, R. Pentcheva and M. Scheffler, Phys. Rev. B 60, 14382 (1999).

[3] F. Nouvertne, U. May, A. Rampe, M. Gruyter, U. Korte, R. Berndt, and G. Güntherodt, Surf. Sci. 436, L613 (1999).

AN ATOMIC SCALE STUDY OF PHYSICAL PROPERTIES OF DELTA PLUTONIUM AND Pu: Al ALLOYS

Bruno Siberchicot, CEA/DAM-DIF
BP 12, Bruyeres-le-Chatel, 91680, France
T: 01.69.26.73.27, F: 01.69.26.70.77, bruno.siberchicot@cea.fr
B. Amadon, CEA/DAM-DIF
J. Bouchet, CEA/DAM-DIF
G. Jomard, CEA/DAM-DIF
A. Pasturel, Universite de Grenoble

The unusual behavior of plutonium metal is a result of plutonium location at a transition in the actinide series between 5f electrons participating in bonding vs. being localized. This peculiar position in the periodic table leads to its very special physical and chemical properties. For example, plutonium manifests itself in six allotropic forms before it melts and transformations to different crystal structures are accompanied by very large volume changes. In addition the thermal expansion within single-phase field is unusual: positive and very large for alpha monoclinic phase and negative for delta cubic phase. These later fcc phase is retained at room temperature by the addition of small amounts of IIIB elements like aluminium or gallium. Moreover plutonium and its alloys are very sensitive to aging phenomena. Phase stability may be modified under self-irradiation.

In this study, we present atomic-scale simulation of delta plutonium and Pu:Al alloys in the framework of ab initio calculations (LDA+U FPLMTO method) and classical molecular dynamics. Elastic constants of plutonium and solubility limit of aluminium in delta plutonium are calculated in rather good agreement with scarce experimental results. In addition, in order to study the properties of low energy a DMFT approach is discussed.

WETTING BEHAVIOR IN THE Co-Pt SYSTEM

Yann M. Le Bouar, CNRS

LEM, CNRS/ONERA, BP72, Chatillon, 923322, FRANCE

T: 0033146734592, F: 0033146734155, lebouar@onera.fr

Annick Loiseau, LEM, CNRS/ONERA, Chatillon, France

Alphonse Finel, LEM, CNRS/ONERA, Chatillon, France

In the Co-Pt system, a simple cooling experiment can drive a sample ordered in the tetragonal L10 structure (CuAu type) close to the two-phase region involving L10 and the cubic L12 (Cu₃Au type) structure. Using transmission electron microscopy observations, we show that the interfaces between two orientation domains in the L10 structure are decorated by the L12 structure and that the L12 variant formed during this wetting process is related to the characteristics of the orientation domains. Then we focus on the peculiar wetting process of the antiphase boundaries (APB's) in the L10 structure. Our TEM observations show that the APB's are decorated by three new layers: two L12 layers separated by a new L10 layer where the tetragonal axis is normal to that of the bulk domains.

To understand this peculiar wetting process, we study the thermodynamical properties of the [100] orientation and antiphase boundaries in the L10 structure. Calculations are done using an inhomogeneous Cluster Variation Method (CVM) in the tetrahedron-octahedron approximation. Our calculations predict the formation of the observed three new layers during the wetting by the ordered L12 structure of the non conservative [100] APB's in the L10 structure. Finally, we focus on the critical phenomena observed near the triple point where the wetting phenomenon is found very sensitive to the orientation of the interface.

A COMPUTER MODEL OF CARBONITRIDE PRECIPITATION IN STEEL

P. Maugis, IRSID - Arcelor Group
Voie Romaine - BP 30320, Maizières-lès-Metz, F, 57283, France
T: +33 3 87 70 47 79, F: +33 3 87 70 47 12, philippe.maugis@irsid.usinor.com
M. Gouné, IRSID - Arcelor Group
P. Barges, IRSID - Arcelor Group
D. Dougnac, IRSID - Arcelor Group

In microalloyed low carbon steels, the precipitation of niobium with nitrogen and carbon leads to an increase in the strength of the sheet metal. This phenomenon occurs during the thermal processing of the steel: in the austenite phase, the precipitation of the carbonitrides slows down the recrystallisation kinetics, leading to smaller austenite grains; while in the ferrite phase, the occurrence of a dense distribution of precipitates allows for structural strengthening.

We have constructed a computer model of the precipitation kinetics of the carbonitrides that takes into account the composition evolution of the precipitates with time. The model computes the time evolution of each age-class of precipitates, thus constructing step by step the size distribution of the population. This procedure allows for the full coupling of the nucleation, growth and coarsening phenomena.

The model takes advantage of the fast diffusion of nitrogen and carbon compared to niobium to derive the composition, size and rate of formation of the precipitates during their nucleation. A local equilibrium condition is used at the precipitate-matrix interface to derive the growth rate of each precipitate as a function of its size and the current matrix composition. Coarsening occurs naturally on account of the Gibbs-Thomson capillarity effect. For isothermal heat treatments, the calculations show that the precipitates nucleate as almost pure niobium nitrides. They subsequently grow at the expense of solute nitrogen. When nitrogen is exhausted, the solute carbon precipitates and progressively transforms the nitrides into carbonitrides. The coarsening stage leads to a steady state size distribution of niobium carbonitrides of the equilibrium composition.

The precipitate composition, size and number computed as a function of time are compared with experimental data from chemical analysis, microscopy and thermo-electric power measurements.

DEPENDENCE OF ORDERING PROCESS IN Ni-BASED 1 1/2 0 ALLOYS ON ALLOYING ELEMENTS

S. Hata, Interdisciplinary Graduate School of Engineering Sciences, Kyushu University
6-1 Kasugakouen, Kasuga, Fukuoka, 816-8580, Japan

T: +81-92-583-7536, F: +81-92-575-2318, hata@asem.kyushu-u.ac.jp

M. Inoue, Interdisciplinary Graduate School of Engineering Sciences, Kyushu University

N. Kuwano, Advanced Science and Technology Center for Cooperative Research, Kyushu University

Y. Tomokiyo, Interdisciplinary Graduate School of Engineering Sciences, Kyushu University

The ordering processes in fcc-based Ni-Mo and Ni-V alloys have been investigated by means of transmission electron microscopy and Monte Carlo simulation. These alloys exhibit diffuse intensity maxima at $hkl = 1\ 1/2\ 0$ in diffraction patterns for the short-range order (SRO) state. However, the transition process from the SRO to the long-range order (LRO) depends on the alloy system and composition. In the case of the Ni-Mo system, $D1_2$ and/or Pt_2Mo type LRO develops from the $1\ 1/2\ 0$ type SRO, as reported previously. For the Ni-V system, on the other hand, $D0_{22}$ type ordering firstly occurs from the $1\ 1/2\ 0$ type SRO, and $D0_{22}$ and/or Pt_2Mo type LRO then develops. These ordering processes were well reproduced by Monte Carlo simulation using the Ising model when the effective pairwise atomic interactions up to the ninth coordination shells were taken into account. The simulation suggested that (i) the $1\ 1/2\ 0$ type SRO state is commonly rationalized as a mixed state of small segments of $D1_2$, $D0_{22}$ and Pt_2Mo structures; (ii) the SRO-LRO transition processes in the $1\ 1/2\ 0$ alloys strongly depend on the pairwise interactions in longer distances than the fourth coordination distance, or many-body interactions which are not explicitly considered in the present simulation. The differences in the effective pairwise interaction parameters set for the Monte Carlo simulation are discussed in terms of the concentration of free-electrons in the Ni-Mo and Ni-V alloys.

PHASE DISTRIBUTION AND TRANSFORMATION DYNAMICS USING IN-SITU SYNCHROTRON DIFFRACTION METHODS

Joe Wong, Lawrence Livermore National Laboratory
PO Box 808, L-356, Livermore, CA, 94551, USA
T: (925) 423-6385, F: (925) 424-4737, wong10@llnl.gov

Novel site-specific and fast diffraction techniques using synchrotron radiation have recently been developed to map the phases and their solid-state transformation in systems undergoing highly non-isothermal processes such as arc welding¹⁻⁶. These are spatially-resolved x-ray diffraction (SRXRD), and time-resolved x-ray diffraction (TRXRD). AISI 1005, a plain carbon-manganese steel, is a pseudo-binary Fe-C system containing 0.05 wt% carbon. With increasing temperature, the system undergoes the following transformations: alpha(bcc)-gamma(fcc)-delta(bcc)-liquid. In this paper, the phase distribution in the heat-affected zone of this steel welds will be presented. Nature of the solidification product from the liquid pool, and chemical dynamics associated with the bcc-fcc transformation in a positive thermal gradient (heating), and the reverse fcc-bcc transformation in a negative thermal gradient (cooling) are elucidated using a TRXRD mode down to 50 ms. Profile analysis of the observed Bragg peaks yields detailed information on the microstructural evolution in real time and space. In-situ phase data of this sort will provide the much needed experimental inputs to realistic modeling of transformation kinetics in fusion welds, and to validate various kinetic models of phase transformation in non-isothermal systems in general.

(1)Wong et al., J. Mater. Sc. 32, 1493 (1997); (2)Elmer et al., Met. Mat. Trans. 29A, 2761 (1998) ; (3)Ressler et al., J. Phys. Chem. B102, 10724 (1998); (4)Elmer et al. Met. Mater. Trans..32A, 1175 (2001); (5)T. Palmer et al., Sci. Tech. Welding and Joining, (2002) in press; (6)Wong et al., to be published.

MULTIPHASE-FIELD MODEL FOR MULTICOMPONENT ALLOYS COUPLED TO THERMODYNAMIC DATABASES

B. Böttger, ACCESS e.V.
Intzestrarre 5, Aachen, D-52072, Germany
T: 0049-241-8098008, F: 0049-241-38578, b.boettger@access.rwth-aachen.de
J. Eiken, ACCESS e.V.
S. G. Fries, ACCESS e.V.
I. Steinbach, ACCESS e.V.

The phase-field method is a powerful tool for describing the spacial evolution of interfaces between different phases. In contrary to sharp-interface methods phase boundaries are described as a continuous transition between the phases. The phase-field equation allows the interfaces to move and to develop complex morphologies without need for front-tracking algorithms.

In multicomponent alloys a suitable description of the thermodynamic properties is very important, especially if the composition is far from the dilute solution limit. In this case thermodynamic databases should be coupled to the phase-field code.

In this paper a multiphase-field model coupled to thermodynamic databases is presented which is able to handle multicomponent and multiphase evolution of morphology on a microscopic scale. Databases which are assessed according to the CALPHAD approach are connected online to the phase-field code using a thermodynamic software package. Multi-binary extrapolation is used to reduce calculation time and thus to make the simulation of realistic systems viable.

A unit cell approach is used to apply our phase-field model to remelting of Ni-base superalloys. Remelting conditions are locally considered as a directional solidification under high thermal gradients. From the results segregation pattern, secondary phase formation, incipient melting temperatures as well as homogenisation times and temperatures can be predicted which are important parameters for the further development of steam turbine alloys.

**THE CONCENTRATION AND TEMPERATURE DEPENDENCE OF SHORT-RANGE ORDER PARAMETERS IN FCC
BINARY ALLOYS**

J. S. Faulkner, Alloy Research Center, Department of Physics, Florida Atlantic University
777 Glades Road, Boca Raton, Florida, 33431, USA
T: (561) 297-2695, F: (561) 297-2662, faulkner@fau.edu
Silvia Pella, Aurelian Rusanu, Yevgeniy Puzyrev, Alloy Research Center,
Department of Physics, Florida Atlantic University

The phase boundaries for binary substitutional alloys on a face-centered-cubic Bravais lattice calculated with the Monte Carlo method have been reported in the literature. The Warren-Cowley short-range order parameters (SROP) have not been studied extensively. The temperature dependence of the SROP for several concentrations will be shown for Ising models with attractive and repulsive nearest- and next-nearest-neighbor interactions. The results of these calculations will be used to illustrate the features of experimental SROP that are simply generic and those that might indicate special features of atomic interactions. A connection between the SROP and the Coulomb potential is also pointed out.

ANOMALOUS STRUCTURAL AND ELECTRONIC PROPERTIES OF C_3P_4 SOLIDS

Y P Feng, National University of Singapore

Department of Physics, National University of Singapore, Singapore, 117542, Singapore

T: ++65 6874 2960, F: ++65 6777 6126, phyfyp@nus.edu.sg

A. Lim, Department of Physics, National University of Singapore

J. C. Zheng, Cavendish Laboratory, University of Cambridge

Group IV nitrides such as C_3N_4 , Si_3N_4 and Ge_3N_4 are candidates for high-performance engineering materials due to their high bulk moduli and wide band gaps. However, no research has yet been done on the properties of group IV phosphides. We begin the theoretical investigation of the group IV phosphides by undertaking a computational study of the structural and electronic properties of carbon phosphide. To date, no research has been done on carbon phosphide although the possible existence of C_3P_4 has been postulated together with that of C_3N_4 , previously a hypothetical material.

Hypothetical C_3P_4 can be obtained by substitution of N for P in C_3N_4 . Considering the success of first-principles calculations in predicting the electronic and structural properties of C_3N_4 , we have performed first-principles total energy calculations based on pseudopotential and plane-wave method on C_3P_4 to investigate the stability of various possible structures. As we are not aware of any experimental data on crystalline carbon phosphide of any sort, we decided to begin with possible configurations previously suggested for C_3N_4 with N substituted by P.

Unlike C_3N_4 , our calculations predict that pseudocubic- C_3P_4 is energetically favored relative to α - C_3P_4 and β - C_3P_4 . The pseudocubic phase exhibits exceptional mechanical stability among the various structures considered. The pseudocubic phase has the lowest compressibility with the highest bulk modulus of 203 GPa among the possible crystal configurations. Being the structure with the highest density among the various phases considered, we do not expect any pathway for phase transition from the pseudocubic phase to other structural forms under pressure. Furthermore, band structure calculation reveals that pseudocubic- C_3P_4 is metallic within the local density approximation (LDA), with significant overlap between the valence and conduction bands. This suggests that if pseudocubic- C_3P_4 can be synthesized, it may be the first 3-D conducting crystal consisting of non-metallic elements.

CHECKING EXPERIMENTAL DATA CONSISTENCY BY MEANS OF THE CALPHAD APPROACH

Suzana G. Fries, Access e. V. RWTH-Aachen
Intzestrassse 5, Aachen, D-52072, Germany
T: +49 241 8098013, F: +49 241 38578, sufries@mf.mpg.de

When collecting experimental data related to the Gibbs energy, and its derivatives for the phases in a given system, many contradictory information is found even after a careful analysis and evaluation of the raw data published. As the CALPHAD method uses parametric models for the Gibbs energies of the different phases, and relies on experimental data for the determination of these model parameters, better the selected data, better the model parameters are determined which implies in more reliable extrapolations to unknown composition and temperature conditions and to metastable equilibria. As the method combines several types of experimental results, it can happen that contradictory information is only explicitly found after a first model parameter optimization. It can also happen that redundant experimental information coming from distinct but related derivatives of Gibbs energies leads to difficulties in the convergence of the least squares procedure. Both cases require external action of the assessor who takes decisions that depend very much on his expertise. Examples will illustrate these facts.

MODELLING OF PHASE SEPARATION IN IRON-BASED TERNARY ALLOYS

Yoshiyuki Saito, Waseda University

Dept. of Materials Science and Engineering, 3-4-1 Okubo, Shinjuku-ku, Tokyo, 169-8555, Japan
T: 3-5286-3314, F: 3-5286-3314, ysaito@mn.waseda.ac.jp

A theoretical model on the basis of the Cahn-Hilliard equation for multicomponent systems has been applied to the investigation of phase separation in Fe-X-Y ternary system, where X and Y are substitutional alloying elements and the concentration of the X element is higher than or equal to that of the Y element. Variation in the concentration of Y element at the peak positions of the X element was investigated with use of the model. From the analyses described above the asymptotic behavior of the minor element, Y, in an Fe-X-Y ternary alloy along a trajectory of a peak top of the major element, X, formed by phase separation is classified into three groups according to the sign of second @derivative of local free energy with respect to the concentrations of the X and the Y elements, f_{xy} . Group 1 ($f_{xy} > 0$): The concentration of the Y element along the trajectory of the peak top of the X decreases with time. Group 2 ($f_{xy} < 0$, $f_{xy} < 0$, t_0): At the initial stage, peaks of the concentration of the Y element formed at the same positions of the peaks tops of the X. Bifurcation of peaks occurs at the later stage. Numerical simulations of phase separation in Fe-Cr-Mo ternary alloys demonstrated the validity of the above prediction

**REJUVENATION OF DEFORMATION-INDUCED INTERGRANULAR CAVITIES
BY MAGNETIC FIELD ANNEALING**

Tadao Watanabe, Shuichi Nishizawa, and Sadahiro Tsurekawa
Laboratory of Materials Design and Interface Engineering
Department of Machine Intelligence and Systems Engineering
Graduate School of Engineering, Tohoku University, Sendai, Japan

Cavities and microcracks formed at grain boundaries can grow and connect to each other, causing intergranular fracture associated with severe brittleness of polycrystalline materials serving at high temperatures and in reactive environments. Different types of embrittlement such as creep embrittlement, oxidation embrittlement and stress corrosion cracking are always associated with intergranular fracture. Grain boundary engineering has been successfully applied to the control of different types of intergranular brittleness in polycrystalline materials by T. Watanabe and S. Tsurekawa (Acta Mater., 47(1999), 4171-4185).

Now a new type of approach to grain boundary engineering has been performed to obtain a basic knowledge of the rejuvenation of damaged polycrystalline ferromagnetic material, which contains intergranular cavities caused by high temperature deformation, by annealing in high magnetic fields up to 6T at temperature below the Curie temperature in an iron-cobalt alloy. In this work, polycrystalline specimens were deformed to a certain level of plastic strain ($\epsilon = 0.03, 0.06, 0.1, 0.2$) at 1023K and a strain rate of $3 \times 10^{-4} \text{ s}^{-1}$. The density of damaged specimens was determined and then the specimens were annealed in a magnetic field. It was found that intergranular cavities formed preferentially at random high energy boundaries at early stage of deformation. It was also found that the degree of rejuvenation determined by density measurements strongly depends on the level of plastic strain and the magnetic field strength. This is the first demonstration that magnetic field annealing is powerful to rejuvenate damaged polycrystalline materials with intergranular cavities. This newly developed processing method may be applicable to the rejuvenation of other damaged ferromagnetic materials.

COMBINATORIAL DESIGN OF ALLOYS AND MATERIALS INFORMATICS

Krishna Rajan, Rensselaer Polytechnic Institute
Materials Sci & Eng Department, Troy, NY, 12180-3590, USA
T: 518-276-6126, F: 518-276-8554, rajank@rpi.edu
Ichiro Takeuchi, University of Maryland

In this paper we provide a description of the use of combinatorial methods to design new alloys. Using novel processing strategies coupled with high throughput screening methods, we describe the methods by which complex alloy phase diagrams may be developed simultaneously with a mapping of physical properties. When coupled with multivariate statistics and data mining tools, one can begin to explore a vast parameter space in alloy development that can revolutionize and accelerate the pace of materials discovery. The value of such approaches when integrated into traditional computational and experimental strategies in alloy development is emphasized. The paper builds on examples of alloy development in multicomponent systems ranging from magnetic materials to multifunctional ceramics.

DEPENDENCE OF ELASTIC CONSTANTS ON ALLOY COMPOSITION

Goran Grimvall, Department of Physics
KTH-SCFAB, Stockholm, SE-106 91, Sweden
T: +46-8-5537 8160, F: +46-8-5537 8470, grimvall@theophys.kth.se

The variation in the elastic shear constants in the fcc and bcc lattice structures of transition metals and their alloys is considered as a function of composition, i.e. as a function of the number of electrons per atom, e/a . Because the fcc and bcc structures appear as stable phases only in certain intervals of e/a , the experimental information is incomplete with respect to the variation through the 3d, 4d and 5d transition metal series. Ab initio electron structure calculations can give elastic shear constants with such an accuracy that they may fill gaps where experimental data are not available. In particular, it is common that the fcc lattice structure of an element or alloy is dynamically unstable, i.e. has a negative shear constant, when the bcc structure is the most stable phase, and vice versa. When information for such unstable phases is included, the shear constants show a very regular behavior as a function of e/a , similar to the variation in the cohesive energy difference between the fcc and bcc structures.

ELECTRONIC PROPERTIES OF RANDOM ALLOYS: THE EMTO-CPA THEORY

Igor Abrikosov, Uppsala University
Angstromlaboratory, Box-530, Uppsala, 75121, Sweden
T: +46(0)-18-4713568, F: +46(0)-18-511784, Igor.Abrikosov@fysik.uu.se
Levente Vitos, Royal Institute of Technology, Sweden
Par Olsson, Uppsala University, Sweden
Alex Landa, Lawrence Livermore National Laboratory, USA
Vitaly Baykov, Moscow Institute of Steel and Alloys, Russia

Within the framework of the *exact muffin-tin orbitals* (EMTO) theory we have developed a new method to calculate the electronic structure and the total energy for random substitutional alloys. The problem of disorder is treated within the *coherent potential approximation* (CPA), and the total energy is obtained using the *full charge density* (FCD) technique.

Examples of applications of the FCD-EMTO-CPA method are presented. In particular, we show that it is suitable for determination of energy changes due to anisotropic lattice distortions in random alloys. We calculate the elastic constants of the Cu-rich fcc Cu-Zn alloys and optimize the *c/a* ratio for the hcp Zn-rich alloys. Mixing enthalpies are calculated for fcc, bcc and hcp Cu-Zn alloys in the complete concentration interval. The stability of *two different* hcp phases is discussed. Thermodynamic properties are also calculated for Fe-Cr alloys, and the effect of magnetic moment disorder on the mixing enthalpies is illuminated. The effect of high pressure on the phase stability is investigated for Fe-Si alloys. The method is also applied for a study of an effect of doping on phase stabilities of complex oxides.

CHARGE TRANSFER AND STRAIN EFFECTS IN DISORDERED ALLOYS

Vaclav Drchal, Institute of Physics AS CR
Na Slovance 2, Praha 8, none, CZ-182 21, Czech Republic
T: +420-2-66052926, F: +420-2-86890527, drchal@fzu.cz
Josef Kudrnovsky, Institute of Physics AS CR
Ilja Turek, Institute of Physics of Materials AS CR
Morrel H. Cohen, Rutgers Univesity, NJ
Subhradip Ghosh, Rutgers Univesity, NJ

We study the energetics of disordered alloys on an ab initio level using the TB-LMTO-CPA method. The charge-fluctuation energy is included within the Thomas-Fermi approximation. The elastic energy arising from size differences among the constituents is treated as a deformation energy of an effective continuous medium embedding the atoms. The theory is applied to various alloy systems such as Al-Li and Au-Cu. We find quite a good agreement with experimental data and calculations by other authors.

ORIGINS OF NON-STOICHIOMETRY AND VACANCY ORDERING IN TITANIUM CARBIDE.

Barry M. Klein, University of California
Room 408 Mrak Hall, One Shields Avenue, Davis, California, 95616, USA
T: 530-752-4091, F: 530-754-2100, bmklein@ucdavis.edu
Gus L. W. Hart, Northern Arizona University

While most stable compounds have fixed Daltonian ratios of their constituents (e.g., 1:1 ratio in ZnS, NaCl, GaAs), some materials exhibit significant nonstoichiometry, even at low temperatures. Perhaps the best known examples are NaCl-structure early transition-metal nitrides and carbides. One such example, TiC, exhibits this peculiar property of preferring the presence of vacancies (up to 50%) over a purely stoichiometric structure. Moreover, these vacancies order spatially in unusual structures. We consider TiC with vacancies as a binary alloy and express the energy of any of the 2^N configurations in a mixed-basis cluster expansion obtained from ab initio calculations of 30 ordered structures. A ground state search of all possible configurations reveals that, indeed, an ordered array of vacancies has the lowest energy. We show systematic features in the electronic structure that help explain the preference for vacancies.

THEORETICAL STRENGTH, MAGNETISM AND STABILITY OF INTERMETALLIC COMPOUNDS

M. Sob, Institute of Physics of Materials, Acad. Sci. of the Czech Republic
Zizkova 22, Brno, CZ-616 62, Czech Republic
T: +420-5-32290455, F: +420-5-41212301, mojmir@ipm.cz
D. Legut, Institute of Physics of Materials, Brno, Czech Republic
M. Friak, Institute of Physics of Materials, Brno, Czech Republic
L.G. Wang, Institute of Physics of Materials, Brno, Czech Republic
V. Vitek, University of Pennsylvania, Philadelphia, U.S.A.

Theoretical strength and stability of intermetallic compounds is studied by means of first-principles electronic structure calculations. Tensile test is simulated under fully relaxed conditions and ideal tensile strength is determined for NiAl, MoSi₂ and WSi₂. The importance of presence or absence of higher-symmetry structures along the deformation path for the shape of the total energy profile is stressed. In Ni₃Al, changes in magnetic behavior along the trigonal and tetragonal displacive phase transformation paths are investigated. Both L1₂ and D0₃ structures are considered. The interphase boundaries between the ferromagnetic and non-magnetic phases are found. The magnetic moments and elastic properties of high-symmetry structures are compared to available experimental data.

ELASTIC ADSORBATE-ADSORBATE INTERACTIONS MEDIATED BY SUBSTRATE DEFORMATIONS

Alain Pasturel and Philippe Peyla, CNRS-UJF
LPMMC Maison des Magisteres, BP 166 CNRS, GRENOBLE, 38042, FRANCE
T: 33 4 76 88 79 85, F: 33 4 76 88 79 83, pasturel@polycnrs-gre.fr

We calculate the elastic interaction energy between two oxygen atoms on a graphite basal plane surface by atomic ab initio calculations and continuum theory of elasticity. The comparison between the results obtained with the two different methods, despite their usual length scale domain of application, is very good; attractive and repulsive behaviors are found. This type of interaction could play an important role in the self-organization of oxygen atoms on a graphite surface.

ORDERING PROCESS ANALYZED BY PHASE FIELD METHOD, CVM AND PPM

Tetsuo Mohri, Graduate School of Engineering, Hokkaido University
Kita-13 Nishi-8, Kita-ku, Sapporo, none, 060-8628, JAPAN
T: +81-11-706-6348, F: +81-11-706-6348, tmohri@eng.hokudai.ac.jp
M. Ohno, Graduate School of Engineering, Hokkaido University

By combining Phase Field Method (PFM) with Cluster Variation Method (CVM), ordering processes associated with L10 ordered phase at a fixed 1:1 stoichiometric composition are analyzed. The emphasis is placed on the cooperative phenomenon from atomistic to microstructural scales.

For disorder-order relaxation process, Nucleation-Growth process and Spinodal Ordering process are not distinguishable in the atomistic scale. However it can be shown by a simple one-dimensional calculation that the former proceeds by the lateral motion of the ordered domain boundary while the latter is characterized by the gradual and homogeneous enhancement of Long Range Order for an entire specimen. Two-dimensional calculation is also attempted, and triple point junction of APB is reproduced when the free energy is formulated by properly considering the variants of ordered domain.

For order-order relaxation process, the present study distinguishes three kinds of relaxations; (1)atomistic, (2)wetting and (3)movement of Anti Phase Boundary. Each process is distinguished by different time constant, and (1) and (2) are well fitted in the conventional exponential function.

Path Probability Method (PPM) has been known as the natural extension of the CVM to time domain. Comparison of disorder-order transition kinetics is attempted between PPM and CVM-PFM. It is confirmed that for near-equilibrium transition, both methods trace nearly isomorphic kinetic paths on the free energy contour surface, while for far-from-equilibrium transition the deviation is emphasized.

MICROSCOPICAL THEORY OF THE BIMETALLIC INTERFACE: ADHESION ENERGY OF THE SPHERICAL INCLUSION AND MATRIX

Ya.S.Kaim, Odessa National University
2 Dvoryans'ka Str., Odessa, none, 65026, Ukraine
T: +38(0482)634898, F: +38(0482)494808, vivat-od@inbox.ru
S.D.Kaim, Odessa National University

In framework of the manyparticle self-consistent theory and pseudopotential conception the expression for energy of bimetallic system of the spherical inclusion and matrix for any order of the pseudopotential perturbation theory is obtained. In second order the adhesion energy of the spherical inclusion and matrix is calculated. The adhesion energy in terms of the surface energy of spherical metal particle, surface energy of spherical void in metal matrix and "interfacial energy" of the inclusion-matrix system is expressed. The full self-consistent systems of equations for description of the electronic and ionic structures of the metallic particle, spherical void in metal matrix and for inclusion-matrix system are obtained. In second order of the pseudopotential perturbation theory the expressions for surface energy of the spherical particle, for surface energy of the spherical void in metal matrix and for "interfacial energy" of the inclusion-matrix system are obtained. For all enumerated thermodynamic functions the pair interparticle interactions and correlations taken into account. The surface energy of the metal particle, surface energy of the spherical void in metal matrix and "interfacial energy" have size dependence. All results are suitable for bimetallic inclusion-matrix system in arbitrary phase state (solid, liquid, amorphous)

MECHANICAL PROPERTIES OF ALUMINA-BASED COMPOSITES HARDENED BY CrC AND DIAMONDS

M. Istomin, NAMATEX System Division, Institute of Machine Reliability (INDMASH)
Lesnoe 19 - 62, Minsk, none, 223052, Belarus
T: 011-375-17-2023771, F: 011-375-17-2023771, indmash@rambler.ru
M. Kireitseu, NAMATEX System Division, Institute of Machine Reliability (INDMASH)
S. Yerakhavets, NAMATEX System Division, Institute of Machine Reliability (INDMASH)

The possibility to manufacture materials with a functional gradient of mechanical properties such as hardness, toughness and wear resistance by electrophoresis have been investigated. Al₂O₃/CrC and Al₂O₃/ultra dispersed diamonds functionally graded composites were processed by electrophoretic deposition, pyrolytic deposition and pressureless sintering in air. The composites show a continuous variation in composition and microstructure. The Vickers hardness was found to increase continuously in the depth, whereas the indentation fracture toughness decreases along the same direction. In the Al₂O₃/CrC composite, the hardness increases from 12 to 16 GPa, whereas the toughness decreases from 3,5 to 2,7 MPa m^{1/2}. In the Al₂O₃/ultra dispersed diamonds composite, the hardness increases from 12 to 19 GPa, and the toughness decreases from 3,5 to 2,9 MPa m^{1/2}. The most challenging problems in the processing are found to be the cracking of the deposit during drying and the cracking of the sintered body during heating. At the moment, the production of small specimens without cracking is possible, but the production of large parts still remains a challenge. The solution of the cracking problem needs more laboratory experience and the support of theoretical calculations of material properties and residual thermal stresses in graded materials. From the above mentioned experiments, we can conclude that it is feasible to produce the graded tribological composite based on alumina by electrophoretic forming and pressure less sintering. A continuous gradient of composition in the composites can be produced by changing the composition of the suspension during electrophoretic deposition and is maintained after sintering.

ENGINEERING FOUNDATION CONFERENCES

Alloy Conference

Estoril Sol
Estoril, Portugal
June 30, 2002 to July 05, 2002

PARTICIPANTS LIST

ABRIKOSOV, IGOR

Uppsala University
Angstromlaboratory
Box-530
Uppsala 75121,
Sweden
Tel.: 46-18-471-3568
Fax: 46-18-511-784
Email: Igor.Abrikosov@fysik.uu.se

ARDELL, ALAN

University of California
Materials Science & Engineering Dept.
6531-G Boelter Hall
Los Angeles, CA 90095-1595
USA
Tel.: 310-825-7011
Fax: (310) 206-7353
Email: aardell@ucla.edu

BINDER, KURT

Professor
Johannes Gutenberg Universitat Mainz
Institut Fuer Physik
Staudinger Weg 7
Mainz 55099,
Germany
Tel.: 49-6131-3923348
Fax: 49-6131-3925441
Email: kurt.binder@uni-mainz.de

BOETTGER, BERND

ACCESS E.V.
Intzestrasse 5
Aachen, D-52072,
Germany
Tel.: 49-241-809-8008
Fax: 49-241-385-78
Email: b.boettger@access.rwth-aachen.de

BOETTINGER, WILLIAM

Metallurgist
NIST Metallurgy Division
100 Bureau Dr., MS 8555
Room A153, BD 223
Gaithersburg, MD 20899
USA
Tel.: 301-975-6160
Fax: 301-975-4553
Email: wboettinger@nist.gov

BRUNO, EZIO

Universita' Di Messina Dipartimento Di Fisica
Contrada Papardo
Salita Sperone
Messina, ME, 98166,
Italy
Tel.: 39-090-393-713
Fax: 39-090-676-5042
Email: bruno@dsme01.unime.it

PARTICIPANTS LIST

GAUNE-ESCARD, MARCELLE

Ecole Polytechnique
IUSTI-UMR 6595 CNRS
5 Rue Enrico Fermi
Marseille 13453,
France
Tel.: 33-4-9110-6887
Fax: 33-4-9111-7439
Email: Marcelle.Gaune-Escard@polytech.univ-mrs.fr

HATA, SATOSHI

Kyushu University Interdisc. Grad. School of Eng
6-1 Kasugakouen
Kasuga, Fukuoka, 816-8580,
Japan
Tel.: 81-92-583-7536
Fax: 81-92-575-2318
Email: hata@asem.kyushu-u.ac.jp

GONIS, ANTONIOS

Lawrence Livermore Nat'l Labs.
L-353
Livermore, CA 94551
USA
Tel.: 925-422-7150
Fax: 925-423-7040
Email: gonis1@llnl.gov

HAYES, FRED

Visiting Reader
University of Manchester
Materials Science Centre
Grosvenor Street
Manchester M1 7HS,
United Kingdom
Tel.: 44-161-200-3566
Fax: 44-161-200-3586
Email: fred.hayes@umist.ac.uk

GRIMVALL, GORAN

Royal Institute of Technology KTH-SCFAB
Theory of Materials
SE-106 91 Stockholm,
SWEDEN
Tel.: 46-8-5537-8160
Fax: 46-8-5537-8470
Email: grimvall@theophys.kth.se

HEHENKAMP, THEODOR

Professor
Georg-August Univ. Gottingen
Institut fur Metallphysik
Hospitalstrasse 3-7
D-37073 Gottingen,
GERMANY
Tel.: 49-551-794-903
Fax: 49-551-395-012
Email:

GUY, BERNARD

Professor
Ecole Des Mines
158 Cours Fauriel
Saint-Etienne 42023,
France
Tel.: 33-4-7742-0164
Fax: 33-4-7742-0000
Email: guy@emse.fr

HICKERNELL, BARBARA

Director
Engineering Conferences International
3 Park Avenue
27th Floor
New York, NY 10016-5902
USA
Tel.: 1-212-591-7836
Fax: 1-212-591-7441
Email: engfnd@aol.com

PARTICIPANTS LIST

MAUGIS, PHILIPPE

Research Engineer
IRSID - Arcelor Group
Voie Romaine - BP 30320
Maizieres-les-Metz 57283,
France
Tel.: 33-387-704779
Fax: 33-387-704712
Email: philippe.maugis@irsid.usinor.com

MEIKE, ANNEMARIE

Lawrence Livermore Nat'l Lab
L-201
Livermore, CA 94551
USA
Tel.: 925-422-3735
Fax: 925-423-8988
Email: meike1@llnl.gov

MENON, MADHU

University of Kentucky
Physics Department
Lexington, KY 40506
USA
Tel.: 859-257-8737
Fax: 859-323-1029
Email: madhu@ccs.uky.edu

MILICI, ANTONIO

Graduate Student
University of Messina
Department of Physics
Contrada Papardo Salita Sperone
Messina 98166,
Italy
Tel.: 39-090-393-713
Fax: 39-090-676-5042
Email: amilici@dsme01.unime.it

MOHRI, TETSUO

Professor
Hokkaido University
Graduate School of Engineering
Kita-13, Nishi-8, Kita-ku
Sapporo 060-8628,
JAPAN
Tel.: 81-11-706-6348
Fax: 81-11-706-6348
Email: tmohri@eng.hokudai.ac.jp

NISHIZAWA, SHUICHI

Graduate Student
Tohoku University
Aramaki-Aza-Aoba
Aoba-Ku 01
Sendai, Miyagi 980-8579,
Japan
Tel.:
Fax: 81-22-217-6903
Email:

PENTCHEVA, ROSSITZA

University of Munich
Inst. of Crystallography
Theresienstrasse 41
Munich 80333,
Germany
Tel.: 49-89-2180-4352
Fax: 49-89-2180-4334
Email: pentcheva@lrz.uni-muenchen.de

PFEILER, WOLFGANG

University of Vienna
Institut für Materialphysik
Strudlhofgasse 4
A-1090 Vienna,
AUSTRIA
Tel.: 43-1-4277-51309
Fax: 43-1-42-779-513
Email: pfeiler@ap.univie.ac.at

PARTICIPANTS LIST

TURCHI, P.E.A.

Senior Research Scientist
Lawrence Livermore Nat'l Labs.
C&MS L-353
P.O. Box 808
Livermore, CA 94551
USA
Tel.: 925-422-9925
Fax: 925-423-7040
Email: turchi1@llnl.gov

VAKS, VALENTIN

Principial Researcher
RRC Kurchatov Institute
Kurchatov Square 1
Moscow 123182,
RUSSIA
Tel.: 7-095-1969826
Fax: 7-095-8825804
Email: vaks@mbslab.kiae.ru

WATANABE, TADAO

Professor
Tohoku University
Aramaki-Aza-Aoba
Aoba-Ku 01
Sendai Miyagi 980-8579,
Japan
Tel.: 81-22-217-6902
Fax: 81-22-217-6903
Email: watanabe@mdie.mech.tohoku.ac.jp

WONG, JOE

Lawrence Livermore Nat'l. Lab.
P.O. Box 808
L-356
Livermore, CA 94551
USA
Tel.: 925-423-6385
Fax: 925-424-4737
Email: wong10@llnl.gov

WUENSCH, BERNHARDT

Professor
M.I.T.
Ceramics Division 13-4037
77 Massachusetts Avenue
Cambridge, MA 02139-4307
USA
Tel.: 617-253-6889
Fax: 617-253-5827
Email: wuensch@mit.edu

ZINGALES, LEON

Graduate Student
University of Messina
Department of Physics
Salita Sperone Contrada Papardo
Messina 98166,
Italy
Tel.: 39-090-393-713
Fax: 39-090-676-5042
Email: zingales@dsme01.unime.it