

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188,) Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE January 28, 2002	3. REPORT TYPE AND DATES COVERED 15/APR/98 – 30/SEP/02	
4. TITLE AND SUBTITLE Modeling of Radiation from High Temperature Chemically Reacting Flows			5. FUNDING NUMBERS DAAG55-98-1-0236	
6. AUTHOR(S) Deborah A. Levin				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Pennsylvania State University Department of Aerospace Engineering 233 Hammond Bldg. University Park, PA 16802			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER P-38700.8-EG-SDI	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12 a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The interaction of a jet from a 60-lbf thruster positioned on the side of a small rocket, using the direct simulation Monte Carlo method (DSMC) was applied to model the three-dimensional jet-atmosphere interaction. Chemical reactions between free stream and plume species were included in the simulations. Altitudes of 80 to 160~km and velocities of 3, 5 and 8 km/sec were considered. Chemical reactions between free stream and plume species were included in the simulations. Both uniform and non-uniform conditions were used at the thruster exit. A Navier-Stokes solver was used to calculate flow inside the thruster and in the near field of the plume. A two-stage DSMC numerical strategy was then used to calculate the plume, with sequential computations of an axisymmetric plume coreflow and three-dimensional plume-freestream interaction. The impact of rocket velocity and altitude on the plume-atmospheric interaction in terms of species produced by chemical reactions that can contribute to UV and MWIR radiation was examined. The UV radiation due to the NO and OH species has been computed and is sufficiently high such that an imager filtered to the 250 and 310 nm pass bands would be able to detect this radiation. These methodology is now being applied to generic cases related to the Miniaturized Kill Vehicle (MKV).				
14. SUBJECT TERMS			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used for announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to ***stay within the lines*** to meet ***optical scanning requirements***.

Block 1. Agency Use Only (Leave blank)

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, and volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s) project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es) Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. (if known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as; prepared in cooperation with....; Trans. of....; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement.

Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NORFORN, REL, ITAR).

DOD - See DoDD 4230.25, "Distribution Statements on Technical Documents."
DOE - See authorities.
NASA - See Handbook NHB 2200.2.
NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave Blank
DOE - Enter DOE distribution categories from the Standard Distribution for unclassified Scientific and Technical Reports
NASA - Leave Blank.
NTIS - Leave Blank.

Block 13. Abstract. Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subject in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (NTIS *only*).

Block 17. - 19. Security Classifications. Self-explanatory. Enter U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (Unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

REPORT DOCUMENTATION PAGE (SF298)
(Continuation Sheet)

1) List of Manuscripts:

Gimelshein, N.*, D.A. Levin and S.F. Gimelshein*, "Numerical Analysis of OH Product Mechanisms in a Hypersonic Flow at High Altitudes," (Contributing Author, Supervised Lead Author), Accepted to the AIAA Journal, Jan 31, 2002. – peer reviewed

Gimelshein, N. E.*, Gimelshein, S. F., and D. A. Levin, "Vibrational relaxation rates in the direct simulate Monte Carlo method," *Physics of Fluids*, December 2002, Vol. 14, No. 12, pp. 4452-4455.. (Contributing Author, Supervised Lead Author)

Manuscripts in preparation:

Benson, C.M.*, S. Gimelshein*, D. Levin, and A. Montaser, "Consideration of Coalescence in a Direct Simulation Monte Carlo Aerosol Model," to be submitted to *Spectro-chimica Acta.*, (Contributing Author, Supervised Lead Author)

D. Levin , Benson, C.M.*, S. Gimelshein*, and A. Montaser, "An Advanced Model for the Determination of Aerosol Droplet Lifetime in a High-Temperature Environment," currently being prepared for the *Journal of Fluid Mechanics* (Principal author).

2) List of Conference Papers:

Benson, C.M.*, S. Gimelshein*, D. Levin, and A. Montaser, "Modeling of Droplet Evaporation and Coalescence for Direct Injection into an Inductively Coupled Plasma," AIAA Paper No. 2001-3037, 35th AIAA Thermophysics Conference, Anaheim, CA, June 2001.

Gimelshien, N., D. Levin+, F. Gimelshein, "Numerical Modeling of OH Production in High-Temperature Rarefied Flows With the DSMC Method," AIAA Paper No. 2001-2892, 35th AIAA Thermophysics Conference, Anaheim, CA, June 2001.

Gimelshein, S., Alexeenko, A, and D. Levin, + "Modeling of Chemically Reacting Flows from a Side-jet at High Altitudes," *AIAA Paper No. 2002-0212*, 40th Aerospace Sciences Meeting & Exhibit, NV, January 2002.

Gimelshein, S., Levin, D., Markelov, G., Kudryavtsev, and Ivanov, M., "Statistical Simulation of Laminar Separation in Hypersonic Flows: Numerical Challenges," *AIAA Paper No. 2002-0736*, 40th Aerospace Sciences Meeting & Exhibit, NV, January 2002.

Levin, D.+ , Benson, C., Gimelshein, S., and A. Montaser, "Simulation of Droplet Heating in an Inductively Coupled Plasma," , Paper No. 2C03, 2002 IEEE International Conference on Plasma Science, May 2002, Banff, Alberta, Canada.

Benson, C. M., Zhong, J., Gimelshein S., Levin, D.,+ “A General Model for the Simulation of Aerosol Droplets in a High-Temperature Environment,” *AIAA Paper No. 2002-3181*, 32nd AIAA Fluid Dynamics Conference, June 2002, St. Louis, Missouri.

Gimelshein, N., Gimelshein, S., Ivanov, M., D. Levin+, Wysong, J., “Reconsideration of DSMC Models for Internal Energy Transfer and Chemical Reaction,” 23rd International Symposium on Rarefied Gas Dynamics, 21-25 July 2002, Whistler, British Columbia, Ca.

Benson, C., Gimelshein, S., Levin, D.,+ and Montaser, A., “A Direct Simulation Monte Carlo Model for the Determination of Aerosol Behavior in a High-Temperature Environment,” 23rd International Symposium on Rarefied Gas Dynamics, 21-25 July 2002, Whistler, British Columbia, Ca.

3) Scientific Personnel:

Deborah A. Levin, Sergey Gimelshein, Robert Collins, Craig Benson, Alina Alexeenko, Natalia Gimelshein, Jianqiang Zhong.

4) Scientific Progress and Accomplishments:

The following specific conclusions were obtained from the two-phase flow modeling research:

1. A computer model has been constructed to determine the spatial distribution of liquid aerosols in high-temperature gas environments. The model is based on a DSMC particle simulation technique that enables the inclusion of important droplet rarefaction effects; yet, it is sufficiently general such that the entire two-phase flow system can be simulated.
2. Due to finite-Kn number correction factors applied to the mass transfer and transport portions of the code, the model is valid at high gas temperatures, low gas pressures, or for small droplets, offering a wide range of conditions for which the model is applicable.
3. Different modeling options were considered for the key four aspects of the computational tool -- droplet heating, desolvation, transport, and coalescence. The research showed that the Fuks corrections should be used to model droplet heating and desolvation.
4. Comparison of exact single sphere DSMC simulations of the drag force against a sphere with different analytic slip flow models shows that the Cunningham correction applied to the Stokes' law gives the best model for droplet transport.
5. The Ashgriz-Poo model for droplet coalescence, one of the most important of the processes, was chosen based on comparisons with detailed, fundamental molecular dynamics simulations. These comparisons showed that the outcome of droplet-droplet collisions does not appear to have a temperature dependence over the range tested. The four aforementioned selections represent the baseline model recommended for the two-phase flow conditions considered here.
6. The computational tool was applied to two general classes of simulation results. A spatially uniform background gas temperature with a particle velocity distribution and a spatially variable background gas distribution corresponding to that of an ICP plasma were considered.
7. The key results for the uniform background gas are as follows. As droplet size increases, the coalescence process increases in importance. For 1μ -sized particles in a background gas of temperatures in the 1,000-2,000 K range, the Knudsen number is sufficiently large that the use of the continuum evaporation model leads to incorrect droplet evaporation rates. The simulation was also applied to the case of nebulizer droplets from a direct injection high efficiency nebulizer introduced into an inductively coupled plasma. It was found that inclusion of both coalescence and noncontinuum gas effects is also crucial to the modeling of this more complex spray system.

In the third phase activity of the side-jet modeling the following results were obtained:

- (1) The interaction of a jet from a side-mounted 60~lbf thruster with the rarefied atmosphere between altitudes of 80 to 160~km has been modeled. The jet-atmospheric interaction structure showed significant changes for variations of the free stream altitude from 80 to 160 ~km. At 80~km, the flowfield exhibits continuum-like features such as an oblique shock wave and a normal plume shock, whereas, by 120~km the shock structure is much more diffuse. At the highest altitude considered here, 160~km, the plume/atmospheric interaction shock is replaced by a much more diffuse.
- (2) The spatial distribution of the NO and OH UV emission in terms of $W/cm^3\mu sr$ was calculated for all altitudes and velocities. It was found that the NO emission falls off dramatically with free stream velocity, as is consistent with the energy of reaction threshold. Radiation from OH is also sensitive to free stream velocity, but due to the lower energy of reaction threshold a small amount of radiation can be observed even at 3 km/s. An onboard sensor would measure integrated line-of-sight radiation profiles. Hence different radiation images for different viewing geometries were simulated.
- (3) It was found that the spatial distribution of the OH radiation was found to follow the jet/atmospheric interaction shock structure. The integrated line-of-sight images ($W/cm^2\mu sr$) are sufficiently large such that an onboard imager should be able to make meaningful measurements. Such measurements on a flight experiment would provide both useful flow modeling as well as operational information about the optical seeker environment.

MASTER COPY: PLEASE KEEP THIS "MEMORANDUM OF TRANSMITTAL" BLANK FOR REPRODUCTION PURPOSES. WHEN REPORTS ARE GENERATED UNDER THE ARO SPONSORSHIP, FORWARD A COMPLETED COPY OF THIS FORM WITH EACH REPORT SHIPMENT TO THE ARO. THIS WILL ASSURE PROPER IDENTIFICATION. NOT TO BE USED FOR INTERIM PROGRESS REPORTS; SEE PAGE 2 FOR INTERIM PROGRESS REPORT INSTRUCTIONS.

MEMORANDUM OF TRANSMITTAL

U.S. Army Research Office
ATTN: AMSRL-RO-BI (TR)
P.O. Box 12211
Research Triangle Park, NC 27709-2211

Reprint (Orig + 2 copies)

Technical Report (Orig + 2 copies)

Manuscript (1 copy)

Final Progress Report (Orig + 2 copies)

Related Materials, Abstracts, Theses (1 copy)

CONTRACT/GRANT NUMBER:

REPORT TITLE:

is forwarded for your information.

SUBMITTED FOR PUBLICATION TO (applicable only if report is manuscript):

Sincerely,