| | | | AFRL-SR-AR-TR-09-0107 | |
|--|--|---|---|--|
| REPORT | DOCUMENTATION PAGE | | | |
| The public reporting burden for this collection of infi- maintaining the data needed, and completing and re- suggestions for reducing the burden, to the Depart person shall be subject to any penalty for failing to c PLEASE DO NOT RETURN YOUR FO | ormation is estimated to average 1 hour por response, including working the collection of information. Send comments regarding ment of Defonso, Executive Service Directorate (0704-0188). Executive Service Directorate (0704-0188). Comply with a collection of information if it does not display a cum CRM TO THE ABOVE ORGANIZATION. |) the timo for revi 9 this burden esti Respondents sho ontly valid OMB o | I wing instructions, searching existing data sources, generary win mate or any other aspect of this collection of information, including build be aware that notwithstanding any other provision of law, no ontrol number. | |
| 1. REPORT DATE (DD-MM-YYYY) | 2. REPORT TYPE | | 3. DATES COVERED (From - To) | |
| 29-01-2009 | Final | 1 | 01-03-2006 to 30-11-2008 | |
| 4. TITLE AND SUBTITLE | | Sa. COM | ITRACI NUMBER | |
| Extending the Conventional Information Theory: Theory and Designs of Layered Partially Decodable Codes | | FA9550-06-1-0156 | | |
| | | 5b. GRANT NUMBER | | |
| | | | 013432-001 | |
| | | Sc PPC | | |
| | | | SC. PROGRAM ELEMENT NUMBER | |
| | | | NA | |
| 6. AUTHOR(S) | | 5d. PRC | 5d. PROJECT NUMBER | |
| Lizhong Zheng | | | NA | |
| | | 5e. TAS | KNUMBER | |
| | | | | |
| | | NA | | |
| | | 5f. WORK UNIT NUMBER | | |
| | | | NA | |
| 7, PERFORMING ORGANIZATION NA | ME(S) AND ADDRESS(ES) | - | 8. PERFORMING ORGANIZATION | |
| Massachusetts institute of Technology | | | REPORT NUMBER | |
| 77 Massachusetts Ave., 32D-624 | | | | |
| Cambridge, MA 02139 | | | | |
| | | | NA | |
| 9. SPONSORING/MONITORING AGE Bell, Jenniter L., Grants Officer | NCY NAME(S) AND ADDRESS(ES) | | 10. SPONSOR/MONITOR'S ACRONYM(S) | |
| Air Force Aerospace Research-OSR | | | | |
| Address: 875 N. Randolph Street, Room 3112 | | | AFOSR | |
| Arlington VA 22203 | | | NUMBER(S) | |
| jennifer.bel@afosr.af.mil | Maulat | | | |
| 12 DISTRIBUTION/AVAILABILITY ST. | ATEMENT | | NA NA | |
| 12. DISTRIBUTIONIAVAILABILITT ST | | | | |
| Destribution | rA | | | |
| 13. SUPPLEMENTARY NOTES | | | | |
| | | | | |
| 14. ABSTRACT | | | | |
| This project is aimed at extending the communication channels, by differentia | conventional information theory, which is based ating different types of data and providing differ | d on the idea ent levels of sed in this or | of reliably transmitting all data bits through error protections and thus allowing different part | |
| information, and new eoding technique have been made in the following areas: in terms of the tradeoff between the rat networks, including efficient transmiss improvements of the overall performan network information theory problems, a | s to encode different types of data together, effic 1) new analysis tools have been developed to o es and reliability levels of different parts of data ion of network control messages and channel st ee; 3) new connections to information geometry a few instances have been reported. | ciently, Over establish the i a encoded tog ate informati y is observed | a 3-year period of research, significant progresse fundamental performance limits of layered eodes gether; 2)new applications of embedded eoding in on, have been investigated, showing significant l, which leads to novel approaches to classical | |
| 15. SUBJECT TERMS | | | | |
| | | | | |
| | | | | |
| | | | | |

| F | 16. SECURITY a. REPORT | CLASSIFICATIO | TION OF: | 17. LIMITATION OF ABSTRACT | 18. NUMBER OF PAGES | 19a. NAME OF RESPONSIBLE PERSON Lizhong Zheng 19b. TELEPHONE NUMBER (Include area code) | |
|---|---------------------------|---------------|----------|-------------------------------|---------------------------|---|--|
| | U | U | U | UU | | (617) 452-2941 | |

Final Project Report

January 23, 2009

Project Title: Extending the Conventional Information Theory: Theory and Designs of Layered Partially Decodable Codes

Contract No.: FA9550-06-1-0156

Principle Investigator: Lizhong Zheng, EECS, MIT

Personnel Supported:

• PI: Lizhong Zheng

- PhD Students:
 - Shashi Borade
 - Emmanuel Abbe

1 Abstract

This project is aimed at extending the conventional information theory, which is based on the idea of reliably transmitting all data bits through communication channels, by differentiating different types of data and providing different levels of error protections and thus allowing different parts of the data to be decoded at different nodes in the network. The main challenge addressed in this project is to develop new notions of partial information, and new coding techniques to encode different types of data together. efficiently. Over a 3-year period of research, significant progresses have been made in the following areas: 1) new analysis tools have been developed to establish the fundamental performance limits of layered codes, in terms of the tradeoff between the rates and reliability levels of different parts of data encoded together; 2)new applications of embedded coding in networks, including efficient transmission of network control messages and channel state information, have been investigated, showing significant improvements of the overall performance; 3) new connections to information geometry is observed, which leads to novel approaches to classical network information theory problems, a few instances have been reported.

2 Technical Report

During the 3 year period of this project, we have made progresses in two major direction, reported in the PhD theses of two students, Shashi Borade and Emmanuel Abbe, both graduated in the year of 2008. The areas are, respectively, the performance limits and designs of layered codes that allows partial information to be decoded, and the use of geometric tools in the analysis of network information theory problems. At the conceptual level, we have made the following main discoveries.

• The problem formulation of unequal error protections has been extended. We came to realize that there are multiple possible ways to differentiate the error protections of different parts of the message: one can have some subset of bits with higher priority, or could try to avoid some types of errors, misdetection or false alarm for example, to occur when certain subset of messages are sent. Either case has potential practical applications, and both are studied under our framework.

20090410044

1

- The main tool we used to study these problems has been much better understood. We found that the geometric approach we use can not only be applied to error exponent problems, but also to many network information problems. We developed new theory of local geometric analysis, from where a new notion of *divergence transition* is developed. The eigen vectors of such transition can serve as the basis in the space of probability distributions, and help to bring in geometric insights to these problems. We use such approaches to study non-Gaussian noise channels as well as some classical multi-terminal communication problems.
- In applying the results of this project, we have made specific progress on compound channel and channel with feedbacks. In both cases, strengthen the known results on the performance limits, utilizing the new techniques developed in this project. We have found new geometrical proof of the entropy power inequality, which might shed lights to a variety of problems. The specific coding scheme we designed in this project is now adopted by some industry practice, as candidate coding scheme for some specific components of commercial wireless networks.

In the following, we give some specific descriptions of the findings we made in this project, over the last year.

2.1 Unequal Error Protection: Tradeoff between Rates and Reliabilities

The notion of partial decodability at different channel conditions can be easily formulated as unequal error protection (UEP) problem: as the channel realization becomes atypically poor, one would hope to still decode a part of the transmitted message, which gives this part of higher priority message a better protection.

Traditionally, unequal error protection and priority coding have been studied mostly by algebraic code constructions, with little result on the fundamental performance limits, and are restricted to a few special channels, such as the erasure channel. Moreover, the notion of unequal error protection is mostly limited to protect some information bits better than the others, where through this project, we realize that in fact much richer problems should be addressed.

The main results we obtained within the past year is what we believe a complete formulation of the problem. We have two different ways to differentiating the error protection to different sub-messages. First, the conventional definition, where we have two sub-messages, each with a certain rate, and their error protections are measured by the corresponding error exponents; in the second formulation, we would consider the data message as one choice among many candidates, and the error protection can be a requirement to avoid a particular type of error when a particular message is chosen to be transmitted. An example of this is that one can transmit a normal data stream, with an extra "fire alarm" message, where we would try to have small misdetection probability for this special message. Note that this special protection is not towards any bit, and thus is more general and fundamental. We refer to the first formulation as "bit-wise" UEP, and the second "message-wise" UEP.

Along both approaches, we have obtained some nice new results. In terms of bit-wise UEP, we studied the problem to encode two independent bit streams, at rate R_1, R_2 , and to obtain the best tradeoff between the decoding error probability in terms of error exponents E_1, E_2 . We characterized the 4-dimensional tradeoff between (R_1, R_2, E_1, E_2) in general, and found that the analytical solution surprisingly simple and intuitive for very noisy channels, i.e. channels with low capacity. In the later case, several concrete coding algorithms following the theoretic results are developed, and some have adopted by industrial practice almost instantly. For message-wise UEP, we considered the problem of transmitting one of 2^{nR} possible messages, corresponding to nR bits, where we require that there are $2^{nR'}$ messages need to be protected better than the others, i.e., conditioned on any of these special messages being sent, the probability of error should be much smaller. We derived the outer bound of performance in this case, and found a universally optimal procedure to apply conventional codes for this new problem.

2.2 Geometric Approach, Divergence Transition MAP

One important lesson we learnt from the research of error exponent is the use of geometric approaches in information theory problems. The conventional approaches based on the combination of a menu of different bounding techniques often hide the insights from an information theoretic solution, where the information geometry often give a clear view of the structure of the problems. A particularly simple case is when the distributions of concern are all close to each other in some sense, in which case information geometry is reduced into much simpler Euclidean geometry. For this reason, most known results on error exponents are limited to the very noisy channel, including our result on UEP mentioned earlier in this report.

We took the view that one can indeed use such simplification to address a much larger variety of problems, including some more complicated network information theory problems. Often in these problems, the question is whether a single letter characterization of the solution is optimal; or in other words, to find the structure of the optimal solution for the multi-letter K-L divergence optimization problems. While K-L divergence optimization quickly becomes intractable as the dimensionality increases, the local approximation of K-L divergence, approximating divergence by the Euclidean distance between distributions, is often much easier to handle.

Using this insight, we studied a few classical multi-terminal information theory problems, including source coding with single helper, degraded broadcasting channel, and general broadcasting channel with degraded message sets. In each cases, we re-derived the known capacity result from a very different approach. Applying the similar approach to some new problems, we solve the open problem of degraded message sets over broadcasting channel for more than 2 users, under the very noisy assumption. We further identify the key feature of a probabilistic transition that affects the efficiency of shifting information from one target to another, and is directly gives the slope of the capacity region. This observation connects our new results well too the vision of layered coding in this project, as the performance of each layer of sub-code is characterized.

2.3 Applications of Layered Codes

As described in the project proposal, the application of layered coding techniques can have significant impacts to network operations. Most importantly, as different types of data are encoded together, a new interface to the physical layer is defined, where the higher layer protocols can control not only the data rates, but also the tradeoffs between the reliability and delays of different streams of data. This approach allows the control and protocol information in networks to be treated in the same way as the data traffic, efficiently utilizing the channel resources, and allowing fast adaptation. Specific applications include embedding feedback and retransmission requests in two way data communications, and the use of geometric approach to design universal decoders for compound channels.

We have derived new outer bounds for channel with feedbacks and erasure. The idea is that the receiver can claim erasure to avoid making wrong decisions, when the confidence level of decoding is low. Our result gives a new approach to find the optimal tradeoff between the probability of erasure and probability of error, in terms of erasure and error exponents. Our result features a clear construction of a two-phase coding technique, and a new bounding technique, which we expect to be used in more general problems.

We studied the compound channel, where the precise channel realization is not known, but restricted in some set. Such abstraction can be applied to most wireless fading channels and channels with interference. We derived the achievable rate under the assumption that a additive decoding metric is used, which is a good practical constraint but hardly addressed in information theory literature. Inspired by our geometric approach, we derived the optimal decoder in this class, and completely characterized the tradeoff between decoding complexity and the loss from capacity.

3 Publications

- 1. Sheng Jing, L. Zheng, and M. Mdard, "On the Use of Sounding in Wideband Channels," invited paper, IEEE International Zurich Seminar on Communications, pp.170-73, February 2006.
- 2. Shashi Borade, L. Zheng, "Writing on Fading Paper and Causal Transmitter CSI," IEEE International Symposium on Information Theory, pp. 744-48, July 2006.
- Shashi Borade. and L. Zheng, "Geometry of Error Exponents," Allerton Conference (Invited Paper), Allerton Annual Conference on Communication, Control and Computing, pp. 420-29, September 2006.
- 4. Shashi Borade, Lizhong Zheng, "Euclidean information theory", Allerton Conference, Sept. 2007

5. Emmanuel Abbe., M. Medard, S. Meyn, and L. Zheng, "Finding the best mismatched detector for channel coding and hypothesis testing" Information Theory and Applications Workshop, Page(s):284 - 288, January 2007

. 4

- 6. Shashi Borade, Lizhong Zheng, and Mitchell Trott, "Multilevel broadcast networks", Proc. IEEE International Symposium on Information Theory, June 2007
- 7. Emmanuel Abbe, Lizhong Zheng, "Geometric Approach to Compound Channels", Invited paper ITA08, journal version in preparation
- Emmanuel Abbe, Lizhong Zheng, "Linear Universal Decoding for Compound Channels: a Local to Global Geometric Approach", submitted to IEEE Transactions on Information Theory, September 2008
- 9. Shashi Borade, B. Nakiboglu, and L. Zheng, "Unequal Error Protection: Some fundamental limits and optimal strategies," submitted to IEEE Transactions on Information Theory, February 2008
- 10. Baris Nakiboglu, Lizhong Zheng," Upper Bounds to Error Probability with Feedback", submitted to ISIT 2009
- 11. Emmanuel Abbe, Lizhong Zheng, " Hermite Polynomials and Gaussian Noise", submitted to ISIT 2009
- 12. PhD Thesis: Shashi Borade, "Theory and Designs of Unequal Error Protection Codes", August 2008, MIT
- 13. PhD Thesis: Emmanuel Abbe, " Euclidean Geometric Approaches to Compound Channels," May 2008, MIT