



Fleet Readiness Center - Southeast TECHNOLOGY DEVELOPMENT PROGRAM (Cadmium & Hexavalent Chromium Reduction)

Jack Benfer
Senior Materials Engineer
Corrosion Science & Engineering

NAVAIR Jacksonville
Phone: (904) 790-6405
Email: john.benfer@navy.mil



Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE NOV 2014		2. REPORT TYPE		3. DATES COVERED 00-00-2014 to 00-00-2014	
4. TITLE AND SUBTITLE Fleet Readiness Center - Southeast Technology Development Program (Cadmium & Hexavalent Chromium Reduction)				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Air Systems Command, Fleet Readiness Center Southeast, Jacksonville, FL, 32202				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES ASETSDefense 2014: Sustainable Surface Engineering for Aerospace and Defense, 18-20 Nov 2014, Fort Myer, VA.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 34	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			




NAVAIR HM Reduction

- **NAVAIR Technology Implementation Assessment for Reduction of Heavy Metals Usage**
- **Goal: 90% Reduction Within 5 Years**
 - Task 1 – Identify HM Usage
 - Task 2 – Workload Correlation and AUL
 - Task 3 - Identify Process Alternatives
 - Task 4 - Prioritize Implementation
 - Task 5 - HM Analysis Report & POA&M



**ESTCP Project Funded
(July 2014)
5 Core Tasks**






Policy Guidance

❑ FRCSEINST 5103.15

- FRCSE Responsibilities
- “Do not introduce new sources of heavy metals into repair, overhaul or modification processes...”




c. Research and Engineering Group (code 40000)

(1) Ensure that revisions to FRCSE managed technical documentation (e.g., MIMs, Local Engineering Specifications (LES), drawings, etc.) do not introduce new sources of heavy metals into repair, overhaul, or modification processes unless technically required.

❑ COMFRCINST 7500.1

- FRC Responsibilities
- Reduced Exposure
- Revision Requested



n. Evaluate emergent technology to reduce or eliminate potential HM exposure.

o. Review engineering controls for effectiveness and modify/tailor appropriately.

b. Paragraph 4.n – “Evaluate, approve and implement the use of viable alternative technologies to reduce or eliminate HM usage and potential HM exposure.”

Requested Revision per 2014JX00417



Site Locations

NAVAIR MATERIALS ENGINEERING

Materials Engineering Division

- Metals & Ceramics Branch
- Industrial / Operational Chemicals Branch
- Nondestructive Inspection Branch
- Polymers & Composites Branch
- Analytical Chemistry & Testing Branch
- Corrosion & Wear Branch

NAVCAD Lakehurst

NAWCAD Pax River

FRC/ISSC Cherry Point

FRC/ISSC Jacksonville

NAWCWD China Lake

FRC/ISSC North Island

- FRC East
- FRC Southeast
- FRC Southwest
- NAWC-AD





HM Cleaning Requirement(s)

Daily Break Room Cleaning

BREAK ROOM AND LUNCH ROOM DAILY CLEANING LOG						
SECTION I - BASIC INFORMATION						
1. SBT	2. BREAK ROOM NUMBER & LOCATION	3. DATE				
		DAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY
SECTION II - A SHIFT						
1. CLEAN ALL SURFACES OF THE FOLLOWING ITEMS (Initial each block DAILY once completed):						
a. Interior & exterior parts of doors (including handles & knobs)						
b. All food preparation surfaces						
c. Tables/chairs/benches (including legs)						
d. Refrigerators, coffee pots, toasters, ice machine						
e. Vending machines (including key pads & doors)						
f. Microwave ovens (including handles & keypad)						
g. Shelving/Cabinets						
h. Televisions, radios, fan guards & blades						
i. All other horizontal surfaces (molding, chair rails, window/door & picture frames, pipe/conduit/ducts, bulletin boards etc.) (8 feet & below)						
2. Mop floor - HEPA vacuum first if necessary, DO NOT DRY SWEEP						
3. Ensure tacky mats are still effective						
4. A SHIFT CLEANER - AFTER ALL ITEMS ARE CLEANED AND INITIALED, PRINT NAME & SIGN		PRINT NAME				
		SIGNATURE				






Approximately \$1M/year labor/materials for HM daily cleaning at FRC



Task 1: Active Usage by NSN Cr+6





Hazardous Materials Management System (HMMS)





Task 1: Active Usage by NSN Cd

Hazardous Materials Management System (HMMS)
iHS





Task 2: AUL Correlation

AUL - Authorized Use List

**Production Code
62722 -
Electroplating**

**National Stock
Number**

07-MAY-2007 15:56:07


Zone Material Authorization Report by NSN

Zone: ALL

Zone	NSN	Part Number	Trade Name	Item Name	AU
62722	6810002643939	TECHNICAL	TECHNICAL	TECHNICAL	
		CHROMIUM TRIOXIDE, CHROMIC ACID	CHROMIUM TRIOXIDE, CHROMIC ACID	CHROMIUM TRIOXIDE, TECHNICAL	
	6810002646713	SODIUM STANNATE, TRIHYDRATE	SODIUM STANNATE, TRIHYDRATE	SODIUM STANNATE, TRIHYDRATE ANALYZED REAGENT	
		6810002812035	7790, CUPRIC SULFATE	7790, CUPRIC SULFATE	CUPRIC SULFATE, PENTAHYDRATE TECHNICAL
	6810002812686		SODIUM BICHROMATE CRYSTAL	SODIUM BICHROMATE CRYSTAL	SODIUM DICHROMATE, DIHYDRATE TECHNICAL
		SODIUM DICHROMATE DIHYDRATE	SODIUM DICHROMATE DIHYDRATE	SODIUM DICHROMATE, DIHYDRATE TECHNICAL	
		SODIUM DICHROMATE, DIHYDRATE, TECHNICAL	SODIUM DICHROMATE, DIHYDRATE, TECHNICAL	SODIUM DICHROMATE, DIHYDRATE TECHNICAL	
	6810002816933	SODIUM CYANIDE, TECHNICAL BRIQUETTE	SODIUM CYANIDE, TECHNICAL BRIQUETTE	SODIUM CYANIDE, TECHNICAL	
		6810002818804	CADMIUM OXIDE	CADMIUM OXIDE	CADMIUM OXIDE, TECHNICAL
			CADMIUM OXIDE/	CADMIUM OXIDE/	CADMIUM OXIDE,



HM Process Areas





Project Planning

FRCSE Listing of Cd and Cr+6 Processes

FRCSE - Cadmium & Hexavalent Chromium Usage & Alternatives						
Process Area	Description	Specification	Material	Technical Instruction	Alternatives	FRCSE Active
Painting	Epoxy Primer	MIL-PRF-23377, MIL-PRF-85582	DEFT 44-GN	LPS 650	Class N	Y
Painting	Epoxy Primer	MIL-PRF-23377, MIL-PRF-85582	DEFT 44-GN	LPS 650, LPS 660	Low Temp P-Coat	N
Painting	IFT Coating	AMS-C-27725	PRC 825X309	LPS 670	None	N
Painting	Polysulfide Sealant	MIL-PRF-87133, Ty III	PR-1436	LPS 680	Grade B (No Products)	Y
Surface Finishing	Aluminum Chromate Conversion Coating	MIL-DTL-81706	Alodine 600	LPS 320	TCP	Y
Surface Finishing	Magnesium Chromate Conversion Coating	AMS-M-3171, Ty III	Sodium Dichromate - Technical Grade	LPS 315	Tagnite, TCP	N
Surface Finishing	Passivation	AMS-QQ-P-35, Ty II, AMS 2700	Sodium Dichromate - Technical Grade	LPS 325	Citric Acid (All Alloys)	N
Surface Finishing	Aluminum Deox		Turco Deox 6/16	LPS 310	Smut Go NC or Metalast 3300	Y
Surface Finishing	Aluminum Deox - Spot Weld Cleaning		Turco Deox 6/16	LPS 261		N
Surface Finishing	Anodize Strip		Turco Deox 6/16	LPS 305, LPS 310	Metalast AOS 100, Stone Chem AN775	Y
Surface Finishing	IVD Post Treatment	MIL-DTL-81706	Alodine 600	LPS 300	TCP	Y
Surface Finishing	Cadmium Post Treatment	AMS QQ-P-416, AMS 2400	Sodium Dichromate - Technical Grade	LPS 430	None	N
Surface Finishing	Anodize Sealing	MIL-A-8625	Sodium Dichromate - Technical Grade	LPS 305, LPS 310	TCP	Y
Surface Finishing	Black Oxide - Chromic Acid Rinse	MIL-DTL-13924	Chromic Acid - Technical Grade	LPS 350	TCP	N
Surface Finishing	Phosphate Rinse - Chromic Acid Rinse	MIL-DTL-16232	Chromic Acid - Technical Grade	LPS 350	TCP	N
Electroplating	Chrome Plating	AMS QQ-P-320, AMS 2460	Chromic Acid - Technical Grade	LPS 420	HVOF, nCoP	Y
Electroplating	Cadmium Plating	AMS QQ-P-416, AMS 2400	Cadium Oxide, A-A-50800	LPS 430	IVD-AI, IZ-C17+ (Zinc-Nickel), Cold Spray,	Y
Electroplating	Copper Stripping		Chromic Acid - Technical Grade	LPS 430	Alumiplate	
Electroplating	Silver Plating - Tarnish Resistance	ASTM B700, Grade A	Sodium Dichromate - Technical Grade	LPS 430		
Coating Removal	Sanding			NA 01-1A-509	Vacumn Sanding	Y
Coating Removal	Chemical Depaint			LPS 250		N
Coating Removal	PMB			LPS 250		N

- **Prioritize to develop implementation strategy based upon FRC impact and engineering approval.**



FRCSE Aspect List

FY14 Process Activities with 'Significant' Environmental Aspects and Impacts (Top 20%)

- Industrial Waste Water Treatment
- Aircraft & Component Paint Removal (ABM & Chemical)
- **Chrome Electroplating**
- **Corrosion Treatment**
- **Aircraft & Component Paint Operations**
- **Chromate Conversion (A/C & Components)**
- Hazardous Material Management
- Oxygen Cleaning (ODS)
- **Cadmium & Silver (cyanide) Electroplating**
- **Metal Finishing – Anodize (Hex Chrome post treatment)**
- Energy Use; Electrical (& Steam)
- NDI- Florescent Penetrant
- Solvent Tank Cleaning
- Water (& Sanitary) Use

Generated from EMS Metrics



Aircraft Priming

■ NAVAIR Fleet Readiness Center Jacksonville

- MIL-PRF-85582 Epoxy Primer (Class C1)
- Type I -Class N Authorization Pending
- Type II – Class N Authorization (Dem/Val)



A/C Paint Bay - Shop 62716

**Ty II Epoxy Primer
Approval is Required**

**Dem/Val Delays w/ A/C
Delivery Schedules**

- H-60 Seahawk
- P-3 Orion
- F/A-18 Hornet
- F/A-18 Superhornet
- EA-6B Prowler
- T-34 Mentor
- T-44 Pegasus



Anodize Sealing

■ NAVAIR Fleet Readiness Center Jacksonville


- 1885 gallon process tank
- TCP Substitution Authorized
- Boiling chromate solution

CIP Project Scheduled for
Installation 2014

Major Modification of
Anodize Process Line



Tank 9 – Shop 62713





Magnesium Treatment

■ NAVAIR Fleet Readiness Center Jacksonville

- 740 gallon process tank
- Boiling chromate Solution

**NO Active Development
TCP – Potential Solution**

**Drop in replacement,
minor modification**



Tank 30 – Shop 62713



Aluminum Conversion Coating

■ NAVAIR Fleet Readiness Center Jacksonville

- 598 gallon process tank
- TCP Substitution Authorized
- Aluminum Alloys & IVD post treatment

Color Additive Recommended
for process control
NESDI Proposal in Review

Drop in replacement, minor
modification



Tank 8 – Shop 62713



CRES Passivation


■ NAVAIR Fleet Readiness Center Jacksonville

- 740 gallon process tank (120-130F)
- Need all in one replacement
- FRC alloy systems (Citric Acid?)

Minor Modification of
Process Line



Tank 26 – Shop 62713






Chromic Acid Rinse

■ NAVAIR Fleet Readiness Center Jacksonville

- 360 gallon process tank (150-190F)
- Phosphate - Steel Alloys
- Black Oxide – Steel Alloys

No Active Development
TCP Potential Solution
Drop In Replacement
Minor Modification to Process
Tank



Tank 23 – Shop 62713



Aluminum Deoxidizer

■ NAVAIR Fleet Readiness Center Jacksonville

- 1885 gallon process tank
- Turco Deox 6/16
- Required for Spot Weld Cleaning
- Anodize Strip

**Non-Cr Alternative Exists
Need development for spot
weld cleaning
Drop In Replacement
Minor Modification to Process
Tank**



Tank 12 – Shop 62713



Hard Chrome Plating Tanks

■ NAVAIR Fleet Readiness Center Jacksonville

- Various process tanks
- Chromic Acid (130F -140F)

ESTCP Dem/Val In Progress
Cobalt Electroplating
Major Modification to Process
Line

HVOF Transition of line of
sight areas





Cadmium Electroplating

■ NAVAIR Fleet Readiness Center Jacksonville

- 658 gallon process tank (Post Treatment)

IZ-C17+ Dem/Val In Progress
Drop In Replacement w/ TCP

Moderate Modification to
Process Line



Tank E-2 – Shop 62722





Coating Removal – Chemical/Mechanical

Aircraft Depainting Operations



Chromate Waste Stream



Technology Development



Advanced Aluminum Anodize



- FY11 CIP – New Process Line
 - Increase Tank Size
 - Automated Hoist Controls

- MIL-A-8625 Update Required



Improved Corrosion Performance



nCoP (Cobalt –Phosphorus Plating)




Process Comparison

	Nanovate™ CR	EHC
Deposition Method	Electrodeposition (Pulse)	Electrodeposition (DC)
Part Geometries	LOS and NLOS	LOS and NLOS
Efficiency	85-95%	15-35%
Deposition Rate	0.002"-0.008" /hr	0.0005"-0.001" /hr
Emission Analysis	*Below OSHA limits	Cr+6



Nanovate™ CoP Plating Tank at FRCS

Cathode Efficiency



- Up to 8X faster than Chrome plating
- Increased throughput
- One Nanovate CR tank can replace several EHC tanks
- More efficient (~ 90% Reduced power consumption)
- Bath is Stable



IZ-C17+ (Zinc-Nickel Plating)



Operational Need/ Objective:

- Assess the corrosion fatigue and stress-corrosion cracking performance of IZ-C17+ zinc-nickel sacrificial coating for high-strength steel components
- Process and coating are being demonstrated/validated at FRC Southeast.

Proposed Solution/ Technology:

- IZ-C17+ zinc-nickel with a trivalent chromium passivation as alternative to cadmium with hexavalent chromium passivation
- Acceptable SCC and CF data is required to authorize
- Process is planned to be implemented at FRCs, with FRC Southeast as lead site

DoD/Naval Impacts/Benefits:

- Cadmium and hexavalent chromium are carcinogens and targeted by DoD/Navy/FRCs for minimization
- Compliance costs to use cadmium and hexavalent chromium will remain





Cold Spray Metallization


- ❑ AERMIP Funded
- ❑ National Team (PAX)
 - ❑ Brush Cadmium Alternative
 - ❑ Dem/Val F/A-18 Bomb Rack
 - ❑ Modifying Equipment for Pure Al Powder





eTCP w/ Color Additive

- ❑ NESDI Proposal
- ❑ National Team (JAX, PAX, CP, NI)
 - COTS TCP Vendors
 - COTS Color Additives
 - 2015 Proposed Start





Aluminum IVD



ION VAPOR DEPOSITION OF ALUMINUM

LPS/JX 342-154 (1987)
LPS/JX 300 (2000)





Powder Coat Technology

- A/C O2 & Fire Bottles
 - Zinc Rich Epoxy Primer
 - TGIC Topcoat



Powder coating implemented within the FRC Engine Finish Shop to eliminate the usage of chromated epoxy primer during finish system restoration of a/c oxygen and fire bottles.



P-3 Application, Class N Primer

**P-3 SEQ 539
BUNO 156510
(Sept 2011)**



Processing of P-3 a/c using MIL-PRF-23377, Class N non-chromate primer. Process implemented to reduce artisan exposure to hexavalent chromium during application and maintenance.



T-44 Application, Class N Primer

(OCT 2011)



Processing of T-44 a/c using MIL-PRF-23377, Class N non-chromate primer. Process implemented to reduce artisan exposure to hexavalent chromium during application and maintenance.



F/A-18 Application, Class N Primer

- F/A-18 dem/val on 12 aircraft
- paints split between FRC-SW
- and FRC-SE

*Shop prime applied to
F/A-18 dem/val aircraft in
October 2013 at FRC-SE - 1
March 2014 at FRC-SE - 2*

- On-going dem/val on H-53
- painted at FRC-E





Extended Life Paint & Non-Chrome Primer Technology Implementation



**The T-45 GOSHAWK is a two seat, single engine jet trainer aircraft used for advanced jet training of the US Navy carrier based pilots.
It's based in Kingsville TX, Meridian MS and Pensacola FL.
It's a derivative of the United Kingdom's Hawk.**



Questions

