

TT67-62586

AD656933

Department of Zoology
UNIVERSITY OF MARYLAND
College Park, Maryland

INDEX CATALOGUE TO RUSSIAN, CENTRAL AND EASTERN
EUROPEAN, AND CHINESE LITERATURE IN MEDICAL
ENTOMOLOGY

SUPPLEMENT 3

FLEAS, MITES AND
MISCELLANEOUS ARTHROPODS

This document has been approved
for public release and sale; its
distribution is unlimited.



DDC
RECEIVED
AUG 28 1967
C

1967

Reproduced by the
CLEARINGHOUSE
for Federal Scientific & Technical
Information Springfield Va 22151

106

Department of Zoology
University of Maryland
College Park, Maryland

INDEX CATALOGUE TO RUSSIAN, CENTRAL AND EASTERN
EUROPEAN, AND CHINESE LITERATURE IN MEDICAL
ENTOMOLOGY

SUPPLEMENT III

FLEAS, MITES AND MISCELLANEOUS ARTHROPODS

This investigation was supported by the U. S. Army Medical
Research and Development Command, Department of the Army,
under Research Contract No. DA-49-193-MD-2238.

1967

INTRODUCTION

This volume represents the third of the supplements to the Index Catalogue to Russian, Central and Eastern European, and Chinese Literature in Medical Entomology, which consisted of the following eleven volumes: Vol. 1, Diptera; Vol. 2, Ticks; Vol. 3, Fleas; Vol. 4, Mites; Vol. 5, Miscellaneous Arthropods; Vol. 6, Bacterial and Spirochaetal Diseases; Vol. 7, Protozoan Diseases; Vol. 8, Rickettsial Diseases; Vol. 9, Viral Diseases; Vol. 10, Miscellaneous Arthropod-Borne and Arthropod-Associated Diseases; and Vol. 11, Control Measures for Arthropods of Medical Importance. The eleven volumes of the Index Catalogue were comprised of the backlog of references on hand up to the time of publication, while the supplements will contain those references which have become available since publication of the original volumes.

No claim is made for completeness in this volume or in the succeeding volumes, although an effort has been made to locate as many references as possible. Notice of errors or omissions will be received gratefully.

By request, all mite references seen have been included in this supplement, rather than restricting the selection to those of medical or veterinary importance.

This work has been prepared in the Department of Zoology with the cooperation and interest of the following individuals to whom special acknowledgement is due: Vivian N. Andrews, Allie May Brown, Virginia D. Kates, Steven E. Lockard, Margaret E. Mace, Anita M. Schindler, and Robert Richard Thacker.

George Anastos
Professor and Head
Department of Zoology
College of Arts and Sciences
University of Maryland

TABLE OF CONTENTS

	Page
SIPHONAPTERA	1
MITES	47
MISCELLANEOUS ARTHROPODS	76
Anoplura	77
Arachnida	81
Coleoptera	90
Hemiptera	90
Hymenoptera	92
Mallophaga	92
Orthoptera	92
Miscellaneous Acarina and Insecta	93

SIPHONAPTERA

A

- Abushev, F. A. and Musayev, M. A., 1964, Experimental listeriosis of sand rats and several other species of rodents. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 57-58.
- Adamovich, V. L., 1962, The zoologicoparasitological characteristics of a natural tularemia nidus in the Western Polesye of the Ukrainian SSR. Zool. Zhurnal, Moskva, 41 (9): 1297-1308.
- Adamyan, A. O., Markaryan, L. G., Ananyan, Ye. L., and Babayan, I. A., 1963, Distribution of rodents and their fleas in the districts of Zangezur of the Armenian SSR. Trudy Armyansk. Protivochum. Stants., Armyansk, (2): 335-345.
- Afanas'yeva, O. V. and Bgytova, S. I., 1963, Materials to the ecology of fleas. Part 1. Development of Xenopsylla gerbilli minax. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 11-13.
- Afanas'yeva, O. V. and Bgytova, S. I., 1963, Materials to the ecology of fleas. Part 3. Development of Ctenophthalmus dolichus. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 13-15.
- Afanas'yeva, O. V. and Bgytova, S. I., 1964, Development of Xenopsylla gerbilli minax in a constant contact of females with the host. Proceedings of the conference on the natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 240-241.
- Afanas'yeva, O. V. and Mikulin, M. A., 1959, The role of ticks of the superfamily Ixodoidea in plague natural foci characteristics and in plague epizootology as actual problems. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 181-187.

- Akopyan, M. M. , 1964, Length of the life span of fleas in sandfilled burrows of the large sand rats. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 235-236.
- Akopyan, M. M. , 1965, Role of wind in transporting the fleas of rodents. Zool. Zhurnal, Moskva, 44 (11): 1731-1733.
- Akopyan, M. M. , et al. , 1964, Mass death of sand rats and their ectoparasites in the Kzyl-Kumy and its cause: Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze. pp. 100-101.
- Akopyan, M. M. , Krivososov, K. I. , Smirnov, N. P. , and Kushanov, B. K. , 1963, Disinsection of the burrows of greater gerbils in Kyzyl Kum. Zool. Zhurnal, Moskva, 42 (6): 853-857.
- Alekseyev, A. N. , 1964, The effect of insecticides on fleas depending upon their sexual and age particularities. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (1): 57-61.
- Alekseyev, A. N. , 1964, On the sensitivity of the pre-imaginal developmental stages of fleas (Aphaniptera) to insecticides. Entom. Obozr. , Leningrad, 43 (2): 301-307.
- Andreyev, S. V. , Martens, B. K. , Molchanova, V. A. , and Samoylova, Z. I. , Use of radioisotopes and radiation in the control of insect pests of plants and animals. JPRS Translation 20, 425, 11 pp. (manuscript - no date).
- Arzamasov, I. T. , 1964, Ectoparasites of Clethrionomys glareolus Schreb. in Belorussia. , Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 277-278.
- Arzin, B. M. , et al. , 1959, Epizootological efficiency of marmot destruction in the Central Thian Shan. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol (Jan. 25 - Feb. 2, 1957), Saratov, pp. 293-304.

- Asenov, G. A. , 1964, On several characteristics of the local distribution of rodents and their fleas at the boundary of the desert and the oasis. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 21 - 28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 243-244.
- Avetisyan, G. A. , 1964, Fleas of sand rats of the Armenian SSR. Trudy Armyansk. Protivochum. Stants. , Armyansk, (2): 347-360.
- Avetisyan, G. A. , 1965, Supplement to the list of fleas of the Armenian SSR. Izvest. Akad. Nauk Armyansk. SSR, Biol. i Sel'sk. Nauk, Erevan, 18 (3): 75-80.
- Avetisyan, G. A. , et al. , 1965, Experimental study of feeding habits of fleas of a field mouse in alpine areas of Armenia with the help of radioactive isotopes. Izvest. Akad. Nauk Armyansk. SSR, Biol. i Sel'sk. Nauk, Erevan, 18 (9): 102-106.

B

- Bakhayeva, A. V. , et al. , 1957, Fleas in the settlements of Turkmenia and their possible importance in the epidemiology of plague. Tezisy Dokl. Parazitol. Konf. , Saratov.
- Balashov, Yu. S. , et al. , 1965, Feeding and disorders in the valvular function of the proventriculus in fleas. Med. Parazitol. i Parazitar. Bolezni, Moskva, 34 (4): 471-476.
- Belokon, Ye. M. , 1963, On the geographical distribution of some parasites of insectivores and rodents in the Western Provinces of the Ukraine. Tezisy 3. Vsesoyuz. Soveshch. Zoogeogr. Sushh (Tashkent, Sept. 23-26, 1963), Tashkent, pp. 25-27.
- Belyayev, V. G. , et al. , 1963, Haemorrhagic nephrosonephritis in Ussuri District of Primor Territory. Mater. Konf. Kleshch. Entsef. i Virus. Gemorrag. Likhorad. Omsk. Nauch. -Issled. Inst. Prirod. Infekts. (Omsk, Dec. 10-13, 1963), pp. 343-347.
- Berendyayev, S. A. , Kul'kova, N. A. , and Berendyayeva, Ye. I. , 1964, Importance of marmot burrows in the epizootology of plague. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 92-93.

- Berendyayev, S. A. and Oprishchenko, Z. M., 1959, On the discharge of the causative agent of plague from Stenocranius gregalis and from fleas from its nest. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, (6): 311.
- Berendyayeva, Ye. L., Bibikov, D. I., Varivodina, T. A., and Popov, V. K., 1963, Experimental study of several questions concerning the ecology of gray marmots and their fleas with the aid of radioactive tracers. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 16-18.
- Berendyayeva, Ye. L. and Kul'kova, N. A., 1961, To the ecology of fleas of gray marmots. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, 7: 273-283.
- Berendyayeva, Ye. L. and Kul'kova, N. A., 1964, Materials to the ecology of marmot fleas in the winter period. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 245-246.
- Berendyayeva, Ye. L. and Rapoport, L. P., 1964, On the role of the parasitic factor in the distribution of plague on the territory of Kirghizia. Proceedings of the conference on natural nidity of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 93 - 94.
- Bgytova, S. I., 1963, Materials to the ecology of fleas. Part 4. Copulation and egg maturation in Ctenophthalmus dolichus under various environmental conditions. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 15-16.
- Bibikov, D. I., et al., 1959, Ecological and epizootological principles of the project for the efficient sanitation of the mountain plague focus in the Central Thian-Shan. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 283-292.
- Bibikov, D. I. and Bibikova, V. A., 1957, Evaluation of the role of various factors determining the seasonal lows of epizooties of plague in marmots in Thian-Shan. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 48-51.

- Bibikov, D. I., Petrov, V. S., and Khrustselevskii, V. P., 1963, On some ecologico-geographical regularities in the natural nidality of plague. *Zool. Zhurnal, Moskva*, 42 (9): 1306-1316.
- Bibikova, V. A., 1963, Use of microscopy and the spectroanalytical method in the study of the host's blood in the stomach of fleas. *Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata*, pp. 21-22.
- Bibikova, V. A., 1965, Conditions for the existence of the plague microbe in fleas. *Cesk. Parazitol., Praha*, 12: 41-46.
- Bibikova, V. A., et al., 1963, Burrows of large sand rats in southern Pribalkhash. *Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata*, pp. 23-25.
- Bibikova, V. A., et al., 1963, Contribution to the biology of fleas of the genus Xenopsylla in the desert Sary-Ischikotrau. *Zool. Zhurnal, Moskva*, 42 (7): 1045-1051.
- Bibikova, V. A., et al., 1964, To the method of study of the numbers of a flea population infesting the sand rat in a natural focus of plague. *Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze*, pp. 234-235.
- Bibikova, V. A., et al., 1964, Fleas of large sand rats in the southern Pribalkhash. *Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze*, pp. 236-238.
- Bibikova, V. A., et al., 1965, Methods of studying the abundance of fleas of the greater gerbil. *Zool. Zhurnal, Moskva*, 44 (8): 1214-1218.
- Bibikova, V. A. and Gavryushina, A. I., 1963, Multiplication of the microbe in fleas fed on immune sand rats. *Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata*, pp. 25-26.

- Bibikova, V. A., Kaluzhenova, Z. P., and Morozova, I. V., 1963, Fleas of Meriones meridianus in the Sary-Ishik-Okrau desert. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 26-27.
- Bibikova, V. A., Medvedevskikh, S. D., and Dankov, S. S., 1963, Epizootological role of Rhombomys opimus fleas. Communication 4. Xenopsylla skrjabini Ioff, 1928. Med. Parazitol. i Parazitar. Bolezni, Moskva, 32 (5): 622.
- Bibikova, V. A., Murzhakhmetova, K., and Terent'yeva, L. I., 1964, To the determination of the pH of the stomach of fleas. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 229-231.
- Bibikova, V. A., Osadchaya, L. M., and Khrustselevskaya, N. M., 1963, On the transmission of the plague bacillus through the bite of non-blocked fleas. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, p. 28.
- Bibikova, V. A., Shashayev, M. A., Reshetnikova, P. I., and Shapiro, I. L., 1964, On methods for laboratory feeding of fleas in studies of their role in preservation and transmission of pathogens. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (6): 739-740.
- Bibikova, V. A., Volokhov, V. A., and Yegorova, R. P., 1957, Effect of environmental conditions on the plague agent in fleas. 9. Soveshch. Parazitol. Prob., Moskva, pp. 19-20.
- Bocharnikov, O. N., et al., 1959, Some experience of eradication of plague enzootics in the northwest Caspian foci. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboo. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 235-246.
- Bondarenko, M. F., 1963, Materials to the epizootology of plague in the Transaral area. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 29-30.

- Bondarenko, M. F. , 1963, Observations on the epizooty of plague among the rodents of Aktyubinsk Province in 1958. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 30-31.
- Borovskii, S. G. , et al. , 1963, Distribution and quantity of fleas in the inhabited points of Karakalpakia. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 47-49.
- Borovskii, S. G. , et al. , 1963, Distribution and quantity of fleas in the villages of Karakalpakia. Sborn. Nauch. Tashkent. Med. Inst. , (4): 165-168.
- Bryukhanova, L. V. , 1961, Fleas infesting carnivores in Ciscaucasia. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol. , (5): 98-105.
- Bryukhanova, L. V. and Darskaya, N. F. , 1965, Observations on Ceratophyllus tesquorum and Neopsylla setosa - fleas of susliks during the sleep period of their hosts. Mater. Poznan. Fauny i Flory SSSR, Moskva, Otdel. Zool. , 40 (55): 145-176.
- Bryukhanova, L. V. , Sardar, Ye. A. , and Levi, M. I. , 1961, To the method of determination of the volume of blood sucked in by a flea. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol. , (5): 28-32.
- Burdelov, A. S. , Bondar, Ye. P. , and Zhuravleva, V. I. , 1964, Mobility of Rhombomys opimus and its epizootological role in unbroken settlements in northern desert (South Pribalkhash). Zool. Zhurnal, Moskva, 43 (1): 115-125.
- Busalayeva, N. N. and Fedosenko, A. K. , 1964, Fleas parasitizing small mammals in alpine areas of the Zaili Alatau. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 22: 177-183.
- Butenko, O. M. , 1964, On parasitological examination of nests of birds - synanthrops. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 620-621.
- Bykov, L. T. and Belkina, N. B. , 1964, On ways of catching fleas from burrows of gerbils in surveys for plague in sands of northern Caspian areas. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 621.

C

- Chekalin, V. B. and Bgytova, S. I. , 1963, Changes in the ecology of marmots and their fleas in the process of eradication of the eastern part of the mountain focus of plague. Part 2. Effect of the decrease in the marmot population on the general quantity of their fleas. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 245-246.
- Chelidze, G. T. , 1962, Asian plague of turkeys and guineafowl. Sborn. Trudov Gruzin. Zootekh. Vet. Nauch. Issled. Inst. , 33: 63-81.
- Cheng, T. H. , 1963, Insect control in mainland China. Science, Lancaster, Pa. , 140 (3564): 269-277.
- Cheng, V. G. , Yuang, D. S. , and Gu, F. C. , 1959, Some results of the study of natural foci of plague in the Chinese People's Republic. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Oso-boop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 108-113.
- Chykileuskaya, I. V. , 1963, Distribution of fleas (Aphaniptera), carriers of transmissible diseases of animals and man, in the nests of rodents of Polesye. Vestsi Akad. Navuk Belarusk. SSR, Minsk, s. Biyal. Navuk, (1): 115-119.

D

- Darskaya, N. F. , 1958, Order of Suctoria Retzius, 1783 - Fleas (Aphaniptera Kirb. , 1817, Siphonaptera Latreille, 1825). Opred. Chlenistonogikh Vred. Zdorov. Cheloveka, Chapt. 13: 145-161.
- Darskaya, N. F. , 1959, An experiment in ecological study of bird fleas of genus Ceratophyllus Curt. , 1832. Questions on Ecology, 3: 35-46.
- Darskaya, N. F. , 1964, Comparative ecology of bird fleas of the genus Ceratophyllus Curt. , 1832. Mater. Poznan. Fauny i Flory SSSR, Moskva, Otdel. Zool. , (39): 31-180.

- Darskaya, N. F., 1964, Fleas (Suctoria), pp. 54-67. [In: Methods of Study of the Natural Foci of Human Diseases. Izd. "Meditsina", Moskva, P. A. Petrishcheva and N. G. Olsuf'yev, editors.].
- Darskaya, N. F., et al., 1961, On the geographical distribution of several species of fleas originally described from North Korea. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 176-183.
- Darskaya, N. F. and Besedina, K. P., 1961, On the possible feeding of fleas (Suctoria) on reptiles. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 5: 33-40.
- Darskaya, N. F., Bryukhanova, L. V., and Kunitskaya, N. T., 1962, Yolk bodies in the ovaries and spermatozoids in the sperm receptors of fleas as signs of the length of life of several species of these arthropods. Voprosy Obshch. Zool. i Med. Parazitol., Moskva, pp. 423-446.
- Derevyanchenko, K. I., Molodovskii, A. V., and Kaluzhenova, Z. P., 1963, Contact of rodents with other wild animals through blood-sucking arthropods on the Mangyshlak Peninsula. Zool. Zhurnal, Moskva, 42 (6): 903-913.
- Dikarev, Ye., 1966, Flea at a mike. Izobr. i rats, (1): 30-31.
- Drobinskii, I. R., 1962, Gamasiid rickettsioses. Clinical and diagnostic aspects. Izd. "Shteintsa" Akad Nauk Moldav SSR, Kishinev, 200 pp.
- Dubovshenko, T. A., 1965, New species of fleas for Azerbaidzhan fauna. (Materials of Scientific Session of Entomologists in Azerbaidzhan). Acad. Sci. Azerbaidzhan, SSR, Baku, pp. 82-83.
- Dudnikova, A. P., Zagniborodova, Ye. N., and Kochkareva, A. V., 1964, Life span of fleas of the genus Xenopsylla, the carriers of plague in nature. Izvest. Akad. Nauk. Turkmen. SSR, Ashkhabad, s. Biol. Nauk, (4): 63-68.
- Dunayeva, T. N., 1959, The modern study of the epizootology of tularemia in the USSR. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboo. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 437-451.

F

- Fedorov, V. N., 1959, Some preliminary results of experimental study of the mechanism of plague infection in camels. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 213-221.
- Fedorov, V. N., Fenyuk, B. K., and Tikhomirova, M. M., 1959, Plague epizootics of 1953 in Western Turkmenia. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 122-141.
- Fedorov, V. N. and Kozakevich, V. P., 1959, Actual distribution of plague in foreign countries. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 18-39.
- Fenyuk, B. K., 1963, Effects of human activity and of changes in the frequency of vectors and their area borders on the borders of natural foci of plague. Tezisy 3. Vsesoyuz. Soveshch. Zool. geogr. Sushi (Tashkent, Sept. 23 - 26, 1963), Tashkent, pp. 334-335.
- Fenyuk, B. K., et al., 1962, Plague epizooty among house mice near the lower course of the Ural River in 1958. Osobo Opasn. i Prirod. Ochag. Infekts., Moskva, pp. 4-21.
- Feoktistov, A. Z., 1963, On the tick-borne encephalitis virus circulation in nature. Med. Parazitol. i Parazitar. Bolezni, Moskva, (1): 35-39.
- Feoktistov, A. Z., Chipanina, V. M., and Chernykh, P. A., 1963, On the participation of gamasid mites and fleas in the circulation of the tick encephalitis virus during winter. Mater. Konf. Kleshch. Entsef. i Virus. Gemorrag. Likhorad. Omsk. Nauch. - Issled. Inst. Prirod. Infekts. (Omsk, Dec. 10-13, 1963), pp. 223-226.
- Flegontova, A. A. and Malafeyeva, L. S., 1961, The role of the human flea - Pulex irritans L. in plague transmission (experimental study). Trudy Nauch. - Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 19-27.

- Flegontova, A. A. and Malafeyeva, L. S., 1962, The activity of plague transmission by certain species of fleas. *Osobo Opasn. i Prirod. Ochag. Infekts.*, Moskva, pp. 27-36.
- Flint, V. Ye., 1963, Zoogeographical problems of medical ornithology. *Tezisy 3. Vsesoyuz. Soveshch. Zoogeogr. Sushy* (Tashkent, Sept. 23-26, 1963), Tashkent, pp. 338-339.
- Fruhbaumer, Z., 1965, The occurrence of fleas on small mammals in the western parts of the Krysne hory. *Cesk. Parazitol.*, Praha, 12: 315-318.

G

- Galuzo, J. G. and Rementsova, M. M., 1959, Doctrine of natural foci of human diseases applied to the particular regional conditions of Kazakhstan. *Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol.* (Jan. 25 - Feb. 2, 1957), Saratov, pp. 545-551.
- Ganiyev, M. K. and Mamedova, D. G., 1964, To the question of natural focality of listeriosis of farm animals. *Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan*, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 55-57.
- Garbuzov, M. A. and Lipayev, V. M., 1963, On the winter contact connections of rodents in natural foci of infections in the Khabarovsk Territory. *Mater. Konf. Kleshch. Entsef. i Virus. Gemorrag. Likhorad. Omsk. Nauch. -Issled. Inst. Prirod. Infekts.* (Omsk, Dec. 10-13, 1963), pp. 167-170.
- Gauzsteyn, D. M. and Kunitskii, V. N., 1963, To the question of a possible role of birds in the transmission of plague. Part 1. Fleas of birds in Southern Pribalkhash. *Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy*, Feb. 1963, *Sredne-Aziat. Nauch. - Issled. Protivochum. Inst.*, Alma-Ata, pp. 67-69.
- Gauzsteyn, D. M. and Kunitskii, V. N., 1964, On species composition of fleas found on birds in South Balkhash Territory in relation to the probable participation of birds in dispersal of the plague infection. *Zool. Zhurnal*, Moskva, 43 (10): 1473-1479.

- Gerasimova, N. G. , 1964, To the question of flea migration among sand rats in the conditions of the Voigo-Ural desert. Proceed-ings of the conference on natural nidity of diseases and prob-lems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, p. 238.
- Gerasimova, N. G. , 1966, Metamorphosis of fleas Xenopsylla skrjabini Ioff, 1928 in relation to temperature and humidity. Zool. Zhurnal, Moskva, 45 (3): 400-405.
- Gershkovich, N. L. , 1963, Methods of detecting fleas and their counting in the dwellings of people. Izvest. Irkutsk Gosudarstv. Proti-vochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (5): 156-161.
- Gershkovich, N. L. , Avchinnikov, V. V. , and Buvina, S. G. , 1963, Fleas infesting human habitations in a large city. Izvest. Ir- kutsk Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (6): 115-118.
- Gershkovich, N. L. , Yevseyeva, V. Ye. , and Babenko, L. V. , 1964, Ectoparasites. Fauna, Biology and practical importance thereof. Annotation. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (6): 752.
- Golkovskii, G. M. , Zagniborodova, Ye. N. , and Bakhayeva, A. V. , 1964, Experimental study of the transmission of the plague agent by fleas. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Repub- lics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 85-86.
- Golubeyeva, K. N. , 1963, To the method of determination of the quantity of fleas of large sand rats. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, p. 73.
- Goncharov, A. I. , 1963, Zoogeographical characterization and epi- zootological importance of the fleas of the genus Neopsylla Wagner, 1903, of the USSR fauna. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (6): 111-112.
- Goncharov, A. I. , 1964, On the study of functions of modified segments and some parts of the aedeagus important in flea diagnosis. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 3: 347-458.

- Goncharov, A. I. , 1964, On coupling (linkage) of male sternite IX of flea with the aedeagus. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 3: 459-471.
- Grekov, P. A. , et al. , 1963, Experimental control of plague epizooties by elimination of large sand rats in the Karakalpak Kyzyl Kum. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 74-76.
- Grinbergs, A. R. , 1961, Amphipsylla rossica - eine neue Flohart für Lettland. Latvijas Entom. , (3): 49-50.
- Grulich, I. , 1962, On the importance of the European mole (Talpa europaea L.) in foci of tick encephalitis in Czechoslovakia. Symposium Theriologicum. Proc. Internat. Symposium on Methods of Mammalogical Investigation. Aug. 26 - Sept. 5, 1960, Brno, Czechoslovakia. Publ. House, Czech. Acad. Sci. , Prague, pp. 141-145.
- Gusev, V. M. , 1962, Birds as a factor contributing to the expansion of the ranges of some species of ectoparasites. Zool. Zhurnal, Moskva, 41 (7): 1061-1066.
- Gusev, V. M. , et al. , 1961, Ecological groups of birds of the Caucasus and their role in the life of ticks and fleas. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 217-267.
- Gusev, V. M. , et al. , 1961, Notes on fleas and ticks in Askaniya-Nova. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 268-275.

II

- Hurka, K. , 1963, Bat fleas of Czechoslovakia (Aphaniptera, Ischnopsyllidae). Contributions to the study of their distribution, morphology, ecology and systematics. Acta Faunist. Entom. , Mus. Nat. Praeae, Prague, 9: 75-86, 57-120.

I

- Il'inskaya, V. L., 1963, Study of the temperature regimen in sand rat burrows. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 92-94.
- Ioff, I. G., 1949, Aphaniptera Kirghizia. Mater. Poznan Fauny i Flory SSSR, Moskva, n. s. Otdel. Zool., (1).
- Ioff, I. G., 1953, Key to the flea species of the genus Coptosylla. Izvest. Akad. Nauk Tadzhik. SSR, Stalinabad, (4).
- Ioff, I. G., Mikulin, M. A., and Skalon, O. I., 1965, Guide to the Fleas of Central Asia and Kazakhstan. Meditsina, Moskva, 369 pp.
- Ioff, I. G., Tiflov, V. Ye., and Fedina, O. A., 1964, A list of flea species (Suctoria) of the Stavropol Region. Mater. Poznan Fauny i Flory SSSR, Moskva, Otdel. Zool., (39): 24-30.
- Isayeva, Ye. V., 1948, Studies of fleas (Aphaniptera) in Azerbaidzhan. Izvest. Akad. Nauk Azerbaidzhan. SSR, Baku, (5): 87-95.
- Isayeva, Ye. V. and Kuliyeu, M. G., 1963, Fleas (Suctoria) of Azerbaidzhan. Dokl. Akad. Nauk Azerbaidzhan. SSR, Baku, 19 (6): 79-81.

J

- Jira, J., Rosicky, B., and Bozdech, V., 1965, Some aspects of the theory of natural focaloty in epizootology and epidemiology of toxoplasmosis. Cesk. Parazit., Praha, 12: 13-35.
- Jurik, M., 1957, A communication on the investigation of the ectoparasites of Eliomus quercinus and Glis glis. Biologia, Bratislava, 12 (1): 18-28.
- Jurik, M., 1962, Beitrag zur Kenntnis der Aphaniptera der CSSR. II. (Nosopsyllus Jordan, 1933). Biologia, Bratislava, 17 (5): 383-388.

K

- Kadatskaya, K. P., 1961, On the distribution of suslik fleas in relation to ecological conditions. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 5: 40-61.
- Kadatskaya, K. P., 1962, On the distribution of marmot fleas in connection with ecological conditions. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (3): 40-61.
- Kadatskaya, K. P., 1962, Collection and counting of fleas in human habitations and stables with f... el strips. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (3): 74-75.
- Kadatskaya, K. P., 1965, The periods of metamorphosis in principal flea species of gerbils in Azerbaidzhan. Mater. Nauk. Sess. Entom. Azerbaidzhan., Akad. Nauk Azerbaidzhan. SSR, Inst. Zool., Baku, pp. 103-108.
- Kadatskaya, K. P., 1965, On the number of generations of the gerbil flea Xenopsylla conformis Wagn. in Azerbaidzhan. Mater. Nauk Sess. Entom. Azerbaidzhan., Akad. Nauk Azerbaidzhan. SSR, Inst. Zool., Baku, pp. 107-110.
- Kadatskaya, K. P. and Shirova, L. F., 1963, Ixodid ticks and fleas in a tularemia focus of the Nakhichevan ASSR. Dokl. Akad. Nauk Azerbaidzhan. SSR, Baku, 19 (4): 79-83.
- Kafarskaya, D. G. and Lysenko, L. S., 1962, Materials to the flea fauna of Tadzhikistan. Voprosy Epidemiol., Bakteriolog., Gig. Parazitolog. i Virusol. (Tezisy Dokl.), Dushanbe, pp. 152-153.
- Kafarskaya, D. G. and Lysenko, L. S., 1963, To the flea fauna of wild animals of Tadzhikistan. Izvest. Akad. Nauk Tadzhik. SSR, Stalinabad, Otdel Sel'sk. i Biol. Nauk, (2): 56-68.
- Kafarskaya, D. G. and Lysenko, L. S., 1963, To the ecology of fleas of the red marmot in Tadzhikistan. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, p. 99.

- Kaluzhenova, Z. P. and Gorbunova, A. N., 1963, Eradication of sand rats with poisoned grain as a means of suppression of plague epizooty. Part 2. Quantitative dynamics and some biological properties of sand rat fleas. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. - Issled. Protivochum. Inst., Alma-Ata, pp. 94-96.
- Kapitonov, V. I. and Lobochev, Ju. S., 1964, Ecological observations on Marmota menzbieri Kaschk. In the Karzhantau mountains (West Thian-Shan). Zool. Zhurnal, Moskva, 43 (8): 1211-1221.
- Karpugidi, K. S., Bozhenko, V. P., and Bichul, K. G., 1959, Role of ticks in the epizootiology and natural focal development of plague in the northwestern Caspian Sea Region. Sborn. Nauch. Rabot Elist. Protivochum. Stants., Shakhty, Russia, (1): 109-117.
- Kasatkin, T. M., Trukhacheva, N. N., and Kasatkina, N. V., 1959, Live trap for the collection of fleas. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, (6): 319-320.
- Kasatkina, N. V. and Kasatkin, T. M., 1959, Preliminary results of the testing of chlorophos in the control of rodent fleas. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, (6): 329-331.
- Kerbabayev, Ye. B., et al., 1964, The desert burrow, its inhabitants and their control. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 309-310.
- Kharlamov, V. P., 1965, Change in the activity of feeding and motility of the tropical rat flea Xenopsylla cheopis labeled with radioactive phosphorus P^{32} . Zool. Zhurnal, Moskva, 44 (4): 547-551.
- Khrustselevskaya, N. M., Bibikova, V. A., and Osadchaya, L. M., 1963, To the variability of the plague bacillus in fleas. Part 2. Passage of a virulent subculture 610-A through fleas and pregnant guinea pigs. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 233-235.
- Kir'yakova, A. N., 1963, On the importance of the study of flea larvae in the determination of the adult life cycle. Izvest. Irkutsk Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (6): 68-69.

- Kir'yakova, A. N., 1963, An instance of the feeding of flea larvae on adult fleas. *Zool. Zhurnal, Moskva*, 42 (6): 950.
- Kir'yakova, A. N., 1964, Larvae of fleas of the family Ctenophthalmidae. Report No. 4. *Zool. Zhurnal, Moskva*, 43 (4): 572-580.
- Kizilov, V. A. and Lavrent'yev, A. F., 1964, Some characteristics of the plague epizooty in the population of red marmots in 1961. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 82-83.
- Kolpakova, S. A., Lapina, N. F., and Meleshchuk, A. P., 1964, Seasonal characteristics of the fauna and ecology of fleas of carnivorous and other mammals. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 239-240.
- Kolpakova, S. A., Satas, Ya. F., Lapina, N. F., Duk'yanova, A. D., 1965, From the practice of laboratory maintenance of rodent fleas for experimental studies. *Epidemiol. i Epizootol. Osobo Opasn. Infekts. M. Medicina*, pp. 287-299.
- Kondrashkina, K. I. and Dudnikova, A. F., 1962, Oxygen utilization by marmot fleas as a physiological test of their vitality. *Osobo Opasn. i Prirod. Infekts.*, Moskva, pp. 63-69.
- Kondrashkina, K. I. and Dudnikova, A. F., 1964, Comparative analysis of the utilization of oxygen in various species of fleas. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 231-232.
- Kondrashkina, K. I. and Dudnikova, A. F., 1964, A comparative analysis of the intensity of oxygen consumption by the fleas of different species. *Zool. Zhurnal, Moskva*, 43 (12): 1874-1876.
- Kondrashov, V. F., Agunkin, V. I., Tabunina, T. I., and Postnikov, G. B., 1963, Quantitative change in large sand rats and their fleas after elimination of the rodents with poisoned food. *Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy*, Feb. 1963, *Sredne-Aziat. Nauch. -Issled. Protivochum. Inst.*, Alma-Ata, pp. 113-114.

- Korotkova, G. V. , 1960, To the morphological characteristics of Wagnerina tuvensis Ioff and Skalon. Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 23: 259-262.
- Korotkova, V. S. and Semenova, N. I. , 1964, Materials to the fauna of sand rat ectoparasites of the south of Kirghizia. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 242-243.
- Koshkin, S. M. , 1962, Materials to the flea fauna of the Soviet Gavan. Izvest. Irkutsk. Gosudarstv. Protivochumn. Inst. , Sibiri i Dal'n. Vostoka, Irkutsk, (3): 149.
- Kosminskii, R. B. , 1961, On the number of fleas on house mice inhabiting structures of the rural type. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 5: 62-73.
- Kosminskii, R. B. , 1962, Methods for the eradication of fleas in rodents in populated areas and in open country with the aid of synthetic insecticides. Zhurnal Mikrobiol. , Epidemiol. i Immunobiol. , Moskva, 33: 71-76.
- Kosminskii, R. B. and Karandina, R. S. , 1964, Study of autumn-winter migration of Meriones erythourus Gray and their fleas in the area of the Bozdag Mountain ridge in the Azerbaidzhan SSR. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 233-234.
- Kosminskii, R. B. , Karandina, R. S. , and Leikina, G. A. , 1962, Sensibility of various species of fleas to DDT. Dokl. Akad. Nauk SSSR, Moskva, 139 (1-6): 666-667.
- Krylov, G. D. and Shvarts, Ye. A. , 1963, Some characteristics of the distribution of fleas and rodents on the Issyk-Kul Desert. Tezisy 3. Vsesoyuz. Soveshch. Zoogeogr. Sushi (Tashkent, Sept. 23-26, 1963), Tashkent, pp. 153-154
- Krylov, G. D. and Shvarts, Ye. A. , 1966, Some peculiarities of the geographical distribution of fleas on Pri-Issyk Kul Syrts in relation to the distribution of rodents and Leporidae. Zool. Zhurnal, Moskva, 45 (1): 137-139.

- Krylova, K. T., et al., 1961, The characteristics of interspecies contact in the ecdysis of the greater gerbils in the area north of the Aral Sea. Zool. Zhurnal, Moskva, 40 (3): 434-446.
- Kulakova, Z. G., 1961, To the methods of determination of the age of fleas of the genus Xenopsylla. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 76-89.
- Kulakova, Z. G., 1962, On the importance of fleas of murine rodents in the circulation of the virus of tick encephalitis. Kleshch. Entsef. i Drug. Arbovirus. Infekts., Moskva-Minsk, pp. 153-155.
- Kulakova, Z. G., 1963, To the fauna, ecology and epizootic importance of fleas in the foci of tick encephalitis. Mater. Konf. Kleshch. Entsef. i Virus. Gemorrag. Likhorad. Omsk. Nauch. -Issled. Inst. Prirod. Infekts. (Omsk, Dec. 10-13, 1963), pp. 189-191.
- Kulakova, Z. G., 1964, Feeding habits of Xenopsylla gebrilli caspica Ioff and some other fleas. Mater. Poznan. Fauny i Flory SSSR, Moskva, Otd. Zool., (39): 205-220.
- Kunitskaya, N. T., 1961, Fleas in entrances to gerbil holes in East Ciscaucasia. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 5: 90-97.
- Kunitskii, V. N. and Gauzshteyn, D. M., 1963, Time aspects of the flea populations of the genera Echidnophaga, Xenopsylla and Coptopsylla on the large sand rat in Southern Pribalkhash. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 118-120.
- Kunitskii, V. N. and Gauzshteyn, D. M., 1963, Time aspects of the flea populations of the genera Ceratophyllus, Paradoxopsyllus, Ctenophthalmus, Rhadinopsylla, Stenoponia on the large sand rat in Southern Pribalkhash. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 120-122.
- Kunitskii, V. N. and Gauzshteyn, D. M., 1963, To the method of study of the quantity of sand rat fleas of the genera Echidnophaga, Xenopsylla and Coptopsylla. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 122-124.

- Kunitskii, V. N. and Gauzshteyn, D. M., 1963, To the method of counting fleas at the entrances into sand rat burrows. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 124-126.
- Kunitskii, V. N. and Gauzshteyn, D. M., 1963, On the method of taking census of fleas in the entrances to burrows of Rhombomys opimus Licht. Zool. Zhurnal, Moskva, 42 (11): 1743-1745.
- Kunitskii, V. N. and Kunitskaya, N. T., 1961, A new species of fleas, Ceratophyllus miculini sp. nov. from Transcaucasia. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 203-205.
- Kunitskii, V. N., Kunitskaya, N. T., Gauzshteyn, D. M., and Podkovyrova, T. S., 1963, Multiplication and development of Ceratophyllus laeviceps Wagn. in natural and experimental conditions. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 126-128.

L

- Labunets, N. F., 1961, Data on the ecology of suslik fleas in Armenian SSR. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 5: 119-126.
- Labunets, N. F., 1961, On the flea fauna of Daghestan. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 127-137.
- Labunets, N. F., 1961, New forms of fleas from Mongolia. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 191-198.
- Labunets, N. F., 1961, On a flea — Amphipsylla transcaucasica — from Erinaceus. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 199-202.
- Labunets, N. F. and Bogdanov, O. P., 1959, Winter species of bat fleas from Uzbekistan. Zool. Zhurnal, Moskva, 38 (2): 221-227.

- Labunets, N. F. and Sardar, Ye. A., 1961, A study of fleas of the lesser suslik at the plague focus in Dagestan. Trudy Nauch. - Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 5: 5-18.
- Lavrent'yev, A. F. and Polulyarkh, P. A., 1964, On the susceptibility and infection sensitivity of field mice to plague. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 89-90.
- Lavrent'yev, A. F., Zveskin, A. G. and Berendyaev, S. A., 1964, To the method of elimination of the Central Asiatic mountain focus of plague. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 90-82.
- Lavrovskii, A. A., 1962, Changes in landscape and causes of the overlapping borders of plague epizooties in northeastern and eastern Caspian Region. Osobo Opasn. i Prirod. -Ochag. Infekts., Moskva, pp. 36-53.
- Leonov, Yu. A., 1962, New method of catching large gerbils and migrating fleas. Zool. Zhurnal, Moskva, 41 (2): 298-299.
- Levi, M. I., 1959, Some additions to the characteristic features of the basic carriers of the plague microbe. Sborn. Nauch. Rabot Elist. Protivochum. Stants, Shakhty, Russia, (1): 119-127.
- Levi, M. I., Valkov, B. G., Shtelman, A. I., and Kanatov, Yu. V., 1959, Experimental Plague in Different Populations of Meridional Jirds. Sborn. Nauch. Rabot Elist. Protivochum. Stants., Shakhty, Russia, (1): 252 pp.
- Li, K. C., 1957, A brief survey on the fleas of insectivores and rodents in western Yunnan. Acta Zool. Sinica, Shanghai, 9 (1): 25-33.
- Likhacheva, M. M. and Shepel, D. G., 1963, Materials to the epizootology of plague in the Zachuisk Saksaul summer resort. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 136-138.

Lisitsin, A. A., 1963, Role of small marmots in the Volgo-Ural natural focus of plague. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 134-136.

Luk'yanova, A. D. and Lapina, N. F., 1965, On the lifespan of marmot fleas Neopsylla setosa Wagn. and Ceratophyllus tesquorum Wagn. in natural conditions. Zool. Zhurnal, Moskva, 44 (6): 883-884.

Luzkhov, A. D., 1964, Ectoparasites of lemmings and voles on the Yamal Peninsula. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 230-231.

M

Mamedzade, V. A., et al., 1959, Plague enzootics and control in Azerbaidzhan. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobooop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 97-107.

Martinevskii, I. L., Shashayev, M. A., Tarakanov, N. F., and Shapovalov, A. T., 1963, On the fate of the plague bacteriophage in the organism of healthy and plague infected sand rats and the possible ways of its dissemination in experimental conditions. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 145-147.

Martinevskii, I. L. and Yevdokimova, M. S., 1963, Characterization of the coccus flora isolated from large sand rats and their fleas in the Central Asian desert focus. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 141-142.

Martirosiyan, B. A. and Darskaya, N. F., 1964, Fleas of the snow vole in Armenia. Izvest. Akad. Nauk Armyansk. SSR, Biol. i Sel'sk. Nauk, Erevan, 17 (11): 97-99.

Maslennikova, Z. P., 1965, On the fleas of the Mangyslak Peninsula (Alma-Ata). Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 151-152.

- Meklenburtsev, R. N. , 1962, To the Question of Transmission of Ectoparasites by Birds. New Series (196), Biological Sci. Book 40. Izd. Sam GU Tashkent, 76 pp.
- Mikulin, M. A. , 1958, Several new fleas from Kazakhstan. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, 4: 241-247.
- Mikulin, M. A. , 1959, Materials to the flea fauna of Central Asia and Kazakhstan. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 205-246.
- Mikulin, M. A. , 1959, Material on the flea fauna of Central Asia and Kazakhstan. Communication 11. Some particular flea fauna of Rhombomys opimus Licht. in Chardara Steppes. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 221-224.
- Mikulin, M. A. , 1959, Material on the flea fauna of Central Asia and Kazakhstan. Communication 12. Two new fleas from Tadzhikistan. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 225-229.
- Mikulin, M. A. , 1959, Material on the flea fauna of Central Asia and Kazakhstan. Communication 13. List of fleas from Central Asia and Kazakhstan. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 231-246.
- Mikulin, M. A. , 1959, On the large alacurt in central Thian-Shan. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 309-310.
- Mikulin, M. A. , Murzakhmetova, K. , and Podlesskii, G. I. , 1959, New findings of Aphaniptera in Kazakhstan and Central Asia. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 251-256.
- Mikulin, M. A. and Yu, L. C. , 1959, Supplementary data on the flea fauna of China. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 247-250.
- Mikulin, M. A. and Zagniborodeva, Ye. N. , 1958, Material on the flea fauna of Central Asia and Kazakhstan. Communication 7. A new genus of fleas of the fauna of USSR from Central Asia. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, 4: 249-253.

- Mikulin, M. A., Zagniborodova, Ye. N., Zaytseva, V. I., and Bak-hayeva, A. V., 1957, The degree of infection of sand rat fleas with plague in Western Turkmenia in 1952-1954. Tezisy Dokl. Parazitol. Konf., Saratov.
- Mikulin, M. A., Zagniborodova, Ye. N., Zaytseva, V. I., and Bak-hayeva, A. V., 1959, Plague infection in gerbil fleas in Western Turkmenia in 1953-1955. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 151-160.
- Mironov, N. P., 1959, The origin and formation of the plague foci in the northwest Caspian Region. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 40-53.
- Mironov, N. P., et al., 1959, The current status of the plague focus in the northwest Caspian and problem of its further study. Sborn. Nauch. Rabot Elist. Protivochum. Stants., Shakhty, Russia, (1): 252 pp.
- Mironov, N. P., et al., 1963, Spatial distribution of fleas in the burrows of Citellus pygmaeus and rationalization of census taking of their numerousness. Zool. Zhurnal, Moskva, 42 (3): 384-394.
- Mironov, N. P., Tinker, I. S., Shiranovich, P. I., and Shishkin, A. K., 1959, Regularities in plague enzootics in the northwest Caspian Region focus. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 54-64.
- Mkrtchyan, S. A., 1963, Epizootic plague foci in Armenia. Zhurnal Eksp. i Klin. Med., 3 (1): 93-97.
- Mokrousov, N. Ya. and Kudinova, T. P., 1963, On the isolation of erysipelas cultures from sand rats in southwestern Pribalkhash. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 149-150.
- Mokrousov, N. Ya. and Morozova, I. V., 1963, Fleas of the "mid-day" sand rat in the Priiliy Tau-Kumy. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. - Issled. Protivochum. Inst., Alma-Ata, p. 151.

- Mokrousov, N. Ya. and Morozova, I. V. , 1964, To the flea fauna of wild mammals of the Tau-Kumy. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 241-242.
- Morozova, I. V. and Sviridov, G. G. , 1959, A contribution to the method of preparation of fleas for bacteriological investigation. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 317-318.
- Moskalenko, V. V. , 1963, Effect of temperature on the multiplication of some species of rodent fleas of the Maritime Territory under laboratory conditions. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (5): 162-165.
- Moskalenko, V. V. , 1963, On the length of life of several species of fleas of rodents of the Primor Territory. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (5): 166-169.
- Murgel'deyev, O. N. , 1950, Rodents of Turkmen SSR and their economic importance. Dissert. na Soisk Uchen. Step. Kand. Biol. Nauk, Moskva.
- Murzakhmetova, K. and Terent'yeva, L. I. , 1963, To the method of determination of fermentations in fleas. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 151-158.

N

- Naiden, P. Ye. , 1959, Technical and antiepzootical efficacy of repeated gerbil control measures in the Volga-Ural sands. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 247-262.
- Naiden, P. Ye. and Dyatlov, A. I. , 1964, Perspectives of liquidation of a focus of plague epizooty in the Kyzyl-Kumy. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 86-87.

- Naumov, N. P. , 1959, Some results and outlooks of medical zoology of the vertebrates. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 409-421.
- Naumov, N. P. , et al. , 1959, Natural conditions and main epizootological characteristics of the Aral Region of the Central-Asiatic plains foci of plague. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 65-84.
- Nazarova, I. V. , 1965, On the ectoparasite fauna of mice, genus Apo-
demus, TASSR and their possible epidemiological importance. Mater. Itog. Nauch. Konf. Kazansk Nauch. -Issled. Inst. Epi-
demiol. , Mikrobiol. i Gig. , Kazan', pp. 116-118.
- Negrobov, V. P. , 1959, Parasitic insects as the source of biohelmin-
thic invasions of man and animals. Proceedings, Fourth Congress
of the All-Union Entomological Society, Izd. Akad. Nauk SSSR,
Moskva and Leningrad, 1: 241-242.
- Nelzina, Ye. N. , Danilova, G. M. , and Chernova, N. I. , 1963,
Numbers and spatial distribution of bloodsucking arthropod
micropopulations within microbiotopes of the small suslik
(Citellus pygmaeus). Med. Parazitol. i Parazitar. Bolezni,
Moskva, (1): 45-54.
- Neranov, I. M. , Usachev, G. P. , and Yakovlev, Ye. P. , 1963, To
the distribution and ecology of Allactaga severtsevi in the
southwest of Tadzhikistan. Mater. Nauch. Konf. Prirod. Ochag.
i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled.
Protivochum. Inst. , Alma-Ata, p. 164.
- Netsengevich, M. R. , 1957, Toxicity of DDT to fleas on rats (labora-
tory data). Med. Parazitol. i Parazitar. Bolezni, Moskva, 26
(1): 34-39.
- Nikanorov, S. M. , 1928, Plague in the southeast Union of Soviet
Socialist Republics. Rodents and fleas in the conservation of
plague. Bull. Office Internat. Hyg. Pub. , Paris, 20 (4): 537-
564.

- Nikulina, M. M. and Peysakhis, L. A., 1963, To the pathogenesis of plague among marmots in the active period of life. Part 2. Characteristics of pathomorphology of experimental plague. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 164-167.
- Norov, D., 1959, Use of aerosol hexachlorocyclohexan for the control of epizootics of plague in the Mongolian People's Republic. Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 21: 351-355.
- Novokreshchenova, N. S., 1962, Materials to the ecology of three species of fleas from the large sand rat. A comparison. Oso-bo Opasn. i Prirod. Ochag. Infekts., Moskva, pp. 53-63.
- Novokreshchenova, N. S., 1965, Changes in the abundance index of fleas in relation to the number of objects (places) examined. Zool. Zhurnal, Moskva, 44 (3): 403-410.
- Novokreshchenova, N. S. and Kuznetsova, G. S., 1964, Ecological peculiarities of fleas of Rhombomys opimus at the sites of stable plague epizootics. Zool. Zhurnal, Moskva, 43 (11): 1638-1648.
- Novokreshchenova, N. S., Soldatkin, I. S., Denisenko, L. K., and Martens, L. A., 1961, The use of radioactivity for labelling fleas. Med. Parazitol. i Parazitar. Bolezni, Moskva, 30 (1): 6-75.
- Novokreshchenova, N. S., Soldatkin, I. S., and Levoshina, A. I., 1962, Method of radioactive indicators used for determining the comparative frequency of feeding of various species of fleas under laboratory conditions. Voprosy Ekol., Kiev, 4: 135-137.

O

- Okulova, N. M., 1965, On the characteristics of the parasite fauna of the nests of Citellus pygmaeus in connection with their type and the period the animal inhabits the nest. Zool. Zhurnal, Moskva, 44 (5): 747-753.

Olsuf'iev, N. , 1963, Tularemia. Human Dis. Nat. Foci, Moscow, pp. 219-281.

Osipyan, V. T. , et al. , 1962, Testing of garments impregnated with repellents against fleas. Med. Parazitol. i Parazitar. Bolezni, Moskva, (4): 481-482.

Osipyan, V. T. , et al. , 1963, Comparative efficiency of hexamethylene benzamide and acetyltetrahydroxyquinoline as protective agents against fleas in humans. Med. Parazitol. i Parazitar. Bolezni, Moskva, 32 (5): 551-553.

Ostrovskii, I. B. and Soldatkin, I. S. , 1963, Infectious capacity of sand rat fleas. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 169-170.

Oudemans, A. C. , 1909, Uber den systematischen Wert der weiblichen Genital-organe bei den Suctoria (Flöhen). Zool. Anz. , Leipzig, 34 (1): 730-736.

P

Paramonova, A. N. , Vasilyeva, L. F. , and Guvva, L. A. , 1957, Rodents and ectoparasites of the Bol'shoy Balkhan mountain system. Trudy TPChS, Ashkhabad, (1): 135-144.

Pastukhov, B. N. , 1959, Epizootological and epidemiological conditions of natural plague foci in the USSR and the study of prophylactic measures. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. , Jan. 25 - Feb. 2, 1957, Saratov, pp. 5-17.

Pastukhov, B. N. , 1959, Measures for the prevention of and fight against plague in the Mongolian People's Republic. Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 22: 255-269.

Pastukhov, B. N. , 1960, The epizootic and epidemic situation in the natural foci of plague in the USSR and the prophylactic measures taken. Bull. World Health Org. , Geneva, 23 (2-3): 401-404.

- Pauller, O. F., Astrakhantseva, A. M., and Bubliyenko, V. A., 1963, Case of cat fleas attacking people in uninhabited rooms. *Izvest. Irkutsk. Gosudarstv. Protivochum. Inst., Sibiri i Dal'n. Vostoka*, Irkutsk, (5): 177-179.
- Pavlovskii, Ye. N., 1961, The microorganism, the transmitter, the environment and their interrelations. *Obshch. Probl. Parazitol. i Zool.*, Moskva, pp. 47-64. (Previously published in *Zool. Zhurnal*, 1947, 26 (4): 297-312.)
- Pavlovskii, Ye. N., 1961, Medical Geography of the USSR. *Geograf. Sborn. Med. Geograf.*, Leningrad, (14): 200 pp.
- Pavlovskii, Ye. N., 1964, Natural locality of transmissible diseases in connection with the landscape epidemiology of zoonanthroponoses. Moscow-Leningrad, 212 pp.
- Pavlovskii, Ye. N., Petrishcheva, P. A., Shekhanov, M. V., and Zhmayeva, Z. M., 1963, Tick-borne encephalitis. Human Dis. Nat. Foci, Moscow, pp. 45-97.
- Petrov, V. S., et al., 1959, Main results of the study of plague epizootics in western Turkmenia in 1953-1955. *Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zaboi.* (Jan. 25 - Feb. 2, 1957), Saratov, pp. 142-150.
- Petrov, V. S. and Maslennikova, Z. P., and Murzakhmetova, K., 1963, The conformity to laws in the geographic distribution of fleas in the deserts and semideserts of Central Asia and Kazakhstan. *Tezisy 3. Vsesoyuz. Soveshch. Zoogeogr. Sush.* (Tashkent, Sept. 23-26, 1963), Tashkent, pp. 220-221.
- Petrova, A. D., Durova, L. I., and Il'yenko, A. I., 1963, Effectiveness of DDT in the control of mites and fleas in artificial bird nesting places. *Nauch. Dokl. Vyssh. Shkoly, Biol. -Nauk*, Moskva, (3): 23-27.
- Petrova-Piontkovskaya, S. P. and Korshunova, O. S., 1963, Asian tick typhus. Human Dis. Nat. Foci, Moscow, pp. 98-137.
- Pletneyev, Ye. A., 1933, To the flea fauna of the rodents of the Serkhansk District of TSSR. (Manuscript). *Arkhiv AIEiG*.
- Polozhentsev, P. A., 1959, Insects and their helminths. *Proceedings Fourth Congress of the All-Union Entomological Society.* *Izd. Akad. Nauk SSSR*, Moskva and Leningrad, 1: 129-131.

- Popov, V. K., Kul'kova, N. A., and Berendyayev, S. A., 1964, On the effect of climatic conditions on the ecologo-physiological state of marmots and the course of the epizooty in the Central Asiatic mountain focus of plague. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 83-85.
- Popova, A. S., 1963, Landscape distribution of sandrat fleas in the Muyun Kumy. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 188-189.
- Poslavskii, A. N., 1963, Migration of several species of birds and the probable paths of dissemination of rodent fleas in northern Pri-Caspian Region. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 191-192.
- Postnikova, G. A., 1962, Infestation of fleas of the gerbils Meriones meridianus and Meriones tamariscinus by the nematode Heterotylenchus pawlowskyi Kurotschkin 1960. Trudy Astrakhansk. Zap., (6): 173-180.
- Prokopyev, V. N. and Dubovik, V. I., 1962, Finding of the wild bird fleas Ceratophyllus vagabundus and C. gallinae on chickens. Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 24: 366-367.
- Punskii, Ye. Ye., et al., 1964, To the question of the variability of the plague agent in natural conditions. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 95-96.

R

- Radchenko, A. G., Tabunina, T. I., and Gershkovich, N. L., 1963, Improvement of the organization of desinsection procedures in relation to sandrat burrows. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 193-194.

- Rall, Yu. M. (Reviewer), 1958, Lectures on the Epizootology of Plague, by V. M. Zhdanova. Stavropol. Knizhnoe Izd-vo, 242 pp.
- Rementsova, M. M., 1962, Brucellosis of Wild Animals. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 272 pp.
- Rementsova, M. M., et al., 1962, Experimental infection of gamasid mites, fleas, lice, and bed bugs with brucellosis. Trudy Inst. Krayev. Patol., Akad. Nauk Kazakh. SSR, Alma-Ata, 12: 47-54.
- Rementsova, M. M., Bezukladnikova, N. A., Busalayeva, N. N., and Senotrusova, V. N., 1963, Experimental infection of gamasid mites, lice and fleas with Brucella. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 19: 226-233.
- Reshetnikova, P. I., 1959, To the flea fauna of the Kustanai Province. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, (6): 261-265.
- Romanova, G. A., 1965, Ectoparasites of several rodent species of the town Yakutsk and of several regions of Central Yakuti. Uchen. Zapiski Yakutsk. Inst., 15: 97-102.
- Rosicky, B., 1950, Fleas (Aphaniptera) as parasites of our birds. Sylvia, Praha, 1-6.
- Rosicky, B., 1950, Biocenoses and ecology of fleas of Central Europe. Vestnik Cesk. Zool. Spolec. Praze, Praha, 14: 97-148.
- Rosicky, B., 1951, Mammals of Czechoslovakia as hosts of fleas (Aphaniptera). Sborn. Klubu Prirod. Brne, 29: 120-133.
- Rosicky, B., 1952, First supplement to the prodromus of fleas (Aphaniptera) of Czechoslovakia. Sborn. Entom. Otdel. Narod. Mus., Beograd, 28: 5-18.
- Rosicky, B., 1954, Fleas - Aphaniptera, pp. 163-165. [In: How and Why to Collect Insects. Publ. House of Czechoslovak Academy of Sciences, Prague.].
- Rosicky, B., 1955, The flea fauna of the High Tatra Mountains with notes on the altitudinal distribution of fleas in this mountain range. Zool. a Entom. Listy, Praha, 4: 365-383.

- Rosicky, B. , 1956, Neopsylla setosa and other fleas of Central European susliks. Cesk. Parazitol. , Praha, 3: 133-142.
- Rosicky, B. , 1957, Einige neue mitteleuropäische Flohformen (Aphaniptera). Acta Faunist. Entom. , Mus. Nat. Pragae, Prague, 2: 24-34.
- Rosicky, B. . 1957, Aphaniptera of winter nests of the mole Talpa europaea L. in various habitats. Cesk. Parasitol. , Praha, 4: 275-290.
- Rosicky, B. , 1957, Some zoogeographically important finds of fleas (Aphaniptera) in Central Europe. Cesk. Parasitol. , Praha, 4: 291-298.
- Rosicky, B. , 1959, Fleas — Aphaniptera. Identification Key to Czechoslovak Fauna, 3: 617-629.
- Rosicky, B. , 1959, Die Aphanipterofauna des Riesengebirges in oekologischer und zoogeographischer Hinsicht. Sborn. Narod. Mus. Praze. , Rada B, Prague, 15: 150-155.
- Rosicky, B. and Carnelutti, J. , 1959, A contribution to the understanding of the flea fauna of Slovenia. Cesk. Parasitol. , Praha, 6 (2): 135-148.
- Rosicky, B. and Smit, F.G.A.M. , 1965, Two new species of Ornithophaga (Siphonaptera: Leptosyllidae). Cesk. Parazitol. , Praha, 12: 245-253.
- Rosicky, B. and Todorovic, M. , 1964, Some species of fleas from southern regions of Yugoslavia. Cesk. Parasitol. , Praha, 11: 207-216.
- Rosicky, V. , 1963, On the formation of the species area in the superfamily Ceratophylloidea (Aphaniptera) and its application to zoogeography. Tezisy 3. Vsesoyuz. Soveshch. Zoogeogr. Sushy (Tashkent, Sept. 23-26, 1963), Tashkent, pp. 254-255.
- Rostigayev, B. A. and Alaniya, I. I. , 1963, A new species of fleas from Adzharia. Med. Parazitol. i Parazitar. Bolezni, Moskva, 32 (6): 722-724.
- Rostigayev, B. A. and Grokhovskaya, I. M. . 1966, On the flea fauna in North Viet-Nam. Zool. Zhurnal, Moskva, 45 (1): 61-67.

- Rostigayev, B. A. and Shiranovich, P. I., 1964, A new species of the flea Ctenophthalmus tataricus Rostigayev et Shiranovich sp. n. Zool. Zhurnal, Moskva, 43 (4): 612-613.
- Rostigayev, B. A. and Solov'yeva, A. V., 1964, A new flea species from Georgia. Zool. Zhurnal, Moskva, 43 (8): 1241-1243.
- Rudenchik, Yu. V., 1963, Application of radioactive tracers for the study of intrapopulational connections as an epizootological factor in the settlement of Rhombomys opimus. Zool. Zhurnal, Moskva, 42 (12): 1849-1856.
- Rybin, S. N., 1961, A new flea species - Nycteriodopsylla oligochaeta sp. nov. - parasite of the "Asiatic broadear" (Barbastella darjelingensis Dobs). Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 206-210.

S

- Sapegina, V. F. and Ravkin, Yu. S., 1965, Fleas that occur on birds in the North-East Altai. Izvest. Altajsk. Otdel. Geogr. Obshch. SSSR, 5: 164.
- Sasnikova, N. V. and Isayeva, Ye. V., 1961, Fleas of the Vinogradov gerbil in Nakhichevansk ASSR. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 5: 106-118.
- Satac, Ya. F. V., 1965, The biology of several flea species in connection with their epidemiological significance. Epidemiol. i Epizootol. Osobo Opasn. Infekts. M. Medicina, pp. 205-227.
- Savenko, R. F., 1948, Two new species of Aphaniptera from Georgia. Soobshch. Akad. Nauk Gruzin. SSR, Tbilisi, 9 (8): 501-505.
- Savina, M. A., 1964, Changes in seasonal prevalence of burrow Gamasoidea in the northern areas of the Moscow Region. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 152-157.
- Sazonova, O. N., 1962, Fleas (Insecta, Aphaniptera). Perenoshch. Vozbuditel. Prirod. -Ochag. Bolez., Moskva, pp. 179-195.
- Sazonova, O. N., 1963, Fleas of mammals of the forest zone of the European part of the USSR (list of species and keys). Uchen. Zapiski Moskov Oblast Ped. Inst., 126, Zoologiya, (6): 135-212.

- Sazonova, O. N., 1963, Ecology of fleas of small mammals in the south of the Moscow Province. Uchen. Zapiski Moskov Oblast Ped. Inst., 126, Zoologiya, (6): 213-266.
- Semenova, M. I. and Oleynikova, Z. K., 1963, To the characterization of a natural focus of Q-fever in the foothills of the Chatkalsk Massif. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 208-209.
- Semenova, N. I. and Korotkova, V. S., 1964, On the finding of Ornithodoros papillipes in the Alag Valley. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, p. 264.
- Serzhanov, O. S. and Kuzmin, A. I., 1959, Some questions of the counting and the quantity of fleas in colonies of large sand rats and methods of digging of the colonies to reach the nests. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, (6): 267-274.
- Shadiyeva, Kh. G., 1963, Ectoparasites of rodents and other mammals in the central part of the right-bank area of the Volga River. (Astrakhan Province). Zool. Zhurnal, Moskva, 42 (4): 535-545.
- Shapiro, I. L. and Ivakhina, G. I., 1963, Preservation and transportation of fleas. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 250-251.
- Sharapkova, N. Ya., Dyatlov, A. I., Timkina, A. P., and Serzhanov, U., 1959, To the question of the study of epizootology and mechanisms of plague foci-characteristics in the Kara-Kalpak Kyzyl-Kum Desert. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 85-96.
- Sharets, A. S., et al., 1963, The laws of natural focality of plague in Muyun Kumy. Part 3. Course of the epizootic process in its decreasing stages, depressions and local outbreaks. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, pp. 251-254.

- Shashnikova, N. V. and Isayeva, Ye. V., 1961, Fleas from Vinogradov's sand rat found in the Nakhichevansk ASSR. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 106-118.
- Shilov, M. N., 1960, Plague enzootic characteristics in the northern Ustyurt and adjoining areas Byul. Moskov. Obshch. Ispyt. Prirod., Moskva-Leningrad, Otdel Biol., 65 (5): 137-138.
- Shilova, S. A., et al., 1963, To the epidemiology and epizootology of tick encephalitis in the Perm Province. Mater. Konf. Kleshch. Entsef. i Virus. Gemorrag. Likhorad. Omsk. Nauch. -Issled. Inst. Prirod. Infekts. (Omsk, Dec. 10-13, 1963), pp. 415-419.
- Shiranovich, P. I., 1963, Contemporary pesticides and Pulex irritans. Experimental control, epidemiology and results. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst., Sibiri i Dal'n. Vostoka, Irkutsk, (6): 124-125.
- Shiranovich, P. I., et al., 1955, To the study of Aphaniptera of rats in USSR. Soveshch. Parazitol. Prob., Moskva and Leningrad, p. 166.
- Shiranovich, P. I., et al., 1959, An experience of simultaneous destruction of wild rodents and their fleas under practical conditions. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobooop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 318-327.
- Shiranovich, P. I., Ivanov, K. A., Polkovova, Ye. N., and Chivelov, V. I., 1964, Fleas in human dwellings in the Pricaspian lowland. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (4): 494-495.
- Shiranovich, P. I., Mokrousov, N. Ya., and Shadiyeva, Kh. G., 1959, Notes on the ecology of jerboa fleas in the northwest Caspian Region. Sborn. Nauch. Rabot Elist. Protivochum. Stants., Shakhty, Russia, (1): 252 pp.
- Shiranovich, P. I., Morozova, I. V., Samarina, G. P., and Pavlov, A. I., 1959, Jird fleas (Aphaniptera) of the Northwest Caspian. Sborn. Nauch. Rabot Elist. Protivochum. Stants., Shakhty, Russia, (1): 252 pp.
- Shiranovich, P. I. and Zheldakova, K. A., 1964, The influence of burrow priming upon micropopulation of fleas in gopher's nests. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 617-618.

- Shishkin, A. K. , 1959, Plague epizootics on the territory of the Kalmyk Steppes. Sborn. Nauch. Rabot Elist. Protivochum. Stan'ts. , Shakhty, Russia, (1): 252 pp.
- Shishkin, A. K. , 1960, Results and current problems of flea control as an efficient measure of plague prophylaxis. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 305-317.
- Shmuter, M. F. and Volokhov, V. A. , 1963, On the frequency of isolation and growth intensity of the plague agent in the organs and tissues of large sand rats and their fleas. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 266-268.
- Shtel'man, A. I. , 1963, Experimental study of the mechanisms of transmission of plague among the gerbils Meriones meridianus Pall. and M. tamariscinus (Pall.) from the Volga-Ural interfluve. Report No. 4: Supplement to the problem of the infection of fleas parasitic on the gerbil Meriones meridianus. Med. Parazitol. i Parazitar. Bolezni, Moskva, 32 (6): 739-740.
- Shvarts, Ye. A. , 1963, The fleas of Kirgizia. Tezisy Dokl. 5. Soveshch. Vsesoyuz. Entom. Obshch. , Moskva and Leningrad, pp. 187-188.
- Shvarts, Ye. A. , Berendyayeva, Ye. L. , and Kudryavtseva, K. F. , 1959, On new findings of Aphaniptera in Kirghizia. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, (6): 257-260.
- Shvarts, Ye. A. and Shilyayev, L. F. , 1963, To the problem of preservation of the plague agent in nature. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. -Issled. Protivochum. Inst. , Alma-Ata, pp. 259-261.
- Shvedko, L. P. , 1963, On the finding of Ceratophyllus mokizeckyi Wagn. , 1916 in the Transbaikal Region. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. , Sibiri i Sal'n. Vostoka, Irkutsk, (6): 113-114.
- Shvedko, L. P. and Dubovik, V. I. , 1963, Fleas of synanthropic rodents in the southeastern Transbaikal. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. , Sibiri i Dal'n. Vostoka, Irkutsk, (6): 107-108.

- Silverstov, V. B. and Gershkovich, N. L. , 1962, A new procedure of catching living Ellobius for complete collection of their ectoparasites. Zool. Zhurnal, Moskva, 41 (11): 1751-1753.
- Silverstov, V. B. and Netsengevich, M. R. , 1964, Introduction of rats and mice with airplanes to the airports of USSR and the possibility of their contact with the local rodent population. Zool. Zhurnal, Moskva, 43 (7): 1056-1061.
- Siranovic, P. I. , et al. , 1965, Field observations on the ground surface ejected fleas of the Lesser Suslik. Epidemiol. i Epizootol. Osobo. Opasn. Infekts. M. Medicina, pp. 227-238.
- Skalon, O. I. , 1965, Fleas of bank swallow (Riparia riparia L.) from northeastern Mongolia. Description of a new subspecies Frontopsylla (Orfrontia) lapponica prior ssp. n. Zool. Zhurnal, Moskva, 44 (10): 1506-1511.
- Skalon, O. I. and Violovich, N. A. , 1961, A new species of a bird flea - Ceratophyllus olsufjevi sp. nov. - from the island of Sakhalin. Trudy Nauch. -Issled. Protivozhum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 184-189.
- Skvortsov, V. V. , Kiktenko, V. S. , and Kucherenko, V. D. , 1960, Survival and Detection of Pathogenic Microbes in the Environment. Medgiz, Moskva, 349 pp.
- Slonov, M. N. , 1965, Biology of the flea Ceratophyllus tamius Wagn. , 1927. Med. Parazitol. i Parazitar. Bolezni, Moskva, 34 (4): 485-487.
- Smetana, A. , 1964, The artificial feeding and infecting of fleas Xenopsylla cheopis Roths. Cesk. Parazitol. , Praha, 11: 233-238.
- Smirnov, O. V. and Bocharov, A. P. , 1961, Combined method of protecting man against bloodsucking insects. Voenno-Med. Zhurnal, Moskva, (7): 76-79.
- Soldatkin, I. S. , et al. , 1961, Experimental study of the activity of feeding of fleas on large sand rats in natural conditions, with the application of radioactive indicators. Zool. Zhurnal, Moskva, 40 (11): 1647-1650.

- Soldatkin, I. S. , et al. , 1963, The use of radioactive carbon for studying the rate of exchange of fleas between large and southern gerbils. Dokl. Akad. Nauk SSSR, Transl. Biol. Sc. Sect. , Washington, D. C. , 146 (1-6): 1065-1066.
- Soletskii, G. K. , Yakovlev, M. G. , Yermilov, A. P. , and Shamanek, P. I. , 1963, Characteristics of the distribution of large sand-rats and the course of plague epizooty in various landscape conditions of Gur'yev Province. Tezisy 5. Vsesoyuz. Soveshch. Zoogeogr. Sushy (Tashkent, Sept. 23-26, 1963), Tashkent, pp. 293-294.
- Sotnikova, A. N. , 1963, To the question of reservoirs of the virus of tick encephalitis in the Primor Territory focus. Mater. Konf. Kleshch. Entsef. i Virus. Gemorrag. Likhorad. Omsk. Nauch. - Issled. Inst. Prirod. Infekts. (Omsk, Dec. 10-13, 1963), pp. 215-217.
- Sotnikova, A. N. and Soldatov, G. M. , 1962, Isolation of the virus of tick encephalitis from the flea Ceratophyllus tamiar Wagn. Tezisy Dokl. Itog. Nauch. Konf. Vladivost Inst. Epidemiol. , Mikrobiol. i Gig. s Uchast. Nauch. -Prakt. Uchr. Primorskogo Kraja, pp. 10-11.
- Sotnikova, A. N. and Soldatov, G. M. , 1964, Isolation of tick-borne encephalitis virus from fleas Ceratophyllus tamiar Wagn. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 622-624.
- Stefanov, S. , Peshev, Ts. , and Angelova, V. , 1962, Stenoponia tripectinata tripectinata (Tiraboschi), a Mediterranean flea, new to Bulgaria. Cesk. Parazitol. , Praha, 9: 413-415.
- Stupina, A. G. , 1961, A rare species of fleas from the Buryat ASSR. Uchen. Zapiski Buryatsk. Ped. Inst. , 24: 63.
- Suter, P. R. , 1964, The biology of Echidnophaga gallinacea Westw. and a comparison with other types of behavior of fleas. Acta Trop. Entom. , 21 (3): 204-237.
- Sviridov, G. G. , 1963, The use of radioactive isotopes in the study of some problems of flea ecology. Part 2: The contact of animals and intensity of the exchange of ectoparasites in a Rhombomys opimus population. Zool. Zhurnal, Moskva, 42 (6): 947-949.

- Sviridov, G. G., Morozova, I. V., and Kaluzhenova, Z. P., 1961, Use of radioactive phosphorus labelling of fleas to study their ecology. Mater. Extended Sc. 40-year Conf. Kazakh. SSR, Alma-Ata, pp. 172-174.
- Sviridov, G. G., Morozova, I. V., Kaluzhenova, Z. P., and Il'inskaya, V. L., 1963, The use of radioactive isotopes for the study of the ecology of fleas. Part 1: Alimentary relations of fleas of the genus Xenopsylla with large sand eels (Ammodytidae) under natural conditions. Zool. Zhurnal, Moskva, 42 (4): 546-550.
- Sviridov, G. G., Morozova, I. V., Kaluzhenova, Z. P., and Il'inskaya, V. L., 1964, Utilization of radioactive isotopes in the study of several problems of flea ecology. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 232-233.
- Sychevskii, P. T., 1960, A new flea species on field mice Ceratophyllus (Mogabothris) hispinosus sp. nov. from the Primorsk Region. Izvest. Irkutsk. Gosudarstv. Nauch.-Issled. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 23: 257-258.

T

- Tabunina, T. I., Gerskovic, N. L., Necengevic, M. R., and Il'yuskina, L. V., 1965, The flea fauna of the house mouse at the time of its mass reproduction in the bottom land and delta of the Ural River in 1958. Epidemiol. i Epizootol. Osobo Opasn. Infekts. M. Medicine, (1): 249-259.
- Tararin, R. A. and Starostina, A. V., 1964, An experience of using aerosols for desinsection in enzootic foci. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 616-617.
- Tarshis, I. B., 1958, Feeding techniques for bloodsucking arthropods. Proc. 10. Internat. Cong. Entom., Ottawa, 3: 767-783.
- Taskayeva, Ye. Z. and Khamar, M., 1962, Fleas (Aphaniptera) of the Rumanian People's Republic. Nauch. Dokl. Vyssh. Shkoly, Biol.-Nauk., Moskva, (1): 12-16.

- Tiflov, V. Ye. , 1956, Bibliography of fleas in SSSR. Trudy Nauch. - Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 1.
- Tiflov, V. Ye. , 1960, The importance of fleas in spreading diseases. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, 4: 15-35.
- Tiflov, V. Ye. , 1961, Bibliography on fleas of the USSR. Trudy Nauch. - Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 305-328.
- Tiflov, V. Ye. , 1964, Fate of bacterial cultures in the organism of fleas. Mater. Poznan. Fauny i Flory SSSR, Moskva. Otdel. Zool. , (39): 181-198.
- Tiflov, V. Ye. , 1964, Bibliography of USSR fleas. Fifth Supplement. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol. 3: 535-579.
- Tiflov, V. Ye. and Davydov, G. S. , 1962, On the flea fauna of some rodents of southwest Tadzhikistan. Trudy Akad. Nauk Tadzhik. SSR, Stalinabad, 22: 70-75.
- Tiflov, V. Ye. and Gubina, N. Ye. , 1964, A new flea conserving liquid for plague tests (preliminary communication). Mater. Poznan. Fauny i Flory SSSR, Moskva. Otdel. Zool. , (39): 199-204.
- Tikhomirova, M. M. , 1957, Work of the Turkmen antiplague station within the twenty years 1935-1955. Trudy TPChS, Ashkhabad, 1: 5-48.
- Tikhomirova, M. M. and Zagniborodova, Ye. N. , 1957, The species composition of the fleas infesting sand rats in Turkmenia. Trudy TPChS, Ashkhabad, 1: 95-118.
- Tinker, I. S. , Ivanov, I. Kh. , Shiranovich, P. I. , and Shishkin A. K. , 1959, Results and current projecting problems of flea control as an efficient measure of plague prophylaxis. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957). Saratov, pp. 305-317.
- Traut, I. I. and Gamov, G. M. , 1941, Some data on the ecology of the large sand rat and its control. Gryzuny i Bor'ba Nimi, Alma-Ata, pp. 153-178.

Tselichev, A. A., Paraskiv, K. P., and Andreyeva, P. G., 1949, Materials to the leptospirosis problem in Kazakhstan. Izvest. Akad. Nauk Kazakh. SSR, Alma-Ata, s. Parazitol., (7): 16-22.

Tsendsuren, A., 1963, Entomological research in the Mongolian People's Republic. Entom. Obozr., Leningrad, (1): 219-225.

U

Ushahova, G. V. and Fadeyev, V. A., 1964, Ixodid ticks parasitic on hares in western Kazakhstan. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 22: 174-176.

Usov, Ya. A., Privalov, V. N., and Razborova, M. M., 1959, Rodent plague epizootic in the central and southern Kyzyl-Kum Desert in 1951-1955. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 161-169.

V

Vansulin, S. A., 1959, To the ecology of fleas of northeastern Prikaspian Region. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, 1: 207-209.

Vansulin, S. A., 1963, Notes on fleas (Aphaniptera) of Northeastern Prikaspiy, I. Entom. Obozr., Leningrad, 42 (1): 151-160.

Vansulin, S. A., 1963, Notes on fleas (Aphaniptera) of the northeastern Caspian Sea Region. Entom. Obozr., Leningrad, 42 (4): 811-816.

Vansulin, S. A. and Volkova, L. A., 1962, Cost of large gerbils and its effect on the amount of fleas in these rodents during different seasons. Zool. Zhurnal, Moskva, 41 (1): 147-150.

Varivodina, T. A. and Sokolova, A. A., 1961, Results of flea collection with cotton tampons in the entrances of marmot burrows in southern Aksai. Trudy Sredne-Aziat. Nauch. -Issled. Protivochum. Inst., Alma-Ata, (7): 361-363.

Vashkov, V. I. and Shnayder, Ye. V., 1961, Insecticidal properties of Dimethyldichlorovinylphosphate. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., Moskva, 4: 130-136.

- Vashkov, V. I. and Shnayder, Ye. V., 1962, Chlorophos. Moscow, 47 pp. (Joint Publications Research Service Translation No. 15241. Washington, D. C.)
- Vasil'yeva, L. F., Guvva, L. A., and Paramonova, A. N., 1957, Rodents and their ectoparasites in the Bol'shoy Balkhan Mountain Range. Tezisy Dokl. Parazitol. Konf., Saratov.
- Violovich, N. A., 1959, Materials to the study of fleas of the genus Mioctenopsylla Rothschild, 1922 (Suctoria). Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, 1: 210-212.
- Violovich, N. A., 1961, The flea fauna (Suctoria) of the island of Sakhalin and the Kuril Islands. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 156-174.
- Violovich, N. A., 1963, To the fauna of bird fleas in the Tuva. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (6): 122-123.
- Violovich, N. A., 1963, Fauna of fleas (Aphaniptera) in Kamchatka. Entom. Obozr., Leningrad, 42 (4): 817-824.
- Violovich, N. A., 1964, A new species of flea, Paradoxopsyllus scaloni sp. n., from the southeastern Altay. Zool. Zhurnal, Moskva, 43 (7): 1082-1084.
- Vishnyakov, S. V., 1963, Comparative characteristics of flea and tick numbers in the nests of gray marmots in relation to statial distribution and habitation of the burrows. Zool. Zhurnal, Moskva, 42 (1): 135-138.
- Vishnyakov, S. V., et al., 1963, Semi-production studies of the method of dusting marmot burrows in the mountain foci of plague, preservation of DDT dust in the burrows and the mechanism of desinsection. Trudy Tsentral. Nauch. -Issled. Dezinfekts. Inst., Moskva, (16): 313-321.
- Vlasov, Ya. P., 1937, Burrows as specialized biotopes in the vicinity of Ashkhabad. Trudy Sovet. Izuch. Proizvod. Sil, Moskva, s. Turkmen. pp. 223-240.
- Vlasov, Ya. P. and Ioff, I. G., 1937, Fleas from the burrows in the vicinity of Ashkhabad, pp. 277-282. [In: Sborn. Probl. Parazitol. i Fauny Turkmenii, Moskva and Leningrad.].

Volyanskii, Yu. Ye., 1962, Materials to the flea fauna of southwestern Ukraine. Mezhevuz. N. Konf. Po Probl. Krayev. Parazitol. Tезisy Dokl., Odessa, pp. 54-55.

Vshivkov, F. N. and Skalon, O. I., 1961, Fleas (Suctoria) of the Crimea. Trudy Nauch. -Issled. Protivozhum. Inst. Kavkaza i Zakavkaz'ya, Stavropol, (5): 138-154.

Vysetskaya, S. O., 1964, Fleas of the fauna of the Transcarpathian Region. Parazitol. Sborn. Zool. Inst. Akad. Nauk, SSSR, Moskva, 22: 153-172.

W

Wagner, J., 1930, Neue Flöharten vom Pamir. Konowia, Wien, 9 (4): 279-281.

Wagner, J., 1932, Neocoptosylla wassiliewi g. n., sp. n., and Coptosylla africana Wagn. Konowia, Wien, 11: 168-175.

Wagner, J., 1932, The importance of fleas in the genesis problem of the mammalian fauna. Säugertierfauna (Abdruck aus Zoogeographica) Fischer, Jena, 1 (2): 263-268.

Wagner, J., 1932, Fünf neue palaearktische Flöhe. Konowia, Wien, 11 (4): 273-280.

Wang, T. C., 1957, A description of the female Neopsylla fukienensis Chao, 1947 (Siphonaptera). Acta Entom. Sinica, Peiping, 7 (2): 223-226.

Weiser, J., 1963, Diseases of insects of medical importance in Europe. Bull. World Health Org., Geneva, 28 (1): 121-127.

Y

Yeremitskii, N. Ya. and Yeremitskaya, N. A., 1952, To the question of variability of the plague agent in the epizootic process. Osobo Opasn. i Prirod. Ochag. Infekts., Moskva, pp. 21-27.

Z

- Zagniborodova, Ye. N. , 1957, Ecologo-faunistic review of the fleas of Western Turkmenia. Tezisy Dokl. Parazitol. Konf. , Saratov.
- Zagniborodova, Ye. N. , 1957, Flea fauna of western Uzboy. Trudy TPChS, Ashkhabad, 1; 119-126.
- Zagniborodova, Ye. N. , 1965, Epizootiological significance of migrating fleas of greater gerbil in Turkmenia. Izvest. Akad. Nauk Turkmen. SSR, Ashkhabad, s. Biol. Nauk, (5): 65-70.
- Zagniborodova, Ye. N. and Bel'skaya, G. S. , 1965, Fleas of burrowing birds and their possible role in plague epizootiology of Turkmenia. Izvest. Akad. Nauk Turkmen. SSR, Ashkhabad, s. Biol. Nauk, (3): 69-74.
- Zamakhayeva, Ye. I. , et al. , 1959, The study of brucellosis infected ticks in goat-sheep type foci. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 497-501.
- Zhdanov, V. M. , 1960, Attack on infections. Publ. House, All-Union Society for the Dissemination of Political and Scientific Knowledge, Moscow, (1), s. 8: 40 pp.
- Zhernovov, I. V. , Zagniborodova, Ye. N. , and Bakhayeva, A. Y. , 1963, Materials to the fauna of rodents and their ectoparasites in the Kigutang-Tau Mountain ridge area. Mater. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Feb. 1963, Sredne-Aziat. Nauch. - Issled. Protivochum. Inst. , Alma-Ata, pp. 89-90.
- Zhernovov, I. V. , et al. , 1964, Epizooty of plague among the rodents in the Sarykamysh sands. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 96-97.
- Zhovtii, I. F. , 1959, Notes on the ecology of fleas in connection with their epizootological role. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osoboop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 170-180.

- Zhovtii, I. F. , 1959, Some characteristics of the ecology of fleas of the Transbaikal-Mongol enzootic focus in connection with their role as vectors of plague. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 226-227.
- Zhovtii, I. F. , 1962, Rodents as hosts of fleas. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (3): 136-138.
- Zhovtii, I. F. , 1963, Some controversial questions of the ecology of rodent fleas in connection with their epidemiological importance. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (6): 96-104.
- Zhovtii, I. F. , 1963, History of the study of fleas of Siberia and the Far East. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 25: 309-330.
- Zhovtii, I. F. and Maksimova, Ye. D. , 1960, Seasonal changes in the age composition of fleas in nests of the Mongolian gerbil. Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 23: 278-286.
- Zhovtii, I. F. and Yemel'yanova, N. D. , 1959, Carriers of plague infection in the Mongolian People's Republic. Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 22: 72-107.
- Zolotarev, Ye. Kh. , 1959, Current status of the problem concerning the use of substances for individual protection against Diptera and ticks. Izvest Sibir. Otdel. Akad. Nauk SSSR, Novosibirsk, (9): 92-97.
- Zolotarev, Ye. Kh. , 1961, A method of primary laboratory testing of repellents for fleas. Med. Parazitol. i Parazitar. Bolezni, Moskva, 30: 738-739.
- Zolotarev, Ye. Kh. and Gaverdovskii, A. N. , 1964, Changes in the behavior of fleas in relation to repellents and depending on the physiological condition of insects. Zool. Zhurnal, Moskva, 43 (8): 1115-1160.

MITES

A

- Agapova, I. N. , 1963, To the fauna of gamasid mites of Central Kazakhstan. Tezisy Dokl. 5. Soveshch. Vsesoyuz. Entom. Obshch. , Moskva and Leningrad, pp. 162-163.
- Akbulatova, L. Kh. , 1964, Demodicosis in man. Vestnik Dermat. i Venerol. , Moskva, 38 (3): 34-42.
- Aleksandrov, Yu. V. and Kolodochka, L. A. , 1965, A new species of mites, Parholaspulus jagodinskyi (Gamasoidea, Macrochelidae). Zool. Zhurnal, Moskva, 44 (5): 770-773.
- Aleksandrov, Yu. V. , Kolodochka, L. A. , and Yagodinskii, V. N. , 1965, Description of the male Macrocheles superbus Hull. , 1918 (Gamasoidea, Macrochelidae). Zool. Zhurnal, Moskva, 44 (4): 608-610.
- Aleksandrov, Yu. V. , et al. , 1965, A new species of mites Parholaspulus bregetovae, sp. n. (Gamasoidea, Macrochelidae). Entom. Obozr. , Leningrad, 44 (1): 217-220.
- Alyeva, S. , 1964, Study of seasonal dynamics of oribatid mites in Kuba District of the Azerbaidzhan SSR in 1961-1962. Uchen. Zapiski Azerbaidzhan. Gosudarstv. Univ. , Baku, s. Biol. Nauk, (2): 35-39.
- Andreyev, S. V. , Martens, B. K. , Molchanova, V. A. , and Samoylova, Z. I. , Use of radioisotopes and radiation in the control of insect pests of plants and animals. Joint Publications Research Service Translation 20,425, 11 pp. (Manuscript - no date).
- Anon. , 1963, Brief news and information. Zool. Zhurnal, Moskva, 42 (7): 1119-1126.
- Anon. , 1965, Generic groups of rhinonyssid mites (Mesostigmata, Rhinonyssidae), the parasites of birds. Report No. 2: New genus Locustellonyssus. Zool. Zhurnal, Moskva, 44 (7): 1092-1097.
- Antonenko, V. V. , 1963, Study of gamasid mites in Denpropetrovsk Province. Problemy Parazitol. , Kiev, (2): 154-158.

- Arestov, I. G., 1964, Effect of chlorophos on the organism of swine with scabies. Veterinariya, Moskva, 41 (3): 49-50.
- Artemichev, M. A. and Frolov, B. A., 1964, Dimethyldichlorovinyl phosphate as a new means for controlling poultry mites. Veterinariya, Moskva, 41 (5): 99-100.
- Arzamasov, I. T., 1962, Gamasid mites of rodents in Belovejskaia Pushcha. Vestsi Akad. Navuk Belarusk. SSR, Minsk, s. Biyal. Navuk, (3): 124-132.
- Arzamasov, I. T., 1964, Ectoparasites of Clethrionomys glareolus Schreb. in Belorussia. Proceedings of the conference on natural natality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 277-278.

B

- Beklemishev, V. N. (Editor), 1958, Table for identifying suborders, some superfamilies and families of the Acariformes Zachvatkin order and some representatives of these mites. Opred. Chlenistonogikh, Vred. Zdorov Cheloveka, 15: 225-226.
- Belyayev, V. G., 1962, To the fauna of gamasid mites of rodents in the town of Ussuriysk and its vicinity. Tezisy Dokl. Itog. Nauch. -Konf. Vladivost. Inst. Epidemiol., Mikrobiol. i Gig. s Uchast. Nauch. -Prakt. Uchr. Primorskogo Kraya, pp. 26-27.
- Bgytova, S. I., Bibikova, V. A., and Berendayeva, Ye. L., 1964, A new species of gamasid mites Haemogamasus bifurcatus sp. n. from Tian-Shan. Zool. Zhurnal, Moskva, 43 (1): 136-138.
- Borzenkov, D. S. and Sorokin, V. V., 1960, Nikochloran is a highly effective agent against the chicken-mite. Veterinariya, Moskva, 37 (2): 69-70.
- Bregetova, N. G. (Reviewer), 1961, Mites of stored products. Entom. Obozr., Leningrad, 40 (4): 947-948.
- Bregetova, N. G., 1965, A new species of parasitic mites of the genus Rhinoecius Cooreman (Mesostigmata: Rhinonyssidae). Entom. Obozr., Leningrad, 44 (1): 212-216.

- Bregetova, N. G., 1965. Generic groups of rhinonyssid mites (Mesostigmata, Rhinonyssidae) parasitic on birds. Report No. 1. New genus Sternostomoides. Entom. Obozr., Leningrad, 44 (3): 709-713.
- Bregetova, N. G. and Koroleva, Ye. V., 1964, Mites of the genus Ololaelaps Berlese, 1904 (Acarina: Laelaptidae). Parazitol. Sborn. Zool. Inst. Akad. Nauk SSSR, Moskva, 22: 61-87.
- Bryts'kii, Ya. V., 1954. Study of tyroglyphid mites found in mills and granaries. Nauk. Zapiski Nauk. - Prirod. Muz. Akad. Nauk Ukrain RSR, Kiev, 3: 33-42.
- Bunin, K. V., 1960, Early Differential Diagnosis of Infectious Diseases. Moskva, 421 pp.
- Busa, M. A. and Grinbergs, A. R. V., 1964. Several data on ectoparasites of mouse-like rodents in the Kaliningrad Province. Latvijas PSR Zinat. Akad. Vestis., Riga, 9: 67-76.
- Butenko, O. M., 1962, A survey of gamasoid mites (Gamasoidea, Parasitiformes) connected with birds. Trudy Oksk. Zapovednika, 4: 353-385.
- Butenko, O. M., 1964, On parasitological examination of nests of birds-synanthrops. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 620-621.
- Butenko, O. M., 1964, Seasonal variations of the age composition of the population of bird mites Dermanyssus hirundinis Herm. (Dermanyssidae, Gamasoidea). Mater. Poznan. Fauny i Flory SSSR, Moskva, Otdel. Zool., (39): 294-299.
- Butenko, O. M., 1964, To the ecology of the mite Rhinonyssus rhinotiethrum (Trouessart, 1895) (Rhinonyssidae, Gamasoidea) — a parasite of water birds. Zool. Zhurnal, Moskva, 43 (2): 274-276.
- Butenko, O. M., 1965, New species of gamasid mites parasitic in the nasal cavities of birds of the USSR. Zool. Zhurnal, Moskva, 44 (1): 131-133.
- Buyakova, T. G. and Goncharova, A. A., 1964, New species of Gamasoidea mites (Parasitiformes, Gamasoidea). Zool. Zhurnal, Moskva, 43 (5): 768-771.

C

- Cerny, V. , 1964, Contribution to the knowledge of feather mites (Analgesoidea) from Czechoslovakia II. Cesk. Parasitol. , Praha, 11: 65-69.
- Cerva, L. and Daniel M. , 1964, The frequency of occurrence of trombiculosis in Central Bohemia. Cesk. Parasitol. , Praha, 11: 71-76.
- Cheng, T. H. , 1963, Insect control in mainland China. Science, Lancaster, Pa. , 140 (3564): 269-277.
- Cherkasskii, Ye. S. , 1963, The treatment of sheep mange in the Soviet Union using activated creoline. Magyar Allat. Lapja, Budapest, 18 (3): 124-125.
- Chikilevskaya, I. V. , 1964, On tyroglyphoid mites from the burrows of rodents in the Byelorussian Polesye Territory. Zool. Zhurnal, Moskva, 43 (6): 824-830.
- Chiu, F. H. , Chung, H. L. , Cheng, L. T. , and Ho, L. Y. , 1962, Isolation of Rickettsia tsutsugamushi from patients, rats and mites. Chinese Med. J. , Peiping, 81: 166-169.
- Chow, C. Y. and Yue, T. F. , 1952, The status of certain insects and mites as vectors of human diseases in Taiwan (Formosa). Essays and papers in memory of the late President Fu Su-Nien, 10 pp.
- Chykileuskaya, I. V. and Arzamasau, I. T. , 1963, Distribution of gamasid mites in the burrows of rodents of White Russian Polesye. Vestsi Akad. Navuk Belarusk. SSR, Minsk, s. Bial. Navuk, (3): 116-120.

D

- Daniel, M. , 1962, A contribution to the problem of natural enemies of larvae of the chigger mite Trombicula autumnalis (Acariformes, Trombiculidae). Vestnik Cesk. Zool. Spolec. Praze, Praha, 26 (2): 146-147.

- Daniel, M., Cervova, H., and Cerva, L., 1964, The use of Sullkol K suspension for control of larvae of Trombicula autumnalis. Cesk. Parasitol., Praha, 11: 319-322.
- Daniel, M. and Dusbabek, F., 1959, Asijská sametka Trombicula (N.) japonica v CSR (Acari: Trombiculidae). Casop. Narod. Mus., Od. Prirod., Praha, 128 (2): 136-138.
- Daredzhanashvili, Sh. D., 1964, Species of oribatid mites (Acari, Oribatei) in the vicinity of Tiflis. Soobshch. Akad. Nauk Gruzin. SSR, Tbilisi, 34 (2): 457-464.
- Davydova, M. S., 1963, Gamasid mites of water rats in the forest steppe zone of Western Siberia. Trudy Biol. Inst. Sibir. Otdel Akad. Nauk SSSR, (10): 109-122.
- Davydova, M. S., 1965, Gamasid mites in the northeastern Altai. Izvest. Alt. Otdel Geog. Obshch. SSSR, (5): 168-171.
- Denisova, Z. I., Shaposhnikova, Ye. M., and Luk'yantsyeva, V. P., 1962, Gamasid mites in rodents of Kursk Province. Sborn. Trudov Kursk. Gosudarstv. Med. Inst., (16): 101-105.
- Dmytriyeu, H. M., 1960, Injurious insects and mites in the Botanical Garden of the Ukrainian Academy of Sciences. Trudy Botan. Sada Akad. Nauk Uzbek. SSR, Tashkent, 7: 143-152.
- Dubinin, V. B. and Bregetova, N. G., 1952, Parasitic bloodsucking ticks and mites of vertebrate animals in Turkmen. Trudy Zool. Inst. Akad. Nauk SSSR, Moskva and Leningrad, 10: 45-60.
- Dubinina, Ye. V., 1964, Developmental cycle of the mites of the genus Histiophorus (Sarcoptiformes, Listrophoridae). Zool. Zhurnal, Moskva, 43 (4): 534-548.
- Dubinina, Ye. V., 1964, Mites of the genus Histiophorus (Listrophoridae) - parasites of beavers. Parazitol. Sborn. Zool. Inst. Akad. Nauk SSSR, Moskva, (22): 111-152.
- Dusbabek, F., 1964, Parasitic mites of Chiroptera from Czechoslovakia II. Family Dermanyssidae Kol. 1859 (Acarina: Gamasides). Cesk. Parasitol., Praha, 11: 77-125.
- Dyadechko, V. N., 1960, Improved methods of investigation into the specific activity of acaricides in vitro. Trudy Vsesoyuz. Nauch. - Issled. Inst. Vet. San. i Ektoparazitol., Moskva, 16: 7-9.

- Dyadechko, V. N. and Khatin, M. G. , 1960, Physico-chemical and acaricidal properties of some new insecto-acaricides. Trudy Vsesoyuz. Nauch. -Issled. Inst. Vet. San. i Ektoparazitol. , Moskva, 16: 3-6.
- Dyakovskii, G. S. , 1961, Komarov's disinfection unit (DUK) for mange elimination in pigs under loose housing. Veterinariya, Moskva, 38 (2): 82.
- Dzhaparidze, N. I. , 1963, Fauna of oribatid mites (Acari, Oribatei) in Georgia. Soobshch. Akad. Nauk Gruzin. SSR, Tbilisi, 31 (2): 413-419.
- Dzyuba, S. , 1969, Observations on the distribution of mites (Acarina) in the soil of cultivated fields. Studia Tor Zool. , 5 (3): 1-36.

F

- Feider, Z. , 1959, New proposals on the classification of mites from the group Trembidia. Zool. Zhurnal, Moskva, 38 (4): 537-549.
- Feider, Z. , 1962, Contribution à la connaissance des Rhinonyssidae (Acari) parasites dans la cavité nasale des oiseaux. Studii si Cercet. Stiint. , Acad. Repub. Pop. Romine, Iasi, 13 (1): 43-56.
- Feider, Z. , 1962, Neonyssus hirsutus n. sp. (Rhinonyssidae, Parasitiformes) un nouveau parasite dans la cavité nasale du pigeon domestique. Studii si Cercet. Stiint. , Acad. Repub. Pop. Romine, Iasi, 13 (1): 57-68.
- Feider, Z. and Solomon, L. , 1962, Hirstionyssus parallelus n. sp. si Hirstionyssus macedonicus (Hirst), 1921 noi gamaside pentru fauna R. P. R. Comun. Acad. Repub. Pop. Romine, Bucuresti, 12 (2): 217-223.
- Flint, V. Ye. , 1963, Zoogeographical problems of medical ornithology. Proc. 3. All-Union Meet. Zoogeog. Deserts, Tashkent, pp. 338-339.
- Freyman, N. I. , 1964, Infection of the facial skin by the mites Demodex folliculorum. Vestnik Dermat. i Venerol. , Moskva, 38 (3): 42-44.

Frolov, B. A. , 1964, Eradication of chicken mites. Veterinariya, Moskva, 41 (10): 74-75.

Frolov, V. A. , 1962, Study of the acaricidal activity of new preparates in experiments with poultry acarines. Trudy Vsesoyuz. Nauch. - Issled. Inst. Vet. San. i Ektoparazitol., Moskva, 21: 72-76.

G

Gadzhiev, A. T. , 1959, To the fauna of gamasid mites of rodents of Azerbaidzhan. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva-Leningrad, 1: 212-213.

Gadzhiev, A. T. , 1962, To the fauna of gamasid mites of birds in Azerbaidzhan. Mater. 3-y. Vsesoyuz. Ornitol. Konf., L'vov, 1: 89.

Gadzhiev, A. T. , 1964, Gamasid mites of the house mouse (Mus musculus L.) in Azerbaidzhan. Trudy Inst. Zool. Akad. Nauk Azerbaidzhan SSR, Baku, 23: 60-68.

Gadzhiev, A. T. , 1965, Gamasid mites of the Caucasian hamster Cricetus (Mesocricetus) auratus Waterhouse (1939). Dokl. Akad. Nauk Azerbaidzhan. SSR, Baku, 21 (2): 52-54.

Gadzhiev, A. T. , Abushev, F. A. , and Yuditskaya, S. I. , 1965, Gamasid mites in a natural focus of tularemia, plague and erysipeloid of the Nakhichevan ASSR. Trudy Inst. Zool. Akad. Nauk Azerbaidzhan. SSR, Baku, 24: 152-161.

Gadzhiev, A. T. and Kadatskaya, K. P. , 1961, Gamasid mites of the rodents of Kobystan. Izvest. Akad. Nauk Azerbaidzhan. SSR, Baku, s. Biol. i Med. Nauk, (12): 47-53.

Ganiyev, I. M. and Kasimov, D. D. , 1965 Use of enlorophos; trichlorometaphos-3, and polychloropinene against scab disease in sheep. Veterinariya, Moskva, 42 (12): 47.

Garumyants, L. G. , 1964, Questions of the pathogenesis in sheep psoroptoses. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 281-283.

- Gasanov, Sh. N., 1963, Biotopes of burrowing ticks of the genus Ornithodoros in different areas of the Nakhichevan ASSR and their epidemiological significance. Azerbaidzhan. Med. Zhurnal, Baku, 40 (5): 58-62.
- Gerasimov, Yu. A., 1953, Scabies of wild foxes. Trudy Vsesoyuz. Nauch. -Issled. Inst. Okhot. Promys., (13): 116-134.
- Gershkanovich, N. L., Yevseyeva, V. Ye., and Babenko, L. V., 1964, Ectoparasites. Fauna, biology and practical importance thereof, annotation. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (6): 752.
- Getta, G. I., 1962, Utilization of hexachlorane fumes against sheep mange mites. Sborn. Nauch. Rabot Sibirsk. Zonal. Nauch. - Issled. Vet. Inst., Omsk, (11): 199-202.
- Gil'manova, G. Kh., Boiko, V. A., and Lapshina, G. N., 1964, Participation of Gamasidae mites in the circulation of tick-borne encephalitis virus in the natural foci of the Tatar ASSR. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 157-161.
- Gladkikh, S. G., 1964, Means of Repelling Bloodsucking Insects and Mites. Moskva, 120 pp.
- Golovneva, L. F., 1965, Occurrence of the mite Dermoglyphus minor (Nörner, 1882) Trouessart 1886 in hens of the White Russian SSR. Dokl. Akad. Nauk Belorussk. SSR, Minsk, 9 (7): 495-496.
- Gomelaury, L. A., 1963, Study of the mites of the family Bdellidae of the Georgian SSR. Soobshch. Akad. Nauk Gruzin. SSR, Tbilisi, 30 (1): 47-51.
- Gomelaury, L. A., 1963, New genus and species of predatory mites of the family Bdellidae. Soobshch. Akad. Nauk Gruzin SSR, Tbilisi, 31 (1): 167-170.
- Goncharova, A. A. and Buyakova, T. G., 1962, Mites of the family Haemogamasidae (Parasitiformes, Gamasoidea) in Eastern Siberia. Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Proti-vochum Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 24: 354-365.
- Goncharova, A. A. and Buyakova, T. G., 1964, On the method of determination of the deutonymphs of the family Laelaptidae Berlese, 1892 (Parasitiformes, Gamasoidea). Zool. Zhurnal, Moskva, 43 (2): 277-281.

- Goncharova, A. A. and Buyakova, T. G., 1964, Gamasid mite Euryparasitus emarginatus (S. L. Koch, 1839) in Eastern Siberia. *Izvest. Sibir. Otdel. Akad. Nauk SSSR, Novosibirsk*, (4), s. Biol. i Med. Nauk, (1): 111-119.
- Goncharova, A. A. and Isakova, G. G., 1963, Gamasid mites of badgers of the Transbaikal area. *Uchen. Zapiski Chitinsk. Ped. Inst.*, 10: 184-187.
- Grinbergs, A. R., 1961, Occurrence and seasonal dynamics of the larvae of Trombicula zachvatkini Schlug. in the Latvian SSR. *Latvijas Entom.*, (3): 35-48.
- Grinbergs, A. R., 1961, Laelaps agilis Koch (Acarina, Parasitiformes) as a potential epidemiological factor in the Latvian SSR. *Latvijas PSR Zinat. Akad. Vestis.*, Riga, (4): 119-124.
- Grokhovskaya, I. M., Ghibet, L. A., and Khudyakov, I. S., 1964, On chiggers of the subfamily Trombiculinae of South Marine Territory. *Zool. Zhurnal, Moskva*, 43 (10): 1446-1453.
- Guschina, A. I. and Marshalova, N. A., 1964, Gamasid mites of rodents and insectivores of the southern districts of Karelia. To the natural focality of parasitic and transmissible diseases in Karelia. *Izd. Nauka, Moskva and Leningrad*, pp. 92-99.
- Guschina, A. I. and Shulman, R. Ye., 1964, Gamasid mites of the nests of Microtus agrestis and Sorex araneus in Southern Karelia. To the natural focality of parasitic and transmissible diseases in Karelia. *Izd. Nauka, Moskva and Leningrad*, pp. 100-107.
- Gushcha, G. I., 1962, Trombiculid mites of murine rodents occurring in the central forested steppe of the Ukraine. *Avtoref. Diss. Kand. Biol.*, Kiev, 23 pp.

H

- Hsu, P. I., Su, K. C., and Ch'en, H. T., 1959, Larvae of Trombicula akamushi var. deliensis as related to the epidemiology of tsutsumushi. *Chinese Med. J.*, Peiping, 78 (3): 276.

I

- Imanov, Ye. D., Miroshchennichenko, M. I., Osipova, I. Z., and Rybik, S. N., 1964, Materials to the study of Q-rickettsiosis in several districts of Kirghizia. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 37-38.
- Isakova, T. T., 1963, Fauna of gamasid mites of the Transbaikal area. Uchen. Zapiski Chitinsk. Ped. Inst., (10): 224-231.
- Ivanova, L. M. and Chabovskii, V. I., 1964, Epidemiological evaluation of the method of direct tick extermination in foci of tick-borne encephalitis. Communication I. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (3): 325-331.
- Izosov, A. A., 1961, Occurrence of murine rodents and gamasid mites associated with them in Kursk Province. Uchen. Zapiski Kursk. Gosudarstv. Ped. Inst., 12: 87-105.

J

- Jira, J., Rosicky, B., Bozdech, V., 1965, Some aspects of the theory of natural focality in epizootology and epidemiology of toxoplasmosis. Cesk. Parazitol., Praha, 12.

K

- Kadyte, B. and Yeytnikavichyute, I., 1959, Historical review of acarological investigations in the Lithuanian SSR. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva-Leningrad, 1: 231-232.
- Kalakutskaya, T. V., 1960, Gamasid mites, the parasites of rodents and insectivorous animals in the Oka State Preserve. Trudy OGZ, (3): 147-154.

- Kalinkovskii, S. I. and Izotov, P. V., 1962, Gamasid mites occurring on rodents at times of epidemic outbreaks of "GINN" ? in the Primor Territory. Tezisy Dokl. Itog. Nauch. -Konf. Vladivost. Inst. Epidemiol., Mikrobiol. i Gig. s Uchast. Nauch. -Prakt. Uchr. Primorskogo Kraja, pp. 24-25.
- Kapitonov, V. I., 1960, Parasites of the "black-capped marmot". Zool. Zhurnal, Moskva, 39 (9): 1435-1437.
- Kasiyev, S. K., 1964, To the ecology of feather mites of domestic and wild birds in Kirghizia. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 216-218.
- Kerbabayev, Ye. B., Remannikova, T. M., and Meledzhayeva, M. A., 1957, Gamasid mites and ixodid ticks in the region of the Karakumy Canal. Tezisy Dokl. Azerb. Inst. Usovyersh. Vrach. Sovmestno s Uch. Sovyet. Minzdrava TSSR, Baku.
- Kheladze, V. S., 1960, New mites in the fauna of the USSR. Byul. Glav. Botan. Sada, Moskva, (38): 84.
- Khudyakov, I. S., 1962, Gamasid mites of rodents in the coastal regions of Shkotovo District of the Maritime Territory. Trudy Vladivostok Inst. Epidemiol., Mikrobiol. i Gig., (2): 107-113.
- Khudyakov, I. S., 1965, Study of mites of the superfamily Gamasoidea in the southern Maritime Territory of the Far East. Zool. Zhurnal, Moskva, 44 (4): 521-526.
- Konyayev, M. T. and Nasonova, M. V., 1962, Use of a hand fire machine with the atomizer of the M-600 motor pump for controlling scabies in swine. Zap. Vor. Sel'khoz. Inst., 17 (2): 273-275.
- Kozlovskaya, O. L. and Ryabov, N. I., 1962, To the fauna of the gamasid mites of the Priamur Region. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (3): 150-152.
- Kozlovskaya, G. O., 1954, Alate Oribatids (Galumnidae) of the pastures of southern Kazakhstan. Trudy Inst. Vet., Kazakh. Fil. Akad. Sel'sk. Nauk, Alma-Ata, 6: 589-609.

- Krivolutskii, D. A., 1964, Sellnickochthonius gen. n. — a new genus of oribatid mites from the family Brachychthonidae Balogh, 1943 (Acariformes, Oribatei). Zool. Zhurnal, Moskva, 43 (6): 935-936.
- Krivolutskii, D. A., 1965, New species of oribatid mites (Acariformes, Oribatei) from the taiga zone of the USSR. Entom. Obozr., Leningrad, 44 (3): 705-708.
- Krivolutskii, D. A., 1965, Morphoecological types of oribatid mites (Acariformes, Oribatei). Zool. Zhurnal, Moskva, 44 (8): 1176-1189.
- Krivolutskii, D. A., 1965, Some observations on the system of the family Liacaridae Sell., 1928 (Oribatei, Acariformes). Byul. Moskov. Obshch. Ispyt. Prirod., Moskva and Leningrad, Otdel Biol., 70 (2): 118-120.
- Krovyakov, V. I., 1959, A new device to spray animals with insecticides and acaricides. Trudy Vsesoyuz. Nauch.-Issled. Inst. Vet. San. i Ektoparazitol., Moskva, 15: 53-61.
- Kudryashova, N. I., 1965, New species of chiggers from genera Neotrombicula Hirst, 1925 and Heaslippia Ewing, 1944 (Acariformes, Trombiculidae). Zool. Zhurnal, Moskva, 44 (1): 133-135.
- Kudryashova, N. I. and Tarasevich, I. V., 1964, Chiggers in a natural focus of tsutsugamushi fever in the southern part of the Maritime Territory. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (6): 718-721.
- Kugusheva, R. Kh., 1961, Two cases of parasitism of the rat mite on man in the town of Nakhodka. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 2: 103-104.
- Kukoleva, Z. N., 1961, Comparative evaluation of the acaricidal properties of some preparations against cutaneous mites of rabbits. Sborn. Studench. Nauch.-Issled. Rabot. Nauch. Stud. Obshch. MVA, (5): 54-58.
- Kurmanov, I. A., 1959, On the insecto-acaricidal preparation nikokhloran. Trudy Vsesoyuz. Nauch.-Issled. Inst. Vet. San. i Ektoparazitol., Moskva, 14: 19-20.

L

- Leonidova, K. O., Sevast'yanova, N. I., and Gerasimova, V. I., 1959, Materials on the study of the state of infection of blood-sucking arthropods of rodents in nature with infectious agents which are pathogenic for man. 10. Soveshch. Parazitol. Prob., Moskva, 2: 14-15.
- Lesnyak, A. P., 1964, Ectoparasites of Ancistrodon halys in nature and in nursery. Zool. Zhurnal, Moskva, 43 (8): 1247-1248.
- Letova, G. I., Yemel'yanova, N. D., and Letov, G. S., 1963, Ectoparasites of murine rodents in Tuva. Part I. Ectoparasites of the water mouse, Arvicola terrestris L. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, 25: 352-359.
- Levi, I. and Gall, Z., 1954, The use of BHC preparations in the suppression of scabies and other ectoparasites. Zborn. I. Kong. Sav. Drust. Vet. F. N. R. Jugoslav., Zabreb, (Dec. 3-6, 1953), pp. 516-520.
- Levit, A. V., Vustina, U. D., and Gubenko, L. N., 1964, A new toxoplasma-like organism in laboratory white mice. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 22: 34-43.
- Litvishko, N. T., 1962, Prophylaxis and cure for scab of chickens. Sotsial. Tvarin., Kiiv, 34 (8): 49-52.
- Litvishko, N. T., 1963, Epizootiology of chicken scabies caused by Cnemidocoptes mutans. Problemy Parazitol., Kiev, (2): 141-145.
- Lo, H. N. and Shao, H. O., 1958, Breeding the mite Phyllocoptruta oleivorous Ashmead for biological study. K'un Ch'ung Chih Shih (Knowledge Entom.), Peiping, 4 (1): 39-41.
- Lopukhov, M. A. and Den'gin, N. Ya., 1964, Chlorophos in the control of mites and insects. Veterinariya, Moskva, 41 (6): 111-112.
- Lozinger, G. K., 1961, Gamasid mites — ectoparasites of small, wild mammals in the Toguchinsk focus of tick relapsing fever. Trudy Novosibirsk. Med. Inst., i Novosib. Oblast San. -Epidemiol., Stantsii, 38: 172-175.

Lukin, A. M. , 1964, Experiments on preservation and transmission of virus of foot and mouth disease by ixodid ticks. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 22: 44-48.

Luzhkov, A. D. , 1964, Ectoparasites of lemmings and voles on the Yamal Peninsula. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 230-231.

Lyskovtsev, M. M. , 1964, A differential diagnosis of the ictericless leptospirosis and the mite rickettsiosis in children. Sovet. Med. , Moskva, 4: 75-80.

M

Makhalochkina, Ye. I. , 1965, Localization of Acarus suis on the body of swine. Veterinariya, Moskva, 42 (7): 51-52.

Makhmetov, M. M. and Tagii'tsev, A. A. , 1964, On the rate of infection of ixodid ticks in the virgin lands of Kokchetov Province with the agent of Q-fever. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 34-35.

Malinin, V. , 1958, Forecasting the infestation of spider mites on cotton. Khlopkovodstvo, Moskva, 8 (7): 34-36.

Mardzhanyan, G. M. , Kankanyan, A. G. , and Ust'yan, A. K. , 1965, Causes for the mass reproduction of plant feeding mites following treatment with chloro-organic insecticides. Izvest. Akad. Nauk Armyansk. SSR, Biol. i Sel'sk. Nauk, Erevan, 18 (8): 10-21.

Meledzhayeva, M. A. , 1958, Gamasid mites of southeastern Turkmenia. Trudy Ashkhabad, Nauch. -Issled. Inst. Epidemiol. , Mikrobiol. i Gig. , Ashkhabad, 3: 229-233.

Meledzhayeva, M. A. , 1963, New species of mites of the family Laelapidae from the southeastern Kara Kумы (Gamasoidea, Parasitiformes). Izvest. Akad. Nauk Turkmen. SSR, Ashkhabad, s. Biol. Nauk, 4: 49-55.

- Meledzhayeva, M. A., 1963, To the fauna of gamasid mites of south-eastern Turkmenia (Gamasoides, Parasitiformes). Izvest. Akad. Nauk Turkmen. SSR, Ashkhabad, s. Biol. Nauk, (6): 81-83.
- Merinov, V. A., 1964, Thermo-elector with water-jacket heating to take pre-imago forms of Ixodidae off the animals and to collect Gamasidae from nests. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 577-582.
- Mikeladze, L. G., 1965, Analgesoidea of the Georgian SSR. Soobshch. Akad. Nauk Gruzin SSR, Tbilisi, 38 (2): 413-415.
- Milan, L., 1962, Perové roztoce (Analgesoidea) niektorých vtákov prírodnej rezervácie súr pri Bratislave. Biologia, Bratislava, 17 (7): 532-537.
- Mishayeva, N. P. and Savitskij, B. P., 1961, New species of gamasid mites little known in Belorussian fauna. Sborn. Nauch. Trudov. Beloruss. Inst. Epidemiol., Mikrobiol. i Gig., Minsk, 4: 32-33.
- Mishin, A. V., 1964, Conditions of existence of the forest mite in the Udmurtsk Assr. Sborn. Trudov Izhevsk Gosudarstv. Med. Inst., Izhevsk, 20 (1): 66-73.
- Morozov, Y. V., 1964, Time and mode of infection of animals with tick-borne encephalitis virus in natural foci of this disease. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 145-151.
- Morozova, I. V., Bibikova, V. A., and Kaluzhenova, Z. P., 1963, On the fauna of gamasid mites (Parasitiformes, Gamasoidea) in the sands of Sary-Ishikotrau. Zool. Zhurnal, Moskva, 42 (12): 1872-1876.
- Morozova, I. V., Bibikova, V. A., and Ushakova, G. V., 1964, Ticks of Chiroptera in Kazakhstan. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, pp. 161-165.
- Moskacheva, Ye. A., 1964, Scutovertex niger — a new representative of Oribatei from Belorussia (Scutoverticidae Grandjean, 1953). Zool. Zhurnal, Moskva, 43 (2): 284-287.
- Mulyarskaya, L. V., 1965, Materials on studying chiggers in north-western Azerbaidzhan. Trudy Inst. Zool. Akad. Nauk Azerbaidzhan. SSR, Baku, 24: 162-182.

Mulyarskaya, L. V. and Verdiyeva, Z. F., 1965, Specific composition, quantity and encounter of chiggers in Lencoransk zone. (Materials of Scientific Session of Entomologists in Azerbaidzhan). Academy of Sciences of Azerbaidzhan, SSR, Baku, pp. 15-16.

N

Naumov, N. P., 1959, Some results and outlooks of medical zoology of the vertebrates. Tezisy Dokl. Nauch. Konf. Prirod. Ochag. i Epidemiol. Osobop. Infekts. Zabol. (Jan. 25 - Feb. 2, 1957), Saratov, pp. 409-421.

Nelzina, Ye. N. and Danilova, G. M., 1964, Contribution to the biology of mites — Haemogamasidae (Gamasoidea, Parasitiformes). 2. External morphology and biology of post-embryonic stages of development in Haemogamasus citelli Breg. et Nelz. and H. nidi Mich. Mater. Poznan. Fauny i Flory SSSR, Moskva, Otdel. Zool., (39): 221-243.

Nikol'skii, S. N., 1964, Utilization of acaricides in the control of pasture ticks and mange mites on animals. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 291-294.

Nikol'skii, S. N., et al., 1964, Use of hexachloran against Psoroptes infestation of sheep. Veterinariya, Moskva, 41 (8): 87-90.

Nikol'skii, S. N. and Sevosti'yanov, A. Z., 1964, Use of acaricides in the control of mites infesting farm animals. Khim. v Sel'sk. Khoz., 2 (10): 77-79.

O

Ogandzhanyan, A. M., 1962, A new species of the genus Hirstesia (Gamasoidea, Liponyssidae) from the Armenian SSR. Dokl. Akad. Nauk Armyansk. SSR, Erevan, 35 (2): 85-87.

Oganesyan, V. V., 1963, Fauna and ecology of gamasid mites in the Armenian SSR. Trudy Armyansk. Protivochum. Stants., (2): 361-372.

Oganesyan, V. V. , 1964. To the fauna of gamasid mites of the Armenian SSR. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House Frunze, pp. 267-269.

Osipova, N. Z. , 1962. Material on the fauna and ecology of gamasid mites (Gamasoidea, Parasitiformes) in Chui and Talass Valleys in Kirghizia. Sborn. Entom. Rabot, (1): 192-196.

Osipova, N. Z. , 1962. Gamasid mites in the Q fever focus of southern Kirghizia. Sborn. Entom. Rabot. (2): 87-91.

Osipova, N. Z. . 1964. Gamasid mites of Kirghizia. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze. pp. 271-272.

P

Pavlovskii, Ye. N. , 1964. Natural Focality of Transmissible Diseases in Connection With the Landscape Epidemiology of Zooanthroposes. Moskva and Leningrad. 212 pp.

Pchelkina, A. A. , 1964. Experimental infection of the steppe lemming with Q-fever. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan. Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 36-37.

Petrishcheva, P. A. , 1959. Importance of insects and acarines in the preservation and distribution of human disease agents. Proceedings, Fourth Congress of the All-Union Entomological Society. Izd. Akad. Nauk SSSR. Moskva and Leningrad. 1: 244-246.

Petrova, A. D. . 1966 Macrocheles reductus, a new species of gamasid mites from the southern Maritime Territory (Gamasoidea, Macrochelidae). Nauch. Dokl. Vyssh. Shkoly, Biol. -Nauk. , Moskva, (1): 18-23.

- Petrova, A. D. and Taskayeva, Ye. Z., 1964, Gamasid mites (Parasitiformes, Gamasoidea) from southern China. Report No. 1. Byul. Moskov. Obsch. Ispyt. Prirod., Moskva and Leningrad, Otdel Biol., 69 (5): 47-61.
- Piryanyk, G. A., 1962, Gamasid Mites of Murine Rodents of the Ukraine Taiga Kiev, 163 pp
- Popova, A. S. and Morozova, I. V., 1964, To the fauna of gamasid mites of the Muvyn-Kum Desert. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 269-270.
- Potemkin, V. I. and Storozhev, Yu. I., 1958, Notoedres infestation of cats and its epidemiological significance. Trudy Moskov. Vet. Akad., Moskva, 27: 240-245.

R

- Rachinina, N. A. and Malygina, Z. G., 1964, The tick and mite fauna of wild animals of the central and eastern Kyzyl-Kumy. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp 276-277.
- Reitblatt, A. G., 1964, Fauna of gamasid mites (Gamasoidea, Parasitiformes) in Stavropol Territory. Mater. Poznan. Fauny i Flory SSSR, Moskva, Otdel. Zool., (39): 244-258.
- Reitblatt, A. G., 1965, Biology of the gamasid mite Haemolaelaps semidesertus Breg. (Gamasoidea, Parasitiformes). Zool. Zhurnal, Moskva, 44 (6): 863-870.
- Rementsova, M. M., Bezukladnikova, N. A., Busalayeva, N. N., and Senotrusova, V. N., 1963, Experimental infection of gamasid mites, lice and fleas with Brucella. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 19: 226-233.

- Rementsova, M. M., Bezukladnikova, N. A., Busalayeva, N. N., and Sentrusova, V. N., 1964, Gamasid mites, lice and fleas as vectors of brucellosis. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 70-72.
- Rementsova, M. M., Busalayeva, N. N., Bezukladnikova, N. A., and Senotrusova, V. N., 1962, Experimental infection of gamasid mites, fleas, lice and bed bugs with brucellosis. Predv. Soobshch. Trudy Inst. Krayev. Patol. Akad. Nauk Kazakh. SSR, 12: 47-54.
- Romanova, G. A., 1965, Ectoparasites of several rodent species of the town Yakutsk and of several regions of Central Yakuti. Uchen. Zapiski Yakutsk. Inst., 15: 97-102.
- Romasheva, L. F. and Sartbayev, S. K., 1964, Role of the mites D. gallinae in the transmission of bird spirochaetosis. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 274-276.
- Romasheva, T. D., 1959, Role of rodents in the epidemiology of tularemia in the East Kazakhstan Oblast. 10. Soveshch. Parazitol. Prob., Moskva, 1: 166-167.
- Rotov, V. I., et al., 1964, Chicken mite Dermanyssus gallinae as a carrier of the virus of Newcastle disease. Voprosy Vet. Virus., 1: 397-400.
- Rybin, S. N., 1964, New species of the genus Haemogamasus (Gamasoidea, Haemogamasidae). Zool. Zhurnal, Moskva, 43 (12): 1869-1872.

S

- Sal'chenko, V. L., 1965, Mite as a dangerous parasite of bees. Veterinariya, Moskva, 41 (3): 59.
- Samsinak, K., 1965, A new species of the genus Diamesoglyphus — Acari — from Angola. Publicacoes Culturais da Companhia de Diamantes de Angola, Praha, pp. 81-86.

- Samsinak, K. , 1965, 52 Acaridae Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. Reichenbachia, Mus. Tierk., Dresden, 7 (9): 87-91.
- Samsinak, K. , 1965, Die auf Procrustes (Col. Carab.) lebenden Milben (Acar) und ihre Bedeutung für die zoogeographie. Mitteilungen Aus dem Zoologischen Museum in Berlin, 41 (2): 137-155.
- Samsinak, K. , 1965, Termitophile Milben aus der VR China. Reichenbachia, Mus. Tierk., Dresden, 5 (34): 291-294.
- Sapozhnikova, F. D. , 1964, Photoperiodic response in the mite Typhlodromus (Amblyseius) similis C. L. Koch (Acarina, Phytoseiidae). Zool. Zhurnal, Moskva, 43 (8): 1140-1144.
- Sartbayev, S. K. , 1962, Gamasid mites of the Issykkul' trough and adjacent ranges. Sborn. Entom. Rabot., (2): 81-86.
- Sartbayev, S. K. , 1964, Materials to the fauna of gamasid mites of Kirghizia. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 270-271.
- Sartbayev, S. K. , 1964, On the fauna of Gamasoidea mites in Thian-Shan Province. Izvest. Akad. Nauk Kirgiz. SSR, Frunze, Biol. Nauk, 6 (2): 43-47.
- Semashko, L. L. , 1958, On the mass falling off of trombidiform mites from molting Caspian gekkos. Trudy Ashkhabad Nauch. - Issled. Inst. Epidemiol., Mikrobiol. i Gig., Ashkhabad, 3: 241.
- Semashko, L. L. , 1959, Field and domestic sparrows as hosts of ticks and mites in the city of Ashkhabad. Part I. Zool. Zhurnal, Moskva, 38 (9): 1383-1387.
- Senotrusova, V. N. , 1964, The Mites Hirstionyssus meridianus Zemsk., 1951 (Gamasoidea, Liponyssidae) - Parasites of the Crested Sand Rat in the Foothills of Zailii Ala-Tau. Avtoref. Diss. Kand., Alma-Ata, 20 pp.

- Senotrusova, V. N., 1964, Gamasid mites of the sand rat in the foothills of the Transili Ala-Tau. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan. Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 273-274.
- Serdyukova, G. V., 1959, To the methodology of parasitological mapping of landscape biocomplexes. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 154-156.
- Sevast'yanov, A. Z., 1964, To the question of the utilization of the gamma-isomer of hexachlorane for the control of pasture ticks and mange mites. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 310-311.
- Sevast'yanov, V. D., 1963, Introduction to a study of Anoeetid mites. Zool. Zhurnal, Moskva, 42 (9): 1338-1345.
- Sevast'yanov, V. D., Shandenko, B. A., and Solov'yev, V. I., 1962, Tyroglyphoid mites as cause of human diseases. Mezhevuz. Nauch. -Konf. po Probl. Krayev. Parazitol. Tezisy Dokl., Odessa, pp. 56-57.
- Shakirov, A. Z., 1945, Elimination of mange in sheep by shearing and dipping in creolin. Veterinariya, Moskva, 22 (8-9): 24-25.
- Shaldybina, Ye. S., 1964, Development of two species of oribatid mites of the genus Ceratozetes, Berlese, 1908. Uchen. Zapiski Gor'kovsk. Gosudarstv. Pedagog. Inst., Gorki, 48: 98-119.
- Shaldybina, Ye. S., 1964, Some characteristics of the morphology of oribatid mites and its terminology. Uchen. Zapiski Gor'kovsk. Gosudarstv. Pedagog. Inst., Gorki, 48: 181-195.
- Shcherbak, B. I., 1963, Efficiency of the new preparations in the control of the brown fruit mite. Khim. Prom., Moskva, (1): 11-13.
- Shluger, Ye. G., 1964, Red mites (Trombiculidae), pp. 105-114. [In: Methods of Study of the Natural Foci of Human Diseases. Izd. "Meditsina", Moskva, P. A. Petrishcheva and N. G. Olsuf'yev, editors.]

- Shoshina, M. A. , 1964, Laboratory cultivation of mites Trombicula zachvatkini Schlug. , 1948. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (6): 741-742.
- Shoshina, M. A. , 1965, Survival of larvae of the chigger Trombicula zachvatkini Schlug. 1948 at low temperatures. Med. Parazitol. i Parazitar. Bolezni, Moskva, 34 (3): 355-356.
- Shumilo, R. P. , 1963, Interesting findings of mites of the superfamily Cheyletoidea W. Dubinin 1954 on birds in Moldavia, pp. 69-72. [In: Parazity Zhivotnykh Moldavii i Voprosy Krayevoy Parazit. , Kishinev.].
- Sirotenko, M. P. , 1964, Oribatids of the seasonal pastures of Tadzhikistan. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 278-279.
- Skovronskii, R. V. and Ugrin, I. N. , 1962, Treatment of scabies of Lepus cuniculus. Krolikovodstvo i Zverovodstvo, Moskva, 5 (9): 30-31.
- Slais, J. , 1964, Contribution to the morphology of scabies. Cesk. Parasitol. , Praha, 11: 257-262.
- Sokolov, I. I. , 1962, New species of marine mites (Halacaridae) from the Antarctic. Issled. Fauny Mor. , 1: 190-195.
- Soldatova, A. P. and Nazarova, S. A. , 1964, To the study of the oribatids of Uzbekistan (Preliminary report). Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 280-281.
- Soloveichik, L. L. , 1962, Infestation of poultry with itching subcutaneous mites. Veterinariya, Moskva, 39 (4): 50.
- Solov'yev, V. I. , 1962, Materials to the fauna of gamasid mites of Nikolayev Province. Mezhvuz. Nauch. -Konf. po Probl. Krayev. Parazitol. Tezisy Dokl. , Odessa, pp. 58-59.

- Solov'yeva, A. V., 1961, Gamasid mites of Adzharia. Ref. Dokl. Ras-shir. Nauch. -Konf. Arm. Protivochum. St. po Voprosy Profilakt. Osobo Opasn. Inf., Yerevan, pp. 91-94.
- Solov'yeva, A. V., 1963, Gamasid mites of Adzharia. Part 1. Trudy Armyansk. Protivochum. Stantsii, (2): 383-393.
- Somov, G. P., Shapiro, M. I., and Petrov, A. A., 1962, Gamasid mites in murine rodents on the islands of the southern part of the Maritime Territory. Trudy Vladivostok. Inst. Epidemiol., Mikrobiol. i Gig., (2): 94-104.
- Sosnina, Ye. F., et al., 1965, Predatory mites of the fam. Bdellidae (Acarina, Prostigmata) from the rodent burrows of Bulgaria. Trudy Zool. Inst., Akad. Nauk SSSR, Moskva and Leningrad, 35: 272-287.
- Sosnina, Ye. F. and Shluger, Ye. G., 1963, Materials on the fauna and ecology of chigger mite larvae parasitic on rodents of Tadzhikistan. Trudy Inst. Zool. i Parazitol. Akad. Nauk Tadzhik. SSR, Stalinabad, 24: 184-206.
- Sotnikova, A. N. and Soldatov, G. M., 1963, A case of isolation of a neurovirus from trombidiform mites. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst., Sibiri i Dal'n. Vostoka, Irkutsk, (5): 30.
- Stolbov, N. M. and Igolkin, N. I., 1963, Ixodid ticks and gamasid mites of the bank swallow in the basin of the middle course of the Ob' River. Trudy Tomsk. Nauch. -Issled. Inst. Vaktsin i Syvorotok, Tomsk, 14: 15-17.
- Stroganova, N. S. and Monakhova, M. A., 1964, Cytomorphological observations on spermatogenesis in a species of tyroglyphid mites. Tsitologiya, Moskva, 6 (1): 66-72.
- Sturman, I. I., and Glebova, I. Ya., 1965, Role of poultry mites in the spread of pasteurellosis. Veterinariya, Moskva, 42 (12): 85-87.
- Suvorov, P. S., 1965, Use of chlorophos powder in scabies. Veterinariya, Moskva, 41 (1): 90-91.
- Svanidze, N. V. and Ostrovskii, N. I., 1965, Effectiveness of phosphorus organic and chlorine organic acaricides in the control of the spider mite on Rauwolfia canescens. Khim. v Sel'. Khoz., 3 (2): 31-32.

Sychevskaya, V. I., 1964, Mites found in synanthropic flies in Uzbekistan. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 557-560.

T

Tagil'tsev, A. A., 1962, Gamasid mites of Dyromus nitebula Pallas (1778) in the vicinity of Alma-Ata. Tezisy Dokl. 4-y Nauch. - Prakt. Konf. Kazakhsk. Inst. Epidemiol., Mikrobiol., i Glg., Alma-Ata, pp. 64-65.

Tagil'tsev, A. A. and Men-Yan-Tsun', 1963, Fauna and ecology of gamasid mites, animals and their nests in the Tyazhinsk District of the Kemerovo Province. Voprosy Med. Parazitol., Moskva, pp. 276-300.

Tarasevich, I. V., et al., 1964, A natural focus of tsutsugamushi fever. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., Moskva, (5): 19-24.

Terskikh, I. I., Cheltsov-Bebutov, A. M., and Kuborina, L. N., 1959, Data concerning the study of natural foci of ornithosis. 10. Soveshch. Parazitol. Prob., Moskva, 1: 82-83.

Thai, D. D., 1956, Le traitement de la gale. Pratiques Medicales, (55). (North Viet Nam).

Timofeyeva, G. Ya., 1964, Experimental study of transmission and harboring of tularemia agent by mites Hirstionyssus musculi Johnst. (Gamasoidea). Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 184-187.

Trinkler, O. K., 1964, Fauna of oribatid mites of the cultivated fields in Kstovo District of Gorki Province. Uchen. Zapiski Gor'kovsk. Gosudarstv. Pedagog. Inst., Gorki, 48: 162-166.

Tsintzadze, G. G., 1963, Controlling burrow mites via aerosol method (chlorophosis and hexochlorane). Sborn. Trudov Nauch. -Issled. Inst. Med. Parazitol. i Trop. Med. im S. S. Virsaladze, Tbilisi, 4 (2): 181-184.

Tsun, M. Y., 1963, Materials on the biology of Haemolaelaps casalis, pp. 301-332. [In: Voprosy Med. Parazitol., Moskva.].

U

- Ugryumov, B. L. (Reviewer), 1963, A review of the book by I. R. Drobinskii, "Gamasid Rickettsioses." Sovet. Med., Moskva, 27 (11): 156-157.

V

- Vainshtein, B. A., 1965, Structure of the larvae of freshwater mites (Hydrachnellae). Trudy Inst. Biol. Vnutr. Vod., (9): 163-177.
- Vasil'yeva, I. S., 1966, Some data concerning the fauna and ecology of larvae of trombiculid mites in the Krasnoyarsk Region. Med. Parazitol. i Parazitar. Bolezni, Moskva, (1): 60-69.
- Vazhev, A. P., 1964, To the fauna of gamasid mites of Turkmenia. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 266-267.
- Violovich, N. A., 1963, Materials on gamasid mites (Gamasoidea) in the Kamchatka Peninsula. Trudy Biol. Inst. Sib. Otdel. Akad. Nauk. SSSR, (10): 102-108.
- Volgin, V. I., 1940, Materials on the systematics of mites of the genus Tyrophagus Ouds. 1923 (Tyroglyphidae, Acarina). Dokl. Akad. Nauk SSSR, Moskva.
- Volgin, V. I., 1963, Two new species of predatory mites of the family Cheyletidae (Trombidiformes). Entom. Obozr., Leningrad, 42 (4): 935-944.
- Volgin, V. I., 1964, Materials on the taxonomy of predatory mites of the family Cheyletidae. Part 6: Genus Ornithocheyletia Volgin gen. n. Zool. Zhurnal, Moskva, 43 (1): 28-36.
- Volgin, V. I., 1964, On the taxonomy of predatory mites of the family Cheyletidae. VII. The genus Neoeucheyla Radford, 1950. Parazitol. Sborn. Zool. Inst. Akad. Nauk SSSR, Moskva, 22: 88-99.

- Volgin, V. I., 1964, New genus and new species of mites of the subfamily Ctenoglyphinae (Glycyphagidae) from the nests of rodents. Parazitol. Sborn. Zool. Inst. Akad. Nauk SSSR, Moskva, 22: 100-110.
- Volgin, V. I., 1965, Two new species of acaroid mites (Acarina, Acaroidea) of the fauna of the USSR. Entom. Obozr., Leningrad, 44 (1): 203-211.
- Volgin, V. I., 1965, Collective nature of the genus Cheletophyes Oudem. (Acarina, Cheyletidae). Trudy Zool. Inst., Akad. Nauk SSSR, Moskva and Leningrad, 35: 288-299.
- Volgin, V. I. and Nikolayeva, I. I., 1965, Parasitism of predatory mites of the genus Neocheyletiella Baker, 1949 (Acarina, Cheyletidae). Trudy Zool. Inst., Akad. Nauk SSSR, Moskva and Leningrad, 35: 300-304.
- Vshivkov, F. N., 1964, New genera of gamasid mites Spinolaelaps Radf., 1940 in the USSR. Problemy Parazitol., Kiev, (3): 222-226.

Y

- Yankovskaya, A. I., 1964, Water mites of the Oka River. Trudy Zool. Inst., Akad. Nauk SSSR, Moskva and Leningrad, 32: 155-163.
- Yelliseyev, K. M. and Shaltykov, S. Sh., 1965, Effectiveness of measures for the control of scabies. Vestnik Sel'sk. Nauk., Alma-Ata, 8 (9): 114-115.
- Yerhardova, B., 1955, First finds of gregarines in mites. Cesk. Parazitol., Praha, 2: 35-37.
- Yeropov, V. I., 1965, On the fauna of gamasoid mites in the Sayan Region. Med. Parazitol. i Parazitar. Bolezni, Moskva, 34 (5): 599.
- Yevseyeva, V. Ye., 1964, On R. E. Shul'man's description of the new mite species Haemolaelaps dogieli (Laelaptidae, Gamasides) from the birch mouse. Zool. Zhurnal, Moskva, 43 (7): 1076-1077.

- Zakhvatkina, Ye. M., 1959, Review of the fauna of oribatid mites of the USSR. Proceedings. Fourth Congress of the All-Union Entomological Society. Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 56-57.
- Zamskii, S. I., 1964, Nutrition of the gamasid mites Eulaelaps stabularis C. L. Koch and Haemolaelaps glasgowi (Ew.) (Laelaptidae) inhabiting some burrows of mouse-like rodents. Mater. Poznan. Fauny i Flory SSSR, Moskva, Otdel. Zool., (39): 259-283.
- Zaykova, F. I., 1963, Fauna of gamasid mites of the rodents of the Transbaikal plague focus. Izvest. Irkutsk. Gosudarstv. Protivozhum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (6): 126-129.
- Zeitlenok, M. A., (Reviewer), 1964, Review of the book by I. R. Drobinskii, "Gamasid Rickettsiosis (Clinical Aspects and Diagnosis)." Terap. Arkh., Moskva, 36 (8): 126.
- Zemskaya, A. A., 1957, Gamasid mites in a focus of Q-fever in the region of fallow and virgin lands of Northern Kazakhstan. 9. Soveshch. Parazitol. Prob., Moskva, pp. 99-101.
- Zemskaya, A. A., 1964, Gamasid mites (Gamasoidea), pp. 94-104. [In: Methods of Study of the Natural Foci of Human Diseases. Izd. "Meditsina", Moskva, P. A. Petrishcheva and N. G. Olsuf'yev, editors.].
- Zemskaya, A. A., 1964, To the fauna of gamasid mites of northern Kazakhstan. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 272-273.
- Zemskaya, A. A., 1966, A species of gamasid mites — Ornithonyssus pavlovskii Lange, 1959, new for the USSR fauna, and the diagnostics of the mites of the subfamily Ornithonyssinae. Zool. Zhurnal, Moskva, 45 (1): 50-60.
- Zhmayeva, Z. M., Petrishcheva, P. A., and Pchelkina, A. A., 1964, Bloodsucking mites — reservoirs of Q-fever in various landscape zones of USSR. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., Moskva, 5: 28-33.

- Zhuravl'yeva, L. A., 1962, To the study of the species composition of gamasid mites infesting Scirto telum Licht. in the Kherson Province. Mezhevuz. Nauch. Konf. po Probl. Krayev. Parazit. Tezisy Dokl., Odessa, pp. 57-58.
- Zhuravl'yeva, L. A., 1962, House sparrows — bearers of gamasid mites in Odessa and vicinity. Mater. 3. Vsesoyuz. Ornitol. Konf. L'vov. (1): 146-147.
- Zhuravl'yeva, L. A., 1962, Gamasid mites of rodents, lizards and domestic sparrows in the steppe zone of the Ukraine. Pratsi Odess. Derzhav. Univ., Kiev, s. Biol. Nauk, (12): 31-38.
- Zilberminz, I. V., Fadeyev, Yu. N., and Zhuravl'yeva, L. A., 1964, On the acquirement of resistance to Kelthane by Tetranychus telarius L. under laboratory conditions. Zool. Zhurnal, Moskva, 43 (8): 1133-1139.

MISCELLANEOUS ARTHROPODS

ANOPLURA

- Arzamasov, I. T. , 1964, Ectoparasites of Clethrionomys glareolus Schreb. in Belorussia. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 277-278.
- Bankowski, C. and Skula, Z. , 1961, "Artemizol" — remedy against pediculosis. Przegl. Epidemiol. , Warszawa, 15 (2): 199-201.
- Bezukladnikova, N. A. , 1964, Contribution to the fauna of lice of rodents in the Karaganda Region. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 19, 1963, 22: 207-208.
- Blagoveshchenskii, D. I. , 1965, New species of lice (Siphunculata), parasitizing on rodents. Report No. 1. Entom. Obozr. , Leningrad, 44 (1): 151-165.
- Bojanowska, A. , Goszczynska, K. , and Domicz-Styczynska, B. , 1958, The effect of gamexan (HCH) on nits of lice, Pediculus humanus vestimenti. Przegl. Epidemiol. , Warszawa, 12 (3): 301-309.
- Dubitzki, A. M. , 1961, Seasonal dynamics of number of lice of cattle on the southeast of Kazakhstan. Prirod. Ochag. Bolez. Kazakh. , Alma-Ata, pp. 578-592.
- Dutova, G. M. , 1964, Infection of head lice with Rickettsia prowazeki. Voprosy Virusol. , Moskva, (3): 364-366.
- Favorova, L. A. , et al. , 1965, Possibility of transmission of tick-borne relapsing fever by lice. Report No. 2: Fate of the spirochetes of tick-borne relapsing fever in the organism of the body louse in the first 24 hours following the infective feeding. Med. Parazitol. i Parazitar. Bolezni, Moskva, 34 (6): 733-737.
- Frolov, B. A. , 1964, Chlorophos in the control of the ectoparasites of poultry. Veterinariya, Moskva, 41 (9): 102-103.

- Ganiyev, M. K. and Mamedova, D. G. , 1964, To the question of natural focality of listeriosis of farm animals. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962 No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 55-57.
- Goszczynska, K. , 1959, A comparison of the insecticidal effect of powder preparations of DDT and HCH on the body louse. Przegl. Epidemiol. , Warszawa, 13 (2): 159-163.
- Grebenyuk, R. V. and Kasiyev S. K. , 1964, Biology of the bird louse Menacanthus stramineus (Nitzsch) parasitic on gallinaceous birds. Izvest. Akad. Nauk Kirgiz. SSR. Frunze, s. Biol. Nauk, 6 (2): 59-69.
- Gromashevskii, L. V. , 1965, Possibility of transmission of tick-borne relapsing fever by lice. Report No. 1: Introduction. Med. Parazitol. i Parazitar. Bolezni. Moskva. 34 (6): 729-733.
- Jira, J. , Rosicky, B. , Bozdech, V. , 1965, Some aspects of the theory of natural focality in epizootology and epidemiology of toxoplasmosis. Cesk. Parazitol. , Praha, 12: 13-33.
- Kryn'ski, S. , 1949, Forms of Rickettsia prowazeki infection in lice artificially infected by Weigl's method. Przegl. Epidemiol. , Warszawa, 3 (1-2): 129-143.
- Kryn'ski, S. , 1949, Principles of preparation of Rickettsia - suspensions for lice inoculation. (Weigl's method). Przegl. Epidemiol. , Warszawa, 4 (3-4): 333-342.
- Larionova, V. D. , 1963, New preparations for the control of pediculosis. Trudy Tsentral. Nauch. -Issled. Dezinfekts. Inst. , Moskva, (16): 184-199.
- Li, B. , 1959, Cultivation of Dermacentroxenus sibiricus in lice and the preparation of a corpuscular antigen from lice. Zhurnal Mikrobiol. , Epidemiol. i Immunobiol. , Moskva, 30 (8): 76-82.
- Litvishko, N. T. , Kharchenko, O. N. , and Tertysnii, A. A. , 1965, Haemadipsus infestation of rabbits. Veterinariya, Moskva, 42 (12): 87-89.

- Lutynski, R. , 1955, Body-lice infestation in a patient with a relapse of typhus fever as a source of new infections. *Przegl. Epidemiol.* , Warszawa, 9 (1): 37-38.
- Mel'nikova, T. G. , 1961, Haematopinus suis of Sus scrofa nigripes in Tadzhikistan. *Trudy Akad. Nauk Tadzhik. SSR*, Stalinabad, 20: 45-47.
- Negrobov, V. P. , 1959, Parasitic insects as the source of biohelminthic invasions of man and animals. *Proceedings, Fourth Congress of the All-Union Entomological Society*, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 241-242.
- Ovchinnikova, L. M. , 1944, Complex dusts in pediculosis control. *Med. Parazitol. i Parazitar. Bolezni*, Moskva, 13 (2): 79-83.
- Pavlovskii, Ye. N. , 1964, Primary and secondary factors affecting the formation of natural foci of transmissible and other diseases. Report presented at the First International Congress of Parasitology. "Nauka", Acad. Sci. USSR, Zoological Institute, Leningrad, 6 pp.
- Pavlovskii, Ye. N. and Shtein, A. K. , 1923, Ueber die Ursachen der Wirkung der Läuse der Gattung Pediculus auf die Integumenta des Menschen. *Vestnik Mikrobiol. i Epidemiol.* , Saratov, 2 (3-4): 77-84.
- Pavlovskii, Ye. N. and Shtein, A. K. , 1924, Experimentelle Läusestudien. I. Maculae coeruleae und Phthirus inguinalis. *Ztschr. Ges. Exper. Med.* , Berlin, 40: 98-110.
- Pokorny, S. , 1949, Biology of the body lice Pediculus humanus corporis kept in laboratory conditions. *Przegl. Epidemiol.* , Warszawa, 4 (3-4): 302-332.
- Polozhentsev, P. A. , 1959, Insects and their helminths. *Proceedings, Fourth Congress of the All-Union Entomological Society*, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 129-131.
- Pshenichnov, R. A. and Burylova, A. M. , 1964, A new method for the evaluation of the effect of food insecticides on body lice (Preliminary communication). *Med. Parazitol. i Parazitar. Bolezni*, Moskva, 33 (5): 614-615.

- Rementsova, M. M., Bezukladnikova, N. A., Busalayeva, N. N., and Sentrusova, V. N., 1964, Gamasid mites, lice and fleas as vectors of brucellosis. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 70-72.
- Sheveleva, O. N., 1954, Attempt at a twelve-years maintenance of Rickettsia prowazeki in the organism of body lice. Report given in the Molotov Branch of All Union Sci. Soc. of Epidemiologists, Microbiologists, and Infectionologists.
- Shkol'nik, L. Ya., Zatulovs'kii, B. H., and Handzii, H. P., 1965, Electron microscopic study of Prowazek's Rickettsia in the intestinal cells of the body louse. Mikrobiol. Zhurnal, Kiiiv, 27 (3): 28-35.
- Sinelshchikov, V. A., 1961, Bloodsucking arthropods as epidemiological factor in the flood-land of the Irtysh River. Prirod. Ochag. Bolez. Kazakh, Alma-Ata, 4: 544-552.
- Smetana, A., 1962, Beitrag zur Kenntnis der Bionomie der Mitteleuropäischen Kleinsäuger-Läuse (Anoplura). Cesk. Parasitol., Praha, 9: 375-411.
- Starzyk, J. and Westrych, F., 1948, Comparative studies on some disinsectant preparations used for combating lousiness. Przegl. Epidemiol., Warszawa, 2 (3-4): 219-236.
- Starzyk, J. and Westrych, F., 1949, Comparison of the efficacy of "Azotox" and D.D.T. in the control of lice. Przegl. Epidemiol., Warszawa, 3 (1-2): 178-186.
- Zanina, Z. L., 1961, On the study of Anoplura of Meriones erythrourus in the desert region of Tadzhikistan. Trudy Akad. Nauk Tadzhik. SSR, Stalinabad, 20: 39-43.
- Zarubina, V. N., 1963, Lice of some rodents in southeastern Transbaikalia. Izvest. Irkutsk. Gosudarstv. Nauch.-Issled. Protivochum. Inst., Sibiri i Dal'n. Vostoka, Irkutsk, (5): 196-198.

- Zarubina, V. N. , 1963, Lice of jerboas and of the Daurian and northern pikas (Ochotona daurica and O. hyperborea) in southeastern Transbaikalia. *Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. , Sibiri i Dal'n. Vostoka*, (5): 199-204.
- Zarubina, V. N. , 1963, Morphological characteristics of Hoplopleura ochotonae (Ferris, 1922) from Daurian pikas (Ochotona daurica). *Izvest. Irkutsk. Gosudarstv. Nauch. -Issled. Protivochum. Inst. , Sibiri i Dal'n. Vostoka*, (5): 205-208.
- Zarubina, V. N. , 1965, Observations on the biology of tarbagan lice in Southeast Transbaikalia. *Epidemiol. i Epizootol. Osobo Opasn. Infekts. M. Medicina*, pp. 269-281.
- Zhmayeva, Z. M. , et al. , 1955, The epidemiological importance of ectoparasites of birds in a natural focus of Q fever in South Central Asia. *Dokl. Akad. Nauk Uzbek. SSR, Tashkent, s Parazitol.* , 101 (2): 387-389.
- Zoltowski, Z. , 1957, Clothes impregnated with dimethyl phthalate as prophylaxis against body lice. *Przegl. Epidemiol.* , Warszawa, 11 (2): 175-178.
- Zoltowski, Z. , Homrowski, S. and Diyehtyar, M. , 1957, Investigations on the effectiveness of DDT-impregnated textile in the fight against lousiness. *Przegl. Epidemiol.* , Warszawa, 11 (2): 163-174.

ARACHNIDA

- Adamovich, V. L. , 1962, A zoologo-parasitological characterization of a natural focus of tularemia in western Poles'ye in the Ukraine SSR. *Zool. Zhurnal, Moskva*, 41 (9): 1297-1305.
- Alatyrtseva, I. Ye. and Cheranova, T. I. , 1964, Naturally focal diseases in the Tatar ASSR and the organization of their control. *Kazan. Med. Zhurnal, Kazan*, (3): 3-8.
- Andreyev, K. P. , 1962, Systematic control of parasitic arthropods in animal production. *Trudy Vsesoyuz. Nauch. -Issled. Inst. Vet. San. i Ektoparazitol.* , Moskva, 20: 73-81.

- Anon. , 1962, Viruses Transmitted by Arthropods. World Health Organization Expert Group Report. Moskva, 82 pp.
- Anon. , 1962, Parasites of Farm Animals in Kazakhstan. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata. (1): 300 pp.
- Anon. , 1962, Parasites of Wild Animals in Kazakhstan. Alma-Ata, 216 pp.
- Anon. , 1962, Specifications of Pesticides. Insecticides, Rodenticides, Molluscicides, Herbicides - Supplementary Chemicals - Apparatus for Spraying and Dusting. Moskva, 534 pp.
- Anon. , 1963, Animal and Plant Parasites of Moldavia. Kishinev, Kartia Moldoveniaske, 131 pp.
- Anon. , 1964, Resolution. Proceedings of the conference on natural nidity of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 399-404.
- Arzamasov, I. T. , 1963, Ectoparasites of the water vole (Arvicola terrestris L.) and the muskrat (Ondatra zibethica L.) in White Russia. Dokl. Akad. Nauk Belorussk. SSR, Minsk, 7 (1): 66-68.
- Arzamasov, I. T. , 1965, Ectoparasites of the common shrew Neomys fodiens Schreb. in White Russia. Dokl. Akad. Nauk Belorussk. SSR, Minsk, 9 (3): 211-212.
- Balashov, Yu. S. , 1963, Destruction of the erythrocytes of vertebrates in the digestive tract of bloodsucking arthropods. Dokl. Akad. Nauk SSSR, Moskva, 151 (6): 1470-1473.
- Bandarin, V. A. , 1961, Some tasks and methods of the physico-chemical investigation of insecticides and herbicides, pp. 3-4. [In: Toksikol. i Farmacol. Yadokhimikatov Primenyayem. v S/Kh. , Minsk.].
- Barkagan, Z. S. , 1963, Experimental collection and toxicological investigation of the poisons of scorpions. Uzbek. Biol. Zhurnal, Tashkent, (5): 65-70.
- Belopol'skaya, M. M. , 1963, Survey of parasites of birds in the Sudzukh Preserve (Maritime Territory). Parazitol. Sborn. Zool. Inst. Akad. Nauk SSSR, Moskva, 21: 221-244.

- Belyayev, V. G. , 1963, To the ectoparasite fauna of the Magadan Province. Izvest. Irku'sk. Gosudarstv. Protivochum. Inst., Sibiri i Dal'n. Vostoka, Irkutsk, (5): 180-185.
- Berim, N. G. , 1964, Arsenic-containing inorganic insecticides and toxic substances. Zashchita Rast. Vreditel. i Bolez. , Moskva, 9 (4): 32-34.
- Bibikov, D. I. and Bibikova, V. A. , 1955, To the study of Oenanthe isabellina and its ectoparasites. Zool. Zhurnal, Moskva, 34 (2): 399-407.
- Bondar', Ye. P. , 1965, Ectoparasites of the ground rodent rat. Mater. 4. Nauch. Konf. Prirod. Ochag. i Profilakt. Chumy, Alma-Ata, 40: 42.
- Borisova, V. I. , 1965, Nest parasites of several bird species in Tatarsk ASSR and their possible epizootological significance. Mater. Itog. Nauch. Konf. Kazansk. Nauch. -Issled. Inst. Epidemiol. , Mikrobiol. i Gig. , Kazan, pp. 120-121.
- Chebotarev, A. S. , 1963, Fauna and Ecology of Rodent Parasites. (Symposium). Minsk, 236 pp.
- Dayter, A. B. , 1963, Experimental infection of several arthropods on persons infected with Q-fever. Trudy Leningrad. Inst. Epidemiol. Mikrobiol. i Gig. Pastera, Leningrad, 25: 92-100.
- Dubinin, V. B. , 1959, On the phylogeny of the chelicerate animals of the subtype Chelicerophora W. Dub. and the similarity of the Chelicerata with the Pycnogonides. Trudy Inst. Morfol. Zhivot. , Akad. Nauk SSSR, Moskva, 27: 134-150.
- Dubinin, V. B. , 1959, Chelicerate animals (subtype Chelicerophora W. Dubinin nom. n.) and their systematic position. Zool. Zhurnal, Moskva, 38 (8): 1163-1189.
- Dunskii, V. F. and Sidorov, A. I. , 1964, Existence of an aerodynamic crisis when a stream of light aerosols or gas is allowed to propagate in a closed room. Inzh -fiz. Zhurnal, 7 (3): 42-45.
- Dyadechko, V. N. , 1962, To the method of study of the toxicity of insecto-acaricides. Trudy Vsesoyuz. Nauch. -Issled. Inst. Vet. San. i Ektoparazitol. , Moskva, 21: 19-25.

- Fedder, M. L. , 1964, Current status of the question of insect and acarо-repellents. Proceedings of the conference on natural nidity of disease; and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 290-291.
- Fedotov, D. M. , 1962, Phylogenetic relationships of Arthropods. Voprosy Obshch. Zool. i Med. Parazitol., Moskva, pp. 256-277.
- Frolov, B. A. , 1964, Chlorophos for the control of poultry ectoparasites. Veterinariya, Moskva, 41 (9): 102-103.
- Galuzo, I. G. and Gvozdev, Ye. V. , 1964, Diseases and parasites in the acclimatization of animals. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, 22: 5-12.
- Gaydamovich, S. Ya. , 1964, Arthropod-borne viruses (arboviruses). Voprosy Virusol., Moskva, 9 (4): 387-397.
- Grezin, V. F. and Shevyrev, N. S. , 1964, Control of infectious diseases of animals in Hungary. Veterinariya, Moskva, 41 (5): 109-111.
- Grinbergs, A. R. , 1961, Ectoparasites on Apodemus flavicollis Melch. and their seasonal changes in number and species stock in the Latvian SSR. Latvijas Entom., Riga, (3): 19-34.
- Grinbergs, A. R. , 1961, Observations on ectoparasites of the house mouse in connection with investigations of natural nidi of diseases in Latvia. Latvijas Entom., Riga, (4): 30-38.
- Grinbergs, A. R. , 1961, Ectoparasites on Arvicola terrestris L. as epidemiologic elements in natural nidi of tularemia in the Latvian SSR. Latvijas Entom., Riga, (4): 55-70.
- Gusev, V. F. and Stupnikov, A. A. , 1964, To the toxicology of the hexamide repellent (R-401). Veterinariya, Moskva, (6): 112-113.
- Hryhor'eu, P. P. , 1963, Some endo- and ectoparasites of moles in White Russia. Vestnik Akad. Nauk Belorussk SSR, Minsk. Ser. Biial. Nav., (3): 121-129.
- Khelevin, N. V. , 1961, Some steps in the study of the biology of vectors of transmissible diseases in the Ivanovo Province. K. Poznan. Fauny i Flory Ivan. Obl., pp. 9-35.

- Khlobostin, K. D. , 1965, Nicochlorane as an effective means against ectoparasites. Veterinariya, Moskva, 41 (3): 109-110.
- Kibakin, V. V. , Ishadov, N. I. , and Kibakina, L. V. , 1964, To the study of the parasite-fauna of the mountain goat and the mountain sheep. Izvest. Akad. Nauk Turkmen, SSR, Ashkhabad, s. Biol. , (3): 77-79.
- Kozlovskaya, O. L. and Chernykh, P. A. , 1962, Behavior of ectoparasites after the death of their hosts. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. , Sibiri i Dal'n. , Vostoka, Irkutsk, (3): 153-155.
- Kozlovskaya, O. L. and Chernykh, P. A. , 1962, On the daily activity of rodents and their ectoparasites. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. Sibiri i Dal'n. Vostoka, Irkutsk, (3): 156-157.
- Lachmajer, J. , Skierska, B. , and Wegner, Z. , 1958, Preliminary data on the role of arthropods in a focus of tick-borne encephalitis obtained in Bialowieza in 1955-56. Przegl. Epidemiol. , Warszawa, 12 (4): 355-362.
- Lapina, I. , 1960, Contamination of Clethrionomys glareous Schreb with ectoparasites having epidemiological and epizootologic significance in different biotopes. Latvijas PSR Zinat. Akad. Vestis, Riga, 12: 105-108.
- Lapins, I. , 1963, Biology and Parasites of Small Forest Mammals of the Latvian SSR. Izd-vo Akad. Nauk Latviiskoi SSR, Riga, 134 pp.
- Larionova, V. D. , Semenova, R. I. , Solomanidina, T. M. , and Rukavishnikova, P. Ye. , 1963, Effectiveness of the 50% concentrate of DDT emulsion with polychlorokamfenom in practical conditions. Trudy Tsentral. Nauch. -Issled. Dezinfekts. Inst. , Moskva, (16): 197-200.
- Lavrent'yev, P. A. , Kozlov, Ye. M. , and Gvozdkova, N. A. , 1964, Prolongation of insecticidal action of chlorophos. Veterinariya, Moskva, 41 (8): 90-92.
- Lesnyak, A. P. , 1964, Ectoparasites of Ancistrodon halys in nature and in conditions of maintenance in a serpentarium. Zool. Zhurnal, Moskva, 43 (8): 1217-1248.

- Levkovich, Ye. N., 1961, Problem of arthropod-carried viruses of the tick-borne encephalitis group; report at a conference devoted to diseases of tropical countries, September, 1961, Tashkent. Medgiz, Moskva, 9 pp.
- Luzhkov, A. D., 1964, Ectoparasites of lemmings and field mice on the Yamal Peninsula. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (2): 230-231.
- Makhmetov, M. M. and Tagil'tsev, A. A., 1965, Infection with Rickettsia burnetti in bloodsucking Arthropoda of the virgin lands of Kokchetav Province. Med. Parazitol. i Parazitar. Bolezni, Moskva, 34 (3): 294-297.
- Mal'tsev, M. I., Katkov, V. M., and Achilov, R., 1964, Results of testing some repellents under natural conditions in Turkmenistan. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 613-614.
- Murgel'deyev, O. N., 1950, Rodents of Turkmen SSR and their economic importance. Dissert. na Soisk Uchen. Step. Kand. Biol. Nauk, Moskva.
- Nabokov, V. A., et al., 1964, Use of sorptive powdered desiccants in the control of arthropods; a preliminary report. Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 515-516.
- Naglov, V. A., and Naglova, G. I., 1963, Ectoparasites of murine rodents living in the forests of the Donets Valley. Problemy Parazitol., Kiev, (2): 146-153.
- Nassonov, L. S., 1964, Organization of ectoparasitological and epizootological investigation in field conditions. Voyenno-Med. Zhurnal, Moskva, (7): 82.
- Nel'zina, Ye. N., Danilova, G. M., and Chernova, N. I., 1963, Number and spatial distribution of the micropopulations of bloodsucking Arthropoda within the microbiotopes of the suslik Citellus pygmaeus. Med. Parazitol. i Parazitar. Bolezni, Moskva, 32 (1): 45-55.
- Ogneva, N. S., 1963, Serological characteristics of Listeria monocytogenes strains isolated from small mammals and bloodsucking arthropods. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., Moskva, 40 (11): 23-29.

- Okulova, N. M., 1965, Characteristics of the parasite fauna in nests of the lesser suslik in relation to their designation and times of habitation by the host. Zool. Zhurnal, Moskva, 44 (5): 747-753.
- Olenev, N. O., 1930, Résultats scientifiques des travaux des expéditions de 1928 et 1929 pour l'étude des parasites des animaux domestiques au Kazakhstan. Dokl. Akad. Nauk SSSR, Moskva, (22) A: 604-610.
- Olsuf'yev, N. G., 1959, Results of the study of bloodsucking arthropods as vectors of tularmia in the USSR. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 243-244.
- Pavlovskii, Ye. N., 1931, Animal parasites of the human eye, pp. 987-1006. [In: Bellyarminov, L. G. and Mertz, A. I., 1931, Glazn. Bolezn. (Eye Diseases). Leningrad, pt. ii, Chapt. 30.].
- Pavlovskii, Ye. N., 1964, Natural foci of transmissible diseases in connection with the landscape-related epidemiology of anthro-pozoonoses. "Nauka", Moskva, 210 pp.
- Petrishcheva, P. A. and Olsuf'yev, N. G., 1964, Methods of Studying Natural Focus Diseases in Man. Meditsina, Moskva, 306 pp.
- Popov, N. A., 1965, On control of parasites commensal with man in sleeping cars of long-distance trains. Med. Parazitol. i Parazit. Bolezni, Moskva, 34 (5): 610.
- Popov, V. V. and Lototskii, B. V., 1932, Domestic animals and their infestation by ectoparasites in the Murghab Valley. Trudy Sovet. Izuch. Proizvod. Sil. Moskva, s. Turkmen, (2): 211-233.
- Prokop'yev, V. N. and Moskalets, Ye. A., 1964, Ectoparasites from the nests of the "city" swallow in the shore cliffs of the river Dzhida (South-western Transbaikalia). Izvest. Irkutsk. Gosudarstv. Protivochum. Inst., Sibiri i Dal'n. Vostoka, Irkutsk, (5): 186-187.
- Romasheva, L. F., Sartbayev, S. K., and Kasiyev, S. K., 1963, Methods of control of ectoparasites of domestic birds. Tezisy Dokl. 5. Soveshch. Vsesoyuz. Entomol. Obshch., Moskva and Leningrad, pp. 179-180.

- Romasheva, L. F., Sartbayev, S. K., and Kasiyev, S. K., 1964, Nicotchlorane in the control of ectoparasites of domestic birds. *Izvest. Akad. Nauk Kirgiz. SSR, Frunze, s. Biol. Nauk*, 6 (2): 71-75.
- Sartbayev, S. K. and Romasheva, L. F., 1964, The ectoparasite fauna of the nests of synanthropic birds. *Izvest. Akad. Nauk Kirgiz. SSR, Frunze, s. Biol. Nauk*, 6 (2): 49-57.
- Savitskiy, B. P., Model, Kh. M., Mishayeva, N. P., and Boyko, V. I., 1962, Experimental study of bloodsucking arthropods as possible vectors of tick encephalitis in Belorussia. *Mater. Mezhist. Nauch. Konf. Posv. Probl. Epidemiol. i Gig. Nasel. Myest.*, Baku, pp. 70-72.
- Sazonova, O. N., 1963, On the charting of the areas of bloodsucking arthropods - reservoirs and vectors of the agents of human diseases, pp. 138-141. [In: *Voprosy Zoologich. Kartografii (Tezisy Dokl.)*, Moskva.].
- Sevast'yanov, V. D., 1962, House mice of Khmel'nitskiy Province as carriers of parasitic and nonparasitic arthropods. *Pratsi Odess. Derzhav. Univ., Kiev*, 152, s. Biol. Nauk, (12): 49-53.
- Sevast'yanov, V. D. and Samars'kiy, S. L., 1962, Burrows of the mouse Mus musculus hortulanus and mole rat (Spalax leucodon) as places of the reproduction of parasitic arthropods. *Pratsi Odess. Derzhav. Univ., Kiev*, 152, s. Biol. Nauk, (12): 54-59.
- Sharov, A. G., 1965, Origin and main phases in the evolution of Arthropoda. Report No. 2: Origin and phylogenic interrelationship of the main groups of Arthropoda. *Zool. Zhurnal, Moskva*, 44 (7): 963.
- Soloshenko, I. Z., 1962, Role of bloodsucking arthropods in transmitting and preserving pathogenic leptospirae. Report No. 2: Relation of bloodsucking arthropods to the pathogens of anicteric leptospirosis. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, Moskva, 33 (4): 31-34.
- Solov'yev, Yu. K. and Ogol'tsova, T. L., 1964, To the determination of the ectoparasite fauna of domestic birds and their nests in the Gorki Province. *Uchen. Zapiski Gor'kovsk. Gosudarstv. Univ. im N. I. Lobachevskogo, s. Biol. Nauk*, 62: 75-82.

- Solov'yev, Yu. K. and Skvorkina, N. V., 1963, Ectoparasites of small mammals in the southern districts of the Gorki Province and the evaluation of their epidemiological importance. Uchen. Zapiski Gor'kovsk. Gosudarstv. Univ. im N. I. Lobachevskogo, s. Biol. Nauk, 63: 52-56.
- Solov'yev, Yu. K. and Trofimov, V. I., 1964, To the study of the arthropod fauna associated with wild birds in the conditions of the Gorki Province and its possible epidemiological importance. Uchen. Zapiski Gor'kovsk. Gosudarstv. Univ. im N. I. Lobachevskogo, s. Biol. Nauk, 62: 60-74.
- Tumka, A. F., 1964, Parasitocenoses as one of the most important problems of parasitology developed by Academician Ye. N. Pavlovskii and his school. Zool. Zhurnal, Moskva, 43 (4): 346-354.
- Turich, M. L., 1962, Utilization of Agricultural Sprayers, Dusters and Aerosol Generators for Medical Desinsection. Moskva, 99 pp.
- Vashkov, V. I., 1963, Current status of the research in the fields of disinfection, desinsection and deratization. Trudy Tsentral. Nauch. -Issled. Dezinfekts. Inst., Moskva, (16): 3-12.
- Vashkov, V. I., 1963, Current status of the control of arthropods of medical significance. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., Moskva, 40 (12): 3-8.
- Vashkov, V. I., 1964, Contemporary means of control of arthropods of medical importance. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 283-289.
- Vashkov, V. I., 1964, Desinfection and its role in the system of measures used for the liquidation and control of infectious diseases. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., Moskva, (8): 3-7.
- Vladimirova, V. V., 1965, Repellents against different representatives of vermin. Med. Parazitol. i Parazitar. Bolezni, Moskva, 34 (3): 340-346.

Volyanskaya, Ye. A. , 1963, Epidemiological characterization of the bites of Latrodectus tredecimguttatus (Rossi), 1790. Problemy Parazitol. , Kiev, (2): 318-320.

Votyakov, V. I. and Savitskii, B. P. , 1961, A zoologo-parasitological characterization of foci within the zone of pine-deciduous forests. Sborn. Nauch. Trudov Beloruss. Inst. Epidemiol. , Mikrobiol. , i Gig. , Minsk, 4: 21-29.

Yelistratova, N. P. , 1963, To the ectoparasite fauna of the western part of the Saylyugem Mountain. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst. , Sibiri i Dal'n. Vostoka, Irkutsk, (5): 170-173.

Yelizarov, Yu. A. , 1965, The chemo-receptivity of haematophagous Arthropoda. Usp. Sovrem. Biol. , Moskva, 59 (3): 416-432.

COLEOPTERA

Galiyev, R. S. , Volkova, A. A. , and Protsenko, A. I. , 1964, Coprophagous beetles as possible reservoirs of necrobacillosis in nature. Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 52-54.

HEMIPTERA

Balashov, Yu. S. and Dayter, A. B. , 1961, Localization and dissemination of Rickettsia burneti within the organism of a bedbug. Trudy Leningrad. Inst. Epidemiol. , Mikrobiol. i Gig. Pastera, Leningrad, 23: 181-189.

Dayter, A. B. , 1961, Excretion of Rickettsia burneti by the bedbug (Cimex lectularius L.). Trudy Leningrad. Inst. Epidemiol. , Mikrobiol. i Gig. Pastera, Leningrad, 23: 190-195.

Dayter, A. B. , 1963, Experimental infection of several arthropods on Q-fever patients. Trudy Leningrad Inst. Epidemiol. , Mikrobiol. i Gig. Pastera, Leningrad, 25: 92-100.

- Dayter, A. B., 1963, To the question of the role of ticks of the super-family Ixodoidea in Q-rickettsiosis. Part IV. Preservation of Rickettsia burneti in over-wintering ticks Ixodes ricinus L. in experimental conditions. Trudy Leningrad. Inst. Epidemiol., Mikrobiol. i Gig. Pastera, Leningrad, 25: 123-134.
- Dremova, V. P., 1964, Control measures against bedbugs. Fel'd. i Akush., Moskva, (5): 21-24.
- Jira, J., Rosicky, B., and Bozdech, V., 1965, Some aspects of the theory of natural focality in epizootology and epidemiology of toxoplasmosis. Cesk. Parazitol., Praha, 12: 13-33.
- Kerzhner, I. M., 1963, Bedbug. Zashchita Rast. Vreditel. i Bolez., Moskva, 8 (10): 40-41.
- Nabokov, V. A., Turich, M. L., Mitrofanov, A. M., and Uspenskii, I. V., 1964, Desiccants for the control of arthropods (Preliminary communication). Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 515-518.
- Olenev, N. O., 1930, Resultats scientifiques des travaux des expeditions de 1928 et 1929 pour l'etude des parasites des animaux domestiques au Kazakhstan. Dokl. Akad. Nauk SSSR, Moskva, (22): 604-610.
- Pavlovskii, Ye. N. and Cheskis, A. F., 1963, Papers on experimental parasitology. IV. Experimental investigations on the transmission of agents of diseases with natural foci. Bedbug as a carrier of spirochaetes of Central Asian tick-borne relapsing fever under experimental conditions. Izd. Akad. Nauk SSSR, Moskva, pp. 169-170. (Previously published in Voprosy Krayev. Obshch. Eksper. Parazitol., Moskva, 1949, 4: 40-41).
- Rachenina, N. A., 1953, To the question of the importance of sparrows in the distribution of infection among birds. Trudy Inst. Zool., Akad. Nauk Kazakh. SSR, Alma-Ata, pp. 190-199.
- Vashkov, V. I., et al., 1963, The level of sensitivity of bedbugs - Cimex lectularius to DDT and H-CH-C-H, and to chlorofos in various cities of the USSR. Trudy Tsentral. Nauch.-Issled. Dezinfekts. Inst., Moskva, (16): 249-258.

HYMENOPTERA

Klyushkina, Ye. A. , 1958, A parasite of the ixodid ticks - Hunterellus hookeri How. in the Crimea. Zool. Zhurnal, Moskva, 37 (10): 1561-1563.

Ponomarenko, N. G. , 1965, New parasitic hymenopteran of the sub-family Gonatopodinae (Hymenoptera, Dryinidae) in the USSR. Entom. Obozr. , Leningrad, 44 (3): 622.

MALLOPHAGA

Blagoveshchenskii, D. I. , 1961, Biological grounds of the control of ticks and wingless insects - ectoparasites of poultry. Entom. Obozr. , Leningrad, 40 (4): 833-841.

ORTHOPTERA

Kovalenok, A. V. , 1963, Histological changes in the common cockroach after poisoning with diethyl-4-nitrophenylthiophosphate. Izvest. Sibir. Otdel. Akad. Nauk SSSR, Novosibirsk, (12), s. Biol. Med. Nauk, (3): 97-104.

Nabokov, V. A. , Turich, M. L. , Mitrofanov, A. M. , and Uspenskii, I. V. , 1964, Desiccants for the control of arthropods (preliminary communication). Med. Parazitol. i Parazitar. Bolezni, Moskva, 33 (5): 515-518.

Pogodina, L. I. , 1963, Cockroaches and their control. Zashchita Rast. Vreditel. i Bolez. , Moskva, 8 (4): 42.

MISCELLANEOUS ACARINA AND INSECTA

- Andreyev, S. V., et al., 1964, Radio marker in studying injurious insects. *Vestnik Sel'sk. Nauk.*, Alma-Ata, 9 (2): 122-128.
- Andreyko, O. F., 1962, Parasite fauna of mass species of rodents in Moldavia and its epidemiological and epizootological importance. *Mezhvuz. Konf. po Probl. Krayev Parazitol. Tezisy Dokl.*, Odessa, pp. 55-56.
- Anon., 1955, Nomenclature of Invertebrates. Bureau of Publications, Academia Sinica, The Science Press, Peking.
- Anon., 1956, Chemical Method of Control of Insect Pests and Ticks. *Sborn. Sokr. Perevodovi Referatov Inostr. Periodich. Literatury Otv. red. B. I. Rukavishnikov*, 496 pp.
- Anon., 1959, Bacteria against injurious insects; from Czechoslovak experience. *Las Polski*, Warsaw, 33 (5): 20.
- Anon., 1959, Development of resistance to insecticides in insects and acarids, collection of articles. *Izd-vo Inostr. Lit. Moskva*, 331 pp.
- Anon., 1962, Entomological Symposium. *Baku*, (1): 200 pp.
- Anon., 1964, Ecology of the Insects of the Maritime Territory and Amur Valley. *Nauka, Moskva*, 127 pp.
- Anon., 1964, Development of chemistry and Soviet entomology. *Entom. Obozr.*, Leningrad, 43 (1): 3-4.
- Anon., 1964, A guide to the insects of the European part of the USSR in five volumes. Vol. 1. Protozoa, Palaeoptera, Hemimetabola. *Opred. Faune SSSR, Nauka, Moskva*, (84): 935 pp.
- Anon., 1965, Insects of the Lower Murgab Valley (Southeastern Turkmenia); Fauna, Ecology, Economic Significance. *Turkmen. Ashkhabad*, 145 pp.
- Avramenko, I. D. and Zenchenko, V. S., 1964, Forecasting the large-scale multiplication of harmful insects in 1964. *Lesnoe Khoz.*, Moskva, 17 (4): 58-61.

- Balabkin, A. K., Shamova, A. M. and Lazareva, L. A., 1963, Study of a tularemia focus in the alpine zone of the Gornyy Altai. Izvest. Irkutsk, Gosudarstv. Protivochum. Inst., Sibiri i Dal'n. Vostoka, Irkutsk, (5): 9-12.
- Balashov, Yu. S., 1963, Survival of leucocytes of vertebrates in the intestines of bloodsucking insects and ticks. Dokl. Akad. Nauk SSSR, Moskva, 153 (4): 981-983.
- Balayeva, N. M. and Levina, Ye. N., 1964, Detection of Rickettsia prowazeki with the method of luminescent antibodies in the organism of experimental animals and insects. Izvest. Akad. Nauk SSSR, s. Biol., Moskva, (3): 433-438.
- Bartik, M., 1960, Veterinary protozoology and arachnoentomology; selected chapters. A university textbook, 1st ed. Praha, 130 pp.
- Batayev, P. S., 1960, Insect repellents. Nauka i Zhizn, Moskva, 27 (7): 78-79.
- Beklemishev, V. N., 1961, Terms and concepts necessary for the study of populations of ectoparasites and nidicoles. Zool. Zhurnal, Moskva, 40 (2): 149-158.
- Berim, N. G., 1964, Biological principles of the improving the system of applying insecticides. Entom. Obozr., Leningrad, 43 (3): 495-502.
- Bezuglyi, S. F., Sarishvili, I. G., and Larina, G. A., 1964, Photochemical oxidation of petroleum products used as insecticides. Khim. v Sel'. Khoz., 2(2): 26-29.
- Bezukladnikova, N. A., 1953, Literature dealing with the parasitology of Kazakhstan. Parasitic insects. Trudy Inst. Zool. Akad. Nauk Kazakh. SSR, Alma-Ata, pp. 219-236.
- Bychenkova, V. N., 1956, The Effect of Larval Nutrition on Behavior of Adult Insects. Avtoref. Diss. Kand. Biol. n., Leningrad. Gosudarstv. Ped. Inst., Leningrad.
- Cherepanov, A. I., 1963, Fauna, Systematics and Ecology of Insects and Acarines. Symposium. Novosibirsk, 192 pp.
- Cherepanov, A. I., et al., 1963, New means for controlling blood-sucking insects. Les. Prom., Moskva, 41 (6): 12.

- Chernoborodov, Ye. S. and Bushchik, T. N., 1963, Experimental utilization of aerosols of activated creolin oils with the new aerosol generator TDA for the control of insect pests, pp. 422-423. [In: Problemy Parazitologii. Trudy IV. Nauch. Konf. Parazitol., Ukrain. SSR, Kiev.].
- Chernyshev, V. E., 1963, Types of the diurnal rhythms of insect activity. Zool. Zhurnal, Moskva, 42 (4): 525-534.
- Daviyetshina, A. G. and Radzivilovskaya, M. A., 1965, Entomofauna of Ferula. Uzbek. Biol. Zhurnal, Tashkent, 9 (1): 57-62.
- Derbenyeva-Ukhova, V. P., et al., 1962, Entomological presumptions for the elaboration of sanitary measures in animal and fruit production establishments. Tezisy Dokl. 3. Gor. Nauch. -Prakt. Konf. Voprosam. Parazitol., Moskva, Gor. San. -Epidemiol. Stantsii, Moskva, pp. 42-43.
- Dikasova, Ye. T., 1964, Viruses of insects. Uzbek. Biol. Zhurnal, Tashkent, 8 (1): 13-17.
- Dyadechko, V. N., 1962, Chlorated turpentine as insecticides. Trudy Vsesoyuz. Nauch. -Issled. Inst. Vet. San. i Ektoparazitol., Moskva, 18: 3-14.
- Fasulati, K. K., 1961, Ecology and Economic Importance of Insects; a Cycle of Lectures on the Course "Entomology". Uzhgorod, Uzhgorodskii, Gosudarstv. Univ., 61 pp.
- Favorova, L. A., Blagoveshchenskii, V. A., Chubkova, A. I., and Fetisova, T. N., 1963, Examination of the insecticidal characteristics of butadion and some data concerning its retention in blood serum and in dead insects. Part II. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., Moskva, (9): 84-87.
- Frolov, B. A., 1964, Acaricidal properties of chlorophos and dimethyldichlorovinyl phosphate. Khim. v Sel'. Khoz., 2 (5): 58.
- Frolov, B. A., 1965, μ -Cresyl ester of N-methylcarbamic acid as an acaricide. Khim. v Sel'. Khoz., 3 (5): 65-67.
- Galuzo, I. G. and Rementsova, M. M., 1960, Reservoir of brucellosis infection in nature. Veterinariya, Moskva, 37 (2): 12-15.
- Geller, I., 1962, Biochemistry of insects. Trudy 5. Mezhdunar. Biohim. Kongressa. Simpoz. 3., Moskva, pp. 291-299.

- Gilyarov, M. S., 1964, Basic directions in the adaptation of insects to life in the desert. Zool. Zhurnal, Moskva, 43 (3): 243-254.
- Gladkikh, S. G., 1964, Means of Repelling the Bloodsucking Insects and Mites. Moskva, 120 pp.
- Golubeva, Z. Z. and Popov, P. V., 1964, Insecticidal properties of methylnitrophos. Khim. v Sel'. Khoz. 2 (7): 29-32.
- Gorchakovskaya, N. N. and Chunikhin, S. P., 1962, On the transportation of acarines by birds of the genus Turdus in the taiga and tundra of the Salairsk Kryazh (Kemerovo Province). Ornitologiya, Moskva, 5: 113-117.
- Gornostayev, G. N., 1961, Construction of traps with light sources for night collections of insects. Vestnik Moskov. Univ., Moskva, s. Biol., (4): 51-57.
- Grinn, N., Beroza, M., and Khol, S., 1962, Recent achievements in the field of chemical substances attractive to insects, pp. 54-100. [In: USP. v Oblast. Izuch. Pestitsidov, Moskva.].
- Grokhovskaya, I. M., 1964, Acarina - vectors of diseases. Zdorovye, Moskva, (4): 20-21.
- Grokhovskaya, I. M. and Saf'yanova, V. M., 1964, Vectors of human diseases. Perenoshch. Bolezni Cheloveka, Moskva, Izd-vo "Znanie", 47 pp. (Novoe v Zhisni, Nauke, Tekhnike. VIII Seriya: Biologiya i Meditsina, No. 15.)
- Gusev, V. M., et al., 1961, Ecological groups of birds on the Caucasus and their role in the life of acarines and fleas. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya. Stavropol, 5: 217-267.
- Gusev, V. M., Tiflova, L. A., Guseva, A. A., and Byednii, S. N., 1961, Observations of fleas and acarines in Askania-Nova. Trudy Nauch. -Issled. Protivochum. Inst. Kavkaza i Zakavkaz'ya. Stavropol, 5: 268-275.
- Gutsevich, A. V., 1964, Insects as vectors of viruses affecting man and domestic animals. Zool. Zhurnal, Moskva, 43 (3): 429-442.
- Janovic, G. I. and Starceus, A. P., 1965, Insecticidal aerosols - means for the control of vermin. Sborn. Nauch. Rabot Novosibirsk Nauch. -Issled. Vet. Stantsii, 2: 369-371.

- Kabirova, M. B. and Kireyev, N. I. , 1962. Materials to the clinico-epidemiological characterization of acarine rickettsiosis among children in the Tselinnyi Territory. *Pediatrics*, Moskva, 12: 65-66.
- Kagan, Yu. S. , 1962, Comparative hygienic evaluation of the various methods of application of phosphorganic insecticides. *Voprosy Epidemiol. , Bakteriolog. , Gig. Parazitolog. i Virusolog. (Tezisy Dokl.)*, Dushanbe, pp. 81-82.
- Kalmykov, P. G. , 1964, Method of study of the mechanism of the action of insecticides with the use of marked atoms. *Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan*, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, pp. 301-302.
- Kantsur, M. Ya. , Yelin, N. S. , and Rubinova, Ye. I. , 1964, Experimental control of bloodsucking insects using an early spring treatment of water reservoirs. *Voenno-Med. Zhurnal*, Moskva, (7): 52-54.
- Karapetyan, R. M. and Kotsinyan, M. Ye. , 1962, Two cases of acarine rickettsiosis. *Trudy Yerevansk. Med. Inst.*, 12: 155-160.
- Kerabayev, Ye. B. and Molochev, G. V. , 1964, Acaricidal action of "vafatox" and trichlormetaphos-3. *Proceedings of the conference on natural nidality of diseases and problems of parasitology of the Republics of Central Asia and Kazakhstan*, Sept. 24-28, 1962, No. 4. Acad. Sci. Kirghiz SSR Publ. House, Frunze, p. 300.
- Kereyev, N. I. , 1963, To the typing of the foci of north Asian acarine rickettsiosis in Kazakhstan. *Tezisy Dokl. 5. Itog. Nauch. - Prakt. Konf. Kazakhsk. Inst. Epidemiolog. , Mikrobiolog. i Gig.*, Alma-Ata, pp. 95-96.
- Kobakhidze, D. N. , 1963, Structural Characteristics of Insect Communities of Some Natural Zones of the Georgian SSR. *Soobshch. Akad. Nauk Gruz. SSR*, Tbilisi, 90 pp.
- Kochenkov, V. G. , 1963, Utilization of polyethylene bags in the preservation of insect collections. *Sborn. Entom. Rabot.*, Frunze, (2): 100.
- Kosmachevskii, A. S. , 1963, Harmful insects in Vietnam. *Zashchita Rast. Vreditel. i Bolez.*, Moskva, 8 (11): 51-52.

- Larionova, V. D., Volkova, A. P., and Mandelbaum, A. Ya., 1963, Toxicity of the preparates from the group thio- and dithiophosphoric acid in relation to insects and the dependence of the insecticidal characters on temperature conditions. Trudy Tsentral. Nauch. -Issled. Dezinfekts. Inst., Moskva, (16): 190-196.
- Lavrent'yev, P. A., 1964, Utilization of chlorophos in the control of acarines and bloodsucking Diptera. Veterinariya, Moskva, (5): 101-102.
- Lopukhov, M. A. and Den'gin, N. Ya., 1964, Chlorofos in the control of ticks and insects. Veterinariya, Moskva, (6): 111-112.
- Luchnikova, Ye. M., 1962, On the role of behavior in the determination of the resistance of insects to insecticides. Tezisy Dokl. Nauch. - Sessii Biol. Inst., Leningrad, pp. 15-16.
- Lugovik, B. A., 1962, On repellents for farm animals. Trudy Omsk. Vet. Inst., Omsk, 20: 201-204.
- Lugovik, B. A. and Bratanova, T. I., 1962, On the search for emulsion agents for the insect-repellent RV-5. Trudy Omsk. Vet. Inst., Omsk, 20: 205-211.
- Lugovik, B. A., Budylin, V. A., and Yudin, L. G., 1963, Synthesis of 1-acyldecahydroquinolines and 1-acyl-6-methoxy-1, 2, 3, 3-tetrahydroquinolines in the search for new substances with repellent action. Trudy Omsk. Vet. Inst., Omsk, 21: 229-232.
- Luk'yanchikov, V. P., 1962, Conference on the problem of utilization of micro organisms in the control of harmful insects. Mikrobiologiya, Moskva, 31 (5): 956-957.
- Lyskovtsev, M. M., 1964, Differential diagnosis of "bezzheltushny" leptospirosis and acarine rickettsiosis in children. Sovet. Med., Moskva, (4): 75-80.
- Lyskovtsev, M. M., 1964, Acarine rickettsioses. Voprosy Virusol., Moskva, (3): 376-377.
- Mamedov, Sh., Osipov, O. B., and Mamedova A. R., 1962, New acaricidal preparation "Epran-B". Dokl. Akad. Nauk Azerbaidzhan. SSR, Baku, 18 (6): 53-56.

- Marikovskii, P. I., 1965, Hunting for Insects: A Naturalist's Notebook. Alma-Ata, "Kazakhstan", 111 pp.
- Maslov, A. V., 1962, Materials to the examination of the effectiveness of several new repellents in tick and insect prophylaxis. Izvest. Irkutsk. Gosudarstv. Protivochum. Inst., Sibiri i Dal'n. Vostoka, Irkutsk, 3: 168-170.
- Mazokhin-Proshnyakov, G. A., 1964, Methods for and present status of the study of color vision in insects. Entom. Obozr., Leningrad, 43 (3): 503-523.
- Mazokhin-Porshnyakova, G. A., 1965, Vision in insects. Nauka, Moskva, 262 pp.
- Mel'nikov, N. N., 1964, New insecticides and acaricides. Khim. v Sel'. Khoz., 2 (5): 16-22.
- Mezeney, N. P., 1962, Protecting a reindeer herd from bloodsucking insects. Veterinariya, Moskva, 39 (9): 67-68.
- Myalo, I. I. and Fomin, Yu. V., 1962, The ANZh-2 truck-mounted liquid manure spreader for the control of bloodsucking insects. Veterinariya, Moskva, 39 (6): 76-77.
- Osiptyan, V. T., et al., 1963, Desinsection of the locality with the aid of DDT aerosols and chlorofos. Trudy Tsentral. Nauch. -Issled. Dezinfekts. Inst., Moskva, (16): 169-176.
- Peredel'skii, A. A. and Bogatyrev, I. O., 1959, A signal method of determination of areas with higher radioactivity from the collection of insects. Proceedings, Fourth Congress of the All-Union Entomological Society. Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 126-127.
- Petrishcheva, P. A., 1959, Importance of insects and acarines in the preservation and distribution of human disease agents. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 244-246.
- Pogosyan, A. N., 1962, Results of a study of the acarine fauna in several districts of the republic. Ref. Dokl. Nauch. -Sessii Inst. Epidemiol. i Gig., Yerevan, pp. 26-28.

- Potemkin, V. I. , 1953, Investigations of insects harmful to livestock, pp. 535-564. [In: Antipin, D. N. , et al. , Laboratornye Metody issled. v Veterinariya, Moskva].
- Rasnitsin, A. P. , 1963, Observations on the freezing of insects. Zool. Zhurnal, Moskva, 42 (7): 1104-1106.
- Rasnitsin, A. P. , 1965, Some aspects of interrelationship between morphogenesis and growth in the evolution of ontogeny of insects. Entom. Obozr. , Leningrad, 44 (3): 476-485.
- Rukavishnikov, B. I. , 1964, Combined chemical and biological pest control. Khim. v Sel'. Khoz. , 2 (8): 57-68.
- Savel'yev, D. V. , Voblikova, N. V. , and Volfrub, A. M. , 1959, Control of insects - pests of northern reindeer. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 252-253.
- Savitsky, B. P. , 1961, Application of hexachloride smoke in the control of ixodid ticks and insects in White Russia. Sborn. Nauch. Trudov Beloruss. Inst. , Epidemiol. , Mikrobiol. i Gig. , Minsk, 4: 90-98.
- Shapovalova, K. G. , Maksimova, Z. I. , and Mel'nikova, I. A. , 1964, Insecticidal properties of some carbamic acid derivatives. Khim. v Sel'. Khoz. , 2 (3): 23-27.
- Shcherbina, V. P. , 1964, Portable light trap PSL-1 for collecting bloodsucking flying insects. Zool. Zhurnal, Moskva, 43 (10): 1569-1572.
- Shura-Bura, B. L. and Glazunova, A. Ya. , 1963, Insecticidal properties of chlorophos paper "Mukhomor". Med. Parazitol. i Parazitar. Bolezni, Moskva, 32 (5): 554-558.
- Shvetsova, O. I. , 1962, Biological bases of the effectiveness of the bacterial preparate - entobacterin-3 for the control of insect pests. Zhurnal Obshch. Biol. , Moskva, 23 (5): 281-390.
- Simbirtsev, N. L. , 1962, Protecting farm animals against bloodsucking insects. Veterinariya, Moskva, 39 (7): 82-83.

- Solov'yev, Yu. K. and Bezdenyeyzhnykh, V. M., 1963, Ectoparasites of domestic and wild birds and their nests in the southern districts of the Gorki Province. Uchen. Zapiski Gor'kovsk. Gosudarstv. Pedagog. Inst., Gorki, 63: 48-52.
- Somov, G. P., 1962, Results of further studies on acarine rickettsioses in the Primor Territory. Tezisy Dokl. Itog. Nauch. Konf. Vladivost Inst. Epidemiol., Mikrobiol. i Gig. s Uchast. Nauch. - Prakt. Uchr. Primorskogo Kraya, pp. 18-19.
- Stepanov, I. P., 1960, Disinfection and insect and rat extermination. Lectures I-VIII. Moskva.
- Tagil'tsev, A. A., 1962, Characteristics of the biology of bloodsucking acarines as a basis for the determination of their role in the natural foci of transmissible diseases. Voprosy Epidemiol., Bakteriolog., Gig. Parazitolog. i Virusolog. (Tezisy Dokl.), Dushanbe, pp. 149-150.
- Tamarina, N. A., 1959, Resistance of insects to insecticides. Proceedings, Fourth Congress of the All-Union Entomological Society, Izd. Akad. Nauk SSSR, Moskva and Leningrad, 1: 173-175.
- Terent'yev, A. F., 1961, Practices in controlling bloodsucking insects and gadflies infesting reindeers in the tundra. Veterinariya, Moskva, 38 (8): 63-66.
- Ternovoi, V. I. and Bannov, A. T., 1965, Practices in protecting animals from bloodsucking insects. Veterinariya, Moskva, 42 (9): 95-96.
- Terskov, I. A. and Kolomiyets, N. G., 1964, Observations on insect fluorescence. Izvest. Sibiri. Otdel. Akad. Nauk SSSR, Novosibirsk, No. 12, s. Biol. Med. Nauk, (3): 145-146.
- Turich, M. L., 1964, The significance of microfumigation in the mechanism of action of DDT and other contact insecticides. Med. Parazitolog. i Parazitarnye Bolezni, Moskva, 33 (5): 519-524.
- Vanags, G. J., 1964, Conference on toxic substances. Zashchita Rast. Vreditel. i Bolezn., Moskva, 9 (4): 4-57.

- Vasil'yenko, Ye. F., 1961, Protective action of underwear treated with DDT in foci of acarine-borne infections. Trudy Novosibirsk. Med. Inst. i Novosib. Oblast San. -Epidemiol., Stantsii, 38: 131-133.
- Vinogradov, B. S. and Argeropulo, A. I., 1938, A characterization of the winter fauna of south eastern Kara-Kumy. Priroda, No. 6.
- Yakhontov, V. V., 1964, Introduction of entomophaga. Zashchita Rast. Vreditel. i Bolez., Moskva, 9 (11): 50.
- Yefimov, H. O. and Kahan, Yu. S., 1964, Toxicity of diesters of phosphoric acids to insects and warm-blooded animals. Dopovidi Akad. Nauk Ukrain. RSR, Kiiiv, (2): 275-278.
- Yelizarov, Yu. A., 1962, Chemoreceptors of insects and repellents. Usp. Sovrem. Biol., Moskva, 54 (1): 102-114.
- Yelizarov, Yu. A., 1963, On the action of repellents. Nauka i Zhizn, Moskva, 30 (4): 26-28.
- Yevlakhova, V. F., et al., 1958, The effect of removal of trees in marshlands along the lower Dnieper on the number and species of bloodsucking insects. Med. Parazitol. i Parazitar. Bolezni, Moskva, 27 (1): 100-101.
- Zakamyrdin, I. A., 1962, Experimental utilization of hexachlorane fumes in the control of bloodsucking insects. Trudy Vsesoyuz. Nauch. -Issled. Inst. Vet. San. i Ektoparazitol., Moskva, 21: 26-28.
- Zaslavskii, V. A., 1963, Hybrid sterility as a limiting factor in the distribution of allopatric species. Dokl. Akad. Nauk SSSR, Moskva, 149 (2): 470-471.
- Zhigaltseva, M. I. and Chernobrovina, S. M., 1966, On the application of ultraviolet ray sources to control insect pests. Zool. Zhurnal, Moskva, 45 (3): 375-382.
- Zhmayeva, Z. M., Zemskaya, A. A., and Shluger, Ye. G., 1964, Bloodsucking acarines (Arthropoda, Arachnoidea, Chelicerata), pp. 68-73. [In: Methods of Study of the Natural Foci of Human Diseases. Izd. "Meditsina", Moskva, P. A. Petrishcheva and N. G. Olsuf'yev, Editors.].