

MICROCOPY RESOLUTION TEST CHART

AN A 082531

TEVEL!

RESEARCH PRODUCT 79-16

PROGRAM MANAGEMENT FOR TANK CREWMAN
SKILLS TRAINING PROGRAM

ARI Field Unit at Fort Knox, Kentucky

NOVEMBER 1979



This document has been approved for public release and salo; its distribution is unlimited.

80

4 2 008

U.S. ARMY RESEARCH INSTITUTE for the BEHAVIORAL and SOCIAL SCIENCES

U. S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES

A Field Operating Agency under the Jurisdiction of the Deputy Chief of Staff for Personnel

JOSEPH ZEIDNER
Technical Director

FRANKLIN A. HART Colonel, US Army Commander

Service Comment

Research accomplished under contract to the Department of the Army

Human Resources Research Organization

NOTICES

<u>FINAL DISPOSITION</u>: This report may be destroyed when it is no longer needed. Please do not return it to the U. S. Army Research Institute for the Behavioral and Social Sciences.

NOTE: The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other suthorized documents.

18 ARI

REPORT DOCUME	NTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
Research rodge 79-16	2. GOVT ACCESSION NO	. 3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)		SHE OF REPORT & PERIOD COVER
PROGRAM MANAGEMENT FOR TA	ANK CREWMAN SKILLS	Research Froduct
TRAINING PROGRAM		6. PERFORMING COS. SETT NUMBER
The state of the s	14 HUMRE	G-RP-WD(KY)-79-14
Richard E. O'Brien Willi	am J. Crum 15	DAHC 19-76-C-10001
9. PERFORMING ORGANIZATION NAME AS Human Resources Research		10. PROGRAM ELEMENT, PROJECT, TAS
300 North Washington Stre		\
Alexandria, Virginia 2231		1)
11. CONTROLLING OFFICE NAME AND AC		
U.S. Army Research Instit		November 79
and Social Sciences	5001 Eisenhower Avenue	13. NUMBER OF PAGES
Alexandria, Virginia 2233		196
14. MONITORING AGENCY NAME & ADDRE	ESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report) UNCLASSIFIED
	(12) 186	154. DECLASSIFICATION DOWNGRADING
16. DISTRIBUTION STATEMENT (of this Re	port	
17. DISTRIBUTION STATEMEN (01 th	etract entered in Block 20, if different fr	om Report)
18. SUPPLEMENTARY NOTES	Fact Vaca Office D.O.	Paul 202 Fant Vacu
Work performed by HumRRO, Kentucky 40121, and monit Unit-Fort Knox.		
19. KEY WORDS (Continue on reverse side if	necessary and identify by block number	7)
Armor Training	Skills Training	
Tank Gunnery	Skills Testing	
M60A1	Training Management	t
1		
20. ABST MACT (Continue on reverse side if	necessary and identify by block number)
	ns the development of th	
		aging the program. General
developmental procedures		
		ive detailed program manage-
ment guidance for trainin		
		lministering readiness tests
and training modules, and	l maintenance of training	g records.
L	···	
DD : JAN 73 1473 EDITION OF 1 NOV	/ 65 IS OBSOLETE	INCLASSIFIED AND
		JNCLASSIFIED

405260 Lus

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

When used with three companion documents, Tank Crewman (M60A1) Readiness Tests, Tank Crewman (M60A1) Training Modules, and Tank Crew (M60Al) Performance Exercise, the program management for tank crewman skills training program provides guidance for implementing an integrated train-up package for annual gunnery evaluation.

PROGRAM MANAGEMENT FOR TANK CREWMAN SKILLS TRAINING PROGRAM

Richard E. O'Brien William J. Crum

Human Resources Research Organization (HumRRO)

Submitted by:

Donald F. Haggard, Chief ARI Field Unit, Fort Knox, Kentucky

Approved by:

E. Ralph Dusek, Director PERSONNEL & TRAINING RESEARCH LABORATORY

Joseph Zeidner TECHNICAL DIRECTOR

U.S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES 5001 Eisenhower Avenue, Alexandria, Virginia 22333

Office, Deputy Chief of Staff for Personnel
Department of the Army

November 1979

Approved for public release; distribution unlimited.

The Fort Knox Field Unit of the Army Research Institute for the Behavioral and Social Sciences (ARI) carries out research and exploratory development in the area of Armor training. An objective of this work is to develop, through analytic and field research, tank crew training methods that are effective and efficient.

This report is one of a set of four dealing with the development and maintenance of proficiency in M60Al tank crewman with special emphasis on application in reserve training.

Companion documents are:

- 1. Tank Crewman (M60A1) Readiness Tests, ARI Research Product RP-79-13, November 1979.
- Tank Crewman (M60A1) Training Modules, ARI Research Product RP-79-14, November 1979.
- 3. Tank Crew (M60A1) Performance Exercise, ARI Research Product RP-79-15, November 1979.

The project of which this report is a part was conducted by personnel of the Human Resources Research Organization (HumRRO) under Contract No. DAHC 19-76-C-0001 and monitored by Donald F. Haggard, Chief of ARI Field Unit at Fort Knox. The research was done under Army Project 20763743A773 and is responsive to requirements of the U.S. Army Armor School at Fort Knox, the Army Training and Doctrine Command, and the Army Forces Command.

JOSEPH ZEIDNER
Technical Director

Acces	sion For	
DOC T. Uniones	e.m&I AB sunced fication	
Ву		
Distri	lbution/	
Avei	ability C	odes
Dist	Avail and/ special	or.

SUMMARY

This report explains the development of a modular, performance based, individually paced M60Al tank crewman skills training program (TCST) and provides guidelines for managing the program. The first part of the report establishes the training goal and the task base. It also includes developmental procedures for diagnostic testing and remedial training. The second part of the report provides battalion, company, and tank commanders with a management tool for administering the program.

To administer the tank crewman skills training program, training managers and trainers must be thoroughly familiar with Research Products: RP-79-13, Tank Crewman (M60A1) Readiness Tests, RP-79-14, Tank Crewman (M60A1) Training Modules, and RP-79-15, Tank Crew (M60A1) Performance Exercise.

When used with the three companion documents listed above, this report provides guidance for implementing an integrated "train-up" package for annual gunnery evaluation.

TABLE OF CONTENTS

•	Page
INTRODUCTION	. 1
BACKGROUND	. 1
PURPOSE	. 2
PROGRAM DEVELOPMENT	. 3
CREW INTERACTION PERFORMANCE TEST	. 3
Identifying Representative Engagements	. 3
Identifying Preparation for Operations Tasks	. 6
Identifying Tactical Operations Tasks	. 6
Verifying Criticality of Tasks	. 6
Clustering Preparation for Operations Tasks	. 7
Clustering Tactical Operations Tasks	. 7
Clustering Preparations for Operations Activities	. 7
Clustering Tactical Operations Activities	. 7
Clustering Activities into Preparations for Operations and Tactical Operations Modules	. 7
DUTY POSITION READINESS TESTS	. 31
Identifying Tasks for Each Crewman	. 31
Clustering Tasks into Functional Groups	. 31
Selecting Test Methodology	. 31
Clustering Functional Groups, by Test	
Methodology, into Readiness Tests	. 32
Structuring Readiness Tests	. 32
DUTY POSITION TRAINING MODULES	. 33
Pretraining Conditions	. 34
Objective	. 34
Method of Instructions	. 34
Equipment and Materials	. 34
Estimated Time to Complete the Module	. 34
Procedure for Administering Each Module	. 34
Explanatory Notes	. 35

TABLE OF CONTENTS (Cont'd.)

					P	age
PROGRAM MANAGEMENT	•	•	•	•	•	39
PROGRAM FAMILIARIZATION	•	•	•	•	•	39
The TCST Concept	•	•	•	•	•	39
The TCST Management Model	•		•			39
Diagnostic Testing	•			•		39
Remedial Training						42
Crew Diagnostic Testing and Remedial Training	ıg	•	•	•	•	42
TRAINING MANAGER'S RESPONSIBILITIES	•	•	•	•	•	43
Battalion Commander	•	•	•	•		44
Battalion Training Officer				•		44
Company Commander			•	•	•	44
Company Training Officer/NCO						45
Platoon Leader	•				•	45
Tank Commander	•	•	•	•	•	45
TRAINING SUPPORT	•	•	•	•	•	45
Higher Headquarters					•	46
Army Advisors				•		46
Branch Assistance Team (BAT)				٠	•	46
Training and Audio-Visual Support Center (TA	LSC	()		•		46
Major Training Area (MTA) Commanders	•	•	•	•	•	47
IMPLEMENTING THE PROGRAM	•	•	•	•	•	48
Training Manager's Guide	•		•	•	•	48
Tank Commander's Training Guide	•	•	•	•	•	48
REFERENCES	•	•	•	•	•	49
A malanca Turan						

LIST OF TABLES AND FIGURES

TABI	. R	Page
1.	GUNNERY ENGAGEMENTS FOR CIPT TACTICAL OPERATIONS MODULE	5
2.	TRAINING RESOURCE REQUIREMENTS	55
3.	RESPONSIBILITIES FOR TRAINING RESOURCES	59
4.	BATTALION TCST PLANNING CALENDAR	66
5.	TRAINING SUPPORT FORCAST	· 67
6.	READINESS TESTING SCHEDULE FOR KEY TANK COMMANDERS	68
7.	READINESS TESTING SCHEDULE FOR OTHER TC'S	70
8.	BATTALION CREWMAN READINESS CHART	76
9.	COMPANY CREWMAN READINESS CHART	78
FIGU	TRE	
1.	Tank crew skills training development model	4
2.	Structuring the crew interaction performance test	6
3.	Master task list (MTL)	8
4.	Preparation for operations task list	17
5.	Tactical operations task list	20
6.	Clustering pre-operations tasks by crew activity	22
7.	Clustering tactical operations tasks by crew activity .	23
8.	Outline of preparation for operations module	26
9.	Outline of tactical operations module	29
10.	Functional groups	32
11.	Outline of readiness tests by methodology	33
12.	Self-instructional sound-slide presentation model	36
13.	One-on-one instructor controlled performance training	37

LIST OF TABLES AND FIGURES (Cont'd.)

		<u>Page</u>
FIGU	RE	
14.	Tank crew skills training concept	. 40
15.	Tank crew skills training management model	. 41
16.	Training decision process	. 42
17.	Remedial training process	. 42
18.	Crew interaction performance test sequence process	. 43
19.	Command and assistance lines for implementing TCST	. 43
20.	Instructions for administering and scoring TEC pre-tests	. 71
21.	County fair testing and training layout	. 73
22a.	DRIVER flow diagram for TCST program	. 156
22ъ.	LOADER flow diagram for TCST program	. 157
22c.	GUNNER flow diagram for TCST program	. 158
22d.	TANK COMMANDER flow diagram for TCST program	. 159

PROGRAM MANAGEMENT TANK CREWMAN SKILLS TRAINING PROGRAM

INTRODUCTION

This report explains the development of the Tank Crewman Skills Training (TCST) program and provides guidelines for managing the program. Companion documents are:

- . Tank Crewman (M60A1) Readiness Tests, ARI Research Product RP-79-13, November 1979.
- . Tank Crewman (M60A1) Training Modules, ARI Research Product RP-79-14, November 1979.
- . Tank Crew (M60A1) Performance Exercise, ARI Research Product RP-79-15, November 1979.

BACKGROUND

In 1977 the training needs of Reserve Component units were changing. The M48Al tank was being replaced with the M48A5 tank and the draft had been eliminated. Equipment and personnel turbulence was on the increase and the cost of training related items was on the rise.

Recognizing the need for a new approach to Reserve Component Training, the U.S. Army Research Institute for the Behavioral and Social Sciences (ARI) initiated research to design training plans for operating and maintaining the M48A5 tank.

In July 1977 a survey, Armor and Cavalry National Guard Training Constraints (O'Brien, Ford, and Boldovici, 1977), was published. The survey showed: number of personnel in each unit, time available for training, distance to local and major training areas and frequency of their use, training facilities at armories and training areas, type and quantity of training devices, and support from mobile training teams. From the data acquired, a hypothetical National Guard tank company, considered to be an average representation of all National Guard tank companies, was structured.

In August 1977 the Tank Crewman Skills Training (TCST) program was developed to accommodate the ARI requirement for a new approach to Reserve Component training. The TCST program was published as Reserve Component Training for Operating and Maintaining the M48A5 Tank (Harris, Osborn, and Boldovici, 1977). Before the program was implemented, however, two events occurred which necessitated major revisions of the program;

- . Selection for trial implementation of a unit equipped with the M60 tank.
- . Revision of Field Manual, FM 17-12, "Tank Gunnery" to include target engagements of increased complexity.

PURPOSE

This report explains the development of the Tank Crewman Skills Training (TCST) program and provides a tool to aid training managers in implementing the program. The first part of the report describes the development process. The second part explains responsibilities of the training managers at various levels and the procedures and techniques for implementing the program.

PROGRAM DEVELOPMENT

In the initial phase of program development, a training model was designed to accommodate tank gunnery requirements of the "average representation" National Guard tank company. The following were considered in developing the model:

- . Minimal dependence on skills learned outside the program.
- Being deliverable, as much as possible, at armories.
- Use of pre-tests to determine areas of mastery or deficiency.

The major components of the model, shown in Figure 1 are: a crew interaction performance test, duty position readiness tests, and duty position training modules.

CREW INTERACTION PERFORMANCE TEST (CIPT)

The CIPT consists of a preparation for operations module and a tactical operations module; designed to evaluate a tank crew's ability to prepare their tank for combat and engage target arrays representative of target arrays in tank gunnery Table VII, Field Manual FM 17-12, "Tank Gunnery," Structuring the CIPT included actions shown in Figure 2.

Identifying Representative Engagements

Table VII includes nine engagements, each with a different target array. The arrays consist of variations of—single, multiple, point, area, stationary, and moving—targets. The targets include tanks, BRDM, ATGM Tms, RPG Tms, and troops. Engagement methods are battlesight, precision, non-precision, and RCLD. Three of the engagements are at night with IR/Passive or flare illumination and three are in an NBC environment. Main gun engagements by the tank commander, or by the gunner using the telescope, are not indicated. The engagements selected for the CIPT are shown in Table 1.




Figure 1. Tank crew skills training development model.

TABLE 1. GUNNERY ENCAGEMENTS FOR CIPT TACTICAL OPERATIONS MODULE

	\$
7(9)	S 4 2 2 NBR
STA	MOTION MOTION STA STA
STA 2-Tks IR 800-1000 STA INF SQD IR 800-1000 STA 1-Tk #LARE 1200-1400 MOV 1-Tk #LARE 1200-1600	TARGET VISI- VISI- VISI- VISI- VISI- VIS 1400-1600
NGT	DAY DAY DAY DAY DAY DAY DAY
GRN/PER, IR HEAT TC/PER, IR CAL 50 GRN/PER, D SABOT GRN/PER, D SABOT	FIRE CONTROL INSTRUMENT AM160 GRN/PER, D SABOT GRN/PER, D COAX TC/PER, D CAL 30 GRN/PER, D CAL 50 GRN/PER, D HEAT
4 2 40 BS NP 2 1 40 BS BS	STANDARDS NBR NBR TIME* METHOD OF RDS HITS (SEC) FIRE DELIVERY
<u> </u>	

NOTES: * Time to complete engagements for qualification ** NBC environment, crew buttoned up *** RCLD

() Indicates Table VII numbered engagement

- 1. Identifying representative engagements.
- 2. Identifying preparation for operations tasks.
- 3. Identifying tactical operations tasks.
- 4. Verifying criticality of tasks.
- 5. Clustering preparation for operations tasks.
- 6. Clustering tactical operations tasks.
- 7. Clustering preparation for operations activities.
- 8. Clustering tactical operations activities.
- . Clustering activities into preparation for
- operations module.
- 10. Clustering activities into tactical operations module.

Figure 2. Sequential structuring of crew interaction performance test.

Identifying Preparation for Operations Tasks

These tasks are actions which individual crewmen perform in preparing a tank for combat. In the CIPT model these are tasks required to prepare the tank for firing representative engagements. As each task was identified it was listed on a worksheet for veriticating.

Identifying Tactical Operations Tasks

These tasks are actions which individual crewmen perform during target engagements. In the CIPT model, these are tasks required to be performed when firing representative engagements. As each task was identified it was listed on a worksheet for verification as to criticality.

Verifying Criticality of Tasks

When task worksheets were completed, each task was verified for criticality by comparing it with tasks listed in the priority section of the Master Task List (MTL). If the task was in the priority section

- 1. Identifying representative engagements.
- 2. Identifying preparation for operations tasks.
- 3. Identifying tactical operations tasks.
- 4. Verifying criticality of tasks.
- 5. Clustering preparation for operations tasks.
- 6. Clustering tactical operations tasks.
- 7. Clustering preparation for operations activities.
- 8. Clustering tactical operations activities.
- 9. Clustering activities into preparation for operations module.
- 10. Clustering activities into tactical operations module.

Figure 2. Sequential structuring of crew interaction performance test.

Identifying Preparation for Operations Tasks

These tasks are actions which individual crewmen perform in preparing a tank for combat. In the CIPT model these are tasks required to prepare the tank for firing representative engagements. As each task was identified it was listed on a worksheet for verification as to criticality.

Identifying Tactical Operations Tasks

These tasks are actions which individual crewmen perform during target engagements. In the CIPT model, these are tasks required to be performed when firing representative engagements. As each task was identified it was listed on a worksheet for verification as to criticality.

Verifying Criticality of Tasks

When task worksheets were completed, each task was verified for criticality by comparing it with tasks listed in the priority section of the Master Task List (MTL). If the task was in the priority section

it was retained for clustering, by duty position, in with the preparations for operations or tactical operations task list. (Figure 3, the Master Task List, is divided into three categories: priority tasks, listed in Selecting Items for a Tank Gunnery Test (Boldovici, Wheaton, and Boycan, 1976), initiating tasks, required to initiate a priority task, and engagement tasks, detailed actions required during gunnery engagements).

Clustering Preparation for Operations Tasks

After each task, which involved the preparation of a tank for operations, had been verified with the MTL, it was listed by crewmember and placed in chronological order by crewmember in the preparation for operations task list shown in Figure 4.

Clustering Tactical Operations Tasks

The above procedure was repeated for those tasks which involved tactical operations. This task list is shown in Figure 5.

Clustering Preparation for Operations Activities

Tasks in the preparation for operations task list were next clustered into activities. An activity being individual actions performed by one or more crewmen to accomplish a functional task. Figure 6 shows an example, "Zero tank main gun," of a preparation for operations activity which involves all crewmembers.

Clustering Tactical Operations Activities

The above procedure was repeated for tasks involving tactical operations. Figure 7 shows two examples, "Main gun engagement--moving to a halt--stationary point target," and "Main gun/caliber .50 simultaneous engagement--moving to a halt--stationary point targets," of tactical operations activities which involves all crewmembers.

Clustering Activities into Preparation for Operations and Tactical Operations Modules

The last phase of developing the CIPT was clustering all preparation for operations activities into a test module and all tactical operations activities into a second test module. Figure 8 is an outline of the activities included in the preparation for operations module and Figure 9 is the same for the tactical operations module. The complete CIPT, which includes the preparation for operations module, the tactical operations module, administrative guidelines, and an equipment list, is contained in ARI Research Product RP-79-15, Tank Crew (M60A1) Performance Exercise, 1979.

MASTER TASK LIST (MTL)

PRIORITY TASKS	DA	TD	CN	TC
 Perform before-operations maintenance checks and services on engine and transmission oil levels. 	X*	x		
Perform before-operations maintenance checks and services on M24(IR) and M27 periscopes.	X*			
3. Place the tank in motion.	x			
4. Check track tension.	X*	x		
5. Adjust track tension.	X*	x	\	
6. Install and operate AN/VRC-12 or AN/VRC-64 radio.		x		
7. Operate the tank intercommunications system.	x	x	x	x
8. Perform prepare-to-fire procedures.	X*	X*	X*	Х*
9. Place the turret into power operation.			X*	X*
10. Disassemble the M219 machinegun.		X*	X*	X*
11. Assemble the M219 machinegun.		X*	X*	X*
12. Disassemble the M85 machinegun.		X*	X*	X*
13. Assemble the M85 machinegum.	Ì	X*	X*	X*
14. Disassemble the main gun breechblock.	}	X*	X*	X*
15. Assemble the main gun breechblock.		х*	X*	Х*
16. Stow main gun ammunition.		X*	X*	X#
17. Stow machinegun ammunition.		X*	X*	X*
18. Stow coax ammunition in the ready (banana) box.		X*	X*	X*
19. Index announced ammunition into computer and perform computer test.			X*	X*

Figure 3. Master Task List (MTL)

	DV	LD		TC
20. Prepare azimuth indicator for operation.			X*	
21. Operate the elevation quadrant.			X*	1
22. Prepare the tank for boresighting.	x	x	x	x
23. Prepare the Gunner's telescope for operation.			X	
24. Prepare the Gunner's periscope for operation.			x	
25. Prepare the rangefinder for operation.				X*
26. Boresighting the Gunner's telescope and apply established zero.			X*	X*
27. Boresight the daylight sight of the Gunner's periscope and apply established zero.			X*	X*
28. Boresight the IR sight of the Gunner's periscope and apply established zero.			X *	X*
29. Boresight the rangefinder with the main gun bore axis alined on an aiming point at 1200 meters.				
30. Boresight the M219 machinegun.		X*	X*	X*
31. Boresight the M85 machinegun.				x*
32. Boresight the searchlight using the primary method.			X*	X*
33. Boresight the searchlight using the alternate method.			Х*	x*
34. Load the M219 machinegun.		х*	Х*	x*
35. Zero the M219 machinegun.		Х*	Х*	x*
36. Clear and unload the M219 machinegum.		x*	X*	X*
37. Load the M85 machinegum.		X*	X*	х*
38. Zero the M85 machinegun.				х*
39. Clear and unload the M85 machinegun.		X*	X*	Х*
40. Change the M219 machinegun barrel.		X*	х*	х*
41. Load the main gun.		X*	X*	X*
42. Zero the main gun.			X*	Х*
	1	1 j	1	1

Figure 3. (Continued) Master Task List (MTL)

	DV	LD	GN	TC
 Drive the tank over varied terrain with the hatch open/closed. 	X*			
44. Operate the tank across a water obstacle.	х	x	X	
45. Identify armor vehicles.	X*	Χ×	X*	Х*
46. Acquire targets.	Х*	X*	X*	X*
47. Drive in response to fire commands.	x			
48. Designate crew sectors of responsibility for target acquisition.				Х*
49. Lay main gun for direction.				х*
50. Determine if target is within battlesight range.				Х*
51. Determine range to target with the rangefinder.				х*
52. Issue initial fire command.				Х*
53. Main gun engagement-moving to a halt - stationary point target.	x	x	x	x
54. Main gun engagement - moving to a halt - multiple moving point targets.	x	x	x	x
55. Coax/Caliber .50 simultaneous engagement - moving to a halt - stationary area and moving point target.				
56. Main gun/Caliber .50 simultaneous engagement - moving to a halt - multiple stationary point targets.	x	x	x	х
57. Main gun engagement - moving to a halt - multiple stationary point targets.	x	X	X	x
58. Install M24(IR) periscope.	X*			
59. Place M24(IR) periscope into operation.	X*			
60. Main gun/Caliber .50 simultaneous engagement - at the halt - multiple stationary and area targets.				
61. Main gum engagement - at the halt - moving and stationary point targets.	x	x	x	x
62. Drive to defilade firing position upon enemy contact.	Х*			

Figure 3. (Continued) Master Task List (MTL)

		DV	LD	GN	_TC_
63.	Perform evasive maneuvers upon enemy contact.	x			x
64.	Operate the tank in neutral steer.	x	ļ		
65.	Apply immediate action to reduce stoppage of M219 machinegun.		х*	X*	X*
66.	Apply immediate action to reduce stoppage of the M85 machinegum.		х*	х*	X*
67.	Perform misfire procedures for the main gun.		X*	Х*	X*
68.	Remove a misfired main gun round.		х*	Х*	X*
69.	Determine corrective action required by the replenisher tape.		Х*	Х*	X*
70.	Sense rounds.	Х*		x	x
71.	Issue subsequent fore command.				Х*
72.	Apply burst-on-target (BOT) adjustment.			X*	Х*
73.	Apply target form (TF) adjustment.			Х*	Х*
74.	Apply standard adjustment.			X*	X*
75.	Lay telescope reticle on target properly.			X*	X*
76.	Perform during-operations maintenance checks and services on steering, accelerator shift, and brake controls.				
77.	Perform during-operations checks on instruments, gages, and warning lights.	x			
INITIATI	NG TASKS				
:1.	Inspect track suspension system for deficiencies.	x	x		
2.	Inspect battery cables, hatch latches, fire extinguishers, and oil coolers for deficiencies.	x	x		
3.	Check brakes for proper action.	x			
4.	Follow safety precautions during fueling.	x	x		
	Figure 3. (Continued) Master Task List (MTL)	ł		}	i

Figure 3. (Continued) Master Task List (MTL)

	DV	LD	GN	TC
5. Remove the M27 periscope.	X			
6. Start the tank engines.	x			
7. Position the tank for checking track tension.	x	x		
Perform before-operations checks and services on the gas particulate unit.	x	x	x	x
9. Charge the manual elevation system.		1	x	
10. Remove the M219 machinegum from the tank.		x	X	x
11. Inspect the M219 machinegun.		x	x	x
12. Check the operation of the M219 machinegun.		х	X	x
13. Mount the M219 machinegun in the tank.		х	x	x
14. Remove the M85 machinegun from the tank.		x	X	x
15. Inspect the M85 machinegum.		x	X	x
16. Check the operation of the M85 machinegum.		x	x	x
17. Mount the M85 machinegun in the tank.		х	x	x
18. Check the boresight alignment of the main gun.		x		
19. Ready M219 machinegun in response to fire commands.		X		
20. Conduct a quick search scan of the area.	х	x	X	x
21. Estimate range to targets in the area.	x	x	x	x
22. Report locations of targets in the area.	x	x	X	x
23. Preset SABOT battlesight information.			X	x
24. Preset HEAT information.			x	x
engagement tasks				
1. Announce GUNNER.				X
2. Lay gun for direction.				x
3. Announce BATTLESIGHT.				х

Figure 3. (Continued) Master Task List (MTL)

4. Announce TANK. 5. Announce FIRE. 6. Sense round. 7. Give subsequent fire commands. 8. Announce CEASE FIRE. 9. Observe sector. 10. Announce TWO MOVING TANKS - RIGHT TANK FIRST. 11. Announce TARGET. 12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIEER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT. 27. Range to target.			DV	LD	GN	TC
6. Sense round. 7. Give subsequent fire commands. 8. Announce CEASE FIRE. 9. Observe sector. 10. Announce TWO MOVING TANKS - RIGHT TANK FIRST. 11. Announce TROFT TANK. 12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	4.	Announce TANK.				х
7. Give subsequent fire commands. 8. Announce CEASE FIRE. 9. Observe sector. 10. Announce TWO MOVING TANKS - RIGHT TANK FIRST. 11. Announce TARGET. 12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	5.	Announce FIRE.				х
8. Announce CEASE FIRE. 9. Observe sector. 10. Announce TWO MOVING TANKS - RIGHT TANK FIRST. 11. Announce TARGET. 12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	6.	Sense round.	x		x	x
9. Observe sector. 10. Announce TWO MOVING TANKS - RIGHT TANK FIRST. 11. Announce TARGET. 12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	7.	Give subsequent fire commands.				х
10. Announce TWO MOVING TANKS - RIGHT TANK FIRST. 11. Announce TARGET. 12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	8.	Announce CEASE FIRE.			x	x
11. Announce TARGET. 12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	9.	Observe sector.	x	x	x	x
12. Announce LEFT TANK. 13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	10.	Announce TWO MOVING TANKS - RIGHT TANK FIRST.				x
13. Announce DRIVER STOP. 14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	11.	Announce TARGET.				х
14. Announce COAX. 15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	12.	Announce LEFT TANK.			x	х
15. Announce TROOPS. 16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	13.	Announce DRIVER STOP.				х
16. Announce FIRE AND ADJUST. 17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	14.	Announce COAX.				х
17. Insure cupola is unlocked. 18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. X X X X X X X X X X X X X	15.	Announce TROOPS.				x
18. Place cupola power switch in ON position. 19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	16.	Announce FIRE AND ADJUST.				х
19. Place caliber .50 safety in FIRE position. 20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	17.	Insure cupola is unlocked.				х
20. Insure rate of fire selector is in LOW (L) rate of fire. 21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. X X X X X	18.	Place cupola power switch in ON position.				х
21. Announce CALIBER FIFTY. 22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. X 26. Announce SABOT.	19.	Place caliber .50 safety in FIRE position.				x
22. Lay rangeline leadline on center of mass of target. 23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. X 26. Announce SABOT.	20.	Insure rate of fire selector is in LOW (L) rate of fire.				x
23. Fire caliber .50 at moving point target. 24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. X 26. Announce SABOT.	21.	Announce CALIBER FIFTY.				x
24. Announce TC COMPLETE after target hit. 25. Place caliber .50 safety in OFF position. X 26. Announce SABOT.	22.	Lay rangeline leadline on center of mass of target.				x
25. Place caliber .50 safety in OFF position. 26. Announce SABOT.	23.	Fire caliber .50 at moving point target.				x
26. Announce SABOT.	24.	Announce TC COMPLETE after target hit.				х
	25.	Place caliber .50 safety in OFF position.				x
27. Range to target.	26.	Announce SABOT.				х
	27.	Range to target.				x

Figure 3. (Continued) Master Task List (MTL)

	DV	LD	GN	TC
28. Lay rangeline on center of mass of target.				х
29. Fire caliber .50 at stationary point target.				x
30. Announce THREE TANKS - LEFT TANK FIRST.				x
31. Announce DIRECT FIRE.				х
32. Announce INDEX HEP - FIRE HEAT.				х
33. Announce RED LIGHT.				x
34. Announce TWO TANKS - LEFT TANK FIRST.				х
35. Announce DEFLECTION SEVEN ZERO LEFT.				х
36. Announce SIXTEEN HUNDRED - QUADRANT PLUS ONE SIX.				х
37. Announce TARGET ILLUMINATED.				х
38. Turn IR power switch on M36 periscope ON.				х
39. Lay rangeline crosshair at near edge of target.				x
40. Fire caliber .50 at troop target.				х
41. Adjust fire to cover entire target.			x	х
42. Turn IR power switch OFF.	x		x	х
43. Announce MOVING TANK.				x
44. Turn ON main gun switch.			x	
45. Index SABOT into computer.			x	
46. Look through sight and find target.			х	х
47. Announce IDENTIFIED.			x	
48. Lay crosshair at center of base of target.			x	x
49. Announce ON THE WAY.			x	x
50. Fire main gun.			x	x
51. Announce sensing and BOT or LOST.			x	х

Figure 3. (Continued) Master Task List (MTL)

		DV	LD	GN	TC
*52.	Lay aiming point on target.			x	x
53.	Turn main gun switch OFF.			x	
54.	Turn ON machinegun switch.			х	
55.	Index HEP into computer.			х	
56.	Look through unity window and find target.			х	
57.	Insure target is within unity window of infinity sight.			x	
58.	Fire coax at stationary area target.			x	
59.	Announce TARGET - CEASE FIRE.			x	
60.	Turn OFF machinegun switch.			х	
61.	Lay crosshair at center of mass of target.			х	x
62.	Traverse gun to announced deflection.			х	
63.	Read back DEFLECTION SEVEN ZERO LEFT.			x	
64.	Elevate or depress main gun to applied elevation.			x	
65.	Level bubble.			x	
66.	Read back SIXTEEN HUNDRED QUADRANT PLUS ONE SIX.			x	
67.	Index SABOT into computer and announce SABOT INDEXED.			x	
68.	Turn IR power switch on M32 periscope ON.			х	
69.	Check turret ring for obstructions.		x		
70.	Check path of recoil.		х		
71.	Place safety switch in FIRE position.		x		
72.	Announce UP.		x		
73.	Prepare to load subsequent rounds.		x		
74.	Brace.	x	x		
75.	Load subsequent rounds.		x		
76.	Place safety switch in SAFE position.		X		

Figure 3. (Continued) Master Task List (MTL)

	DV	LD	GN	TC	
77. Place coax safety switch in FIRE position.		x			
78. Place coax safety switch in SAFE position.		x			
79. Slow speed of tank.	x				
80. Bring tank to a smooth halt.	х				
81. Lock brakes and remove hands from steering controls.	x				
82. Unlock brakes.	x				
83. Turn IR power switch on M24 periscope ON.	x				
84. Lay crosshair leadline at center of base of target.			X	x	
85. Lay circle reticle at near edge of target.			x		

*Tank Crew Gunnery Skills Test (TCGST) tasks. (FM 17-12)

Figure 3. (Continued) Master Task List (MTL)

TANK COMMANDER	1. Disassemble M85 machinegun.		 Operate tank intercommuni- cations system. 	4. Perform prepare to fire procedures.	5. Prepare tank for	boresighting.	6. Prepare range- finder for operation	rangefinder with main gun bore axis alined on an aiming point at 1200 meters	8. Determine range to target with range- finder.	 Boresight the searchlight using the primary method.
GUNNER	 Operate tank inter- communications system. 	2. Place the turret into power operation.	3. Perform prepare to fire procedures.	4. Prepare tank for boresighting.	5. Prepare Gunner's	telescope for operation.	6. Prepare Gunner's periscope for	Operation. 7. Prepare Gunner's azimuth indicator for operation.	8. Operate elevation quadrant.	computer test.
LOADER	 Perform before-operations maintenance checks and services on engine and 	transmission oil levels. 2. Check track tension.	3. Adjust track tension.	Stow	Stow	Stow coax ammunition in the ready (banana box).	7. Disassemble M219 machine- gun.	8. Assemble M219 machinegun. 9. Disassemble the breech-block.	 Assemble the breechblock. Install and operate AN/ VRC-12 or AN/VRC-64 radio. 	12. Operate tank intercommunications system.
DRIVER	 Perform before-operations maintenance checks and services on engines and 	transmission oil levels. 2. Perform before-operations	maintenance checks and services on M24(IR) and M27 periscope.	3. Place the tank in motion.	4. Check track tension.	5. Operate tank inter- communications system.	6. Perform prepare to fire procedures.	7. Prepare tank for bore- sighting.		

Figure 4. Preparation for Operations Task List

	TANK COMMANDER	10. Boresight the search- light using the alternate method.		 Boresight M85 machine- gun. 	•	12. Zero the M219 machine-	·un8		13. Load the M85 machine-	gun.		14. Zero the M85 machine-	*un8		15. Clear and unload the	M85 machinegun.		16. Zero the main gun.		
PREPARATIONS FOR OPERATIONS	GUNNER	10. Boresight Gunner's tele- scope and apply estab- lished zero.		11. Boresight daylight sight of Gunner's periscope	and apply established zero.	•	12. Boresight IR sight of	Gunner's periscope and apply	established zero.		13. Boresight M219 machinegun.		14. Boresight the searchlight	using the primary method.		15. Boresight the searchlight	using the alternate method.		16. Zero the M219 machinegun.	
PREP	LOADER	13. Perform prepare to fire procedures.	14. Prepare tank for bore-	sighting.	15. Boresight Gunner's tele-	scope and apply estab-	lished zero.		16. Boresight daylight sight	of Gunner's periscope and	apply established zero.		17. Boresight IR sight of	Gunner's periscope and	apply established zero.		18. Boresight the rangefinder	with main gun axis alined	on an aiming point at 1200	meters.

17. Zero the main gun.

20. Load the M219 machinegun.

19. Boresight M219 machinegun.

21. Zero the M219 machinegun.

22. Clear and unload the M219 machinegun.

Figure 4. (Continued) Preparation for Operations Task List

PREPARATIONS FOR OPERATIONS

LOADER

- 23. Change the M219 machine-gum barrel.
- 24. Load the main gun.
- 25. Zero the main gun.

Figure 4. (Continued) Preparation for Operations Task List

TANK COMMANDER	1. Acquire targets.
GUNNER	1. Operate the tank
 LOADER	1. Operate the tank across a
DRIVER	Drive the tank over varied

2. Acquire targets.

water obstacle.

terrain with the hatch open/

closed.

Operate the tank across a

5

water obstacle.

3. Acquire targets.

3. Main gun engagement-moving to a halt-stationary point target.

3. Main gun engagement

2. Acquire targets.

obstacle.

moving to a halt-

stationary point

targets.

4. Main gun engagement-moving to a halt-multiple moving point targets.

Main gun engagement-moving

s.

4. Drive in response to fire

commands.

to a halt-stationary point

target.

20

Main gun engagement-moving

٠.

to a halt-multiple moving

point targets.

Coax/Caliber .50 simultaneous engagement-moving to a halt-

stationary area and moving

point targets.

to a halt-multiple stationary

point targets.

taneous engagement-moving

Main gun/Caliber .50 simul-

. 8

Main gun engagement-moving to

6

a halt-multiple stationary

point targets.

7. Main gun engagement-

moving to a halt-

multiple stationary

point targets.

	tank	er
	the	water
COUNTER	Operate	across a

for target acquisition. Designate crew sectors of responsibilities

- 3. Determine if target is within battlesight range.
- 4. Issue initial fire command.
- 5. Main gun engagementmoving to a haltstationary point target.

multiple moving point

targets.

4. Main gun engagement-

moving to a halt-

Main gun engagementmoving to a haltmultiple moving point targets. ment-moving to a halt- 6.

moving point targets.

stationary area and

simultaneous engage-

Coax/Caliber .50

s.

simultaneous engagehalt-stationary area and point targets. ment-moving to a Coax/Caliber .50

ment-moving to a halt-

multiple stationary

point targets.

simultaneous engage-

6. Main gun/Caliber .50

ment-moving to a halt-Main gun/Caliber .50 simultaneous engagemultiple stationary point targets. ω.

Tactical Operations Task List Figure 5.


Belle Black Charles Branch Control of the Control o

				,
	DRIVER	LOADER	CUNNER	TANK COMMANDER
10	10. Install M24(IR) peri-	9. Main gun engagement-	8. Main gun/Caliber .50	9. Main gun engagement-
	scope.	at the halt-moving and	simultaneous engage-	moving to a halt-
,	,	stationary point targets.	ment-at the halt-	multiple stationary
1	11. Place M24(IR) periscope		multiple stationary	point targets.
	into operation.	10. Apply immediate action to	point and area tar-	•
•		reduce stoppage of M219	gets.	10. Main gun/Caliber .50
12.		machinegun.		simultaneous engage-
	taneous engagement-at the		9. Main gun engagement-	ment-at the halt-
	halt-multiple stationary	11. Perform misfire proced-	at the halt-moving	multiple stationary
	point and area targets.	ures for the main gun.	and stationary point	point and area tar-
•			targets.	gets.
13	13. Main gun engagement-at the	12. Remove a misfired main	•	,)
	halt-moving and stationary	gun round.	10. Perform misfire pro-	11. Main one assement
	point targets.			at the halt-mortee
	•	13. Determine corrective action		and the day of the
14.	14. Drive to defilade firing	required by the realest there	mann gan.	and stationary
2:	Out the southern on the poor	Tallerhardar and Ko patrohar	!	point targets.
1	position upon enemy con-	tape.	11. Remove misfired	
	tact.		main gun round.	12. Perform evasive
7			4 !	maneuvers upon enemy
Ċ	13. Feriorm evasive maneuvers upon enemy contact		12. Sense rounds.	contact.
			13. Apply burst-on-target 13. Apply immediate action	3. Apply immediate action
16,	16. Sense rounds.		(BOT) adjustment.	to reduce stoppage
-			,	of M85 machinegun.
./1	· Perform during-operations		14. Apply target form	
	maintenance checks and ser-		(TF) adjustment.	14. Sense rounds.
	vices on steering, accelerator	L		
	shift, and brake controls.		ard	15. Issue subsequent
200	18. Perform during operations		adjustment.	fire command.

Figure 5 (Cont'd.). Tactical Operations Task List

A STATE OF STATE OF

18. Perform during operations checks on instruments, gages, and warning lights.



- 1. TC Turn computer switch ON.
- GN Index ammunition element into ballistic computer.
- 3. TC Index range into rangefinder.
- 4. LD Load main gun Announce UP.
- GN Lay sight reticle on center of mass of target by operating the manual elevation and traversing handles.
- 6. GN/LD Fire a three round group.
- 7. GN Unlock boresight knobs and move sight reticle to the center of the shot group without disturbing the lay of the gun.
- Gi Relay main gun back to center of mass by operating the manual elevation and traversing handles.
- 9. GN/LD Fire a check round.
- 10. GN Relay main gun back to center of mass by operating manual elevation and traversing handles.
- 11. GN Record elevation and deflection readings on all sights.

Figure 6. Clustering Pre-Operations Tasks by Crew Activity

DRIVER LOADER GUNNER TC TASK LIST TASK LIST	moving to a halt - stationary (4) Main gun/Caliber .50 simultaneous engagement moving to a halt - stationary point targets	IR 4. GN - Upon seeing target 1. TC - Announce GUNNER 4. TC - Range to target.	announce IDENTIFIED. and lay main gun	LD - Prepare to load for direction.	second round. LD - Check turret ring	DV - Brace.	tank. DV - Slow speed of tank. switch in FIRE	5. TC - After Gunner	announces IDENTI- 2. TC - Announce TWO TANKS- announce UP.	FIED announce FIRE RICHT TANK FIRST. DV -	lex and sense round. GN - Turn on main gun	- GN - Place crosshairs	at center of base LD - Check path of re- nounces IDENTIFIED		NO	in LD - Brace. GN - Place crosshairs	DV - Sense round.	a 3. TC - Announce SABOT. of target. An-	GN - Look through sight	sequent fire command. and find target. and fire.	GN - If round misses tar- LD -	get announce sensing ammunition. DV -	et. and BOT or LOST. DV - Lock brakes and re-	LD - Load second round. move hands from	id controls.
TASK LIST	M Main gun engagement - moving to a halt point target.	1. TC - Announce GUNNER 4. GN	and lay main gun	3	- Check turret ring		DV - Slow speed of tank.		SIGHT.	- Turn ON main gun	switch and index		puter.	 Check path of 	recoil and place	fn LD	. DV	- Bring tank to a				GN - Look through sight	and find target.		DV - Lock brakes and

Figure 7. Clustering Tactical Operations Tasks by Crew Activity.

TASK LIST		us engagement - moving Largets.	9. TC - Lay rangeline crosshair at	center of mass of target.	GN - Announce TARGET	after target hit.	Announce LEFT		í	DV - Brace.		10. TC - Fire caliber .50	at stationary		CN - Place crosshairs	at center of mass	of target. An-	nounce ON THE WAY	and fire.		DV - Sense round.			
GUNNER TASK LIST		(4) Main gun/Caliber .50 simultaneous engagement to a halt - stationary point targets.	6. TC - Insure cupola is unlocked.	- If round misses target	BOT or LOST.	- Load second round.	- Brace.		7. TC - Place cupola power	switch in ON position,		3i-	tion. Insure rate of	fire selected is on LOW	(L) rate of fire.	- Lay aiming point on tar-	get.	ı		TC - Announce CALIBER FIFTY.	- Announce ON THE WAY and		•	- sense round.
LOADER TASK LIST		- stationary	6. TC	es es		TD TD	DV		7. TC							E		LD		8. TC	S	•	3 2	
DRIVER TASK LIST		(1) Main gun engagement - moving to a halt point target.	7. GN - Lay aiming point on target.	DV - Brace.	8. IC - Sense round.	E	i	DV - Sense round.		9. TC - Announce CEASE FIRE after	c target hit.	F GN - Turn main gun switch OFF.	LD - Place safety switch in SAFE	position.	DV - Unlock brakes.		10. TC - Observe sector with binoc-	ulars.	GN - Observe sector.	- Observe	1			

Figure 7. (Continued) Clustering Tactical Operations Tasks by Crew Activity.

TASK LIST 12 TASK LIST GUNNER TASK LIST LOADER DRIVER TASK LIST

The second secon

- moving (4.) Main gun/Caliber .50 simultaneous engagement to a halt - stationary point targets.

- Announces TC COMPLETE after target hit. Place caliber .50 safety in OFF position. ដ 11:
 - If round misses target announce sensing and BOT or LOST. E
 - Load fourth round. 4 5
 - Brace.
- TC Observe sector with binoculars. GN Lay aiming point on target. LD Announce UP. 12.
- GN Announce ON THE WAY and fire. LD - Brace. 13.
 - Sense round. M
- Announce TARGET-CEASE FIRE. Turn main gun switch OFF. F 14.
 - Place safety switch in SAFE position. AR
 - Unlock brakes.
- GN Observe sector. LD Observe sector. DV Observe sector. 15.

Pigure 7. (Continued) Clustering Tactical Operations Tasks by Crew Activity.

- 1. PERFORM BEFORE-OPERATIONS MAINTENANCE CHECKS AND SERVICES ON ENGINE AND TRANSMISSION OIL LEVELS [DRIVER/LOADER].
- 2. PERFORM BEFORE-OPERATIONS MAINTENANCE CHECKS AND SERVICES ON M24(IR) PERISCOPE AND M27 PERISCOPE [DRIVER].
- 3. PLACE A TANK IN MOTION [DRIVER].
- 4. CHECK TRACK TENSION [DRIVER/LOADER].
- 5. ADJUST TRACK TENSION [LOADER].
- 6. STOW MAIN GUN AMMUNITION [LOADER].
- 7. STOW MACHINEGUN AMMUNITION [LOADER].
- 8. STOW COAX AMMUNITION IN THE READY (BANANA) BOX [LOADER].
- 9. DISASSEMBLE M219 MACHINEGUN [LOADER].
- 10. ASSEMBLE M219 MACHINEGUN [LOADER].
- 11. DISASSEMBLE BREECHBLOCK [LOADER].
- 12. ASSEMBLE BREECHBLOCK [LOADER].
- 13. DISASSEMBLE M85 MACHINEGUN [TANK COMMANDER].
- 14. ASSEMBLE M85 MACHINEGUN [TANK COMMANDER].
- 15. INSTALL AND OPERATE AN/VRC-12 OR AN/VRC-64 RADIO [LOADER].
- 16. OPERATE TANK INTERCOMMUNICATIONS SYSTEM [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 17. PLACE TURRET INTO POWER OPERATION [GUNNER].
- 18. PERFORM PREPARE TO FIRE PROCEDURES [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 19. PREPARE TANK FOR BORESIGHTING [DRIVER/LOADER/GUNNER/TANK COMMANDER].

Figure 8. Outline of Preparation for Operations Module.

- 20. PREPARE GUNNER'S TELESCOPE FOR OPERATION [GUNNER].
- 21. PREPARE GUNNER'S PERISCOPE FOR OPERATION [GUNNER].
- 22. PREPARE RANGEFINDER FOR OPERATION [TANK COMMANDER].
- 23. PREPARE AZIMUTH INDICATOR FOR OPERATION [GUNNER].
- 24. OPERATE ELEVATION QUADRANT [GUNNER].

The second secon

- 25. INDEX AMMUNITION INTO COMPUTER AND PERFORM COMPUTER TEST [GUNNER].
- 26. BORESIGHT GUNNER'S TELESCOPE AND APPLY ESTABLISHED ZERO [LOADER/GUNNER].
- 27. BORESIGHT DAYLIGHT SIGHT OF GUNNER'S PERISCOPE AND APPLY ESTABLISHED ZERO [LOADER/GUNNER].
- 28. BORESIGHT IR SIGHT OF GUNNER'S PERISCOPE DURING DAYLIGHT AND APPLY ESTABLISHED ZERO [LOADER/GUNNER].
- 29. BORESIGHT RANGEFINDER WITH MAIN GUN BORE AXIS ALINED ON AN AIMING POINT AT 1200 METERS [LOADER/TANK COMMANDER].
- 30. DETERMINE RANGE TO TARGET WITH RANGEFINDER [TANK COMMANDER].
- 31. BORESIGHT M219 MACHINEGUN [LOADER/GUNNER].
- 32. BORESIGHT SEARCHLIGHT USING PRIMARY METHOD [GUNNER/ TANK COMMANDER].
- 33. BORESIGHT SEARCHLIGHT USING ALTERNATE METHOD [GUNNER/ TANK COMMANDER].
- 34. BORESIGHT M85 MACHINEGUN [TANK COMMANDER].
- 35. LOAD M219 MACHINEGUN [LOADER].
- 36. ZERO M219 MACHINEGUN [LOADER/GUNNER/TANK COMMANDER].
- 37. CLEAR AND UNLOAD M219 MACHINEGUN [LOADER].
- 38. LOAD M85 MACHINEGUN [TANK COMMANDER].
- 39. ZERO M85 MACHINEGUN [TANK COMMANDER].

Figure 8. (Continued) Outline of Preparation for Operations Module.

- 40. CLEAR AND UNLOAD M85 MACHINEGUN [TANK COMMANDER].
- 41. CHANGE M219 MACHINEGUN BARREL [LOADER].
- 42. LOAD MAIN GUN [LOADER].

43. ZERO MAIN GUN [LOADER/GUNNER/TANK COMMANDER].

Figure 8. (Continued) Outline of Preparation for Operations Module

- 1. DRIVE THE TANK OVER VARIED TERRAIN WITH DRIVER HATCH IN THE OPEN/CLOSE POSITION [DRIVER].
- 2. OPERATE A TANK ACROSS A WATER OBSTACLE [DRIVER/LOADER/GUNNER].
- 3. ACQUIRE TARGETS [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 4. ASSIGN CREW SECTORS OF RESPONSIBILITY FOR TARGET ACQUISITION [TANK COMMANDER].
- 5. DETERMINE IF TARGET IS WITHIN BATTLESIGHT RANGE [TANK COMMANDER].
- 6. ISSUE INITIAL FIRE COMMAND [TANK COMMANDER].
- 7. DRIVE IN RESPONSE TO FIRE COMMANDS [DRIVER].
- MAIN GUN ENGAGEMENT MOVING TO A HALT STATIONARY POINT TARGET [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 9. MAIN GUN ENGAGEMENT MOVING TO A HALT MULTIPLE MOVING POINT TARGETS [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 10. COAX/CALIBER .50 SIMULTANEOUS ENGAGEMENT MOVING TO A HALT STATIONARY AREA AND MOVING POINT TARGETS [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 11. MAIN GUN/CALIBER .50 SIMULTANEOUS ENGAGEMENT MOVING TO A HALT STATIONARY POINT TARGETS [DRIVER/LOADER/TANK COMMANDER].
- 12. MAIN GUN ENGAGEMENT MOVING TO A HALT STATIONARY POINT TARGETS [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 13. INSTALL M24(IR) PERISCOPE [DRIVER].
- 14. PLACE M24(IR) PERISCOPE INTO OPERATION [DRIVER].
- 15. MAIN GUN/CALIBER .50 SIMULTANEOUS ENGAGEMENT AT THE HALT MULTIPLE STATIONARY POINT AND AREA TARGETS [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 16. MAIN GUN ENGAGEMENT AT THE HALT STATIONARY AND MOVING POINT TARGETS [DRIVER/LOADER/GUNNER/TANK COMMANDER].
- 17. DRIVE TO DEFILADE FIRING POSITION ON ENEMY CONTACT [DRIVER].
- 18. PERFORM EVASIVE MANUEVERS UPON ENEMY CONTACT [DRIVER/TANK COMMANDER].

Figure 9. Outline of Tactical Operations Module.

- 19. APPLY IMMEDIATE ACTION TO REDUCE STOPPAGE OF M219 MACHINEGUN [LOADER].
- 20. PERFORM MISFIRE PROCEDURES FOR MAIN GUN [LOADER/GUNNER].
- 21. REMOVE MISFIRED MAIN GUN ROUND [LOADER/GUNNER].
- 22. DETERMINE CORRECTIVE ACTION REQUIRED BY REPLENISHER TAPE [LOADER].
- 23. APPLY IMMEDIATE ACTION TO REDUCE STOPPAGE OF M85 MACHINEGUN [TANK COMMANDER].
- 24. SENSE ROUNDS [DRIVER/GUNNER/TANK COMMANDER].
- 25. APPLY MAIN GUN ADJUSTMENT [GUNNER].

- 26. ISSUE SUBSEQUENT FIRE COMMAND [TANK COMMANDER].
- 27. PERFORM DURING-OPERATIONS MAINTENANCE CHECKS AND SERVICES ON STEERING, ACCELERATOR, SHIFT, AND BRAKE CONTROLS [DRIVER].
- 28. PERFORM DURING-OPERATIONS CHECKS ON INSTRUMENTS, GAGES AND WARNING LIGHTS [DRIVER].

Figure 9. (Continued) Outline of Tactical Operations Module

DUTY POSITION READINESS TESTS

Readiness tests developed for each duty position consisted of written and hands-on subtests designed to assess a crewman's knowledge and skill in performing critical tasks. The tests provide a diagnostic instrument for determining a crewman's mastery or deficiency of required skills.

The process followed in developing readiness tests included:

- . Identify tasks for each crewman.
- . Clustering tasks into functional groups.
- . Selecting test methodology.
- . Clustering functional groups, by test methodology, into readiness tests.
- . Structuring readiness tests.

Identifying Tasks for Each Crewman

This action was completed during the development of the MTL shown in Figure 3. The tasks for readiness tests included all categories in the MTL--priority, initiating, and engagement.

Clustering Tasks Into Functional Groups

Each task in the MTL was next clustered into a functional group. For example a functional group for the driver was, "Before-Operations Procedures and Tank Start-Up," and it included such individual tasks as, "Perform before-operations maintenance checks and services on the M24 (IR) and M27 periscope," and "Start tank engine." A list of functional groups by crewmember is shown in Figure 10.

Selecting Test Methodology

In determining the method of testing the following were considered:

- . The way to measure a crewman's knowledge of required tasks.
- . The way to measure a crewman's skill in performing a required task.
- . Being deliverable, as much as possible, at armories and local training areas.

DRIVER

Operational Checks and Services Before-Operations Procedures and Tank Start-Up Target Acquisition Tactical Driving

LOADER

Weapons Maintenance Mission Preparation Combat Loading Target Acquisition

GUNNER

Weapons Maintenance
Before-Operations Procedures
Weapon Systems Preparation
Combat Loading
Target Acquisition
Tactical Operations

TANK COMMANDER

Weapons Maintenance
Before-Operations Procedures
Weapon Systems Preparation
Combat Loading
Target Acquisition
Tactical Operations

Figure 10. Functional groups.

The answers to these considerations were the selection of a series of U.S. Army technical tests to measure knowledge and the structuring of a series of hands-on tests to measure skill. Both types of tests were deliverable at the armories and the local training areas.

Clustering Functional Groups, by Test Methodology Into Readiness Tests

When possible written tests (TEC tests) were identified for each functional group. For example, the functional group, "Target Acquisition" included four written tests. "Target Range Determination," "Locating and Reporting Targets," "Target Acquisition Scanning Techniques," and "Armor Vehicle Recognition." A hands-on test was developed for every functional group. For example, the written test for the functional group "Target Acquisition," has a companion hands-on test, "Locating and Reporting Targets." A list of written and hands-on tests is shown in Figure 11.

Structuring Readiness Tests

Each cluster of functional groups was clustered by crewmembers into a readiness test package. Written tests included: administrative instructions, a task list, tests, answer sheets, and scoring keys. Hands-on tests included: a statement of conditions, instructions for the crewman, a task list, clarifying notes, and a score sheet.

The complete package of duty position readiness tests is contained in ARI Research Product RP-79-13, Tank Crewman (M60A1) Readiness Tests, 1979.

DRIVER

Operational Checks and Services(W)
Before-Operations Procedures
and Tank Start-Up (HO)
Target Acquisition (W)
Locating and Reporting Targets (HO)
Tactical Driving (HO)

LOADER

Weapons Maintenance (W)
Weapons Maintenance (HO)
Mission Preparation (W)
Mission Preparation (HO)
Combat Loading (W)
Combat Loading (HO)
Target Acquisition (W)
Locating and Reporting
Targets (HO)

GUNNER

Weapons Maintenance (W)
Weapons Maintenance (HO)
Before-Operations Procedures (HO)
Weapon Systems Preparation (W)
Weapon Systems Preparation (HO)
Combat Loading (W)
Combat Loading (HO)
Target Acquisition (W)
Locating and Reporting Targets (HO)
Tactical Operations (W)
Tactical Operations (HO)

TANK COMMANDER

Weapons Maintenance (W)
Weapons Maintenance (HO)
Before-Operations Procedures (HO)
Weapon Systems Preparation (W)
Weapon Systems Preparation (HO)
Combat Loading (W)
Combat Loading (HO)
Target Acquisition (W)
Locating and Reporting Targets (HO)
Tactical Operations (W)
Tactical Operations (HO)

NOTE: W = written test, HO = hands-on test.

Figure 11. Summary of Readiness Tests

DUTY POSITION TRAINING MODULES

The last phase of program development was structuring duty position training modules. The modules were designed to provide a system for conducting remedial training of deficiencies noted during the administration of readiness tests. For each readiness test a companion training module was developed. Training techniques selected to correct deficiencies were: self-instructional sound-slide presentations for knowledge deficiencies and self-instructional audio tapes and one-on-one instructor controlled performance training for skill deficiencies. Each training module contained guidance related to:

- . Pretraining conditions
- . Objective

- . Method of instruction
- . Equipment and materials
- . Estimated time to complete the module
- . Procedure for administering the module
- . Explanatory notes

Pretraining Conditions

These are conditions leading to the need for mastering the contents of the module: for example, failure to meet a standard on a part of a readiness test.

Objective

This is a global statement of a desired behavior and the conditions under which the behavior is to be demonstrated.

Methods of Instruction

This is a brief statement of stimulus materials and response modes appropriate for mastery of the module: for example, self-instructional or one-on-one instructor controlled training.

Equipment and Materials.

These are resources required to conduct the training, e.g., TEC lessons, Beseler Cue/See, M60Al tank with BII, or sub-caliber moving target range.

Estimated Time to Complete the Module

This is a variable time dependent upon individual requirements, i.e., an experienced crewman with few task failures will require less time than an inexperienced crewman with many task failures.

Procedure for Administering Each Module

This is an outline of the sequence of instructional events leading to mastery of the module.

Explanatory Notes

These are answers to questions that are expected to arise upon reading the outline.

Figures 12 and 13 are examples of self-instructional sound-slide presentations and one-on-one instructor controlled performance training modules. The complete package of duty position training modules is contained in ARI Research Product RP-79-14, <u>Tank Crewman (M60A1)</u> Training Modules, 1979.

MODULE D-1. OPERATIONAL CHECKS AND SERVICES

PRETRAINING CONDITIONS:

Driver failed to meet standard on pre-test for TEC lessons 020-171-5366-F through 020-171-5370-F (Part A, Driver's Readiness Test).

OBJECTIVE:

Given pictures or descriptions of tank components, driver will recognize unserviceable parts and describe actions necessary to service them.

METHOD:

Self-instructional sound-slide presentation with written response.

EQUIPMENT/MATERIALS:

- a. Five filmstrip cartridges and audio cassettes (TEC Lessons 020-171-5366-F through 020-171-5370-F)
- b. Beseler Cue/See
- c. Paper and pencil

ESTIMATED TIME:

1-5 hours

PROCEDURE:

- a. Driver selects lesson corresponding to task elements failed on pre-test in Part A, Driver's Readiness Test.
- b. Driver completes relevant portion of assigned lesson and takes post-test.
- c. Driver reviews those lessons keyed on post-test for items missed.
- d. Driver has satisfactorily completed the lesson when he has completed relevant portions of post-test with no errors.

NOTE: Some of the maintenance tasks covered in these lessons are not considered to be priority training tasks. But since they are integrated with priority tasks, and since the lessons are not very long, the driver should be required to master the knowledge aspects of them as represented in the post-test.

Figure 12. Self-instructional Sound-Slide Presentation Module.

MODULE D-2. BEFORE OPERATING PROCEDURES AND TANK START-UP

PRETRAINING CONDITIONS:

Driver passed Part A of Driver's Readiness Test but failed to meet standard for one or more tasks in Part B, Driver's Readiness Test.

OBJECTIVES:

- a. Given an M60Al tank with M27 periscope installed, an M24(IR) periscope in stowage box and a procedural job-aid, driver will remove M27, install M24 and place it in operation. All steps in this three-task objective will be performed in accordance with Parts B.5, B.7, and B.8, Driver's Readiness Test and within 15 minutes without damage to equipment.
- b. Given an M60Al tank, a procedural job-aid and an indication from the Loader that he wants to check engine and transmission oil levels; driver will start and idle tank engine according to procedures in Part B.9 and B.10, Driver's Readiness Test.
- c. Given an M60Al on level ground with engine running, a request to move the vehicle into position for checking track tension, and guidance from the Loader; driver will drive the tank forward and coast it to a stop with track in proper position according to procedures in Part B.12, Driver's Readiness Test.
- d. Given an M60Al with Driver's hatch open and the command, "PREPARE-TO-FIRE", driver will perform Driver's prepare-to-fire procedures, according to procedures in Part B.14, Driver's Readiness Test.
- e. Given an M60Al tank with gas particulate unit mounted, driver will inspect gas particulate units for cleanliness and service-ability and will check the unit for operation according to procedures in Part B:15 of Driver's Readiness Test.

METHOD:

One-on-one instructor controlled performance training.

EQUIPMENT/MATERIALS:

- a. M60Al tank.
- b. Pocket-sized job-aids listing steps in M27 periscope removal, M24 periscope installation and operational check-out, starting the tank engine and idling the engine for oil checks and placing the gas particulate unit into operation.

Figure 13. One-on-One Instructor Controlled Performance Training Module.

ESTIMATED TIME:

1 hour

PROCEDURE:

- a. TC makes sure driver has pocket job-aids and urges him to refer to them during task performance.
- b. TC explains to driver task elements failed in Part B, Driver's Readiness Test.
- c. TC "talks driver through" task elements to be learned; driver performs as these oral directions are given.
- d. Driver then practices with instructor available to coach as necessary.
- e. Driver is retested on relevant portion of Part B, Driver's Readiness Test.

NOTES:

- a. This module should be conducted as remedial training immediately following administration of Part B of the Driver's Readiness Test.
- b. Procedures for remedial training should be followed as given.

 Demonstrations of performance by the instructor or lengthy
 lectures on principles of equipment operation, while the trainee
 is idle, usually slows down the learning process.
- c. Checking and servicing the periscope are not covered here because of difficulty in providing a variety of damaged periscopes. Knowledge aspects of the task are covered in Module D-1.

Figure 13 (Centinued). One-on-One Instructor Controlled Performance Training Module.

PROGRAM MANAGEMENT

This section provides guidelines for administering the Tank Crewman Skills Test (TCST) program by the battalion commander, company commander, and tank commander.

PROGRAM FAMILIARIZATION

In the previous section the program development model was explained. Figure 1 shows the steps followed in structuring the crew interaction performance test (CIPT), duty position readiness tests (DPRTs), and duty position training modules (DPTMs). The first step in implementing the TCST program is a thorough understanding of the TCST concept and its' procedures.

TCST Concept

This concept is a continuous cycle of diagnostic testing, remedial training, and goal achievement which facilitates transition to subsequent training years. The concept consists of a series of activities which determines knowledge and skill levels, provides for remedial training to correct deficiencies noted, progresses to a crew test, and culminates in crew qualification. The concept is shown in Figure 14.

TCST Management Model

After the development model was completed the management model was developed. Whereas the development model, Figure 1, started with the tank gunnery Table VII and progressed through representative engagements, crew interaction performance test, duty position readiness tests, and duty position training modules, the management model, Figure 15, generally reverses that order. This model starts with readiness tests and progresses through training modules and a crew interaction performance test to tank gunnery Table VII.

Diagnostic Testing

The management model and the TCST concept indicates that a crewman enters the program at the readiness test level. After the tests are scored the training manager, following the process shown in Figure 16, directs the crewman to the next phase of the program.




Figure 14. Tank Crew Skills Training Concept.




Figure 15. Tank crew skills training management model.

11. 1-2-3-4-D 111. 1-3-4-2-4-D 1V. 1-2-3-4-2-4-D




Figure 16. Training Decision Process.

Remedial Training

When diagnostic tests indicate a training need the training manager, following the process shown in Figure 17, directs the crewman to the appropriate training module.




Figure 17. Remedial Training Process.

Crew Diagnostic Testing and Remedial Training

After individual crewmember task deficiencies have been corrected crews are formed and administered the crew interaction performance test. Deficiencies noted during the test are corrected by referring

crewmen to appropriate training modules. When all deficiencies have been corrected the crews fire appropriate gunnery tables to include Table VII. Figure 18 shows this sequence of activities.




Figure 18. Crew Interaction Performance Test Sequence Process.

TRAINING MANAGER RESPONSIBILITIES

In the U.S. Army the commander is responsible for training his personnel. Within the tank battalion this responsibility starts with the battalion commander and ends with the tank commander. At the battalion level the commander is assisted by a training officer who is a staff member. At the company level the commander is assisted by a designated training officer or NCO. Figure 19 illustrates command and assistance lines within a tank battalion.




Figure 19. Command and Assistance Lines for Implementing TCST.

Battalion Commander

The battalion commander's training responsibilities are:

- . Analyzing training needs. The commander determines training needs by reviewing past performances and directed training requirements.
- Assigning training goal. The training goal of the TCST program is "to qualify tank crews on Table VII by the end of ANACDUTRA."
- Assigning training tasks. The major tasks of the TCST program are to complete duty position readiness tests, conduct necessary remedial training, conduct crew interaction performance test, and fire required tank gunnery tables prior to Table VII.
- Determining training support requirements. Support requirements include the need for facilities, training areas, equipment, training aid/devices, software, outside assistance, ammunition and time.
- Providing command guidance. Command guidance includes such items as announcing priorities, providing assistance, resolving problems, and a policy for monitoring training progress.
- Monitoring training progress. This action includes command visits, training assistance visits and provisions for training progress feedback.

Battalion Training Officer

This staff officer is responsible for carrying out the battalion commander's training guidance. In doing so, he provides assistance to subordinate units and creates a training environment conducive to accomplishing the training goal.

Company Commander

The company commander's training responsibilities are generally the same as the battalion commander. However, being closer to training activities he becomes more personally involved and must plan and execute the program in more detail.

Company Training Officer/NCO

This individual, designated by the company commander, has generally the same responsibilities at his level as does the training officer at the battalion. He should not be a platoon leader, platoon sergeant, or a tank commander as they will be fully involved in training their crews. Specific duties of the training officer/NCO include allocating resources, scheduling and organizing training activities, administering written readiness tests, issuing TCST material, and maintaining training records.

Platoon Leader

The platoon leader executes the commander's guidance, coordinates training within his platoon, and monitors training progress. He is responsible that his tank commanders are trained and qualified to train their crewmembers.

Tank Commander

1

The success of the TCST program rests with the tank commander. His responsibilities include:

- . Mastery of all TC tasks
- . Knowledgeable and skilled in other crew tasks
- . Training crewmembers
- . Administering hands-on readiness tests
- . Administering/supervising remedial training
- . Maintaining crewmen readiness records

TRAINING SUPPORT

Reserve Component organizations have available to them training support from outside agencies. These agencies are:

- . Higher headquarters
- . Army advisors
- . Branch Assistance Teams (BAT)
- . Maintenance Assistance and Instruction Teams (MAIT)
- . Administration and Supply Teams (A&S)

- . Mobile Training Teams
- Maneuver Area Command and Maneuver Training Command (MAC/MTC)
- . Army Service Schools
- . Army Training and Audio Visual Support Centers (TASC)
- . Training Support Center (TSC)
- . Army Training Board (ATB)
- . Major training area (MTA) commanders

All of the above contribute to supporting Reserve Component Units. However, the following ones provide core support for the TCST program.

Higher Headquarters

Brigade and division headquarters act as expediting agents for resolving major training problems. Through their efforts facilities, training areas, equipment, training aids/devices, and ammunition are obtained and allocated.

Army Advisors

Advisory personnel are assigned to Reserve Component units to assist in planning and conducting training and resolving problems. Their close association with organization personnel fosters on accurate appreciation of the training status. They are considered to be an augmenting staff officer for the commander.

Branch Assistance Team (BAT)

This team, provided by the supporting readiness group furnishes branch oriented expertise and assists in the planning and conduct of mission oriented training.

Training and Audio Visual Support Center (TASC)

The TASC cupports Reserve Component units by the issue and maintenance of training aids and simulation devices.

Major Training Area (MTA) Commanders

When a Reserve Component commander does not have a facility for conducting training, such as service firing, he can resolve the problem by scheduling the training at the closest major training area which has such a facility. This action also facilitates drawing ammunition which is normally available at major training areas.

IMPLEMENTING THE PROGRAM

To implement the Tank Crewman Skills Training (TCST) program commanders and training officers/NCOs at all levels must be familiar with the three documents listed in the introduction. These documents describe the program's major training activities.

TRAINING MANAGER'S GUIDE

The training manager's guide is at Appendix A. It includes:

- . Training support requirements
- . Training resources inventory
- Requisitioning/developing training resources
- . Maintaining training resources
- . Command guidance
- . Implementing training activities
- . Monitoring training activities

TANK COMMANDER'S TRAINING GUIDE

The tank commander's training guide is at Appendix B. It includes procedures for:

- . Training a tank crew
- . Administering hands-on readiness tests
- . Conducting one-on-one instructor controlled performance training.
- . Supervising self-instructional training
- . Maintaining crew readiness records.

REFERENCES

- Boldovici, J.A., Wheaton, G.R., and Boycan, G.G. Selecting Items for a Tank Gunnery Test. Fort Knox, Kentucky: Human Resources Research Organization (HumRRO), 1976.
- Harris, J.H., Osborn, W.C., and Boldovici, J.A. Reserve Component
 Training for Operating and Maintaining the M48A5 Tank.
 Alexandria, Virginia: U.S. Army Research Institute for the
 Behavioral and Social Sciences (ARI), 1977.
- O'Brien, R.E., Ford, J.P., and Boldovici, J.A. Armor and Cavalry
 National Guard Training Constraints. Alexandria, Virginia:
 Human Resources Research Organization (HumRRO), 1977.

APPENDIXES	
Appendix	Page
A. Training Manager's Guide	52
ANNEX 1. Training Support Requirements	79
Encl. 1. TCST Materials	80
a. List of Duty Positions Readiness Tests	81
b. List of Duty Position Training Modules	82
c. Crew Interaction Performance Test (omitted)	
d. Task Books (driver, loader, gunner, TC)	83
e. Tank Crewman's Readiness Book	92
Encl. 2. Training Facilities	101
a. Tactical Driving Course	102
b. Target Acquisition Course	104
c. Tank Crew Qualification Course	106
d. Laser Firing Range (omitted)	
e. Live Firing Range (omitted)	
f. Armory Boresight, Zero, and Tracking Range	108
Encl. 3. Equipment Requirements	109
Encl. 4. Training Aids/Devices	110
a. Beseler Cue/See (omitted)	
b. Dummy Main Gun Ammunition	111
c. Belt Linked Empty Coax Ammo (omitted)	
d. Belt Linked Empty .50 Caliber (omitted)	
e. Ammunition Stowage Plan (omitted)	
f. Cardboard Representation of Coax Ammo Box	112
g. Cardboard Representation of .50 Caliber	

Pa	ıge
h. Replenisher Tape Mockup	.13
i. Laser Firing Device (omitted)	
j. Burst-on-Target Trainer (omitted)	
k. TEC Tapes	.15
Encl. 5. Outside Support	.16
Encl. 6. Ammunition	.17
Encl. 7. Targets	.18
ANNEX 2. Training Assets Inventory	.19
B. Tank Commander's Training Guide	.31
ANNEX 1. Procedures for Conducting the TCST Program]	
ANNEX 2. Procedures for Conducting the Readiness Tests 1	
•	
Encl. 1. Procedures for Administering Written Readiness Tests	.41
Encl. 2. Procedures for Administering Hands-On Readiness Tests	.43
Encl. 3. Readiness Test Outline	.45
ANNEX 3. Procedures for Conducting Remedial Training 1	.54
Encl. 1. Procedures for Self-Instructional Sound-Slide Presentation Remedial Training	.57
Encl. 2. Procedures for Audio Tape Controlled Practice Remedial Training	.58
Encl. 3. Procedures for One-on-One Instructor Controlled Performance Training	.59
Encl. 4. List of Training Modules	.64
ANNEX 4. Procedures for Scheduling Remedial Training and Maintaining Training Records	.72
Encl. 1. Scheduling Remedial Training · · · · · 1	.73
Encl. 2. Training Records	.75

Appendix A

Training Manager's Guide

INTRODUCTION

This appendix describes action procedures for battalion and company commanders for implementing and monitoring the Tank Crewman Skills Training (TCST) program. These action procedures are: determining training resource requirements, providing and maintaining training resources, providing command guidance, implementing training activities, and monitoring training progress.

Other training management responsibilities such as analyzing training needs, assigning a training goal, and assigning training tasks are resolved once the commander decides to implement the TCST program. These responsibilities are identified in the program.

As previously indicated major parts of the program, duty position readiness tests (DPRTs), duty position training modules (DPTMs) and the crew interaction performance test (CIPT) are contained in ARI Research Products RP-79-13, "Tank Crewman (M60A1) Readiness Tests," RP-79-14, "Tank Crewman (M60A1) Training Modules," and RP-79-15, "Tank Crew (M60A1) Performance Exercise."

DETERMINING TRAINING RESOURCE REQUIREMENTS

To implement the program battalion and company commanders must know what are the training resource requirements. Specific items required to administer DPRTs, DPTMs, and the CIPT are listed in their respective appendixes. However, this guide includes a consolidated list of requirements and outlines procedures for conducting a training resources inventory.

TRAINING RESOURCE REQUIREMENTS

There are seven categories of training resources that are required for the program: TCST material, training facilities, equipment, training aids/devices, outside support, ammunition, and targets (see Table 2 and Annex 1.)

TCST Material

The state of the s

This category includes DPRTs, DPTMs, CIPT, task books, crewman readiness book, tank commander's training guide, and the training manager's guide.

Training Facilities

Five types of facilities are required for the program: driving course, target acquisition course, tank crew qualification course, laser firing range, and live firing ranges. The first three facilities are developed, maintained, and scheduled by the battalion. The laser firing range is developed and maintained by the company. The live firing ranges are normally located at the major training area (MTA).

Equipment

Major items of equipment required are: tanks, machineguns, binoculars, radios, and protective masks. One tank for each platoon should be located at the armory and the remaining tanks should be located at the unit training and equipment site (UTES).

Training Aids/Devices

Included in this category are: Beseler Cue/See audio/visual projector, dummy main gun ammunition, linked empty machinegun cart-ridge cases, cardboard representations of machinegun ammunition boxes, replenisher tape mockup, laser firing device, conduct-of-fire trainer, and TEC tapes.

Table 2
TRAINING RESOURCE REQUIREMENTS

		Auth						
Reference	Item	Bn	Co					
Annex 1	TCST MATERIAL							
Encl 1	Readiness Tests	. 41	13					
	Training Modules	77	25					
	CIPT	41	13					
	Task Books	41	13					
	Crewman's Readiness Book	41	13					
	TC Training Guide	41	13					
Annex 1	TRAINING FACILITIES							
Encl 2	Driving Course	1 `	0					
	Target Acquisition Course	1	0					
	TCQC (dry)	1	0					
	Laser Firing Range	3	1					
	Live Firing Range	MTA	MTA					
Annex 1	EQUIPMENT							
Encl 3	M60 Tank	Allocation	Allocation					
	Coax	Allocation	Allocation					
	.50 Caliber Machinegun	Allocation	Allocatio					
	Binoculars	Allocation						
	Protective Mask	Allocation						
	Radios	Allocation						
Annex 1	TRAINING AIDS/DEVICES							
Encl 4	Beseler Cue/See	7	2					
-	Dummy Main Gun Ammo	9	3					
	Linked Dummy Coax Ammo	9	3					
	Linked Dummy .50 Caliber Ammo	9	3					
	Ammo Stowage Plan	41	13					
	Cardboard Rep. Coax Ammo	270	90					
	Cardboard Rep50 Caliber Ammo	90	30					
	Replenisher Tape Mockup	9	3					
	Laser Firing Device	9	3					
	Conduct-of-Fire Trainer	9	3					
	TEC Tapes	116	29					
onex 1	OUTSIDE SUPPORT							
Encl 5	Five man armor BAT Team	1	0					
Annex 1	AMMUNITION							
Encl 6	Tables IV and V and CIPT	FM 17-12-2						
lonex 1	TARGETS	& App. D	& App.					
Encl 7	Boresight/Zero MG & Machineguns	FM 17-12 &	FM 17-12					
		TC 17-12-5						
	Tables I thru V and CIPT	TC 17-12-5						
		& App. D						
	Driving, Target Acquisition,	TC 17-12-5						
	and TCQC Courses	& App. D						

These training aids/devices are required at each company in the following quantities:

- . Two Beseler Cue/See audio/visual projectors.
- . Three sets of dummy main gun ammunition.
- . Three belts (10 rounds each) linked empty 7.62 and .50 caliber machineguns empty cartridge cases.
- . Three sets of cardboard representations of machinegum ammunition boxes.
- . Three replenisher tape mockups.
- . Three laser firing devices.
- . Three conduct-of-fire trainers.
- . One set of TCST TEC tapes.

Outside Support

One, five-man armor branch assistance team to test and train "key" tank commanders from each company.

Ammunition

Ammo requirements include firing Tables IV and V (subcaliber) and the CIPT (service). (Tables I, II and III are fired using the laser firing device.)

Targets

Requirements for targets include: boresight and zero range and the laser firing range targets at the armory and targets for the boresight and zero range, and tactical driving, target acquisition, and tank crew qualification courses at the UTES. Additional targets are required at the MTA for subcaliber and service firing.

TRAINING RESOURCES INVENTORY

After resource requirements have been identified an inventory is taken to determine the sufficiency, adequacy, and operability of existing resources. Each company inventories its' resources and forwards to battalion a copy of the report. The battalion training officer then consolidates the reports, along with the report of the battalion headquarters resources. (The Training Assets Inventory Form at Annex 2 is used for the inventory.)

Physical Training Resources

This inventory provides data from which the commander can develop or improve facilities and requisition shortages of equipment and training aids/devices.

Personnel Training Resources

This part of the inventory reflects the status of crew personnel and support personnel, such as track, turret and radio mechanics and training assistants.

Time Training Resources

This critical resource is limited to 48, four hour periods each year. The time is divided between mandatory training, TCST training, and other mission training requirements. (The TCST program requires 28 1/2 four hour drill periods or 59% of the training time.)

PROVIDING AND MAINTAINING TRAINING RESOURCES

Providing for training resources is accomplished by requisitioning authorized quantities, requesting special allocations, and developing or requesting the use of facilities. The efficient use of the resources is dependent upon a scheduled maintenance program.

REQUISITIONING/DEVELOPING TRAINING RESOURCES

After the inventory has been completed shortages are requisitioned or developed. Table 3 indicates command responsibilities and actions to be taken.

TCST Material

These materials are reproduced and issued by the battalion and received, controlled, and further issued by the company.

Training Facilities

The battalion develops new facilities and improves existing ones. These facilities are: driving, target acquisition, and crew qualification courses, and terrain and safety considerations permitting, live firing ranges. Each company develops or improves their laser firing range.

Equipment

Requisition for equipment shortages are initiated by each company. Unserviceable items are turned in for replacement.

Training Aids/Devices

Shortages of standard items are requisitioned from the training aids support center (TASC). Requests for fabrication of non-standard items are forwarded through command channels, with detailed instructions and justification.

Outside Support

The battalion requests a five man branch assistant team (BAT) from the supporting readiness group. The request includes: type of training to be conducted, reference to appropriate publications,

Table 3
RESPONSIBILITIES FOR TRAINING RESOURCES

Item	Battalion Action	Company Action
TCST MATERIAL		
Readiness Tests	Reproduce and issue	Issue, control, and administer
Training Modules	Reproduce and issue	Issue, control, and administer
CIPT	Reproduce and issue	Issue, control, and administer
Task Books	Reproduce and issue	Issue
Crew Readiness Book	Reproduce and issue	Issue
TC Training Guide	Reproduce and issue	Issue
TRAINING FACILITIES		
Driving Course	Develop, maintain, and schedule	Schedule and use
Tgt. Acq. Course	Develop, maintain, and schedule	Schedule and use
TCQC (dry)	Develop, maintain, and schedule	Schedule and use
Laser Firing Range	Assist procurement of materials	Develop, maintain, and schedule
Live Firing Range	Request from major training area	Request use from battalion
EQUIPMENT (TOE)	Monitor requisition	Requisition shortage
TRAINING AIDS/DEVICES		
Beseler Cue/See	Monitor requisition to TASC	Requisition shortage from TASC
Dummy MG Ammo	Consolidate and for- ward request to TASC	Request fabrication from TASC
Dummy MchGn Ammo		
Coax	Monitor request to ASP	Request links and cartridges from AS
.50 caliber	Monitor request to ASP	Request links and cartridges from AS
Ammo Stowage Plan	Develop and issue	Issue
Cardboard Rep. Coax Ammo	Procure and issue material	Fabricate and issue aids
Cardboard Rep50 Caliber	Procure and issue material	Fabricate and issue aids
Replenisher Tape Mockup	Procure material, fab- ricate devices, and issue	Issue

Table 3 (Cont'd.)

Item	Battalion Action	Company Action
TRAINING AIDS/DEVICES (CONT'D.)		
Laser firing device	Monitor requisition to TASC	Requisition shortages
TEC Tapes	Monitor requisition to TASC	Requisition shortages
Conduct-of-fire trainer (COFT)	Monitor requisition to TASC	Requisition shortages
OUTSIDE SUPPORT		
Five man armor BAT Tru.	Request Tm, provide facilities, direct activities	Provide key TCs and required training assets
AMMUNITION		
Table IV	Forecast requirements	Forward requisition to ASP
Table V	Forecast requirements	Forward requisition to ASP
CIPT	Forecast requirements	Forward requisition to ASP
TARGETS		
Main gun boresight zero	Monitor requisition	Requisition shortages
Coax boresight zero	Monitor requisition	Requisition shortages
.50 caliber bore- sight and zero	Monitor requisition	Requisition shortages
Table IV	Monitor requisition	Requisition shortages
Table V	Monitor requisition	Requisition shortages
CIPT	Monitor requisition	Requisition shortages

time and location of training, and qualification of personnel required. The BAT will be used to test and train key tank commanders.

Ammunition

Forecasts for ammunition are forwarded to the appropriate supply agency. Forecasts exceeding normal authorization are forwarded through command channels.

Targets

The acquisition, assembly, and installation of targets is a major training support effort. These actions are initiated early in the program to preclude a loss of training time.

MAINTAINING TRAINING RESOURCES

The maintenance of training resources is a continuous process. However, prior to the start of the training program a special maintenance effort is conducted to bring all facilities, equipment, and devices up to a high state of readiness.

Training Facilities

Battalion and company training officers/NCOs are responsible for maintaining their respective facilities. This responsibility simply stated is, "the facility must be operational when training is scheduled and deficiencies occurring during training are corrected immediately."

Equipment

The major equipment item required are the M60Al tanks. The tanks are inspected by maintenance personnel assisted by crew members. Deficiencies noted are corrected on the spot.

- . The track vehicle mechanic, assisted by the driver, inspects automotive components and the suspension system.
- . The turret mechanic, assisted by the gunner and loader, inspects all weapons and fire control components.
- . The radio mechanic, assisted by the loader, inspects all radios and intercommunication equipment.

Training Devices

These devices are inspected by the training officer/NCO for operability and are maintained as necessary. Items requiring higher echelon maintenance are forwarded to the TASC for exchange.

COMMAND GUIDANCE

Prior to the start of training each commander announces his training guidance. The guidance includes the commander's concept of training, special emphasis requirements, and priorities for training support.

BATTALION COMMANDER

The battalion commander's guidance includes: a definition of the training concept, allocation of training resources, operability and maintenance of facilities, scheduling training activities, resolution of training problems, and command participation in training activities.

Training Concept

Tank gunnery training will consist of a series of individual crewman diagnostic tests followed by remedial training of deficiencies noted and culminate in a crew test. Training will be decentralized to the crew level.

Allocation of Training Resources

The allocation of resources will be compatable with the training needs of each company. When necessary equipment and devices may be shuttled between companies. If appropriate, resources may be reallocated between units.

Operability and Maintenance of Facilities

Facilities will be operable when training begins and will be maintained in a high state of readiness.

Scheduling

Only one company will be scheduled for training on a weekend in order to maximize the use of facilities, equipment, and devices.

Command Participation

All company commanders will actively participate in the training program. Participation includes being tested and conducting remedial training.

COMPANY COMMANDER

The company commander's guidance is the same, whenever appropriate, as the battalion commander's. Additional guidance includes: establishing priorities, stabilizing crews, and the training support concept.

Priorities for Training

Training priorities, in the sequence of importance, are the mastery of critical tasks, tank crew gunnery skills test tasks, supporting tasks, and cross training tasks.

Stabilizing Crews

Once training begins duty positions within crews will not be changed without approval.

Training Support Concept

The first priority of all personnel, to include non-tank personnel, is to support the tank crewman skills training program.

IMPLEMENTING TRAINING ACTIVITIES

This section addresses the responsibilities of battalion and company commanders in carrying out tank crewman skills training activities.

BATTALION COMMANDER

Once the training guidance has been announced the commander implements TCST activities through the use of a planning calendar, a training support forecast, and unit schedules. (Examples of these documents are shown in DA Training Circular TC 21-5-7, "Training Management in Battalions," December 1977.) TCST information to be included in these documents are indicated below.

TCST Planning Calendar

The planning calendar shown in Table 4 includes information pertaining to: training activity, location, support requirements and responsible command. The calendar covers twelve months and reflects a progressive accumulation of unit training activities (UTAs) required to complete the program.

TCST Support Forecast

A primary responsibility of the commander is to provide an environment which is conducive to efficient training. The reduction of a company's administrative and logistical training burden significantly enhances its' training efficiency. The support forecast, Table 5, is a tool for the commander to use in assisting the companies in implementing the program. The forecast is an aid for the battalion training officer in carrying out his support responsibilities.

Unit Schedules

Training schedules are published at battalion after input from each company commander. They include: date, subunit, mission, trainers, location/facilities, time reserved, and notes. (See TC 21-5-7). When necessary special schedules are prepared for specific activities. An example of a special schedule is shown in Table 6. It reflects the first training activity of the program which is testing and training three key "tank commanders" from each company. This activity can be accomplished by a five man branch assistance team during a two day period. The battalion training officer is responsible for directing and supporting this activity.

Table 4

BATTALION TCST PLANNING CALENDAR

JUL UTAS-0 ACCUM UTAS-0	AUG UTAS-0 ACCUM UTAS-0	SEP UTAS-1 ACCUM UTAS-1 OCT UTAS-4	OCT UTAS-4 ACCUM UTAS-44
Activity: Maintain facilities and equipment	Activity: Test and train key TCs	Activity: a) Key TCs test and train remaining TCs b) GN, LD, DVs take written tests	Activity: Remedial train- ing of deficiencies noted on written tests
Location: UTES and Armory	Location: UTES	Location: a) UTES b) Armory	Location: Armory or UTES
Support: None	Support: One, five man armor BAT team, appropriate field courses, equipment, Cue/See, TEC	Support: a) Key TCs, appropriate field courses, equipment, Cue/See & TEC tapes &	<pre>Support: Field courses, equipment, training aids/devices, training modules</pre>
Resp Cmd: Battalion and company	tapes & test material Resp Cmd: Battalion	test material b) Test material Resp Cmd: Company	Resp Cmd: Company
Activity: GN,LD,DVs corplete HO tests & continue remedial training defications	DEC UTAS-0 ACCUM UTAS-84 JAN UTAS-4 Activity: Maintain facili- Activity: Reties and equipment ing and fine and II, and II	-4 ACCUM UTAS-124 Remedial train- d fire Tables I, d III (day or	Activity: Remedial training & fire subcaliber Tables IV and V
Location: Armory or UTES Support: Field courses, equipment, trng aids/ devices, test material	Location: Armory or UTES Support: None	Location: Armory or UTES Support: Field courses, equipment, trng aids/ devices, training	Location: UTES or MTA Support: Live firing ranges, equipment, trng aids/devices, training modules
Resp Cnd: Company	Resp Cmd: Bat & Company Resi	Resp Cmd: Company Resp MAY IITAS-4 ACCUM IITAS-284 IUN	Resp Cmd: Company JUN UTAS-0 ACCUM UTAS-285
		vity: Re of CIPT de	ACDUTEA
to: Armory or UTES rt: Fleid, courses, uip, trng aids/device ng modules	al al	2 2	
Resp Cmd: Company	Resp Cmd: Company	Resp Cmd: Company	Kesp Chd: Bat & Company

Table 5

TRAINING SUPPORT FORECAST

JUL	AUG	SEP	IOCI
1. Print & issue TCST materials 2. Inventory trng resources 3. Fill trng resources shortages 4. Develop trng facilities 5. Request branch assistance team 6. Publish unit schedules	 Arrange facility for testing & trng "key" Supervise testing & trng "key" TCs 	1. Monitor testing and trng of other TCs 2. Request Table IV and V & CIPT ranges from MTA 3. Maintain trng facilities	 Monitor testing and remedial training Maintain training facilities
NOV	DEC	JAN	FEB
 Monitor testing and remedial training Maintain training facilities 	1. Maintain training facilities 2. Forward ammunition forecasts for Tables IV and V and CIPT.	 Monitor remedial trng firing of Tables I, II, and III Maintain training facilities 	 Monitor remedial trng and firing of Tables IV & V Maintain training facilities
MAR	APR	MAY	JUN .
 Monitor remedial training Maintain training facilities 	 Monitor CIPT Maintain training facilities 	 Monitor remedial training Maintain training facilities 	 Direct training resources inventory for next testing year Maintain training facilities

READINESS TESTING SCHEDULE FOR KEY TANK COMMANDERS Table 6

	3 3-4 4-5		RT-E RT-K			Tn-1	RT-K	-				Tn-4, Tn-4	RT-G RT-K			Tn+5	RT-K	Tn-2	RT-K
DAY TWO	11-12 2-3			Tn-2	RT-K	Tn-4	RT-G	1-1	RT-K	7-5	RT-K					Tn-3	RT-E		 -
		<u>174</u> -5	<u>된</u>	Tn-4	EZ P		 	- 5		Tn+3	RT-E		··	Th-2	R. K	<u> </u>	RT-B	Tn-1	
	9-10 10-11	Tn-2	RT-C		 	Tn-3	RT-E	4	I-T			-		Tn-1,	RT-B	Tn	R	T=-4	R -G
	8-9			Tn-3	RT-E			Tn-4	RT-G	Tn-5	RT-I	Tn-1	RT-B	rn-5	RT-C RT-I	1-2	RT-C		RT-0
	9-6	Tn-4	RT-G						<u> </u>	Tn-1	RT-B			Tn-2	RT-C		<u> </u>	Tn-3	RT-E
	4 4-5			ا. ا	RT-I	-1 H-5	RT-B RT-I	Tu	RT-B	- 7	RT-0	rn-2	RT-C	‡n-3	KT-E	1n-4	RT-G		l
	2-3 3-4				RT-B RT	n-2 Tp-	RT-C RT	Tn+2	RT-C	- 1		Tn+3	RT-E	Tn-	RT-6	-		TP-5	R-I
DAY ONE	1-2	Tn-1	RT-B	Tn-2 1	RT-C B	_8	PE.	Tn-3	RT-E	Tn-4	RT-G	Tn-5	RT-1			T.	RT-I		
	111-12		 				! !		 		 		 		I I 		ι ι ι		1 1
	10 10-1	- I	! !		 	_	1		1 1 1		! ! !		1		(<u> </u> 		1 1 1		l ! 1
	8-9 9-10) 		! }		! !		 		 		 	_	 		 		l

B-lhr. Weapons Maintenance C-3/4hrs. Before Opn. Maintenance E-1 1/4hrs. Weapon Syst. Prep. G-1 1/4hrs. Combat Loading I-3/4hr. Locating & Reporting In 1 thru 5 equals Trainers 1-5 Readiness Tests

Targets K-2hrs. Țactical Operations

COMPANY COMMANDER

In the TCST concept training is decentralized to the tank crew level. In this context the company commander is a training manager and has responsibilities similar to that of the battalion commander. He must provide the tank commanders with an environment which facilitates training. Specific management activities are indicated below.

Provide Tank Commanders for Cadre Training

The training concept requires that a cadre of the most knowledgeable and skilled tank commanders from each company be tested and trained by a branch assistance team of the supporting readiness group. After the cadre has been trained it will test and train the remaining tank commanders in their respective companies. The commander selects the best tank commander from each platoon to make up the cadre and has them available for testing and training at the designated place and time.

Test and Training Remaining Tank Commanders

The cadre tank commanders test and training the remaining tank commanders. The schedule at Table 7 indicates that this activity can be accomplished on a company basis in a two day period. (Additional personnel, tank commander qualified officers/NCOs will significantly reduce the time to complete this activity.) During the time the tank commanders are being tested and trained the remaining crewmembers are administered written readiness tests by the training officer/NCO at the armory. Figure 20 includes instructions for administering and scoring written tests.

Complete Readiness Testing

After all written tests have been completed the tank commanders administer hands-on tests to their crewmembers. The commander provides necessary training resources. (A tank commander cannot test three crewmembers simultaneously, therefore, during this time two of the crewmembers can participate in self-instructional remedial training of deficiencies noted on the written tests.)

Conduct Remedial Training

After readiness tests are completed and the results recorded remedial training of deficiencies noted is conducted. The commander provides necessary training resources. Figure 21 illustrates a "county-fair" layout for testing and training.

Table 7

READINESS TESTING SCHEDULE FOR OTHER TC'S

The color of the	ļ	ONE				70	DAY TWO	, t		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		3 3-4 4-5	2-9	7-8 8-9				4-5		7-8
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	ı			Tn-2 In-2 RT-C KT-I		Tn-3 t RT-E	Tn-3 RT-K			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		n-1 T-B	Tn-3 RT-E		1	Tn-4 RT-6	Tn-4 RT-K		·	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	1-2 Tn-1 1-C RT-B	Tn-4 RT-G	+	Tn-2 RT-1	Tn-1 RT-K				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	ı			Tn-4 RT-G	In-2 RT-I		Tn RT	디눅		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		·	Tn-1 RT-B		Tn-4 Tn-3 RT-G RT-E	In-2 RI-I	<u> </u>	Tn-3 RT-K	I	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$,	Tn-1 RT-B		Tn-4		 	Tn-4 RT-K	I	
- Tn-4 Tn-4 Tn-3 Tn-1	1	Tn-3	11-2 71-c	Tn-1 RT-B		Tn- RT-	1 7	RT		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	ı	Tn-4 RT-G	Th-2 RT-C				11-2 欧-1		Tn-3 RT-K	
		Tn-4	Tn-3 Th-2 RT-E KT-C		Tn-1 RT-B		된당	1 2	Tn-4 RT-K	
•					$\left.\right $					

Readiness Tests

B-lhr. Weapons Maintenance C-3/4hr. Before Opn. Maintenance E-1 1/4hrs. Weapon Syst. Maint. G-1 1/4hrs. Combat Loading I-3/4hr. Locating and Reporting In 1 thru 4 equals Trainers 1-4 Readiness Tests Targets K-2hrs. Tactical Operations

- These instructions apply to scoring the following Readiness Test Parts:
 - . Driver's Readiness Test Parts A and C.
 - . Loader's Readiness Test Parts A, E, and G.
 - . Gunner's Readiness Test Parts A, D, F, H, and J.
 - . Tank Commander's Readiness Test Parts A, D, F, H, and J.
- 2. Station Set-Up: Insure the following items are present at the test site:
 - . One copy of appropriate pre-test per crewmember.
 - . One pencil per crewmember.
 - . Answer sheet for each pre-test.
 - . One answer key for each pre-test.
 - . Sufficient seats and writing space to accommodate crewmembers being tested.

3. Test Procedure:

- . Issue pre-tests.
- . Instruct crewmembers not to mark on the test sheet,
- . Instruct crewmembers to place their name, SSAN and date on the answer sheet.
- . Instruct crewmembers to begin answering the questions on the pre-test.
- . Do not provide any assistance to the person taking the pre-test.
- . Collect the pre-tests and answer sheets.
- . Score the answer sheets.
- . Determine which crewmembers met or exceeded the standard of the readiness test and which crewmembers should take TEC lessons.

Figure 20. Instructions for administering and scoring TEC pre-tests.

4. Scoring Standards:

- . Use the answer provided on the answer sheet.
- . Do not assume that the crewmember knows anything that he does not write on his answer sheet.
- . Do not give partial credit for any answer.
- . The maximum and passing score is listed in the answer key.

5. Reporting of Results:

- . Record the results, "G" or "N" of the testing in the Company Readiness Record.
- . Report the results to the tank commanders.

Figure 20. (Cont'd). Instructions for administering and scoring TEC pre-tests.




Figure 21. County fair testing and training layout.

Fire Tables I, II, and III

Subcaliber tables are fired at the armory using the laser firing device. The commander provides the facility and equipment and operates and schedules the use of the range.

Fire Tables IV and V

These tables are fired at the MTA. The ranges are requested by the battalion training officer. The company commander provides transportation, equipment, ammunition, and logistical support and insures that the ranges are ready when the crews arrive.

Administering Crew Interaction Performance Test

The CIPT requires a facility which will accommodate non-firing and firing training modules. A table VII range at a MTA is satisfactory for this purpose. The commander provides necessary support and organizes and administers the test.

Conduct Remedial Training of CIPT Deficiencies

Deficiencies noted during the crew interaction performance test are corrected by remedial training on appropriate training modules at the armory or UTES.

MONITORING TRAINING PROGRESS

The battalion and company commanders establish procedures which insures timely and accurate training feedback. This feedback is essential for early identification of training problems and for the expeditious resolution of these problems.

BATTALION COMMANDER

Training monitorship at the battalion level includes command visits, staff visits, and training reports.

Command Visits

These visits are scheduled to make efficient use of training time and to create a command relationship of training assistance. The commander must appreciate the decentralized nature of the training program and observe at the individual crewman level to determine training effectiveness. Visits should determine the adequacy of training resources, the effectiveness of the organization for training, and the accuracy of training progress records.

Staff Visits

The training officer visits units in response to requests for assistance. Problems should be resolved or if this is not possible they should be referred to the battalion commander.

Training Reports

The training officer charts the progress of training within each unit by consolidating reports from each company. The chart shown in Table 8 is used for this purpose. Pencil entries allow for making changes from a NO GO to a GO status as changes occur.

COMPANY COMMANDER

The company commander's training monitorship includes overseeing training progress, assisting in resolving problems, and maintaining training progress records. He motivates the training program by taking readiness tests and doing required remedial training.

Table 8 ITALION CREMAN READINESS CHART

READINESS TESTS

A Separate National Separate N

NOTE: Battalion training officer/NOO enters data from company training officer/NOO revense redicess report. Entries should be made in pencil so that changes in readiness status between 00 that changes in readiness status between 00

Overseeing Training Progress

The commander closely observes training activities, questions individuals on training progress, and checks each TC's tank crewman's readiness book.

Resolving Problems

As the commander oversees training progress he identifies and resolves training problems. Problems beyond his capabilities and resources are promptly reported to the battalion.

Training Progress Record

Table 9 is an example of a company crewman's readiness chart. Whenever a crewman completes a readiness test the TC records the results in the crewman's readiness book and reports the results to the company training officer/NCO who records the information on the chart. As training modules are completed the results are likewise reported. Data from the chart are forwarded to battalion for consolidating and recording on the battalion crewman's readiness chart.

Table 9

COMPANY CREWMAN READINESS CHART

RT/TM Part	DV11	DV12	DV13	DV14	DV21	DV22	DV23	DV24	DV31	DV32	DV33	DV34
A B C D E	LD11	LD12	LD13	LD14	LD21	LD22	LD23	LD24	ľ.Ď31	LD32	LD33	LD34
E F G H A B C D E	GN11	GN12	GN13	GN14	GN21	GN22	GN23	GN24	GN31	GN 32	GN33	GN34
E F G H I J K A B C	TC11	TC12	TC13	TC14	TC21	TC22	TC23	TC24	TC31	TC32	TC33	TC34
E F G H I J K IV V												

ANNEX 1

TRAINING SUPPORT REQUIREMENTS

This annex includes information pertaining to specific support requirements for the tank crewman skills training program.

Enclosure 1 TCST Materials

Enclosure 2 Training Facilities

Enclosure 3 Equipment

Enclosure 4 Training Aids/Devices

Enclosure 5 Outside Support

Enclosure 6 Ammunition

Enclosure 7 Targets

ENCLOSURE 1. TCST MATERIALS

- a. Readiness test (list only, tests are in ARI Research Product RP-79-13).
- b. Training modules (list only, tests are in ARI Research Product RP-79-14).
- c. Crew interaction performance test, (test is in ARI Research Product RP-79-15).
- d. Task books.

The second secon

- e. Tank crewman's readiness book.
- f. Training manager's guide (Appendix A, this report).
- g. Tank commander's training guide (Appendix B, this report).

Enclosure 1-a. List of duty position readiness tests.

	READ	READINESS TESTS (WRITTEN)		READI	READINESS TESTS (HANDS-ON)
POSITION	PART	DESCRIPTION	POSITION	PART	DESCRIPTION
Driver	⋖	Operational checks and services	Driver	ø	Before operations procedures and tank start-up
	ပ	Target acquisition		ÐМ	Locating and reporting targets Tactical driving
Loader	₩	Weapons maintenance	Loader	æ	Weapons maintenance
	ပေး	Mission preparation		A D	Mission preparation
	ıυ	Target acquisition		, p	Locating and reporting targets
Gunner	⋖	Weapons maintenance	Gunner	Ø	Weapons maintenance
	Д	Weapon systems preparation		ပ	Before operations procedures
	P	Combat loading		M	Weapon systems preparation
	Ħ	Target acquisition		ტ	Combat loading
	רי	Tactical operations		H	Locating and reporting targets
				M	Tactical operations
J.	⋖	Weapons maintenance	TC	Ø	Weapons maintenance
	a	Weapon systems preparation		ပ	Before Operations procedures
	PH	Combat loading		M	Weapons systems preparation
	Ħ	Target acquisition		ၒ	Combat loading
	רי	Tactical operations		н	Locating and reporting targets
				×	Tactical operations

Enclosure 1-b. List of duty position training modules.

	-	TRAINING MODULES		TRAINI	TRAINING MODULES (Cont'd)
POSITION	PART	DESCRIPTION	POSITION	PART	DESCRIPTION
Driver	P-1	Operational checks and	Gwner	7	Weapons maintenance (K)
		service (K)		G2	Weapons maintenance (S)
	7	Before operations procedures		G-3	Before operations procedures (S)
		and tank start-up (S)		4	Weapons systems preparation (K)
	P-3	Target acquisition (K)		G-5	Weapons systems preparation (S)
<u> </u>	1 -4	Locating and reporting		ل 9	Combat loading (K)
		targets (S)		<u>6-</u>	Combat loading (S)
	7-5	Tactical driving (S)		8-5	Target acquisition (K)
				<u>م</u> 9	Locating and reporting targets (S)
Loader	Ξ	Weapons maintenance (K)		G-10	Tactical operations (K)
	L-2	Weapons maintenance (S)		6-11	Tactical operations (S)
	L-3				
	3	eparation	ıc	TC-1	Weapons maintenance (K)
	ኗ	Combat loading (K)		TC-2	Weapons maintenance (S)
	L-6	Combat loading (S)		TC-3	Before operations procedures (S)
	1-7	Target acquisition (K)		TC-4	Weapons systems preparation (K)
	1-8	Locating and reporting		TC-5	Weapons systems preparation (S)
		targets (S)		TC-6	Combat loading (K)
				TC-7	Combat loading (S)
				TC-8	Target acquisition (K)
MOTE: (k)	<pre>(k) = knowledge</pre>	esp		TC-9	Locating and reporting targets (S)
(8)	= skill			TC-10	Tactical operations (K)
				TC-11	Tactical operations (S)

Enclosure 1-d. Task Books

This enclosure includes task books for the driver, loader, gunner, and tank commander. The books contain major technical tasks and in sequential order the subtasks required to perform the major tasks. The books are printed to facilitate reproduction at the organizational level.

DRIVER TASK BOOK

Name	
SSN	
Jnit	

REMOVE M27 PERISCOPE

- sen wing nuts on both sides of the periscope. Ste the retainers until they are clear of the periscope mounting
- lugs. , Remove the periscope from the bracket.

INSTALL M24 (IR) PERISCOPE

- . Close driver's hatch.
 Place master battery switch OFF.
 Instruct a crew member to rotate the turret so that the gun tube is forward.
- . Pull periscope holder lid handle (on latch cover) down with the fingers of your left hand and push UP on the lid latch with your
- . Plush UP and open lid.
 . Reach to the rear of your seat and unlatch both catches on the IR periscope stowage box.
 . Remove the periscope from the stowage box.

DO NOT EXPOSE THE PERISCOPE TO DIRECT SUNLIGHT

- . Pull UP (rearward) on the elevation adjustment lever making sure that the bind (temsion) has been released on the elevation clamp and elevation clamp pivots.

 Loosen the jam nut on the elevation clamp,

 Using both hands, position the periscope in the periscope holder.

 Push up on pariscope until it lccks in the holder. (Insure that the periscope locks in the holder before releasing.)

 Insure that the elevation clamp is positioned in the periscope holder datent.

- Insure that the elevation clamp is positioned at the detent.

 Tighten the adjustment acrev on front right hand inside of the elevation clamp is firstly seated in the periscope holder detent.

 Tighten the elevation clamp adjustment acrev jam nut.

 Tighten the elevation clamp adjustment acrev jam nut.

 Thus elevation adjustment lever downward (forward) and lock periscope.

 Unscrew dust cap from power receptacles (center) location.

 Unscrew power cable connecting plug from stowage receptacle on righthand side of compartment.

 Thread power cable connecting plug into periscope receptacle and hand tighten

INSTRUCTIONS FOR DRIVER

YOUR RESPONSIBILITIES: You are personally responsible to perform many jobs as a member of your tank crew. Many of these tasks have a number of steps which must be performed to correctly complete the task. The nature of each task determines which ones must be committed to memory and which tasks need not be memorized. This booklet will help you to perform those tasks which need not be

HON TO USE THIS BOOKLET: Keep this booklet handy to use as a guide when you are required to perform these tasks. Make the notes you desire in the space provided.

CROSSTRAINING TASKS: This task book does not include crosstraining

PLACE THE M24 (IR) PERISCOPE INTO OPERATION

- Turn the Master Battery switch ON.
 Place the Blackout Selector switch in BO DRIVE.
 Turn the IR switch ON.

- Place the Blackout Selector switch in BO DRIVE.

 Place the Resizion DN.

 Visually check to insure IR 'indicator lamp is lit.

 Turn the Lighting Control switch handle to the left.

 Pull the elevation adjustment lever UP.

 Adjust periscope elevation angle to a comfortable position by moving periscope with both hands.

 Push elevation adjustment lever down to lock the periscope in position.

 An necessary, loseen the two 'uner wing nuts on the headrest until the proper eye distance is obtained, then retighten (handtight) both wing nuts.

 As necessary, bend headrest to fit head contour by pulling, pushing, or trieting on each side of the headrest.

 Allow periscope to warm up for 5 minutes before adjusting focus.

 Unscrew left and right dust caps from bottom focus controls.


 Rotats left and right focus control knobs until the view through each syspice appears with maximum sharpness.


 Screw left and right dust covers back over focus control knobs and tighten finger tight.

START TANK ENGINE

- Lock hatches in open or closed position.
 Chack that drain valves are closed.
 Lock parking brakes by depressing the brake pedal and placing the transmission shift lever in PARK.
 Place steering control in center position.
 Place fuel shut-off valve handle to ON position.
 Place fuel shut-off valve handle to ON position.
 Place granator exitch in the ON position.
 Place Baster battery switch in ON position.
 Place Haster battery switch in ON position.
 Check that power plant werning loop and master confre! switch indicator loop are list.
 Check to insure fuel gage, are operating
 Purge the fuel lines of air, if tend has not been repersive within the past weeks
 Depress acrelerator podal show? 2 % 1 % 4 % five a massand firmly proce and hold starter acrel and an acrel of the past weeks
 As soon as engine starte, releases acrear acrel and the generator where it was a separating
 Alies angine trave of first as one acres as a first ware of first as one acred to the generator.

- carn see Bodisco englisa BMI did quen Bhilting





BRATE TANK INTERCONNUNICATIONS SYSTEM	NOTES
Adjust CVC helmet to head.	
Insure CVC helmet radio-interphone switch is in center position. Connect interphone counector to plug at left bottom of control box.	
Connect radio-audio connector to plug at right bottom of control box.	
Place control box monitor switch in either the ALL, A, INT ONLY, or 8 position.	
framemit to TC, "DRIVER READY."	
RPORM MAIN GUM PREPARE-TO-FIRE PROCEDURES	
Lowered agat for closed hatch driving. Close and locked Driver's hatch.	
Turned master control switch to ON. Start engine on TC's command, "CHECK FIRING SWITCHES."	
Reported "DRIVER READY" on IC's command, "REPORT."	
RPORM BEFORE OPERATIONS CHECKS AND SERVICES ON THE GAS PARTICULATE	
Inspect precleaner, particulate filter unit housing, gas filter	
cannisters and air heater for denta, missing or loose control knob and/or pinched or blocked air hose.	
tipe precleaner, particulate filter unit housing, gas filter cannigters and air heater clean with a damp rag.	
insure hose assemblies and electrical cables are tight and service- able.	
Nemove spring clip from air inlet openings.	
Disconnect air duct hose from Driver's orifice connector and Check for air flow.	
totate air heater knob to ON and check for indicator lamp operation. Theck air flow through the hose.	
Milow air to warm up at least 5 minutes (only in artic conditions).	
djust protective mask and attach air hose. Laquest other crew members to check gas particulate operation.	
kemove and stow air hose and protective mask. Notate air heater knob to OFF and listen for audible click.	
Place Cas Particulate switch OFF. Replace spring clip to air inlet openings.	
Record on DA Form 2404 any damaged or unserviceable components.	

LOADER TASK BOOK

-	 	
SW	 	
u lc	 ,	

PERFORM SEFORE-OPERATIONS CHECKS AND SERVICES ON TANK ENGINE AND TRANSMITSSION OIL LEVELS

. Check engine and trahemission oil levels.

Add engine oil until presence of oil indicated on gage is to the ADD mark (if required).

Add transmission oil until level indicated on gage is to the ADD mark (if required).

Tell Driver to start engine.

Wait until engine is warm and idling at 700-750 RPM.

Add or frain engine oil until level indicated on gage is above the ADD mark (if required).

Add or drain transmission oil until level indicated on gage is above the ADD mark (if required).

CHECK TRACK TENSION (197 TRACK)

Direct Driver to coast to a stop so that a track link is centered on the \$2 ausport roller.

Coordinate with Driver by arm and hand signals so that tenk coasts to a stop with track link in proper position.

Baise the track with a crowbar at the number two support roller and place a block (1" thick by 6" equare) between the number two support roller and the track links.

Heasure the clearance between the bottom of the track and the top of a string or straight edge between support rollers: Acceptable clearance is 1/4 to 5/16 inch (midway between Nos. 2 and 3 support rollers).

CHECK TRACK TERSION (T142 TRACK)

2

Direct Driver to coast to a stop so that a track link is centered on the #2 support roller.

Coordinate with Driver by are and hand signals so that tank coasts to a stop wish track link in proper position.

Remove dirt and med from outboard and connectors between first and second support rollers.

Place string with weights on both ands over the end connector.

Heasure the distance between the string and the end connector at the mid point between support rollers to insure that the distance is between 7/16 to 1/2 inches.

INSTRUCTIONS FOR LOADER

YOUR RESPONSIBILITIES: You are personally responsible to perform manipole as a member of your tank crew. Heny of these teaks have a number of steps which must be performed to correctly complete the teak. The nature of each teak determines which ones must be committed to assory and which teaks need not be memorized. This booklet will help you to perform those tesks which need not be unspotted.

MON-TO USE THIS BOOKLET: Keep this booklet handy to use as a guide when you are required to perform these tanks. Make the notes you desire in the space provided.

CROSSTRAINING: This task book does not include crosstraining tasks.

ADJUST TRACK TENSION

- Remove the track and adjusting link acrew and washer from the top of the track adjusting link.

 Use the track adjusting wranch on the track adjusting link and pull UP to increase track tension (<u>right side</u>) or push DORR to decrease track tension (<u>right side</u>). (Reverse directions for the left side.)

 Do not extend track adjusting link beyond the red painted groove. Adjust track tension to tolerance.

 Install lockwasher and lockscrew and tighten with wrench. Tighten until lockscrew is fully seated on the shoulder.

PREPARE TANK FOR BORESIGHTING

- . Place black thread over witness lines on mussle end of main gun und secure thread tautly.

 . Remove firing machanium from breechblock.

 . Canter right releacope of binocular over firing pinhole.

BORESTONT AND SERO COAR NACHINEGIN

- Remove the solemoid electrical lead from the machinegum backplate assembly by pulling the solemoid plug down.

 Pull the right disconnector ring rearward to diseagage the disconnector plus from the disconnector hole.

 Bolate the receiver downerd and pull rearward until diseagaged. from sounting block.

 Loosen support seterows located in the gum mount cover shield coller approximately 1 1/2 turns.

 Select the target used to boreaight the unin gum with a clearly defined right angle at a disease of 1200 meters.

 Aline the mechinegum bore vertically on target while viewing the sizing point through the right binocular NITAL on as to edjust the machinegum elevation alisement with the bore of the unin gum by loosening or tightening the adjusting screws.

 Aline the machinegum bore horisontally while viewing the alming point through the right binocular NITAL on as to adjust the machinegum bore horisontally while viewing the alming point through the right binocular NITAL or as to adjust the machinegum animuth alinement with the bore of the main gum by loosening or tightening the front end end rear horisontal adjusting screws.
- . Insure that all lock and jam auto are tightened securely.
- . Adjust support setscrews in the gun mount cover shield collar until they contact the flash suppressor body them back them off 1/4 to 1/2 turn.

INSTALL AND OPERATE AN/VEC-12 OR AN/VEC-64 RADTO

- e. Install AN/VRC-12 Redio.

 - Place receiver-transmitter (RT-246) on mount (NT-1029/VRC) and tighten clamps to lock receiver-transmitter on mount commett antenna cable (CG-1773/U) to ANT receptacle on receiver-transmitter.

 Commett control cable assembly (CG-4722/VRC) to ANT CONT receptable receiver-transmitter.

 Place receiver (R-442) on mount (NT-1898/VRC) and tighten clamp to lock receiver on mount.

 Connect antenna cable (CG-1773/U) to ANT receptacle on receiver.

 Assemble antenna sections and acrew bottom section into antenna base (NG-6707/VRC).

b. Operate AM/VRC-12 Radio.

- Tell Driver to turn on master battery switch.

 Set amplifler (AM-1780/VRC) MAIN POMER switch to OTHER.

 Set receiver-transmitter (RT-246) FOWER switch to LON or HIGH.

 Set amplifler (AM-1780/VRC) FOWER CRT BCR switch to OM.

 Set receiver (R-442) FOWER switch to OM.

c. Install AN/VRC-64 Radio.

- Place amplifier-power supply (AM-2060/CRC) on mount (MT-1029/VRC) and tighten clamps to lock amplifier-power supply on mount.
 Place receiver-transmitter (MT-861/FMC-77) on amplifier-power supply (AM-2060/CRC) and tighten clamps to lock receiver-transmitter on amplifier-power supply.
 Connect Cable Assembly Special Purpose (K-4655/CRC) to amplifier-power supply SET FOWER commector.
 Connect Cable Assembly (CG-1773/U) to receiver-transmitter AMT connector.
- numeric Lable Rassambly (CC-17/3/U) to receiver-transmitter ART commector. semble antenna sections and acrew bottom vection into antenna base (MI-6707/VRC).

d. Operate AM/VRC-64 Radio.

- . Tell Driver to turn ON master battery switch.

 Set amplifier-power supply (AM-2060/GRC) PMR switch to ON.

 Turn receiver-transmitter (RT-841/PRC-77) VOLUME control fully clockwise.
- . Turn amplifier (AM-1780/VRC) HAIN PUR switch to HORM. . Set POWER CET BUR switch to OM.

CHECK OPERATION OF H3 HEATER

- Rotate air heater made to OH and check for indicator lamp operation. Check air flow through home.

a.

- Check air flow through hose.
 Allow air to warm up for at least five minutes (only in erctic conditions).
 Check air temperature.
 Adjust protective mask and attach air hose.
 Remove and stow air hose and protective mask.
 Botate air heater switch to OFF and listen for audible click.
 Report atatus of Mi Heater to the Driver.

OPERATE TANK INTERCOMMUNICATIONS SVOTON

- Adjust CVC helmet to head. Insure CVC helmet radio-interphone switch is in center position. Connect interphone connector to plug at left bottom of control
- nect radio/audio connector to plug at right bottom of control
- . Place control box monitor switch in either ALL, A, INT CHRY, or
- B position.
 Transmit to TC, "LOADER READY."

PERFORM MAIN GUN PREPARE-TO-FIRE PROCEDURES

and, "PREPARE TO FIRE":

- On command, "FREFARE TO FIRE":

 Obseck recoil oil by feeling replenisher indicator tape for ome rough and one smooth edge.

 Add or drain recoil oil (if required).

 Howe breachblock crank stop to the rest.

 Open breach and look is chamber for obstruction and cleanliness.

 Tighten N219 machingum mounting bolts.

 Flug electical lead into solenoid.

 Inspect turret stowed ammunition for completeness, type and serviceability.

On command. "CHECK PIRING SHITCHES".

- On command, CHARLY FIRST SHITCHES':

 Flace main gun safety switch in FIRE POSITION.

 Install circuit tester between breachblock and face of chamber.

 Observe for lighting of circuit tester bulb each time Gommer or TC manounces, "WO THE WAY," and amnounce, "WO FIRE," any time bulb failed to light.

 Close the cover on the coaxial machinegum, charge it, and listen for forward action of barrel and barrel extension when Gummer and TC activates firing switches (recharging coax before each check).

 Remove and stow circuit tester.

On Gunner's alert, "POWER":

- Check for obstruction ot turret traverse and unlock turret.
 Inspact hull stowed ammunition for completeness type, and servability; coordinate turret traverse with Gunner in order expose stowage area.

On Command, "REPORT":

. Report, "LOADER READY."

NOTES

,

GUNDRER TASK BOOK

Name	 . 	 	
SSN	 	 	
Unit	 		

OPERATE TANK INTERCOMMENICATIONS SYSTEM

- . Adjust CVC helmet to head.
 . Insure CVC helmet radio-interphone switch is in center position.
 . Connect interphone-connector to plug at left bottom of control
- meet radio audio connector plug at right bottom of control
- . Place control box monitor switch in either the ALL, A, INT ONLY,
- or B position.
 . Transmit to TC, "GUMMER READY."

CHARGE MANUAL ELEVATION SYSTEM

. Notate the manual elevation handle to depress the main gum until the handle can no longer be rotated with one hand.

PLACE TURRET INTO POWER OPERATION

- . Ferform zero pressure check to insure accumulator charge of $\underline{450-500}$ Perform sero pressure unnue to accept the first power pack oil level.

 Check hydreulic power pack oil level.

 Insure the tank and surrounding area are clear of obstruction.

 Insure crev is in eafs position and Driver has lowered his seat and has his bead down.

 Instruct loader to release gwn tube from travel lock.

 Unlock turret lock.

 Amnounce, "YOMER," to alert the crew.

 Check that engine is running and set at 800 to 900 RPM.

 Insure menual traversing handle locking lever is in the detent nosition.

- Check that engine is running and set at 800 to 900 RPN.
 Insure manual traversing handle locking lever is in the detent
 position.
 Turn TURET FOWER switch ON.
 Insure that hydraulic pressure was between 1223 and 1273 PBI before
 operating controls.
 Squeeze magnetic brake switch and rotate Gusmer's control handle
 to traverse turret.
 Betate handles rearward and forward to elevate and degrees gun.
 Check magnetic brake.
 Betate handles rearward and forward to elevate and degrees gun.

PERFORM MAIN GUN PREPARE-TO-FIRE PROCEDURES

On command, "FREPARE-TO-FIRE," from TC:

- Observe Loader's action in checking replemisher tape. Cleen and inspect direct fire sights (interior). Check operation of bellistic shield. Check instrument lights.

INSTRUCTIONS FOR CUMBER

YOUR RESPONSIBILITIES: You are personally responsible to perform many jobs as a member of your tank crow. Hany of these tasks have a number of steps which must be performed to correctly complete the task. The nature of each task determines which ones munt be committed to memory and which tasks need not be memorized. This booklet will help you to perform those tasks which need not be memorized.

HOW TO USE THIS BOOKLET: Keep this booklet handy to use as a guide when you are required to perform these tasks. Make the notes you desire in the space provided.

CHOSSTRAINING TASKS: This task book does not include crosstraining

PERFORM MAIN GUN PREPARE-TO-FIRE PROCEDURES (Cont'd)

On command, "CHECK FIRING SWITCHES":

- On command, "CREAK FIRING SHITCHES":

 . Turn main gun switch OM.

 . Check firing trigger on power control handle and trigger on manual elevating control handle.

 . Check main gun manual firing device.

 (NOTE: Announce ON THE WAY each time a trigger is checked for the main gun or the menual firing device is actuated.)

 . Turn main gun switch OFF.

 . Turn coaxial machinegun switch ON.

 . Check firing trigger on manual elevating control handle.

 . Turn coaxial machinegun switch OFF. er control handle and trigger on manual

On command, "CHECK FIRING CONTROLS":

- on commend, CHREAK FIRIES CONTROLS":

 Set range correction knob of bellistic computer at zero.

 Check manual operation of computer for bind in computer or linkage.

 Fush RESET button on computer.

 Chearve that pointers on computer synchronise at various indexed ranges.

 Observe that superalsystics counter indicates correct superalsystics for various emmunition and ranges.

 Turn range correction knob of bellistic computer to proper setting,

 Report, GUNNER READT," on commend, "REFORT."

CHECK OPERATION OF MY HEATER

- Rotate air heater knob to OH and check for indicator lamp operation, Check air flow through hose.
 Allow air to warm up for at least five minutes (in arctic conditions). Check air temperature.
 Adjust protective mask and attach air hose.
 Romove and stow air hose and protective mask.
 Rotate air heater evicte to OFF and listen for audible click.
 Raport status of N3 heater to Drivet.

After "LOADER" removes firing mechanism from breechblock:

. Aline axis of 105mm pur bore on right angle of sixing point by operating the manual traversing and elevating handles according to the Loader's directions.

PREPARE GUINNER'S TELESCOPE FOR OPERATION

and the second of the second o

- . Inspect eyeplece hanger and acrows for presence and tightness.

 Inspect the hanger assembly and quick-disconnect pin for presence, proper fit, and swivel movement.

 Inspect the holder assembly to insure that the pin on the telescope and the slot on the holder assembly are seated.

 Adjust headrest by loosening adjusting aut and sliding headrest to desired position and tightening nut.

 Clean lenses.

 Focus eyeplace by rotating diouter to the markets must reading and
- ceatres position and tigatening out.

 Clean leases.
 Focus symples by rotating diopter to the maximum plus reading and then rotating back until the view through the symplece appears with the maximum sharpness.

 Set reticle illusination by rotating the rheostat knob on instrument light.

 Remove filters from filter box.

 Clean if required, and inspect for cracks.

 Select proper filter if conditions warrent use of filters.

 Attach filter to release the results of the res

- Select proper filter if conditions warrant use of filters.
 Attach filter to telescope symplece.
 View through eyepiace and move reticle selector to each position
 chacking to see that both reticles are visible.

PREPARE GEOGRA'S PRRISCOPE FOR DAYLIGHT OPPOATION

- . Inspect the Milâ mount for general condition.

 Report any damage to mount to the vehicle commender.

 Adjust the daylight and II headrest for proper fit.

 Open ballistic shield.

 Adjust diopter on the daylight sight by rotating the diopter to the maximum-plus reading and then back until the image seen through the symplece appears with the maximum sharpness.

 Set the reticle illumination by rotating the light source control knob until reticle appears with desired brightness.

OPERATE THE AXIMUTH INDICATOR

- Rotate rheostat knob until desired brightness is obtained.

 Place the siming cross of the periscope on the reference point.

 Perform accuracy test by manually traversing turret 360 degrees to return to original reference point.

 Set the microsater and asimuth pointers on sero.

 Perform slippage test by traversing the turret rapidly in power and stopping suddenly.

 Repeat this operation two or more times in same direction.

 Traverse turret manually in opposite direction to return to original reference point.

- reference point.

 Insure that both the micrometer and azimuth pointers are on zero.

DESIGNT IR SIGNT OF GUNNER'S PERISCOPE DURING DAYLIGHT AND APPLY

- . Open the ballistic shield.

 Flace opeque material over the periscope hand assembly with a 3/4 inch hole in line with the IR body.

 Flace the IR switch in the 1.5 wolf position.

 View through the IR eyepiace and rotate the IR diopter to the maximum plus reading them back until the grain on the converter tube surface as seen through the eyepiace appears clear and them. Sharp.

- tube surrace as seen through the eventace appears clear and sharp.

 Botate the light source control until the reticle illumination has the desired brightness.

 Sight through the sympices and rotate focusing ring until the Carget appears with the maximum obserpaces.

 Disengage and rotate the elevation and deflection berseight knobe wotil the siming cross of the raticle is slined on the same atming point as the massle cross threads.

 Botate slip seels on the elevation and deflection borseight knobe to read a mad 4.

 Check to insure that siming cross on the reticle of the daylight scope is on the siming priest.

 Tell Loader to confirm that the massle cross threads are on the siming point.

 Obtain established sero from M form 200s.

 Disengage and rotate valuewation and deflection borseight knobe until established sero is indicated on the slip scales.

 Engage elevation and deflection borseight knobe

BURESTORY TARE SEARCHLIGHT USING PRIMARY METHOD (MIGHT ONLY)

After "TC" turns searchlight OH and control to VIS FOCUS mode:

- After "to" term nearchipms on ann control to vio rouse mours
 . Remove all superplayation from the fire control system uning
 computer's superplayation handcrank.
 . Lay siming cross of primary sight on the center of the boresight
 pencel or terms choose.
 . Center the bubble on the elevation quadrant using the sicromator
- . Apply plus 5 mile on elevation quadrant using the micrometer hasb.
- . Memeally elevate the gum until the bubble is centered.

OPERATE ELEVATION CHARMANT

- . Flace aiming point on the center of the target and establish a
- . Place sixing point on the sun cube by rotating the micrometer knob until the bubble is centered in the Level viel.

 Read elevation from the elevation and micrometer acaise.

BORESIGHT GURNER'S TELESCOPE AND APPLY ESTABLISHED ZERO

- Set supersisvation counter on the ballistic computer to zero.

 Nove reticle selector switch until reticle corresponding to type of assumition that will be used to zero can be seen through the syspiace.

 Unloch telescope mount elevation and deflection borasight knobs. Botate the borasight knobs until the boresight aiming point in in the asset position as the sustle cross threads.

 Nove slevation and deflection knob locking levers to the lock position.

- position.

 . Notate slip scales on the elevation and deflection knobe to read
- 3 and 3.
 Tell Loader to confirm that the mussle cross threads are on the
- sining point.

 Obtain established zero from M Form 2404.

 Unlock telescope mount elevation and deflection boresight knobs.

 Botate boresight knobs until established zero was indicated on slip scales
- . Lock telescope mount elevation and boresight knobs.

BORESIGHT DAYLIGHT SIGHT OF GUNNER'S PERISCOPE AND APPLY ESTABLISHED

- . Sight through the eyepiace, disensage the elevation and deflection boresight knobs, and rotate the knobs until the stating cross is on the same sizing point as the muszle cross threads. Botte silp scale on the elevation and deflection boresight knobs to read 4 and 4.

 Check to assure that the daylight sight reticle is on the siming point.

 Tell Loader to confirm that the muszle cross threads are on the siming point.

 Obtain established zero from DA Form 2404.

 Unlock puriscope mount elevation and deflection boresight knobs.

 Rotate boresight knobs until established zero was indicated on the slip scales.

- . Lock periscope mount elevation and deflection boresight knobs.

BORESIGHT TANK SEARCHLIGHT USING THE ALTERNATE METHOD

After "TC" lays the bottom of the searchlight beam above and just touching the reference mark:

- . Remove superslevation from fire control system using computer's
- handcrank.
 Boresight main gum on lower cross.
 Conter the bubble on the elevation quedrant using the micromater . Apply plus 5 mile to elevation quadrant using the micrometer
- . Manually elevate the gum until the bubble is centered.

SORESIGNT THE COAR

After "LOADER" tightens both horizontal adjustment screen:

- . Rotate, either to the left or right, the rhoostat knob on the infinity sight NH4C for pariscope NN1 or the rhoostat knob of the light source control for pariscope NN2 in order to adjust brightness of Teticle.

 Betate both the slevation and deflection beresight knobs on the infinity sight so as to alime the center reticle on aiming point of target.

ZEEO MAIN CUM

After "TC" turns computer Of:

- Assure range correction knob of ballistic computer is indexed correctly.

 Index assumition element into ballistic computer.
 Lay sight reticle on conter of mass of target by operating the same all elevation and traversing handles.

- . Fire 4 three-round shot group.

 Unlock beroeight knobe and move eight reticle to center of shot group, without disturbing lay of the gen (with gun leaded).

 Belay main gen beck to center of mees by operating the manual elevation and traversing handles.
- slawation and travership means by operating the <u>named</u>. Pire a check round.
 Relay take gue back to conter of mass by operating the <u>named</u> slawation and traversing handles.
 Balack bereatght hashe of Gumner's sight not used to sero and rotate hashe until proper portion of reticle is laid on target rotete hashe until proper pertion of reticle is laid siming point.
 . Record elevation and deflection readings on all sights.

Select a target with a clearly defined siming point at a known range as near 800 maters as possible. Lades the layeast velocity tank main gun ammunition in the hallistic computer. Sight through the unity power window of the Cunner's periscope and lay the target in the center of the staing circle by operating the manual elevation and traversing handles.
After "LOADER" announces UP:
. Piace the electrical machinegun switch on the Cunner's panel in the CM position. . Deprese the electrical firing trigger and fire a 20-25 round burst. Observe the strike of the rounds in relation to the target. Notate the infinity sight boresight knobs to move the sight reticle so that the strike area is in the center of the field of view. Fire an additional 20-25 round burst to check the accuracy of adjustment. Stotate the infinity sight boresight knobs, if necessary, to readjust the field of view in relation to the strike of the rounds.
INDEX AMBOUNCED AMPUNITION INTO COMPUTER AND CONDUCT COMPUTER CHECK
. Rotate assumition selector handle 30 degrees clockwise, push handle is or pull handle out to select assumition to be fired as indicated on the assumition indicator. (Computer check)
 With range correction knob at zero, rotate range knob on rangefinder and determine whether inner (range) pointer indicates same range on computer range dial as was indexed on range scale of rangefinder.
. Index ranges of 1000, 1200, or 2000 meters on range scale of range-
Index a type of ammunition into the computer. Turn the computer ON and determine whether superelevation actuator shaft rotated. Determine whether outer (superelevation) pointer moved to match immer (range) pointer. Determine whether correct superelevation for range and ammunition selected was indicated on the superelevation mil counter (use firing tables).

TANK COMMANDER TASK BOOM

laue	
SSN	
Veic	

OPERATE TANK INTERCOMMUNICATIONS SYSTEM

- Adjust CVC helmet to head. Insure CVC helmet radio-interphone switch is in center position. Connect interphone connector to plug at left bottom of control
- meet radio audio connector plug at right bottom of control
- . Place control box monitor switch in either the ALL, A, INT ONLY,
- or B position. . Transmitted to TC (scored), "TANK COMMANDER READY."

PERFORM MAIN GUN PREPARE-TO-FIRE PROCEDURES

- . Command PREPARE-TO-FIRE after CUMMER places turret into power
- operation.
 Disconnect breakaway plug.
 Clean exterior lens and vision devices on turret.
 Check operation of shield on pariscope.
 Check instrument lights.
 Commend. "CHECK FIRING SMITCHES."

- Command, "CHECK FIRMS SWITCHES,"
 Check firing trigger on power control handle when main gun switch
 is OB.
- . Sec. Check firing trigger on power control handle when coaxial machinegun switch is ON.

 Command CHECK CUN CONTROLS.

 Turn cupols power switch ON.

 Check operation of .50 caliber machinegun mount and controls.

 Check for binding on rangefinder.

 Turn ballistic computer ON.

 Index various ranges on rangefinder.

 Tell CURRER to insure they are indexed on ballistic computer.

 Command, "REPORT."

CHECK GAS PARTICULATE UNIT

- Rotate air heater knob to ON and check for indicator lamp operation.

 Check air flow through home.

 Allow air to warm up for at least five minutes (only in arctic conditions).

 Check air temperature.

 Adjust protective mesh and attach air home.

 Ramove and stow air home and protective mask.

 Rotate air heater switch to OFF and listen for audible click.

 Report deficiencies to Driver for entry on DA Form 2404, if required.

2

INSTRUCTIONS FOR TANH COMMANDER

YOUR RESPONSIBILITIES: You are personally responsible to perform many jobs as a weater of your tank crev. Many of these tasks have a number of steps which must be performed to correctly complete the task. The nature of each task determines which ones must be countited to memory and which tasks need not be memorized. This booklet will help you to perform those tasks which need not be memorized.

HOW TO USE THIS BOOKLET: Keep this booklet handy to use as a guide when you are required to perform these tasks. Make the notes you desire in the space provided.

CROSSTRAINING TASKS: This task book does not include crosstraining

BORESIGHT TANK SEARCHLIGHT USING PRIMARY METHOD

- . Selected a target as near 1200 maters as possible.

 Tell Driver to idle tank engine at 1000-1200 RPM.

 Turn searchlight main power switch to the ON position and turn searchlight control to VIS POCUS mode.

 Adjust azimuth and elevation adjusting screws until the searchlight beam is centered on the target cross.

 Tell the Gunner to elevate the gun 3 mile.

 Aline the searchlight so that the beam is again centured on the target cross.

 Tighten the clamping nuts.

BORESICHT TANK SEARCHLIGHT USING ALTERNATE METHOD

- Direct Driver to position tank so the searchlight is approximately 10 meters from a wall.

 Draw a cross on the wall approximately 7 feed from the ground.

 Draw a second cross 16 1/2 inches directly shows the first cross and vertically in line with the first cross.

 Tell Driver to insure that the tank engine is running at a fast idle speed.

 Turn searchlight main power switch to ON position and turn searchlight control to VIS FOCUS mode.

 Adjust horizontal and vertical adjustment screws until the searchlight beam is centered on the upper cross.

 Tell Loader to draw reference mark at the bottom edge of the searchlight beam.

 Adjust vertical and horizontal adjustment screws until the bottom of the searchlight beam is above and just touching the reference mark.

PREPARE TANK RANGEFINDER FOR OPERATION

- Adjust rangefinder headrest to fit the contour of your head.
 Rotate occluder knob to the R position.
 Rotate the diopter scale to the maximum plus reading.
 Rotate the diopter scale until the view through the symplece appears with the maximum sharpneas.
 Nove the filter switch to the left to place the filters into the optical system, if necessary.
 Rotate the range scale rheostat to determine if range scale lamp is illuminated.
 Rotate the occluder to the L position.
 Rotate the occluder to the L position.

100 m

PREPARE TANK RANGEFINDER FOR OPERATION (Cont'd)

- . Sight through the eyepiece and set red illuminated reticle for

- . Sight through the eyepiece and set red illuminated reticle for brightness by rotating reticle rheostat.

 Rotate occluder knob to the center position and move reticle switch to the coincidence position.

 Sight through the eyepiece and set coincidence reticle brightness by rotating the coincidence reticle rheostat.

 Move reticle switch to the OFF position.

 Rotate the occluder knob to the R position.

 Index target range on range scale.

 Rotate the occluder knob to the center position.

 Sight through eyepiece and rotate the horizontal adjustment knob until the ghost image is positioned to the left of the actual image.

 Rotate the vertical adjustment knob to bring the ghost image into vertical alienment with the actual image.

 Rotate the horizontal adjustment knob to bring the ghost image into vertical alienment with the actual image.

 Rotate the horizontal adjustment knob to bring the ghost image into alienment with the actual image from the left to the right—astop the instant coincidence has been obtained.

 Check target image coincidence by ranging on a known distance target

- Check target image coincidence by ranging on a shown constants target

 Move reticle switch to coincidence position.

 Loosen the wing nut and swing the red 10S knob cover aside.

 Rorate the ICS knob until vertical lines of the upper coincidences reticle were alined.

 Loosen the wing nut and swing the red halving knob cover aside.

 Rotate halving knob until horizontal lines of the upper right half and the lower left portions of the coincidence reticle are alined to form a cross.
- are alined to form a cross.

 Swing the ICS and halving knob covers into place and secure with wing nuts.

 Howe reticle switch to the OFF position.

BORESIGHT THE RANGEFINDER

- Check coincidence reticle for alinement and if necessary, aline reticle using horizontal and vertical adjustment knobs.
 Index known tank to target range (1200 meters) on range scale.
 Place the occluder knob on the rangefinder in the R position.
 Move the locking levers of the main elevation and deflection boresight knobs to the unlocked position.
 Sight chrough rangefinder eyeptece and aline the black-etched cross on the sight reticle with the same aiming point as the main sun bore axis.
- main gum bore axis.
 . Hove the boresight knob locking levers to the lock position.

BORESIGHT M85 (Cont'd)

- . Remove bolt assembly from barrel extension assembly and receiver
- ansemoly.

 Hold feed lever of feed and ejector assembly and sight through machinegun barrel and aline axis of gun bore on defined target approximately 500 maters in range.

 Lock azimuth lock.

- . Lock azimuth lock.

 Adjust deflection without moving the gun or cupols.

 Adjust elevation to aline boresight cross on target siming point.

 Elevate and depress gun to check for backlash.

 Install back assembly.

 Install back buffer group.

 Install backplate.

 Close machinegun cover assembly, access doors and cradle cover zipper.

- Select a target with a clearly defined siming point at a range of 500 meters.

 Lay the 300 meter siming point of the Tank Commander's weapon sight on the aiming point of the zeroing targets with the elevating and traversing controls.

 Fire a 10-20 round burst.

 Move the 500-meter reticle to the center of the strike ares without disturbing the lay of the gun.

 Fire another 10-20 round burst to verify the zero.

BORESIGHT THE RANGEFINDER (Cont'd)

- . Rutate slip scale to read 2 on elevation boresight knob and 3 on deflection buresight knob. . Place the occluder knob in the L position. . Pluce the reticle switch on the rangefinder in the AUX-GUNSIGRT

- Place the reticle switch on the rangefinder in the AUX-CUNSIGRT position.
 Unlock auxiliary elevation and deflection knobs.
 Rotate the knobs to aline the red illuminated cross on the same along point as the main gun bore axis.
 Lock AUX-CUNSIGHT elevation and deflection knobs.
 Rotate slip scale on auxiliary elevation boresight knob to read 2 and the auxiliary deflection boresight knob to read 2 not the same aiming unlaying reticle of the range-finder, and the AUX-CUNSIGHT to assure that each is alined on the same aiming point.

DETERMINE RANGE TO TARGET WITH RANGEFINDER

- . Place occluder knob in center position. . Range to the bore-ight target. . Rotate range knob until two target images merge. . Read range to target on range scale.

ZERO TANK MAIN GUN

- . Turn computer switch ON. . Index range into rangefinder.

. Rotate the range knob of the rangefinder to range the target.

- . Assure safety is in S position.

 . Assure ammunition belt is clear of machinegun.
 . Assure machinegun is not loaded and bolt assembly is in forward
 position.
 . Ojsconnect solenoid lead connector.
 . Open cradle cover zipper, access doors and machinegun cover

- assembly.

 Depress lock, raise latch and lift backplate assembly from
- receiver assembly.
 Remove bult buffer group from receiver assembly.
 Remove sear from receiver assembly.

Enclosure 1-e. Tank crewman's readiness book.

This enclosure provides a means for the tank commander to record the training progress of each crewman. The book provides space for the tank commander to record completion of each readiness test and to note the progress of remedial training. The book is printed to facilitate reproduction at the organizational level.

TANK CREWMAN READINESS BOOK

DRIVER	
LOADER	
GUNNER	
тс	
TANK	

DRIVER

Knowledge

RT			NO	
PART	DESCRIPTION	60		DATE
٨	Operational checks and services	!		

Skill

Before Operations Procedures and Tank Start-Up

RT PART	DESCRIPTION	, GO	NO GO	DATE
В	Inspect tank suspension system for deficien- cies			
8	Inspect other components for deficiencies			
	Check brakes for proper operation	4		
В	Explain safety precautions for refueling			
8	Remove M27 periscope			
8	Perform before operations checks and services on H24 (IR) and H27 periscope			
В	Inetall M24 (IR) periscope			
84	Place M24 (IR) periacope into operation			
3	Start tank engine			
3*	Perform before operations checks and services on engine transmission oil levels	· ·		

INSTRUCTIONS FOR TANK COMMANDER

RESPONSIBILITIES: You are responsible for individual training of your crewmen. The training program for each crew position is described in the tank commander's guide and it is your responsibility to assure that each crew member can perform the tasks listed in the guide.

TANK CREMMAN MEADINESS BOOK: Use this book to record the tasks that the crewman can or cannot do. Keep the book handy as a reference of the training status of your crew.

HOW TO USE THE BOOK: Begin by entering your crewman's name on the cover. As each creeman is tested, record the results and date in pencil.

CROSSTRAINING: #-Indicate crosstraining tasks. *-Indicate crosstraining task required by TCGST, FM 17-12-2.

Before Operations Procedures and Tank Start-Up (Cont'd)

RT PART	DESCRIPTION	GO	NO GO	DATE
В	Place tank in motion		<u> </u>	
B*	Position tank for checking track tension		i •	
В	Operate tank intercom system	↓ _	· •	<u> </u>
В*	Perform main gun prepare-to-fire procedures			<u> </u>
В	Perform before operations checklist and services on gas particulate unit	<u> </u>		

Locating and Reporting Targets

RT		T	, NO	
PART	DESCRIPTION	GO_	GO	DATE
D	Conduct a quick scan of the area	4	 -	
D*	Locate and identify targets in the area			
D	Estimate range to target in the area	-		-
n	Report location of targets in the area	1	1	1

Tactical Driving

RT PART	DESCRIPTION	GO	NO GO	DATE
E	Drive over varied terrain			
E	Drive into defilade firing position upon enemy contact			
E	Drive in response to fire commands			
E	Acquire targets			<u> </u>
E*	Observe and sense rounds			Ì

The second of th

LOADER

Knowledge

RT PART	DESCRIPTION	GO	NO GO	DATE
<u> </u>	Weapons maintenance		<u> </u>	<u> </u>
С_	Mission preparation			
E	Combat loading		L	ļ
C	Target acquisition		ļ	

Skill Weapons Maintenance

				
RT PART	DESCRIPTION	co	NO GO	DATE
	Remove the coax from a tank			
8*	Disassemble the coax			

DRIVER NOTES

Weapons Maintenance (Cont'd)

RT PART	DESCRIPTION	GO	NO GO	DATE
В	Inspect the coax		<u> </u>	L
В*	Assemble the coax			İ
В	Check operation of the coax			
В	Mount the coax in a tank		T	-
В	Remove the M85 from a tank			
в*	Disassemble the M85			
В	Inspect the M85			
в*	Assemble the M85			
В	Check operation of the M85		i	1
В*	Disassemble main gun breechblock		1	
8*	Assemble main gun breechblock			

Mission Preparation

RT		GO	NO	DATE
PART	DESCRIPTION	40	GO	DATE
	Inspect tank suspension system for deficiencies			!
_ D	Inspect other components for deficiencies			
	Explain safety precaution for refueling			
D#	Perform before-operations checks and services on engine & transmission oil levels			<u> </u>
D*	Check track tension			
D#	Adjust track tension			
D	Prepare tank for boresighting			
D	Check boresight alinement of main gun			
D*	Boresight and zero coax			
_D#	Stow machinegun ammo according to ammo stowage plan			
D*	Stow coax ammo in ready (banana) box			
D*	Stow main oun rounds according to amountion stowage plan.			

Combat Loading (Cont'd)

RT PART	DESCRIPTION	GO	NO GO	DATE
P	Ready coax in response to fire commands			
F#	Clear and unload coax			
P#	Apply immediate action to reduce coax stoppage			
F*	Change coax barrel			
F#	Load M85			
F#*	Clear and unload M85			
F#*	Apply immediate action to reduce M85 stoppage			!

Locating and Reporting Targets

RT PART	DESCRIPTION	GO	NO GO	DATE
н	Conduct quick search scan of the area			
H*	Locate and identify targets in the area			
Н	Estimate range to targets in the area			
н	Report location of targets in the area	1		

Mission Preparation (Cont'd)

RT PART	DESCRIPTION	GO	NO GO	DATE
D	Install and operate AN/VRC-12 or AN-VRC/64 radio			
D	Operate tank intercom system	Ì		
D*	Perform main gun prepare-to-fire procedures			
D*	procedures Check operation of the M3 heater	<u> </u>		

Combat Loading

RT PART	DESCRIPTION	GO	NO GO	DATE
F*	Determine corrective action required by replenisher tape			
F*	Load main gun in response to fire command	ļ		i
F	Rotate round in main gun misfire pro- cedure			
F*	Unload misfired main gun round	!		
F#	Load coax	•		

LOADER NOTES

109

GUNNER

Knowledge

RT PART	DESCRIPTION	GO_	NO GO	DATE
	Weapons maintenance		L	L
D_	Weapon systems preparation		L	ļ
F	Combat loading		<u> </u>	ļ
н	Target acquisition		<u> </u>	<u> </u>
J	Tactical operations		<u> </u>	1

Skill Weapons Maintenance

RT PART	DESCRIPTION	GO	NO GO	DATE
В	Remove the coax from a tank			
3/4	Disassemble the coax			

12

Before Operations Procedures

RT PART	DESCRIPTION	GO	NO GO	DATE
<u> </u>	Operate the tank intercom system		L	L_
С	Charge manual elevation system			<u> </u>
C*	Place turret into power operation			
C*	Perform main gun prepare-to-fire procedures			<u> </u>
c	Check operation of M3 heater	L	L	<u> </u>

Weapon Systems Preparation

RT PART	DESCRIPTION	GO	NO GO	DATE
E	Prepare the tank for boresighting	4	L_	
	Prepara Gumnar's telescope for operation			1_
Ł	Prepare Gunner's periscope for daylight			

Weapons Maintenance (Cont'd)

RT PART	DESCRIPTION	GO	#0 G0	DATE
В	Inspect the coax			
B#*	Assemble the coax		<u> </u>	L.
В	Check operation of the coax			<u>_</u>
В	Mount the coax in a tank			
В	Remove the M85 from a tank			_
B#*	Disassemble the H85		L	
В	Inspect the M85		L_	
B#*	Assemble the M85	l	<u> </u>	
В	Check operation of the 1985		L	
В	Mount the M85 in a tank			
B # *	Disassemble the main gun breechblock			
B#*	Assemble the main gun breechblock			

13

Weapon Systems Preparation (Cont'd)

RT		1	NO	
PART	DESCRIPTION	GO.	CÓ.	DATE
E*	Operate the azimuth indicator	1		L_
E*	Operate elevation quadrant		l	<u> </u>
E*	Boresight Gunner's telescope and apply established zero			
E*	Boresight daylight sight of Gunner's periscope and apply established zero			
E*	Boresight IR sight of Gunner's periscope and apply established zero	T		
E#	Boresight tank searchlight using primary method	T		
E#	Boresight tank searchlight using alternate method			
E#*	Boresight coax	↓	L_	
E	Zero main gun	\perp	L_	↓
E*	Zero coax		<u>L</u>	L
E#	Index announced assumition into computer and conduct computer check	T		

111

15

Combat Loading

RT TRAC	DESCRIPTION	GO	NO GO	DATE
G # *	Stow main gun rounds according to ammunition stowage plan	i		
G#*	Stow machinegun ammunition according to ammunition stowage plan			
G#*	Stow coax ammunition in ready (banana) box	· 		
G# *	Determine corrective action required by replenisher tape	1	<u> </u>	
G#*	Load main gun in response to fire command			
G # ★	Rotate round in main gun misfire procedure	1		ot
G # ◆	Unload misfired main gun round	<u> </u>		<u> </u>
G	Load coax	1		1_
G # *	Ready coax in response to fire command			
G##	Clear and unload coax	l .		
G # *	Apply immediate action to reduce coax stoppage			$oxed{oxed}$
G # *	Change coax barrel	1		<u> </u>
G##	Load M85	:	<u> </u>	<u> </u>

Combat Loading (Cont'd)

RT PART	DESCRIPTION	GO	₩0 G0	DATE
G##	Clear and unload M85	<u> </u>		
G#*	Apply immediate action to reduce M85 stoppage			

Locating and Reporting Targets

RT PART	DESCRIPTION	GO	NO GO	DATE
1	Conduct a quick search scan of the area			<u> </u>
[*	Locate and identify targets in the area			}
1	Estimate range to targets in the area			↓
I	Report location of targets in the area		1	<u> </u>

17

Tactical Operations

RT PART	DESCRIPTION	GO	NO GO	DATE
K	Acquire targets			
K	Preset SABOT battlesight information	L	!	
ĸ	Main gun BS engagement, moving to a halt, one stationary target, SABOT			
K	Main gun BS engagement, moving to a halt, two moving targets, SABOT, Gunner masked			
K	Coax engagement, moving to a halt, one stationary target, coax			
_ x	Main gun precision engagement, moving to a halt, two stationary targets, SABOT			
ĸ	Preset HEAT BS information		.	
K	Main gun engagement, moving to a halt, three stationary targets, HEAT			
K	Coax engagements, moving to a halt, two stationary targets, coax			
ĸ	Main gun RCLDF engagement at the halt, two stationary targets, HEAT, Gunner masked, passive/IR			
K	Coax engagement, at the halt, one stationary target, coax, Gunner masked, passive/IR			
K	Main gun BS engagement, at the halt, one stationary target and one moving target, SABOT, flare			
К*	Apply immediate ection in case of main gun failure to fire			

Tactical Operations (Cont'd)

RT PART	DESCRIPTION	00	NO GO	DATE
K#	Main gun BS engagement, moving to a halt, one stationary target, apply BOT	Ι		
К*	Main gun 85 engagement, moving to a halt, one stationary target, apply target form			
K+	Hain gun precision engagement, moving to a hait, one stationary target, apply standard adjustment			

GURNER NOTES

Weapons Maintenance (Cont'd)

RT PART	Description	80	NO 60	DATE
8	Inspect the coax			
3/0	Assemble the coax			
В	Check operation of the coax			
В	Mount the coax in a tank			
В	Remove M85 from a tank			
8*	Disassemble the M85			Ī
В	Inspect the M85			
3*	Assemble the M85			
В	Check operation of M85			
В	Mount the M85 in a tank			· ·
394	Disassemble main gun breechblock	<u>:</u>		
8/*	Assemble main gun breechblock	:		

TANK COMMANDER

Knowledge

RT PART	DESCRIPTION	GO	NO GO	DATE
Α	Weapons maintenance			
D	Weapon systems preparation		<u> </u>	
F	Combat loading		<u> </u>	
н	Target acquisition		L	
J	Tactical operations		L	

Skill Weapons Maintenannce

RT PART	DESCRIPTION	60	NO GO	DATE
В	Remove the coax from a tank			
В##	Disassemble the coax			

21

Before Operations Procedures

RT PART	DESCRIPTION	GO	NO GO	DATE
С	Operate tank intercom system	<u> </u>	<u> </u>	
C#*	Place turret into power operation	<u> </u>		<u> </u>
C#	Perform main gun prepare-to-fire procedure	<u> </u>	 	
С	Check operation of M3 heater	1		

Weapon Systems Preparation

RT PART	DESCRIPTION	60	NO GO	DATE
E	Prepare tank for boresighting			<u> </u>
E#*	Boresight Gunner's telescope and apply			
E#*	Boresight daylight sight of Gunner's periscope and apply established zero			
E#*	Boresight IR sight of Gunner's periscope and apply established zero			
E*	Boresight tank searchlight using primary method			!

Weapon Systems Preparation (Cont'd)

RT PART	DESCRIPTION	GO	NO GO	DATE
E.	Boresight tank searchlight using alternate method			
E#*	Boresight the coax		ļ 	
Z*	Prepare tank rangefinder for operation	<u> </u>	 	
E*	Boresight the rangefinder	ļ	·	
E+	Determine range to target with rangefinder			ļ
E*	Zero tank main gun	<u> </u>		
E#*		1		
E#*	Index announced ammunition into computer and conduct computer check	ļ		
E*	Boresight M85	 		
E*	Zero M85	1		1

Combat Loading

RT PART	DESCRIPTION		NO GO	DATE
G#*	Stow main gun rounds according to ammunition stowage plan			1
G##	Stow machinegun ammunition according to ammunition stowage plan	L		
G##	Stow coax ammunition in ready (banana) box			
G#≉	Determine corrective action required by replenisher tape readings			
G##	Load main gun in response to fire commands			i
G#4	Rotate round in main gun misfire pro- cedures			,
G#*	Unload misfired main gun round			!
G≢±	Load coax			
G#	Ready coax in response to fire			
G##	Clear and unload coax			•
G#∗	Apply immediate action to reduce coak stoppage			

24

(Cont d)

RT PART	DESCRIPTION	GO	NO 60	DATE
G#*	Change coax barrel	ļ		
G#	Load M85	<u> </u>		
G*	Clear and unload M85	<u> </u>		
G#	Apply immediate action to reduce stoppage of M85			

Locating and Reporting Targets

RT PART	DESCRIPTION	GO	NO GO	DATE
1	Conduct a quick search scan of the area			
I.	Locate and identify targets in the area	<u> </u>		
1	Estimate range to target in the area	-		
1	Report location of target in the area			

Tactical Operations

RT PART	DESCRIPTION	GO	NO GO	DATE
K#	Designate crew sections of responsibility for target acquisition			
<u>K</u> *	Acquire target		1	
ĸ	Preset SABOT BS information		i	İ
ĸ	Main gun BS engagement, moving to a halt, one stationary target, SABOT	Ī		Ι
ĸ	Main gun BS engagement, moving to a halt, two moving targets, SABOT, TC masked	Γ-	T .L	
ĸ	.50 caliber and coax engagements, moving to a halt, one moving and one stationary target, .50 caliber and coax		1	
K	.50 caliber and main gun precision engagement moving to a halt, three stationary targets, .50 caliber and SABOT			
ĸ	Preset HEAT BS information		1	
ĸ	Main gun BS engagement, moving to a halt, three stationary targets, MEAT			
ĸ	.50 caliber and coax engagements, moving to a halt, three stationary targets, .50 caliber and coax			
к	Main gun RCLDF engagement, at the halt, three stationary targets, HEAT, TC masked			

Tactical Operations (Cont'd)

RT PART	DESCRIPTION	GO	NO GO	DATE
K	.50 caliber and coax engagement, at the halt, two stationary targets, .50 caliber and coax, TC masked			
K	Main gun BS engagement, at the halt, one stationary target and one moving target, SABOT			
K*	Main gun 85 engagement, moving to a halt, one stationary target, apply BOT			
K*	Main gun BS engagement, moving to a halt, one stationary target, apply target form			
Κ÷	Main gun BS engagement, moving to a halt, one stationary target, apply standard adjustments	-		r !
K#*	Lay telescope reticle on target properly	1		

TANK CONMANDER NOTES


•
•

28

ENCLOSURE 2. TRAINING FACILITIES


- a. Driving Course
- b. Target Acquisition Course
- c. Tank Crew Qualification Course (dry firing)
- d. Laser Firing Range (see TC 17-12-5)
- e. Live Firing Range (see TC 17-12-5)
- f. Armory Boresight, Zero, and Tracking Range


Enclosure 2-a. Tactical driving course.



1" = 500 meters

Enclosure 2-a (Cont'd). Tactical driving course (Driver round sensing layout).





At the end of the tactical driving course the Driver will be directed to move to a firing position. Approximately 50 yards in front of the firing position will be four silhouette targets with a simulated tracer element positioned as a target hit or a target miss.

The TC will lay the gun on a target and give a fire command. The Gunner will identify the target, make a final precise lay, and simulate firing. The Gunner and TC will announce LOST and the Driver will immediately announce his sensings. (The scorer will act as TC, GN, and LD. The Driver will be buttoned up and use his M27 periscope to sense.

- Tgt #1 GUNNER-BATTLESIGHT-TANK GN IDENTIFIED
 - UP TO FIRE GN ON THE WAY GN LOST
 - TO LOST (DV) OVER-LEFT

TO LOST DV TARGET

- Tgt #2 TO GUNNER-SABOT TANK GN IDENTIFIED LD
 UP TO FIRE GN ON THE WAY GN LOST
- Tgt #3 TO GUNNER-HEAT-PC (CN) IDENTIFIED (LD)

 UP (TC) FIRE (CN) ON THE WAY (CN) LOST
 - TO LOST DV DOUBTFUL-RIGHT
- Tgt #4 TO GUNNER-BATTLESIGHT-TANK (N) IDENTIFIED

 LOST TO LOST (D) SHORT-RIGHT











Enclosure 2-b. Target acquisition course.



Enclosure 2-b (Cont'd). Target acquisition course (Crewmembers areas of surveillance).








LD

Enclosure 2-c. Tank crew qualification course (dry).




Enclosure 2-c (Cont'd). Tank crew qualification course (dry) (Second round adjustment target layout).

C Subsequent Sight Picture BOT TARGET Initial Sight Picture (Battlesight) (Battlesight) Tracer Subsequent Sight Picture TF TARGET Initial Sight Picture (Battlesight) (Battlesight) Subsequent Sight Picture STANDARD Initial Sight Picture (Precision) **ADJUSTMENT** (Precision) TARGET

NOTE: Column A: Initial sight picture with tracer passing over or short of the target. Column B: Simulated tracer element mounted on targets. Column C: Subsequent sight picture after GN or TC applies BOT (Burst on Target), TF (target form), or SA (Standard adjustment).

Enclosure 2-f. Armory boresight, zero and tracking range.



ENCLOSURE 3. EQUIPMENT

	·	LOCATION	
ITEM	QUANTITY	ARMORY	utes
M60 tank w/BII	Per authorization	l per plat.	Bal. auth.
Coax machinegun	Per authorization	1 per tank	Bal. auth.
.50 cal. machinegun	Per authorization	1 per tank	Bal. auth.
Binoculars	Per authorization	Per authorization	
Protector's mask	Per authorization	1 per crewman	
Equipment to remove breechblock	Per authorization	1 per tank	Bal. auth.
NOTE: UTES = unit training and equipment site			

ENCLOSURE 4. TRAINING AIDS/DEVICES

- a. Beseler Cue/Sec audio visual projector (omitted)
- b. Dummy main gun ammunition
- c. Belt linked empty coax ammunition (omitted)
- d. Belt linked empty .50 cal. ammunition (omitted)
- e. Ammunition stowage plan (battalion tactical SOP)
- f. Cardboard representation of coax ammunition boxes
- g. Cardboard representation of .50 cal. ammunition boxes
- h. Replenisher tape mockup
- i. Laser firing device (omitted)
- j. Burst-on-target trainer (omitted)
- k. TEC tapes

Enclosure 4-b. Dummay 105mm ammunition.

Combat loading in the TCST program includes several tasks for the TC, gunner, and loader which requires using main gun ammunition. The use of live ammunition for day-to-day training is not feasible and the one unpainted HEP replica training round issued with each tank is not adequate. Dummy rounds which are replicas in size, shape, weight, and color are required. The problem was resolved in an earlier TCST program by the fabrication of dummy training rounds by the supporting TASC. A set of dummy rounds consists of one HEP round, one SABOT round, one HEAT round, and one WP round. Specific steps in fabricating the rounds are:

- . Select and chamber expended shell casings.
- Fabricate HEP, SABOT, HEAT, and WP projectiles from durable plactic.
- Fill casings with ballast equal to weight of various type live rounds.
- . Attach projectile to shell casings.
- . Paint and stencil rounds as duplicates of various live rounds.

Dummy rounds have been fabricated by the TASC, Fort Carson, Colorado at an estimated cost of \$50.00 per set.

Enclosure 4-f and g. Cardboard representations of coax and .50 caliber machinegun ammunition.

Cardboard representations of tank machinegun ammunition facilitates testing crewmen in mission preparation tasks. The following diagrams indicate the size of the representations and the number required to represent a basic load for the M60 tank.

a. Coax ammunition.

	10 1/4"		
3 3/4"	•	bottom	30 each

b. .50 caliber ammunition.

		 G	***·	
		11"		
5 1,	/2" [bottom	10 each

Enclosure 4-h. Replenisher tape mockup.

Another combat loading task in the TCST program for the TC, gunner, and loader is reading the replenisher indicator tape. The actual replenisher may indicate any one of four readings, however, the instructor is required to add or delete oil to cause any of the other three readings to appear. The problem of adding or deleting oil can be resolved by the local fabrication of an inexpensive mockup shown below.




Diagram of Replenisher tape mockup

The body of the mockup is made from a 3 1/2" x 13 1/2" cardboard shipping cannister. The ends are blocked with 3/4" wood, cut in a circle and attached with small nails. The center rod is 1/2" dowel 13" long. The rod is painted, starting from the outer end going toward the inner end, red-1 3/4", gray-2 1/2", white-5", and green-1 1/2". Inside the cylinder, the rod is attached to a replenisher tape from an M60 series tank. Metal parts required for the mockup by FSN are:

1015-752-5667	guide	\$ 4.02
1015-752-5668	bracket	3.63
1015-752-5669	clamp	3.58
1015-752-5670	pin	1.59
1015-752-5676	tape	9.62
5305-543-5198	screw	.16
5310-081-8087	nut	.02

Enclosure 4-h (Cont'd.) Replenisher tape mockup.

The photo below shows the mockup with the rod fully extended. Moving the rod to various colors will cause the taps to indicate various readings. For example:

Red	Two long notches on tape
Gray	Two smooth notches on tape
White	One rough edge and one smooth edge on tape.
Green	Two rough edges on tape




Photo of Replenisher Tape Mockup

To use the mockup follow the procedure below.

Instructor*	Crewman Reads**	Crewman's Response
Pull rod to WHITE	One rough edge and one smooth edge on tape	Normal, take no action
Leave rod in RED	Two long notches on tape	Drain recoil oil
Pull rod to GREEN	Two rough edges on tape	Add recoil oil
Pull rod to GRAY	Two smooth edges on tape	Noted before firing, drain recoil oil Noted during firing, drain recoil oil.

^{*}Instructor should vary sequence of settings.
**Crewman "reads" means crewman feels tape to determine condition.

Enclosure 4-k. TEC tapes.

The following TEC tapes, used with the Beseler Cue/See audio/visual projector, are required for the TCST program. (1 per company)

TEC TAPE	TITLE	DV	កា	GN	<u>TC</u>
020-171-1611-F		x	X	X	x
020-171-1612-F		x	X	x	X
020-171-1614-F		x	X	X	x
935-171-0203-F		x	X	x	x
020-171-5366-F		x	x		
020-171-5367- F		X	X		
020-171-5368-F		x	x		
020-171-5369-F		x	x		
020-171-5370-F	,	X	X		
020-171-1132-F			X	x	X
020-171-1133-F			X	x	x
020-171-5229-F			x	x	x
020-171-5340-F	•				x
020-171-5343-F					x
020-171-5352-F			X	X	X
020-171-5353-F				X	X
020-171-5354-F				X	X
020-171-5355-F				X	X
020-171-5341-F				X	X
020-171-5351-F				X	X
020-171-5337-F				X	X
020-171-5331-F			X	X	X
020-171-5332-F			X	X	X
020-171-5346-F			X	X	X
020-171-5347-F			X	X	x
020-171-5348-F			X	X	X
020-171-5361-F					x
020-171-5364-F				X	x
020-171-5342-F				x	

ENCLOSURE 5. OUTSIDE SUPPORT

Outside support for conducting the TCST program consists of a five man armor branch assistance team to test and train cadre tank commanders. The team will require:

- . Tank commander readiness tests
- . Tank commander training modules
- . A target acquisition course

- . A tank crew qualification course (dry firing)
- . Items listed with each readiness test and training modules

ENCLOSURE 6. AMMUNITION

Assumition requirements required for each crew are:

Firing Exercise	Type Askunition	Number Rounds*
Table IV	7.62 or .50 cal.	66
Table V	7.62 or .50 cal.	68
CIPT	7.62 .50 caliber	100 150
	SABOT	14
	HEAT	9

^{*}Ammunition for one day run and one night run. The amounts shown does not include ammunition for zeroing.

ENCLOSURE 7. TARGETS

Following is a list of targets required to support the TCST program.

Activity	Targets	Number
Company boresight and zero range	7 $1/2 \times 7 1/2$ main gun boresight panel	1
	7 1/2 x 7 1/2 main gun zero panel w/simulated shot group	1
	3' x 5' coax boresight panel	1
	3" x 5" coax zero panel w/simulated shot group	1
	3" x 5" .50 cal. boresight panel	1
	3" x 5" .50 caliber zero panel w/simulated shot group	1
Local training area boresight and zero range	Same as above	Same as above
Laser firing range	See TC 17-12-5	
Live firing range		
Table IV	Scaled stationary	13
	Scaled moving	5
Table V	Scaled stationary	. 20
CIPT	Full scale, stationary tank, front	8
	Full scale, stationary tank, side	1
	Full scale, moving tank, side	3
	Full scale, stationary truck, front	1
	Full scale, moving truck, side	1
	Silhouettes, group of six	2

ANNEX 2

TRAINING ASSETS INVENTORY

This annex includes inventory forms which are used at battalion and company levels to determine the status of training assets required for the TCST program. An explanation of the column headings follow.

Physical Assets Inventory Form

- . Item and Description. Self explanatory.
- . Authorization, battalion-company. This column indicates the quantities authorized. The battalion sub-column quantities are a summation of the companies authorization plus additional items required at battalion level.
- . On hand. This column is filled in at company level and consolidated at battalion level.
- . Over/Under. This column is filled in at company level and consolidated at battalion level. It serves as a source for requisitioning shortages at company and battalion level and for reallocation of assets at battalion level.
- . Remarks. This column is used for general remarks to include serviceability and maintenance comments.

NOTES:

- 1. Request from MTA.
- Authorization level is in accordance with current allocation.
- 3. See TC 17-12-5.

PHYSICAL ASSETS INVENTORY

ITEM AND DESCRIPTION	AUTH BN CO	ON HAND	OVER/ UNDER	remarks
TCST MATERIAL				
Duty Position Readiness Tests		·		
DRIVER]	,		
A-Opn checks & svcs (W) B-Before ops procedures	41-13			
(HO)	41-13	•	1	
C-Target acquisition (W) D-Locating & reporting	41-13			•
targets (HO)	41-13	}	}	
E-Tactical driving (HO)	41-13		1	
LOADER			}	
A-Weapons maintenance (W) B-Weapons maintenance	41-13			
(HO)	41-13	i i	1	
C-Mission preparation (W)	41-13	}	1	
D-Mission preparation	ĺ	,	1	
(HO)	41-13	}	}	
E-Combat loading (W)	41-13			
F-Combat loading (HO)	41-13	}	1	
G-Target acquisition (W)	41-13		1	
H-Locating & reporting				·
targets (HO)	41-13			
CUNNER				
A-Weapon maintenance (W)	41-13	1		
B-Weapons maintenance (HO)	41-13	i 1	1	
C-Before ops procedures			1	
(HO)	41-13			
D-Weapons systems prep (W)	41-13			
E-Weapon systems prep (HO)				
F-Combat loading (W)	41-13	}	}	
G-Combat loading (HO)	41-13			
H-Target acquisition (W)	41-13	Ì	1	
I-Locating & reporting				-
targets (HO)	41-13	(1	
J-Tactical operations (W)	41-13		1	
K-Tactical operations (HO)		j j		

ITEM AND DESCRIPTION	AUTH BN CO	ON HAND	OVER/ UNDER	remarks
TANK COMMANDER				
A-Weapons maintenance (W) B-Weapons maintenance (HO) C-Before ops procedures				
(HO)	41-13			
D-Weapon systems prep (W)				
E-Weapon systems prep (HO)			<u> </u>	
F-Combat loading (W)	41-13		}	
G-Combat loading (HO)	41-13			• .
H-Target acquisition (W)	41-13			•
I-Locating & reporting			}	
targets (HO)	41-13			
J-Tactical operations (W)	41-13]	
K-Tactical operations	41-13			
(HO)	41-13			
Duty Position Training				·
Modules	er e			
DRIVER			}	
D-1 Opn checks & svcs	77-25			
D-2 Before ops procedures	77-25			
D-3 Target acquisition	77-25			·
D-4 Locating & reporting				
targets	77-25			
D-5 Tactical driving	77-25			
LOADER				
L-1 Weapons maintenance	77-25			
L-2 Weapons maintenance	77-25			
L-3 Mission preparation	77-25			
L-4 Mission preparation	77-25			
L-5 Combat loading	77-25			
L-6 Combat loading	77-25		į	
L-7 Target acquisition	77-25			
L-8 Locating & reporting targets	77-25			

ITEM AND DESCRIPTION	AU BN	CO	ON HAND	OVER/ UNDER	REMARKS
GUNNER					
G-1 Weapons maintenance	77-	25			
G-2 Weapons maintenance	77~	25		ì	
G-3 Before ops procedures	77~	25			
G-4 Weapon systems prep	77-	25			
G-5 Weapon systems prep	77-	25			
G-6 Combat loading	77-	25			
G-7 Combat loading	77-	25	'		
G-8 Target acquisition	77-	25			
G-9 Locating & reporting	[[
targets	77-	25			
G-10 Tactical operations	77-				
G-11 Tactical operations	77-	25			
TANK COMMANDER		Ì			
TC-1 Weapons maintenance	77-	25			
TC-2 Weapons maintenance	77-	25		İ	
TC-3 Before ops procedures	77-	25			
TC-4 Weapon systems prep	77-	25			
TC-5 Weapon systems pre	77-	25			
TC-6 Combat loading	77-	25			
TC-7 Combat loading	77-	25			
TC-8 Target acquisition	77-	25			
TC-9 Locating & reporting	1	- 1			·
targets	77-	25			
TC-10 Tactical operations	77-	25			
TC-11 Tactical operations	77-	25			
Crew Interaction Perform-	}				
ance Test	41-	13			
Task Books	}	}			
169R DUVRD	1				
DRIVER .	41-				
LOADER	41-	13			
GUNNER	41-	13			
TANK COMMANDER	41-	13 l			

	AUTH	ON	OVER /	
ITEM AND DESCRIPTION	BN CO	HAND	OVER/ UNDER	REMARKS
Tank Crewmen's Readiness Book	41-13			
Tank Commander's Training Guide	41-13			
TRAINING FACILITIES				
Driving Course	1-0			
Target Acquisition Course	1-0			
Tank Crew Qualification Course (dry)	1-0			
Laser Firing Range	3–1			
Live Firing Range, Tables IV & V, CIPT	Note 1			·
equipment				
M60 Tank	Note 2			
Coax Machinegun	Note 2			
.50 Caliber Machinegun	Note 2			
Binoculars	Note 2			
Protective Mask	Note 2			
Radios	Note 2			

ITEM AND DESCRIPTION	AUTH BN CO	ON HAND	OVER/ UNDER	
TRAINING AIDS/DEVICES				
Beseler/Cue See	7-2			
Dummy Main Gun Ammo Sets	9–3			
Belt Linked Empty Coax Ammo	9-3			
Belt Linked Empty .50 Cal. Ammo	9-3			
Ammunition Stowage Plan	41-13			
Cardboard Representations Coax Ammo	270-90			
Cardboard Representations .50 Cal. Ammo	90–30			·
Replenisher Tape Mockup	9-3			
Laser Firing Device	9-3			
Conduct-of-Fire Trainer	9-3			
TEC TAPES				
020-171-1611-F Tgt range determination	4-1			ŕ
020-171-1612-F Loc & rpt tgts	4-1			

ITEM AND DESCRIPTION	AUTH BN CO	ON HAND	OVER/ UNDER	remarks
020-171-1614-F Target acquisition	4-1			
935-171-0203-F Armor vch. recognition	4-1			
020-171-5366-F Before operations maintenance	4-1			
020-171-5367-F Before operations maintenance	4-1		٠	
020-171-5368-F During/halt checks & services	4-1			
020-171-5369-F After ops checks & services	4-1			
020-171-5370-F After ops Checks & services	4-1			
020-171-1132-F Clean & lubricate coax	4-1			
020-171-1133-F Trouble- shoot coex	4-1			
020-171-5229-F Trouble- shoot M85	4-1			

ITEM AND DESCRIPTION	AUTH BM CO	ON HAND	OVER/ UNDER	remarks
020-171-5340-F RF famil.	4-1			
020-171-5343-F Opn xenon SL	4–1			
020-171-5352-F Boresight machineguns	4-1			•
020-171-5353-F Zero main gun & MGs	4-1			
020-171-5354-F Boresight xenon SL	4-1			
020-171-5355-F Boresight main gun, tele/peri	4-1			
020-171-5341-F Prepare ballistic computer for opn	4-1			
020-171-5351-F Boresight main gun tele/peri	4-1			
020-171-5337-F Aux FC instruments	4-1			
020-171-5331-F Tank ammo: selecting	4-1			
020-171-5332-F Tank ammo:	4-1			

ITEM AND DESCRIPTION	AUT BN (CO	ON HAND	OVER/ UNDER	remarks
020-171-5346-F 105mm: loading	4-:	1			
020-171-5347-F 105mm: misfire	4-:	1			
020-171-5348-F 105mm: unloading	4-	1			
020-171-5361-F Initial fire commands	4-	1	į		
020-171-5364-F Machinegun engagements	4-	1			
020-171-5342-F Preparing peri/tele opns	4-	1			
OUTSIDE SUPPORT Five Man Armor BAT Team	1-	0			
AMMUNITION		Ì			
Table IV					
7.62 or .50 caliber	2376-	-79 	2		
Table V		1			
7.62 or .50 caliber	2448-	-81	5		
		ļ			

PHYSICAL ASSETS INVENTORY (CONT'D)

ITEM AND DESCRIPTION	AU:	CO	ON HAND	OVER/ UNDER	REMARKS
Crew Interaction Perform- ance Test					
7.62 .50 caliber SABOT HEAT	3600 5400 504- 324-	-180	o I		
TARGETS					
Bn and Co Boresight Zero Ranges					
7 1/2'x 7 1/2' main gun boresight panel 7 1/2' x 7 1/2' main gun	_	-1			
zero panel 3' x 5' coax boresight	4-	-1			
panel 3' x 5' coax zero panel 3' x 5' .50 cal. bore-		-1 -1			
sight panel 3' x 5' .50 cal. zero	1	-1			
panel	4-	-1			
Laser Firing Range	Not	te 3	ı		
Live Firing Range					
Table IV-scaled sta- tionary Table IV-scaled moving Table V-scaled sta- tionary	13- 5- 20-	-0			
	1		}		

PHYSICAL ASSETS INVENTORY (CONT'D)

ITEM AND DESCRIPTION	AUTH BN CO		ON HAND	OVER/ UNDER	REMARKS
CIPT					
Fullscale-tk-stat-front Fullscale-tk-stat-side Fullscale-tk-mov-side Fullscale-trk-stat-front Fullscale-trk-mov-side Silhouettes, group of six	1. 3. 1. 1.	-0 -0 -0 -0 -0			·
CREW PERSONNEL*					
Driver	36-	-12			
Loader	36-	-12			
Gunner	36-	-12			
Tank Commander	36-	-12			
SPECIALIST PERSONNEL**					·
Training Officer or NCO Track Vehicle Mechanic		-1			·
Tank Turret Mechanic	_	-1 -1			·
C&E Equipment Mechanic		-1			
		_			

NOTES:

- * Twelve crew tank company
- ** Minimum requirements

TIME ASSETS INVENTORY

1.	2.	3.	4.	5.	6.	7.	8.	
9.	10.	11.	12.	13.	14.	15.	16,	
17.	18.	19.	20.	21.	22.	23.	24.	
25.	26.	27.	28.	29.	30.	31.	32.	
33.	34.	35.	36.	37.	38.	39.	40.	
41.	42.	43.	44.	45.	46.	47.	48.	

Unit Training Activity (UTA) Calendar

Requirements

TCST Training	•	•	•	•	•	28	1/2	UTAs
Mandatory Training	•		•	•				UTAs
Other Mission Training	•	•	•		•			UTAs
TOTAL.						48		UTAR

COMMENTS:

Appendix B

Tank Commander's Training Guide

INTRODUCTION

This appendix explains procedures for the tank commander (TC) to follow when implementing the tank crewman skills training program.

In the program the TC is responsible for training his crew to the level of crew qualification on Table VII. To accomplish this responsibility he measures the knowledge and skill level of each crewman to determine which job tasks have not been mastered, next he trains each crewman in the mastery of knowledge and skill deficient tasks, and lastly he trains his crew as a team in the mastery of crew tasks.

Training techniques which the TC uses to fulfill the above responsibility are: readiness (diagnostic) testing to determine knowledge and skill levels, remedial training to correct deficiencies noted during readiness testing, and a crew interaction performance test to evaluate team performance. Procedures for this training are contained in ARI Research Products, RP 79-13, Tank Crewman (M60Al) Readiness Tests; RP 79-14, Tank Crewman (M60Al) Training Modules; and RP 79-15, Tank Crew (M60Al) Performance Exercise.

TANK CREWMAN SKILLS TEST TRAINING (TCST) PROGRAM

The TCST program consists of a series of readiness (diagnostic) tests and remedial training modules for each crewman. In addition a crew interaction performance test is used to evaluate team performance. Annex 1 is a detailed explanation of the sequential progression for conducting the TCST program and includes a flow diagram for each crew.member.

READINESS (DIAGNOSTIC) TESTS

Readiness tests consist of a battery of separate tests for each crewmember. The battery consists of written and hands-on tests. The written tests are the pre-tests of the Army TEC program. The hands-on tests were structured for the TCST program and job tasks included reflect those indicated in appropriate technical manuals and FM 17-12, "Tank Gunnery," (See Annex 2)

TRAINING MODULES

Each readiness test has a companion training module. The modules for written tests are conducted by the self-instructional sound slide presentation method. Whereas, the modules for the hands-on tests are conducted by the audio tape controlled practice or the one-on-one instructor controlled performance methods. (See Annex 3)

CREW INTERACTION PERFORMANCE TEST

This test, administered by the company commander, is the culmination of the TCST program. It measures the crew's knowledge and skills in performing team tasks.

SCHEDULES AND TRAINING RECORDS

A major requirement for the TC is scheduling training activities of his crew members. He must consider the time available for conducting one-on-one instructor controlled performance training while at the same time scheduling other crew members on self-instructional training.

Another program task he must do is record the results of readiness testing and remedial training in the Tank Crewman Readiness Book and report the information to the company training officer/NCO for posting in the Company Crewman Readiness Record.

Annex 4 includes procedures for scheduling remedial training and maintaining training records.

ANNEX 1

PROCEDURES FOR CONDUCTING THE TCST PROGRAM

The most idealistic progression of activities within the program is: 1) written readiness tests, 2) remedial training, 3) hands-on readiness tests, 4) remedial training, 5) tank gunnery firing Tables I through VII, 6) crew interaction performance tests, and 7) remedial training. However, the limitation of time, facilities and equipment precludes this sequence of progression. A more realistic progression, which maximizes the use of limited training resources is: 1) written readiness tests, 2) hands-on readiness tests, 3) remedial training (one crewman conducts instructor controlled performance training and the other two conduct self instructional training), 4) tank gunnery firing Tables I through VI, 5) crew interaction performance tests, and 6) remedial training.

The preferred sequence of administering readiness tests and conducting remedial training within an individual crewman's program is to start with tests and training which can be conducted at the armory and finish with tests and training which requires a field site with such facilities as driving, target acquisition, and tank crew qualification (dry) courses. The following outlines the sequence of tests and training modules for each crewman's program.

- Driver Operational Checks and Services
 Before Operations Procedures and Tank
 Start Up
 Target Acquisition
 Locating and Reporting Targets
 Tactical Driving
- . Loader Weapons Maintenance
 Mission Preparation
 Combat Loading
 Target Acquisition
 Locating and Reporting Targets
- . Gunner Weapons Maintenance
 Before Operations Procedures
 Weapon Systems Preparation
 Combat Loading
 Target Acquisition
 Locating and Reporting Targets
 Tactical Operations

. Tank

Commander - Weapons Maintenance
Before Operations Procedures
Weapon Systems Preparation
Combat Loading
Target Acquisition
Locating and Reporting Targets
Tactical Operations

Figures 22a through 22d are flow diagrams illustrating the TCST program for each crewmember.




Figure 22a. DRIVER, flow diagram for TCST program.




Figure 22b. LOADER, flow diagram for TCST program.





Figure 22c. GUMNER, flow diagram for ICSI program.



Pigure 22d. TANK COMMANDER, flow diagram for ICSI program.

ANNEX 2

PROCEDURES FOR CONDUCTING READINESS TESTS

There are two types of readiness tests in the TCST program. The written tests are administered to the driver, loader, and gunner by the company training officer/NCO. Hands-on readiness tests are administered to these crewmen by their respective tank commanders.

The procedures for administering written tests are explained in enclosure 1. The tests include:

. Driver's Readiness Tests, Parts A and C.

- . Loader's Readiness Tests, Parts A, C, E, and G.
- . Gunner's Readiness Tests, Parts A, D, F, H, and J.

The procedures for administering hands-on tests are explained in enclosure 2. The tests include:

- . Driver's Readiness Tests, Parts B, D, and E.
- . Loader's Readiness Tests, Parts B, D, F, and H.
- . Gunner's Readiness Tests, Parts B, C, E, G, I, and K.

A complete list of readiness tests which shows description, action, and remedial training is in enclosure 3.

ENCLOSURE 1. PROCEDURES FOR ADMINISTERING WRITTEN READINESS TESTS

- 1. Station Set-Up: Insure the following items are present at the test site.
 - . One copy of appropriate pre-test per crew member.
 - . One pencil per crew member.
 - . Blank paper for each pre-test.
 - . One answer key for each pre-test.
 - . Sufficient seats and writing space to accomodate crew members being tested.

2. Test Procedure:

- . Issue pre-test.
- . Instruct crew members not to mark on the test booklet.
- . Instruct crew members to place their name, SSN, and date on the answer sheet.
- . Instruct crew members to begin answering questions on the pre-test.
- . Do not provide assistance to persons taking the test.
- . Collect the pre-tests and answer sheets.
- . Score the answer sheets.
- . Determine which crew members meet the standard of the readiness test and which crew members should take remedial training.

3. Scoring Standards:

- . Use the answers provided on the answer key.
- . Do not assume that a crew member knows anything that he does not write on his answer sheet.
- . Do not give partial credit for any answer.
- . The maximum and passing scores are listed in the answer key.

4. Reporting Results:

- . Record the results as "GO" or "NO GO" in the company readiness record.
- . Report the results to the tank commanders.

ENCLOSURE 2. PROCEDURES FOR ADMINISTERING HANDS-ON READINESS TESTS

Hands-on readiness tests measure skill levels of individual crew members. The role of the tank commander (scorer) is not to determine if a crew member passes or fails a task, but which tasks he knows and can perform and which tasks require additional training. The term "close enough for government work" cannot apply. The crew member either knows and can perform the task in the correct manner or he needs additional training on the task.

The steps and sequence of each task in the test areas are indicated in the M60Al operator's manual and FM 17-12, "Tank Gunnery". Although some of the tasks can be performed in a different manner, i.e., "shortcuts", it is necessary for the crew member to perform each task exactly as indicated to determine if he has absolute mastery of the skill required.

To fulfill the diagnostic function of the tests, the tank commander scores the process as well as the product of each test. The difference between process and product scoring is best described by considering the scoring of a tank main gun engagement. If the product or result of the engagement is scored, a target hit would indicate crew mastery of the skills required to fire the engagement. If the round missed the target, it would indicate that the crew requires additional training. However, it would not be known which crew member needed additional training or what training was required. By evaluating the process, i.e., individual tasks and task steps of the engagement, it can be determined which crew members need additional training and to prescribe the training required.

Readiness tests are designed to allow crew members to demonstrate their ability to perform each task correctly rather than tell the scorer (TC) how the task is performed. If an individual can tell how to correctly lift 400 lbs., it doesn't mean that he can actually lift that weight.

The tank commander's actions as the scorer of readiness tests are guided by two principles:

- . Be sure the test conditions are the same for every crew member.
- . Be sure the standard is applied evenly for every crew member.

The steps listed below indicate the procedure for administering hands-on readiness tests:

- Insure that the test site is properly set-up and equipment specified in the readiness test is present.
- . Record the crewman's name, tank number, and crew position on the score sheet.
- . Read the test requirements to the crew member and have him restate the requirements.
- . Evaluate and record every task step as it is completed.
- . Assist the crew member <u>ONLY</u> if assistance is specified in the scorer's instructions or if he is doing something that endangers himself or the equipment.
- . DO NOT answer any questions about how to perform a task.
- Answer questions about which task to perform by rereading the instructions or an appropriate portion of them.
- . If a crewman stops during a test because he forgets what to do, tell him to do the best he can and do not stop the test or time.
- . If a distraction occurs during the test, reread the part where it occurs and continue to score the test as if there had been no distraction. If the crew member fails the test, determine if the distraction was the cause of the failure and decide whether to retest him.
- . Appropriate technical manuals may be used during the test for complicated procedural tasks such as, "conduct prepare-to-fire procedures".
- At the completion of the test, record in the COMMENTS section all information which will help to determine the remedial training required.
- . Record the results of the test in Tank Crewman Readiness Book and report the results to the company training officer/NCO for posting in the Company Crewman Readiness Record.

ENCLOSURE 3. READINESS TEST OUTLINES

DRIVER'S READINESS TEST

PART A - OPERATIONAL CHECKS AND SERVICES

Description - This is a written test which measures the

driver's knowledge of basic tank maintenance

indicators and procedures.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the driver does not get a score of 90% or

better, refer to Module D-1.

PART B - BEFORE OPERATIONS PROCEDURES AND TANK START-UP

Description - This is a hands-on test which measures the

driver's ability to do tasks required to prepare for a night mission in an NBC

environment.

Action - Get a copy of the Driver's Readiness Test,

Part B from the company training officer/NCO and read the "CONDITIONS" section. A tank, protective mask, and the equipment shown in that section will be required to administer the test. The test can be completed in about

90 minutes.

Remedial Training - If the driver is scored "NO" on any task step

in the test, refer to Module D-2.

PART C - TARGET ACQUISITION

Description - This is a written test which measures the

driver's knowledge of target acquisition,

identification, reporting, and range

determination.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the driver does not get a score of 90% or

better, refer to Module D-3.

PART D - LOCATING AND REPORTING TARGETS

Description - This is a hands-on test which measures the

driver's ability to locate, identify, estimate

range to, and report location of targets.

Action -

Get a copy of the Driver's Readiness Test, Part D from the company training officer/NCO and read the "CONDITIONS" section. A tank and a target acquisition course will be required to administer the test. The test can be completed in about 45 minutes.

Remedial Training - If the driver is scored "NO" on any task step in the test, refer to Module D-4.

PART E - TACTICAL DRIVING

Description -

Action -

This is a hands-on test which measures the driver's ability to drive a tank over obstacles and during firing, and sense rounds.

Get a copy of the Driver's Readiness Test, Part E from the company training officer/NCO and read the "CONDITIONS" section. A tank and a driving course will be required to administer the test. The test can be completed in about

90 minutes.

Remedial Training - If the driver is scored "NO" on any task step in the test, refer to Module D-5.

LOADER'S READINESS TEST

PART A - WEAPONS MAINTENANCE

Description -

This is a written test which measures the

loader's knowledge of tank weapons.

Action -

The company training officer/NCO administers

the test.

Remedial Training - If the loader does not get a score of 90% or

better, refer to Module L-1.

PART B - WEAPONS MAINTENANCE

Description -

Action -

This is a hands-on test which measures the loader's ability to disassemble and reassemble the breechblock and the tank machineguns. Get a copy of the Loader's Readiness Test, Part B from the company training officer/NCO and read the "CONDITIONS" section. A tank, dummy 7.62 ammunition, and breechblock

disassembly tools will be required to administer the test. The test can be completed in about

60 minutes.

Remedial Training - If the loader is scored "NO" on any task step in the test, refer to Module L-2.

PART C - MISSION PREPARATION

<u>Description</u> - This is a written test which measures the

loader's knowledge of preoperations duties of

the loader.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the loader does not get a score of 90% or

better, refer to Module L-3.

PART D - MISSION PREPARATION

Description - This is a hands-on test which measures the

loader's ability to do preparations duties of

the loader.

Action - Get a copy of the Loader's Readiness Test,

Part D from the company training officer/NCO and read the "CONDITIONS" section. A tank, protective mask, dummy ammunition, and other

equipment shown in this section will be required to administer the test. The test can

be completed in about 60 minutes.

Remedial Training - If the loader is scored "NO" on any task step

in the test, refer to Module L-4.

PART E - COMBAT LOADING

Description - This is a written test which measures the

loader's knowledge of the skills required to

load the main gun and coax machinegun.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the loader does not get a score of 90% or

better, refer to Module L-5.

PART F - COMBAT LOADING

Description - This is a hands-on test which measures the

loader's ability to respond to fire commands and perform immediate action procedures on

the main gun and the coax machinegun.

Action - Get a copy of the Loader's Readiness Test,

Part F from the company training officer/NCO and read the "CONDITIONS" section. A tank, dummy ammunition, and a replenisher tape

mockup will be required to administer the test. The test can be completed in about 75 minutes.

Remedial Training - If the loader is scored "NO" on any task step

in the test, refer to Module L-6.

PART G - TARGET ACQUISITION

THE R. P. LEWIS CO. LANSING.

Description - This is a written test which measures the

loader's knowledge of target acquisition, identification, reporting, and range

determination.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the loader doesn't get a score of 90% or

better, refer to Module L-7.

PART H - LOCATING AND REPORTING TARGETS

Description - This is a hands-on test which measures the

loader's ability to locate, identify, estimate range to, and report location of

targets.

Action - Get a copy of the Loader's Readiness Test,

Part H from the company training officer/NCO and read the "CONDITIONS" section. A tank and a target acquisition course will be required

to administer the test. The test can be

completed in about 45 minutes.

Remedial Training - If the loader is scored "NO" on any task step

in the test, refer to Module L-8.

GUNNER'S READINESS TEST

PART A - WEAPONS MAINTENANCE

Description - This is a written test which measures the gunner's knowledge of tank machineguns.

Action - The company training officer/NCO administers the

Remedial Training - If the gunner does not score 90% or better,

refer to Module G-1.

PART B - WEAPONS MAINTENANCE

Description - This is a hands-on test which measures the

gunner's ability to disassemble and reassemble

the breechblock and the tank machineguns.

Action - Get a copy of the Gunner's Readiness Test, Part B from the company training officer/NCO and read

the "CONDITIONS" section. A tank, dummy 7.62 ammunition, and breechblock disassembly tools will be required to administer the test. The test can be completed in about 60 minutes.

Remedial Training - If the gunner is scored "NO" on any task step in the test, refer to Module G-2.

PART C - BEFORE OPERATIONS PROCEDURES

This is a hands-on test which measures the Description -

gunner's ability to do preparations duties of

the gunner.

Get a copy of the Gunner's Readiness Test, Action -

Part C from the company training officer/NCO and read the "CONDITIONS" section. A tank will be required to administer the test. The test

can be completed in about 45 minutes.

Remedial Training - If the gunner is scored "NO" on any task step

in the test, refer to Module G-3.

PART D - WEAPON SYSTEMS PREPARATION

Description -This is a written test which measures the

> gunner's knowledge of the procedure for preparing the weapon systems for operation.

Action -The company training officer/NCO administers

the test.

Remedial Training - If the gunner does not get a score of 90% or

better, refer to Module G-4.

PART E - WEAPON SYSTEMS PREPARATION

Description -This is a hands-on test which measures the

gunner's ability to prepare fire control

instruments for operation and to boresight and

zero the main gun and coax machinegun.

Action -Get a copy of the Gunner's Readiness Test.

> Part E from the company training officer/NCO and read the "CONDITIONS" section. A tank with the coax machinegun mounted and boresight and zero panels will be required to administer the

test. The test can be completed in about 75

minutes.

Remedial Training - If the gunner is scored "NO" on any task step

in the test, refer to Module G-5.

PART F - COMBAT LOADING

Description -This is a written test which measures the

gunner's knowledge of the skills required to

load the main gun and coax machinegun.

Action -The company training officer/NCO administers

the test.

Remedial Training - If the gunner does not get a score of 90% or

better, refer to Module G-6.

PART G - COMBAT LOADING

<u>Description</u> - This is a hands-on test which measures the

gunner's ability to respond to fire commands and perform immediate action procedures on

the main gun and coax machinegun.

Action - Get a copy of the Gunner's Readiness Test,

Part G from the company training officer/NCO and read the "CONDITIONS" section. A tank, dummy ammunition, and a replenisher tape mockup will be required to administer the test.

The test will take about 75 minutes.

Remedial Training - If the gunner scored "NO" on any task step in

the test, refer to Module G-7.

PART H - TARGET ACQUISITION

<u>Description</u> - This is a written test which measures the

gunner's knowledge of target acquisition, identification, reporting, and range deter-

mination.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the gunner does not get a score of 90% or

better, refer to Module G-8.

PART I - LOCATING AND REPORTING TARGETS

Description - This is a hands-on test which measures the

gunner's ability to locate, identify, estimate

range to, and report location of targets.

Action - Get a copy of the Gunner's Readiness Test,
Part K from the company training officer/NCO

and read the "CONDITIONS" section. A tank and a target acquisition course will be required to administer the test. The test can be

completed in about 45 minutes.

Remedial Training - If the gunner scored "NO" on any task step in

the test, refer to Module G-9.

PART J - TACTICAL OPERATIONS

Description - This is a written test which measures the

gunner's knowledge of ammunition settings on the ballistic computer and correct range settings and sight pictures for coax machinegun

engagements.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the gumner does not get a score of 90% or

better, refer to Module G-10.

PART K - TACTICAL OPERATIONS

Description - This is a hands-on test which measures the

gunner's ability to acquire and fire at

targets with the main gun and coax machinegun.

Action - Get a copy of the Gunner's Readiness Test,

Part K from the company training officer/NCO and read the "CONDITIONS" section. A tank with a coax machinegun mounted on a tank crew qualification course will be required to

administer the test. The test can be completed

in about 120 minutes.

Remedial Training - If the gunner scored "NO" on any task step in

the test, refer to Module G-11.

TANK COMMANDER'S READINESS TEST

PART A - WEAPONS MAINTENANCE

Description - This is a written test which measures the tank

commander's knowledge of tank machineguns.

Action - The company training officer/ NCO administers

the test.

Remedial Training - If the tank commander does not score 90% or

better, refer to Module TC-1.

PART B - WEAPONS MAINTENANCE

Description - This is a hands-on test which measures the tank

commander's ability to disassemble and reassemble

the breechblock and the tank machineguns.

Action - Get a copy of the Tank Commander's Readiness Test,

Part B from the company training officer/NCO and read the "CONDITIONS" section. A tank, dummy 7.62 ammunition, and breechblock disassembly tools will be required to administer the test.

The test can be completed in about 60 minutes.

Remedial Training - If the tank commander scored "NO" on any task

step in the test, refer to Module TC-2.

PART C - BEFORE OPERATIONS PROCEDURES

Description - This is a hands-on test which measures the tank

commanders ability to do preparation duties of

the tank commander.

Action - Get a copy of the Tank Commander's Readiness Test,

Part C from the company training officer/NCO and read the "CONDITIONS" section. A tank will be required to administer the test. The test can be

completed in about 45 minutes.

Remedial Training - If the tank commander scored "NO" on any task step in the test, refer to Module TC-3.

PART D - WEAPON SYSTEMS PREPARATION

Description - This is a written test which measures the tank

commander's knowledge of procedures for preparing

weapon systems for operation.

Action - The company training officer/NCO administers the

test.

Remedial Training - If the tank commander does not score 90% or

better, refer to Module TC-4.

PART E - WEAPON SYSTEMS PREPARATION

Description - This is a hands-on test which measures the tank

commander's ability to prepare fire control instruments for operation and to boresight and

zero the main gun and the tank machineguns.

Action - Get a copy of the Tank Commander's Readiness

Get a copy of the Tank Commander's Readiness Test,
Part E from the company training officer/NCO and

read the "CONDITIONS" section. A tank with

machineguns mounted will be required to administer the test. The test can be completed in about 75

minutes.

Remedial Training - If the tank commander scored "NO" on any task step

in the test, refer to Module TC-5.

PART F - COMBAT LOADING

<u>Description</u> - This is a written test which measures the tank

commander's knowledge of the skills required to

load the main gun and the tank machineguns.

The company training officer/NCO administers the

test.

Remedial Training - If the tank commander does not get a score of 90%

or better, refer to Module TC-6.

PART G - COMBAT LOADING

Action -

<u>Description</u> - This is a hands-on test which measures the tank

commander's ability to respond to fire commands and perform immediate action procedures on the

main gun and tank machineguns.

Action - Get a copy of the Tank Commander's Readiness Test,

Part G from the training officer/NCO and read the "CONDITIONS" section. A tank, dummy ammunition, and a replenisher tape mockup will be required to administer the test. The test will take about 75

minutes.

Remedial Training - If the tank commander scored "NO" on any task step

in the test, refer to Module TC-7.

PART H - TARGET ACQUISITION

Description - This is a written test which measures the tank

commander's knowledge of target acquisition, identification, reporting and range determina-

tion.

Action - The company training officer/NCO administers

the test.

Remedial Training - If the tank commander does not get a score of

90% or better, refer to Module TC-8.

PART I - LOCATING AND REPORTING TARGETS

Description - This is a hands-on test which measures the tank

commander's ability to locate, identify, estimate

range to and report location of targets.

Action - Get a copy of the Tank Commander's Readiness Test,

Part I from the training officer/NCO and read the

"CONDITIONS" section. A tank and a target

acquisition course will be required to administer the test. The test can be completed in about 45

minutes.

Remedial Training - If the tank commander scored "NO" on any task step

in the test, refer to Module TC-9.

PART J - TACTICAL OPERATIONS

Description - This is a written test which measures the tank

commander's knowledge of correct fire commands,

and range settings and sight pictures for coax

machinegun engagements.

Action - The company training officer/NCO administers the

test.

Remedial Training - If the tank commander does not get a score of 90%

or better, refer to Module TC-10.

PART K - TACTICAL OPERATIONS

Description - This is a hands-on test which measures the tank

commander's ability to acquire and fire at targets

with the main gun and the tank machineguns.

Action - Get a copy of the Tank Commander's Readiness Test,
Part K from the company training officer/NCO and

read the "COMMENTS" section. A tank with machinegun mounted and a tank crew qualification course will be required to administer the test. The

test can be completed in about 120 minutes.

Remedial Training - If the tank commander scored "NO" on any task step

in the test, refer to Module TC-11.

ANNEX 3

PROCEDURES FOR CONDUCTING REMEDIAL TRAINING

After readiness tests have been administered and training needs have been determined, remedial training to correct deficiencies noted begins.

Each training module contains the following information.

- Pretraining conditions. This section describes the conditions which will be present if the module is needed, i.e., the section will indicate that the crewman failed a written test or tasks of a hands-on test.
- . Objective(s). This is a statement which indicates:
 - What tasks the crewman will be able to perform after training.
 - How he will know when to perform the task(s).
 - When he will perform the task(s).
 - How well he will perform the task(s).
 - What he can use to help him perform the task(s).
 - How he will perform the task(s).

- Method. This is a statement of how the training will be conducted. There are three different type modules.
 - Self-instructional sound-slide presentation with written response. The crewman views a sound slide TEC program on a Beseler Cue/See projector. The crewman controls the speed of the program to accommodate his learning speed. (The TEC programs and projector are available from the training officer/NCO.)
 - Audio tape controlled practice. The crewman obtains an audio cassette recording and cassette player from the training officer/NCO. The crewman follows the instructions on the cassette to practice the task to be learned until he feels that he can master it. Then the tank commander tests the crewman to make sure he can do the task.

(This training method frees the tank commander to conduct one-on-one instructor controlled performance training with another crewman.)

- One-on-one instructor controlled performance training. In this method, the tank commander "talks the crewman through" the task or task elements to be learned. It is important that the crewman performs the task as oral directions are given. The tank commander should not spend long periods explaining or showing the crewman how to perform the task while he listens or watches, this will slow down the learning process.
- Equipment and Materials. This is a list of equipment and materials needed to conduct the training.
- . Estimated Time. The time listed in this section is an estimate as to how long it will take a crewman to learn a task or the task steps. This time and what is known about the crewman's training needs is used to plan the training time.
- . Procedure. This section is a step-by-step outline to guide the tank commander in the training.
- . Notes. Notes are included in some modules to answer questions which may arise during training.

Procedures to follow for implementing the different type training modules are explained in enclosures 1 through 3. The modules, by method, are:

- . Self-instructional sound-slide presentations.
 - Driver, D-1, D-3.1, D-3.2, D-3.3, D-3.4
 - Loader, L-1.1, L-1.2, L-1.3, L-3.1, L-3.2, L-3.3, L-5.1, L-5.2, L-7.1, L-7.2, L-7.3, L-7.4.
 - Gunner, G-1.1, G-1.2, G-1.3, G-4.1, G-4.2, G-8.1, G-8.2, G-8.3, G-8.4, G-10.
- . Audio tape controlled practice.
 - Driver, D-5.2 (alternate)
 - Loader, L-6.2

- Gunner, G-7.3

- . One-on-one instructor controlled performance training.
 - Driver, D-2, D-4, D-5.1, D-5.2, D-5.3
 - Loader, L-2, L-4, L-6.1, L-6.3, L-6.4, L-6.5, L-6.6, L-8.
 - Gunner, G-2, G-3, G-5.1, G-5.2, G-6.1, G-6.2, G-7.1, G-7.2, G-7.4, G-7.5, G-7.6, G-7.7, G-9, G-11.1, G-11.2.

A complete list of training modules indicating title, pretraining conditions, type of instruction, equipment, and time is at enclosure 4.

ENCLOSURE 1. PROCEDURES FOR SELF-INSTRUCTIONAL SOUND-SLIDE PRESENTATION REMEDIAL TRAINING

Self-instructional sound-slide presentation training frees the tank commender to conduct one-on-one instructor controlled performance training with another crew member. The steps shown below are followed when conducting this type of training:

- . Determine crewman's training need from readiness test records.
- . Inform crewman of which TEC programs to review.
- . Inform crewman of TEC program schedule or obtain TEC programs and Beseler Cue/See from training officer/NCO.
- . Crewman views TEC program.

The state of the s

- . Monitor crewman's viewing of TEC program.
- . Crewman takes TEC program post-test.
- . Check crewman's post-test results.
- . Change "NO GO" status in Tank Crewman Readiness Book to a "GO" status and notify company training officer/NCO.

ENCLOSURE 2. PROCEDURES FOR AUDIO TAPE CONTROLLED PRACTICE REMEDIAL TRAINING

This type of self-instruction allows the crewman to learn skills on the actual equipment while following the directions of an audio tape. It also frees the tank commander to train other crew members. The steps to follow in this type of training are shown below:

- . Determine crewman's training need from readiness test records.
- . Inform crewman of which tape to practice with.
- . Obtain audio cassette recording and cassette player from training officer/NCO.
- . Obtain necessary equipment for crewman to train on.
- . Crewman plugs cassette player into tank intercommunications system and takes appropriate crew station.
- . Crewman follows tape instructions and practices task performance.
- . Check crewman's mastery of task(s).
- . Change "NO GO" status in Tank Crewman Readiness Book to a "GO" status and notify company training officer/NCO.

ENCLOSURE 3. PROCEDURES FOR ONE-ON-ONE INSTRUCTOR CONTROLLED PERFORMANCE TRAINING

One-on-one instructor controlled performance training allows the crewman to conduct hands-on training with actual equipment. This type of training demands that the tank commander (TC) be thoroughly knowledgeable and skilled in crewman tasks. The steps listed below explains the procedures to follow.

Preparation.

Determine crewman's training needs from readiness test records.

Obtain appropriate readiness test.

- . Knowledge of the readiness test is necessary for adequate emphasis of task steps during instruction.
- . The readiness test must be present to adequately check crewman performance after training.
- . The readiness test is required to identify the task(s) or task steps the crew member must learn.

Identify all acts and key points in the performance of the test.

- . The TC performs the task and pays careful attention to everything he does, regardless of how small an act may be, and asks himself why he does every step.
- Note all possibilities for injury of self or others and how to avoid them.
- . Note all possibilities for damage to equipment or materials and how to avoid them.
- . Note all specific acts that must be done in sequence for adequate task performance.
- . Note all specific acts that must be done at certain points to make the task easier.
- . Note all states (conditions) of equipment or materials at certain points to make the task easier.

Prepare the set-up for demonstration so that the crewman can clearly see and hear.

- . Ensure that all equipment and materials are in the proper conditions to begin the task; e.g., power switches in proper position.
- . Assure that the crewman is in a position to clearly see the demonstration and hear the explanations. (If the engine must be running, use the intercom.)
- . When appropriate, provide the crewman with job aids, such as a task book or manual.

Presentation.

Introduction.

- Briefly identify the equipment and/or materials and state their purpose.
 - Simply identify the equipment and/or materials by name.
 - Simply state what it does or its usefulness, but DO NOT give "nice-to-know" information such as historical background, technical characteristics, or HOW it does what it does.
- . Precisely state the training objective.
 - Tell the crewman exactly what he must be able to do upon completion of training.
- . Explain why he must accurately perform the task within the specified time limit.
 - Explain in a straight-forward manner.

 DO NOT waste time telling "war stories" or other anecdotes.
- . Explain the demonstration phase. (If used)
 - "I will demonstrate and explain how to _____, step-by-step while you watch and listen.
 - "After I perform and explain each step, you should ask questions about anything you don't understand."

- "When you feel you understand each step, you will immediately do it before I show you the next step."
- . Explain the walk-through phase.
 - "During this phase, don't try for speed, but concentrate on doing each task accurately and safely."
- . Explain the free-practice phase.
 - "When you know how to do each step in the correct sequence, you can start practicing for speed."
 - "When you think you have mastered the task, let me know and I will check your performance."
- . Explain the testing phase.
 - "When I check you out, if you do the task properly, I will tell you that your training is finished."

Demonstration Phase

. This phase will only be used if both the tank commander and the crewman have a set of equipment, e.g., dismounted coax machineguns. This will not be possible for most TCST tasks inside the turret. The rule to follow is, DO NOT explain or demonstrate if the crewman is not able to perform along with the demonstration. For all tasks which cannot be demonstrated according to this rule, go directly to the walk through phase.

Walk Through Phase

- . Emphasize that the crewman must perform the task as it was explained to him.
- . Explain one step at a time in accordance with the readiness test.
 - Identify and point out the part or parts he will work with or in each step.
 - Explain what he will do, then how he will do it, and explain again how to do it as he does it.

- Strongly emphasize each key point noted in the analysis of the task.
- Explain why a step must be performed in a particular way. (to prevent injury, damage, or to avoid unnecessary difficulties in performing the step.)
- After explaining and talking the crewman through each step, ask for and answer relevant questions, but defer irrelevant questions.
- . Pace the showing and explaining to the learning speed of the crewman.
 - Judge the appropriateness of the pace by the number and kinds of questions the crewman asks.
 - If he does not ask questions, ask him questions to check his understanding.
 - Reinforce correct performance by saying "That's right", "Good", "Fine", or the like.

Supervised Practice Phase

- . Allow the crewman to practice the task.
 - Coach the crewman as required.
 - Reinforce correct performance.

Free Practice Phase

- . Instruct the crewman to continue practice to develop skills.
 - Remind the crewman of the time standard.
- . Instruct the crewman to announce when he thinks he is ready for a check out on the skill.
- . Observe the crewman during practice to be sure he adheres to the correct procedure.

Testing Phase

. Administer the task(s) exactly as called for in the readiness test.

- If the crewman correctly performs the task, inform him that it is a "GO", and change the "NO GO" rating to a "GO" rating in the Tank Crewman Readiness Book.
- If time permits, require a "NO GO" crewman to continue practice.
- If time does not permit, reschedule a "NO GO" crewman.
- Notify the company training officer/NCO of any change in the crewman's training status.

ENCLOSURE 4. LIST OF TRAINING MODULES

DRIVER MODULE	TITLE	PRETRAINING CONDITION	TYPE INSTRUC- TION	EQUIPMENT	TIME (MIN)
D-1	Operational Checks and Services	Failed written test 020-171- 5366-F thru 5370-F (Part A, DV/RT)	TEC	TEC 020-171-5366-F thru 5370-F	60-300
D-2	Before Operations Procedures and Tank Start-Up	Passed Part A, DV/RT but failed Part B, DV/RT	Hands on	M60A1	60
D-3.1	Target Range Estimation	Failed written test 020-171- 1611-F (Part C, DV/RT)	TEC	TEC 020-171-1611-F	30
D-3.2	Locating and Reporting Targets	Failed written test 020-171- 1612-F (Part C, DV/RT)	TEC	TEC 020-171-1612-F	30
D-3.3	Target Acquisi- tion Scanning Techniques	Failed written test 020-171- 1614-F (Part C, DV/RT)	TEC .	TEC 020-171-1614-F	30
D-3.4	Armor Vehicle Recognition	Failed written test 935-171- 0203-F (Part C, DV/RT)	TEC	TEC 935-171-0203-F	60
D-4	Locating and Reporting Targets	Passed Part C, DV/RT but failed Part D, DV/RT	Hands on	M60Al and target acquisition course	60–120
D-5.1	Varied Terrain Driving	Failed terrain driving Part E, DV/RT	Hands on	M60Al and driving course	60-120
D-5.2	Target Engagement Driving	Failed engage- ment driving Part E, DV/RT	Hands on	M60Al and driving course	60-120
D-5.3	Sensing Rounds	Failed sensing rounds, Part E, DV/RT	Hands on	M60Al and driving course	60

LOADER					
L-1.1	Cleaning, Inspection, and Lubricating Coax	Failed written test 020-171- 1132-F (Part A, LD/RT)	TEC	TEC 020-171-1132-F	60
L-1.2	Troubleshooting Coax	Failed written test 020-171- 1133-F (Part A, LD/RT)	TEC	TEC 020-171-1133-F	60
L-1.3	Troubleshooting M85 Machinegun	Failed written test 020-171- 5229-F (Part A, LD/RT)	TEC	TEC 020-171-5229-F	60
L-2	Weapons Mainte- nance	Passed Part A, LD/RT but failed Part B, LD/RT.	Hands On	M60A1	60
L-3.1	Operational Checks and Services	Failed written test 020-171- 5366-F thru 5370-F (Part C, LD/RT)	TEC	TEC 020-171-5366-F thru 5370-F	60-300
L-3.2	Ammunition Selecting and Handling	Failed written test 020-171- 5331-F and 020- 171-5332-F Part C, LD/RT)	TEC	TEC 020-171-5331-F and 020-171-5332-F	60-120
L-3.3	Boresighting the Coax	Failed written test 020-171- 5352-F (Part C, LD/RT)	TEC	TEC 020-171-5352-F	60
L-4	Mission Prepara- tion	Passed Part C, LD/RT but failed Part D, LD/RT	Hands On	M60A1	120–180
L-5.1	Loading Ammuni- tion	Failed written test 020-171- 5346-F (Part E, LD/RT)	TEC	TEC 020-171-5346-F	60
L-5.2	Misfire and Unloading Pro- cedures	Failed written test 020-171- 5347-F and 020-171-5348-F (Part E, LD/RT)	TEC	TEC 020-171-5347-F and 020-171-5348-F	120
L-6.1	Replenisher Tape Reading	Failed replen- isher tape section, Part F, LD/RT	Hands On	Replenisher Tape Mockup	30
L-6.2	Load Main Gun in Response to Fire Commands	Passed Part E, LD/RT but failed Part F, LD/RT	Hands On	M60Al and dummy ammo, audio cassett	60 e

LOADER					
L-6.3	Conduct Main Gun	Passed Part E,	Hands	M60Al and dummy	30
	Misfire Proce-	LD/RT but	On	ammo	
	dures	failed Part F,			
L-6.4	Tood and Booder	LD/RT	77	W6041 I do	30
L-0.4	Load and Ready	Passed Part E, LD/RT but	Hands On	M60Al and dummy	30
	Coax in Response to Fire Commands	failed Part F,	Ott	Simo	
	to tile wandida	LD/RT			
L-6.5	Clear, Unload,	Passed Part E,	Hands	M60Al and dummy	30
	and Reduce Coax	LD/RT but	On	ammo	
	Stoppage	failed Part F,			
	**************************************	LD/RT			
L-6.6	•	Passed Part E,	Hands	M60Al and dummy	30
	Reduce Stoppage	LD/RT but	On	ammo	
	M85	failed Part F, LD/RT		•	
L-7.1	Target Range	Failed written	TEC	TEC 020-171-1611-F	30
	Estimation	test 020-171-			
		1611-F (Part			
		G, LD/RT)			
L-7.2	Locating and	Failed written	TEC	TEC 020-171-1612-F	30
	Reporting Targets	test 020-171-		•	
		1612-F (Part			
L-7.3	Towns Assistantis	G, LD/RT) Failed written	TEC	TEC 020-171-1614-F	30
L-7.3	Target Acquisi-	test 020-171-	IEC	1EC 020-1/1-1014-F	30
	CION	1614-F (Part			
		G, LD/RT)			
L-7.4	Armor Vehicle	Failed written	TEC	TEC 935-171-0203-F	60
	Recognition	test 935-171-			
		0203-F (Part			
		G, LD/RT)			
L-8	Locating and	Passed Part G,	Hands	M60Al and target	60-120
	Reporting Targets	LD/RT but failed Part H,	On	acquisition course	
		LD/RT			
GUNNER					
G-1.1	Cleaning, Inspec-	Failed written	TEC	TEC 020-171-1132-F	60
	tion, and Lubri-	test 020-171-	•		
	cating Coax	1132-F (Part			
		A, GN/RT)		(200 000 171 1100 2	
G-1.2	Troubleshooting	Failed written test 020-171-	TEC	TPC 020-171-1133-F	60
	Coax	1133-F (Part			
		A, GN/RT)			
G-2	Weapons Mainte-	Passed Part A.	Hands	M60Al, coax and 50	60
	nance	GN/RT but	On	cal. machinegun,	
		failed Part B,		gun roll	
		GN/RT			

G-3	Before Operations Procedures	Failed Part C, GN/RT	Hands On	M60Al w/gas partic- ulate unit & masks	30
G-4.1	Boresight Weapon Systems	Failed written test 020-171- 5351-F, 020- 171-5355-F, 020-171-5342-F, 020-171-5337-F, 020-171-5354-F, 020-171-5352-F, and 020-171- 5341-F (Part D, GN/RT)	TEC	TEC 020-171-5351-F, 020-171-5355-F, 020-171-5342-F, 020-171-5337-F, 020-171-5354-F, 020-171-5352-F, and 020-171-5341-F	420
G-4.2	Zero Weapon Systems	Failed written test 020-171- 5353-F (Part D, GN/RT)	TEC	TEC 020-171-5353-F	60
G-5.1	Boresight Weapon Systems	Passed Part D, GN/RT but failed Part E, GN/RT	Hands On	M60Al w/coax and boresight panel & range	60
G-5.2	Zero Weapon Systems	Passed Part D, GN/RT but failed Part E, GN/RT	Hands On	M60Al w/coax and zero panels & range	30
G-6.1	Selecting and Handling Tank Ammunition	Failed written test 020-171- 5331-F and 020-171-5332-F (Part F, GN/RT)	TEC	TEC 020-171-5331-F and 020-171-5332-F	120
G-6.2	Loading, Misfire Procedures, and Unloading Main Gun	Failed written test 020-171- 5346-F, 020- 171-5347-F, and 020-171- 5348-F (Part F, GN/RT)	TEC	TEC 020-171-5346-F, 020-171-5347-F, and 020-171-5348-F	180
G-7.1	Stow Tank Ammunition	Passed Part F, GN/RT but failed Part G, GN/RT	Hands On	M60Al w/dummy main gun and machinegun ammo	60
G-7.2	Replenisher Tape Reading	Passed Part F, GN/RT but failed Part G, GN/RT	Hands On	Replenisher tape mockup	30
G-7.3	Load Main Gun in Response to Fire Commands	Passed Part F, GN/RT but failed Part G, GN/RT	Hands On	M60Al, dummy ammo, audio cassette	60
G-7.4	Conduct Main Gun Misfire Proce- dures	Passed Part F, GN/RT but failed Part G, GN/RT	Hands On	M60Al, dummy main gun ammo	30

G-7.5	Load and Ready Coax in Response to Fire Commands	Passed Part F, GN/RT but failed Part G, GN/RT	Hands On	M60Al w/coax and dummy machinegun ammo	30
G-7.6	Clear, Unload, and Reduce Coax Stoppage	Passed Part F, GN/RT but failed Part G, GN/RT	Hands On	M60Al w/coax and dummy machinegun ammo	30
G-7.7	Load, Clear, and Reduce Stoppage M85 Machinegun	Passed Part F, GN/RT but failed Part G, GN/RT	Hands On	M60Al w/M85 and dummy machinegun ammo	30
G-8.1	Target Range Estimation	Failed written test 020-171- 1611-F (Part H, GN/RT)	TEC	TEC 020-171-1611-F	30
G-8.2	Locating and Reporting Targets	Failed written test 020-171- 1612-F (Part H, GN/RT)	TEC	TEC 020-171-1612-F	30
G-8.3	Target Acquisi- tion Scanning Techniques	Failed written test 020-171- 1614-F (Part H, GN/RT)	TEC	TEC 020-171-1614-F	30
G-8.4	Armor Vehicle Recognition	Failed written test 935-171- 0203-F (Part H, GN/RT)	TEC	TEC 935-171-0203-F	60
G-9	Locating and Reporting Targets	Passed Part H, GN/RT but failed Part I, GN/RT	Hands On	M60Al and target acquisition course	60-120
G-10	Tactical Operations I	Failed written test 020-171- 5364-F (Part J, GN/RT)	TEC	TEC 020-171-5364-F	30
G-11.1	Target Engage- ments (COFT)	Passed Part J, GN/RT but failed Part K, GN/RT	Hands On	M60Al w/laser firing devices and COFT	120-240
G-11.2	Target Engage- ments	Passed Part J, GN/RT but failed Part K, GN/RT	Hands On	M60Al and tank crew qualification course	120

TC-1.1	Cleaning, Inspec-	Failed written	TEC	TEC 020-171-1132-F	60
	tion, and Lubri-	test 020-171-			
	cating Coax	1132-F (Part			
	· ·	A, TC/RT)			
TC-1.2	Troubleshooting	Failed written	TEC	TEC 020-171-1133-F	60
	Coax	test 020-171-			
		1133-F (Part			
		A, TC/RT)			
TC-1.3	Troubleshooting	Failed written	TEC	TEC 020-171-5229-F	60
	M85 Machinegun	test 020-171-			
		5229-F (Part			
TC-2	Weapons Mainte-	A, TC/RT) Passed Part A,	Handa	M60Al w/coax and	60
10-2	nance II	TC/RT but	On	cal50 machine-	00
	Hance II	failed Part B,	OII	gun and gun roll	
	•	TC/RT		Smr grun Pall LOTT	•
TC-3	Before Opera-	Failed Part C,	Hands	M60Al w/gas partic-	30
· •	tions Procedures	TC/RT	On	ulate unit and mask	
TC-4.1	Boresight Weapon	Failed written	TEC	TEC 020-171-5340-F,	480
	Systems	test 020-171-		020-171-5343-F,	
		5340-F, 020-		020-171-5352-F,	
		171-5343-F,		020-171-5354-F,	
		020-171-5352-F,		020-171-5355-F,	
		020-171-5354-F,		·020-171-5341-F,	
		020-171-5355-F,		020-171-5351-F, and	
		020-171-5341 - F,	•	020-171-5337-F	
		020-171-5351-F,			
		020-171-5337-F,			
		(Part D, TC/RT)			
TC-4.2	Zero Weapon	Failed written	TEC	TEC 020-171-5353-F	60
	Systems	test 020-171-			
		5353-F (Part			
mo f 1	Demonstrate Manager	D, TC/RT)	77 3 -	W6041/	(0
TC-5.1	Boresight Weapon	Passed Part D,		M60Al w/machineguns and boresight panels	60
	Systems	TC/RT but failed Part E,	On	and poresidur banels	
		TC/RT			
TC-5.2	Ranging Test	Failed ranging	Handa	M60Al w/ranging	60
		test Part E-10,		panels	-
		TC/RT			
TC-5.3	Zero Weapon	Passed Part D,	Hands	M60Al w/machineguns	30
	Systems	TC/RT but	On	and zero panels	
	-	failed Part E,		-	
		TC/RT			
TC-6.1	Selecting and	Failed written	TEC	TEC 020-171-5331-F	120
	Handling Tank	test 020-171-		and 020-171-5332-F	
	Ammunition	5331-F and 020-		·	
		171-5332-F			
		(Part F, TC/RT)			

TC-6.2	Loading, Misfire Procedures, and Unloading Main Gun	Failed written test 020-171- 5346-F, 020- 171-5347-F, and 020-171- 5348-F (Part F, TC/RT)	TEC	TEC 020-171-5346-F, 020-171-5347-F, and 020-171-5348	180
TC-7.1	Stow Tank Ammunition	Passed Part F, TC/RT but failed Part G, TC/RT	Hands On	M60Al w/dummy main gun and machinegun ammo	60
TC-7.2	Replenisher Tape Reading	Passed Part F, TC/RT but failed Part G, TC/RT	Hands On	Replenisher tape mockup	30
TC-7.3	Load Main Gun in Response to Fire Commands	Passed Part F, TC/RT but failed Part G, TC/RT	Hands On	M60Al w/dummy ammo and audio cassettes	60
TC-7.4	Conduct Main Gun Misfire Proce- dures	Passed Part F, TC/RT but failed Part G, TC/RT	Hands On	M60Al w/dummy main gun ammo	30
TC-7.5	Load and Ready Coax in Response to Fire Commands	Passed Part F, TC/RT but failed Part G, TC/RT	Hands On	M60Al w/coax and dummy machinegun ammo	30
TC-7.6	Clear, Unload, and Reduce Coax Stoppage	Passed Part F, TC/RT but failed Part G, TC/RT	Hands On	M60Al w/coax and dummy machinegun ammo	30
TC-7.7	Load, Clear, and Reduce Stoppage M85 Machinegun	Passed Part F, TC/RT but failed Part G, TC/RT	Hands On	M60Al w/M85 and dummy machinegun ammo	30
TC-8.1	Target Range Estimation	Failed written test 020-171- 1611-F (Part H, TC/RT)	TEC	TEC 020-171-1611-F	30
TC-8.2	Locating and Reporting Targets	Failed written	TEC	TEC 020-171-1612-F	30
TC-8.3	Target Acquisi- tion Scanning Techniques	Failed written test 020-171- 1614-F (Part H, TC/RT)	TEC	TEC 020-171-1614-F	30
TC-8.4	Armor Vehicle Recognition	Failed written test 935-171- 0203-F (Part H, TC/RT)	TEC	TEC 935-171-0203-F	60

TC-9	Locating and Reporting Targets	Passed Part H, TC/RT but failed Part I, TC/RT	Hands On	M60Al and target acquisition course	60–120
TC-10	Tactical Operations I	Failed written test 020-171- 5361-F and 020- 171-5364-F (Part J, TC/RT)	TEC	TEC 020-171-5361-F and 020-171-5364-F	120
TC-11	Tactical Operations II	Passed Part J, TC/RT but failed Part K, TC/RT	Hands On	M60Al and tank crew qualification course	120

ANNEX 4

PROCEDURES FOR SCHEDULING REMEDIAL TRAINING AND MAINTAINING TRAINING RECORDS

A complex job that the tank commander (TC) has to perform in the TCST program is managing training in such a way that valuable time is not wasted. After readiness tests have been completed and the results recorded, the TC schedules remedial training for his crew. Each crew member will require a number of different training modules, and compounding the problem, every tank crew in the company will have similar training needs. Enclosure 1 is an example of how this problem can be resolved.

Another function of the TC is to maintain training records. He posts each crewman's progress in the Tank Crewman Readiness Book and provides the company training officer/NCO with any changes in a crewman's training record. The information in the book will aid the TC in scheduling the activities of the next training period. Enclosure 2 illustrates and explains the training records the TC uses.

ENCLOSURE 1. SCHEDULING REMEDIAL TRAINING

Scheduling remedial training requires the following actions by the tank commander (TC):

- . Review readiness test results to determine training needs.
- . Identify training modules required to correct knowledge and skill deficiencies.
- . Coordinate with the company training officer/NCO for necessary training resources.
- . Schedule training to maximize training time.

EXAMPLE:

A review of readiness test results indicates that crewmen failed the readiness tests indicated below. A crosscheck of the training modules list (Encl 4, Annex C) indicate that the modules shown below are required to correct the training deficiencies.

Driver		Loade	<u>r</u>	Gunner		
RT -	<u>TM</u>	<u>RT</u> -	<u>TM</u>	<u>RT</u> -	<u>TM</u>	
Part B	D-2	Part A	L-1.1	Part C	G-3	
Part C	D-3.1	Part B	L-2	Part D	G-4.2	
Part C	D-3.2	Part C	L-3.2	Part E	G-5.1	
Part C	D-3.3	Part C	L-6.2	Part E	G-5.2	

After the TC identifies training needs, he coordinates with the training officer/NCO as to the availability of training resources. He will ask if TEC programs are scheduled, if equipment is available and when, and if facilities are available and when. From the answers he gets from these questions, the TC schedules his crew's training.

From enclosure 4, Annex 3, the TC can determine the TEC programs required for each training module, that Loader's module L-6.2 is self-instructional with audio tape, and that gunner's modules G-5.1 and G-5.2 can only be given at a boresight/zero range. With the information he now has, the TC places the modules in a matrix shown on the following page.

Driver		Los	Loader		Gunner		
Hands-On (Min)	Sound-Slide/ Audio Tape (Min)	Hands-On (Min)	Sound-Slide/ Audio Tape (Min)	Hands-On (Min)	Sound-Slide/ Audio Tape . (Min)		
D÷2 (60)	D-3.1 (30) D-3.2 (30) D-3.3 (30)	L-2 (60)	L-1.1 (60) L-3.2 (120) L-6.2 (60)	G-3 (30) G-5.1 (60) G-5.2 (30)	G-4.2 (60)		

To satisfy the above schedule, a tank will be needed for 3 1/2 hours in the amory and for 1 1/2 hours at the boresight/zero range. Six TEC programs and one audio cassette will be required for various crew members. The driver will require 1 hour on a tank, the loader 2, and the gunner 2. TEC programs are scheduled so as not to interfere with the use of a tank.

ENCLOSURE 2. TRAINING RECORDS

The tank commander maintains the status of his crew's training progress in the Tank Crewman Readiness Book. The book is pocket size and has a section for each crew member. Each section contains a list of knowledge readiness tests and a list of major skill tasks. A page from the gunner's section of the Tank Crewman's Readiness Book is shown below.

Combat Loading (Cont'd.)

RT PART	DESCRIPTION	GO	NO GO	DATE
F	Ready coax in response to fire commands			
*	Clear and unload coax			
F*	Apply immediate action to reduce coax stoppage			:
r *	Change coax barrel	,		
F#*	Clear and unload M85			
F ^{#*}	Apply immediate action to reduce M85 stoppage			

Locating and Reporting Targets

Н	Conduct quick search scan of the area		
н*	Locate and identify targets in the area		
H	Estimate range to targets in the area		

The steps listed below are followed when using the Tank Crewman Readiness Book:

- . Enter the crew member's names, tank number, and unit on the front of the book.
- . Make all entries in pencil.

- . Record the results of the readiness test by making an X in the GO or NO GO column. Enter the date of the readiness test.
- . Upon the successful completion of a training module erase the X under the NO GO column and record an X in the GO column. Enter the date that the module was successfully completed.
- . If a crew member is changed during the training, enter his training status on the "Notes" page of the specific crew position section.
- . Cross training tasks required by TCGST, FM 17-12-2 are indicated by an asterisk. Other crosstraining tasks are indicated by the number symbol.

The results of readiness tests and remedial training will be reported to the company training officer/NCO for posting on the Company Crewman Readiness Record.