

AD-A099 472

NATIONAL RESEARCH COUNCIL WASHINGTON DC COMMITTEE ON--ETC F/6 6/19
THE EFFECTS ON HUMAN HEALTH FROM LONG-TERM EXPOSURES TO NOISE.(U)
FEB 81

N00014-80-C-0159


NL

UNCLASSIFIED

1 of 1
ADA
000000



END
DATE
FILMED
6-81
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

N
R
C

NAS
NAE
IOM

AD A099472

Contract N00014-80-C-0159

Feb 11 12 16

① LEVEL II

THE EFFECTS ON HUMAN HEALTH FROM LONG-TERM EXPOSURES TO NOISE

Report of Working Group 81 ✓

Committee on Hearing, Bioacoustics, and Biomechanics
Assembly of Behavioral and Social Sciences
National Research Council

DTIC
ELECTE
S MAY 28 1981 D
B

National Academy Press
Washington, D. C.
1981

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

NOTICE: The project that is the subject of this report was approved by the Governing Board of the National Research Council, whose members are drawn from the councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The members of the committee responsible for the report were chosen for their special competences and with regard for appropriate balance.

This report has been reviewed by a group other than the authors according to procedures approved by a Report Review Committee consisting of members of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine.

The National Research Council was established by the National Academy of Sciences in 1916 to associate the broad community of science and technology with the Academy's purposes of furthering knowledge and of advising the federal government. The Council operates in accordance with general policies determined by the Academy under the authority of its congressional charter of 1963, which establishes the Academy as a private, nonprofit, self-governing membership corporation. The Council has become the principal operating agency of both the National Academy of Sciences and the National Academy of Engineering in the conduct of their services to the government, the public, and the scientific and engineering communities. It is administered jointly by both Academies and the Institute of Medicine. The National Academy of Engineering and the Institute of Medicine were established in 1964 and 1970, respectively, under the charter of the National Academy of Sciences.

This work relates to Department of the Navy Contract N00014-80-C-0159 issued by the Office of Naval Research under Contract Authority NR 201-124. However, the content does not necessarily reflect the position or the policy of the Department of the Navy or the Government, and no official endorsement should be inferred.

The United States Government has at least a royalty-free, non-exclusive and irrevocable license throughout the world for government purposes to publish, translate, reproduce, deliver, perform, dispose of, and to authorize others so to do, all or any portion of this work.

WORKING GROUP 81

ARAM GLORIG (Chairman), Otologic Medical Group, Inc., Los Angeles,
California

JEFFREY S. AUGENSTEIN, Division of Auditory Research, University of
Miami Medical School

ELDON EAGLES, National Institute of Neurological and Communicative
Disorders and Stroke, National Institutes of Health (retired)

WALTON L. JONES, Office of Occupational Medicine, National Aeronautics
and Space Administration

KARL KRYTER, Stanford Research Institute International, Menlo Park,
California

CHARLES NIXON, Aeromedical Research Laboratory, Wright-Patterson Air
Force Base, Ohio

ERNEST PETERSON, Division of Auditory Research, University of Miami
Medical School

MAURICE SCHIFF, Otolaryngologist/private practice, La Jolla, California

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
PER LETTER	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

COMMITTEE ON HEARING, BIOACOUSTICS, AND BIOMECHANICS

PETER WESTERVELT (Chairman), Department of Physics, Brown University

SHEILA BLUMSTEIN, Department of Linguistics, Brown University

**BARBARA BOHNE, Department of Otolaryngology, Washington University
School of Medicine, St. Louis, Missouri**

KENNETH ELDRED, Bolt Beranek and Newman Inc., Cambridge, Massachusetts

DONALD H. ELDREDGE, Central Institute for the Deaf, St. Louis, Missouri

JAMES FLANAGAN, Acoustics Research Department, Bell Telephone Laboratories

DENNIS McFADDEN, Department of Psychology, University of Texas

DONALD PARKER, Department of Psychology, Miami University, Oxford, Ohio

CARL SHERRICK, Department of Psychology, Princeton University

**CHARLES S. WATSON, Boys Town Institute for Communicative Disorders
in Children**

MILTON A. WHITCOMB, Study Director

ARLYSS K. WIGGINS, Administrative Secretary

CONTENTS

SCOPE OF THE PROBLEM	1
PAST RESEARCH	3
RECOMMENDATIONS	4
REFERENCES	8

SCOPE OF THE PROBLEM

The Committee on Hearing, Bioacoustics, and Biomechanics (CHABA) was asked by the National Institute for Occupational Safety and Health (NIOSH) to consider research that might be performed to examine the effects on human health from long-term exposure to noise. Hearing loss and speech interference, as auditory problems connected with excessive noise, were considered by NIOSH to be well documented and were not the subject of this request, nor were the effects of acoustical energy in the non-audible range such as infrasound and ultrasound. Consideration of possible effects of noise on the fetus of pregnant women working in industry was also excluded since this is the subject of a separate working group of CHABA. The Environmental Protection Agency (EPA) asked that CHABA consider not only the industrial population but also the general population.

In response to the request of NIOSH and EPA, CHABA established Working Group 81, which reviewed studies concerning the effects of noise upon human health with the exclusions noted above.* Because of NIOSH concerns, particular emphasis was placed upon exposure to noise at levels of 90 dBA or more for periods of eight hours per day, five days per week, over at least ten years.

It is estimated that in industry alone between two and ten million workers are exposed to continuous noise levels of approximately 90 dBA or more during their workday. Data are not available for the number of those exposed in nonindustrial occupations to similar noise levels, those who in their recreational and avocational lives are exposed to such levels over an extended number of years, and those who have left industry after employment of ten years or more.

Present standards permit levels up to 90 dBA for an unprotected ear for an eight-hour workday. Working Group 81 was asked whether those noise standards established to safeguard hearing are sufficient also to protect against health disorders other than hearing deficits.

* The studies reviewed are representative of the literature but do not comprise a complete review.

Evidence from available research reports is suggestive, but it does not provide definitive answers to the question of health effects, other than to the auditory system, of long-term exposure to noise. It seems prudent, therefore, in the absence of adequate knowledge as to whether or not noise can produce effects upon health other than damage to the auditory system, either directly or mediated through stress, that insofar as feasible, an attempt should be made to obtain more critical evidence. For this reason, guidance is provided as to the kinds of studies that would be helpful in answering this question for NIOSH and EPA.

PAST RESEARCH

A number of cross-sectional studies from Europe--recently primarily from Eastern European countries--have reported a greater prevalence of hypertension ^{1-5,15} and other cardiovascular changes ^{6,7} among workers exposed to high noise levels for long periods than among other groups of workers exposed to lower noise levels. Some additional studies, ⁸⁻¹⁰ although not all of those available, ¹¹ suggest an association between severe noise-induced hearing impairment and increased prevalence of hypertension. Still other investigations, also reported in the foreign literature, link excessive noise exposure in industry with increased incidence of neurologic and gastrointestinal disturbances. Many of the available foreign studies can be criticized on methodological grounds. For example, studies indicating relationships between noise and cardiovascular problems were not adequately controlled for other known risk factors, such as those related to smoking, body weight, diet, and heredity. Studies in the United State have been more limited, both in scope and in numbers. The studies in the United States primarily concentrated on cardiovascular response to noise, and the results have been contradictory.¹²⁻¹⁴ However, positive findings that can be gleaned from many of the reports cited above (see also 16) suggest the possibility that long-term exposure to noise is a risk factor that deserves further consideration.

RECOMMENDATIONS

If there are nonauditory health effects, they are most likely the result of a combination of environmental "stressors" (factors that may cause stress), including noise. As noted above, some evidence indicates that stress effects may be manifested most prominently as changes in blood pressure regulation and other anomalies, ranging from psychosomatic complaints to gastrointestinal ulcers. However, since cardiovascular effects are known to result from stress and since they are relatively easy to assess experimentally, measure of cardiovascular function and structure should be among the first kinds of reactions examined in any future work aimed at clarifying the significance of the nonauditory effects of long-term exposures to noise. Moreover, noise acting as a stressor might alter the organism's capacity to withstand insults from other physical agents or environmental contaminants. Appropriate studies for analyzing a combination of exposure conditions for possible interactive effects are in order.

Because noises are often associated with operations that are hazardous for other reasons, the message of hazard carried by noise, and not the direct effect of the noise, may produce or enhance the stress of the situation. Stressors of this kind may be difficult to identify and their effects difficult to separate from more direct effects of noise. They should be kept in mind in the planning and conduct of future studies.

Additional research will be necessary in order to obtain critical evidence as to whether detrimental health effects, other than those to the auditory system, do or do not occur as the result of long-term exposure to high-level noise. Additional research will also be necessary to determine whether noise standards established for safeguarding hearing are also adequate to minimize any nonauditory health effects from such exposures. The appropriate studies will be difficult and expensive both in cost and in commitment of time by research personnel for data acquisition and analysis. To demonstrate that long-term exposure to high-level noise per se is a risk factor for cardiovascular or other disorders, it is necessary that highly sophisticated epidemiological studies be conducted with controls for other known risk factors. Other risk factors that should be considered are: age, sex, smoking, caffeine, body weight, diet, and hereditary proclivity; factors

related to stress associated with physical hazards in job performance and work output requirement; factors in the work environment that might be associated with noise, such as heat, dust, toxic fumes, and vibration; and factors in nonwork living environment of the workers. Less careful and complete research will only produce results that are as ambiguous as those now available. If new studies are proposed, we recommend that the designs be reviewed by an appropriately qualified group of experts.

Although interspecies comparisons must always be made with extreme caution, it is widely acknowledged that, under some circumstances, the study of animal models can provide valuable, adjunctive information regarding human reactions to noise. Earlier research in which different nonauditory effects of noise were explored in nonhuman species produced, in the main, positive results, but the procedures and controls used have subsequently been criticized on a number of grounds. Furthermore, it is difficult to evaluate the results of such experiments because of the great variability in the response of experimental animals to high-level noise.

Most animals show unlearned aversive responses to loud sounds, often to frequencies outside the range of human hearing, but the kind and degree of response differ widely among species. For example, audiogenic seizures can be produced in some rodents. Unlearned aversive responses to loud sounds are undoubtedly present in humans as well as in animals but, because of habituation, may not be readily observable. It is possible in animal experiments to superimpose learned aversive responses to noise upon those that are already innately present. Thus, animal models might provide an excellent test to distinguish between the basic biological effect of loud noise and the overlay of learned fear or stress. The latter can then be induced in animals by fear conditioning procedures. One might then be able to distinguish between the learned and unlearned aspects of loud noise stress.

If one can find an appropriate animal model, then with careful controls and the development of refined techniques of training animals in high-level noise environments, and measuring cardiovascular, endocrinological, central nervous system, behavioral, and other reactions, valuable data may be obtained from the experimental laboratory. In addition, the following suggestions are made as examples of procedures to be considered in future animal experiments:

1. The species selected should resemble humans (as closely as feasible) with regard to the system under study and its control substrate.
2. The stimulus should be monitored often, specified in accordance with modern standards, and should be matched to the hearing capacities of the subject species.
3. Confounding variables that might interact with, or mimic the effects, of noise should be excluded, reduced, or held constant.
4. Measures of the responses of choice should be valid, unbiased, reliable, and made as frequently as possible.

5. Since chronic effects are of interest, the time frame of the experiment should occupy a significant portion of the life span of the subject species.

While this list is not all-inclusive, adherence to its tenets should enhance the contribution animal-model research can make toward our understanding of the ways in which noise may affect humans.¹⁷

In spite of the appealing prospects of using nonhuman subjects to discover relations between exposure to noise and health disorders, some members of CHABA wish to emphasize the difficulties of discovering appropriate animal models and the potential dangers of applying to man the findings of experiments using inappropriate animal models.

REFERENCES

1. Parvizpoor, D. (1976) Noise exposure and prevalence of high blood pressure among weavers in Iran. Journal of Occupational Medicine 18:730-731.
2. Shatalov, N.N., Ostapkovich, V.E., and Ponomarev, N.I. (1969) Hearing and arterial pressure in persons affected by intense production noise. (Russian) Gigiena Truda i Professional 'nye Zabolevaniya 13:2-15.
3. Shatalov, N.N., and Murov, M.A. (1970) Effect of intensive noise and neuro-psychic tension on arterial blood pressure levels and frequency of hypertensive disease. (Russian) Klin. Med. (Moskova)
4. Jirkova, H., and Kremarova, B. (1965) Studies of the effect of noise on the general state of health of workers in large machine-tool factories: attempt at evaluation. Pracovni Lekarstvi 17:147-148.
5. Cieslewicz, J. (1971) Attempt to evaluate the extra-auditory effects of noise on weaving mill workers in a textile industry factory. (Polish) Medycyna Pracy 22:447-459.
6. Capellini, A., and Maroni, M. (1974) Clinical survey on hypertension and coronary disease and their possible relations with the environment in workers of a chemical plant. (Italian) Medicina del Lavoro 65:297-305.
7. Cuesdean, L., Teganeanu, S., Yuyu, C., Raiciu, M., Capr, C., and Coatu, S. (1977) Study of cardiovascular and auditory pathophysiological implications in a group of operatives working in noisy industrial surroundings. Physiologie 14:53-61.
8. Meinhart, P., and Renker, U. (1970) Indicators of morbidity in the heart and circulation as a result of excessive exposure to noise. (German) Zeitschrift fur die Gesamte Hygiene und ihre Grenzgebiete 16:853-857.

9. Jonsson, A., and Hansson, L. (1977) Prolonged exposure to stressful stimulus (noise) as a cause of raised blood pressure in man. Lancet 1:86-87.
10. Takala, Jr., Varke, S., Vaheri, E., and Sievers, K. (1977) Noise and blood pressure. Lancet 2:974-975.
11. Hedstrand, H., Drettner, B., Klockhoff, I., and Svedberg, A. (1977) Noise and blood pressure. Lancet 2:1291.
12. Friedlander, B., Grebermann, M., Wathen, G., and Zeidler, W.H. (undated) An analysis of noise and its relationship to blood pressure in an industrial population. Manuscript, Maryland State Department of Health and Mental Hygiene.
13. Cohen, A., Taylor, W., and Tubbs, R. (1978) Occupational exposures to noise, hearing loss, and blood pressure. Third International Congress on Noise as a Public Health Problem, Freiburg, Germany. American Speech and Hearing Association, Washington, D. C.
14. Brown, J.E., III, Thompson, R.N., and Folk, E.D. (1975) Certain non-auditory physiological responses to noises. Amer. Ind. Hyg. Assoc. J. 36:285-291.
15. Andriukin, A.A. (1961) Influence of sound stimulation on the development of hypertension. Cor et Vasa 3:285-293.
16. Welch, B.L. (1979) Extra-auditory health effects of industrial noise: Survey of foreign literature. AMRL TR 79-41, June 1979, Wright-Patterson Air Force Base, Ohio.
17. Peterson, E.A. (1980) Noise and Laboratory Animals. Laboratory Animal Science 30(2):422-439.

Security Classification

AD-A099472

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1 ORIGINATING ACTIVITY (Corporate author) National Research Council Committee on Hearing, Bioacoustics, and Biomechanics		2a. REPORT SECURITY CLASSIFICATION None	
		2b. GROUP None	
3 REPORT TITLE THE EFFECTS ON HUMAN HEALTH FROM LONG-TERM EXPOSURE TO NOISE			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (Last name, first name, initial)			
6. REPORT DATE February 1981		7a. TOTAL NO. OF PAGES 14	7b. NO. OF REFS 17
8a. CONTRACT OR GRANT NO. N00014-80-C-0159 ✓ b. PROJECT NO. c. d.		9a. ORIGINATOR'S REPORT NUMBER(S) 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. AVAILABILITY/LIMITATION NOTICES <u>DISTRIBUTION STATEMENT A</u> Qualified requesters may obtain Approved for public release; on DDC Distribution Unlimited			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
13. ABSTRACT Evidence from available research reports is suggestive, but it does not provide definitive answers to the question of health effects, other than to the auditory system, of long-term exposure to noise. It seems prudent, therefore, in the absence of adequate knowledge as to whether or not noise can produce effects upon health other than damage to the auditory system, either directly or mediated through stress, that insofar as feasible, an attempt should be made to obtain more critical evidence. For this reason, guidance is provided as to the kinds of studies that would be helpful in answering this question.			

DD FORM 1473
1 JAN 64

Security Classification

Security Classification

14

KEY WORDS

Noise
Health
Non-auditory
Stress
Hypertension
Cardiovascular

LINK A

LINK B

LINK C

ROLE

WT

ROLE

WT

ROLE

WT

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

Security Classification

DATE
FILMED
-8