AD-A193

### OTIC FILE COPY

A Survey Comparing the M2/3 Bradley Fighting Vehicle and the M113 Armored Personnel Carrier by Members of the NTC Operations Group and OPFOR

Ann N. Hamza



ARI Field Unit at Presidio of Monterey, California

Training Research Laboratory



U.S. Army

Research Institute for the Behavioral and Social Sciences

April 1988

Approved for public release; distribution unlimited.

6 13 5

# U. S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES


A Field Operating Agency under the Jurisdiction of the Deputy Chief of Staff for Personnel

EDGAR M. JOHNSON Technical Director WM. DARRYL HENDERSON COL, IN Commanding

Technical review by

James H. Banks Robert C. Coon Larry L. Meliza





#### NOTICES

OISTANBUTION: Primary distribution of this report has been made by ARI. Please address correspondence concerning distribution of reports to U.S. Army Research Institute for the Behavioral and Social Sciences, ATTN: PERI PO, 500 Eisenhower Ave., Alexandri, Virginia 22333-5600.

FINAL DISPOSITION: This report may be destroyed when it is no longer needed. Please do not return it to the U.S. Army Research Institute for the Behavioral and Social Sciences.

NOTE: The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION I	READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
ARI Research Report 1467		
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
A SURVEY COMPARING THE M2/3 BRADLEY	FIGHTING	Final Report
VEHICLE AND THE M113 ARMORED PERSON		January 1986-March 1986
MEMBERS OF THE NTC OPERATIONS GROUP	AND OPFOR	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(a)		8. CONTRACT OR GRANT NUMBER(*)
Ann N. Hamza	•	<del></del>
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10 PROCRAM FI FMENT PROJECT TASK
U.S. Army Research Institute Field		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
P.O. Box 5787	Ollie	2Q263743A794
Presidio of Monterey, CA 93944-501	.1	5.1.1.н.1
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
U.S. Army Research Institute for th	ie Behavioral	April 1988
and Social Sciences 5001 Eisenhower Avenue, Alexandria,	VA 22333-5600	13. NUMBER OF PAGES  33
14. MONITORING AGENCY NAME & ADDRESS(If different		15. SECURITY CLASS. (of this report)
<b> </b>		Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distri	bution unlimited	1
inspired for public release, albert	.Ducton unitimited	1 •
	•	
17. DISTRIBUTION STATEMENT (of the abatract entered	in Block 20, if different fro	om Report)
77 5131 1131 1131 1131 1131 1131 1131 11		
<b> </b>		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and	d Identily by block number)	)
National Training Center (NTC) M2/3		
M113		
Bradley Fighting Vehicle		
Armored personnel carrier	······	
20. ABSTRACT (Continue en reverse side il necessary and	ildentity by block number)	
A questionnaire was given to t	he National Trai	ning Center (NTC) Observer/
Controllers (0/C) and Opposing Force	e (OPFOR) to obt	ain their observations and
opinions on the effectiveness of the	e M2/3 Bradley F	Fighting Vehicle in compari-
son to the M113 Armored Personnel Co	arrier. Results	indicate respondents

strongly favored the M2/3 when compared to the M113, and regarded the capa-

bility of the M2/3 as being essential to success on major battlefield tasks.  $\measuredangle$ 

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

CALL SUPPLIES OF STATES OF THE SECRECATION OF SUPPLIES OF SUPPLIES

UNCLASSIFIED

A Survey Comparing the M2/3 Bradley Fighting Vehicle and the M113 Armored Personnel Carrier by Members of the NTC Operations Group and OPFOR

Ann N. Hamza

ARI Field Unit at Presidio of Monterey, California Richard K. Williams, Jr., Acting Chief

Training Research Laboratory

Jack H. Hiller, Director

U.S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES
5001 Eisenhower Avenue, Alexandria, Virginia 22333-5600

Office, Deputy Chief of Staff for Personnel

Department of the Army

April 1988

Army Project Number 20263743A794

**Education and Training** 

Approved for public release; distribution unlimited.

The Army Research Institute (ARI) has a major research program in support of the National Training Center (NTC). The purpose of this program is to support improved training at the NTC and development of Lessons Learned methodologies for training, doctrine, organization, personnel, and equipment.

This report was prepared in response to a request by the Combined Arms Training Activity (CATA) for assistance in analyzing the relative effectiveness of the Bradley Fighting Vehicle M2/3 and the Armored Personnel Carrier M113.

The research described in this report was conducted by ARI's Presidio of Monterey Field Unit, whose mission is to increase Army unit combat performance capabilities by improving unit performance measurement and evaluation methods, unit training programs and management tools, and the NTC and home station data base.

The Program Task that supports this mission is entitled "Field Feedback from National Training Center to Improve Collective and Individual Training" and is organized under the "Maintain Force Readiness" program area. This research was sponsored by CATA under the Letter of Agreement entitled "National Training Center (NTC) and Unit Home-Station Training and Feedback System," dated 16 September 1985. The CATA Lessons Learned Division was briefed in March 1986 on the information in this document and indicated its intention to use the results. The report was used to determine perceptions of effectiveness of the two weapon systems.

EDGAR M. JOHNSON Technical Director A SURVEY COMPARING THE M2/3 BRADLEY FIGHTING VEHICLE AND THE M113 ARMORED PERSONNEL CARRIER BY MEMBERS OF THE NTC OPERATIONS GROUP AND OPFOR

#### EXECUTIVE SUMMARY

#### Requirement:

To estimate the effectiveness of the M113 Armored Personnel Carrier and the M2/3 Bradley Fighting Vehicle, and their contributions to unit effectiveness.

#### Procedure:

A 40-item questionnaire was administered to the NTC Observer/Controllers (0/C) and the OPFOR (total N=113 to 211). The questionnaire was designed to investigate characteristics of the respondents, compare the capabilities of the M2/3 and M113 weapon systems, and to assess the contribution of each weapon system to unit capability to execute critical battlefield tasks.

Statistical tests were performed on the data to identify whether responses were statistically significant when comparing the M2/3 and M113.

#### Findings:

The members of the NTC O/C and OPFOR strongly favored the M2/3 in comparison to the M113, and regarded the capability of the M2/3 as very important/essential to battle success on major battlefield tasks.

#### Utilization of Findings:

The Department of the Army can use the information to support a costeffectiveness analysis of the M2/3 Bradley Fighting Vehicle System.

### A SURVEY COMPARING THE M2/3 BRADLEY FIGHTING VEHICLE AND THE M113 ARMORED PERSONNEL CARRIER BY MEMBERS OF THE NTC OPERATIONS GROUP AND OPFOR

#### CONTENTS

Page
INTRODUCTION
METHOD
RESULTS AND DISCUSSION
Characteristics of Respondents
CONCLUSION
APPENDIX A. M2/M-113 SURVEY
B. FREQUENCY DISTRIBUTION FOR QUESTIONNAIRE ITEMS 1-40 1
C. COMPARISON OF MEAN RESPONSES OF OC AND OPFOR BY ITEM 2
LIST OF TABLES
Table 1. Characteristics of respondents
2. Questionnaire items for Part I
3. Means and standard deviations for Part I, Sections 1 and 2
4. Response percentages of each item for Part I, Section 1
5. Response percentages of each item for Part I, Section 2
6. Questionnaire items for Part II
7. Means and standard deviations for Part II
8. Response percentages of each item for Part II
9. Questionnaire items for Part III
10. Means and standard deviations for Part III
11 Posponse percentages of each item for Part TII

# A SURVEY COMPARING THE M2/3 BRADLEY FIGHTING VEHICLE AND THE M113 ARMORED PERSONNEL CARRIER BY MEMBERS OF THE NTC OPERATIONS GROUP AND OPFOR 1

#### Introduction

The Observer/Controllers and the units simulating Warsaw Pact forces (OPFOR) at the National Training Center (NTC), Fort Irwin, CA are in a unique position to observe Task Forces equipped with M113 Armored Personnel Carriers and M2/3 Bradley Fighting Vehicles under performance conditions closely simulating those in combat. A questionnaire was administered to these two groups to determine their perceptions of the effectiveness of the two weapon systems based on their experience at the NTC.

#### Method

A 40-item questionnaire was administered to the NTC Observers/Controllers (0/C), and the OPFOR members (Appendix A). The questionnaire is divided into four parts.

Questions 1-6 pertain to information regarding respondents.

Part I is divided into two sections. Section 1 asks the respondent to compare the M2/3 and M113 on capabilities to detect and acquire enemy targets, move on the battlefield, and kill or suppress the enemy. Section 2 asks the respondent about the importance of this capability to battle success.

Part II asks the respondent about the importance of the agility and lethality of the vehicle to battle survivability.

Part III asks the respondent to compare the M2/3 and M113's potential to contribute to a unit's effectiveness by accomplishment of major battlefield tasks.

The data gathered were analyzed using the statistical analysis package, SAS, on the IBM 3033.<sup>2</sup> Frequencies, means, and standard deviations were calculated for each question.

LTC J. Crowley (Chief, NTC Observations Cell, Combined Arms Training Activity), Dr. Bob LeVine, Dr. Jim Hodges, and Dr. Wayne Gustafson (Arroyo Center) were responsible for the design and content of the survey instrument.

<sup>&</sup>lt;sup>2</sup> Acknowledgment and appreciation to Judith J. Nichols (The BDM Corporation) for her support on the statistical analyses.

#### Results and Discussion

#### Characteristics of Respondents

CORRESPONDE DE LA CORRESPONDA DEL CORRESPONDA DE LA CORRESPONDA DE LA CORRESPONDA DE LA CORRESPONDA DEL CORRESPONDA DE LA CORRESPONDA DEL CORRESPONDA DE LA CORRESPONDA DEL CORRESPONDA DE LA CO

As shown in Table 1, 75 percent of the respondents had more than three years of service. Furthermore, 75 percent of the respondents had observed more than five M113 rotations, and 74 percent observed two or more M2/3 rotations. For the OC's, 57 percent were from the engagement simulation team, and 69 percent of the OC's were at the platoon or company level. The majority of the OPFOR positions were vehicle commanders. (See Appendix B for frequency distribution.)

Table 1 Characteristics of Respondents

Ques	stion	X
1.	Years in Service	
	0-3	25%
	4-7	32%
	8-12	29%
	12+	14%
2.	Number of M113 Rotations	
	0	2%
	1-4	23%
	5-10	27%
	10+	48%
3.	Number of M2/3 Rotations	
	0	3%
	1 2 3 4	23%
	2	19%
	3	27%
	4	28%
4.	Current OC Team	
	Live Fire	37%
	Engagement Simulatio	
	Other	6%
5.	Current OC Position	
	Platoon OC	43%
	Company OC	26%
	TF OC	<b>6</b> %
	S-3 OC	9%
	Other	17%
6.	Current OPFOR Position	
	Vehicle Cdr	57%
	Plt Sgt	14%
	Plt Ldr	13%
	Co Cdr/Bn Cdr/S-3	5%
	Other	112

Note: The responses of individuals who indicated that they had not observed either a M113 rotation or M2/3 rotation were not included in the analysis.

An overall comparison of OC responses vs. OPFOR responses did not indicate any substantial differences among the responses by the two groups. Therefore, the results from the two groups were combined for the analyses presented below. (See Appendix C for the responses of the two groups by item.)

#### Part I

Each of the questions in Part I had two sections. Section 1 asked the respondent to compare the M2/3 and the M113 by circling the response, on the following scale, which most closely corresponded to his experience.

M2/3 Much Better	M2/3 Somewhat Better	No Difference	MI13 Somewhat Better	M113 Much Better
A	В	С	D	E
(-2)	(-1)	(0)	(1)	(2)

Section 2 asked the respondent's opinion about the importance of that capability of the weapon system to battle success (win/lose) by circling the response, on the following scale, which most closely corresponded to his view.

Essential	Very Important	Important	Somewhat Important	Not Important
A	В	С	D	E
(-2)	(-1)	(0)	(1)	(2)

Table 2 contains the questions for the paired items, with the odd numbers corresponding to Section 1 and the even numbers to Section 2.

Table 2 Questionnaire Items for Part I

Item	Question
7 & 8	Detect and acquire enemy armored vehicles during the day while the M2/M113 is moving.
9 & 10	Detect and acquire enemy armored vehicles at night while the M2/M113 moving.
11 & 12	Detect and acquire enemy armored vehicles during the day while the M2/3-M113 is stationary.
13 & 14	Detect and acquire enemy armored vehicles at night while the M2/M113 is stationary.
15 & 16	Detect and acquire enemy dismounted infantry during day while M2/M113 is moving or stationary.
17 & 18	Detect and acquire enemy dismounted infantry during night while M2/M113 is moving or stationary.
19 & 20	Move over restricted, steep terrain.
21 & 22	Move rapidly, and evasively over the battlefield.
23 & 24	Kill or suppress enemy armored vehicles.
25 & 26	Kill or suppress enemy dismounted infantry.
27 & 28	Speed/ease of operator's maintenance on vehicle.

Table 3 contains the mean response to each item. For each question, on Section 1, the mean response strongly favored the M2/3, falling between "Somewhat Better" and "Much Better" when compared to the M113, with the exception of detection/acquisition of dismounted enemy during the day (Q15) and speed/ease of operator maintenance (Q27). For Section 2, regarding the importance of the capability of that weapon system to battle success, mean responses were between "Very Important" and "Essential."

Table 3
Means and Standard Deviations For Part I, Sections 1 and 2

Sectl			Sect 2				
Item	Mean	SD	N	Item	Mean	SD	N
7	-1.16	1.11	202	8	-1.30	0.94	203
9	-1.33	1.05	184	10	-1.37	0.96	194
11	-1.02	1.11	205	12	-1.25	0.99	206
13	-1.35	1.07	189	14	-1.38	0.99	195
15	-0.80	1.15	181	16	-1.14	0.98	192
17	-1.26	1.02	170	18	-1.33	0.91	184
19	-1.03	1.20	201	20	-1.14	0.95	204
21	-1.55	0.95	208	22	-1.51	0.85	207
23	-1.66	0.75	207	24	-1.57	0.80	207
25	-1.33	1.06	184	26	-1.37	0.90	191
27	-0.20	1.61	113	28	-0.97	1.08	142

Tables 4 and 5 display for each item, the percentage of responses for each category on the scale. The greater percentage of respondents favored the M2/3 to the M113.

Table 4
Response Percentages of Each Item for Part I, Section 1

Item	M2/3 Much Better	M2/3 Somewhat Better	No Difference	M113 Somewhat Better	M113 Much Better
7	52	26	12	5	5
9	63	19	9	7	2
11	44	27	18	6	4
13	66	15	12	4	4
15	35	27	25	7	5
17	58	19	16	5	2
19	49	23	14	8	6
21	75	13	4	5	2
23	78	14	5	2	1
25	64	17	11	6	3
27	36	11	12	20	21

Table 5
Response Percentages of Each Item for Part I, Section 2

Item	Essential	Very Important	Important	Somewhat Important	Not Important
8	55	26	14	3	2
10	60	26	9	2	3
12	54	24	16	4	2
14	63	22	9	3	3
16	46	29	19	4	2
18	57	23	16	3	1
20	42	38	15	2	3
22	69	19	9	2	1
24	71	20	6	1	1
26	60	22	15	2	2
28	41	30	18	10	2

#### Part II

THE PERSON CONTROL ASSESSED FRANCISCO DESCRIPTION DE CONTROL DE CO

The instructions provided in Part II asked the respondents to judge the importance of the vehicle characteristics to vehicle battle survivability (capability to avoid getting killed). The scale used was the same as in Part I, Section 2. The questions are contained in Table 6.

Table 6
Questionnaire Items for Part II

Item	Question
29	Agility (speed of movement, ability to turn)
30	Lethality (ability to destroy opposing vehicles)

The respondents, on the average, indicated that vehicle characteristics regarding agility and lethality are "Very Important" to "Essential" for vehicle battle survivability. Results are summarized in Table 7.

Table 7
Means and Standard Deviations For Part II

Item	Mean	SD	N
29	-1.65	0.66	206
30	-1.66	0.78	208

Table 8 displays the percentage of responses, for each category on the scale, pertaining to agility and lethality.

Table 8
Response Percentages of Each Item for Part II

Item	Essential	Very Important	Important	Somewhat Important	Not Important
29	73	19	6	2	
30	80	12	5	2	1

#### Part III

The instructions for Part III asked the respondent to compare, based on his experience, the M2/3 and M113's potential to contribute to a unit's effectiveness to accomplish the tasks identified. To avoid confusion with a previous question, this statement was included: "NOTE that this is different from the earlier question which asked about vehicle—not unit—performance."

The scale used was the same as that in Part I, Section 1. The questions are contained in Table 9.

Table 9
Questionnaire Items for Part III

Item	Question
31	Disengage - break contact with the enemy and move to a covered and concealed location.
32	Overwatch - observe the movement of another element and support it with fires.
33	Detect and destroy OPFOR mounted reconnaissance.
34	Detect and destroy OPFOR dismounted reconnaissance.
35	Assault a defending enemy position.
36	Move and operate in limited visibility/obscured conditions.
37	React upon making contact with the enemy.
38	Defend a battle position.
39	Conduct a movement to contact.
40	Conduct a night attack.

The respondents indicated that on each major battlefield task, the potential contribution to a unit's effectiveness was "Somewhat Better" to "Much Better" for the M2/3 than for the M113 (Table 10).

Table 10
Means and Standard Deviations For Part III

Item	Mean	SD	N
31	-1.02	1.14	201
32	-1.48	0.91	199
33	-1.40	0.93	188
34	-1.06	1.14	173
35	-1.27	0.89	205
36	-1.14	1.05	192
37	-1.07	1.05	204
38	-1.30	0.97	204
39	-1.20	0.97	190
40	-1.55	0.65	168

Table 11 displays for each item the percentage of responses for each category on the scale. The greater percentage of respondents favored the M2/3 to the M113.

Table 11
Response Percentages of Each Item for Part III

Item	M2/3 Much Better	M2/3 Somewhat Better	No Difference	M113 Somewhat Better	M113 Much Better
31	46	26	15	9	4
32	68	18	8	5	1
33	64	19	12	3	1
34	49	23	19	5	5
35	50	33	12	4	1
36	51	22	19	6	2
37	47	21	27	2	3
38	55	28	12	2	3
39	48	33	13	4	2
40	60	26	9	2	3

#### Conclusion

The members of the NTC Observer/Controllers and OPFOR reported that, in their experience, the M2/3 was superior to the M113 on all "Very Important" to "Essential" weapons systems capabilities.

### APPENDIX A M2/M-113 SURVEY

The purpose of this survey is to compare the performance of the M2/3 and the M-113 Weapon Systems as they contribute to force effectiveness. Because of your assignment at the National Training Center, you are in a unique position to provide information on your observations of rotations. Remember you are comparing the difference between the systems. If you have had no experience with the indicated type of mission/time of day, response with "not observed/no opinion."

For this survey, do not consider the dismounted squad as a part of either system. (M-113 system is carrier, 50 caliber MG, driver and TC; M2/M3 system is vehicle, TOW, 25mm, 7.62mm, MG, TC, Gunner, and driver).

This survey is divided into:

Part I - Asks you to compare capabilities of the M2/3 and the M-113 Weapons System and asks your opinion about the importance of each capability for battle effectiveness.

Part II - Asks your opinion of two capabilities in terms of their contribution to vehicle survivability.

Part III - Ask you to compare the M2/3's and M-113's potential to contribute to unit effectiveness.

Enter your responses on the Mark Sense Form by filling in the appropriate space with a Number 2 pencil and by circling the correct answer on this sheet. Only the requested information need be supplied.

Grade. Enter your grade in the area provided at the top right of the form and this sheet.

Enter the remaining information in the items on the main body of the form.

Item

REPORTED BY THE PARTY OF THE SECRET S

- 1. Years in Service: 0-3 (A) 4-7 (B) 8-12 (C) 12+ (D)
- Approximately number of M-113 rotations observed:

3. Number of M2/3 rotations observed:

$$0$$
 (A)  $1$  (B)  $2$  (C)  $3$  (D)  $4$  (E)

- 4. Current team, if OC: Live Fire (A) Engagement Simulation (B) Other (C)
- 5. Current position, if OC:

		Management and a						
6. Current po	osition, i	F OPFOR:						
Vehicle Co	dr (A)	Plt Sgt (B	) Plt	Ldr (C)	Co C	dr/Bn Cd	r/S-3 (D)	)
Other (E)								
PART I								
Each of the forcempare the Market which most cl	2/3 and th	e M-113 We	apon Syst	ems by	circling	part as the res	ks you to ponse	)
M2/3 Much Better	M2/3 Somewhat Better	No Differenc	M-1 e Some Bet	ewhat	M-113 Much Better		Observed/ pinion	′
A	В	C	D		£	F		
The second pa to battle suc corresponds t	cess (win/	lose) by c	about the	ne impoi the res	rtance of ponse whi	that ca	pability closely	
Essential	Very Important	Important		ewhat ortant	Not Importan		Observed, pinion	/
Α .	В	С	D		Ε	F		
Detect and actis moving:	quire enem	y <u>armored</u>	vehicles	during	the <u>day</u>	while th	ie M2/M-1	13
7. Which is 8. How impor		A A	B B	C	D D	£	F F	
Detect and acmoving:	quire enem	y <u>armored</u>	vehicles	at <u>nig</u>	ht while	the M2/M	1-113 is	
9. Which is 10. How impo		A A	B B	C	D D	E	F F	
Detect and action stationary		y armored	vehicles	during	the <u>day</u>	while th	ie M2/M-1	13
11. Which is 12. How impo	better: ortant:	A A	8 B	C C	D D	E	F F	

Detect and acquire enemy armored vehicles at night while the M2/M-113 is stationary:

A A

13. Which is better:

How important:

14.

E

Each of the following questions has two parts. The first part asks you to compare the M2/3 and the M-113 Weapon Systems by circling the response which most closely corresponds to your experience. M2/3M2/3M-113 No M-113 Not Observed/ Somewhat Difference :/uch Somewhat Much No Opinion Better Better Better Better В C Ε The second part asks your opinion about the importance of that capability to battle success (win/lose) by circling the response which most closely corresponds to your view. Essential Very Important Somewhat Not Not Observed/ Important Important Important No Opinion C Ε F Detect and acquire enemy dismounted infantry during day while M2/M-113 is moving or stationary: 15. Which is better: 16. How important: A В C D Detect and acquire enemy dismounted infantry during night while M2/M-113 is moving or stationary: 17. Which is better: 18. How important: D Move over restricted, steep terrain: 19. Which is better: В Ε How important: 20. Move rapidly, and evasively over the battlefield: 21. Which is better: C 22. How important: Kill or suppress enemy armored vehicles: B C 23. Which is better: E В 24. How important: Kill or suppress enemy dismounted infantry: 25. Which is better: В C Ε В 26. How important: Speed/ease of operator's maintenance on vehicle: 27. Which is better: В 28. How important:

For the following questions, provide your opinion on the importance of the vehicle characteristic to vehicle battle-survivability-(capability to avoid getting killed).

Essential Very Important Somewhat Not Not Observed/ Important Important Important No Opinion

A B C D E F

29. Agility (speed of movement, ability to turn):

A B C D E F

30. Lethality (ability to destroy opposing vehicles):

A B C D E F

effectiveness different from performance. experience.	to accomp n the earl	lish the tash ier question	ks sho which	own belo asked	w. NCTE t about veh	hat this icle - n	ot unit -	
M2/3 Much Better	M2/3 Somewhat Better	No Difference	Sor	113 mewhat tter	M-113 Much Better		Observed/ Dinion	
A	В	С	D		Ε	F		_
31. Disengag concealed loc		contact with	the	enemy an	d move to	a cover	ed and	
		A	В	C	D	Ε	F	
32. Overwate with fires.	<u>h</u> - observ	e the moveme	nt of	another	element	and supp	oort it .	
		A	В	C	D	Ε	F	
33. Detect a	nd destroy	OPFOR mount	ed re	connaiss	ance.			
		A	В	С	D	Ε	F	
34. Detect a	nd destroy	OPFOR dismo	unted	reconna	issance.			
		A	В	C	C	Ε	F	
35. Assault	a defendin	g enemy posi	tion.					
		A	В	C	D	Ε	F	
36. Move and	operate i	n limited vi	sibil	ity/obsc	ured cond	litions.		
		A	В	C	D	Ε	F	
37. React up	on making	contact with	the	enemy.				
		A	В	С	D	Ε	F	

В

C

38. Defend a battle position.

Campare the M2/3 and M-113's potential to contribute to a unit's effectiveness to accomplish the tasks shown below. NOTE that this is different from the earlier question which asked about vehicle - not performance. Circle the response which most closely corresponds to your experience. M2/3M2/3No M-113 M-113 Not Observed/ Much Somewhat Difference Somewhat No Opinion Much Better Better Better Better В C Ē 39. Conduct a movement to contact. A 8 C D Ε F Conduct a night attack. 40. P. В C D Ε F

41. Remarks:

## APPENDIX B Frequency Distribution for Questionnaire Items 1-40

	MEANS AND	STANCARD	DEVIATIONS		
Ql	FREDUENCY	COM EKEA	PERCENT	٧٠ )	PERCENT
1 2 3 4	52 66 61 28	52 118 179 207	25.121 31.884 29.469 13.527		25.121 57.005 86.473 100.000
35	FREQUENCY	CUM FREQ	PERCENT	CU	PERCENT
1 2 3 4	3 47 56 100	5 52 108 208	2.404 22.596 26.923 48.077		2.404 25.000 51.923 100.000
Q3	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
1 2 3 4 5	4 47 40 56 58	53 93 149 207	2.899 22.705 19.324 27.053 28.019		2.899 25.604 44.928 71.981 100.000
Q4	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
1 2 3	157 20 31 3	20 51 54	37.037 57.407 5.556		37.337 94.444 100.000
Q5	FREDUFNCY	CUM FREQ	PERCENT	CU™	PERCENT
1 2 3 4 5	164 20 12 3 4	20 32 35 39 47	42.553 25.532 6.383 8.511 17.021		42.553 68.065 74.468 82.979 100.000
96	FREQUENCY	CUM FREQ	PERCENT	COiri	PERCENT
-2 -1 0 1 2	43 95 24 22 8 19	95 119 141 149 168	56.548 14.286 13.095 4.762 11.310		56.548 70.833 83.929 88.690 100.000
<b>Q7</b>	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	9 105 53 25 10	105 158 183 193 202	51.980 26.238 12.376 4.950 4.455		51.980 78.218 90.594 95.545 100.000
98	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	112 52 29 7	112 164 193 200 203	55.172 25.616 14.286 3.448 1.478		55.172 80.788 95.074 98.522 100.000

	"6445 440	STA .CAR J	DEVIATIONS	
91	FPEQUENCY	COM EKEN	PERCENT	CUM PERCENT
1 2 3 4	52 66 61 23	52 110 179 207	25.121 31.884 29.469 13.527	25.121 57.005 86.473 100.200
35	FREQUENCY	CUM FRES	PERCENT	CU" PERCENT
1 2 3 4	3 47 56 100	5 52 108 208	2.404 22.596 26.923 48.077	2.404 25.000 51.923 100.000
Q3	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
1 2 3 4 5	4 5 47 40 56 58	53 93 149 207	2.899 22.705 19.324 27.053 28.019	2.899 25.604 44.928 71.981 100.000
24	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
1 2 3	157 20 31 3	20 51 54	37.037 57.407 5.556	37.037 94.444 100.000
Q 5	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
1 2 3 4 5	164 20 12 3 4	20 32 35 39 47	42.553 25.532 6.383 8.511 17.021	42.553 68.065 74.468 82.979 100.000
96	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1 2	43 95 24 22 8 19	95 119 141 149 168	56.546 14.286 13.095 4.762 11.310	56.548 70.833 83.929 88.690 100.000
97	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1 2	9 105 53 25 10	105 156 183 193 202	51.980 26.23d 12.376 4.950 4.455	51.980 78.218 90.594 95.545 100.000
<b>28</b>	FREQUENCY	CUM FREQ	PERCENT	CUY PERCENT
-2 -1 0 1 2	112 52 29 7	112 164 193 200 203	55.172 25.616 14.286 3.448 1.478	55.172 80.788 95.074 98.522 100.000

#### MEANS AND STANDARD DEVIATIONS

€.3	FPEQUENCY	CUM FREJ	PERCENT	Cna	PERCENT
- ¿ - 1 1	115 35 17 13	115 150 167 180 194	62.500 19.022 9.239 7.065 2.174		52.500 31.522 90.761 97.325 100.000
210	FREQUENCY	CUM FREG	PERCENT	CUu	PEPCENT
-2 -1 0 1 2	17 116 50 18 4 6	110 160 184 185 19+	59.794 25.773 9.278 2.062 3.093		59.794 85.567 94.845 96.907 100.000
211	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0	6 91 56 37 13 8	91 147 184 197 205	44.390 27.317 18.049 6.341 3.902		44.390 71.707 89.756 96.098 100.000
912	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	5 112 49 33 3	112 161 194 202 206	54.369 23.786 16.019 3.883 1.942		54.369 78.155 94.175 98.058 100.000
\$13	FPEQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	22 124 28 23 7	124 152 175 182 189	55.608 14.815 12.169 3.704 3.704		65.608 80.423 92.593 96.296 100.000
214	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	16 122 43 18 6	122 165 183 189 195	62.564 22.051 9.231 3.077 3.077		62.564 84.615 93.846 96.923 100.000
Q15	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	30 64 49 46 13	64 113 159 172 131	35.359 27.072 25.414 7.182 4.972		35.359 62.431 87.845 95.028 100.000
410	FREGUENCY	CUM FREQ	PERCENT	CUV	PERCENT
-2 -1 0 1 2	19 36 36 37 4	99 145 191 193 192	46.354 29.167 18.750 3.646 2.083		45.354 75.521 94.271 97.917 100.000

	MEANS AND	STANDARU	DEVIATIONS		
€17	FPEDUFNCY	CUM FREA	PERCENT	C O,	PERCENT
-2 -1 0 1 2	41 32 27 3	97 131 158 167 170	50.23> 13.024 15.882 5.294 1.765		59.235 77.059 92.941 98.235 100.000
418	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	27 135 43 29 5	105 148 177 182 184	57.065 23.370 15.761 2.717 1.087		57.065 30.435 96.196 98.913 100.000
219	FREQUENCY	CUM FRES	PERCENT	CUM	PERCENT
-2 -1 0 1 2	10 99 47 29 15 11	99 146 175 190 201	49.254 23.383 14.428 7.463 5.473		49.254 72.637 87.065 94.527 100.000
220	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	7 85 78 31 4 6	85 153 124 198 204	41.667 38.235 15.190 1.961 2.941		41.667 79.902 95.093 97.059 100.000
721	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	157 28 8 10 5	157 185 193 203 208	75.481 13.462 3.846 4.808 2.404		75.481 88.942 92.788 97.596 100.000
Q22	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	142 39 19 4	142 131 200 204 207	66.599 18.841 9.179 1.932 1.449		68.599 87.440 96.618 98.551 100.000
223	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	161 29 11 2	161 190 201 205 207	77.778 14.010 5.314 1.932 0.966		77.778 91.787 97.101 99.034 100.000
924	FREQUENCY	CUM FREQ	PERCENT	CUV	PERCENT
-2 -1 0 1 2	147 41 13	147 188 201 204 207	71.014 19.307 6.280 1.449		71.014 90.921 97.101 99.551

### MEANS AND STANDARD DEVIATIONS

<b>√</b> ?>	FREGUE ICY	COM EKEN	PERCENT	C 7"	ილიკლატ
-2 -1 1 2	27 117 31 20 11	117 145 168 179 194	63.587 16.346 10.870 5.978 2.717		63.587 80.435 91.304 97.263 100.000
156	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	20 114 42 29 3	114 156 185 188 191	59.686 21.990 15.183 1.571 1.571		59.686 81.675 96.859 98.429 100.000
759	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	98 41 12 13 23 24	53 66 89 113	36.283 10.619 11.504 20.354 21.239		36.283 45.903 58.407 78.761 100.900
228	FREQUENCY	CUY FREQ	PERCENT	CU4	PERCENT
-2 -1 0 1 2	69 58 22 24 3	58 190 125 139 142	40.345 29.577 17.606 9.859 2.113		40.345 70.423 88.023 97.987 100.000
229	FREQUENCY	CUM FREQ	PERCENT	CU"	PERCENT
-2 -1 0 1	151 40 12 3	151 191 203 206	73.301 19.417 5.825 1.456		73.301 92.718 93.544 100.000
<b>330</b>	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1	166 25 10 4	166 191 201 205 203	79.608 12.019 4.808 1.923 1.442		79.808 91.827 96.635 98.558 100.000
<b>Q31</b>	FREQUENCY	CUM FREQ	PERCENT	CUM	PERCENT
-2 -1 0 1 2	10 93 52 39 19	93 145 175 194 201	46.269 25.871 14.925 9.453 3.483		46.269 72.139 87.065 96.517 100.000
232	FREQUENCY	CUM FREQ	PERCENT		PEPCENT
-2 -1 1 2	12 136 36 15 10	130 172 187 197 199	68.342 18.090 7.535 5.025 1.005		69.342 65.432 93.975 98.975 100.000

TO THE PROPERTY OF THE PROPERT

MEANS	DV.A	CTANDARD	DEVIATIONS
-------	------	----------	------------

<b>433</b>	FPEQUENCY	CUM FREQ	PERCENT	CU" PERCENT
-2 -1 0 1	120 36 23 6	12J 150 179 185 188	53.830 17.149 12.234 3.191 1.596	97.979 95.213 98.404 100.000
234	FREQUENCY	CUM FREG	PERCENT	CUM PERCENT
-2 -1 0 1 2	38 85 39 3 9 8	85 124 156 165 173	49.133 22.543 1d.497 5.202 4.624	49.133 71.676 90.173 95.376 100.000
Q35	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1 2	103 67 25 3	103 170 195 203 205	50.244 32.683 12.195 3.902 0.976	50.244 82.927 95.127 99.024 100.000
936	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1 2	19 98 42 37 11	98 140 177 198 192	51.042 21.875 19.271 5.729 2.083	51.042 72.917 92.187 97.917 100.000
<b>237</b>	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1 2	7 96 43 54 5 6	96 139 193 193 204	47.059 21.078 26.471 2.451 2.941	47.059 69.137 94.608 97.059
Q38	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1 2	7 112 57 24 5	112 159 193 198 204	54.902 27.941 11.765 2.451 2.941	54.902 82.843 94.608 97.059 100.000
Q39	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1 2	21 91 62 25 8	91 153 178 185 190	47.895 32.632 13.158 4.211 2.105	47.895 80.526 93.634 97.895 100.000
Q40	FREQUENCY	CUM FREQ	PERCENT	CUM PERCENT
-2 -1 0 1	44 102 41 15 4 6	102 143 158 162 168	60.714 24.404 8.928 2.380 3.571	60.714 85.118 94.046 96.426 99.997

### APPENDIX C Comparison of Mean Responses of OC and OPFOR by Item

	Comparison of	nean kes	ponses of oo and	orrow by Item			
Note:	Position 1 = OC Position 2 = OPFOR						
	VARIABLE: Q1						
	POSITION	N	MEAN	STD DEV			
	1 2	53 149	2.66037736 2.19463087	1.01798058			
	VARIABLE: Q	2					
	POSITION	N	MEAN	STD DEV			
	1 .	54 149	3.37037037 3.14765101	0.80799258 0.89575454			
,	VARIABLE: Q	3					
	POSITION	<b>\</b> !	MEAN	STO DEV			
	1 2	54 147	3.51451852 3.56462585	1.22460222 1.21106784			
	VARIABLE: U	 4					
	POSITION	N	MEAN	STD DEV			
	. 1	54 0	1.68518519	0.57704760			
	VARIABLE: 3	5					
	POSITION	N	MEAN	STD DEV			
	1 2	44	2•25000000 3•33333333	1.51158318			
	VARIABLE: Q	16					
	POSITIÚN	11	MEAN	STD DEV			
	1 2	19 149	0.10526316 -1.14093960	1.91179778			
	VARIABLE:	27					
	PUITIZCA	٧	MEAN	STO DEV			
	1 2	53 141	-1.22041509 -1.12765957	1.18713471			

	Contraction of the Contraction o	AL AL-AL-AL-AL-AL-AL-AL-AL-AL-AL-AL-AL-AL-A	CALL ASSESSMENT AREA AREA AREA AREA AREA AREA	
•	VARIABLE: Q	18		
	POSTTION	<b>~</b>	AFAN	STO DEV
	1 2	32 143	-1.46153946 -1.21078322	0.39577524
	2	143	-1.210/6322	0.96516699
	VARIABLE: C	19		
	POITIZON	٩	MEAN	STO DEV
	1 2	47 129	-1.55319149 -1.25581395	1.03857157
	VA0 TABLE - 3			
	VARIABLE: ¢ Positiun	)10 N	MEAN	STD DEV
	1	49	-1.65306122	0.66304287
	ž	137	-1.28467153	1.00695307
	VARIABLE: 3	 }11		
	POSITION	N	MEAN	STD DEV
		54		
	1 2	143	-1.22222222 -0.95104895	1 • 11027222 1 • 12167299
	VARIABLE: 6	212		
•	POSITION	N	MEAN	STO DEV
	1 2	54 144	-1.48148148 -1.16666667	0.86309537 1.02418311
	VARIABLE: 0	213		
	POSITION	N N	MEAN	STD DEV
!		48	-1.62500000	0.86602540
	1 2	133	-1.27067669	1.10184294
i S	VARIABLE:	 i14		~~~~~~~
• u	POSITION	И	MEAN	STO DEV
C A 3	1 2	49 138	-1.67346939 -1.29710145	0.77426726
Q Q			-1027110143	
i ก	VARIABLE: (	315		
3	POSITION	<i>4</i> :	MEAY	STO DEV
		50	-0.88000000	1.11330776
Š	1 2	123	-0.81300913	1.14759615
<b>.</b> ●			22	

VARIABLE:	216		
POSITION	P\$	MEAN	STD DEV
1 2	52 132	-1.28846154 -1.08333333	0.99678972 0.98880502
 Variable:	 u17		
POSITIÚN	N	MEAN	STO DEV
1 2	48 114	-1.54166667 -1.19298246	0.79782506 1.05492686
FOR HO: VA	RIANCES	ARE EQUAL. F'=	1.75 WITH
VARIABLE:	218		
POSITION	N	MEAN	STO DEV
5	50 126	-1.5800000 -1.23809524	0.73094850 0.96080011
VARIABLE:	419		
POSITION	N	MEAN	STD DEV
1 2	52 1÷1	-1.34615385 -0.92198582	0.92646175 1.26531149
VARIABLE:	Q20		·
POSITION	N	MEAN	STD DEV
1 2	52 144	-1.15384615 -1.11111111	0.82568131 1.00426441
VARIABLE:	 G21		
POSITION	N	MEAN	STD DEV
1 2	54 146	-1.70370370 -1.48630137	0.74300841 1.03214742
VARIABLE:	922		
		MCAN	CTO DEV
POSITION	N	MEAN	STO DEV

VARIABLE:	<b>423</b>		
POSITION	,1	MEMIN	STO DEV
1 2	54 145	-1.77777778 -1.60689655	0.63444127 0.80187759
VARIABLE:	Q24		
POSITION	<b>N</b> t	MEAN	STO DEV
1 2		-1.64614815 -1.53793103	0.67732569 0.85000563
VARIABLE:	Q25		******
POSITION	Ŋ	MEAN	STD DEV
1 2	51 126	-1.37254902 -1.33333333	1.07630450
VARIABLE:	<b>3</b> 26	• • • • • • • • • • • • • •	
POSITION	N	MEAN	STD DEV
1 2	52 132	-1.48076923 -1.31818182	0.75382384 0.96755126
VARIABLE:	Q27		~~~~~~~
POSITION	N	MEAN	STD DEV
1 2	4 <u>2</u> 67	0.11904762 -0.41791045	1.51741727
VARIABLE:	<b>428</b>		
POSITION	N	MEAN	STD DEV
1 2	47 89	-0.89361702 -0.98876404	1.08815845 1.10262478
VARIABLE:	029		
POSITION	N	MEAN	STD DEV
1 2	53 145	-1.64150943 -1.62758621	0.62309215 0.68662649

VARIABLE: J	ر ڊ		
POSITION	<b>:</b> •	.45 A %	STD DEV
1 2	54	-1.72222222	0.62696233
2	146	-1.65068493	0.81360242
VA01491 E	 21		
VARIABLE: 4 POSITION	N	MEAN	STD DEV
	51	-1.17647059	1.09006205
1 2	143	-0.96503497	1.16529986
VARIABLE: Q	32		
POSITION	N	MEAN	STD DEV
1 2	54	-1.64814315	0.64887151
2	137	-1.45255474	0.95463885
VARIABLE: C	33		
POSITION	Ŋ	MEAN	STD DEV
1 2	51 130	-1.52941176 -1.38461538	0.80377540
2	130	-1.38461538	0.97555085
VARIABLE: S	34		
POSITION	N	MEAN	STO DEV
1 2	50	-1.12000000	1.15422914
2	116	-1.07758621	1.15080964
VARIABLE: Ú			
POSITION	N	MEAN	STD DEV
	54	-1.38888889	0.83364774
1 2	144	-1.22916667	0.92152769
VARIABLE:	<b>436</b>		
POSITION	4	MEAN	STD DEV
1 2	5 <i>2</i> 134	-1.44230769 -1.01492537	0.82636605 1.11709259
۷	1 24	-1401476331	*********
VARIABLE:	 437		
POSITION	•:	MEAN	STD DEV
1 2	54	-1.22222222	0.94503003
2	144	-1.01388889	1.07023717

VARIABLE: 433 MEAT STD DEV POSITION N -1.38888889 -1.25174825 0.85598154 1.01723549 54 143 VARIABLE: 439 POSITION N MEAN STO DEV 0.72734771 1.02853011 -1.48076923 -1.10769231 52 130 VARIABLE: Q40

38

130

POSITION

2

MEAN

-1.6052631

-1.5384615