

Naval Oceanographic Office

Stennis Space
Center
MS 39522-5001



Reference Publication
RP 53
January 1995



RP 53

NATIONAL OCEANOGRAPHIC FLEET PLATFORM CHARACTERISTICS

NAVY•UNOLS•NOAA•UNIVERSITY•USCG•FEDERAL




APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

19950503 057

DTIC ON LINE 1

Prepared under the authority of
Commander
Naval Meteorology and
Oceanography Command

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

FOREWORD

The Naval Oceanographic Office (NAVOCEANO) is pleased to publish the second edition of the National Oceanographic Fleet Platform Characteristics. This document supersedes the RP 34 series that provided ship schedule information in addition to platform characteristics. Distribution is made to those individuals and activities involved in planning, scheduling, and coordinating U.S. oceanographic ship operations.

As ship operating expenses increase, efficiency of operations becomes a key ingredient for an effective national oceanographic program. To this end, efforts must be made to maximize the use of existing oceanographic platforms by "piggybacking" of projects, exchange of oceanographic data, and coordination of schedules. This publication serves as one means of assisting sponsoring activities and user organizations in effective management of national oceanographic assets.

In light of this effort, and recognizing that many ocean-capable vessels specifically configured for oceanographic research and hydrographic surveying exist in the private sector (representing a definite national asset), this edition includes platform characteristics of vessels operated by commercial concerns. An invitation is extended to other commercial concerns which operate specifically configured, deep-ocean-capable, oceanographic or hydrographic vessels to include their vessels in future editions.



DIETER K. RUDOLPH
Captain, U.S. Navy
Commanding Officer

This document supersedes RP 34 series publication. The changes that incurred include:

Ship schedules are available electronically and are no longer a part of this publication.

The 3-hole punch design is intended for addressees to retain this publication for the purpose of incorporating updates to the platform characteristics that will be distributed as required.

Please provide the following information to continue receiving the **NATIONAL OCEANOGRAPHIC FLEET PLATFORM CHARACTERISTICS** publication. This information will be used to establish a mailing list for future editions and updates.

☐

Continue distribution.

☐

Add to distribution (new recipient).

☐

Change address as indicated.

☐

Remove from distribution.

Name: _____

Organization: _____

Address: _____

City

State

Zip Code

Number of copies requested: _____

NOTE: To ensure your receipt of future editions and updates or to avoid your deletion from the mailing list, return this card.

RP 53



Naval Oceanographic Office
Operations Office
Building 1002
Stennis Space Center
Mississippi 39522-5001



Please Fold Along Dashed Lines, Tape, and Mail



REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE January 1995	3. REPORT TYPE AND DATES COVERED Reference Publication	
4. TITLE AND SUBTITLE NATIONAL OCEANOGRAPHIC FLEET PLATFORM CHARACTERISTICS			5. FUNDING NUMBERS	
6. AUTHOR(S)				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Oceanographic Office 1002 Balch Boulevard Stennis Space Center, MS 39522-5001			8. PERFORMING ORGANIZATION REPORT NUMBER RP 53	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Commander Naval Meteorology and Oceanography Command 1002 Balch Boulevard Stennis Space Center, MS 39529-5005			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES This publication supersedes RP 34 series.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This publication provides the national oceanographic fleet platform characteristics as of 1995. The data were derived from the latest inputs from the vessel operators.				
14. SUBJECT TERMS Oceanography, Oceanographic Ships			15. NUMBER OF PAGES 238	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
PROCEDURES FOR REPORTING SURFACE AND SUBSURFACE OBSTACLES	1
ACADEMIC INSTITUTIONS - UNIVERSITY NATIONAL OCEANOGRAPHIC LABORATORY SYSTEM	
UNIVERSITY OF ALASKA	
ALPHA HELIX	3
UNIVERSITY OF DELAWARE	
CAPE HENLOPEN	9
DUKE UNIVERSITY	
CAPE HATTERAS	15
UNIVERSITY OF HAWAII	
MOANA WAVE	21
KILA	25
HARBOR BRANCH OCEANOGRAPHIC INSTITUTION	
EDWIN LINK	29
SEWARD JOHNSON	35
LAMONT-DOHERTY GEOLOGICAL OBSERVATORY	
MAURICE EWING (formerly BERNIER)	41
LOUISIANA UNIVERSITIES MARINE CONSORTIUM	
PELICAN	45
UNIVERSITY OF MIAMI	
CALANUS	51
COLUMBUS ISELIN	57
MOSS LANDING MARINE LABORATORIES	
POINT SUR	61

TABLE OF CONTENTS (CONTINUED)

OREGON STATE UNIVERSITY

WECOMA	67
--------------	----

UNIVERSITY OF RHODE ISLAND

ENDEAVOR	73
----------------	----

SCRIPPS INSTITUTE OF OCEANOGRAPHY

MELVILLE	77
NEW HORIZON	81
THOMAS WASHINGTON	87
FLIP	91
ORB	95
ROBERT GORDON SPROUL	99

SKIDAWAY INSTITUTE OF OCEANOGRAPHY

BLUE FIN	105
----------------	-----

UNIVERSITY OF SOUTHERN CALIFORNIA

JOHN V. VICKERS (formerly OSPREY)	109
---	-----

TEXAS A&M UNIVERSITY

GYRE	113
------------	-----

UNIVERSITY OF TEXAS

LONGHORN	119
----------------	-----

UNIVERSITY OF WASHINGTON

CLIFFORD A. BARNES	123
THOMAS G. THOMPSON	127

WOODS HOLE OCEANOGRAPHIC INSTITUTION

ATLANTIS II	135
KNORR	139
OCEANUS	145

UNIVERSITY OF MICHIGAN

LAURENTIAN	149
------------------	-----

TABLE OF CONTENTS (CONTINUED)

BERMUDA BIOLOGICAL STATION FOR RESEARCH	
WEATHERBIRD II	155
OLD DOMINION UNIVERSITY (ASSOCIATE UNOLS MEMBER)	
LINWOOD HOLTON	161
OTHER OCEANOGRAPHIC SHIPS	
GULF COAST RESEARCH LABORATORY	
TOMMY MUNRO	165
MAINE MARITIME ACADEMY	
ARGO MAINE	171
SEA EDUCATION ASSOCIATION	
CORWITH CRAMER	177
WESTWARD	179
OTHER UNIVERSITY SHIPS	183
AQUALAB III	
AQUARIUS	
BELLOWS	
C. A. DAMBACH	
CORSAIR	
DAN MOORE	
DELAWARE BAY	
DELPHINUS	
EDGERTON	
ENDLESS SEAS	
G. A. ROUNSEFELL	
GULF RESEARCHER	
HOBART & WILLIAM SMITH EXPLORER	
ISLA MAGUEYES	
NEESKAY	
NORTH STAR	
ONRUST	
ORION	
RETRIEVER	
SEA DIVER	
SEAHAWK	
SUNCOASTER	
TURSIOPS	

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

TABLE OF CONTENTS (CONTINUED)

OTHER UNIVERSITY SHIPS (CON.)

UCONN
VANTUNA

FEDERAL AGENCIES

DEPARTMENT OF DEFENSE, NAVAL SURFACE WARFARE CENTER

ATHENA187

DEPARTMENT OF DEFENSE, NAVAL UNDERWATER SYSTEMS CENTER

ERLINE191

DEPARTMENT OF TRANSPORTATION, U.S. COAST GUARD

USCGC POLAR SEA195

USCGC POLAR STAR197

NATIONAL SCIENCE FOUNDATION

POLAR DUKE199

NATHANIEL B. PALMER201

DEPARTMENT OF COMMERCE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

ALBATROSS IV203

MALCOLM BALDRIDGE205

CHAPMAN207

JOHN N. COBB209

TOWNSEND CROMWELL211

DAVIDSON213

DELAWARE II215

DISCOVERER217

FAIRWEATHER219

FERREL221

MILLER FREEMAN223

HECK225

DAVID STARR JORDAN227

MCARTHUR229

MT. MITCHELL231

MURRE II233

OREGON II235

RAINIER237

RUDE239

SURVEYOR241

WHITING243

TABLE OF CONTENTS (CONTINUED)

DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY

USNS SAMUEL P. LEE245

ENVIRONMENTAL PROTECTION AGENCY

LAKE GUARDIAN247

PETER W. ANDERSON249

INTRODUCTION

This publication presents the 1995 platform characteristics for the national oceanographic fleet. Information is provided for over 90 ships which operate under various academic, governmental, or commercial organizations. Included with each ship is information on ship characteristics and engineering/deck equipment, and a point of contact.

The 1995 and future editions do not contain ship schedule information. This information is available from an electronic bulletin board (OCEANIC) maintained at the University of Delaware and may be accessed by computer. This method makes available current schedule information that is more up to date than that previously published in the RP 34 series which was superseded by this publication. The point of contact for the bulletin board is:

Katherine Bouton
College of Marine Studies
University of Delaware
Lewes, Delaware 19958
(302) 645-4278
FAX (302) 645-4007

Networks are available as follows:

Telemail: K. Bouton/OMNET
INTERNET: Bouton @ DELOCN.UDEC.EDU
Span: DELOCN::Bouton

Further information or assistance in accessing or inputting schedule information may be obtained from Katherine Bouton. All ship operators are highly encouraged to utilize this service.

For information on changes or modifications of vessel capabilities and related questions, please address correspondence to Commanding Officer, Naval Oceanographic Office (Attn: Operations Office), Stennis Space Center, MS 39522-5001, or call commercial (601) 688-4631/4370 or Defense Switch Network (DSN) 485-4631/4370. ADDITIONS OR CHANGES SHOULD BE FORWARDED TO THE NAVAL OCEANOGRAPHIC OFFICE BY 1 OCTOBER 1995 TO BE INCORPORATED IN NEXT YEAR'S EDITION.

PROCEDURES FOR REPORTING SURFACE AND SUBSURFACE OBSTACLES

The Defense Mapping Agency Hydrographic/Topographic Center (DMAHTC) is the point of contact for ship operations that use sonic emitters, towed devices, or explosive charges. Such operations present special hazards to submarine operation and navigation. DMAHTC has agreed to disseminate information

concerning underwater hazards as part of the Notice to Mariners system. The intent of the reporting procedures is to eliminate mutual interference problems and equipment damage between ongoing and planned operations by advising units at sea of surface and subsurface obstacles. The revised Notice to Mariners system relies on the cooperation of the maritime community (military, governmental, and commercial). Timely notification to DMAHTC is needed for all operations that install moored underwater instrumentation, tow or drag devices of any kind, or use sonic emitters or explosives. DMAHTC will disseminate information as follows:

a. For moored instrumentation in depths of 300 meters or less (the maximum depth where damage could result from normal fishing operations), information will be broadcast as a radio navigational warning and reprinted in Section III of the Notice to Mariners.

b. For moored instrumentation in depths greater than 300 meters, the information will not be broadcast. Documentation will be forwarded to appropriate Naval commands for their use.

c. For tow or drag devices of any kind, sonic emitters or explosives, the information will be broadcast as a radio navigational warning.

Commercial companies are not required to provide operational information to DMAHTC but are encouraged to do so. The DMAHTC point of contact for information and notification is Defense Mapping Agency Hydrographic/Topographic Center, (Attn: MCC Mail Stop D44), 4600 Sangamore Road, Bethesda, Maryland 20816-5003, commercial (301) 227-3147 or TELEX 898334, DMAHTC, Washington, DC. Military users may use Defense Switch Network (DSN) 287-3147 or AUTODIN message to DMAHTCNAVWARN WASHINGTON DC. Broadcast Watch operates 24 hours per day, seven days a week.

ALPHA HELIX

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. THOMAS D. SMITH
POC OFFICE: ASSISTANT DIRECTOR, COASTAL & MARINE OPERATIONS
POC ORGANIZATION: INSTITUTE OF MARINE SCIENCE
POC ADDRESS: UNIVERSITY OF ALASKA BOX 730
POC CITY/STATE: SEWARD AK 99664
COMMERCIAL AREA CODE: 907
PHONE: 224-5261

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: COASTAL
CALL SIGN (INTERNATIONAL): WSD7078
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: NATIONAL SCIENCE FOUNDATION
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: SEWARD AK
TECHNICAL SPONSOR: UNIVERSITY OF ALASKA
OPERATIONS CONTROL: UNIVERSITY OF ALASKA
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 9.3/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 15
NUMBER OFFICERS: 3
NUMBER IN CREW: 5
MAX SEA STATE: 6 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: FUEL-H2O-REFRIGERATED STORES
BUILDER: J M MARTINAC COMPANY
WHERE BUILT: TACOMA WA USA
INITIAL COST: 1.3/65 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '64
LAUNCH DATE: '65
DELIVERY DATE: '66
COMMISSION DATE: '66
CONVERSION DATE: '82
LAST OVERHAUL: '86
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 1991
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 132.8 FEET
MAX BEAM: 31.0 FEET
HEIGHT: 58.0 FEET
GROSS TONNAGE: 294
DISPLACEMENT: 600 TONS
DRAUGHT: 13.8 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 10000 NAUTICAL MILES
MAX SPEED: 11.0 KNOTS
MIN SPEED: 1.0 KNOTS

ENGINEERING/DECK EQUIPMENT


MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: BOW THRUSTER
NUMBER OF SHAFTS: 1
BOW THRUSTER: ELLIOTT WHITE GILL 360
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 13 FOOT RUBBER INFLATABLE
 2. 17 FOOT BOSTON WHALER
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 3800 POUNDS
 NUMBER OF FRAMES: 1
CRANES OR BOOMS
 MAX HOIST CAPACITY: 2800 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: 6
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 6000 FEET
 WIRE DIAMETER: 0.187 INCHES
 02. MAJOR TYPE/USE: DEEP SEA
 SECONDARY TYPE/USE: HYDROGRAPHIC
 SLIP-RINGS: 6
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 26240 FEET
 WIRE DIAMETER: 0.438 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	HP 85, IBM-AT
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	Y
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	ROSS 800B/ROSS 200
SOUNDING SYSTEM (DEEP):	EDO 248E


FUEL DETAILS

FUEL CAPACITY:	32000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	750 GAL/24-HRS
DURING AVERAGE OPERATIONS:	520 GAL/24-HRS
DURING INPORT OPERATIONS:	100 GAL/24-HRS




R/V ALPHA HELIX


FUNCTIONAL ARRANGEMENT OF R/V ALPHA HELIX



UPPER DECK



MAIN DECK



LOWER DECK

CAPE HENLOPEN

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR WADSWORTH OWEN
POC OFFICE: DIRECTOR OF FACILITIES & SERVICE
POC ORGANIZATION: UNIVERSITY OF DELAWARE
POC ADDRESS: 700 PILOTOWN ROAD
POC CITY/STATE: LEWES DE 19958
COMMERCIAL AREA CODE: 302
PHONE: 645-4320

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: CREW BOAT HULL
CALL SIGN (INTERNATIONAL): W2C8800
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-OFFSHORE
SHIP OWNER: UNIVERSITY OF DELAWARE
CERTIFICATION AUTHORITY: UNINSPECTED, ABS A-1
FLAG REGISTRY: USA
HOME PORT: LEWES DE
TECHNICAL SPONSOR: UNIVERSITY OF DELAWARE
OPERATIONS CONTROL: UNIVERSITY OF DELAWARE
CONTRACTUAL INFORMATION: AVAILABLE FOR OUTSIDE USE. CALL POC.
OPERATING COST/DAY: 5.0/87 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 12
NUMBER OFFICERS: 2
NUMBER IN CREW: 5
MAX SEA STATE: 5 BEAUFORT SCALE
ENDURANCE: 13 DAY(S)
LIMITING FACTOR: FUEL
BUILDER: SWIFTSHIPS
WHERE BUILT: MORGAN CITY, LA USA
INITIAL COST: 1.2/75 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '74
LAUNCH DATE: '75
DELIVERY DATE: '76
COMMISSION DATE: '76
CONVERSION DATE: '00
LAST OVERHAUL: '00
MAINTENANCE CYCLE: 1.5 YEARS
END OF LIFE: 2001
UPDATE OF INFORMATION: 26 OCT 90

SHIP DIMENSIONS

LENGTH: 120.0 FEET
MAX BEAM: 23.3 FEET
HEIGHT: 48.0 FEET
GROSS TONNAGE: 228
DISPLACEMENT: 165 TONS
DRAUGHT: 9.3 FEET
CRUISE SPEED: 12.5 KNOTS
RANGE: 2368 NAUTICAL MILES
MAX SPEED: 18.0 KNOTS
MIN SPEED: 0.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 2
BOW THRUSTER: NO
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: Y
DEEP ANCHOR: 250 FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X16
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: Y
UTILITY BOATS:

1. 16 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES

MAX HOIST CAPACITY: 12000 POUNDS
NUMBER OF FRAMES: 4
CRANES OR BOOMS
MAX HOIST CAPACITY: 22050 POUNDS
NUMBER OF CRANES: 1

WINCHES:

01. MAJOR TYPE/USE: OCEANOGRAPHIC
SECONDARY TYPE/USE: HYDROGRAPHIC
SLIP-RINGS: 6
WIRE TYPE: CONDUCTOR CABLE
WIRE LENGTH: 10500 FEET
WIRE DIAMETER: 0.219 INCHES
SECONDARY WIRE TYPE: CONDUCTOR CABLE
SECONDARY WIRE LEN: 10500 FEET
SECONDARY WIRE DIAM: 0.219 INCHES

02. MAJOR TYPE/USE:	TRAWL
SECONDARY TYPE/USE:	CORING
SLIP-RINGS:	N
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	10500 FEET
WIRE DIAMETER:	0.437 INCHES
SECONDARY WIRE TYPE:	WIRE ROPE
SECONDARY WIRE LEN:	8200 FEET
SECONDARY WIRE DIAM:	0.500 INCHES
03. MAJOR TYPE/USE:	ANCHOR
SECONDARY TYPE/USE:	
SLIP-RINGS:	N
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	1020 FEET
WIRE DIAMETER:	0.750 INCHES

ELECTRONIC EQUIPMENT


COMPUTERS:	4 IBM - AT COMPATIBLE
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	KONEL/BENMAR
SOUNDING SYSTEM (DEEP):	KONEL

FUEL DETAILS

FUEL CAPACITY:	9750 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	1200 GAL/24-HRS
DURING AVERAGE OPERATIONS:	800 GAL/24-HRS
DURING INPORT OPERATIONS:	100 GAL/24-HRS




R/V CAPE HENLOPEN



LENGTH: 120 FT.

SCALE IN FEET
0 10



R/V CAPE HENLOPEN

CAPE HATTERAS

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR QUENTIN M. LEWIS, JR.
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: DUKE/UNC OCEANOGRAPHIC CONSORTIUM
POC ADDRESS: DUKE UNIVERSITY MARINE LAB
POC CITY/STATE: BEAUFORT, NC 28516
COMMERCIAL AREA CODE: 919
PHONE: 728-2111, EXT 274

ADMINISTRATIVE DETAILS

DESIGNATOR: -
CLASS: COASTAL ZONE R/V
CALL SIGN (INTERNATIONAL): WRZ8934
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH - COASTAL ZONE
SHIP OWNER: NATIONAL SCIENCE FOUNDATION
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: BEAUFORT NC USA
TECHNICAL SPONSOR: DUKE UNIV./UNIV. OF N.C. CONSORTIUM
OPERATIONS CONTROL: DUKE UNIV./UNIV. OF N.C. CONSORTIUM
CONTRACTUAL INFORMATION: NSF CHARTER PARTY AGREEMENT. EXPIRES 1996.
OPERATING COST/DAY: 6.570/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 12
NUMBER OFFICERS: 5
NUMBER IN CREW: 5
MAX SEA STATE: 6 BEAUFORT SCALE
ENDURANCE: 24 DAY(S)
LIMITING FACTOR: FOOD STORES
BUILDER: ATLANTIC MARINE INC.
WHERE BUILT: FORT GEORGE ISLAND FL
INITIAL COST: 3.1/81 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: 15 JUN 80
LAUNCH DATE: '00
DELIVERY DATE: 01 AUG 81
COMMISSION DATE: '00
CONVERSION DATE: '00
LAST OVERHAUL: 15 NOV 89
MAINTENANCE CYCLE: 1.0 YEARS
END OF LIFE: 2006
UPDATE OF INFORMATION: 22 OCT 90

SHIP DIMENSIONS

LENGTH: 135.0 FEET
MAX BEAM: 32.0 FEET
HEIGHT: - FEET
GROSS TONNAGE: 296
DISPLACEMENT: 539 TONS
DRAUGHT: 9.0 FEET
CRUISE SPEED: 10.5 KNOTS
RANGE: 7000 NAUTICAL MILES
MAX SPEED: 12.5 KNOTS
MIN SPEED: 0.1 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: -
NUMBER OF SHAFTS: 2
BOW THRUSTER: -
ACTIVE RUDDER: -
DYNAMIC POSITIONING: -
ANTI-ROLL: -
STABILIZER: -
DEEP ANCHOR: 720 FEET
BERTHING VAN DIMENSIONS: -
INSTRUMENT VAN DIMENSIONS: 5X6X9
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: -
HELO SUPPORT: -
METEOROLOGICAL OBSERVATIONS: -
UTILITY BOATS:
 1. 17 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 15000 POUNDS
 NUMBER OF FRAMES: 3
CRANES OR BOOMS
 MAX HOIST CAPACITY: 12000 POUNDS
 NUMBER OF CRANES: 2
WINCHES:
 01. MAJOR TYPE/USE: OCEANOGRAPHIC
 SECONDARY TYPE/USE: -
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 33000 FEET
 WIRE DIAMETER: 0.500 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: OTHER
 SLIP-RINGS: 1
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.187 INCHES


03. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	-
SLIP-RINGS:	1
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	20000 FEET
WIRE DIAMETER:	0.322 INCHES

ELECTRONIC EQUIPMENT


COMPUTERS:	Y
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	-
INERTIAL NAVIGATION:	-
RADAR (SURFACE SCAN):	Y
LORAN A:	-
LORAN C:	Y
OMEGA:	-
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	-
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	-
NARROW BEAM:	Y
SEISMIC PROFILING:	Y
SIDE SCAN:	-
SOUNDING SYSTEM (SHALLOW):	-
SOUNDING SYSTEM (DEEP):	RAYTHEON/EDO

FUEL DETAILS


FUEL CAPACITY:	28695 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	800 GAL/24-HRS
DURING AVERAGE OPERATIONS:	740 GAL/24-HRS
DURING INPORT OPERATIONS:	200 GAL/24-HRS




RV CAPE HATTERAS




01-DECK




MAIN DECK




02-DECK



03-DECK



LOWER DECK



R/V CAPE HATTERAS

MOANA WAVE

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: CAPT JAMES W. COSTE JR
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: UNIVERSITY MARINE CENTER
POC ADDRESS: #1 SAND ISLAND ROAD
POC CITY/STATE: HONOLULU HI 96819
COMMERCIAL AREA CODE: 808
PHONE: 847-2661
FAX: 848-5451

ADMINISTRATIVE DETAILS

DESIGNATOR: AGOR 22
CLASS: GYRE/AGOR 21
CALL SIGN (INTERNATIONAL): WUS9293
FLEET: UNOLS
SHIP TYPE: RESEARCH AND DEVELOPMENT
SHIP OWNER: USN
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: HONOLULU HI
TECHNICAL SPONSOR: UNIVERSITY OF HAWAII
OPERATIONS CONTROL: SCHOOL OF OCEAN AND EARTH SCIENCE AND TECHNOLOGY

CONTRACTUAL INFORMATION: ONR CODE 611 LEASE TO EXPIRE 1 JAN 94
OPERATING COST/DAY: 10.6/91 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 19
NUMBER OFFICERS: 4
NUMBER IN CREW: 9
MAX SEA STATE: 5 BEAUFORT SCALE
ENDURANCE: 50 DAY(S)
LIMITING FACTOR: REFRIGERATED STORES
BUILDER: HALTER MARINE SERVICES INC
WHERE BUILT: NEW ORLEANS LA USA
INITIAL COST: 3.9/73 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: 18 JUN 73
DELIVERY DATE: '73
COMMISSION DATE: '00
CONVERSION DATE: '84
LAST OVERHAUL: '89
MAINTENANCE CYCLE: 3.0 YEARS
END OF LIFE: 2003
UPDATE OF INFORMATION: 22 OCT 90

SHIP DIMENSIONS

LENGTH: 213.0 FEET
MAX BEAM: 36.0 FEET
HEIGHT: - FEET
GROSS TONNAGE: 294
DISPLACEMENT: 1853 TONS
DRAUGHT: 15.0 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 12000 NAUTICAL MILES
MAX SPEED: 11.5 KNOTS
MIN SPEED: 1.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 2
BOW THRUSTER: ELECTRIC 150 HP
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE
BERTHING VAN DIMENSIONS: 8X8X24
INSTRUMENT VAN DIMENSIONS: 8X8X24
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 16 FOOT RUBBER AVON, HARD BOTTOM
 2. 12 FOOT RUBBER AVON
 3. 16 FOOT BOSTON WHALER
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 60000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 11000 POUNDS
 NUMBER OF CRANES: 2
WINCHES:
 01. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE:
 SLIP-RINGS: Y
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 33000 FEET
 WIRE DIAMETER: 0.322 INCHES


02. MAJOR TYPE/USE: TRAWL
SECONDARY TYPE/USE: CORING
SLIP-RINGS: 1
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 45000 FEET
WIRE DIAMETER: 0.562 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS: NOVA 1220
FACSIMILE: Y
ELECTROMAGNETIC LOG: Y
INERTIAL NAVIGATION: N
RADAR (SURFACE SCAN): Y
LORAN A: N
LORAN C: Y
OMEGA: Y
SATELLITE NAVIGATION: Y
RADIO TELETYPE COMMUNICATION: Y
SINGLE SIDE BAND: Y
VHF COMMUNICATIONS: Y
STABLE TABLE: Y
NARROW BEAM: N
SEISMIC PROFILING: Y
SIDE SCAN: Y
SOUNDING SYSTEM (SHALLOW): FURUNO
SOUNDING SYSTEM (DEEP): EDO/RAYTHEON

FUEL DETAILS

FUEL CAPACITY: 125000 GALLONS
FUEL TYPE: DIESEL #2/JP-5
FUEL CONSUMPTION RATES:
AT NORMAL CRUISING SPEED: 2200 GAL/24-HRS
DURING AVERAGE OPERATIONS: 1800 GAL/24-HRS
DURING INPORT OPERATIONS: 300 GAL/24-HRS



R/V MOANA WAVE

KILA

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: CAPT JAMES W. COSTE JR
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: UNIVERSITY MARINE CENTER
POC ADDRESS: #1 SAND ISLAND ROAD
POC CITY/STATE: HONOLULU, HAWAII 96819
COMMERCIAL AREA CODE: 808
PHONE: 847 2661

ADMINISTRATIVE DETAILS

DESIGNATOR: -
CLASS: RESEARCH
CALL SIGN (INTERNATIONAL): WRP2537
FLEET: UNOLS
SHIP TYPE: FISHING TRAWLER
SHIP OWNER: HAWAII INSTITUTE OF GEOPHYSICS
CERTIFICATION AUTHORITY: -
FLAG REGISTRY: USA
HOME PORT: HONOLULU, HAWAII
TECHNICAL SPONSOR: UNIVERSITY OF HAWAII
OPERATIONS CONTROL: HAWAII INSTITUTE OF GEOPHYSICS
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 3.6/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 12
NUMBER OFFICERS: 1
NUMBER IN CREW: 4
MAX SEA STATE: 5 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: FUEL/REFRIG. STORES
BUILDER: BENDER WELDING & MACHINE CO., MOBILE
WHERE BUILT: MOBILE ALABAMA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '77
DELIVERY DATE: '00
COMMISSION DATE: '00
CONVERSION DATE: '82
LAST OVERHAUL: '89
MAINTENANCE CYCLE: 3.0 YEARS
END OF LIFE: 1992
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 104.0 FEET
MAX BEAM: 24.0 FEET
HEIGHT: - FEET
GROSS TONNAGE: 192
DISPLACEMENT: - TONS
DRAUGHT: 12.9 FEET
CRUISE SPEED: 8.0 KNOTS
RANGE: 5000 NAUTICAL MILES
MAX SPEED: 8.0 KNOTS
MIN SPEED: 2.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: 343 DIESELS
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 2
BOW THRUSTER: NO
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: Y
DRY-LAB: N
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
1. 12 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
MAX HOIST CAPACITY: 20000 POUNDS
NUMBER OF FRAMES: 1
CRANES OR BOOMS
MAX HOIST CAPACITY: 7000 POUNDS
NUMBER OF CRANES: 1
WINCHES:
01. MAJOR TYPE/USE: UTILITY
SECONDARY TYPE/USE:
SLIP-RINGS: N
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 3000 FEET
WIRE DIAMETER: 0.500 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	NONE
FACSIMILE:	N
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	FURUNO
SOUNDING SYSTEM (DEEP):	RAYTHEON

FUEL DETAILS

FUEL CAPACITY:	24500 GALLONS
FUEL TYPE:	DIESEL
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	820 GAL/24-HRS
DURING AVERAGE OPERATIONS:	500 GAL/24-HRS
DURING INPORT OPERATIONS:	25 GAL/24-HRS

EDWIN LINK

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC:	MR. TIMOTHY ASKEW
POC OFFICE:	DIRECTOR, MARINE OPERATIONS
POC ORGANIZATION:	HARBOR BRANCH OCEANOGRAPHIC INSTITUTION, INC.
POC ADDRESS:	5600 OLD DIXIE HIGHWAY
POC CITY/STATE:	FORT PIERCE FL 34946
COMMERCIAL AREA CODE:	407
PHONE:	465-2400 EXT 262
FAX:	465-2446
TELEX:	522886

ADMINISTRATIVE DETAILS

DESIGNATOR:	RV
CLASS:	OFFSHORE SUPPLY VESSEL
CALL SIGN (INTERNATIONAL):	WTL4798
FLEET:	UNOLS
SHIP TYPE:	SUBMERSIBLE TENDER/OCEAN RESEARCH
SHIP OWNER:	HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
CERTIFICATION AUTHORITY:	AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY:	USA
HOME PORT:	FT PIERCE FL
TECHNICAL SPONSOR:	HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
OPERATIONS CONTROL:	HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
CONTRACTUAL INFORMATION:	NONE
OPERATING COST/DAY:	7.8/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT:	20
NUMBER OFFICERS:	5
NUMBER IN CREW:	5
MAX SEA STATE:	6 BEAUFORT SCALE
ENDURANCE:	30 DAY(S)
LIMITING FACTOR:	FUEL/STORES
BUILDER:	HOUMA FABRICATORS
WHERE BUILT:	HOUMA, LA USA
INITIAL COST:	N/A MILLION \$'S IN YEAR
DUE DATE:	'00
KEEL DATE:	'81
LAUNCH DATE:	'81
DELIVERY DATE:	'82
COMMISSION DATE:	'82
CONVERSION DATE:	'88
LAST OVERHAUL:	'87
MAINTENANCE CYCLE:	1.5 YEARS
END OF LIFE:	2020
UPDATE OF INFORMATION:	03 DEC 90

SHIP DIMENSIONS

LENGTH: 168.0 FEET
MAX BEAM: 38.0 FEET
HEIGHT: 60.0 FEET
GROSS TONNAGE: 288
DISPLACEMENT: 781 TONS
DRAUGHT: 11.0 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 6000 NAUTICAL MILES
MAX SPEED: 11.0 KNOTS
MIN SPEED: 0.1 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 2
BOW THRUSTER: 360 DEG STEERABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X20
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 17 FOOT RUBBER INFLATABLE
 2. 13 FOOT BOSTON WHALER
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 36000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 10000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: OTHER
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 300 FEET
 WIRE DIAMETER: 1.500 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 4200 FEET
 WIRE DIAMETER: 0.188 INCHES


03. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE: UTILITY
SLIP-RINGS: Y
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 3000 FEET
WIRE DIAMETER: 0.188 INCHES
SECONDARY WIRE TYPE: CONDUCTOR CABLE

ELECTRONIC EQUIPMENT


COMPUTERS: NEC, VARIOUS PC'S
FACSIMILE: Y
ELECTROMAGNETIC LOG: N
INERTIAL NAVIGATION: N
RADAR (SURFACE SCAN): Y
LORAN A: N
LORAN C: Y
OMEGA: N
SATELLITE NAVIGATION: Y
RADIO TELETYPE COMMUNICATION: N
SINGLE SIDE BAND: Y
VHF COMMUNICATIONS: Y
STABLE TABLE: N
NARROW BEAM: N
SEISMIC PROFILING: Y
SIDE SCAN: Y
SOUNDING SYSTEM (SHALLOW): FURUNO, IMPULSE 960
SOUNDING SYSTEM (DEEP): FURUNO

FUEL DETAILS

FUEL CAPACITY: 62000 GALLONS
FUEL TYPE: DIESEL #2
FUEL CONSUMPTION RATES:
AT NORMAL CRUISING SPEED: 2400 GAL/24-HRS
DURING AVERAGE OPERATIONS: 900 GAL/24-HRS
DURING INPORT OPERATIONS: 192 GAL/24-HRS



R/V EDWIN LINK



R/V EDWIN LINK
OUTBOARD PROFILE

SEWARD JOHNSON

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. TIM ASKEW
POC OFFICE: DIRECTOR, MARINE OPERATIONS
POC ORGANIZATION: HARBOR BRANCH OCEANOGRAPHIC INSTITUTION, INC.
POC ADDRESS: 5600 OLD DIXIE HIGHWAY
POC CITY/STATE: FT. PIERCE, FL 34946
COMMERCIAL AREA CODE: 407
PHONE: 465-2400 EXT 262
FAX: 465-2446
TELEX: 522886

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: COLOMBUS ISELIN
CALL SIGN (INTERNATIONAL): WST9756
FLEET: UNOLS
SHIP TYPE: SUBMERSIBLE TENDER/OCEAN RESEARCH
SHIP OWNER: HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: FT. PIERCE, FL
TECHNICAL SPONSOR: HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
OPERATIONS CONTROL: HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 7.8/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 20
NUMBER OFFICERS: 5
NUMBER IN CREW: 5
MAX SEA STATE: 6 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: FUEL/STORES
BUILDER: ATLANTIC MARINE INC
WHERE BUILT: FORT GEORGE ISLAND FL
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '84
LAUNCH DATE: '84
DELIVERY DATE: '85
COMMISSION DATE: '85
CONVERSION DATE: '00
LAST OVERHAUL: '90
MAINTENANCE CYCLE: 1.5 YEARS
END OF LIFE: 2020
UPDATE OF INFORMATION: 03 DEC 90

SHIP DIMENSIONS

LENGTH: 176.0 FEET
MAX BEAM: 36.0 FEET
HEIGHT: 60.0 FEET
GROSS TONNAGE: 299
DISPLACEMENT: 880 TONS
DRAUGHT: 12.0 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 8000 NAUTICAL MILES
MAX SPEED: 13.0 KNOTS
MIN SPEED: 0.1 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 2
BOW THRUSTER: 360 DEG STEERABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: Y
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X20
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 17 FOOT RUBBER INFLATABLE
 2. 13 FOOT BOSTON WHALER
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 36000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 10000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: OTHER
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 300 FEET
 WIRE DIAMETER: 1.500 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 3000 FEET
 WIRE DIAMETER: 0.188 INCHES

03. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	UTILITY
SLIP-RINGS:	Y
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	3000 FEET
WIRE DIAMETER:	0.188 INCHES

ELECTRONIC EQUIPMENT


COMPUTERS:	NEC, VARIOUS PC'S
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	Y
SOUNDING SYSTEM (SHALLOW):	FURUNO
SOUNDING SYSTEM (DEEP):	EDO

FUEL DETAILS

FUEL CAPACITY:	60000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	2160 GAL/24-HRS
DURING AVERAGE OPERATIONS:	720 GAL/24-HRS
DURING INPORT OPERATIONS:	160 GAL/24-HRS



R/V SEWARD JOHNSON



R/V SEWARD JOHNSON
OUTBOARD PROFILE

MAURICE EWING

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: CAPT. PAUL LJUNGGREN
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: OFFICE OF MARINE AFFAIRS
POC ADDRESS: LAMONT-DOHERTY GEOLOGICAL OBSERVATORY
POC CITY/STATE: PALISADES, NY 10964
COMMERCIAL AREA CODE: 914
PHONE: 359-2900 EXT. 367

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: SEISMIC SURVEY
CALL SIGN (INTERNATIONAL): WLDZ
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH - GENERAL
SHIP OWNER: COLUMBIA UNIVERSITY
CERTIFICATION AUTHORITY: US COAST GUARD - ABS
FLAG REGISTRY: USA
HOME PORT: NEW YORK NY
TECHNICAL SPONSOR: LAMONT-DOHERTY GEOLOGICAL OBSERVATORY
OPERATIONS CONTROL: LDGO OFFICE OF MARINE AFFAIRS
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 15.1/91 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 28
NUMBER OFFICERS: 9
NUMBER IN CREW: 13
MAX SEA STATE: 8 BEAUFORT SCALE
ENDURANCE: 60 DAY(S)
LIMITING FACTOR: FUEL
BUILDER: MARINE INDUSTRIE LIMITEE
WHERE BUILT: SOREL P.Q. CANADA
INITIAL COST: - MILLION \$'S IN YEAR
DUE DATE: -
KEEL DATE: OCT 82
LAUNCH DATE: -
DELIVERY DATE: JUL 83
COMMISSION DATE: -
CONVERSION DATE: JUN 90
LAST OVERHAUL: JUN 90
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: -
UPDATE OF INFORMATION: 10 DEC 90

SHIP DIMENSIONS

LENGTH: 239.0 FEET
MAX BEAM: 46.0 FEET
HEIGHT: 100.0 FEET
GROSS TONNAGE: 1978
DISPLACEMENT: 2637 TONS
DRAUGHT: 18.0 FEET
CRUISE SPEED: 11.5 KNOTS
RANGE: 15000 NAUTICAL MILES
MAX SPEED: 13.4 KNOTS
MIN SPEED: 1.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL ELECTRIC SCR
AUXILIARY PROPULSION: DIESEL ELECTRIC SCR
NUMBER OF SHAFTS: 1
BOW THRUSTER: TUNNEL
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: N
BERTHING VAN DIMENSIONS: N
INSTRUMENT VAN DIMENSIONS: 8X8X20 (3)
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: MINIMAL
UTILITY BOATS:
 1. 17 FOOT RIB
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 40000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 12000 POUNDS
 NUMBER OF CRANES: 3
WINCHES:
 01. MAJOR TYPE/USE: CORING
 SECONDARY TYPE/USE: DREDGE
 SLIP-RINGS: Y
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.562 INCHES
 SECONDARY WIRE TYPE: CONDUCTOR CABLE
 SECONDARY WIRE LEN: 30000 FEET
 SECONDARY WIRE DIAM: 0.680 INCHES


02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	CTD
SLIP-RINGS:	3
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	30000 FEET
WIRE DIAMETER:	0.320 INCHES
03. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	OTHER
SLIP-RINGS:	3
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	30000 FEET
WIRE DIAMETER:	0.250 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	HASSCOMP, VAX, SGI, IBM
FACSIMILE:	N
ELECTROMAGNETIC LOG:	DOPPLER
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	Y
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	ELAC
SOUNDING SYSTEM (DEEP):	12 & 3.5 KHZ, MULTIBEAM

FUEL DETAILS

FUEL CAPACITY:	160000 GALLONS
FUEL TYPE:	MARINE GAS OIL
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	2500 GAL/24-HRS
DURING AVERAGE OPERATIONS:	2500 GAL/24-HRS
DURING INPORT OPERATIONS:	1250 GAL/24-HRS



R/V MAURICE EWING OUTBOARD PROFILE



PELICAN

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR STEVE RABALAIS
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: LOUISIANA UNIVERSITY MARINE CONSORTIUM
POC ADDRESS: LUMCON
POC CITY/STATE: CHAUVIN LA 70344
COMMERCIAL AREA CODE: 504
PHONE: 851-2800

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: OCEANOGRAPHIC RESEARCH
CALL SIGN (INTERNATIONAL): WSK3051
FLEET: UNOLS
SHIP TYPE: GENERAL OCEAN RESEARCH
SHIP OWNER: LOUISIANA UNIVERSITY MARINE CONSORTIUM
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: COCODRIE LA USA
TECHNICAL SPONSOR: LOUISIANA UNIVERSITY MARINE CONSORTIUM
OPERATIONS CONTROL: LOUISIANA UNIVERSITY MARINE CONSORTIUM
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 3.2/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 15
NUMBER OFFICERS: 3
NUMBER IN CREW: 2
MAX SEA STATE: 4 BEAUFORT SCALE
ENDURANCE: 18 DAY(S)
LIMITING FACTOR: REFRIGERATED STORES
BUILDER: ALLIED SHIPYARD
WHERE BUILT: LAROSE LA USA
INITIAL COST: 1.7/85 MILLION \$'S IN YEAR
DUE DATE: 15 FEB 85
KEEL DATE: 00 NOV 83
LAUNCH DATE: '85
DELIVERY DATE: '85
COMMISSION DATE: '85
CONVERSION DATE: '00
LAST OVERHAUL: '00
MAINTENANCE CYCLE: 1.0 YEARS
END OF LIFE: 2010
UPDATE OF INFORMATION: 24 OCT 90

SHIP DIMENSIONS

LENGTH: 105.0 FEET
MAX BEAM: 26.5 FEET
HEIGHT: 48.0 FEET
GROSS TONNAGE: 291
DISPLACEMENT: 244 TONS
DRAUGHT: 9.0 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 3490 NAUTICAL MILES
MAX SPEED: 9.0 KNOTS
MIN SPEED: - KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 2
BOW THRUSTER: HYDRAULIC TUNNEL
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE
BERTHING VAN DIMENSIONS: 8X8X10
INSTRUMENT VAN DIMENSIONS: 8X8X10
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: YES
UTILITY BOATS:
 1. 13 FOOT UTILITY
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 36000 POUNDS
 NUMBER OF FRAMES: 1
CRANES OR BOOMS
 MAX HOIST CAPACITY: 8000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE:
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 18000 FEET
 WIRE DIAMETER: 0.500 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 10500 FEET
 WIRE DIAMETER: 0.187 INCHES





03. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE:
SLIP-RINGS:
WIRE TYPE: CONDUCTOR CABLE
WIRE LENGTH: 24000 FEET
WIRE DIAMETER: 0.219 INCHES


ELECTRONIC EQUIPMENT

COMPUTERS: ZENITH 386
FACSIMILE: Y
ELECTROMAGNETIC LOG: N
INERTIAL NAVIGATION: N
RADAR (SURFACE SCAN): Y
LORAN A: N
LORAN C: Y
OMEGA: N
SATELLITE NAVIGATION: Y
RADIO TELETYPE COMMUNICATION: N
SINGLE SIDE BAND: Y
VHF COMMUNICATIONS: Y
STABLE TABLE: N
NARROW BEAM: N
SEISMIC PROFILING: N
SIDE SCAN: N
SOUNDING SYSTEM (SHALLOW): FURUNO
SOUNDING SYSTEM (DEEP): DATA SONICS

FUEL DETAILS

FUEL CAPACITY: 15724 GALLONS
FUEL TYPE: DIESEL #2/DIESEL #1
FUEL CONSUMPTION RATES:
AT NORMAL CRUISING SPEED: 600 GAL/24-HRS
DURING AVERAGE OPERATIONS: 400 GAL/24-HRS
DURING INPORT OPERATIONS: 150 GAL/24-HRS





R/V PELICAN

CALANUS

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. RON HUTCHINSON
POC OFFICE: MANAGER, MARINE OPERATIONS
POC ORGANIZATION: UNIVERSITY OF MIAMI
POC ADDRESS: 4600 RICKENBACKER CAUSEWAY
POC CITY/STATE: MIAMI FL 33149
COMMERCIAL AREA CODE: 305
PHONE: 361-4880

ADMINISTRATIVE DETAILS

DESIGNATOR: ORV
CLASS: CLASS E
CALL SIGN (INTERNATIONAL): WTR7339
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: UNIVERSITY OF MIAMI
CERTIFICATION AUTHORITY: NONE
FLAG REGISTRY: USA
HOME PORT: MIAMI FL
TECHNICAL SPONSOR: UNIVERSITY OF MIAMI
OPERATIONS CONTROL: UNIVERSITY OF MIAMI
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 2.2/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 6
NUMBER OFFICERS: 1
NUMBER IN CREW: 1
MAX SEA STATE: 4 BEAUFORT SCALE
ENDURANCE: 15 DAY(S)
LIMITING FACTOR: CREW
BUILDER: ATLANTIC MARINE INC
WHERE BUILT: JACKSONVILLE FL USA
INITIAL COST: .089/71 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: 00 MAR 71
LAUNCH DATE: '71
DELIVERY DATE: 00 SEP 71
COMMISSION DATE: 00 OCT 71
CONVERSION DATE: '00
LAST OVERHAUL: '85
MAINTENANCE CYCLE: 1.0 YEARS
END OF LIFE: 1995
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 69.0 FEET
MAX BEAM: 20.0 FEET
HEIGHT: 24.0 FEET
GROSS TONNAGE: 83
DISPLACEMENT: 88 TONS
DRAUGHT: 4.9 FEET
CRUISE SPEED: 6.5 KNOTS
RANGE: 2500 NAUTICAL MILES
MAX SPEED: 7.0 KNOTS
MIN SPEED: - KNOTS

ENGINEERING/DECK EQUIPMENT


MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 2
BOW THRUSTER: NO
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X12
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
1. 13 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
MAX HOIST CAPACITY: 5000 POUNDS
NUMBER OF FRAMES: 1
CRANES OR BOOMS
MAX HOIST CAPACITY: 1500 POUNDS
NUMBER OF CRANES: 1
WINCHES:
01. MAJOR TYPE/USE: CTD
SECONDARY TYPE/USE:
SLIP-RINGS: Y
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 10000 FEET
WIRE DIAMETER: 0.322 INCHES
02. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE:
SLIP-RINGS:
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 6000 FEET
WIRE DIAMETER: 0.187 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	HP 85 (2)
FACSIMILE:	N
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	RAYTHEON
SOUNDING SYSTEM (DEEP):	RAYTHEON


FUEL DETAILS

FUEL CAPACITY:	4800 GALLONS
FUEL TYPE:	MG-O/DIESEL #2/LIGHT DO
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	216 GAL/24-HRS
DURING AVERAGE OPERATIONS:	150 GAL/24-HRS
DURING INPORT OPERATIONS:	20 GAL/24-HRS




OUTBOARD PROFILE

R/V CALANUS



BOAT DECK



MAIN DECK

R/V CALANUS

COLUMBUS ISELIN

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR RON HUTCHINSON
POC OFFICE: MANAGER, MARINE OPERATIONS
POC ORGANIZATION: UNIVERSITY OF MIAMI
POC ADDRESS: 4600 RICKENBACKER CAUSEWAY
POC CITY/STATE: MIAMI FL 33149
COMMERCIAL AREA CODE: 305
PHONE: 361-4080

ADMINISTRATIVE DETAILS

DESIGNATOR: ORV
CLASS: CLASS C
CALL SIGN (INTERNATIONAL): WTB5807
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: UNIVERSITY OF MIAMI
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: MIAMI FL
TECHNICAL SPONSOR: UNIVERSITY OF MIAMI
OPERATIONS CONTROL: UNIVERSITY OF MIAMI
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 8.7/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 24
NUMBER OFFICERS: 6
NUMBER IN CREW: 6
MAX SEA STATE: 5 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: CREW
BUILDER: J BELLINGER SHIPYARDS INC
WHERE BUILT: JACKSONVILLE FL USA
INITIAL COST: 1.4/72 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: 00 FEB 71
LAUNCH DATE: '71
DELIVERY DATE: 15 SEP 72
COMMISSION DATE: 15 SEP 72
CONVERSION DATE: '00
LAST OVERHAUL: '85
MAINTENANCE CYCLE: 1.0 YEARS
END OF LIFE: 2002
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 170.0 FEET
MAX BEAM: 36.0 FEET
HEIGHT: 60.0 FEET
GROSS TONNAGE: 281
DISPLACEMENT: 830 TONS
DRAUGHT: 10.5 FEET
CRUISE SPEED: 12.5 KNOTS
RANGE: 9700 NAUTICAL MILES
MAX SPEED: 14.5 KNOTS
MIN SPEED: - KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 2
BOW THRUSTER: TUNNEL
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X20
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 18 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 20000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 10000 POUNDS
 NUMBER OF CRANES: 2
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: CORING
 SLIP-RINGS: Y
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 33000 FEET
 WIRE DIAMETER: 0.562 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: CTD
 SLIP-RINGS: Y
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 33000 FEET
 WIRE DIAMETER: 0.322 INCHES


03. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE: CTD
SLIP-RINGS: Y
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 33000 FEET
WIRE DIAMETER: 0.187 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	MICROVAX III, IBM PCS
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	Y
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	RAYTHEON
SOUNDING SYSTEM (DEEP):	EDO/RAYTHEON

FUEL DETAILS

FUEL CAPACITY:	56000 GALLONS
FUEL TYPE:	DIESEL #2/MG-O/LIGHT DO
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	1500 GAL/24-HRS
DURING AVERAGE OPERATIONS:	869 GAL/24-HRS
DURING INPORT OPERATIONS:	160 GAL/24-HRS



POINT SUR

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR MICHAEL PRINCE
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: MOSS LANDING MARINE LABORATORY
POC ADDRESS: P.O. BOX 450
POC CITY/STATE: MOSS LANDING CA 95039
COMMERCIAL AREA CODE: 408
PHONE: 633-3534

ADMINISTRATIVE DETAILS

DESIGNATOR: CLASS D
CLASS: COASTAL ZONE R/V
CALL SIGN (INTERNATIONAL): WSC2276
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH - COASTAL ZONE
SHIP OWNER: NATIONAL SCIENCE FOUNDATION
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: MOSS LANDING CA USA
TECHNICAL SPONSOR: MOSS LANDING MARINE LABORATORY
OPERATIONS CONTROL: MOSS LANDING MARINE LABORATORY
CONTRACTUAL INFORMATION: NSF CHARTER PARTY AGREEMENT. EXPIRES 1995.
OPERATING COST/DAY: 6.0/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 12
NUMBER OFFICERS: 5
NUMBER IN CREW: 4
MAX SEA STATE: 7 BEAUFORT SCALE
ENDURANCE: 21 DAY(S)
LIMITING FACTOR: DRY STORES
BUILDER: ATLANTIC MARINE INC.
WHERE BUILT: FORT GEORGE ISLAND FL
INITIAL COST: 3.0/81 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: 15 JUN 80
LAUNCH DATE: 15 FEB 81
DELIVERY DATE: 20 MAY 81
COMMISSION DATE: 24 JUN 81
CONVERSION DATE: '00
LAST OVERHAUL: '89
MAINTENANCE CYCLE: 1.0 YEARS
END OF LIFE: 2006
UPDATE OF INFORMATION: 30 NOV 90

SHIP DIMENSIONS

LENGTH: 135.0 FEET
MAX BEAM: 32.0 FEET
HEIGHT: 58.0 FEET
GROSS TONNAGE: 294
DISPLACEMENT: 539 TONS
DRAUGHT: 9.0 FEET
CRUISE SPEED: 11.0 KNOTS
RANGE: 7680 NAUTICAL MILES
MAX SPEED: 11.0 KNOTS
MIN SPEED: 0.1 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: N
NUMBER OF SHAFTS: 2
BOW THRUSTER: N
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: 3000 FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X10
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: N
UTILITY BOATS:
 1. 14 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 20000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 16200 POUNDS
 NUMBER OF CRANES: 2
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: DREDGE
 SLIP-RINGS: Y
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.500 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: STD
 SLIP-RINGS: Y
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 15000 FEET
 WIRE DIAMETER: 0.250 INCHES


03. MAJOR TYPE/USE:	STD
SECONDARY TYPE/USE:	STD
SLIP-RINGS:	Y
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	15000 FEET
WIRE DIAMETER:	0.322 INCHES

ELECTRONIC EQUIPMENT


COMPUTERS:	Y
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	-
INERTIAL NAVIGATION:	-
RADAR (SURFACE SCAN):	Y
LORAN A:	-
LORAN C:	Y
OMEGA:	-
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	-
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	-
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	-
SOUNDING SYSTEM (SHALLOW):	RAYTHEON
SOUNDING SYSTEM (DEEP):	RAYTHEON/EDO

FUEL DETAILS



FUEL CAPACITY:	29400 GALLONS
FUEL TYPE:	MG-O
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	1200 GAL/24-HRS
DURING AVERAGE OPERATIONS:	1000 GAL/24-HRS
DURING INPORT OPERATIONS:	100 GAL/24-HRS



R/V POINT SUR




R/V POINT SUR




01 DECK

GENERAL DATA:

LENGTH OVERALL 135 feet
 LENGTH BETWEEN PERPENDICULARS 124 feet
 BEAM 32 feet
 DRAUGHT (FULL LOAD) 9 feet
 GROSS TONNAGE 294 tons
 DISPLACEMENT (FULL LOAD) 539 light tons
 MAXIMUM SUSTAINED SPEED 11.5 knots
 MANEUVERING SPEED 0-10 knots
 CRUISING RANGE (NORMAL) 5,600 n. miles
 ENDURANCE (NORMAL) 21 days
 WRY LAB 480 sq. ft.
 WET LAB 100 sq. ft.
 LABORATORY AREA
 MAIN DECK AREA 1100 sq. ft.
 CREW Nine
 SCIENTIFIC BERTHING Twelve
 OWNER National Science Foundation
 OPERATOR Moss Landing Marine Laboratories
 for GENRAL
 BUILT 1980
 HOME PORT Moss Landing, California



MAIN DECK



LOWER DECK

WECOMA

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: CAPT K. M. PALFREY
POC OFFICE: MARINE SUPERINTENDENT/SHIP OPS
POC ORGANIZATION: OREGON STATE U., COLLEGE OF OCEANOGRAPHY
POC ADDRESS: HATFIELD MARINE SCIENCE CENTER
POC CITY/STATE: NEWPORT OR 97365
COMMERCIAL AREA CODE: 503
PHONE: 867-0295

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: OCEANUS
CALL SIGN (INTERNATIONAL): WSD7079
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: NATIONAL SCIENCE FOUNDATION
CERTIFICATION AUTHORITY: -
FLAG REGISTRY: USA
HOME PORT: NEWPORT OR
TECHNICAL SPONSOR: OREGON STATE UNIVERSITY
OPERATIONS CONTROL: OREGON STATE UNIVERSITY
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 9.0/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 20
NUMBER OFFICERS: 6
NUMBER IN CREW: 7
MAX SEA STATE: 6 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: FUEL
BUILDER: PETERSON BUILDERS
WHERE BUILT: USA
INITIAL COST: 3.1/75 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '75
DELIVERY DATE: '75
COMMISSION DATE: 15 MAY 76
CONVERSION DATE: '00
LAST OVERHAUL: '90
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 2001
UPDATE OF INFORMATION: 24 OCT 90

SHIP DIMENSIONS

LENGTH: 177.0 FEET
MAX BEAM: 33.0 FEET
HEIGHT: - FEET
GROSS TONNAGE: 289
DISPLACEMENT: 1059 TONS
DRAUGHT: 18.5 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 8640 NAUTICAL MILES
MAX SPEED: 14.5 KNOTS
MIN SPEED: 1.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 1
BOW THRUSTER: TRAINABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: BILGE KEEL
STABILIZER: N
DEEP ANCHOR: NONE
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X20 (2)
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
1. 13 FOOT SKIFF 2. 14 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
MAX HOIST CAPACITY: 7000 POUNDS
NUMBER OF FRAMES: 2
CRANES OR BOOMS
MAX HOIST CAPACITY: 30000 POUNDS
NUMBER OF CRANES: 2
WINCHES:
01. MAJOR TYPE/USE: CORING
SECONDARY TYPE/USE: TRAWL
SLIP-RINGS: N
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 30000 FEET
WIRE DIAMETER: 0.500 INCHES
02. MAJOR TYPE/USE: TRAWL
SECONDARY TYPE/USE: HYDROGRAPHIC
SLIP-RINGS: 4
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 20000 FEET
WIRE DIAMETER: 0.375 INCHES
SECONDARY WIRE TYPE: CONDUCTOR CABLE
SECONDARY WIRE LEN: 25000 FEET
SECONDARY WIRE DIAM: 0.225 INCHES


03. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	
SLIP-RINGS:	4
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	30000 FEET
WIRE DIAMETER:	0.188 INCHES
SECONDARY WIRE TYPE:	CONDUCTOR CABLE
SECONDARY WIRE LEN:	25000 FEET
SECONDARY WIRE DIAM:	0.225 INCHES
04. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	OTHER
SLIP-RINGS:	4
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	20000 FEET
WIRE DIAMETER:	0.320 INCHES
05. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	
SLIP-RINGS:	4
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	24000 FEET
WIRE DIAMETER:	0.250 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	LEADING EDGE MODEL D; TOSHIBA T3200
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	Y
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	JRC
SOUNDING SYSTEM (DEEP):	EDO/RAYTHEON

FUEL DETAILS

FUEL CAPACITY:	56000 GALLONS
FUEL TYPE:	DIESEL #2/JP-5
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	2000 GAL/24-HRS
DURING AVERAGE OPERATIONS:	1800 GAL/24-HRS
DURING INPORT OPERATIONS:	0 GAL/24-HRS




R/V WECOMA OREGON STATE UNIVERSITY

REV-DEC. 1989

0 5 10ft.

NOTE: Trawl Winch rotates on its base. Wire rope will be leaded to Hydro A-Frame.



NOTE: DEEPSEA CORING WINCH is located in the Main Deck. The wire rope extends thru deck at base of crane and under crane boom to block at head of boom.

MAIN DECK


UPPER DECK

UPPER DECK

AFT → FORWARD

NOTE: One escape hatch on foretail must be kept clear. All foretail bulkheads are removable.

NOTE: Both labs are equipped with unitized sink systems. Unitized - 2' spacing. Unitized - 2' spacing.



NOTE: ELECTRICAL POWER: 110, 220 & 480 V can be supplied at most lab & open deck locations.
 120 VAC-15A-1Ph 120 VAC-30A-1Ph
 240 VAC-30A-3Ph 240 VAC-20A-3Ph
 480 VAC-30A-3Ph 480 VAC-20A-3Ph
 208 VAC-20A-1Ph 480 VAC-400A-3Ph
 (for Portable Crane)

ENDEAVOR

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR JOHN F BASH
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: GRADUATE SCHOOL OF OCEANOGRAPHY
POC ADDRESS: UNIVERSITY OF RHODE ISLAND
POC CITY/STATE: NARRAGANSETT RI 02882
COMMERCIAL AREA CODE: 401
PHONE: 792-6203

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: OCEANUS
CALL SIGN (INTERNATIONAL): WVFQ
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: NATIONAL SCIENCE FOUNDATION
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: NARRAGANSETT RI
TECHNICAL SPONSOR: UNIVERSITY OF RHODE ISLAND
OPERATIONS CONTROL: UNIVERSITY OF RHODE ISLAND
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 8.8/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 16
NUMBER OFFICERS: 6
NUMBER IN CREW: 6
MAX SEA STATE: 5 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: FUEL
BUILDER: PETERSON BUILDERS INC
WHERE BUILT: STURGEON BAY WI USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: 23 JAN 75
LAUNCH DATE: 06 SEP 75
DELIVERY DATE: 28 OCT 76
COMMISSION DATE: '00
CONVERSION DATE: '00
LAST OVERHAUL: 00 DEC 88
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 2001
UPDATE OF INFORMATION: 27 NOV 90

SHIP DIMENSIONS

LENGTH: 177.0 FEET
MAX BEAM: 33.0 FEET
HEIGHT: 88.2 FEET
GROSS TONNAGE: 290
DISPLACEMENT: 972 TONS
DRAUGHT: 17.6 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 7000 NAUTICAL MILES
MAX SPEED: 15.4 KNOTS
MIN SPEED: 0.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: BOW THRUSTER
NUMBER OF SHAFTS: 1
BOW THRUSTER: TRAINABLE WATER JET
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 16 FOOT RUBBER INFLATABLE
 2. 17.5 FOOT RUBBER INFLATABLE RIGID HULL
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 26000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 30000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: CTD
 SECONDARY TYPE/USE: HYDROGRAPHIC
 SLIP-RINGS: 4
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.322 INCHES
 SECONDARY WIRE TYPE: CONDUCTOR CABLE
 SECONDARY WIRE LEN: 30000 FEET
 SECONDARY WIRE DIAM: 0.250 INCHES


02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	CTD
SLIP-RINGS:	4
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	30000 FEET
WIRE DIAMETER:	0.250 INCHES
SECONDARY WIRE TYPE:	CONDUCTOR CABLE
SECONDARY WIRE LEN:	30000 FEET
SECONDARY WIRE DIAM:	0.322 INCHES
03. MAJOR TYPE/USE:	DEEP SEA SAMPLING
SECONDARY TYPE/USE:	TRAWL
SLIP-RINGS:	4
WIRE TYPE:	KEVLAR CABLE
WIRE LENGTH:	26247 FEET
WIRE DIAMETER:	0.625 INCHES
SECONDARY WIRE TYPE:	WIRE ROPE
SECONDARY WIRE LEN:	32800 FEET
SECONDARY WIRE DIAM:	0.5625 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	DEC MICROVAX II
FACSIMILE:	ALDEN MARINEFAX VI; WEST NAVFAX
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	SPERRY 2500C-27 RASCAR & MARK 127E
LORAN A:	N
LORAN C:	NORTHSTAR 800 & 7000
OMEGA:	MAGNAVOX 1105
SATELLITE NAVIGATION:	MAGNAVOX 1105; TRIMBLE 4000A
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	HARRIS RF-3200
VHF COMMUNICATIONS:	ICOM M100 & REGENCY POLARIS NC-7200
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	ROSS DS-600C
SOUNDING SYSTEM (DEEP):	RAYTHEON
TELEX COMMUNICATIONS:	TELESYSTEMS MDC 9100 INMARSAT

FUEL DETAILS

FUEL CAPACITY:	56000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	2100 GAL/24-HRS
DURING AVERAGE OPERATIONS:	1200 GAL/24-HRS
DURING INPORT OPERATIONS:	600 GAL/24-HRS



R/V ENDEAVOR

MELVILLE

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MRS. ROSE M. DUFOUR/CAPT J. WILLIAMS
POC OFFICE: SHIP SCHEDULER/MARINE SUPERINTENDENT
POC ORGANIZATION: SCRIPPS INSTITUTION OF OCEANOGRAPHY
POC ADDRESS: UNIVERSITY OF CALIFORNIA SAN DIEGO
POC CITY/STATE: LA JOLLA CA 92093-0210
COMMERCIAL AREA CODE: 619
PHONE: 534-2841/534-1643

ADMINISTRATIVE DETAILS

DESIGNATOR: AGOR 14
CLASS: MELVILLE/AGOR 14
CALL SIGN (INTERNATIONAL): WECB
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: USN
CERTIFICATION AUTHORITY: US COAST GUARD-ABS
FLAG REGISTRY: USA
HOME PORT: SAN DIEGO CA
TECHNICAL SPONSOR: UNIVERSITY OF CALIFORNIA SAN DIEGO
OPERATIONS CONTROL: UNIVERSITY OF CALIFORNIA SAN DIEGO
CONTRACTUAL INFORMATION: ONR CODE 611 LEASE TO EXPIRE 27 JUL 96
CON # - N00014-91-L-0049
OPERATING COST/DAY: 14.4/92 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 35
NUMBER OFFICERS: 9
NUMBER IN CREW: 14
MAX SEA STATE: 8 BEAUFORT SCALE
ENDURANCE: 40 DAY(S) @ 12 KTS
LIMITING FACTOR: STORES
BUILDER: DEFOE SHIPBUILDING COMPANY
WHERE BUILT: BAY CITY MI USA
INITIAL COST: 6.0/69 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: 12 JUL 67
LAUNCH DATE: 10 JUL 68
DELIVERY DATE: 01 SEP 69
COMMISSION DATE: 27 AUG 69
CONVERSION DATE: 00 FEB 92
LAST OVERHAUL: 00 FEB 92
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 2007
UPDATE OF INFORMATION: 01 DEC 91

SHIP DIMENSIONS

LENGTH: 279.0 FEET
MAX BEAM: 46.0 FEET
HEIGHT: 112.0 FEET
GROSS TONNAGE: 2200
DISPLACEMENT: 2685 TONS
DRAUGHT: 15.5 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 12000 NAUTICAL MILES
MAX SPEED: 14.0 KNOTS
MIN SPEED: 0.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL ELECTRIC
AUXILIARY PROPULSION: BOW THRUSTER
NUMBER OF SHAFTS: 2 Z-DRIVES
BOW THRUSTER: RETRACTABLE Z-DRIVE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: Y
ANTI-ROLL: Y
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X20
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: NO
UTILITY BOATS:
 1. 14 FOOT RUBBER INFLATABLE
 2. 14 FOOT BOSTON WHALER
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 14000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 25000 POUNDS
 NUMBER OF CRANES: 2
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: DEEP SEA
 SLIP-RINGS: Y
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 45000 FEET
 WIRE DIAMETER: 0.563 INCHES
 SECONDARY WIRE TYPE: CONDUCTOR CABLE
 SECONDARY WIRE LEN: 32000 FEET
 SECONDARY WIRE DIAM: 0.680 INCHES

02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	STD
SLIP-RINGS:	1
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	25000 FEET
WIRE DIAMETER:	0.250 INCHES
03. MAJOR TYPE/USE:	CTD
SECONDARY TYPE/USE:	HYDROGRAPHIC
SLIP-RINGS:	1
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	33000 FEET
WIRE DIAMETER:	0.322 INCHES


ELECTRONIC EQUIPMENT

COMPUTERS:	VAX - 730 (2)
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	Y
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	FURUNO
SOUNDING SYSTEM (DEEP):	EDO, GIFFT

ALSO: INMARSAT

FUEL DETAILS

FUEL CAPACITY:	141000 GALLONS
FUEL TYPE:	DIESEL #1/DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	3400 GAL/24-HRS
DURING AVERAGE OPERATIONS:	2000 GAL/24-HRS
DURING INPORT OPERATIONS:	350 GAL/24-HRS



R/V MELVILLE

Scripps Institution of Oceanography

NEW HORIZON

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MRS. ROSE M. DUFOUR
POC OFFICE: SCHEDULER
POC ORGANIZATION: SCRIPPS INSTITUTION OF OCEANOGRAPHY
POC ADDRESS: UNIVERSITY OF CALIFORNIA SAN DIEGO
POC CITY/STATE: LA JOLLA CA 92093-0210
COMMERCIAL AREA CODE: 619
PHONE: 534-2841

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: COLUMBUS ISELIN
CALL SIGN (INTERNATIONAL): WKWB
FLEET: UNOLS
SHIP TYPE: OCEANOGRAPHIC RESEARCH-GENERAL
SHIP OWNER: UNIVERSITY OF CALIFORNIA
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: SAN DIEGO CA
TECHNICAL SPONSOR: UNIVERSITY OF CALIFORNIA SAN DIEGO
OPERATIONS CONTROL: UNIVERSITY OF CALIFORNIA SAN DIEGO
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 9.2/92 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 17
NUMBER OFFICERS: 5
NUMBER IN CREW: 7
MAX SEA STATE: 7 BEAUFORT SCALE
ENDURANCE: 29 DAY(S)
LIMITING FACTOR: FUEL/USCG STABILITY REQUIREMENT
BUILDER: ATLANTIC MARINE INC
WHERE BUILT: FORT GEORGE ISLAND FL US
INITIAL COST: 4.2/78 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: 07 OCT 77
LAUNCH DATE: 04 MAR 78
DELIVERY DATE: 24 OCT 78
COMMISSION DATE: 25 JAN 79
CONVERSION DATE: '00
LAST OVERHAUL: 00 JAN 91
MAINTENANCE CYCLE: 3.0 YEARS
END OF LIFE: 2005
UPDATE OF INFORMATION: 01 DEC 91

SHIP DIMENSIONS

LENGTH: 170.0 FEET
MAX BEAM: 36.0 FEET
HEIGHT: 72.0 FEET
GROSS TONNAGE: 295
DISPLACEMENT: 1080 TONS
DRAUGHT: 12.8 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 7500 NAUTICAL MILES
MAX SPEED: 12.3 KNOTS
MIN SPEED: 0.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: BOW THRUSTER
NUMBER OF SHAFTS: 2
BOW THRUSTER: SCHOTTEL TRAINABLE PROP
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X14
INSTRUMENT VAN DIMENSIONS: 8X8X14
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: YES
UTILITY BOATS:
 1. 13 FOOT RUBBER INFLATABLE
 2. 14 FOOT BOSTON WHALER
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 10000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 8000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: DREDGE
 SLIP-RINGS: 1
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 30170 FEET
 WIRE DIAMETER: 0.680 INCHES

02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	STD
SLIP-RINGS:	1
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	25150 FEET
WIRE DIAMETER:	0.250 INCHES
SECONDARY WIRE TYPE:	WIRE ROPE
SECONDARY WIRE LEN:	25000 FEET
SECONDARY WIRE DIAM:	0.225 INCHES
03. MAJOR TYPE/USE:	CTD
SECONDARY TYPE/USE:	CTD
SLIP-RINGS:	1
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	32810 FEET
WIRE DIAMETER:	0.322 INCHES


ELECTRONIC EQUIPMENT

COMPUTERS:	PC WITH SAILLOOP
FACSIMILE:	Y
DOPPLER LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	TRANSIT & GPS
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	FURUNO
SOUNDING SYSTEM (DEEP):	EDO


ALSO: INMARSAT, ADCP, VHF DIRECTION FINDER, CELLULAR TELEPHONE

FUEL DETAILS

FUEL CAPACITY:	50000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	1000 GAL/24-HRS
DURING AVERAGE OPERATIONS:	850 GAL/24-HRS
DURING INPORT OPERATIONS:	300 GAL/24-HRS



R/V NEW HORIZON



THOMAS WASHINGTON

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC:	MRS. ROSE M. DUFOUR/CAPT J. WILLIAMS
POC OFFICE:	SHIP SCHEDULER/MARINE SUPERINTENDENT
POC ORGANIZATION:	SCRIPPS INSTITUTION OF OCEANOGRAPHY
POC ADDRESS:	UNIVERSITY OF CALIFORNIA SAN DIEGO
POC CITY/STATE:	LA JOLLA CA 92093-0210
COMMERCIAL AREA CODE:	619
PHONE:	534-2841/534-1643

ADMINISTRATIVE DETAILS

DESIGNATOR:	AGOR 10
CLASS:	ROBERT D CONRAD/AGOR 3
CALL SIGN (INTERNATIONAL):	KGWU
FLEET:	UNOLS
SHIP TYPE:	OCEAN RESEARCH-GENERAL
SHIP OWNER:	USN
CERTIFICATION AUTHORITY:	US COAST GUARD-ABS
FLAG REGISTRY:	USA
HOME PORT:	SAN DIEGO CA
TECHNICAL SPONSOR:	UNIVERSITY OF CALIFORNIA SAN DIEGO
OPERATIONS CONTROL:	UNIVERSITY OF CALIFORNIA SAN DIEGO
CONTRACTUAL INFORMATION:	ONR CODE 611 LEASE TO EXPIRE OCT 93 CON # - N00014-85-L-0737
OPERATING COST/DAY:	11.0/92 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT:	22
NUMBER OFFICERS:	8
NUMBER IN CREW:	15
MAX SEA STATE:	- BEAUFORT SCALE
ENDURANCE:	36 DAY(S)
LIMITING FACTOR:	FUEL
BUILDER:	MARINETTE MARINE CORPORATION
WHERE BUILT:	MARINETTE WI USA
INITIAL COST:	-
DUE DATE:	'00
KEEL DATE:	12 SEP 63
LAUNCH DATE:	01 AUG 64
DELIVERY DATE:	17 SEP 65
COMMISSION DATE:	'65
CONVERSION DATE:	'00
LAST OVERHAUL:	24 OCT 90
MAINTENANCE CYCLE:	2.0 YEARS
END OF LIFE:	1992
UPDATE OF INFORMATION:	01 DEC 91

SHIP DIMENSIONS

LENGTH: 209.0 FEET
MAX BEAM: 39.5 FEET
HEIGHT: 78.0 FEET
GROSS TONNAGE: 1151
DISPLACEMENT: 1490 TONS
DRAUGHT: 16.7 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 8200 NAUTICAL MILES
MAX SPEED: 11.5 KNOTS
MIN SPEED: 0.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL ELECTRIC
AUXILIARY PROPULSION: DIESEL
NUMBER OF SHAFTS: 1
BOW THRUSTER: RETRACTABLE/360 DEG TRAINABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X20
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: Y
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: YES
UTILITY BOATS:
 1. 14 FOOT BOSTON WHALER
 2. 35 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 10000 POUNDS
 NUMBER OF FRAMES: 1
CRANES OR BOOMS
 MAX HOIST CAPACITY: 16000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: DEEP SEA
 SECONDARY TYPE/USE: OCEANOGRAPHIC
 SLIP-RINGS: 1
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 45000 FEET
 WIRE DIAMETER: 0.563 INCHES
 SECONDARY WIRE TYPE: CONDUCTOR CABLE
 SECONDARY WIRE LEN: 32800 FEET
 SECONDARY WIRE DIAM: 0.680 INCHES


02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	STD
SLIP-RINGS:	1
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	25000 FEET
WIRE DIAMETER:	0.250 INCHES
SECONDARY WIRE TYPE:	CONDUCTOR CABLE
SECONDARY WIRE LEN:	25000 FEET
SECONDARY WIRE DIAM:	0.225 INCHES
03. MAJOR TYPE/USE:	STD
SECONDARY TYPE/USE:	HYDROGRAPHIC
SLIP-RINGS:	1
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	33000 FEET
WIRE DIAMETER:	0.322 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	VAX730(2);MASSCOMP
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	Y
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	Y
NARROW BEAM:	Y
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	FURUNO
SOUNDING SYSTEM (DEEP):	SEABEAM,EDO

FUEL DETAILS

FUEL CAPACITY:	66000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	2000 GAL/24-HRS
DURING AVERAGE OPERATIONS:	1700 GAL/24-HRS
DURING INPORT OPERATIONS:	300 GAL/24-HRS



R/V THOMAS WASHINGTON

FLIP

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: DR. FREDERICK FISHER
POC OFFICE: ASSOCIATE DIRECTOR
POC ORGANIZATION: MARINE PHYSICAL LABORATORY
POC ADDRESS: SCRIPPS INSTITUTE OF OCEANOGRAPHY
POC CITY/STATE: LA JOLLA CA 92093-0701
COMMERCIAL AREA CODE: 619
PHONE: 534-1796

ADMINISTRATIVE DETAILS

DESIGNATOR: RP
CLASS: RESEARCH PLATFORM
CALL SIGN (INTERNATIONAL): WI7115
FLEET: UNOLS
SHIP TYPE: FLOATING INSTRUMENT PLATFORM
SHIP OWNER: USN
CERTIFICATION AUTHORITY: USN
FLAG REGISTRY: USA
HOME PORT: SAN DIEGO CA
TECHNICAL SPONSOR: UNIVERSITY OF CALIFORNIA SAN DIEGO
OPERATIONS CONTROL: SCRIPPS MARINE PHYSICAL LABORATORY
CONTRACTUAL INFORMATION: ONR CODE 122
OPERATING COST/DAY: 1.5/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 11
NUMBER OFFICERS: 1
NUMBER IN CREW: 4
MAX SEA STATE: 7 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: FOOD/FUEL
BUILDER: GUNDERSON BROTHERS SHIPYARD
WHERE BUILT: PORTLAND OR USA
INITIAL COST: .850/62 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: 22 JUN 62
DELIVERY DATE: 06 AUG 62
COMMISSION DATE: '00
CONVERSION DATE: '00
LAST OVERHAUL: 00 AUG 90
MAINTENANCE CYCLE: 1.0 YEARS
END OF LIFE: 2002
UPDATE OF INFORMATION: 01 NOV 90

SHIP DIMENSIONS

LENGTH: 358.0 FEET
MAX BEAM: 26.0 FEET
HEIGHT: 37.0 FEET
GROSS TONNAGE: -
DISPLACEMENT: 700 TONS
DRAUGHT: 12.5 FEET
CRUISE SPEED: - KNOTS
RANGE: - NAUTICAL MILES
MAX SPEED: - KNOTS
MIN SPEED: - KNOTS

ENGINEERING/DECK EQUIPMENT


MAIN PROPULSION: TOWED, 5-10 KTS
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 0
BOW THRUSTER: HYD. 60HP
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: N
DRY-LAB: N
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: NO
UTILITY BOATS:
 1. 13 FOOT BOSTON WHALER
A, U, OR L FRAMES
 MAX HOIST CAPACITY: - POUNDS
 NUMBER OF FRAMES: -
CRANES OR BOOMS
 MAX HOIST CAPACITY: - POUNDS
 NUMBER OF BOOMS: 6
WINCHES:
 01. MAJOR TYPE/USE: DEEP SEA
 SECONDARY TYPE/USE:
 SLIP-RINGS:
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 20000 FEET
 WIRE DIAMETER: 0.348 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	COMPAQ PC
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	NONE
SOUNDING SYSTEM (DEEP):	UQN-1D

FUEL DETAILS

FUEL CAPACITY:	3500 GALLONS
FUEL TYPE:	DIESEL #1
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	- GAL/24-HRS
DURING AVERAGE OPERATIONS:	75 GAL/24-HRS
DURING INPORT OPERATIONS:	0 GAL/24-HRS



ORB

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: DR. FREDERICK FISHER
POC OFFICE: ASSOCIATE DIRECTOR
POC ORGANIZATION: MARINE PHYSICAL LABORATORY
POC ADDRESS: SCRIPPS INSTITUTE OF OCEANOGRAPHY
POC CITY/STATE: LA JOLLA CA 92093-0701
COMMERCIAL AREA CODE: 619
PHONE: 534-1796

ADMINISTRATIVE DETAILS

DESIGNATOR: RP
CLASS: RESEARCH PLATFORM
CALL SIGN (INTERNATIONAL): WS6315
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH BUOY
SHIP OWNER: USN
CERTIFICATION AUTHORITY: USN
FLAG REGISTRY: USA
HOME PORT: SAN DIEGO CA
TECHNICAL SPONSOR: UNIVERSITY OF CALIFORNIA SAN DIEGO
OPERATIONS CONTROL: SCRIPPS MARINE PHYSICAL LABORATORY
CONTRACTUAL INFORMATION: ONR CODE 122
OPERATING COST/DAY: 1.5/89 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 15
NUMBER OFFICERS: 1
NUMBER IN CREW: 4
MAX SEA STATE: 5 BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: FOOD
BUILDER: CALIFORNIA STEEL FABRICATORS
WHERE BUILT: SAN DIEGO CA USA
INITIAL COST: .250/67 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: 00 JUL 67
LAUNCH DATE: 01 DEC 67
DELIVERY DATE: 00 DEC 67
COMMISSION DATE: '00
CONVERSION DATE: '00
LAST OVERHAUL: 00 JUN 86
MAINTENANCE CYCLE: 4.0 YEARS
END OF LIFE: 2018
UPDATE OF INFORMATION: 01 NOV 90

SHIP DIMENSIONS

LENGTH: 69.0 FEET
MAX BEAM: 45.0 FEET
HEIGHT: 28.5 FEET
GROSS TONNAGE: -
DISPLACEMENT: 330 TONS
DRAUGHT: 5.0 FEET
CRUISE SPEED: - KNOTS
RANGE: - NAUTICAL MILES
MAX SPEED: - KNOTS
MIN SPEED: - KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: TOWED, 3-6 KTS
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 0
BOW THRUSTER: NONE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: N
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: NO
UTILITY BOATS:
 1. 17 FOOT BOSTON WHALER.
A, U, OR L FRAMES
 MAX HOIST CAPACITY: - POUNDS
 NUMBER OF FRAMES: -
CRANES OR BOOMS
 MAX HOIST CAPACITY: - POUNDS
 NUMBER OF CRANES: 5
WINCHES: N

ELECTRONIC EQUIPMENT

COMPUTERS:	NONE
FACSIMILE:	N
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	Y
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	NONE
SOUNDING SYSTEM (DEEP):	UQN-1D

FUEL DETAILS

FUEL CAPACITY:	5500 GALLONS
FUEL TYPE:	DIESEL #1
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	- GAL/24-HRS
DURING AVERAGE OPERATIONS:	100 GAL/24-HRS
DURING INPORT OPERATIONS:	0 GAL/24-HRS



R/P ORB

ROBERT GORDON SPROUL

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MRS. ROSE M. DUFOUR
POC OFFICE: SCHEDULER
POC ORGANIZATION: SCRIPPS INSTITUTION OF OCEANOGRAPHY
POC ADDRESS: UNIVERSITY OF CALIFORNIA SAN DIEGO
POC CITY/STATE: LA JOLLA CA 92093-0210
COMMERCIAL AREA CODE: 619
PHONE: 534-2841

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: GULF COAST WORK BOAT
CALL SIGN (INTERNATIONAL): WSQ2674
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH - GENERAL
SHIP OWNER: UNIVERSITY OF CALIFORNIA
CERTIFICATION AUTHORITY: ABS
FLAG REGISTRY: USA
HOME PORT: SAN DIEGO CA
TECHNICAL SPONSOR: UNIVERSITY OF CALIFORNIA SAN DIEGO
OPERATIONS CONTROL: UNIVERSITY OF CALIFORNIA SAN DIEGO
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 4.6/92 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 12
NUMBER OFFICERS: 0
NUMBER IN CREW: 5
MAX SEA STATE: 7 BEAUFORT SCALE (OPS ON STATION)
ENDURANCE: 14 DAY(S)
LIMITING FACTOR: FRESH WATER
BUILDER: STEINER FABRICATORS INC.
WHERE BUILT: BAYOU LA BATRE AL
INITIAL COST: 1.3/81 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '00
DELIVERY DATE: '81
COMMISSION DATE: '00
CONVERSION DATE: 00 AUG 84
LAST OVERHAUL: 14 JUN 90
MAINTENANCE CYCLE: 3.0 YEARS
END OF LIFE: 2001
UPDATE OF INFORMATION: 01 DEC 91

SHIP DIMENSIONS

LENGTH: 125.0 FEET
MAX BEAM: 32.0 FEET
HEIGHT: 53.0 FEET
GROSS TONNAGE: 85
DISPLACEMENT: 524 TONS
DRAUGHT: 8.6 FEET
CRUISE SPEED: 9.5 KNOTS
RANGE: 3800 NAUTICAL MILES
MAX SPEED: 10.0 KNOTS
MIN SPEED: 2.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 2
BOW THRUSTER: WHITEGILL
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X14
INSTRUMENT VAN DIMENSIONS: 10X8X30
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: BAROMETERS, WIND GUAGES, SLING
UTILITY BOATS: PSYCHROMETER
 1. 14 FOOT BOSTON WHALER
 2. 12 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 6500 POUNDS
 NUMBER OF FRAMES: 1
CRANES OR BOOMS
 MAX HOIST CAPACITY: 2500 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: UNKNOWN
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 14000 FEET
 WIRE DIAMETER: 0.375 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: UNKNOWN
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 14000 FEET
 WIRE DIAMETER: 0.250 INCHES

03. MAJOR TYPE/USE:	CTD
SECONDARY TYPE/USE:	UNKNOWN
SLIP-RINGS:	1
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	18000 FEET
WIRE DIAMETER:	0.322 INCHES
04. MAJOR TYPE/USE:	CTD
SECONDARY TYPE/USE:	CTD
SLIP-RINGS:	1
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	29400 FEET
WIRE DIAMETER:	0.225 INCHES

ELECTRONIC EQUIPMENT




COMPUTERS:	NONE
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	FURUNO - 50KHZ
SOUNDING SYSTEM (DEEP):	GDR - 12KHZ

FUEL DETAILS

FUEL CAPACITY:	24800 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	1200 GAL/24-HRS
DURING AVERAGE OPERATIONS:	740 GAL/24-HRS
DURING INPORT OPERATIONS:	50 GAL/24-HRS



R/V ROBERT GORDON SPROUL




GENERAL NOTES

1. Deck Bolts, Main and 01, are 1 - 8 UNC on 2 ll centers
2. Deck Bolts, Dry lab, are 1/2 - 20 UNC on 2 ll centers
3. A-frame, SWL: 10,000lbs; max inboard 7' @ 20' height; (elevations measured from main deck to shackle pin)

LEGEND

- A** compressed air, Tee-lifting, 1-1/2" NPT female, 2 locations
B Saltwater connection
C 3" stuffing tube to Main Deck, 2 locations
D 19" Electronics Rack



MAIN DECK

R/V Robert Gordon Sproul
Deck Plan
Scale: 1/8" = 1'
1987 Revision A
-- visit ship when planning a sculpin.

Drawing for Reference Only -- visit ship when planning a scalrip.

BLUE FIN

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. LEE H. KNIGHT
POC OFFICE: -
POC ORGANIZATION: SKIDAWAY INSTITUTE OF OCEANOGRAPHY
POC ADDRESS: PO BOX 13687
POC CITY/STATE: SAVANNAH GA 31416-0687
COMMERCIAL AREA CODE: 912
PHONE: 598-2486

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: TRAWLER YACHT
CALL SIGN (INTERNATIONAL):
FLEET: UNOLS
SHIP TYPE: -
SHIP OWNER: UNIVERSITY SYSTEM OF GEORGIA
CERTIFICATION AUTHORITY: US COAST GUARD
FLAG REGISTRY: USA
HOME PORT: SAVANNAH GA
TECHNICAL SPONSOR: SKIDAWAY INSTITUTE OF OCEANOGRAPHY
OPERATIONS CONTROL: SKIDAWAY INSTITUTE OF OCEANOGRAPHY
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 2.0/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 8
NUMBER OFFICERS: 2
NUMBER IN CREW: 2
MAX SEA STATE: 4 BEAUFORT SCALE
ENDURANCE: 7 DAY(S)
LIMITING FACTOR: WATER-ACCOMMODATIONS
BUILDER: XNIDIES
WHERE BUILT: ST.AUGUSTINE FL USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '72
DELIVERY DATE: '72
COMMISSION DATE: '00
CONVERSION DATE: '75
LAST OVERHAUL: '81
MAINTENANCE CYCLE: - YEARS
END OF LIFE: 1996
UPDATE OF INFORMATION: 26 NOV 91

SHIP DIMENSIONS

LENGTH: 72.0 FEET
MAX BEAM: 20.0 FEET
HEIGHT: 60.0 FEET
GROSS TONNAGE: 86
DISPLACEMENT: 132 TONS
DRAUGHT: 8.5 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 1800 NAUTICAL MILES
MAX SPEED: 9.0 KNOTS
MIN SPEED: 0.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL HYDRAUL.
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 1
BOW THRUSTER: NO
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: Y
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X10
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: NO
UTILITY BOATS: N
A, U, OR L FRAMES
MAX HOIST CAPACITY: 5000 POUNDS
NUMBER OF FRAMES: 1
CRANES OR BOOMS
MAX HOIST CAPACITY: 2500 POUNDS
NUMBER OF CRANES: 1
WINCHES:
01. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE: HYDROGRAPHIC
SLIP-RINGS: 4
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 2000 FEET
WIRE DIAMETER: 0.219 INCHES
02. MAJOR TYPE/USE: TRAWL
SECONDARY TYPE/USE: CORING
SLIP-RINGS: N
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 6000 FEET
WIRE DIAMETER: 0.500 INCHES

03. MAJOR TYPE/USE:	OCEANOGRAPHIC
SECONDARY TYPE/USE:	
SLIP-RINGS:	N
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	5000 FEET
WIRE DIAMETER:	0.250 INCHES
04. MAJOR TYPE/USE:	ANCHOR
SECONDARY TYPE/USE:	
SLIP-RINGS:	N
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	600 FEET
WIRE DIAMETER:	0.562 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	NONE
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	N
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	RAYTHEON
SOUNDING SYSTEM (DEEP):	SIMRAD

FUEL DETAILS

FUEL CAPACITY:	5500 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	840 GAL/24-HRS
DURING AVERAGE OPERATIONS:	600 GAL/24-HRS
DURING INPORT OPERATIONS:	0 GAL/24-HRS

JOHN V. VICKERS

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR DON NEWMAN
POC OFFICE: MANAGER MARINE SUPPORT FACILITY
POC ORGANIZATION: INSTITUTE FOR MARINE & COASTAL STUDIES, USC
POC ADDRESS: 820 SOUTH SEASIDE AVENUE
POC CITY/STATE: TERMINAL ISLAND CA 90731
COMMERCIAL AREA CODE: 213
PHONE: 830-4570

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: TUNA SEINER
CALL SIGN (INTERNATIONAL): WP8613
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: UNIVERSITY OF SOUTHERN CALIFORNIA
CERTIFICATION AUTHORITY: US COAST GUARD/ABS
FLAG REGISTRY: USA
HOME PORT: LOS ANGELES CA
TECHNICAL SPONSOR: UNIVERSITY OF SOUTHERN CALIFORNIA
OPERATIONS CONTROL: UNIVERSITY OF SOUTHERN CALIFORNIA
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 10.0/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 20
NUMBER OFFICERS: 6
NUMBER IN CREW: 14
MAX SEA STATE: 6 BEAUFORT SCALE
ENDURANCE: 75 DAY(S)
LIMITING FACTOR: STORES
BUILDER: CAMPBELL SHIP
WHERE BUILT: SAN DIEGO CA USA
INITIAL COST: 5.5/73 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '73
DELIVERY DATE: '73
COMMISSION DATE: '73
CONVERSION DATE: '90
LAST OVERHAUL: '90
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 2020
UPDATE OF INFORMATION: 01 DEC 91

SHIP DIMENSIONS

LENGTH: 220.0 FEET
MAX BEAM: 38.0 FEET
HEIGHT: 70.0 FEET
GROSS TONNAGE: 968
DISPLACEMENT: 1750 TONS
DRAUGHT: 14.8 FEET
CRUISE SPEED: 13.0 KNOTS
RANGE: 18000 NAUTICAL MILES
MAX SPEED: 17.0 KNOTS
MIN SPEED: 00.1 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: 550HP OMNITHRUSTER
NUMBER OF SHAFTS: 1
BOW THRUSTER: Y
ACTIVE RUDDER: N
DYNAMIC POSITIONING: Y
ANTI-ROLL: Y
STABILIZER: N
DEEP ANCHOR: 1500 FEET
BERTHING VAN DIMENSIONS: 8X8X20
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 18 FOOT SURVEY LAUNCH
 2. 14 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 30000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 36000 POUNDS
 NUMBER OF CRANES: 2
WINCHES:
 01. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE:
 SLIP-RINGS: Y
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 20000 FEET
 WIRE DIAMETER: 0.187 INCHES
 02. MAJOR TYPE/USE: CORING
 SECONDARY TYPE/USE: TRAWL
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 20000 FEET
 WIRE DIAMETER: 0.500 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	Y
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	Y
INERTIAL NAVIGATION:	Y
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	Y
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	Y
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	YES
SOUNDING SYSTEM (DEEP):	YES

FUEL DETAILS

FUEL CAPACITY:	121000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	2500 GAL/24-HRS
DURING AVERAGE OPERATIONS:	1500 GAL/24-HRS
DURING INPORT OPERATIONS:	300 GAL/24-HRS



R/V JOHN V. VICKERS

GYRE

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. DEAN E. LETZRING
POC OFFICE: MANAGER MARINE OPERATIONS
POC ORGANIZATION: TEXAS A&M UNIVERSITY
POC ADDRESS: P.O. BOX 1675
POC CITY/STATE: GALVESTON, TX 77553
COMMERCIAL AREA CODE: 409
PHONE: 740-4469

ADMINISTRATIVE DETAILS

DESIGNATOR: AGOR 21
CLASS: AGOR 21 CLASS
CALL SIGN (INTERNATIONAL): KJCL
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH - GENERAL
SHIP OWNER: USN
CERTIFICATION AUTHORITY: AMERICAN BUREAU OF SHIPPING
FLAG REGISTRY: USA
HOME PORT: GALVESTON TX
TECHNICAL SPONSOR: TEXAS A&M RESEARCH FOUNDATION
OPERATIONS CONTROL: TEXAS A&M UNIVERSITY
CONTRACTUAL INFORMATION: AVAILABLE FOR REIMBURSABLE LEASE. CALL POC
OPERATING COST/DAY: 6.5/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 23
NUMBER OFFICERS: 5
NUMBER IN CREW: 5
MAX SEA STATE: 8 BEAUFORT SCALE
ENDURANCE: 60 DAY(S)
LIMITING FACTOR: FOOD
BUILDER: HALTER MARINE SERVICES INC
WHERE BUILT: NEW ORLEANS LA USA
INITIAL COST: 3.1/73 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '73
LAUNCH DATE: 25 MAY 73
DELIVERY DATE: 14 NOV 73
COMMISSION DATE: '00
CONVERSION DATE: '80
LAST OVERHAUL: 00 SEP 88
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 2003
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 182.0 FEET
MAX BEAM: 36.0 FEET
HEIGHT: 42.0 FEET
GROSS TONNAGE: 292
DISPLACEMENT: 946 TONS
DRAUGHT: 12.5 FEET
CRUISE SPEED: 9.5 KNOTS
RANGE: 8000 NAUTICAL MILES
MAX SPEED: 11.8 KNOTS
MIN SPEED: 0.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 2
BOW THRUSTER: ELECTRIC/HYDRAULIC
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: 10000 FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 13 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 30000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 7000 POUNDS
 NUMBER OF CRANES: 2
WINCHES:
 01. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: CTD
 SLIP-RINGS: Y
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 23000 FEET
 WIRE DIAMETER: 0.322 INCHES
 02. MAJOR TYPE/USE: CTD
 SECONDARY TYPE/USE: HYDROGRAPHIC
 SLIP-RINGS: Y
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.322 INCHES


03. MAJOR TYPE/USE: TRAWL
SECONDARY TYPE/USE:
SLIP-RINGS: N
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 30000 FEET
WIRE DIAMETER: 0.500 INCHES

ELECTRONIC EQUIPMENT


COMPUTERS: HP 600A SAILLOOP
FACSIMILE: Y
ELECTROMAGNETIC LOG: Y
INERTIAL NAVIGATION: N
RADAR (SURFACE SCAN): Y
LORAN A: Y
LORAN C: Y
OMEGA: Y
SATELLITE NAVIGATION: Y
RADIO TELETYPE COMMUNICATION: Y
SINGLE SIDE BAND: Y
VHF COMMUNICATIONS: Y
STABLE TABLE: N
NARROW BEAM: N
SEISMIC PROFILING: Y
SIDE SCAN: N
SOUNDING SYSTEM (SHALLOW): RAYTHEON
SOUNDING SYSTEM (DEEP): RAYTHEON

FUEL DETAILS

FUEL CAPACITY: 89000 GALLONS
FUEL TYPE: DIESEL FUEL MARINE
FUEL CONSUMPTION RATES:
AT NORMAL CRUISING SPEED: 1600 GAL/24-HRS
DURING AVERAGE OPERATIONS: 1400 GAL/24-HRS
DURING INPORT OPERATIONS: 400 GAL/24-HRS






R/V GYRE



OUTBOARD PROFILE

R/V GYRE



DECK PLANS

LONGHORN

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. JOHN H. THOMPSON
POC OFFICE: ASSOCIATE DIRECTOR FOR ADMINISTRATION
POC ORGANIZATION: MARINE SCIENCE LABORATORY
POC ADDRESS: UNIVERSITY OF TEXAS
POC CITY/STATE: PORT ARANSAS TX 78373
COMMERCIAL AREA CODE: 512
PHONE: 749-6760

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: TRAWLER
CALL SIGN (INTERNATIONAL): WZL3621
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: UNIVERSITY OF TEXAS
CERTIFICATION AUTHORITY: TEXAS PARKS & WILDLIFE
FLAG REGISTRY: USA
HOME PORT: PORT ARANSAS TX
TECHNICAL SPONSOR: UNIVERSITY OF TEXAS
OPERATIONS CONTROL: U.TEX.-PORT ARANSAS MARINE LAB
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 2.0/87 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 10
NUMBER OFFICERS: 2
NUMBER IN CREW: 4
MAX SEA STATE: 3 BEAUFORT SCALE
ENDURANCE: 18 DAY(S)
LIMITING FACTOR: WATER-REFRIG. STORES
BUILDER: ALLIED SHIPYARD
WHERE BUILT: LAROSE, LA USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '71
DELIVERY DATE: '71
COMMISSION DATE: '71
CONVERSION DATE: '86
LAST OVERHAUL: '86
MAINTENANCE CYCLE: 1.6 YEARS
END OF LIFE: 2000
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 105.0 FEET
MAX BEAM: 24.2 FEET
HEIGHT: - FEET
GROSS TONNAGE: 175
DISPLACEMENT: 210 TONS
DRAUGHT: 7.3 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 2000 NAUTICAL MILES
MAX SPEED: 9.5 KNOTS
MIN SPEED: 1.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 2
BOW THRUSTER: HYDRAULIC, TUNNEL
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: 8X8X20
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: NO
UTILITY BOATS:
 1. 15 FOOT RUBBER INFLATABLE
 2. 16 FOOT UTILITY
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 6000 POUNDS
 NUMBER OF FRAMES: 1
CRANES OR BOOMS
 MAX HOIST CAPACITY: 2500 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE:
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 4000 FEET
 WIRE DIAMETER: 0.500 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 9800 FEET
 WIRE DIAMETER: 0.250 INCHES


03. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE:
SLIP-RINGS: 1
WIRE TYPE: CONDUCTOR CABLE
WIRE LENGTH: 9700 FEET
WIRE DIAMETER: 0.219 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS: IBM-PC
FACSIMILE: N
ELECTROMAGNETIC LOG: N
INERTIAL NAVIGATION: N
RADAR (SURFACE SCAN): Y
LORAN A: N
LORAN C: Y
OMEGA: N
SATELLITE NAVIGATION: N
RADIO TELETYPE COMMUNICATION: N
SINGLE SIDE BAND: Y
VHF COMMUNICATIONS: Y
STABLE TABLE: N
NARROW BEAM: N
SEISMIC PROFILING: N
SIDE SCAN: N
SOUNDING SYSTEM (SHALLOW): MORROW
SOUNDING SYSTEM (DEEP): FURUNO

FUEL DETAILS

FUEL CAPACITY: 11000 GALLONS
FUEL TYPE: DIESEL #2/DIESEL #1
FUEL CONSUMPTION RATES:
AT NORMAL CRUISING SPEED: 960 GAL/24-HRS
DURING AVERAGE OPERATIONS: 400 GAL/24-HRS
DURING INPORT OPERATIONS: 140 GAL/24-HRS



R/V LORNHORN

CLIFFORD A BARNES

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. K. W. JEFFERS
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: SCHOOL OF OCEANOGRAPHY
POC ADDRESS: UNIVERSITY OF WASHINGTON WB10
POC CITY/STATE: SEATTLE WA 98195
COMMERCIAL AREA CODE: 206
PHONE: 543-5062

ADMINISTRATIVE DETAILS

DESIGNATOR: -
CLASS: STEEL HULL UTILITY
CALL SIGN (INTERNATIONAL): -
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH - GENERAL
SHIP OWNER: NATIONAL SCIENCE FOUNDATION
CERTIFICATION AUTHORITY: -
FLAG REGISTRY: USA
HOME PORT: SEATTLE WA USA
TECHNICAL SPONSOR: UNIVERSITY OF WASHINGTON
OPERATIONS CONTROL: UNIVERSITY OF WASHINGTON
CONTRACTUAL INFORMATION: NSF OCE 82-19239 EXPIRES 10/92
OPERATING COST/DAY: 3.0/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 6
NUMBER OFFICERS: 0
NUMBER IN CREW: 2
MAX SEA STATE: 2 BEAUFORT SCALE
ENDURANCE: 7 DAY(S)
LIMITING FACTOR: CREW
BUILDER: WESTERN BOAT BUILDING CORP.
WHERE BUILT: TACOMA WA USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '00
DELIVERY DATE: '66
COMMISSION DATE: '82
CONVERSION DATE: '84
LAST OVERHAUL: '90
MAINTENANCE CYCLE: 4.0 YEARS
END OF LIFE: 2004
UPDATE OF INFORMATION: 29 OCT 90

SHIP DIMENSIONS

LENGTH: 65.5 FEET
MAX BEAM: 19.6 FEET
HEIGHT: 27.0 FEET
GROSS TONNAGE: -
DISPLACEMENT: 86 TONS
DRAUGHT: 6.7 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 1600 NAUTICAL MILES
MAX SPEED: 10.0 KNOTS
MIN SPEED: 1.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 1
BOW THRUSTER: NO
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: N
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: NO
UTILITY BOATS:
 1. 13 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: - POUNDS
 NUMBER OF FRAMES: 0
CRANES OR BOOMS
 MAX HOIST CAPACITY: 1600 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: CTD
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: 1
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 4500 FEET
 WIRE DIAMETER: 0.322 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE:
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 5000 FEET
 WIRE DIAMETER: 0.188 INCHES

03.	MAJOR TYPE/USE:	ANCHOR
	SECONDARY TYPE/USE:	
	SLIP-RINGS:	N
	WIRE TYPE:	WIRE ROPE
	WIRE LENGTH:	1500 FEET
	WIRE DIAMETER:	0.500 INCHES
04.	MAJOR TYPE/USE:	OTHER
	SECONDARY TYPE/USE:	TRAWL
	SLIP-RINGS:	N
	WIRE TYPE:	WIRE ROPE
	WIRE LENGTH:	600 FEET
	WIRE DIAMETER:	0.500 INCHES
05.	MAJOR TYPE/USE:	OTHER
	SECONDARY TYPE/USE:	TRAWL
	SLIP-RINGS:	N
	WIRE TYPE:	WIRE ROPE
	WIRE LENGTH:	600 FEET
	WIRE DIAMETER:	0.500 INCHES
06.	MAJOR TYPE/USE:	CTD
	SLIP-RINGS:	1
	WIRE TYPE:	CONDUCTOR CABLE
	WIRE LENGTH:	1000 FEET
	WIRE DIAMETER:	0.322 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	NONE
FACSIMILE:	N
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	N
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	FURUNO
SOUNDING SYSTEM (DEEP):	FURUNO

FUEL DETAILS

FUEL CAPACITY:	1900 GALLONS
FUEL TYPE:	DIESEL #2/DIESEL #1
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	220 GAL/24-HRS
DURING AVERAGE OPERATIONS:	105 GAL/24-HRS
DURING INPORT OPERATIONS:	- GAL/24-HRS

THOMAS G. THOMPSON

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. K. W. JEFFERS
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: SCHOOL OF OCEANOGRAPHY
POC ADDRESS: UNIVERSITY OF WASHINGTON WB10
POC CITY/STATE: SEATTLE WA 98195
COMMERCIAL AREA CODE: 206
PHONE: 543-5062

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: AGOR-23
CALL SIGN (INTERNATIONAL): KTDQ
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH - GENERAL
SHIP OWNER: OFFICE OF NAVAL RESEARCH
CERTIFICATION AUTHORITY: US COAST GUARD
FLAG REGISTRY: USA
HOME PORT: SEATTLE WA USA
TECHNICAL SPONSOR: UNIVERSITY OF WASHINGTON
OPERATIONS CONTROL: UNIVERSITY OF WASHINGTON
CONTRACTUAL INFORMATION: CHARTER PARTY AGREEMENT TO BE EXECUTED
OPERATING COST/DAY: 15.0/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 27
NUMBER OFFICERS: 9
NUMBER IN CREW: 13
MAX SEA STATE: 6 BEAUFORT SCALE
ENDURANCE: 33 DAYS @ 14KT AND 29 DAYS @ 3KT
LIMITING FACTOR: FOOD/FUEL
BUILDER: HALTER MARINE, INC.
WHERE BUILT: MOSS POINT MS USA
INITIAL COST: 27.0/90 MILLION \$'S IN YEAR
DUE DATE: -
KEEL DATE: 29 MAR 89
LAUNCH DATE: 27 JUL 90
DELIVERY DATE: 00 AUG 90
COMMISSION DATE: -
CONVERSION DATE: -
LAST OVERHAUL: -
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 2020
UPDATE OF INFORMATION: 29 OCT 90

SHIP DIMENSIONS

LENGTH: 274.0 FEET
MAX BEAM: 52.5 FEET
HEIGHT: 92.0 FEET
GROSS TONNAGE: 2050
DISPLACEMENT: 3250 TONS
DRAUGHT: 19.0 FEET
CRUISE SPEED: 12.5 KNOTS
RANGE: 13000 NAUTICAL MILES
MAX SPEED: 14.0 KNOTS
MIN SPEED: 1.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL ELECTRIC
AUXILIARY PROPULSION: -
NUMBER OF SHAFTS: 2
BOW THRUSTER: YES, WATER JET
ACTIVE RUDDER: N
DYNAMIC POSITIONING: ROBERTSON ROBPOS
ANTI-ROLL: Y
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X20 (MULTIPLE)
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: Y
HELO SUPPORT: HOVER AREA ONLY
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 26 FOOT AVON SR-8 RIB
 2. 15 FOOT ALUMINUM SKIFF
 3. 15 FOOT ACHILLES INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 24000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 42000 POUNDS
 NUMBER OF CRANES: 4
WINCHES:
 01. MAJOR TYPE/USE: CTD
 SECONDARY TYPE/USE: -
 SLIP-RINGS: -
 WIRE TYPE: CONDUCTOR CABLE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.322 INCHES
 02. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: -
 SLIP-RINGS: -
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.250 INCHES


03. MAJOR TYPE/USE:	TRAWL
SECONDARY TYPE/USE:	CORING
SLIP-RINGS:	-
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	30000 FEET
WIRE DIAMETER:	0.563 INCHES
SECONDARY WIRE TYPE:	CONDUCTOR CABLE
SECONDARY WIRE LENH:	30000 FEET
SECONDARY WIRE DIAM:	0.680 INCHES

ELECTRONIC EQUIPMENT





COMPUTERS:	DATA ACQUISITION, PCs
FACSIMILE:	Y
SPEED LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	Y
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	Y
SEISMIC PROFILING:	Y
SIDE SCAN:	-
SOUNDING SYSTEM (SHALLOW):	RAYTHEON
SOUNDING SYSTEM (DEEP):	RAYTHEON

FUEL DETAILS



FUEL CAPACITY:	265000 GALLONS
FUEL TYPE:	MARINE DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	4500 GAL/24-HRS
DURING AVERAGE OPERATIONS:	3000 GAL/24-HRS
DURING INPORT OPERATIONS:	1000 GAL/24-HRS




R/V THOMAS G. THOMPSON
OUTBOARD PROFILE




R/V THOMAS G. THOMPSON



R/V THOMAS G. THOMPSON



1st PLATFORM DECK



HOLD & TANK TOP PLAN

R/V THOMAS G. THOMPSON

ATLANTIS II

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: CAPT. J. L. COBURN, JR.
POC OFFICE: MARINE OPERATIONS MANAGER
POC ORGANIZATION: MARINE OPERATIONS
POC ADDRESS: WOODS HOLE OCEANOGRAPHIC INSTITUTION
POC CITY/STATE: WOODS HOLE MA 02543
COMMERCIAL AREA CODE: 508
PHONE: 548-1400

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: -
CALL SIGN (INTERNATIONAL): KADC
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-SUBMERSIBLE TENDER
SHIP OWNER: WOODS HOLE OCEANOGRAPHIC INSTITUTION
CERTIFICATION AUTHORITY: USCG
FLAG REGISTRY: USA
HOME PORT: WOODS HOLE MA
TECHNICAL SPONSOR: WOODS HOLE OCEANOGRAPHIC INSTITUTION
OPERATIONS CONTROL: WOODS HOLE OCEANOGRAPHIC INSTITUTION
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 14.9/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 28
NUMBER OFFICERS: -
NUMBER IN CREW: 25
MAX SEA STATE: - BEAUFORT SCALE
ENDURANCE: 30 DAY(S)
LIMITING FACTOR: ALVIN REQUIREMENTS
BUILDER: MARYLAND SHIPBUILDING AND DRYDOCK CO.
WHERE BUILT: BALTIMORE MD USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '62
DELIVERY DATE: 31 JAN 63
COMMISSION DATE: '00
CONVERSION DATE: '83
LAST OVERHAUL: 00 JAN 88
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 1999
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 210.3 FEET
MAX BEAM: 44.0 FEET
HEIGHT: - FEET
GROSS TONNAGE: 1529
DISPLACEMENT: 2300 TONS
DRAUGHT: 16.0 FEET
CRUISE SPEED: 11.5 KNOTS
RANGE: 9000 NAUTICAL MILES
MAX SPEED: 13.0 KNOTS
MIN SPEED: - KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: DIESEL
NUMBER OF SHAFTS: 2
BOW THRUSTER: TRAINABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: N
UTILITY BOATS:
 1. 16 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 56000 POUNDS
 NUMBER OF FRAMES: 1
CRANES OR BOOMS
 MAX HOIST CAPACITY: 40000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE:
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.500 INCHES


02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	UTILITY
SLIP-RINGS:	Y
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	30000 FEET
WIRE DIAMETER:	0.187 INCHES
SECONDARY WIRE TYPE:	CONDUCTOR CABLE
SECONDARY WIRE LEN:	25000 FEET
SECONDARY WIRE DIAM:	0.303 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	MICROVAX, PC'S
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	Y
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	FURUNO
SOUNDING SYSTEM (DEEP):	SEA BEAM

FUEL DETAILS

FUEL CAPACITY:	90000 GALLONS
FUEL TYPE:	MG-O
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	GAL/24-HRS
DURING AVERAGE OPERATIONS:	GAL/24-HRS
DURING INPORT OPERATIONS:	- GAL/24-HRS



R/V ATLANTIS II

KNORR

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: CAPT J. L. COBURN, JR.
POC OFFICE: MARINE OPERATIONS MANAGER
POC ORGANIZATION: MARINE OPERATIONS
POC ADDRESS: WOODS HOLE OCEANOGRAPHIC INSTITUTION
POC CITY/STATE: WOODS HOLE MA 02543
COMMERCIAL AREA CODE: 508
PHONE: 548-1400

ADMINISTRATIVE DETAILS

DESIGNATOR: AGOR 15
CLASS: MELVILLE/AGOR 14
CALL SIGN (INTERNATIONAL): KCEJ
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: USN
CERTIFICATION AUTHORITY: US COAST GUARD
FLAG REGISTRY: USA
HOME PORT: WOODS HOLE MA
TECHNICAL SPONSOR: WOODS HOLE OCEANOGRAPHIC INSTITUTION
OPERATIONS CONTROL: WOODS HOLE OCEANOGRAPHIC INSTITUTION
CONTRACTUAL INFORMATION: ONR CODE 611 LEASE TO EXPIRE 05 AUG 90
OPERATING COST/DAY: 17.0/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: -
NUMBER OFFICERS: -
NUMBER IN CREW: 25
MAX SEA STATE: - BEAUFORT SCALE
ENDURANCE: 35 DAY(S)
LIMITING FACTOR: -
BUILDER: DEFOE SHIPBUILDING COMPANY
WHERE BUILT: BAY CITY MI USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: 09 AUG 67
LAUNCH DATE: 21 AUG 68
DELIVERY DATE: '70
COMMISSION DATE: 14 JAN 70
CONVERSION DATE: 00 MAY 90
LAST OVERHAUL: 18 DEC 86
MAINTENANCE CYCLE: 1.5 YEARS
END OF LIFE: 2010
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 278.8 FEET
MAX BEAM: 46.0 FEET
HEIGHT: - FEET
GROSS TONNAGE: 2200
DISPLACEMENT: 2685 TONS
DRAUGHT: 15.5 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 14000 NAUTICAL MILES
MAX SPEED: 14.0 KNOTS
MIN SPEED: 0.1 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL ELECTRIC
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 2
BOW THRUSTER: RETRACTABLE, TRAINABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: Y
ANTI-ROLL: Y
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X20
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: NO
UTILITY BOATS:

1. 19 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES

MAX HOIST CAPACITY: POUNDS
NUMBER OF FRAMES: 0
CRANES OR BOOMS
MAX HOIST CAPACITY: 70000 POUNDS
NUMBER OF CRANES: 2

WINCHES:

01. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE:
SLIP-RINGS: N
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 30000 FEET
WIRE DIAMETER: 0.187 INCHES
02. MAJOR TYPE/USE: HYDROGRAPHIC
SECONDARY TYPE/USE:
SLIP-RINGS: Y
WIRE TYPE: CONDUCTOR CABLE
WIRE LENGTH: 33000 FEET
WIRE DIAMETER: 0.322 INCHES


03. MAJOR TYPE/USE: TRAWL
SECONDARY TYPE/USE:
SLIP-RINGS:
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 30000 FEET
WIRE DIAMETER: 0.500 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS: Y, TYPE UNKNOWN
FACSIMILE: Y
ELECTROMAGNETIC LOG: N
INERTIAL NAVIGATION: N
RADAR (SURFACE SCAN): Y
LORAN A: N
LORAN C: Y
OMEGA: N
SATELLITE NAVIGATION: Y
RADIO TELETYPE COMMUNICATION: Y
SINGLE SIDE BAND: Y
VHF COMMUNICATIONS: Y
STABLE TABLE: N
NARROW BEAM: N
SEISMIC PROFILING: N
SIDE SCAN: N
SOUNDING SYSTEM (SHALLOW): HYDRO PRODUCTS
SOUNDING SYSTEM (DEEP): RAYTHEON


FUEL DETAILS

FUEL CAPACITY: 160000 GALLONS
FUEL TYPE: DIESEL
FUEL CONSUMPTION RATES:
AT NORMAL CRUISING SPEED: 2200 GAL/24-HRS
DURING AVERAGE OPERATIONS: 2000 GAL/24-HRS
DURING INPORT OPERATIONS: 500 GAL/24-HRS




R/V KNORR

New Outboard Profile of AGOR-15 as Proposed




R/V KNORR

INBOARD PROFILE



UPPER DECK



R/V KNORR

MAIN DECK

OCEANUS

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: CAPT J. L. COBURN, JR.
POC OFFICE: MARINE OPERATIONS MANAGER
POC ORGANIZATION: MARINE OPERATIONS
POC ADDRESS: WOODS HOLE OCEANOGRAPHIC INSTITUTION
POC CITY/STATE: WOODS HOLE MA 02543
COMMERCIAL AREA CODE: 508
PHONE: 548-1400

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: OCEANUS
CALL SIGN (INTERNATIONAL): WXAQ
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: NSF
CERTIFICATION AUTHORITY: -
FLAG REGISTRY: USA
HOME PORT: WOODS HOLE MA
TECHNICAL SPONSOR: WOODS HOLE OCEANOGRAPHIC INSTITUTION
OPERATIONS CONTROL: WOODS HOLE OCEANOGRAPHIC INSTITUTION
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 7.9/90 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 12
NUMBER OFFICERS: -
NUMBER IN CREW: 12
MAX SEA STATE: - BEAUFORT SCALE
ENDURANCE: 25 DAY(S)
LIMITING FACTOR: -
BUILDER: PETERSON BUILDERS INC
WHERE BUILT: STURGEON BAY WI USA
INITIAL COST: 3.5/75 MILLION \$'S IN YEAR
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: 19 DEC 74
DELIVERY DATE: 21 NOV 75
COMMISSION DATE: '00
CONVERSION DATE: '91
LAST OVERHAUL: 00 AUG 89
MAINTENANCE CYCLE: 1.5 YEARS
END OF LIFE: 2020
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 177.0 FEET
MAX BEAM: 33.0 FEET
HEIGHT: 86.0 FEET
GROSS TONNAGE: 297
DISPLACEMENT: 960 TONS
DRAUGHT: 17.5 FEET
CRUISE SPEED: 12.5 KNOTS
RANGE: 7500 NAUTICAL MILES
MAX SPEED: 15.0 KNOTS
MIN SPEED: 1.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 1
BOW THRUSTER: TRAINABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X8X13
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: -
UTILITY BOATS:
 1. 15 FOOT RUBBER INFLATABLE
 2. 12 FOOT SKIFF
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 30000 POUNDS
 NUMBER OF FRAMES: 1
CRANES OR BOOMS
 MAX HOIST CAPACITY: 30000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: CORING
 SLIP-RINGS: Y
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 30000 FEET
 WIRE DIAMETER: 0.500 INCHES


02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	UTILITY
SLIP-RINGS:	Y
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	30000 FEET
WIRE DIAMETER:	0.187 INCHES
SECONDARY WIRE TYPE:	CONDUCTOR CABLE
SECONDARY WIRE LEN:	25000 FEET
SECONDARY WIRE DIAM:	0.303 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	PC'S
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	ROSS
SOUNDING SYSTEM (DEEP):	EDO RAYTHEON

FUEL DETAILS

FUEL CAPACITY:	56000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	GAL/24-HRS
DURING AVERAGE OPERATIONS:	GAL/24-HRS
DURING INPORT OPERATIONS:	- GAL/24-HRS



R/V OCEANUS

LAURENTIAN

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: LINDA GOAD
POC OFFICE: CENTER FOR GREAT LAKES & AQUATIC SCIENCES
POC ORGANIZATION: UNIVERSITY OF MICHIGAN
POC ADDRESS: 2200 BONISTEEL BLVD
POC CITY/STATE: ANN ARBOR MI 48109-2099
COMMERCIAL AREA CODE: 313
PHONE: 763-5393
FAX: 747-2748

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: TRAWLER
CALL SIGN (INTERNATIONAL): -
FLEET: UNOLS
SHIP TYPE: COASTAL ZONE RESEARCH-GENERAL
SHIP OWNER: REGENTS, UNIVERSITY OF MICHIGAN
CERTIFICATION AUTHORITY: -
FLAG REGISTRY: USA
HOME PORT: GRAND HAVEN MICHIGAN
TECHNICAL SPONSOR: UNIVERSITY OF MICHIGAN
OPERATIONS CONTROL: CENTER FOR GREAT LAKES & AQUATIC SCIENCES
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 3.8/91 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 8
NUMBER OFFICERS: 1
NUMBER IN CREW: 4
MAX SEA STATE: 4 BEAUFORT SCALE
ENDURANCE: 10 DAY(S)
LIMITING FACTOR: STORES
BUILDER: F B WALKER & SONS INC.
WHERE BUILT: PASCAGOULA MS USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: 00 APR 74
DELIVERY DATE: 00 JUN 74
COMMISSION DATE: '00
CONVERSION DATE: '00
LAST OVERHAUL: 00 APR 89
MAINTENANCE CYCLE: 1.5 YEARS
END OF LIFE: 1998
UPDATE OF INFORMATION: 31 OCT 91

SHIP DIMENSIONS

LENGTH: 80.0 FEET
MAX BEAM: 21.5 FEET
HEIGHT: 40.0 FEET
GROSS TONNAGE: 129
DISPLACEMENT: 180 TONS
DRAUGHT: 8.8 FEET
CRUISE SPEED: 8.5 KNOTS
RANGE: 3000 NAUTICAL MILES
MAX SPEED: 9.6 KNOTS
MIN SPEED: 0.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: N
NUMBER OF SHAFTS: 1
BOW THRUSTER: N
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: 600 FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: Y
UTILITY BOATS:
1. 13 FOOT BOSTON WHALER
A, U, OR L FRAMES
MAX HOIST CAPACITY: 2000 POUNDS
NUMBER OF FRAMES: 1
CRANES OR BOOMS
MAX HOIST CAPACITY: 2000 POUNDS
NUMBER OF CRANES: 1
WINCHES:
01. MAJOR TYPE/USE: TRAWL
SECONDARY TYPE/USE: ANCHOR
SLIP-RINGS: N
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 2000 FEET
WIRE DIAMETER: 0.190 INCHES
02. MAJOR TYPE/USE: TRAWL
SECONDARY TYPE/USE: CORING
SLIP-RINGS: N
WIRE TYPE: WIRE ROPE
WIRE LENGTH: 2000 FEET
WIRE DIAMETER: 0.500 INCHES

03. MAJOR TYPE/USE:	BATHYTHERMOGRAPHIC
SECONDARY TYPE/USE:	OTHER
SLIP-RINGS:	N
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	1500 FEET
WIRE DIAMETER:	0.125 INCHES
04. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	UTILITY
SLIP-RINGS:	N
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	1000 FEET
WIRE DIAMETER:	0.125 INCHES
05. MAJOR TYPE/USE:	CTD
SECONDARY TYPE/USE:	
SLIP-RINGS:	10
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	2300 FEET
WIRE DIAMETER:	0.322 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	Y-ZENITH 286
FACSIMILE:	Y-ALDEN MARINE FAX 4
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	Y
SOUNDING SYSTEM (SHALLOW):	ROSS 801/250CG
SOUNDING SYSTEM (DEEP):	NONE




FUEL DETAILS

FUEL CAPACITY:	9000 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	336 GAL/24-HRS
DURING AVERAGE OPERATIONS:	300 GAL/24-HRS
DURING INPORT OPERATIONS:	95 GAL/24-HRS



R/V LAURENTIAN

DECK PLANS



R/V LAURENTIAN

WEATHERBIRD II

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: MR. HOWARD S. BARNES
POC OFFICE: OPERATIONS
POC ORGANIZATION: BERMUDA BIOLOGICAL STATION FOR RESEARCH, INC.
POC ADDRESS: 17 BIOLOGICAL STATION LANE
POC CITY/STATE: FERRY REACH ST. GEORGE'S GE01 BERMUDA
COMMERCIAL AREA CODE: 809
PHONE: 297-1880
FAX: 297-8143

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: GENERAL PURPOSE-OCEAN RESEARCH VESSEL
CALL SIGN (INTERNATIONAL): WAH4677
FLEET: UNOLS
SHIP TYPE: OCEAN RESEARCH-GENERAL
SHIP OWNER: BBSR
CERTIFICATION AUTHORITY: US COAST GUARD
FLAG REGISTRY: USA
HOME PORT: ST. GEORGE'S BERMUDA
TECHNICAL SPONSOR: BBSR
OPERATIONS CONTROL: BBSR
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 4.8/91 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 8-10
NUMBER OFFICERS: -
NUMBER IN CREW: 6-8
MAX SEA STATE: 3 BEAUFORT SCALE
ENDURANCE: 14 DAY(S)
LIMITING FACTOR: STORES
BUILDER: BOSARGE MARINE
WHERE BUILT: ALABAMA USA
INITIAL COST: 0.385/82 MILLION \$'S IN YEAR
DUE DATE: -
KEEL DATE: '82
LAUNCH DATE: '82
DELIVERY DATE: '89
COMMISSION DATE: '89
CONVERSION DATE: '89
LAST OVERHAUL: '89
MAINTENANCE CYCLE: 1.5 YEARS
END OF LIFE: 2005
UPDATE OF INFORMATION: 26 OCT 90

SHIP DIMENSIONS

LENGTH: 115.0 FEET
MAX BEAM: 28.0 FEET
HEIGHT: 44.0 FEET
GROSS TONNAGE: 105
DISPLACEMENT: 250 TONS
DRAUGHT: 8.5 FEET
CRUISE SPEED: 9.5 KNOTS
RANGE: 7500 NAUTICAL MILES
MAX SPEED: 9.5 KNOTS
MIN SPEED: 3.0 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL HYDRAULIC
AUXILIARY PROPULSION: NO
NUMBER OF SHAFTS: 2
BOW THRUSTER: N
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: YES DIMENSIONS UNKNOWN
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: N
UTILITY BOATS:
 1. 10 FOOT AVON RIB
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 20000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 20000 POUNDS
 NUMBER OF CRANES: ?
WINCHES:
 01. MAJOR TYPE/USE: HYDROGRAPHIC
 SECONDARY TYPE/USE: NONE
 SLIP-RINGS: M
 WIRE TYPE: HYDRO CABLE
 WIRE LENGTH: 24090 FEET
 WIRE DIAMETER: 0.188 INCHES
 02. MAJOR TYPE/USE: MOORING
 SECONDARY TYPE/USE: HOIST
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 13200 FEET
 WIRE DIAMETER: 0.500 INCHES

03. MAJOR TYPE/USE:	CTD
SECONDARY TYPE/USE:	NONE
SLIP-RINGS:	Y
WIRE TYPE:	CTD CABLE
WIRE LENGTH:	26400 FEET
WIRE DIAMETER:	0.225 INCHES
04. MAJOR TYPE/USE:	A FRAME HOIST
SECONDARY TYPE/USE:	MOORING
SLIP-RINGS:	N
WIRE TYPE:	7 X 19
WIRE LENGTH:	3300 FEET
WIRE DIAMETER:	0.625 INCHES

ELECTRONIC EQUIPMENT


COMPUTERS:	HEWLETT PACKARD & IBM PC
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	FURUNO FCR-1411 & FURUNO 1930
LORAN A:	N
LORAN C:	NORTHSTAR 800-X & FURUNO LC90 MKII
OMEGA:	N
SATELLITE NAVIGATION:	RECAL-DECCA 402
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	DATA MARINE
SOUNDING SYSTEM (DEEP):	RAYTHEON DSF 600

FUEL DETAILS


FUEL CAPACITY:	35000 GALLONS
FUEL TYPE:	DIESEL
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	800 GAL/24-HRS
DURING AVERAGE OPERATIONS:	400 GAL/24-HRS
DURING INPORT OPERATIONS:	100 GAL/24-HRS



R/V WEATHERBIRD




HOLD PLAN




PROFILE

R/V WEATHERBIRD



PILOT HOUSE TOP

FOCSLE DECK



MAIN DECK

R/V WEATHERBIRD

LINWOOD HOLTON

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: ROBERT N BRAY
POC OFFICE: SENIOR CAPTAIN
POC ORGANIZATION: DEPT. OF OCEANOGRAPHY, OLD DOMINION UNIV.
POC ADDRESS: HAMPTON BLVD.
POC CITY/STATE: NORFOLK VA 23508
COMMERCIAL AREA CODE: 804
PHONE: 440-4285

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: ARMY 'T' BOAT
CALL SIGN (INTERNATIONAL): WZN9847
FLEET: UNIV
SHIP TYPE: COASTAL-BAY SURVEY-GENERAL
SHIP OWNER: OLD DOMINION UNIVERSITY
CERTIFICATION AUTHORITY: N/A
FLAG REGISTRY: USA
HOME PORT: NORFOLK VA
TECHNICAL SPONSOR: DEPT OF OCEANOGRAPHY, OLD DOMINION UNIV.
OPERATIONS CONTROL: DEPT OF OCEANOGRAPHY, OLD DOMINION UNIV.
CONTRACTUAL INFORMATION: CALL POC FOR AVAILABILITY.
OPERATING COST/DAY: 1.0/83 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 20
NUMBER OFFICERS: 1
NUMBER IN CREW: 1
MAX SEA STATE: 6 BEAUFORT SCALE
ENDURANCE: 3 DAY(S)
LIMITING FACTOR: FUEL
BUILDER: HIGGINS
WHERE BUILT: NEW ORLEANS LA USA
INITIAL COST: -
DUE DATE: -
KEEL DATE: -
LAUNCH DATE: -
DELIVERY DATE: -
COMMISSION DATE: '53
CONVERSION DATE: '70
LAST OVERHAUL: 28 FEB 81
MAINTENANCE CYCLE: 2.0 YEARS
END OF LIFE: 1990
UPDATE OF INFORMATION: 27 APR 90

SHIP DIMENSIONS

LENGTH: 65.0 FEET
MAX BEAM: 18.5 FEET
HEIGHT: 40.0 FEET
GROSS TONNAGE: -
DISPLACEMENT: 95 TONS
DRAUGHT: 7.0 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 850 NAUTICAL MILES
MAX SPEED: 11.5 KNOTS
MIN SPEED: 3.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL ELECTRIC
AUXILIARY PROPULSION: NONE
NUMBER OF SHAFTS: 1
BOW THRUSTER: N
ACTIVE RUDDER: Y
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: NONE FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: Y
DRY-LAB: N
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. 11 FOOT RUBBER INFLATABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: POUNDS
 NUMBER OF FRAMES: 0
CRANES OR BOOMS
 MAX HOIST CAPACITY: 1500 POUNDS
 NUMBER OF CRANES: 3
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: UTILITY
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 0300 FEET
 WIRE DIAMETER: 0.313 INCHES
 SECONDARY WIRE TYPE: WIRE ROPE
 SECONDARY WIRE LEN: 0500 FEET
 SECONDARY WIRE DIAM: 0.188 INCHES

02.	MAJOR TYPE/USE:	HYDROGRAPHIC
	SECONDARY TYPE/USE:	UTILITY
	SLIP-RINGS:	
	WIRE TYPE:	WIRE ROPE
	WIRE LENGTH:	0350 FEET
	WIRE DIAMETER:	0.188 INCHES
03.	MAJOR TYPE/USE:	HYDROGRAPHIC
	SECONDARY TYPE/USE:	UTILITY
	SLIP-RINGS:	
	WIRE TYPE:	WIRE ROPE
	WIRE LENGTH:	0350 FEET
	WIRE DIAMETER:	0.188 INCHES

ELECTRONIC EQUIPMENT

COMPUTERS:	NONE
FACSIMILE:	N
ELECTROMAGNETIC LOG:	N
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	N
LORAN C:	Y
OMEGA:	N
SATELLITE NAVIGATION:	N
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	N
VHF COMMUNICATIONS:	Y
STABLE TABLE:	N
NARROW BEAM:	Y
SEISMIC PROFILING:	N
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	RAYTHEON
SOUNDING SYSTEM (DEEP):	NONE

FUEL DETAILS

FUEL CAPACITY:	1150 GALLONS
FUEL TYPE:	DIESEL
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	312 GAL/24-HRS
DURING AVERAGE OPERATIONS:	250 GAL/24-HRS
DURING INPORT OPERATIONS:	0 GAL/24-HRS

TOMMY MUNRO

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: RICHARD WALLER
POC OFFICE: SHIP OPERATIONS COMMITTEE
POC ORGANIZATION: GULF COAST RESEARCH LABORATORY
POC ADDRESS: P. O. BOX 7000
POC CITY/STATE: OCEAN SPRINGS, MS 39564
COMMERCIAL AREA CODE: 601
PHONE: 872-4203

ADMINISTRATIVE DETAILS

DESIGNATOR: R/V
CLASS: TRAWLER
CALL SIGN (INTERNATIONAL): WRB2908
FLEET: UNIV
SHIP TYPE: GENERAL OCEAN RESEARCH
SHIP OWNER: STATE OF MISSISSIPPI
CERTIFICATION AUTHORITY: US COAST GUARD - ABS
FLAG REGISTRY: USA
HOME PORT: OCEAN SPRINGS MS
TECHNICAL SPONSOR: -
OPERATIONS CONTROL: GULF COAST RESEARCH LABORATORY
CONTRACTUAL INFORMATION: CALL/WRITE POINT OF CONTACT
OPERATING COST/DAY: - THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 12
NUMBER OFFICERS: -
NUMBER IN CREW: 5
MAX SEA STATE: - BEAUFORT SCALE
ENDURANCE: 20 DAY(S)
LIMITING FACTOR: FUEL
BUILDER: -
WHERE BUILT: -
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '00
LAUNCH DATE: '00
DELIVERY DATE: '81
COMMISSION DATE: '00
CONVERSION DATE: '00
LAST OVERHAUL: -
MAINTENANCE CYCLE: - YEARS
END OF LIFE: -
UPDATE OF INFORMATION: 05 NOV 90

SHIP DIMENSIONS

LENGTH: 97.5 FEET
MAX BEAM: 25.0 FEET
HEIGHT: - FEET
GROSS TONNAGE: 159
DISPLACEMENT: - TONS
DRAUGHT: 9.0 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 2500 NAUTICAL MILES
MAX SPEED: - KNOTS
MIN SPEED: - KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL
AUXILIARY PROPULSION: -
NUMBER OF SHAFTS: 1
BOW THRUSTER: -
ACTIVE RUDDER: -
DYNAMIC POSITIONING: -
ANTI-ROLL: -
STABILIZER: -
DEEP ANCHOR: - FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: NONE
WET-LAB: -
DRY-LAB: Y
AMMUNITION STORAGE: -
HELO SUPPORT: -
METEOROLOGICAL OBSERVATIONS: SURFACE
UTILITY BOATS:
 1. -- FOOT ZODIAC
A, U, OR L FRAMES
 MAX HOIST CAPACITY: - POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 4000 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE: -
 SLIP-RINGS: -
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 7000 FEET
 WIRE DIAMETER: 0.500 INCHES

02. MAJOR TYPE/USE:	TRAWL
SECONDARY TYPE/USE:	HYDROGRAPHIC
SLIP-RINGS:	12
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	13000 FEET
WIRE DIAMETER:	0.250 INCHES
03. MAJOR TYPE/USE:	TRAWL
SECONDARY TYPE/USE:	-
SLIP-RINGS:	-
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	6000 FEET
WIRE DIAMETER:	0.375 INCHES



ELECTRONIC EQUIPMENT

COMPUTERS:	-
FACSIMILE:	-
ELECTROMAGNETIC LOG:	-
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y
LORAN A:	-
LORAN C:	Y
OMEGA:	-
SATELLITE NAVIGATION:	-
RADIO TELETYPE COMMUNICATION:	Y
SINGLE SIDE BAND:	Y
VHF COMMUNICATIONS:	Y
STABLE TABLE:	-
NARROW BEAM:	-
SEISMIC PROFILING:	-
SIDE SCAN:	-
SOUNDING SYSTEM (SHALLOW):	ATLAS ECHOGRAPH
SOUNDING SYSTEM (DEEP):	DATAMARINE



FUEL DETAILS

FUEL CAPACITY:	10850 GALLONS
FUEL TYPE:	MARINE DIESEL
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	1200 GAL/24-HRS
DURING AVERAGE OPERATIONS:	- GAL/24-HRS
DURING INPORT OPERATIONS:	- GAL/24-HRS

R/V TOMMY MUNRO OUTBOARD PROFILE



0 2 4 6
feet
SCALE



R/V TOMMY MUNRO OUTBOARD PROFILE

ARGO MAINE

POINT OF CONTACT INFORMATION (CHARACTERISTICS)

POC: PHILIP HARMON
POC OFFICE: MARINE SUPERINTENDENT
POC ORGANIZATION: MAINE MARITIME ACADEMY - WATERFRONT
POC ADDRESS: P O BOX C-3
POC CITY/STATE: CASTINE ME 04420
COMMERCIAL AREA CODE: 207
PHONE: 326-4311 EXT. 400

ADMINISTRATIVE DETAILS

DESIGNATOR: RV
CLASS: PURSE SEINER
CALL SIGN (INTERNATIONAL): WTF7434
FLEET: CIVIL
SHIP TYPE: OCEANOGRAPHIC MOTOR VESSEL
SHIP OWNER: MAINE MARITIME ACADEMY
CERTIFICATION AUTHORITY: -
FLAG REGISTRY: USA
HOME PORT: CASTINE ME USE
TECHNICAL SPONSOR: MAINE MARITIME ACADEMY
OPERATIONS CONTROL: MAINE MARITIME ACADEMY
CONTRACTUAL INFORMATION: NONE
OPERATING COST/DAY: 2.2/91 THOUSAND \$'S IN YR
SCIENTIFIC COMPLEMENT: 8-10
NUMBER OFFICERS: 4
NUMBER IN CREW: 1
MAX SEA STATE: 5 BEAUFORT SCALE
ENDURANCE: 20 DAY(S)
LIMITING FACTOR: STORES
BUILDER: ALBINA ENGINE AND MACHINE WORKS
WHERE BUILT: PORTLAND OR USA
INITIAL COST: -
DUE DATE: '00
KEEL DATE: '68
LAUNCH DATE: '68
DELIVERY DATE: '68
COMMISSION DATE: '00
CONVERSION DATE: '00
LAST OVERHAUL: 01 JAN 84
MAINTENANCE CYCLE: 1.0 YEARS
END OF LIFE: -
UPDATE OF INFORMATION: 07 DEC 90

SHIP DIMENSIONS

LENGTH: 80.0 FEET
MAX BEAM: 24.0 FEET
HEIGHT: 50.0 FEET
GROSS TONNAGE: 165
DISPLACEMENT: 173 TONS
DRAUGHT: 11.0 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 4500 NAUTICAL MILES
MAX SPEED: 10.0 KNOTS
MIN SPEED: 0.5 KNOTS

ENGINEERING/DECK EQUIPMENT

MAIN PROPULSION: DIESEL GEARED
AUXILIARY PROPULSION: BOW THRUSTER
NUMBER OF SHAFTS: 1
BOW THRUSTER: 360 DEG. RETRACTABLE
ACTIVE RUDDER: N
DYNAMIC POSITIONING: N
ANTI-ROLL: N
STABILIZER: N
DEEP ANCHOR: 2500 FEET
BERTHING VAN DIMENSIONS: NONE
INSTRUMENT VAN DIMENSIONS: 8X10X12
WET-LAB: Y
DRY-LAB: Y
AMMUNITION STORAGE: N
HELO SUPPORT: N
METEOROLOGICAL OBSERVATIONS: -
UTILITY BOATS:
 1. VARIOUS AVAILABLE
A, U, OR L FRAMES
 MAX HOIST CAPACITY: 2000 POUNDS
 NUMBER OF FRAMES: 2
CRANES OR BOOMS
 MAX HOIST CAPACITY: 13230 POUNDS
 NUMBER OF CRANES: 1
WINCHES:
 01. MAJOR TYPE/USE: TRAWL
 SECONDARY TYPE/USE:
 SLIP-RINGS: N
 WIRE TYPE: WIRE ROPE
 WIRE LENGTH: 19800 FEET
 WIRE DIAMETER: 0.375 INCHES


02. MAJOR TYPE/USE:	HYDROGRAPHIC
SECONDARY TYPE/USE:	STD
SLIP-RINGS:	4
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	6500 FEET
WIRE DIAMETER:	0.219 INCHES
SECONDARY WIRE TYPE:	WIRE ROPE
SECONDARY WIRE LEN:	9900 FEET
SECONDARY WIRE DIAM:	0.187 INCHES
03. MAJOR TYPE/USE:	SONAR
SECONDARY TYPE/USE:	-
SLIP-RINGS:	8
WIRE TYPE:	CONDUCTOR CABLE
WIRE LENGTH:	1500 FEET
WIRE DIAMETER:	0.375 INCHES
04. MAJOR TYPE/USE:	TRAWL (2)
SECONDARY TYPE/USE:	GENERAL PURPOSE
SLIP-RINGS:	N
WIRE TYPE:	WIRE ROPE
WIRE LENGTH:	2000 FEET
WIRE DIAMETER:	0.375 INCHES

ELECTRONIC EQUIPMENT


COMPUTERS:	YES (2)
FACSIMILE:	Y
ELECTROMAGNETIC LOG:	Y
INERTIAL NAVIGATION:	N
RADAR (SURFACE SCAN):	Y (2)
LORAN A:	N
LORAN C:	Y (2)
OMEGA:	N
SATELLITE NAVIGATION:	Y
RADIO TELETYPE COMMUNICATION:	N
SINGLE SIDE BAND:	Y (2)
VHF COMMUNICATIONS:	Y (2)
STABLE TABLE:	N
NARROW BEAM:	N
SEISMIC PROFILING:	Y
SIDE SCAN:	N
SOUNDING SYSTEM (SHALLOW):	JRC JFV-117 15 & 200 KZ (COLOR)
	SIMRAD EC-810 38, 50 ,200 KZ
SOUNDING SYSTEM (DEEP):	RAYTHEON; EDO WESTERN

FUEL DETAILS

FUEL CAPACITY:	10500 GALLONS
FUEL TYPE:	DIESEL #2
FUEL CONSUMPTION RATES:	
AT NORMAL CRUISING SPEED:	200 GAL/24-HRS
DURING AVERAGE OPERATIONS:	150 GAL/24-HRS
DURING INPORT OPERATIONS:	30 GAL/24-HRS




LOWER DECK




INBOARD PROFILE

R/V ARGO MAINE OUTBOARD PROFILE



UPPER DECK



MAIN DECK


R/V ARGO MAINE OUTBOARD PROFILE

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: CORWITH CRAMER
NAME: MR. WALLACE C. STARK
OFFICE: MARINE SUPERINTENDENT
ORGANIZATION: SEA EDUCATION ASSOCIATION
ADDRESS: P.O. BOX 6 (171 WOODS HOLE ROAD)
CITY-STATE: WOODS HOLE MA 02543
COMMERCIAL AREA CODE: 508
PHONE: 540-3954

SHIP DIMENSIONS

LENGTH: 135.0 FEET
MAX BEAM: 26.0 FEET
DISPLACEMENT: - TONS
DRAUGHT: 13.0 FEET
CRUISE SPEED: - KNOTS
RANGE: - NAUTICAL MILES



R/V CORWITH CRAMER

POINT OF CONTACT INFORMATION (SCHEDULES)


SHIP NAME: WESTWARD
NAME: MR. WALLACE C. STARK
OFFICE: MARINE SUPERINTENDENT
ORGANIZATION: SEA EDUCATION ASSOCIATION
ADDRESS: P.O. BOX 6 (171 WOODS HOLE ROAD)
CITY-STATE: WOODS HOLE MA 02543
COMMERCIAL AREA CODE: 508
PHONE: 540-3954

SHIP DIMENSIONS


LENGTH: 125.0 FEET
MAX BEAM: 21.5 FEET
DISPLACEMENT: 250 TONS
DRAUGHT: 12.5 FEET
CRUISE SPEED: 7.0 KNOTS
RANGE: - NAUTICAL MILES



R/V WESTWARD



R/V WESTWARD



OTHER UNIVERSITY OR INSTITUTIONAL VESSELS

(OVER 50 FT. LOA)

The following is a listing of other university research vessels registered with the University - National Oceanographic Laboratory System (UNOLS) Office and for which schedules have not been received or are not routinely prepared in advance. These vessels take regular cruises in local waters and, unless otherwise indicated, the nature of the work is general oceanography, coastal research and student training.

Most of these vessels are able to accommodate cooperative projects within the capability of the vessel either on a not-to-interfere or on a reimburseable basis. Further information should be obtained from the listed contact. Corrections and additions should be submitted to the UNOLS Office.

INSTITUTION	SHIP NAME	LOA (FT)	AREA OF OPERATION	CONTACT
Southern Maine Vocational Technical Institute Department of Marine Science and Technology Fort Road South Portland, ME 04106	AQUALAB III	146	New England Coast	Brian Hathaway (207)799-7303
Massachusetts Institute of Technology Sea Grant College Program 292 Main Street Bldg. E-28, Rm. 366 Cambridge, MA 02142	EDGERTON	65	New England Coast	Arthur Clifton (617)253-7136
Southern Massachusetts University North Dartmouth, MA 02747	CORSAIR	65	Cape Cod Waters	Jefferson Turner (617)999-8229
University of Connecticut Marine Science Institute SE Branch, Avery Point Groton, CN 06340	UCONN	65	Southern New England Coast Long Island Sound	Sung Feng (203)446-1020 Ext: 211

INSTITUTION	SHIP NAME	LOA (FT)	AREA OF OPERATION	CONTACT
Cape Fear Technical Institute 411 North Front Street Wilmington, NC 28401	NORTH STAR	73	Atlantic Coast	Arthur W. Jordan (919)343-0481 Ext: 244
	DAN MOORE	85	Atlantic Coast	CAPT S. J. Beuth (919)343-0481
Florida Institute of Technology Melbourne, FL 32901	TURSIOPS DELPHINUS	65 63	Savannah Bight Florida, Bahamas	Jack Morton (305)768-8096 Ext: 302
Nova University Ocean Sciences Center 8000 North Ocean Drive Dania, FL 33004	ENDLESS SEAS	67	Florida Coast Waters	Jan Witte (305)475-8330 Ext: 288
Florida Institute for Oceanography 830 First Street, S. St. Petersburg, FL 33701	BELLOWS SUNCOASTER	65 110	Florida Coast Gulf of Mexico Caribbean	William W. Behrens (813)893-9100
Marine Environmental Sciences Consortium Dauphin Island Sea Laboratory P.O. Box 386 Dauphin Island, AL 36528	G.A. ROUNSEFELL	65	Gulf of Mexico	Fred Rees (205)861-2141
University of Puerto Rico Department of Marine Sciences Mayaguez, Puerto Rico 00708	ISLA MAGUEYES	71	South Coast of Puerto Rico & Mona Passage	Mark Reigle (809)832-3432
Gulf Coast Research Laboratory P.O. Box Drawer AG Ocean Springs, MS 39565	GULF RESEARCHER	65	Gulf of Mexico	Harold D. Howse (601)875-2244
Marine Sciences Research Center State University of New York Stony Brook, NY 11794-5000	ONRUST	60	New York Bight Long Island Sound Hudson River	William M. Wise (516)632-8656

INSTITUTION	SHIP NAME	LOA (FT)	AREA OF OPERATION	CONTACT
Hobart & William Smith Colleges Geneva, NY 14456	HOBART & WILLIAM SMITH EXPLORER	65	Finger Lakes Great Lakes	Richard Wilkens (315)789-5500 Ext: 213
State University College at Buffalo 1300 Elmwood Avenue Buffalo, NY 14222	C.A. DAMBACH	65	Great Lakes	Robert A. Sweeney (716)878-5422
University of Wisconsin- Milwaukee Center for Great Lakes Studies Milwaukee, WI 53201	NEESKAY	65	Great Lakes	Donald F. Mraz (414)224-3007
University of Maryland Chesapeake Biol. Lab Solomons, MD 20688	AQUARIUS ORION	65 62	Chesapeake Bay	Elgin A. Dunnington (301)326-4281
Virginia Institute of Marine Science Gloucester Point, VA 23062	RETRIEVER	115	Mid-Atlantic Coast Chesapeake Bay	John M. Zeigler (804)642-2111
The Marine Science Consortium Inc. P.O. Box 16 Wallops Island, VA 23337	DELAWARE BAY	50	NJ to VA coast to 50 miles offshore	Robert W. Hinds (804)824-5636
Occidental College Department of Biology 1600 Campus Road Los Angeles, CA 90041	VANTUNA	85	California Coast	John S. Stephens (213)259-2675
NOAA National Undersea Research Program University of North Carolina at Wilmington 601 South College Wilmington, NC 28403	SEAHAWK	80	Atlantic Coast New Enland to Georgia	Frank L. Chapman (919)762-7615


INSTITUTION	SHIP NAME	LOA (FT)	AREA OF OPERATION	CONTACT
Harbor Branch Oceanographic Inst. 5600 Old Dixie Highway Fort Pierce, FL 34946	SEA DIVER	98	Florida Coast	Tim Askew (407)465-2400

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: ATHENA
NAME: THOMAS BROGLIO
OFFICE: ATHENA RESEARCH SHIP SYSTEM
ORGANIZATION: NAVAL SURFACE WARFARE CENTER
ADDRESS: CODE 540.3
CITY-STATE: BETHESDA, MD 20084-5000
COMMERCIAL AREA CODE: 301
PHONE: 227-2005
FAX: 227-4615

SHIP DIMENSIONS

LENGTH: 164.5 FEET
MAX BEAM: 24.0 FEET
DISPLACEMENT: 240 TONS
DRAUGHT: 10.5 FEET
CRUISE SPEED: 13.0 KNOTS
RANGE: 2700 NAUTICAL MILES
TOP SPEED: 35+ KNOTS
ACCOMMODATIONS: 15 SCIENTIFIC PERSONNEL




R/V ATHENA

POINT OF CONTACT INFORMATION (SCHEDULES)



SHIP NAME: ERLINE
NAME: COMMANDER
OFFICE:
ORGANIZATION: NAVAL UNDERWATER SYSTEMS CENTER
ADDRESS:
CITY-STATE: NEWPORT, RI 02841-5047
COMMERCIAL AREA CODE: 401
PHONE: 841-2311

SHIP DIMENSIONS

LENGTH: 105.0 FEET
MAX BEAM: 20.7 FEET
DISPLACEMENT: 96 TONS
DRAUGHT: 5.9 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 1200 NAUTICAL MILES



R/V ERLINE



R/V ERLINE

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: USCGC POLAR SEA
NAME: LCDR WAYNE ROBERTS
OFFICE: COMMANDANT (G-NIO)
ORGANIZATION: U.S. COAST GUARD
ADDRESS: 2100 SECOND STREET, SW
CITY-STATE: WASHINGTON DC 20593-0001
COMMERCIAL AREA CODE: 202
PHONE: 267-1460

SHIP DIMENSIONS

LENGTH: 399.0 FEET
MAX BEAM: 83.5 FEET
DISPLACEMENT: 10863 TONS
DRAUGHT: 28.0 FEET
CRUISE SPEED: 13.0 KNOTS
RANGE: 28275 NAUTICAL MILES




USCGC POLAR SEA

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: USCGC POLAR STAR
NAME: LCDR WAYNE ROBERTS
OFFICE: COMMANDANT (G-NIO)
ORGANIZATION: U.S. COAST GUARD
ADDRESS: 2100 SECOND STREET, SW
CITY-STATE: WASHINGTON DC 20593-0001
COMMERCIAL AREA CODE: 202
PHONE: 267-1460

SHIP DIMENSIONS

LENGTH: 399.0 FEET
MAX BEAM: 83.5 FEET
DISPLACEMENT: 10863 TONS
DRAUGHT: 28.0 FEET
CRUISE SPEED: 13.0 KNOTS
RANGE: 28275 NAUTICAL MILES



USCGC POLAR STAR

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: NATHANIEL B. PALMER
NAME: ALEXANDER L. SUTHERLAND
OFFICE: DIVISION OF POLAR PROGRAMS
ORGANIZATION: NATIONAL SCIENCE FOUNDATION
ADDRESS: 1800 G ST. NW
CITY-STATE: WASHINGTON DC 20550
COMMERCIAL AREA CODE: 202
PHONE: 357-7808

SHIP DIMENSIONS


LENGTH: 308.5 FEET
MAX BEAM: 60.0 FEET
DISPLACEMENT: 6500 TONS
DRAUGHT: 21.75 FEET
CRUISE SPEED:
RANGE:

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: ALBATROSS IV
NAME: CDR ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 187.0 FEET
MAX BEAM: 33.0 FEET
DISPLACEMENT: 1089 TONS
DRAUGHT: 16.2 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 3933 NAUTICAL MILES



NOAA SHIP ALBATROSS IV

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: MALCOLM BALDRIDGE
NAME: CDR ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS


LENGTH: 278.3 FEET
MAX BEAM: 51.0 FEET
DISPLACEMENT: 2963 TONS
DRAUGHT: 18.3 FEET
CRUISE SPEED: 13.0 KNOTS
RANGE: 11245 NAUTICAL MILES

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: CHAPMAN
NAME: CDR ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 127.0 FEET
MAX BEAM: 29.6 FEET
DISPLACEMENT: 520 TONS
DRAUGHT: 14.0 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 3024 NAUTICAL MILES




NOAA SHIP CHAPMAN

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: JOHN N. COBB
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 93.0 FEET
MAX BEAM: 26.0 FEET
DISPLACEMENT: 250 TONS
DRAUGHT: 11.0 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 3505 NAUTICAL MILES




NOAA SHIP JOHN N. COBB

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: TOWNSEND CROMWELL
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 163.0 FEET
MAX BEAM: 33.0 FEET
DISPLACEMENT: 652 TONS
DRAUGHT: 12.7 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 8160 NAUTICAL MILES




NOAA SHIP TOWNSEND CROMWELL

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: DAVIDSON
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 175.0 FEET
MAX BEAM: 38.0 FEET
DISPLACEMENT: 995 TONS
DRAUGHT: 14.0 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 5788 NAUTICAL MILES




NOAA SHIP DAVIDSON

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: DELAWARE II
NAME: CAPT ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 155.0 FEET
MAX BEAM: 30.1 FEET
DISPLACEMENT: 758 TONS
DRAUGHT: 14.7 FEET
CRUISE SPEED: 11.0 KNOTS
RANGE: 5318 NAUTICAL MILES




NOAA SHIP DELAWARE II

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: DISCOVERER
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 303.0 FEET
MAX BEAM: 52.0 FEET
DISPLACEMENT: 4033 TONS
DRAUGHT: 19.8 FEET
CRUISE SPEED: 11.0 KNOTS
RANGE: 9211 NAUTICAL MILES




NOAA SHIP DISCOVERER

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: FAIRWEATHER
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 231.0 FEET
MAX BEAM: 42.0 FEET
DISPLACEMENT: 1800 TONS
DRAUGHT: 14.3 FEET
CRUISE SPEED: 11.0 KNOTS
RANGE: 5898 NAUTICAL MILES



NOAA SHIP FAIRWEATHER

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: FERREL
NAME: CAPT ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 133.0 FEET
MAX BEAM: 32.0 FEET
DISPLACEMENT: 360 TONS
DRAUGHT: 6.5 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 2678 NAUTICAL MILES



NOAA SHIP FERREL

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: MILLER FREEMAN
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 215.0 FEET
MAX BEAM: 42.0 FEET
DISPLACEMENT: 1920 TONS
DRAUGHT: 20.0 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 12528 NAUTICAL MILES




NOAA SHIP MILLER FREEMAN

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: HECK
NAME: CAPT ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 90.0 FEET
MAX BEAM: 22.0 FEET
DISPLACEMENT: 220 TONS
DRAUGHT: 7.2 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 770 NAUTICAL MILES



NOAA SHIP HECK

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: DAVID STARR JORDAN
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 171.0 FEET
MAX BEAM: 36.6 FEET
DISPLACEMENT: 993 TONS
DRAUGHT: 12.5 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 8335 NAUTICAL MILES



NOAA SHIP DAVID STARR JORDAN

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: MCARTHUR
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 175.0 FEET
MAX BEAM: 38.0 FEET
DISPLACEMENT: 995 TONS
DRAUGHT: 12.1 FEET
CRUISE SPEED: 10.0 KNOTS
RANGE: 6615 NAUTICAL MILES




NOAA SHIP McARTHUR

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: MT. MITCHELL
NAME: CAPT ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 231.0 FEET
MAX BEAM: 42.0 FEET
DISPLACEMENT: 1800 TONS
DRAUGHT: 14.3 FEET
CRUISE SPEED: 11.0 KNOTS
RANGE: 5898 NAUTICAL MILES



NOAA SHIP MT. MITCHELL

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: MURRE II
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 86.0 FEET
MAX BEAM: 26.8 FEET
DISPLACEMENT: 295 TONS
DRAUGHT: 7.5 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 1620 NAUTICAL MILES




NOAA SHIP MURRE II

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: OREGON II
NAME: CAPT ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 170.0 FEET
MAX BEAM: 34.0 FEET
DISPLACEMENT: 952 TONS
DRAUGHT: 14.0 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 7810 NAUTICAL MILES




NOAA SHIP OREGON II

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: RAINIER
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 231.0 FEET
MAX BEAM: 42.0 FEET
DISPLACEMENT: 1800 TONS
DRAUGHT: 14.3 FEET
CRUISE SPEED: 11.0 KNOTS
RANGE: 5898 NAUTICAL MILES




NOAA SHIP RAINIER

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: RUDE
NAME: CAPT ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 90.0 FEET
MAX BEAM: 22.0 FEET
DISPLACEMENT: 220 TONS
DRAUGHT: 7.2 FEET
CRUISE SPEED: 9.0 KNOTS
RANGE: 770 NAUTICAL MILES




NOAA SHIP RUDE

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: SURVEYOR
NAME: CAPT FRED JONES
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA PACIFIC MARINE CENTER
ADDRESS: 1801 FAIRVIEW AVENUE E
CITY-STATE: SEATTLE WA 98102
COMMERCIAL AREA CODE: 206
PHONE: 442-4548

SHIP DIMENSIONS

LENGTH: 292.2 FEET
MAX BEAM: 46.0 FEET
DISPLACEMENT: 3440 TONS
DRAUGHT: 19.5 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 8033 NAUTICAL MILES



NOAA SHIP SURVEYOR

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: WHITING
NAME: CAPT ROBERT HUNT
OFFICE: CHIEF OPERATIONS DIVISION
ORGANIZATION: NOAA ATLANTIC MARINE CENTER
ADDRESS: 439 WEST YORK STREET
CITY-STATE: NORFOLK VA 23510
COMMERCIAL AREA CODE: 804
PHONE: 441-6440

SHIP DIMENSIONS

LENGTH: 163.0 FEET
MAX BEAM: 33.0 FEET
DISPLACEMENT: 907 TONS
DRAUGHT: 11.2 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 5700 NAUTICAL MILES



NOAA SHIP WHITING

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: USNS SAMUEL P. LEE
NAME: MARK HOLMES
OFFICE: PACIFIC BRANCH OFFICE OF MARINE GEOLOGY
ORGANIZATION: U.S. GEOLOGICAL SURVEY
ADDRESS: 345 MIDDLEFIELD RD, MAILSTOP 999
CITY-STATE: MENLO PARK CA 94025
COMMERCIAL AREA CODE: 415
PHONE: 856-7141

SHIP DIMENSIONS

LENGTH: 208.3 FEET
MAX BEAM: 39.0 FEET
DISPLACEMENT: 1338 TONS
DRAUGHT: 14.2 FEET
CRUISE SPEED: 11.6 KNOTS
RANGE: 12000 NAUTICAL MILES

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: LAKE GUARDIAN
NAME: MR. DAVID ROCKWELL
OFFICE: EPA PROJECT OFFICER
ORGANIZATION: GREAT LAKES NATIONAL PROGRAM OFFICE
ADDRESS: 230 SOUTH DEARBORN
CITY-STATE: CHICAGO IL 60604
COMMERCIAL AREA CODE: 312
PHONE: 353-1373

SHIP DIMENSIONS


LENGTH: 180.0 FEET
MAX BEAM: 40.0 FEET
DISPLACEMENT: 850 TONS
DRAUGHT: 11.0 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 6000 NAUTICAL MILES

POINT OF CONTACT INFORMATION (SCHEDULES)

SHIP NAME: PETER W. ANDERSON
NAME: EDWARD MCLEAN
OFFICE: MARINE & ESTUARINE PROTECTION WH556M
ORGANIZATION: ENVIRONMENTAL PROTECTION AGENCY
ADDRESS: 401 M. STREET, SW
CITY-STATE: WASHINGTON DC 20460
COMMERCIAL AREA CODE: 202
PHONE: 382-7143

SHIP DIMENSIONS

LENGTH: 165.0 FEET
MAX BEAM: 24.0 FEET
DISPLACEMENT: 250 TONS
DRAUGHT: 10.5 FEET
CRUISE SPEED: 12.0 KNOTS
RANGE: 2448 NAUTICAL MILES



EPA PETER W. ANDERSON