



AT&T Government Solutions, Inc.

Patrick Emery

Lewis Hart

PatEmery@att.com or LewisHart@att.com



maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Infor	regarding this burden estimate or mation Operations and Reports	or any other aspect of the , 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington		
1. REPORT DATE AUG 2004		2. REPORT TYPE		3. DATES COVERED 00-00-2004 to 00-00-2004			
4. TITLE AND SUBTITLE			5a. CONTRACT NUMBER				
CODIP Technolog	y at Work	5b. GRANT NUMBER					
		5c. PROGRAM ELEMENT NUMBER					
6. AUTHOR(S)			5d. PROJECT NUMBER				
					5e. TASK NUMBER		
		5f. WORK UNIT NUMBER					
	ZATION NAME(S) AND AD at Solutions Inc,190 0	8. PERFORMING ORGANIZATION REPORT NUMBER					
9. SPONSORING/MONITO	RING AGENCY NAME(S) A		10. SPONSOR/MONITOR'S ACRONYM(S)				
				11. SPONSOR/M NUMBER(S)	ONITOR'S REPORT		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited					
_	OTES 2004 Performance N on August 24-26 20	~	nt Systems Work	shop (PerMI	S ?04),		
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF				
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 10	RESPONSIBLE PERSON		

Report Documentation Page

Form Approved OMB No. 0704-0188





The CODIP program provides frameworks and components for intelligent processing of information based on its semantics.

- Distribution of information from publishers to subscribers using subscriber defined semantic queries.
- Automatic generation of semantic mapping between ontologies to facilitate database integration, content translation and distribution.
- Application of a UML technology to leverage existing resources to provide knowledge engineering capability.
- Ontological processing components and services that can bring built-in knowledge processing capability to applications.









Overview Applications and Products

- Primary products support these applications:
 - <u>Duet</u> to support visualization, application and management of ontologies using the UML/MOF engineering standards,
 - <u>Kage</u> to support applications with analysis, translation, and repository functionality,
 - ODKD for semantics based publication of information to subscribers, and
 - <u>Artic</u> to support using multiple ontologies concurrently by finding and codifying relationships between their concepts.
- These products are built from library of reusable components that may be integrated into other applications.









- Provides management and access to collections of ontologies.

Ontology Mapping Engine

 Provides automated analysis of potential mappings between ontologies and builds articulation ontologies that codify the mappings.


Artic Service

Provides APIs, command line and web based access to the mapping engine.



G B B F P F Technology

Artic Ontology Mapping Engine



Multiple Layers

- Non-procedural rules and procedural processors, invoked by rules.

Multiple Phases

Analysis, Match Factors, Matches.








- Articulations are specialized ontologies that relate concepts in other ontologies.
 - Relationships of various types:
 - » Similarity, Part-Of, Kind-Of, Temporal, Spatial, and Domain Specific.
 - Multiplicity may be 1:1,1:M, M:1 or M:M
 - -Variable 'strength'.
 - –May include conversion rules, which may be one-way.

Articulation Ontologies





Technology at Work

Example Match Simple, 'Perfect'

BoatWidth

file:Shipyard_2.owl#genid308

owl:equivalentTo

BoatWidth file:Shipyard_3.owl#genid311

<Match

kind"="owl:sameIndividualAs" rdf:about="artic2659" strength="10.00" >

<MatchFactor rdf:about="artic1913" detail="BoatWidth" kind="EX_NM_MTCH:ele_nm" strength="7">

reasons

MatchFactor rdf:about="artic2271" detail="Boat width in meters rounded up." kind="PHRASE_MTCH:ele_defn" strength="10">

<MatchFactor rdf:about="artic2394" detail="BoatWidth" kind="EX_NM_MTCH:ele_access_nm" strength="6"> <MatchFactor rdf:about="artic2341" detail="FLOAT8" kind="EX_DT_MTCH:ele_data_type" strength="2">




Articulation Example Structural, Imperfect Match at Work Parent Match WorkOrder owl:equivalentTo WorkOrder file:Shipyard_2.owl#genid662 file:Shipyard_3.owl#genid735 <Match kind"="owl:sameIndividualAs" reasons <MatchFactor rdf:about="artic1730" rdf:about="artic3027" kind="EX NM MTCH:tbl nm" strength="8.60" > <MatchFactor rdf:about="artic1819" detail="WorkOrder" detail="Unique marina work order ID." strength="8"> kind="PHRASE_MTCH:ele_defn" Structural Match strength="8"> <MatchFactor rdf:about="artic3029" Matching elements detail="artic3027 artic2999" MatchFactor rdf:about="artic3030" found in matching kind="TBL ELE MTCH" detail="artic3027 artic2999" strength="3"> kind="ELE_TBL_MTCH" tables generate strength="9"> reciprocal factors <MatchFactor rdf:about="artic1825" detail="INTEGER" <Match kind="EX_DT_MTCH:ele_data_type" kind"="owl:sameIndividualAs" reasons strength="2"> rdf:about="artic2999" strength="9.84" > OrderID WorkOrderID owl:equivalentTo file:Shipyard_3.owl#genid342 file:Shipyard_2.owl#genid308 Child Match



Technology at Work

13Con Processing



- Pre Processing applies transformations to
 - Convert DAML and RDFS to compatible OWL equivalents.
 - Adds XML Base namespace if needed.
- Post Processing applies transformations to
 - Convert Articulation to Alignment format.
 - Remove low confidence (< 0.8) and uninteresting matches (e.g. 'genid').
 - Removes faulty matches (e.g. rdf:ID=" ")



Alignment





I3Con Results Summary

	Animals	Sports	Comsci	Hotel	Network	P&P	P&P-noi	Russia
Alignments	83	187	0	15	44	128	286	150
Confidence								
Maximum	1.0006	0.9671	0.0000	0.9396	1.0011	1.0012	0.9824	0.9997
Minimum*	0.8423	0.8423	0.0000	0.8435	0.8423	0.8423	0.8423	0.8423
Average	0.9283	0.9223	N/A	0.8808	0.9051	0.9111	0.9255	0.9024
Median	0.9326	0.9384	N/A	0.8709	0.9374	0.9374	0.9358	0.9359

^{*} Confidence < 0.8 removed.

Issues

- Namespaces XML Base needed to allow local file usage.
- ID verses rdf:ID leads to resources with no ID.
- Semantic differences between RDF/S, DAML+OIL, OWL
- Some results not understood
 - Comsci topic lead to no alignments
 - Removal of instance data in People&Pets produced more alignments.



