

Calculation of the Viscous Drag on Submerged Bodies From the Far Field Behavior of the Flow

Robert T. Hudspeth
202 Apperson Hall
Department of Civil Engineering
Oregon State University
Corvallis, OR 97331-2302
phone: (541)737-6883 fax: (541)737-0485 e-mail: Robert.Hudspeth@orst.edu
Award #: N00014-96-1-0696
http://www.onr.navy.mil/sci_tech/ocean/onrpgahj.htm

Ronald B. Guenther
Department of Mathematics
Oregon State University, Kidder 363
Corvallis, OR 97331-4605
phone: (541)737-5137 fax: (541)737-0517 e-mail: guenth@math.orst.edu

Enrique A. Thomann
Department of Mathematics
Oregon State University, Kidder 304
Corvallis, OR 97331-4605
phone: (541)737-5160 fax: (541)737-0517 e-mail: thomann@math.orst.edu

LONG-TERM GOALS

To develop formulas to evaluate the hydrodynamic forces acting on submerged solid bodies using only the far field behavior of the flow past the body. These formulas will eliminate the need to resolve the local behavior of the flow in the vicinity of the bodies. Once these formulas are developed, the interactions between submerged solid bodies both with and without a free surface may be analyzed without the need to resolve the local fluid velocity.

OBJECTIVES

Lighthill [L1] [L2] used a decomposition of the fluid velocity based on a Newtonian potential to relate the Morison equation to the wave induced loads on submerged bodies. In order to obtain a more direct relation between the hydrodynamic forces and the state of the fluid, different representations of the fluid velocity are required. Accordingly, our objectives are:

- To improve the Lighthill approach by considering potentials that are more appropriate for studying fluid flows, such as the Stokes and the Oseen fundamental tensors.
- To obtain exact or asymptotic formulas that relate the far field behavior of the fluid flow to the stress vector.
- To use these relations for the evaluation of the hydrodynamic forces on submerged solid bodies.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 1998		2. REPORT TYPE		3. DATES COVERED 00-00-1998 to 00-00-1998	
4. TITLE AND SUBTITLE Calculation of the Viscous Drag on Submerged Bodies from the Far Field Behavior of the Flow				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Oregon State University, Department of Civil Engineering, Corvallis, OR, 97331				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002252.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 5	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

APPROACH

The basic principles of the mechanics of fluids and solids used by Lighthill, [L1] [L2] were:

a) Decomposing the displacement of the fluid into a pure straining component and a pure rotational component; and b) Obtaining a Helmholtz decomposition of the velocity field into an irrotational and a solenoidal component. The Lighthill decomposition may be used to express symbolically the loads on submerged bodies; but the numerical computation of these loads is not possible due to absence of boundary conditions for this decomposition. One of the limitations is the Newtonian potential. This problem may be avoided in the linear case by using the Stokes or Oseen fundamental solution and by focusing instead on the stress vector.

The approach will develop formulas for the direct evaluation of the viscous shear stresses for steady nonlinear flows. A solid body moving with a constant velocity $-U$ in a fluid at rest at infinity is analyzed. The Navier Stokes equations for the steady flow of an incompressible fluid of unit density are the governing equations of motion for the fluid occupying the region exterior to the solid body are given by [B]:

$$(\mathbf{U} + \mathbf{v}) \cdot \nabla \mathbf{v} = -\mu \nabla \times \boldsymbol{\omega} - \nabla p - g\mathbf{k}; \quad \nabla \cdot \mathbf{v} = 0$$

where μ is the dynamic fluid viscosity, $\boldsymbol{\omega}$ is the vorticity, and p is the dynamic pressure. On the surface of the solid body B , the no slip boundary condition is assumed to hold $\mathbf{v}(\mathbf{x}) = -\mathbf{U}$ for $\mathbf{x} \in B$.

The approach uses potential theory identities to relate the far field behavior of the dynamic pressure to the total forces acting on the submerged solid. This is a departure from Lighthill's approach that considers the velocity field.

WORK COMPLETED

On a solid body with angular velocity $\boldsymbol{\omega}$, the stress vector may be written as

$$\mathbf{T}\mathbf{n} = \mu(\boldsymbol{\omega} - 2 \nabla \times \mathbf{v}) \times \mathbf{n} - p\mathbf{n} \quad (1)$$

where $\mathbf{n}$ is the inward directed unit vector normal to the surface of the solid body B . The total surface forces acting on the submerged solid body are given by

$$\mathbf{F} = \int_B \mathbf{T}\mathbf{n} dS$$

For the Stokes and Oseen problem, Schuster [S] numerically evaluated the stress vector on the boundary of the solid, given the far field velocity by solving a Fredholm equation of the first kind. The kernel of the integral equation is obtained from the fundamental solution tensor of the corresponding equation. Relations between the velocity at infinity and the stress vector appear to be limited to only the linear problems. Consequently, the dynamic pressure will be considered.

For the nonlinear steady flow problem, the following new formula for dynamic pressure was derived:

$$4 \quad p(\mathbf{x}) = \int_B T(\mathbf{y}) \mathbf{n}(\mathbf{y}) \cdot \nabla \frac{1}{|\mathbf{x} - \mathbf{y}|} dS(\mathbf{y}) - \int (\mathbf{v} \cdot \nabla) \mathbf{v} \cdot \nabla \frac{1}{|\mathbf{x} - \mathbf{y}|} d\mathbf{y} \\ - \int_B (\mathbf{U} \cdot \nabla) \mathbf{v} \cdot \mathbf{n}(\mathbf{y}) \frac{1}{|\mathbf{x} - \mathbf{y}|} dS(\mathbf{y}) - \int_B g \frac{\mathbf{k} \cdot \mathbf{n}}{|\mathbf{x} - \mathbf{y}|} dS(\mathbf{y}) \quad (2)$$

The relation between the far field behavior of the dynamic pressure and the stress vector may be obtained as follows. Multiplying (2) for p by $\mathbf{x}/R$ and integrating over the sphere of radius R , the last two integrals vanish. In addition

$$\int_{|\mathbf{x}|=R} \left(\frac{\mathbf{x}}{R} \otimes \nabla \frac{1}{|\mathbf{x} - \mathbf{y}|} \right) dS(\mathbf{x}) = \frac{1}{3} 4 \quad I + O\left(\frac{1}{R}\right)$$

where I is the 3x3 identity matrix. The volume integral in (2) for the pressure formula decays according to the results given by Finn [F]. The hydrodynamic forces on the submerged solid body may then be computed from

$$\int_B T \mathbf{n} dS = 3 \lim_{R \rightarrow \infty} \int_{|\mathbf{x}|=R} p(\mathbf{x}) \frac{\mathbf{x}}{R} dS(\mathbf{x}) \quad (3)$$

The details of this derivation are given in [GHT].

RESULTS

The numerical calculations by Schuster [S] for the linear case show that it is possible to relate the solid body velocity to the stress vector. The relations that one obtains require the fundamental solution of the Stokes or Oseen problem, and may not be accomplished using a Newtonian potential as suggested by Lighthill [L1] [L2]. The numerical solution of the integral equations that arise requires the characterization of the null space that is given by Fisher, Hsiao and Wendland [F], [HW],[FHW].

In the nonlinear regime, it does not appear possible to relate the solid body velocity to the stress vector. In part, this is due to the coupling of the kinematic boundary conditions for the scalar and vector potentials used in the Helmholtz decomposition of velocity vector fields. Consequently, relations between the stress vector and thermodynamic variables (*e.g.*, dynamic pressure) are required. An example of this relation for steady flow is given by (3).

IMPACT/APPLICATIONS

The new formulas (2) and (3) appear to provide a method for computing fluid drag forces that is not possible using the Lighthill velocity decomposition.

The significance of (1) is that the stress vector may be related pointwise to the vorticity of the fluid. Consequently, (1) may be used to derive rigorous or semi-rigorous models for the study of sediment transport.

TRANSITIONS

These results lead to the development of efficient numerical methods for solving Fredholm integral equations of the first kind. Equation (3) offers an appealing alternative to far field velocity [LI1] or vorticity [R] methods for computing the hydrodynamic force on submerged solid bodies that could have substantial impact on the analysis of loading on structures.

RELATED PROJECTS

The results of this research could be adapted and reformulated to analyze sediment transport. These results could also be used to determine the boundary data needed in numerical algorithms based on vortex elements for computational fluid mechanics.

REFERENCES

- [B] G. Batchelor, 1973: *An Introduction to Fluid Dynamics*, Cambridge University Press.
- [F] T. Fischer, 1987: "A boundary integral method for the numerical computation of the forces exerted on a sphere in viscous incompressible flows near a plane wall," *J. of Applied Mathematics and Physics (ZAMP)*, Vol 38. pp 339-365.
- [GHT] R. Guenther, R. Hudspeth, E. Thomann, "The evaluation of the hydrodynamic forces on a solid body from the far field pressure field," In preparation.
- [HW] G. Hsiao and W. Wendland, 1977: "A Finite element method of some integral equations of the first kind," *J of Mathematical Analysis and Applications*, Vol. 58. pp 449-481.
- [FW] T. Fischer, G. Hsiao, and W. Wendland, 1985: "Singular perturbations for the exterior three dimensional slow viscous flow problem," *J of Mathematical Analysis and Applications*, Vol. 110. pp 583-603.
- [LH] M. Longuet Higgins, 1992: "Capillary rollers and bores," *J. of Fluid Mechanics*, Vol. 240 pp 659-679.
- [L1] J. Lighthill, 1986: "Fundamentals Concerning Wave Loading on Offshore Structures," *J. Fluid Mechanics*, Vol. 173. pp 667-681.
- [L2] J. Lighthill, 1986: *An Informal Introduction to Theoretical Fluid Dynamics*, Oxford University Press.
- [R] D. Rockwell, *Ocean Engineering and Marine Systems 1997 Program*, ONR, pp. 54-63.
- [S] M. Schuster, 1988: "Computation of the Stresses on a Rigid Body in Exterior Stokes and Oseen Flows," MS Thesis, Dept. Mathematics, Oregon State University, June.

PUBLICATIONS

Wang, H. and Guenther, R.B. 1997: "Calculation of the Far Field Finite Depth Green's Function," *J. Ocean Engineering*, 24 (1), 83-94.

Foster, D.L., Guenther R.B., Holman, R.A. 1998: "An Analytic Solution for the Wave Bottom

Boundary Layer Governing Equation Under Arbitrary Wave Forcing,” to appear in *J.Ocean Engr.*

Guenther, R.B. and Lee J.W. 1998: “Heat Conduction with Radiating Boundary Conditions,” *Journal of Computational and Applied Mathematics*, 88, 119 - 124.

Guenther, R.B. and Lee, J.W. “Boundary Value Problems for a Class of Integro-differential Equations and Applications,” to appear in *Journal of Computational and Applied Mathematics*.

Bowline, C., Hudspeth, R.T., Guenther, R.B., “Are Cross Waves Chaotic?” to appear in *J. Applicable Analysis*.

Hudspeth, R.T., Borgman, L.E., and Samorsorn, B., ”Conditional Simulation of Laboratory Waves,” to appear in *Journal of Waterways, Port, Coastal and Ocean Engineering*.

Tuah, Hang, Chen, M-C, and Hudspeth, R.T. 1998: “Discussion of Numerically Simulating Non-Gaussian Sea Surfaces” by B. Vanhoff, S. Elgar and R.T. Guza, *Journal of Waterways, Port, Coastal and Ocean Engineering*, Vol. 124 (6), Nov/Dec, pp. 335-336.

Hudspeth, R.T., “Discussion of an Improvement to Stokes Nonlinear Theory for Steady Waves” by V. Karambas and C.G. Routitas to appear in *Journal of Waterways, Port, Coastal and Ocean Engineering*.